


AGRICULTURAL RESEARCH INSTITUTE
PUSA



# UNITED STATES DEPARTMENT OF AGRICULTURE

# YEARBOOK 1920



WASHINGTON
GOVERNMENT PRINTING OFFICE
1921

#### Organization of U.S. Department of Agriculture.

.Corrected to March 10, 1921.

Secretary of Agriculture, Henry C. Wallace. Assistant Secretary of Agriculture, E. D. Ball. Administrative Assistant, H. F. Fitts. Private Secretary to the Secretary, W. A. Jump. Solicitor, Robert W. Williams. Director of Information, Harlan Smith.

Chief Clerk, R. M. REESE.

Office of Farm Management and Farm Economics, Henry C. Taylor, Chief.

Weather Bureau, CHARLES F. MARVIN, Chief.

Bureau of Animal Industry, John R. Mohler, Chief.

Bureau of Plant Industry, WILLIAM A. TAYLOB, Plant Physiologist and Pathologist, and Chief.

Forest Service, WILLIAM B. GREELEY, Forester and Chief.

Bureau of Chemistry, Carl L. Alsberg, Chemist and Chief.

Bureau of Soils, Milton Whitney, Soil Physicist and Chief.

Bureau of Entomology, L. O. Howard, Entomologist and Chief.

Bureau of Biological Survey, EDWARD W. NELSON, Biologist and Chief. Division of Accounts and Disbursements, A. Zappone, Chief and Disbursing Clerk.

Division of Publications—including Press Service, Offices of Exhibits, Motion Pictures, etc.—John L. Cobbs, Jr., Chief.

Bureau of Crop Estimates, L. M. Estabbook, Statistician and Chief.

States Relations Service, A. C. TRUE, Director.

Bureau of Public Roads, Thomas H. MacDonald, Chief. Bureau of Markets, George Livingston, Chief.

Insecticide and Fungicide Board, J. K. Haywoon, Chairman.

Federal Horticultural Board, C. L. MARLATT, Chairman.

Librarian, CLARIBEL R. BARNETT.

Editor, L. C. EVERARD.

#### MORE COMPLETE KNOWLEDGE.

AS A NATION we have always stood on our own feet A and felt ourselves masters of our own destiny. immense and varied natural resources have enabled us to maintain this position and have justified this feeling. largely because of our confidence in the sufficiency and permanency of these resources that we have been in the past and are now able to look the future calmly in the eye and go on our way steadily improving the quality of our national life. We have always been able to look beyond the frontier of cultivation to new and untouched fields ready to supply the landless farmer with a homestead and to meet the growing demands of the country for food, clothing, and shelter. That untouched reserve has about disappeared. We have another reserve, however, as vast as that which lay before the pioneers in the old days. It is the grain and meat, the wool and the wood, the thousand and one other products of field and forest that we can add to our store by applying more intensively on the farm and in the forest the scientific principles and methods that come forth from laboratory, sample plot, and experimental farm. As the days go by we learn more and more the underlying causes of success in agriculture, we perfect methods for applying the new discoveries. we reduce more and more the element of chance and guesswork, we grow in knowledge of how to get more and better crops from the land and how to market them where they will do the most good. The answer to the problem of both producer and consumer lies in the extension of our efforts in these directions, in the use and distribution of what we have on the basis of more complete knowledge, and in putting the idle land to work and making all the land work to better purpose. In times of short crops the chief concern is whether production can be stimulated sufficiently to supply the nation's needs; when the crop is long, marketing becomes the paramount question. Temporary causes for these conditions and temporary remedies to meet the crises produced will

probably never be eliminated. In the long run, however, more complete knowledge of production and marketing, emanating from scientific and unbiased agencies, will go a long way toward solving the problems of producer and consumer alike. The key with which to open the door to better conditions may take any one of a number of forms, but it must be cast chiefly from the metal of Agricultural Science

L. C. EVERARD.


# CONTENTS.

	:	Page.
The Year in Agriculture	.E.T. Meredith	9
European Corn Borer in American Corn	.W. R. Walton	85
Science Seeks the Farmer	.L. C. Everard	105
Home Demonstration Bears Fruit in the South.	O. B. Martin Ola Powell	111
Know Your Markets	W. A. Wheeler Frank George	127
Wood for the Nation	.W.B. Greeley	147
Conserving Our Wild Animals and Birds	.E. A. Goldman	159
Pig Parasites and Thumps	.B. H. Ransom	175
Speaking of the Weather	J. W. Smith	181
With the Irrigation Farmer	Samuel Fortier	203
Phosphorus in Fertilizer	W. H. Waggaman	217
Runts—and the Remedy	J. R. Mohler	225
Killing Boll Weevils with Poison Dust	B. R. Coad	241
Farm Help from the Birds	.W. L. McAtee	253
Helping Landless Farmers to Own Farms	.L. C. Gray	271
Hunting Down Stock Killers	W. B. Bell	289
The Cost of a Bushel of Wheat	.F. W. Peck	301
How the Public Forests are Handled	H. A. Smith	309
From Scrubs to Quality Stock	D. S. Burch	331
Roads	. H. S. Fairbank	339
The March of Standardization	H. W. Samson	353
Getting Our Potash	W. H. Ross	363
Flowering and Fruiting of Plants as Controlled		
by the Length of Day	. W. W. Garner H. A. Allard	377
Cows That Make the Income Climb	J. C. McDowell	401
Uses of the Soil Survey	.C. H. Seaton	413
Death to the Rodents	_W. B. Bell	421
Putting Wood Waste to Work		439
Milk for Midshipmen	_Ernest Kelly	463
Food for Farm Families	<b>Helen W. At</b> water	471
Boys' and Girls' Clubs Enrich Country life	_C. B. Smith G. E. Farrell	485
The Farmer's Interest in Foreign Markets	E. G. Montgomery C. L. Luedtke	495

# Yearbook of the Department of Agriculture, 1920.

8

Appendix:	Page,
Agricultural Colleges in the United States	505
Agricultural Experiment Stations	507
State Officers in Charge of Cooperative Agricultural Extension Work	508
State Officials in Charge of Agriculture	508
State Forestry Departments, Forestry Extension Specialists, and Forest Schools	509
Live-Stock Associations	510
Statistics of Grain Crops, 1920	534
Statistics of Crops Other Than Grain Crops	611
Live Stock, 1920	701
Imports and Exports of Agricultural Products	761
Miscellaneous Agricultural Statistics	803
Index	841



WASHINGTON, D. C., November 15, 1920.

Sin: The farmers of America have again justified the faith of the Nation in their ability to meet its requirements of food, feed, and raw materials for clothing. They have produced this year, in the face of enormous difficulties, the largest harvest in the history of American agriculture, with a single exception. The combined yield of the 10 principal crops is 13 per cent above the average for the five years preceding the outbreak of the World War.

The corn crop of 3.199.000.000 bushels is unprecedented. representing more than four-fifths of the world's production. The sweet-potato crop of 106,000,000 bushels is the largest ever produced and far in excess of that of any other year except 1919. The rice crop of 52,000,000 bushels is onefourth greater than the largest crop ever before harvested. The tobacco crop of 1,476,000,000 pounds considerably exceeds any previous yield. The sugar-beet crop is more than one-third larger than the largest ever before recorded. The grain sorghum crop of 149,000,000 bushels is 18 per cent above that of 1919, which was itself a record crop. The potato crop of 421,000,000 bushels has been exceeded only once, and then by a very narrow margin. The oat crop of 1,444,000,000 bushels has been exceeded only three times, and the tame hay crop of 88,000,000 tons only twice. The apple crop of 236,000,000 bushels has been exceeded only once, in

1914. The yields of wheat, barley, buckwheat, peaches, peanuts, edible dried beans, flaxseed, and cotton are slightly below the average, but they, nevertheless, represent an enormous volume in the aggregate. The number of all classes of live stock on farms, although less than the number in 1919, exceeds by 18,214,000 the average for the five years preceding the outbreak of the European war.

# Many Obstacles Encountered.

These remarkable results were achieved under conditions which were decidedly disheartening at planting time. The farmers were confronted with an unusual number of obstacles, and many of them were formidable. The spring was late and cold and wet, threatening to restrict the crop acreage and making it uncertain whether seed would rot in the ground or whether those which germinated would reach maturity. In only 4 years of the last 37 was the progress of plowing, up to May 1, so backward as in 1920. With this initial handicap and with the prevailing uncertainty regarding weather conditions during the growing season, the farmers were discouraged. They saw no hope of a reduction in the prices of fertilizers, machinery, and supplies, which had increased greatly since 1914. In addition, the labor supply was approximately 37 per cent short, and wages had risen to such a point in 1919 that the farmers were appalled at the thought of paying still higher wages in 1920. Many of the men who entered the military and naval services and war industries did not return to farm work. Wages in all industries, in trade and in transportation, increased so rapidly that their lure became irresistible to many laborers who had thus far remained on the farm, and they, too, were carried with the current to urban centers. Altogether, in the spring of 1920 the American farmers were confronted with the most difficult situation they had ever experienced.

The accompanying tables show at a glance the results of the year's agricultural operations, so far as the statistics are availble, and indicate also the extent to which farm products have entered into our foreign trade.

Average of crops in the United States.

[Figures refer to planted acreage for winter wheat and rye.]

					-			-
Grop.	1920 (unrevised estimate, October, 1920).	1919 (subject to revision).1	1918	1917	1916	1915	1914	Annual average, 1910–1914.
CORT Wheat Oafs Barloy Rye Buckwheat Rice Rice	103, 648, 000 53, 652, 000 41, 082, 000 7, 437, 000 6, 470, 000 732, 000 1, 346, 000 5, 342, 000	102, 075, 000 73, 827, 000 42, 400, 000 7, 420, 000 7, 232, 000 790, 000 1, 089, 300 4, 883, 000	104, 467, 000 64, 382, 000 44, 349, 000 9, 740, 000 6, 708, 000 1, 027, 000 1, 118, 550 6, 086, 000	116, 730, 000 58, 386, 000 43, 553, 000 8, 933, 000 4, 480, 000 924, 000 880, 900 5, 153, 000	105,296,000 56,810,000 41,527,000 7,757,000 3,474,000 828,000 889,000 3,944,000	106, 197, 000 62, 042, 000 40, 996, 000 7, 148, 000 3, 163, 000 769, 000 802, 000 4, 153, 000	103, 485, 000 54, 661, 000 38, 442, 000 7, 565, 000 2, 773, 000 792, 000 683, 000	105, 240, 000 52, 452, 000 38, 014, 000 7, 593, 000 2, 562, 000 733, 000
Total.	218, 678, 000	239, 726, 800	237, 797, 550	239, 119, 900	220, 505, 000	225, 260, 000	225, 260, 000 1 208, 361, 000	<sup>8</sup> 207, 420, 000
Potátoes	3,849,000 1,022,000	4,013,000	4, 205, 000 940, 000	4,381,000	3, 565, 000 774, 000	3, 734, 000 731, 000	3,711,000 603,000	3,686,000
Total	4,871,000	5,042,000	5, 235, 000	5, 303, 000	4, 339, 000	4, 465, 000	4,314,000	4, 297, 000
Tobacco Cotton.	1,859,700 35,504,000	1,901,200	1, 647, 100 36, 008, 000	1,518,000 33,841,000	1, 413, 000 34, 985, 000	1,369,900	1, 224, 000 36, 832, 000	1, 209, 000 35, 330, 000
Grand total	260, 912, 700	280,014,000	280, 687, 650	279, 781, 900	261, 242, 000	262, 506, 900	250, 731, 000	248, 256, 000
i Figures for 1919 are to be revised Dec. 14, 1920. (See Appendix.)	e revised Dec. 1	4, 1920. (See	Appendix.)	E S	<sup>a</sup> Excluding grain sorghums	sorghums.		

Figures for 1919 are to be revised Dec. 14, 1920. (See Appendix.)

Crop production in the United States—Continued. [The figures are in round thousands—i. e., 000 omitted.]

	ng or arri	Trough company						
Orop.	1920 (unre- vised esti- mate, Novem- ber, 1920).	1919 (subject to revision).	1918	1917	1916	1915	1914	Annual average, 1910-1914.
CEREALS.								
Corn.	3, 199, 126	2,917,450	2, 502, 665	3,065,233	2,566,927	2, 994, 793	2,672,804	2, 732, 457
	750,648	940,987	921, 438	636, 655	636, 318	1,025,801	891,017	728, 225
	1,444,411	1,248,310	1,538,124	1,592,740	1,251,837	1,549,030	1,141,060	1, 157, 961
Вагјеу	191,386	165,719	256, 225	211, 759	182, 309	228,851	194, 953	186, 208
Вуе	77,893	88,478	91,041	62,933	48,862	54,050	42, 779	37,568
Buckwheat	14,321	16,301	16,905	16,022	11,662	15,056	18,881	17,022
	52,298	41,059	38,606	34,739	40,861	28,947	23,649	24,378
Grain sorghumsdo	148,747	126,058	73,241	61,409	53,858	114, 460		
Totaldodo.	5, 878, 830	5,544,362	5, 438, 245	5,681,490	4, 792, 634	6,010,988	14,983,143	14,883,819
VEGETABLES.								
Potatoesbushels	421, 252	357,901	411,860	442, 108	286, 953	359, 721	409,921	360, 772
Sweet potatoesdo	105,676	103,579	82,924	83,822	70,955	75,639	56,574	67,117
ial)	9,364	11,488	17,397	16,045	. 10,715	10,321	11,585	
Onions (commercial)do	. 15,132	9,412	19, 336	12,376	8,562	7,664	<b>©</b>	
Cabbage (commercial)tons	622	288	498	475	255	119	€	
FRUITS.								
Peaches	44,523	50,434	34, 133	45,066	37,505	64,097	54, 109	43, 752
Pears.	15,558	13,902	12,993	13,281	11,874	11,216	12,086	11,184
	236, 187	147,457	1169,911	163,117	204,582	76,670	253, 200	197,898
es (3 States)	433	541	352	249	471	441	269	

	18,353	5,391	991,958	81,640	14,259				
	13,749	5,585	1,034,679	88,686	16, 135				
	14,030	6,511	1,062,237	107, 263	11,192	14,823		E.	
	14, 296	6,228	1, 153, 278	110,992	11,450	13,668	34, 434	æ	1,706
	9, 164	5,980	1,249,276	98, 439	11,302	37, 472	52,505	57	1, 488
	13,369	5,949	1,439,071	91, 139	12,041	33,387	46,010	58	1,102
	8,919	6, 421				33,312		53	1,099
•	10, 736	8,812				37, 402		37	1,593
MISCELLANEOUS.	Flaxseedbushels	Sugar beetstons	Tobaccopounds	All haytons	Cottonbales.	Sorghum sirupgallons	Peanutsbushels	Broom corn (5 States)tons	Clover seedbushels

Excludes grain sorghums.

<sup>2</sup> No estimate.

Exports of live stock from the United States.

[Bureau of Foreign and Domestic Commerce, United States Department of Commerce.]

Number.         Number.	Kind.	1920	1919	1918	1917	1916	1915	Annual average, 1910–1914.	3 months, July– Septem- ber, 1920.
8,991         12,452         28,879         138,689         111,915         65,788         5,125           68,039         42,346         18,213         13,887         21,327         5,434         88,225           69,135         16,117         7,059         58,811         231,535         182,278         522,565           36,107         17,390         9,280         21,926         7,799         11,191	Mules Mules Cattle Sheep Bwtne	Nun	Number. 27, 975 12, 452 42, 345 16, 117 17, 390	Nun.	Number. 278, 674 136, 689 13, 387 58, 811 21, 926	Number. 357,553 111,915 21,287 22,048	Number. 289, 340 65, 788 5, 484 182, 278 7, 799	Number. 28,073 5,125 88,225 522,505 11,191	Number. 3,870 1,309 16,718 4,543

Exports of domestic foodstuffs and cotton from the United States.

[Reports of Bureau of Foreign and Domestic Commerce, United States Department of Commerce.]

1920   Per cent   1919   191				Year ending June 30—	une 30				
Amount. 1910 122, 430, 724 21, 651, 234 21, 651, 234 33, 944, 740 37, 463, 285 26, 671, 284 14, 446, 559 16, 862, 895, 172				•				Annual average,	Three months, July-Sep-
123, 430, 734, 21, 261, 261, 261, 261, 33, 944, 740, 37, 463, 285, 28, 671, 284, 14, 446, 559, 2444, 030, 666, 2, 2, 2, 2, 2, 2, 2, 3, 3, 4, 4, 630, 666, 2, 2, 2, 3, 4, 4, 630, 666, 2, 2, 2, 3, 4, 4, 630, 666, 2, 2, 3, 4, 4, 630, 666, 2, 2, 3, 4, 4, 630, 666, 2, 2, 3, 4, 4, 630, 666, 2, 3, 4, 4, 630, 666, 2, 3, 4, 4, 4, 630, 666, 2, 3, 4, 4, 4, 630, 666, 2, 3, 4, 4, 4, 630, 666, 2, 3, 4, 4, 4, 630, 666, 2, 3, 4, 4, 4, 630, 666, 2, 3, 4, 4, 4, 630, 666, 2, 3, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 630, 666, 2, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	Amount.	Per cent of 1910–1914.	1919	1918	1917	1916	1915		tember, 1920.
21, 651, 201 33, 944, 740 37, 463, 285 26, 671, 284 14, 440, 559 16, 862, 895, 172 1, 444, 030, 665 2, 1, 444, 030, 665	-	215.1	178, 582, 673	34, 118, 853	149, 831, 427	173, 274, 015	259, 642, 533	56,013,228	82,178,319
37, 463, 285 4, 26, 671, 284 14, 446, 559 16, 862, 895, 172 1, 444, 030, 866 2,		202. x 408. 8		21,879,961	88, 944, 401	95,918,884	10, 102, 100	8,304,203	1,978,174
26,671,284 14,446,559 16,862,895,172 11,444,030,865 2,	- :	4,382.9		11,990,123	13,260,015	14, 532, 437	12,544,888	854, 765	15,141,843
14,446,559	<u>.</u>	337.8	20, 457, 781	26, 285, 378	16,381,077	27, 473, 160	26, 754, 522	7,896,521	5, 455, 503
16, 862, 895, 172		36.3	16,687,538	40,997,827	64, 720, 842	38, 217, 012	48, 786, 291	38, 809, 690	2, 901, 230
1,444,080,666 2,034.5 1,115,865,161	s and bunds. 16, 862, 895, 172	200.0	21, 996, 905, 576	13, 951, 418, 808	19, 330, 110, 628	20, 780, 577, 136	26, 567, 042, 632	8, 429, 735, 124	7, 141, 988, 840
000 COM 000 000 241 NO	.do 1,444,030,665	2,034.5	1, 115, 865, 161	576, 483, 050	576, 453, 050 1, 248, 508, 286 1, 630, 150, 863	1, 630,450, 863	549,007,411	70, 976, 908	86, 968, 547
394.2 18,791,553 4,504.5 728,740,509 5	1	642.3 394.2 4,504.5		17, 735, 506 44, 303, 076 528, 759, 232	26, 835, 092 66, 050, 013 259, 141, 231	13, 487, 481 44, 394, 301 159, 577, 620	9, 850, 704 55, 362, 917 37, 235, 627	4, 277, 955 4, 915, 502 15, 773, 900	1,340,588 1,287,329 74,782,516
Total dairy products, 757,067,263 8,032.2 781,272,022 590	البيا	3, 032. 2		590, 798, 274	352, 026, 336	217, 459, 402	102, 449, 248	24, 967, 357	77, 410, 433

14-year average.

# 16 Yearbook of the Department of Agriculture, 1920.

#### Estimated production of meat and wool.

[The figures are in round thousands, i. e., 000 omitted.]

Product.	1920	1919	1918	1917	1916	1914	- 1900
Beef <sup>1</sup> lbs Pork <sup>1</sup> do Mutton and		7, 422,000 11, 388,000		7,384,007 8,450,148	6, 670, 938 10, 587, 765	6,078,908 8,768,532	8, 138, 000 8, 199, 000
goat 1.lbs	16,600,000	635,000 19,445,000	537,000 20,250,000	491, 205 16, 325, 360	633, 969 17, 892, 672	739, 401 15, 586, 841	615, 000 16, 952, 000
Wool (in-							
pulled wool).lhs	307, 366	313, 160	298,870	281,892	288, 490	290, 192	289, 420

<sup>&</sup>lt;sup>1</sup> Estimated for 1914-1919 by the Bureau of Animal Industry. Figures for meat production for 1920 are tentative estimates based upon 1919 production and a comparison of slaughter under Federal inspection for 7 months of 1920 with the corresponding 7 months in 1919.

#### Number of live stock on farms on Jan. 1, 1910-1920.

[The figures are in round thousands, i. e., 000 omitted.]

Kind.	1920	1919	1918	1917	1916	1915	1914	Annual average, 1910–1914
	Number.							
Horses	21, 109	21,482	21,555	21,210	21, 159	21, 195	20,962	20, 430
Mules	4, 995	4,954	4,873	4,723	4,593	4,479	4,449	4, 346
Milk cows	23, 747	23, 475	23, 310	22,894	22, 108	21, 262	20,737	20,676
Other cattle	44, 485	45, 085	44, 112	41,689	39,812	37,067	35, 855	38,000
All cattle	68, 232	68,560	67,422	64,583	61,920	58,329	56,692	58, 676
Sheep	48, 615	48, 866	48,603	47,616	48,625	49,956	49,719	51,929
Swine	72, 909	74,584	70,978	67,503	67,766	64,618	58,933	61,865

# Confronted with Falling Market.

After the farmers had completed their planting and harvesting operations, after they had met and solved the problems of production, they found themselves face to face with a falling market. As a result, a situation has been brought about which may have serious consequences, immediate and remote, to our agriculture and to the Nation.

During all the months when the farmers were cultivating their crops, paying for labor and supplies at unusually high rates, the prices of agricultural commodities generally remained high. In midsummer, when the farmers' period of outlay was nearly at an end and their income period was about to begin, a sharp decline occurred in the prices of practically all farm products. Covering nearly everything the farmers had to sell, it did not materially affect the articles they had to buy. For labor and materials used in harvesting they were compelled to pay prices substantially as high as those prevailing during planting and cultivation.

# Shrinkage of Values.

The year's output, produced at an abnormally high cost, is worth, at current prices, \$3,000,000,000 less than the smaller crop of 1919 and \$1,000,000,000 less than the still smaller crop of 1918. In other words, it is estimated that the total farm value of all crops produced in 1920 is \$13,300,-000,000, compared with \$16,000,000,000 in 1919, \$14,300,000,-000 in 1918, and \$13,500,000,000 in 1917. Live stock and its products also declined to such an extent as to cause serious losses to producers. The best estimate that can now be made indicates that the total value of animal products in 1920 is \$8,757,000,000, or about \$200,000,000 less than in 1919. There is probably no other industry or business that could suffer a similar experience and avoid insolvency.

# Relative Prices of All Crops.

It is interesting, in this connection, to note the relative prices during the year of all crops grown in the United States. On March 1 they were 22 per cent higher than on

30702°-чвк 1920-243

the same date last year; on April 1, 23 per cent; on May 1, 23 per cent; on June 1, 24 per cent; on July 1, 21 per cent; on August 1, they were the same as on August 1 a year ago; on September 1, they were 7 per cent lower than a year ago; on October 1, 14 per cent lower; and on November 1, 28 per cent lower. The prices of all crops on November 1 were 33 per cent below those prevailing when the farmer planted and bore the cost of production.

The situation may be presented in another way, using corn, cotton, and wool as examples. The corn crop totals 3,199,000,000 bushels. At November 1 prices the farmers would receive for it approximately \$1,500,000,000 less than what it would bring on the basis of prices prevailing in November a year ago. The cotton crop aggregates 12,123,000 bales. At existing prices it would lack more than \$1,000,000,000 of bringing as much as it would have brought at 1919 prices. The wool clip, including pulled wool, amounts to 307,366,000 pounds. At prices prevailing in October, 1919, it would have brought \$153,683,000, but this year, on the basis of current prices, it would bring \$84,525,650, a reduction of about \$69,000,000.

This means that the farmers of the United States, as a whole, are not receiving adequate returns for their efforts. It means also that the very foundation of our Nation—the stability of our agriculture—is threatened, and that everything possible must be done to prevent, or at least to lessen the effect of, the recurrence of conditions under which large numbers of farmers conduct their operations at a loss. The farmer must have, under ordinary conditions, a reasonable prospect of a fair return for his labor and the use of his capital. The science, the art, and the business of agriculture can not thrive unless he is suitably and profitably paid for the products of his farm—unless he receives compensation sufficient to enable him to continue to produce and to maintain for himself and his family satisfactory standards of living.

No Single Solution for Situation.

A sober national thought with regard to the importance, the absolute necessity, of a sustained agriculture in this country is imperative. There is, perhaps, no single solution for the situation which the farmers are now facing, but there are many steps which can and should be taken to place our agriculture on a more satisfactory basis and to stabilize the business of farming, not in the interest of the farmers alone but in the interest of the Nation as a whole. The matter is of such tremendous importance to our entire population that it should be recognized everywhere as a national problem and dealt with as such.

We must adopt every feasible means to enable the farmer to adjust himself to changes in economic conditions such as have recently occurred. It ought to be a fact that, when the farms of the country produce abundantly, the consuming public will be liberally supplied with food at reasonable prices, the farmer taking his profit because of large production and the consumer receiving his increment of benefit from having available an adequate supply at a reasonable cost. In general, we should expect it to be true that the farmer's condition is improved in direct proportion to the number of bushels of wheat or corn or the number of bales of cotton he produces. It frequently happens, however, that, when all farmers have extraordinarily good crops during the same year, low prices leave him worse off than he has been in other years with short crops and high prices. One thing that would help to remedy this is some means of carrying over to periods of low production, wherever feasible, the surplus from years of high production. More attention to marketing and the development of the latent consumption demand in years of large supply also would be helpful.

# Study of World Conditions.

The Department of Agriculture has been fully alive to the existing situation and has been keeping in close touch with market conditions, ready at all times to render any feasible aid in reducing the losses suffered by farmers on account of the price declines. The drop in the price of wheat was especially sharp and it was charged, in many quarters, that this was due to manipulation, control, or other artificial causes, as well as to the importation of Canadian wheat into this country. You, Mr. President, therefore, asked the Federal Trade Commission immediately to ascertain whether there was any basis for this charge, and I

understand that the commission is actively at work on the problem. At the same time, you requested the Department of Agriculture to obtain all available information regarding the world supply of and demand for wheat, including the importation of Canadian wheat and its probable effect on



Alaska Is Rich in Natural Resources.

The Department of Agriculture is giving attention to increasing crops, building up reindeer herds for meat, perpetuating the fur industry, and above all to the development of the timber resources on the Alaskan National Forests.

the domestic market, and the department has proceeded vigorously with this task. Recognizing, also, that the depressed market situation was due, in part at least, to conditions following the World War and to the lack of buying power and decreased consumption in European countries, a committee was appointed in the department to canvass the entire agricultural situation with the view of collecting all available data having any bearing upon it. These data will enable us to see more clearly the problems that lie ahead of us. As soon as the material can be brought together and put in satisfactory shape, it will be published in order that farmers may be in position to determine what the trend in the future is likely to be and what they may do to adjust their operations next spring to world conditions. In this work, the department has had the cooperation of a committee representing the agricultural colleges and experiment stations and also of representatives of farmers' organizations.

# Marketing Work Should Be Expanded.

We must see to it that the road between the producer and the consumer is open and direct and that the farmers have a free and competitive market in which to dispose of their products. We must omit no effort to improve our marketing machinery and practices and to furnish necessary market information to the farmer so that he may take full advantage of modern business methods in the distribution of his commodities. The Bureau of Markets, created in 1913, is devoting its attention to the solution of the many complex problems arising in connection with the marketing of farm products. It is dealing, first of all, with several fundamental steps which are essential to constructive work in this great undeveloped field. These include particularly the accumulation of fundamental data regarding marketing processes and costs; the dissemination of accurate, disinterested market information; the elimination, wherever practicable, of waste and unnecessary marketing expenses; the development of standards for the grading of farm products and the standardization of containers; the promotion of efficiency in the storing, handling, and shipping of farm products; and the regulation of marketing machinery in order to prevent any abuses or sharp practices that may exist. Work along these lines is being prosecuted as vigorously as possible with the available funds and facilities, and provision has been made in the estimates, to be submitted to the Congress at its next session, for its further development during the next fiscal year. If the necessary appropriation is granted, special emphasis will be placed upon studies relating to the costs of marketing and the systematic collection and dissemination of statistics regarding the production and supply of, and demand for, agricultural products in foreign countries.

#### Costs of Marketing.

For some time it has been evident that reliable data regarding the costs of marketing should be gathered in order to supplement similar data concerning the costs of production. In fact, such data are essential to the correct understanding of our marketing processes and are fundamental to the development of plans for their improvement and the elimination of lost motion and unnecessary expenses. We should be able to indicate, with a fair degree of accuracy, the proportion of the consumer's price received by the producer and the proportion received by various marketing agencies. Studies with reference to the cost of marketing live stock, grain, milk, and potatoes are now under way, and it is highly desirable that they be extended, as rapidly as possible, to include other staple agricultural commodities.

# Cooperative Marketing.

The question of cooperation now occupies a prominent place in the public mind. High distributing costs have stimulated and increased the demand for greater efficiency in marketing. Producers everywhere are outspoken in their dissatisfaction with present marketing costs, which appear to exact an unduly large share of the price paid by the consumer. In their effort to reduce marketing expenses, producers are turning in many cases toward cooperative marketing. The distribution of farm products through cooperative organizations undoubtedly affords an opportunity for farmers to make more effective use of market information. to properly grade and market their products in commercial quantities, to find larger outlets, and to reduce costs and increase efficiency by shortening the channel between producers and consumers. In addition to more or less localized efforts, organizations of growers of wheat, cotton, and live stock have recently projected movements for the development of cooperative marketing on a broad scale.

The department recognizes fully the importance of the cooperative movement and its potentialities for good in the general marketing scheme, conducts investigations relating to its status and progress, and gives assistance to specific groups of producers who request help in the organization and operation of cooperative enterprises. This work should be extended and developed.

#### Foreign-Market Information.

Comparatively little systematic attention has been given to the development of foreign markets for farm products, or to obtaining and making available prompt, comprehensive, and dependable information with reference to the production, supply, and prices of, and demand for, agricultural commodities in the different parts of the world. While the Bureau of Markets has developed, to the extent permitted by available funds, a very efficient market-reporting service for the United States, no similar machinery for collecting and disseminating foreign-market information has been provided. The foreign markets division of the bureau is endeavoring to keep in close touch with conditions abroad, but it has neither the personnel nor the facilities for meeting the demands made upon it. It is highly essential that definite provision be made for the building up of this branch of the department's work, in order that it may be in position to render effective service to producers, farm organizations. and others. Since May, 1918, an agricultural trade commissioner has been stationed in the United Kingdom to study the markets for agricultural products in Europe and to make timely reports for the information of American producers and exporters. The work of this commissioner has conclusively demonstrated the desirability of stationing additional commissioners at strategic points in the various markets of the world. Plans already have been developed for the establishment of an office in Buenos Aires to aid in promoting our trade with South America in purebred live stock.

The establishment of a world market-reporting service will not interfere in any way with the activities of the In-

ternational Institute of Agriculture at Rome, but, on the contrary, will effectively supplement them. The reports issued by the institute are based largely on the official estimates of the various adhering Governments, but many of them are incomplete or are received too late to be of immediate practical service to producers and others in this country. They are, nevertheless, highly useful for historical and comparative purposes. The work of the institute was greatly interfered with during the war, but, following the meeting of the general assembly in Rome on November 3, it is anticipated that it will resume active operations. After the death of Mr. David Lubin, the delegate of the United States, this country was without representation at the institute for nearly two years. This was due to the fact that the amount allowed for salary and expenses, \$3,600 per annum, made it impossible to secure a man with the right sort of training and experience who would be willing to undertake the work permanently. At the suggestion of this department, the Secretary of State has recommended that the salary of the delegate be increased to \$7,500 per annum, and that provision be made for the payment of his traveling and miscellaneous expenses and for the employment of a secretarv.

. Combine Marketing and Crop-Estimating Work.

I have recommended in the estimates to the Congress that authority be given to consolidate the Bureau of Crop Estimates and the Bureau of Markets. I have been influenced to take this course by a number of important considerations. The first is that each of the bureaus, in accomplishing the important work with which it is charged, needs the additional strength that could be brought to it by some portion of the machinery of the other. In the second place, the legal duties of the two overlap in some directions, and there is a natural and inevitable tendency for each bureau to duplicate a portion of the other's work. This tendency would be eliminated by the proposed consolidation, and confusion in the public mind as to the division of work between the two bureaus would be avoided. Furthermore. crop and market reports could be published together, and farmers and business men would have all the facts in one

document. The leased telegraph wires of the Bureau of Markets could be utilized for transmitting crop information to Washington and for its prompt dissemination. In some States, the branch offices of the two bureaus could be brought together in the same quarters, and frequently the same crop and live-stock specialists could serve both bureaus, not only in this country but abroad. The operating forces of the two organizations could be combined, as well as the duplicating and mailing services and the staffs dealing with the purchase. custody, distribution, and utilization of supplies. Specialists working along statistical and economic lines in both bureaus could be brought together in a statistical research division to handle statistics of production, consumption, imports and exports, surpluses and deficiencies, and farm and market prices of agricultural products for all countries. In short, the proposed consolidation is in line with good administration and efficiency in the public service and should be put into effect without delay.

#### Crop and Live-Stock Reporting Service.

No problem can be satisfactorily considered, nor can any business be permanently successful, without accurate and complete statistics. Agriculture is the greatest business and the most fundamentally important industry in the United States, not only because of the amount of capital invested, the number of people employed, and the new wealth created annually, but because it supplies the Nation's food, furnishes vast quantities of raw materials for the manufacture of clothing and other necessary commodities, and contributes largely to the export trade of the country.

The Bureau of Crop Estimates, through more than half a century of experience, has developed and perfected methods for ascertaining and verifying many of the essential statistical facts of farm production. It is operating during the present fiscal year under the serious handicap of inadequate funds and reduced personnel, in the face of a constantly increasing demand for the services it is designed to render. Its appropriations were reduced by \$53,000 at the last session of the Congress, necessitating the discontinuance of the special reporting service for cotton, tobacco, rice, potatoes,

truck; and fruit crops. Not only should this service be restored, but, as the demand for agricultural statistics, especially in connection with marketing problems, is steadily increasing, the time has come when an expansion of the machinery of the bureau is urgently needed. The data collected by the 1920 census will soon be available as bases for crop and live-stock estimates during the next 10 years, and the expansion should be provided for without delay. The crop and live-stock reporting service should be greatly en-



Press Representatives Waiting for the Release of a Crop Report.

larged; farm surpluses should be ascertained periodically, and essential data should be published more promptly and in such form that they may be readily understood and utilized. Estimates of the funds required to enable the department to accomplish these purposes will be submitted to the Congress.

# Supervision of Live-Stock Markets.

The supervision of the live-stock markets, authorized by the President's proclamations of June 18 and September 6, 1918, issued under the provisions of the food-control act of

August 10, 1917, has been continued by the Bureau of Markets, but the work has been greatly handicapped by the lack of funds. Definite proof was obtained that certain firms were exacting overcharges in the feed accounts of their shippers, and they were given an opportunity to refund the overcharges. Some did so, but six of them sought and obtained from the district court at Chicago an order restraining the Secretary of Agriculture from revoking their licenses. These cases are still pending, and further action on all similar cases involving such overcharges is necessarily deferred, awaiting the decision of the court.

In July and August, 1920, commission men in Chicago. Kansas City, Omaha, and East St. Louis put into effect new schedules of commission rates, providing increases ranging as high as 25 per cent on cattle, calves, hogs, sheep, and goats shipped in car lots by single owners. After careful consideration of the evidence and data in the possession of the department, the conclusion was reached that these increased rates were unjust and not warranted by trade conditions. Orders were issued, therefore, to all commission men in the cities named to refrain from exacting the increased rates or charges. They not only did not comply with the orders, but some of them instituted suits in the Federal courts to restrain the department and the United States attorneys from proceeding against them for failure to do so. Temporary restraining orders were granted by the courts and dates were set for the Government to be heard. At the hearings in Chicago and Kansas City, the department cooperated with the United States attorney in the argument of the legal questions involved, and the whole matter is now before the courts for determination. At Kansas City, under an order of the court, the commission men are depositing with the clerk of the court, to abide the results of the litigation, all receipts by them which represent the difference between the commissions they were ordered to discontinue and those found to be just and reasonable. A similar practice is being followed at Omaha and East St. Louis.

Another order was issued by the department in August, 1920, declaring the rates charged by the commission men at Chicago, Kansas City, Omaha, and East St. Louis for handling car lots having more than one owner to be unjust, un-

reasonable, discriminatory, and unfair, and substituting a different and equitable schedule of rates. This action was taken on the basis of information in the possession of the department and after a hearing held in Chicago on April 12 and 13, 1920, at which seven commission firms operating under Federal licenses appeared. The order of the department was complied with at Chicago and the lower rates made effective there, but it is being contested at the other points in conjunction with the suits involving the rates for single-owner shipments.

# Farm Management and Farm Economics.

The economic problems of argicultural production have long been uppermost in the minds of American farmers. They are pressing for solution and their importance has been sharply emphasized by the recent price declines. In spite of many handicaps, the Office of Farm Management and Farm Economics is dealing actively with these problems, giving special attention to matters relating to cost of production and farm organization, farm labor, farm finance, land economics, including land settlement and colonization, and the social side of rural life. Following the reorganization of the office in 1919, there was submitted to the Congress a revised estimate calling for additional funds for the development of its activities along the lines recommended by the committee on reorganization. The Congress, however, did not take favorable action on the proposal and no increase was granted. The recommendation was renewed in the estimates of the department for the fiscal year 1921, but the Congress again failed to provide the amount suggested, although it did grant a small increase over the appropriation for the fiscal vear 1920.

In the estimates for the next fiscal year, I am recommending that an adequate sum be made available to the Office of Farm Management and Farm Economics for the prosecution and development of the important projects upon which it is engaged. I am recommending, also, that the name of the office be changed to "Bureau" of Farm Management and Farm Economics. If the necessary appropriation is granted,

it is proposed to expand materially the studies of the cost of producing farm products and also to develop the other lines of work under way.

#### Cost of Production.

Several valuable contributions to the available data regarding the cost of producing farm products, particularly cotton, wheat, and beef cattle, already have been made. There has been a constant demand from the public generally, but more especially from farmers and farm organizations, for the results of these studies, and it has been repeatedly urged that they should be extended and others undertaken. There is urgent need of cost studies with reference to such crops as corn, oats, sugar beets, beans, rice, etc., and there is equal need of adequate and comprehensive studies relating to the organization of various types of farms and ranches.

Such studies furnish the farmer information which enables him to reduce expenses or otherwise to increase his profits. If he makes full use of it, he will be in position to adjust his operations from time to time to those enterprises which will yield a satisfactory profit, to add to his individual income, and, ultimately, to influence the prosperity of his community. Cost studies also inform the general public regarding the cost of producing farm products and should tend to bring about a more general realization on the part of the consumer of the necessity of paying prices which will adequately reward the farmer and secure the necessary supplies in the markets.

#### The Farm Labor Problem.

The seriousness of the farm labor problem is everywhere realized. It has been present in more or less acute form for more than a decade and failure to recognize its complexity has resulted in many unwise attempts to solve it. Thoroughgoing scientific study of the whole problem is needed as a basis of action, but such a study has been impossible up to this time because of the lack of funds. During the present fiscal year, only \$5,000 is available for the purpose. While

this sum is entirely inadequate to cover the whole field, a promising beginning has been made and sufficient funds should be provided for the prosecution of the work on a more comprehensive basis.

#### Farm Finance.

The financial problems of the farm have become more and more involved, until to-day they rank in importance with the financial problems of commercial industries. While an excellent beginning has been made in the study of farmmortgage credit, farm insurance, and personal credit, sufficient funds are not available to deal adequately with many matters about which information is needed, including the methods employed and results obtained by farmers in attempts to improve their credit through united and cooperative action; life insurance in relation to farm finance, covering the use of life insurance contracts as a means of improving the credit of the farmer; methods of taxation as they affect agriculture; crop and live stock insurance, the need of such protection and the agencies offering it; and the place of accident and liability insurance in farming operations.

The possibilities of well-directed cooperative effort among farmers are well illustrated by what has been done in the field of mutual fire insurance. There are at present nearly 2,000 farmers' mutual fire insurance companies in the United States, with outstanding risks aggregating \$6,000,000,000. This enormous volume is carried at an average cost, for the country as a whole, of only 25 cents per \$100 per year, and, in individual cases, companies of this kind have furnished high-class protection to their members for half a century or more at a cost of less than 10 cents per \$100 per year. This result has been achieved, in part, by the elimination of unnecessary expenses of operation, of the so-called moral hazard, and of many of the physical hazards involved in farm risks.

While the department has rendered much assistance in connection with this form of cooperation, through the preparation of a suggested classification of farm risks and suitable record forms which embody the methods and practices

that have proved to be most efficient in conserving farm property and in reducing the cost of insurance, a great deal remains to be done. In many States, cooperation for insurance and credit purposes is as yet little understood or practiced.

#### Personal Credit.

It is generally recognized that one of the problems demanding special attention at this time is that of short-time personal credit for farmers. In the case of a man who has paid for his farm, the supplying of personal credit raises, as a rule, no serious question. In the case of the renter, however, and of the young farmer who is just starting out as an owner, the question of short-time credit is a difficult one. In such cases, credit can and should be based, to a considerable extent, upon character and productive ability. To deny credit to the honest, ambitious, and energetic farmer because he has little tangible security to offer is to lessen the productivity of available capital and to discourage a man who, in the future, should be a land-owning farmer. While the bankers are, in many cases, showing a commendable interest, the need is for a system which will enable the man without collateral to secure funds for productive agricultural enterprises. Without doubt, this important problem should receive careful consideration, and every feasible effort should be made to aid the farmer in obtaining the necessary personal credit.

# The Problem of Farm Ownership.

Closely related to the credit question is the problem of land ownership, to the solution of which national thought will, of necessity, be directed during the years that lie immediately ahead. It involves the conditions upon which men may own the land they till; upon which young men and women, marrying and embarking upon their careers, may acquire homes where their families may be reared, educated, and brought to maturity in the essentials of good citizenship. With the passing of the great public domain, and with it our free lands, the problem has taken on added importance, and to-day represents one of the gravest social and economic questions with which the Nation has to deal.

Considerable work already has been done in this field, but it has not yet been adequately covered. Careful studies are being made of the methods of renting farm land and of improving tenant contracts, which at present are frequently inadequate. They encourage in many instances soil depletion, which, if not corrected, will, in the long run, seriously affect our production. They also encourage itinerancy on the part of tenants and constitute a barrier to community social betterment. The causes of tenancy and what it means to the country must be placed squarely before the American public so that its importance may be generally recognized. If this is to be done, studies of a thoroughgoing nature must be initiated and carried to completion.

#### Price of Farm Lands.

The price of farm lands is one of the important factors in the problem of farm ownership. It is estimated that between March, 1919, and March, 1920, the increase in the selling price of farm land and improvements was 21.1 per cent. In the last five years the increase has been 65 per cent. Although the data for the census of 1920 are not yet available, it seems probable that, while the average price of farm land and improvements per acre increased only 20 per cent during the 40 years from 1860 to 1900, the price in 1920 is two and one-half times that of 1910 and five times that of 20 years ago.

. In some sections, the net return on the purchase price of farm lands is considerably less than the ordinary rate of return on first mortgages and similar investments. The rental rate of cash leases, also, is frequently less than half the rate of return on mortgages. Studies made by the department indicate that, in certain regions, the recent advance in the price of land has still further aggravated this condition. Such a situation is unfortunate, for it increases the difficulties of a tenant who is seeking to become an owner. If he borrows a considerable part of the purchase price of a farm at from 5 to 7 per cent and then finds that the investment will earn little more than 3 per cent, it will be impossible, in many instances, for him to discharge the debt.

While the increase in land prices is, to some extent, a reflection of the general upward movement in the level of commodity prices, it must be regarded, in part, as an indication of the increasing scarcity of land available for agricultural use. This scarcity is not statistically apparent, for, in addition to the area of improved land used for crops, pasture, and other farming purposes (exclusive of range land), there is nearly an equal area that is potentially available after clearing, drainage, irrigation, or for utilization by dry-farming methods. With local exceptions here and there, however, this land is either inferior to that now in use or can be made available for farming only through heavy outlays for improvement.

#### Area Expanded During the War.

War conditions stimulated an expansion of the area devoted to crops, estimated at 10.1 per cent from 1914 to 1918, or an increase of 3.4 per cent in the per capita acreage. This was effected by utilizing pasture land for crop production and by bringing into use other uncultivated areas. The expansion was particularly marked in the case of small grains. Since the armistice, there has been a reduction in crop acreage. From 1919 to 1920 there was a decline of 5.4 per cent in the acreage of 20 principal crops. Apparently, the reduction has been brought about by returning the land to pastures and by discontinuing the use of the low-grade areas which were temporarily utilized.

These changes should be instructive to those who would reduce the prices of farm products by bringing into use large areas of new land. It is clear that, if prices had been extraordinarily remunerative to the farmer compared with the returns on capital and labor in industry, we would not witness this reduction of the acreage in cultivation, but, on the contrary, a continued enlargement of it. While war conditions temporarily increased the net cash income of the farmer and stimulated a temporary expansion of the crop area, this was due in large measure to the response of the farmers to the insistent call for more food, particularly wheat and rye, the principal bread grains. It is of no small significance that the contraction in acreage has been most extreme in the case of these crops, estimated at 31.5 per cent for winter wheat, 16.5 per cent for spring wheat, and 22.6 per cent for rye.

Much loose thinking and many wrong conclusions are based on false impressions concerning the profitableness of farming. The increase in farm profits during the war was inevitably transitory. Moreover, measured in purchasing power, they shrank rapidly as a result of the rise in general commodity prices. Owing to the highly competitive character of his business and the lack of organization, the farmer has had no effective means of preventing the impairment of his profits; his only recourse has been to migrate to the city and change his occupation, a course actually followed by many. In the light of these facts and the fear of a continued decline of profits, it is clear why the tendency to expand the crop area has been suddenly reversed.

#### Land Settlement and Colonization.

While present conditions do not seem to justify a policy of encouraging and stimulating the extension of the farm area, it must be recognized that some new land is continually being brought into cultivation in certain regions. Moved by the spirit of adventure characteristic of Americans, by the desire to rise from the status of tenancy to the more independent status of farm ownership, by propaganda which portrays to city people in alluring fashion the attractiveness of country life, and particularly by the effective advertising and skillful salesmanship of various kinds of private land settlement agencies, men may be expected to try their fortunes in the development of raw farm land, even in periods when conditions do not favor agricultural expansion and when the net migration to cities is above the normal. It is of the highest importance that these men be enabled to embark in such undertakings with the greatest possible assurance of success, for the failure of one is likely to result in the discouragement of many.

In an earlier period of our history, the development of new agricultural areas was largely the result of the initiative of individuals. At present, it is, to a considerable extent, under the guidance of private agencies engaged in promoting the settlement and sale of land for profit. Whether the methods employed by some of these enterprises are such that private profit is not incompatible with the rendering of im-

portant service in facilitating the wise selection of land, in providing suitable arrangements for credit, and in creating conditions favorable to the success of the settlers, can be determined only by comprehensive investigation. During the past year the department has begun a study of the problem. On account of its magnitude, final conclusions may not be available for some time, but enough progress has been made to reveal the fact that numerous agencies, whose volume of business is very great, are preying on the impulse to acquire farm land, and that the results in misdirected investment of capital, futile labor through years of unavailing struggle against hopeless odds, and consequent discouragement and despair, are too serious to be ignored. The comfortable doctrine of leaving the buyer to take care of himself has been discarded in many phases of our national life. Surely, in the settlement and development of land, the buyer should at least have full and complete information for his guidance.

It appears that under existing conditions we should not attempt to stimulate unduly the normal rate of settlement, but rather to guide and protect the normal movement along lines which will insure a reasonable degree of success in the development of new lands with a minimum of wasted capital and human effort. It yet remains to be determined whether this purpose can best be accomplished by governmental action, by private enterprise with comprehensive attempts to educate both land-settlement agencies and prospective settlers in the methods most favorable to success, or by private agencies systematically regulated.

# Life on the Farm.

Life on the farm and in the rural community gives rise to problems the solution of which is of vital importance to American agriculture and American civilization. It has been demonstrated that these problems are susceptible of scientific investigation. Valuable studies already have been made by the Office of Farm Management and Farm Economics, and they should be enlarged and others instituted, including especially studies relating to the human aspect of

tenancy and landlordism, migration from farm life, population groups, and community planning.

In our country, agriculture, manufacture, transportation, merchandising, and professional service—strong competitors with one another for both capital and workers—are all expected to hold their own. The history of agriculture seems to show, however, that farming is in periodic danger of losing its grip on both capital and workmen and of allowing them to slip away into city industries. Statesmen have always viewed with alarm the tip of the scales from farming to industry and from country life to urban life. When the farm loses its balance to the city, the Nation is threatened with a food shortage or with dependence upon foreign countries for essential foodstuffs. But the shortage of food is not the only danger. When American agriculture begins to lose ground, the political stability of the Nation is endangered.

Shift from Country to Cities.

The returns from the 1920 census are not yet sufficiently complete to make a full statement of what has occurred during the last decade in the shifting of populations between city and country. The reports on somewhat more than one-third of the counties of the United States, however, indicate an actual reduction in the rural population in many counties of New England and New York, in some parts of the South, and in the heart of the corn belt. Some of them lost in rural population during the preceding decade, while others are losing for the first time now. On the other hand, many rural counties in the Northwest, the West, the South, and the coast States have been gaining.

There is every reason to believe that the same causes which account for a relatively decreasing agricultural population in former decades have been at work during the past 10 years. The increased standards of living of the American people as a whole have caused a great expansion in all industries centering in cities; and the industrial bid for workers, accelerated by conditions during and immediately following the war, has been a strong magnet exerting a pull upon workers in agriculture.

The following table shows the percentage of the total number of persons employed in all American occupations who were engaged in agriculture from 1820 to 1910:


1820	87.1
1840	77.5
1870	
1880	44. 4
1890	39. 2
1900	35. 7
1910	32. 9

We may expect for 1920 a lower percentage than for 1910; in fact, it will not be surprising if the complete returns show that only 30 per cent of our workers are farmers. It is true, of course, that increased efficiency in farming operations, resulting from the use of new and better machinery and the application of scientific knowledge, has consistently lowered the demand for labor in certain kinds of farm work, and that the labor thus released has been the first to yield to the call of the city. It is a well-known fact, also, that Army life and its accompanying set of new associations detached from farming and from rural life a considerable number of farm youth. Whether this loss is a permanent one no one can say, but, in any event, it must be considered unusual.

#### The Real Concern of America.

The real concern in America over the movement of rural population to urban centers is whether those who remain in agriculture after the normal contribution to the city are the strong, intelligent, well-seasoned families, in which the best traditions of agriculture and citizenship have been lodged from generation to generation. The present universal cry of "keep the boy on the farm" can and should be expanded into a great public sentiment for making country life more attractive in every way. Neither force nor exhortation will keep people in the rural districts if they are to be deprived of the benefits of modern social, educational, and other opportunities. But when farming is made profitable and when the better things of life are steadily brought, in increasing measure, to the rural community, so that farm families need not give up farming in order to satisfy their desires for the

best that modern civilization affords, the great motives which lead youth and middle age to leave the country districts will be removed. In order to assure a continuance of the best strains of farm people in agriculture, there can be no relaxation of the present movements for a better country life, economic, social, and educational.



Better Country Life Will Keep the Boy on the Farm.

# The Hazards of Agricultural Production.

Given a sound basis of distribution, the curtailment of the so-called hazards of production—plant and animal diseases, insect pests, predatory animals, and rodents-with resulting increased yields per acre and reduced costs of production, will go far toward insuring a just measure of prosperity to the producer, with a fair scale of prices to the consumer. If the increasing population of the Nation is to be fed from the available farm lands in the United States, the efforts to reduce or eliminate such hazards must be prosecuted more vigorously in the future than ever before, and the fundamental research work which constitutes the basis of these efforts must have proper appreciation and support.

#### Plant Diseases.

The toll exacted by plant diseases is appalling. Every season, and in substantially every important producing region, they constitute a heavy handicap on crop production. When it is remembered that the cost of producing diseased and healthy crops, up to the time of harvest, is practically the same, it is clear that plant diseases are a grievous and dangerous overload on our agriculture. It has been estimated that in 1919 field diseases were responsible for the loss of approximately 190,000,000 bushels of wheat, of 78,000,000 bushels of oats, of 200,000,000 bushels of corn, of 86,000,000 bushels of potatoes, of 58,000,000 bushels of sweet potatoes, of 18,000,000 bushels of apples, and of 1,742,000 bales of cotton. The department for many years has been doing everything possible to reduce these and other losses, and excellent results have been secured in many directions.

One of the most significant activities now under way is the effort to reduce the tremendous losses from wheat rust. aggregating in some years as much as 200,000,000 bushels. Scientific investigation has proved that the fungus which is responsible for the disease gets its start in the spring on the common barberry plant, and a vigorous campaign, therefore. is being conducted, in cooperation with the various States, to eliminate such plants. More than 4,600,000 barberry bushes have been located, and of these 3,500,000 or more have been destroyed. Progress also has been made in developing a method for controlling wheat scab, which caused in 1919 the loss of nearly 60,000,000 bushels of wheat; a convenient method of testing seed corn for germination and of eliminating disease infection before planting has been devised; and much has been accomplished in working out practical control measures for other injurious plant diseases.

#### Insects.

The work of controlling insect outbreaks has presented many difficult and complex problems. The task, begun in 1917, of exterminating the pink bollworm, which experts in

this and other countries regard as probably the most destructive pest of cotton, gave promise of success; but a new and serious situation has been presented by the discovery of the insect in a district in Louisiana not heretofore known to be infested and by its reappearance in southeastern Texas. The efforts to eradicate the pest are being prosecuted as vigorously as possible, but they are necessarily handicapped by the failure of the State of Texas to establish and enforce noncotton zones in the infested areas. Whether eradication can be accomplished in the circumstances is problematical, but, nevertheless, no steps should be omitted to prevent the



A Cloud of Calcium Arsenate Dust to Kill Boll Weevils.

additional drain on the South's most important money crop which the spread of the pink bollworm to other sections of the cotton belt would involve.

The boll weevil causes enormous damage to the cotton crop. But the department's experts, after many years of painstaking experiments, have now found a successful method of controlling the pest by dusting the plants with calcium arsenate. As a result, the manufacture and sale of this product has reached very large proportions. Through its enforcement of the insecticide and fungicide act, the purpose of which is to insure a high standard of purity and efficiency in insecticides and fungicides used in combating plant diseases and insects, the department is keeping off the market a great many tons of calcium arsenate of poor grade which, if used, not only would fail to control the boll weevil but would seriously damage the cotton plants.

#### The Corn Borer.

The campaign against the corn borer, a dangerous enemy of corn, is actively under way. The insect, so far as now known, is apparently confined in this country to New England, New York, and a township in Pennsylvania, and everything possible must be done to prevent its spread to the great corn belt of the Middle West. Two infested areas have been discovered recently in Ontario, Canada, one of them just across the lake from Buffalo and the other extending for 50 miles in either direction from St. Thomas. These areas, comprising approximately 12,000 square miles, constitute what is probably the worst infestation in North America at the present time. The officials of the Bureau of Entomology and the Federal Horticultural Board have been in consultation with the Canadian entomologists, and will cooperate with them, so far as possible under existing law, in the effort to prevent the spread of the insect into the United States at points far removed from the present infestation in this country.

# The Gipsy Moth in New Jersey.

For years the department has successfully prevented the westward spread of the gipsy and brown-tail moths, great enemies of orchards and forests as well as of shade trees. It has been discovered recently, however, that a large area in New Jersey is infested by the gipsy moth, which apparently was brought in from Europe years ago, and that trees from this area have been shipped to a number of points, thus indicating the possible occurrence of the insect in other sections of the country. The Congress will be requested, at its next session, to appropriate sufficient funds to undertake the extermination of the pest in New Jersey, and, in the meantime, all shipments of trees from the infested area are being followed up as closely as possible in order to determine the other points at which the insect may have become established.

Emergency Fund to Combat Insect Outbreaks.

Every year demands are made upon the department, as in the case of the gipsy moth in New Jersey, for assistance in dealing with sudden and serious outbreaks of injurious insects which often cause damage amounting to millions of dollars. As a rule, no funds are available for this purpose, and the department, therefore, is unable to take prompt and effective steps to eliminate the pests or to prevent their spread. If repressive measures were immediately undertaken, it might be possible to completely exterminate them; otherwise, the outbreaks may get entirely out of hand and make necessary greatly increased expenditures, not to eradicate but merely to control them. It would be highly desirable, therefore, to provide a special appropriation, in the nature of an insurance fund, which could be used to meet emergencies of this sort, and a recommendation to this effect has been incorporated in the estimates.

### Predatory Animals and Rodents.

The systematic campaign to curtail the losses caused by predatory animals and prairie dogs, ground squirrels, and similar rodents on the western ranges has been continued. It has been estimated that these pests destroy annually more than \$300,000,000 worth of live stock, crops, and range grass. The hunters in the service of the department killed more than 25,000 predatory animals last year, and perhaps an equal number were destroyed by poisoning campaigns, resulting in a saving to the live-stock industry of more than \$6,000,000. It may be added that, since the work was begun in 1915, the skins of the animals destroyed have been sold and the net proceeds, aggregating more than \$240,000, turned into the Treasury.

#### Live-Stock Diseases.

Much headway has been made by the department toward the eradication or control of live-stock diseases. The campaign against tuberculosis in cattle, begun three years ago, has aroused increasing interest among live-stock owners and State officials and has received their active support. On June 30, 1920, 3,370 herds, approximately three times the number at the beginning of the fiscal year, were officially accredited as free from tuberculosis. In addition, 16,599 herds have successfully passed one test. A total of 695,364 animals were examined during the year, resulting in the slaughter of 28,616 reactors. Applications for the testing of herds, however, have continued to accumulate more rapidly than they could be handled with the available force of veterinarians. Near the end of the fiscal year 4,740 herds were on the waiting list to be tested.

Tuberculosis is one of the greatest menaces to the livestock industry of America. The elimination of the constant losses caused by it would materially reduce the hazards of the industry and would tend to place it on a more stable basis. The rapidity with which the disease can be stamped out depends upon the amount of money appropriated for the work. The more money that is available in the immediate future, the more quickly will the losses be reduced and the larger will be the areas freed from the scourge.

Considerable progress has been made in the control of hog cholera, the greatest limiting factor in swine production. It has been estimated that, as the result of the activities of the Department of Agriculture and of its cooperating agencies in combating this disease, a saving amounting to \$41,000,000 annually is effected. There were formerly 140 veterinarians assigned to this work, but the number has been reduced to 54 because of a curtailment in funds. The swine industry is one of the most important branches of our agriculture, and it is highly essential that the losses from cholera be kept at the lowest possible figure. The force engaged in the work has never been sufficiently large to cope adequately with the disease and the reduction of funds has aggravated the situation.

The eradication of the cattle tick in the South continues to progress, the results in the different sections depending largely upon State, county, and local support. Fifty thousand five hundred and fifty-five square miles have been released this year from Federal quarantine, making a total of 509,080 square miles since the work was begun in 1906.

#### Foot-and-Mouth Disease.

In addition to the task of suppressing animal diseases in this country, the department is responsible for the protection of the live-stock industry against the introduction of nearly a score of serious foreign live-stock diseases. One of the most infectious and dangerous of these is foot-andmouth disease, which exists nowhere in the United States at the present time, but is a constant menace because of the facility with which it may be carried by animals, hides, and various live-stock products. The importance of prompt action in eliminating any centers of infection whenever they develop emphasizes the necessity of providing an adequate "insurance" fund, available for immediate use. Such a fund, to be used only in case of actual outbreaks, has been carried in the Agricultural appropriation act for several years. The appropriation was reduced by \$950,000 at the last session of Congress, leaving an amount which is entirely inadequate to cope with serious outbreaks. While, through good fortune, no outbreak has thus far occurred during the current fiscal year, it would certainly be the part of wisdom to make liberal provision for dealing with this dangerous disease whenever it appears, and the department, therefore, has recommended in its estimates for the fiscal year 1922 that the appropriation be restored to its former figure.

# Improvement of Crop and Live-Stock Production.


The elimination or control of insects and diseases affecting both plants and animals, as well as of other limiting factors, is highly essential if we are to maintain our present agricultural production. But to increase the efficiency of our farms still further requires, among other things, the development of superior plants, the improvement of cultural methods and practices, and the breeding of better animals.

The development of improved crop plants, through breeding, selection, and in other ways, has almost limitless possibilities and has received a great deal of attention both from the Department of Agriculture and the State experiment stations. It is exceedingly difficult to state accurately, in terms of dollars and cents, the value of fundamental work of this

sort, but unquestionably it is tremendous. The efforts to develop improved varieties of corn, which have been under way for 20 years or more, have probably increased production by one-fourth. Improved wheats have added greatly to the wheat yield, and it is only necessary to mention Marquis, Kanred, Early Baart, and the new wheats of the Washington Experiment Station to realize their importance. Better potatoes have been a great factor in the production of the crop. and new varieties at present under test indicate that they mark a notable advance. The development of early velvet beans multiplied the acreage tenfold in three years, and high-vielding superior lint cottons, such as Meade, Acala, Durango, Trice, and Columbia, are of inestimable value. The recently developed Victor cowpea is far superior to any previously known. Similar, but perhaps less striking, results have been secured with most of our important crop plants, and illustrate clearly what will, without doubt, continue to be a fruitful field of activity for a large corps of investigators.

#### Valuable New Plants Introduced.

A somewhat similar line of work is the search for and introduction, acclimatization, and adaptation of new crop plants. Some of the results in this field are spectacular, indeed almost romantic. Alfalfa, a native of Central Asia, brought into the Western States in about 1854, has become in a generation almost the basic crop of the West. sorghums are the basis of the great agricultural development of the semiarid Southwest. Japanese rices, secured in 1899, were the foundation of the great rice industry of Louisiana and Texas. The Washington Navel orange, introduced from Brazil in 1872, makes up the bulk of the California orange industry, producing a crop valued at approximately \$16,000,000 a year. Durum wheat, introduced in 1899 from Russia, now produces a crop worth \$50,000,000 annually. Egyptian cotton, brought in by scientists of the department in 1901, has become the basis of a long-staple cotton industry in the Southwest valued at \$6,000,000 in 1917. \$11,000,000 in 1918, and \$20,000,000 in 1919. The culture of dates in California and Arizona is already a thriving busi-



ness, which is expanding rapidly and will, in the near future, have impressive value. Sudan grass, introduced in 1909 from Egypt, is now worth over \$10,000,000 annually. Feterita, secured in 1906 from Egypt, produced in 1918 a crop valued at \$16,000,000. Over 1,000 varieties of soy beans have been introduced from China and other parts of the Orient. From these the experts of the department have, after careful tests, selected eight of the best varieties, which are now largely cultivated and are an important element in the very rapid increase in soy-bean production. Peruvian alfalfa, introduced in 1899, is by far the most productive and valuable variety for the Southwest.

#### The Search for Grasses.

Scientists are convinced that there are still great possibilities in the search for new crops, especially for plants that are cultivated little, if at all, in their native countries. Perhaps this is most strikingly exhibited in grasses, many of which have been introduced accidentally. Thus bluegrass, white clover, redtop, timothy, and many others; which came originally from Europe make up nearly all the grass lands of the north; and Bermuda grass from India, carpet grass from the West Indies, Dallis grass from Argentina, and lespedeza from Asia have performed a similar rôle in the South. California's pastures consist mainly of species from the Mediterranean region, such as alfilaria, bur clover, wild oats, wild barley, and numerous others. There are undoubtedly in Central Asia many species which, if properly selected and introduced, will add greatly to the carrying capacity of the western ranges, aside from what can be accomplished by rational range management. From this region came alfalfa and sweet clover, both important in the West. There is every reason to believe, also, that good grasses and legumes can be found for the cutover lands of the South, and thus prepare the way for the further development of the livestock industry in that section. It is impossible to bring in new grasses or other valuable crop plants from remote and almost inaccessible parts of the world without sending properly trained explorers, and larger funds for this work are needed.

# Improved Cultural Methods and Practices.

Better tillage and rotations, more rational irrigation, judicious fertilizing, the greater use of legumes, and proper attention to farm layout, distribution of labor, choice and care of farm machinery, and timeliness of operations, all these make for larger yields and consequently reduced costs of production. Our scientific understanding of these matters is far from adequate. Recently it has been discovered that prompt plowing under of the wheat stubble will completely destroy the Hessian fly and the joint-worm, both serious enemies of wheat. This points to the desirability of a radical change in the ordinary corn-belt rotations. On the other hand, until a rotation that is as good or better can be developed by field investigations, it is manifestly unwise to urge a change. The best rotations are organized around one or more legume crops. It is altogether likely that the failure

to secure the full benefits of improved varieties of corn in the corn belt, in spite of increased use of fertilizers, is associated with the steady decline of the acreage of red clover. The restoration of red clover to its former acreage, or the finding of some other satisfactory legume, is of outstanding importance to the Middle West. Unfortunately, the facilities of the department for carrying out these long and costly investigations to develop better rotations are wholly inadequate.

# Effect of Daylight on Plant Growth.

A striking and important discovery, made recently by the department, is that plants are remarkably sensitive to changes in the duration of the daylight period, even when all other factors are kept constant. It now seems probable that all regular periodic changes in plants, such as time of blooming, fall of the leaf, the resting period, etc., are naturally regulated by the duration of daily light. This discovery explains many plant reactions that have long puzzled investigators, such as the totally different behavior of a plant in widely different latitudes. Thus, by regulating the length of daily illumination, violets can be made everblooming and poinsettias can be forced to bloom in midsummer. The discovery undoubtedly will be of much value in greenhouse culture, and furnishes the explanation of a number of plant reactions that occur in the field. Hereafter, it must be taken into account in all accurate experimentation with plants.

# Improved Types of Live Stock.

The breeding and development of improved types of animals offers possibilities at least equal to those involved in the breeding and selection of better crop plants. The campaign now under way for "Better Sires—Better Stock" is producing excellent results. Its purpose is to bring about the elimination of scrub stock from our herds, thus increasing their producing capacity. It costs as much to raise a poor animal as it does a good one, and more to keep it, so that better live stock makes for increased production and greater profits. The improvement which can be made in a herd with a pure-bred male is startling. If a pure-bred sire is kept throughout, the first generation would be one-half pure

blood, the second three-fourths, the third seven-eighths, the fourth fifteen-sixteenths, and the fifth thirty-one thirty-seconds, or practically pure bred.

A concrete example of the importance of quality may readily be estimated from the slaughter records of animals. In converting cattle into beef, for example, the present average dressing percentage is 53½. Poor breeding, without doubt, is a prime cause of this low percentage. Suppose our efforts to improve cattle should, within a reasonable time, raise the general dressing average only 1½ per cent—that is, to 55 per cent—what would be the resulting increase in beef? On the basis of a total annual production of 7,000,000,000 pounds, which is the average dressed-beef production for the last two years, the increase would be 200,000,000 pounds a year. This is far from being a negligible quantity; in fact, it just equals our average annual exports of beef products for the last 10 years, including, of course, the war period.

### Build Up Our Dairy Herds.

Pure-bred or grade dairy cows frequently earn for their owners from 25 to 100 per cent more than the returns received from scrubs. In a typical case, heifers sired by purebred bulls surpassed their dams, which were ordinary cows, by 64 per cent in milk production and 52 per cent in butter The second generation produced more than twice as much butter fat and milk as the original animals. United States holds sixth place among 14 prominent countries in the average yield of milk per dairy cow, being excelled by the Netherlands, Switzerland, Denmark, Germany, and Canada. Our ability to produce scores of cows which vield more than 20,000 pounds of milk a year is ample proof that our national production of less than 4,000 pounds per vear per animal is, in the last analysis, a reflection of inattention and average lack of applied skill. The dairy cow is a good example—probably the best—because her production is so readily measured and because there is so much uniform evidence in various countries. But the same principle and similar facts apply with equal force to horses, hogs, sheep, poultry, and other farm animals.

30702°—YBK 1920—4-5

The experimental and other work of the department, having for its purpose the development and improvement of our live stock, covers a wide range., including dairy farming, hog raising, horse breeding, beef production, sheep raising, poultry production, methods of feeding under regional conditions, and the general principles of breeding and heredity. This work is of fundamental importance and should be further developed.

# Utilization of Surplus and Waste Products.

Along with the work of controlling diseases and insect pests, of introducing and developing better plants, of working out improved cultural methods and practices, it is essential that processes be worked out for converting perishable farm products into commodities which can be carried from the season of plenty to the season when they are actually needed. The fact that they can not now be so carried frequently results in the marketing at one time of larger quantities than can be disposed of profitably, and demoralization of the market follows, with consequent loss to the farmers. Industries founded upon the utilization of surplus farm products would be of tremendous value in meeting this problem.

The Bureau of Chemistry has accomplished some important results along this line in recent years. On the basis of its investigations, for example, there has been developed a citrus by-products industry for the utilization of cull and surplus oranges and lemons. It has also discovered a feasible method of utilizing corncobs, which always have been a waste product, so that their entire content can now be made into highly useful articles. The experts of the bureau have produced from corncobs a large yield of adhesive suitable for pasting container box board. After this is removed, a considerable quantity of a lower grade product can be made, and the residue is practically pure cellulose, which can be used in the manufacture of a number of commodities, including a good quality of paper when mixed with a suitable quantity of wood pulp. After the processes for recovering all these articles had been worked out, it was discovered that a considerable quantity of a very valuable chemical-furfural—was formed, and methods of recovering it have been developed. Furfural is a basic intermediary in dye manufacture and, in addition, has great possibilities as a solvent and a substitute for formaldehyde in the manufacture of plastics. Many other similar lines of investigation are actively under way, but these two illustrations clearly indicate what can be done toward opening up new industrial outlets for agricultural products.

### Office of Development Work.

It has been found, however, that the benefits of the important discoveries made by the scientists of the Bureau of Chemistry are not always fully realized. The difficulty is that of bringing about their commercial development. In order to meet this situation, there has been established in the bureau an Office of Development Work, the function of which is to aid in bringing the discoveries to the attention of business men and others. When new processes have passed the experimental laboratory stage, it becomes the duty of this new office, which is conducted by engineers rather than chemists, to investigate their commercial value and the cost and method of placing them on a commercial production basis. Efforts then will be made to inform manufacturers and business men regarding the opportunities for them to develop facilities for the utilization of the discoveries, so that the people of the country may secure full benefit of them.

### The Agricultural Extension System.

The broad development of the national system of cooperative extension work in agriculture and home economics under the provisions of the act of May 8, 1914 (Smith-Lever Act), is one of the most notable events in agriculture in recent years. When this act went into effect, approximately 900 counties had the services of an agricultural agent and 275 the services of a home demonstration agent. There are now 2,000 agricultural agents and 800 home demonstration agents, in addition to 300 county leaders of boys' and girls' club work. Perhaps the most striking evidence that farmers are heartily supporting the extension service is found in

the fact that this year the contributions from county sources alone aggregate \$4,780,000, compared with \$780,000 in 1914.

There are still 650 rural counties which have no agricultural agents, 1,800 are without home demonstration agents, and only a small proportion of the farm boys and girls are being reached through the club work. The desirability of completing this great system of practical education as rapidly as conditions warrant can not be questioned. There has been a great increase in the cost of travel, supplies, and, in fact, of everything required in the operation of the system, since the Smith-Lever Act was passed, and an increase of available funds each year for a number of years will be necessary if we are to reach the goal within a reasonable time.

#### Work in Behalf of Farm Women.

With the spread of extension work among farm women, it has become increasingly necessary to have definite information regarding their needs and wishes, in order that the extension forces may cooperate effectively with them. The States Relations Service, therefore, undertook to make a survey, through the home demonstration agents, of 10,000 farm homes in the northern and western States. The results of the survey have been compiled and published. In brief, they show that, while there has been considerable progress in lightening the burdens of farm women and making the farm home life more satisfactory and attractive, through the introduction of labor-saving devices, improvement of farm sanitation, free mail delivery, telephones, automobiles, and the like, very much more needs to be done before the mass of farm women will have even the advantages now possessed by a limited number.

Wherever it has been in operation, the system of county home demonstration agents has proved to be the most helpful agency dealing with the problems of the farm home. It should be expanded, therefore, as rapidly as funds and facilities permit. Country life has many advantages, but they can not be sufficiently enjoyed without constant improvement in the living arrangements on the farms. We can not afford to delay bringing assistance to the farm women in solving their present pressing problems.

#### Home Economics.

In order that the home demonstration agents may render the most effective service, there must be a constant addition to the fund of scientifically ascertained and tested knowledge in the field of home economics. So far, research along this line has proceeded slowly and in a small way. The Office of Home Economics of the department is the largest single organization devoted to such work and has made many important contributions to our knowledge on home economics subjects. It can not prosecute its activities on an adequate scale, however, because of the lack of funds. The success of our newly established system of vocational education in home economics, provided for by the Smith-Hughes Act of 1917, as well as of the home demonstration work, depends in no small measure upon the maintenance of adequate agencies for home economics research.

### Publication and Information Work.

The organic act creating the Department of Agriculture not only directs it to "acquire" useful information on subjects connected with agriculture in the most general and comprehensive sense of the word, but also to "diffuse" such information among the people of the United States. To meet this responsibility, increased attention has been given to the strengthening of the publication and information activities of the department. The first step involved the consolidation, in the Division of Publications, of all publication and information functions serving the department as a whole. This necessitated the transfer of the Office of Information, the Office of Exhibits, and the Office of Motion Pictures from the Office of the Secretary, combining under one administrative head these three related activities with those of editing, printing, and distribution. The next step was the designation of a Director of Information, whose duty it would be to exercise general supervision over all the publication and information activities of the department, both in Washington and in the field, and to bring about the closer correlation of such activities in the various bureaus with those of the Division of Publications. The advantages of this reorganization are apparent not only in more efficient administration and supervision but in the more complete coordination and concentration of effort.

The department is in a better position than ever before to serve the public in this important field of its work. The responsibility resting upon it is clear. It is its duty to keep the public informed regarding the results of its investigations and experiments and the administration of the various regulatory statutes entrusted to it for enforcement. Under existing conditions, however, it is compelled to reservoir much valuable information which should be made available to the public. At one time during the past year, there were 267 important manuscripts which it was necessary to withhold from publication because of the lack of funds for printing. A deficiency appropriation relieved this situation somewhat, but there are still on hand many valuable manuscripts which can not be published. This situation should not be permitted to continue, as criticism is frequently made that the results of investigations, in many instances, are published too late to be of the greatest service. Some of these manuscripts represent the life work of capable, practical, scientific men, and we should not fail to give the public promptly the benefits of their years of labor.

#### Distribution of Farmers' Bulletins.

Furthermore, the department is falling far short of meeting the demands for its publications. The law provides that one-fifth of the number of Farmers' Bulletins printed shall be available to the department, while the Congress is allowed four-fifths for distribution by its Members. The department has intimate knowledge of the needs of the country for agricultural information, and it has also an effective field organization capable of distributing its publications where they will serve the most useful purpose. It would seem desirable, therefore, to change the present arrangement so as to charge the department with the distribution of Farmers' Bulletins to the sections where the information they contain is most needed and desired.

# The Agricultural Experiment Stations.

In many of the States the institutions for agricultural research which are maintained by Federal and State funds are seriously hampered by existing conditions. Their appropriations have not been increased sufficiently to meet present economic requirements, their expert forces are being depleted by attractive offers from commercial and other concerns, and it is increasingly difficult to fill the vacancies thus created with equally competent men and women. With the increased cost of services, labor, equipment, and supplies it has been impossible for them to maintain their prewar status in the field of research.

The situation is serious enough to deserve careful attention of all those interested in the progress of our agriculture. The research work of the stations, like that of the Department of Agriculture, is fundamental. Unless there comes from these institutions a steady and abundant flow of new knowledge which can be utilized to meet pressing problems, agricultural advancement will slow down and our system of agricultural education, through colleges, schools, and the extension service, will deteriorate.

# Nitrogen and Potash.

The European war emphasized the fact that no effort should be spared to establish national independence in the production of fertilizer materials. This is especially true in the case of nitrogen, which is not only a valuable fertilizer ingredient, but an essential element in the manufacture of munitions. Of all the nations involved in the war, Germanv alone had a sufficient nitrate supply within her borders, but England, France, and Italy are now rapidly perfecting plans to make themselves equally secure in this respect. Increased interest has been manifested in this country also in the study of methods for fixing atmospheric nitrogen, and the Department of Agriculture, through the Bureau of Soils, has actively cooperated with the War Department in this important field. The production of ammonium sulphate from by-product coke ovens and gas plants has greatly increased, but not sufficiently to meet the demand for fixed nitrogen.

The nitrogen fixation plant at Muscle Shoals, Ala., completed shortly before the armistice, offers a hope for an independent source of nitrogen for fertilizer use in time of peace. This plant is prepared to make calcium cyanamid, or, by some additions, to manufacture ammonium sulphate. With modifications, also, it may be equipped for the preparation of highly concentrated fertilizer materials which will be free from filler, and therefore result in a considerable saving to the consumer in freight charges. The plant is still idle, awaiting the necessary authority from the Congress for its operation. It is hoped that the matter will receive consideration at the next session of the Congress, and that the requisite authorization will be granted without further delay, in order that the Nation may escape, once for all, from dependence upon foreign nitrate fields, and that an adequate supply of nitrogen may be developed, both as a protection in times of national stress and to meet the growing demand for this valuable product for fertilizer purposes.

### Potash from Kelp and Other Sources.

The experimental kelp plant at Summerland, Calif., the purpose of which is to demonstrate the practicability of extracting potash and useful by-products from the giant kelps, is in active operation and valuable results are being secured. Unquestionably, it will be possible, when the best methods have been worked out, to develop a potash industry on the Pacific coast capable of supplying a considerable part of the Nation's needs.

Two processes for the recovery of potash from certain rocks have recently been developed by the Bureau of Soils, and both are being utilized in commercial practice. 87,000 tons of potash annually lost from flues and stacks of cement plants are still, in the main, going to waste. about 1 per cent was recovered in 1919. A similar situation exists with reference to the collection of potash from blast furnaces. The department is now making a survey of this situation, and preliminary results show that the dust from blast furnaces is higher in potash content than the cement dust and that it can probably be recovered more economically. The potash that escapes from these two sources would, if collected in marketable form, go a long way toward meeting the normal potash requirements of the country. There is ample justification, therefore, for the appropriation of sufficient funds adequately to study those phases of the problem which properly come within the scope of this department's activities.

# Meteorology.

Meteorology is coming into wider application in agriculture, commerce, and navigation, and the rapid development of aeronautics has opened up for it a very broad field. As a result, greatly increased demands, which it has been difficult, and in many cases impossible, to meet, have been made upon the Weather Bureau. The growth of the Nation places upon the bureau new obligations, and appropriate recommendations have been included in the estimates for the strengthening of its work, especially its studies in aid of aeronautics, so that it may be in position to meet the responsibilities imposed upon it by law.

### The Progress of Highway Construction.

It required a great national catastrophe to awaken the American public to the inadequacy of our transportation facilities and to the fact that we must depend largely upon our highways, in conjunction with motor vehicles, when a sudden expansion in transportation is essential. Our experiences during the last three years have clearly demonstrated that the failure earlier to inaugurate a sound road improvement program has retarded the effective development of one of our most vital national requirements. The use of the motor vehicle for highway transportation has increased tremendously within a short period. In 1906 only 48,000 motor vehicles were registered in the United States. By 1914 the number had risen to 1,700,000, while the registrations now total nearly 8,000,000, exclusive of motor cycles. The actual vehicle-mile use of our roads, it is estimated, has increased more than 500 per cent in strictly agricultural communities and more than 1,000 per cent near the larger centers of population. These figures indicate the extent to which community and short-haul transportation will be served by better highways.

### Great Highway Program Under Way.

The Federal-aid road act of 1916, as amended, has resulted in putting in motion a great program of highway development, nation wide in its extent. The original act appropriated \$75,000,000, extending over a five-year period, for the construction of rural post roads in cooperation with the States, and \$1,000,000 a year for a period of 10 years for the building of roads within or adjacent to the national forests. It soon became apparent, however, that the sums apportioned to the various States on the basis prescribed by the act would not be sufficient to provide for the building of any considerable mileage of the more durable types of roadways such as the traffic conditions in a large number of the States demanded. After the signing of the armistice, the feeling was prevalent that there might be a period of business inactivity leading to a surplus of available labor and that a large program of road construction would be very helpful in meeting the situation. The Congress, therefore, acting upon the recommendation of the Secretary of Agriculture, amended the act, in February, 1919, by providing an additional appropriation of \$200,000,000 for rural post roads and \$9,000,000 for national forest projects, and by broadening a number of its provisions.

# Projects Approved and Completed.

In view of the abnormal conditions which have prevailed since the summer of 1916, the progress that has been made in placing a large highway improvement program under way is surprisingly good. In the three years, 1917, 1918, and 1919, there were approved 677 projects, calling for the construction of 5,790 miles of road and involving a total cost of \$56,418,673, of which the Federal share was \$23,931,618. During the fiscal year 1920, 1,670 projects submitted by the States, involving the improvement of 16,670 miles and a total allotment of \$109,830,366 of Federal funds, were approved. At the end of the year, 14,940 miles of Federal-aid roads, on which \$103,925,094 of Federal funds had been allotted, were under consideration and in various stages of completion, while 1,677 miles had been entirely completed.

Preliminary engineering investigations have been made on 4,003 miles of forest roads and construction has been completed, or is in progress, on 1,300 miles.

#### Construction Difficulties.

The work of actual construction has suffered from several causes, which varied in intensity in the different States. They include: (1) The difficulty of securing transportation facilities for road materials. During the season of 1920 the assignment of open-top cars for transporting coal resulted in tying up and slowing down many of the highway projects under construction. (2) The lack of materials, particularly cement, steel, and culvert pipe. In general, the short supply of sand, gravel, crushed stone, and other similar materials has been due to transportation difficulties rather than to a shortage of production. (3) The lack of available contractors and labor. This condition was not general, however, and was partially caused by the unwillingness of contractors to undertake new contracts rather than to an actual lack of sufficient organizations. (4) Difficulties experienced in disposing of road bonds. This situation existed only in certain States and was due largely to the advance in interest rates generally after the rates for the bonds had been fixed.

There have been other difficulties, but these are perhaps the most important, and it is clear that they relate to matters over which the Federal and State highway departments have had little or no control. It has become more and more apparent that the physical tasks involved in the building of highways are so great that, for a considerable period, progress will be greatly hampered by economic limitations. On the other hand, it is equally apparent that the rate of progress will be accelerated as conditions gradually become more normal. Even under the existing handicaps, a large mileage of highways is being completed. All details of engineering and administrative procedure which have been responsible for any slowing up of the work have been carefully studied. and, as far as practicable, changes designed to eliminate the causes have been made. As a result, the preliminary operations can now be carried on much more rapidly than the actual construction.

Advisory Board of Highway Officials.

In order to provide for the full correlation of the work of the department and of the State highway agencies, the advisory board has been enlarged to include all the members of the executive committee and the officers of the Association of State Highway Officials. There is thus available to the department, in formulating administrative policies, the advice and experience of the State executives in actual charge of highway work, representing all parts of the country. The board functions through correspondence and periodical meetings with the Secretary of Agriculture and the Chief of the Bureau of Public Roads. One very vital question now under consideration by it relates to the classification of highways into groups or systems of like importance. This matter is fundamental to the future of highway development. Only through a carefully prepared building plan can the work of the several highway agencies, from year to year, be placed on a systematic basis, a basis that will provide systems of highways so developed and connected that all classes of traffic will be adequately served. We can not ignore the fact that the actual construction of highways will be limited by physical factors for some years to come, and it seems clear that the only sound policy to follow, in the circumstances, is that of building roads in the order of their economic importance.

Highways, as a general rule, are local institutions, and they must, first of all, carry the traffic originating in the immediate vicinity. Their normal function, therefore, is the short haul, connecting producing areas with rail shipping points and near-by markets. But we should classify our highways, and then follow the classification persistently, to the end that, as the principal roads in each State are completed, they will connect with those of contiguous States and thus automatically become links in a national system which will serve all parts of the country. In working out such a classification, due consideration must be given to the military needs, and provision, therefore, has been made for cooperation with the War Department in making an extensive study to determine the roads which are needed to meet them.

#### Technical Problems to Be Solved.

With the great increase in the number of vehicles using our highways, and particularly with the greater weight of the traffic units which they are now expected to carry, many technical problems in highway construction have arisen. The solution of these problems is essential to the wise expenditure of the large sums that have been provided for construction operations. They can only be solved by painstaking and thorough investigations and studies. Plans have been worked out, therefore, for the prosecution of the necessary research work, in cooperation with the National Research Council and with educational institutions which have the requisite facilities.

#### Provision for Five-Year Program.

The rapid improvement in the organization of the Federal and State highway departments, the development of adequate road legislation in the various States, the response of the States in making funds available to meet the Federal apportionments, and the progress of construction work during a period beset with every possible discouraging condition and limitation have clearly demonstrated the soundness of the existing Federal aid plan. Future legislation should not disturb the principles embodied in the act of 1916, which have been tried out and found to be so satisfactory, and only those changes should be made which experience has clearly shown to be desirable.

The period covered by the original act, as amended, will terminate with the close of the present fiscal year. Immediate consideration, therefore, should be given to plans for its extension. In order that there may be no halting in the work, it is hoped that the Congress will, at its next session, provide additional funds, to be expended under the terms of existing legislation with certain modifications, at the rate of \$100,000,000 a year for a period of five years, beginning with July 1, 1921. The principal modifications in mind relate to the problem confronting the Western States in highway work because of the existence in many of them of large areas of public lands, and to the maintenance of Fed-

eral aid roads by the State highway agencies rather than by the counties. The Association of State Highway Officials, at its meeting in December, 1919, unanimously approved the continuance of the present plan of Federal participation in road building with these and other modifications.

The fact that the present appropriation may not be entirely expended by June 30, 1921, does not lessen the necessity of immediate action. Both the Federal and State highway departments should know, as promptly as possible, the program for the next five years, in order that the work may be adequately planned and the engineering and administrative details carefully executed. Forty of the State legislatures will be in session this winter, when it will be necessary for them to make the requisite provision for meeting future Federal apportionments. From every standpoint, therefore, it is essential that legislation for the continuance of the program now under way be promptly enacted.

#### National Forest Roads.

Provision should be made also for the continued building, on an adequate scale, of roads within or adjacent to the national forests. The forest road systems are very closely related to those of the States, and the major forest projects form important links in essential State and interstate highways. There are approximately 15,000 miles of roads within the forests which connect with State and county highway systems. The building of forest roads, therefore, is an important part of the general road development plan of the West, both within and without the forest areas. In addition, the transportation of forest products, the protection and administration of the forests themselves, and their utilization for recreational purposes are all dependent upon the construction and maintenance of serviceable roads.

### The Forestry Problem.

The time has arrived when increased attention to a sound and comprehensive forestry policy is imperative. Forest depletion has reached a dangerous and critical point. As cutting advances, much of the land which should continue to produce ample quantities of timber for our domestic needs, and also a balance for export, either grows inferior or partial crops, or sinks to a condition of virtual waste. The cause is neglect and should be removed. It can be removed only by public action.

### Cooperation With the States.

The broad question of timber supplies and permanent forests is a national one. It can not be handled piecemeal by uncorrelated local agencies. Neither can it be handled through an inflexible system imposed without regard to local conditions. The recognized police powers of the several States should be brought into play to stop forest fires and prevent the devastation of privately owned forest land. At the same time, the Federal Government should take an active part in aiding the forest activities of the States, in standardizing technical requirements as between the States, and in extending the national forests. But the public should not be expected to bear the entire burden. Responsibility rests upon the forest owner to comply with equitable requirements designed to keep employed in growing timber lands which are not needed for agriculture.

The Congress will be asked to provide an appropriation sufficiently large to permit the department to cooperate effectively with all the States which are prepared to work with it in preventing and controlling forest fires and other causes of devastation. It will be requested, also, to provide funds for the reforestation of devastated lands within the national forests, and for additions to them through further land purchases and through exchanges of national forest areas or timber for private lands of equal values.

### Forest Experiment Stations Needed.

Full productiveness of our forests can not be secured without full information regarding the means of controlling their growth. Unfortunately, at a time when better knowledge is particularly urgent, the machinery for obtaining it has been seriously curtailed as the result of decreased appropriations. One consequence of this has been the virtual abandonment of the forest experiment stations in the West, at which many of the most important investigations were centered.

The number of these stations should be increased, not reduced. They are as necessary to forestry as the agricultural experiment stations are to progress in agriculture, and there should be at least one station in each of the main forest regions of the country. Economic studies dealing with the prospective requirements of the various industries, and, in general, with the demands which the forests of the country should be prepared to meet, also are essential. In the face of enforced curtailments in the use of wood, due to the depletion of present supplies, it is as important to study methods of economically and effectively using what we have as it is to learn how to grow more wood. Work along all these lines should be greatly enlarged and the necessary funds should be provided for the purpose.

In administering the national forests, the department has been carrying on an expanding business through a period of rapidly rising prices with an almost stationary appropriation. This has made it necessary to practice the most rigid economy. It is impossible to handle the forests efficiently on the basis of the prewar appropriations, and the protection and development of these resources should not be restricted for lack of men to handle the work involved.

### National Forests and National Parks.

For many years the movement for setting aside from the public domain permanent reservations of wild lands as national heritages failed to recognize any substantial difference between national parks and national forests. As regulated use of the timber and grazing resources of the forests developed in importance, however, a clear distinction of fields began to appear. The forests, in the nature of the case, must always have an important value as recreation grounds, and must be administered with definite provision for recreational use along with the development and use of their material resources. Areas of scenic grandeur or natural wonders which are exceptional in character should be incorporated in national parks, but for every area of this sort there are literally hundreds of mountain peaks, lakes, or beautiful canvons within the forests which do not justify their designation as parks.

This situation must be recognized in seeking a sound basis for determining what areas should be incorporated in national parks. If their primary public utility arises from economic resources for which, sooner or later, there will be a legitimate demand, they should not be embraced in parks. As our Western States expand in population and industry, it will not be possible to withhold the parks from demands for water power, for irrigation, and, indeed, for timber and forage, unless they are limited to areas in which the beauties and wonders of nature are, in reality, so dominating that they justify prohibition of conflicting forms of use. Above all, the national conception of our great parks as areas so fine and wonderful that they belong to the whole country should not be cheapened by making them simply a means for local development or advertisement.

Nor should we build up, under the name of national parks. public properties which are open to various forms of commercial exploitation and which are, in fact, merely national forests under a different designation. Areas whose dominant public values are economic do not belong in the parks. They should remain or be placed in the national forests if they serve the primary functions of the forests—the production of timber or the protection of watersheds. On the other hand, the economic service rendered by the forests should be no bar to the administration of small areas at many points within them for public recreational purposes or for the protection of their natural beauty. There is a growing demand for summer-home sites, for public camp grounds, for the development of community recreation areas in the forests, and for other forms of recreational use. To meet this demand, there should be more specific provision than has yet been made for the administration of the recreation resources.

### Grazing Fees.

Grazing at present is the principal source of money return to the Government from the national forests. Since 1915 the grazing fees have been doubled, with the view of making them commensurate with current rental rates for neighboring private lands of the same character. When the existing rates were established, the users of the range understood that



Counting Sheep Onto a National Forest Range.

A careful count is made of the live stock that grazes on National Forest ranges. As many stock are allowed on each range unit as will utilize all the forage without injuring the range.

they would remain in effect for five years and many of the grazing permits were issued for this period. The value of the grazing privilege on many ranges subsequently advanced, and a considerable sentiment in favor of an immediate further increase in the fees developed. The good faith of the Government would be impaired by such a course. Furthermore, to advance the fees at the present time would add to the instability of the national forest live-stock industry which has been brought about by existing market conditions, and would be neither just nor good public policy.

No policy has been laid down by the Congress for the guidance of the department in the exercise of the administrative discretion, with which it has been vested for 15 years, to determine the conditions under which the use of the range may be permitted. If the Congress desires to prescribe such a policy, it should not take effect until after 1923, when the existing leases will expire. Even in the absence of legislation, the department will make a classification of the ranges and fix a new scale of charges, to be imposed in 1924, under which the fees will represent the actual grazing

value of the particular portion of the range used by each permittee or group of permittees. Before the new scale is determined, an opportunity will be given the local associations of national forest range users to submit any data regarding the fairness of the proposed fees which they may desire to present.

# The Development of Alaska.

The Department of Agriculture, in common with a number of other departments, has very definite responsibilities in connection with Alaskan development. It is endeavoring, for example, to increase the production of crops and live stock; it has experts in the field investigating the possibility of building up the reindeer herds into an important source of meat supply; it is giving attention to the perpetuation of the fur industry. But its chief responsibility at the present time is in connection with the administration of the national forests in Alaska.

The location of pulp mills in these forests would aid greatly in solving the problem of our future supplies of newsprint. Under regulated use, the Tongass National Forest alone can probably produce forever 1,500,000 tons of newsprint yearly, along with ample quantities of timber for local purposes. By far the most valuable timber in Alaska is that which fringes its western seaboard, the northward extension of the coast forests of Washington and British Columbia. Practically all this coastal area is owned by the Government. It is under national forest administration, and timber from it is already playing an important part in the industrial development of the Territory. Every sawmill on the coast from Ketchikan to Seward obtains its supply from the national forests. These mills furnish nearly all the lumber used in the region, and forest administration is intimately related to every form of industry and to every community in the coastal area.

# Responsibility of the Forest Service.

Because of this relation, a peculiar responsibility rests on the Forest Service in Alaska. To fulfill it effectively under a system of long-range administration is impossible. The public resources in Alaska can be properly managed only by lodging authority in men on the ground to act without waiting to consult distant superiors, and the Forest Service has consistently followed this policy. There is close cooperation between the Forest Service and the Territorial government, and the animating purpose of the forest officers is to make the forests serve the welfare of Alaska.

The greatest need of Alaska is for the investment of capital in enterprises for the development of resources which can be developed in no other way. The pulpwood supplies of the coast forests offer the best immediate opening for capital. To the task of securing their utilization on a large scale, the energies of the Forest Service are now being directed, with every promise of success. One large sale has already been closed and others are in prospect. Through such enterprises the population of the Territory will be built up, its wealth increased, and other forms of development stimulated.

# Amendments to Existing Legislation.

In the early history of the Department of Agriculture its work was directed largely along the lines of research and education. In recent years, its activities have been expanded to include the administration of various regulatory laws relating for the most part, directly or indirectly, to agricultural commodities or operations. Some of them, such as the meat-inspection act, and to some extent the food and drugs act, are designed to protect the public health. Others have for their object the protection of the live-stock industry by controlling or prohibiting the shipment of diseased animals in interstate commerce, the prevention of the entry into this country or the spread of injurious insects and plant diseases. or the conservation of our game birds and animals. Still others are intended to facilitate the marketing of farm products or to prevent abuses in the preparation and shipment of foods, drugs, insecticides, and fungicides, and of virus, serums, and toxins for combating animal diseases. Long experience in the administration of these laws indicates that many of them should be strengthened if they are to serve most effectively their original purposes and to meet new situations which have arisen since they were placed on the statute books. Appropriate recommendations regarding the necessary amendments will be submitted to the Congress at its next session; I will merely outline them here.

### The Meat-Inspection Act.

The meat-inspection act has been in operation 14 years and certain changes in it are clearly desirable. Authority should be given to require that carcasses and parts of carcasses, meats, and meat food products shall bear labels which will correctly indicate their kind and character. An amendment to this effect would go far toward preventing fraud and deception, because purchasers would then have exact information as to what they buy. The existing doubt as to whether the law applies to shipments from a State to a Territory or to the District of Columbia, or vice versa, should be removed. In order to maintain a prosecution for the shipment of unsound meat, under the act as it now stands, it is necessary for the Government to show knowledge on the part of the shipper as to its unwholesomeners at the time he offers the product for shipment in interstate commerce. This requirement should be eliminated.

On account of the peculiar construction of section 21 of the act, there is some question as to whether the prohibition contained in it regarding the interstate transportation of unwholesome meat and meat products applies only to farmers, retail butchers, and retail dealers. There is also doubt as to whether the element of sale is necessary in order to constitute an offense under this section. These ambiguities should be corrected, and amendments should be inserted which would effectively prohibit the interstate shipment for food purposes of articles which become unsound subsequent to inspection, as well as traffic in unsound meats by persons who conduct their own transportation.

Specific authority should be provided for the withdrawal of inspection from establishments which violate any of the regulations promulgated for the enforcement of the act, since the conditions prescribed by them are necessary to insure the wholesomeness of meat and meat food products designed for interstate shipment. Wherever the words "Inspected and Passed" and "Inspected and Condemned" ap-

pear in the statute they should be changed to read "U. S. Passed" and "U. S. Condemned," respectively, in order to distinguish the Federal inspection marks from those of State and municipal authorities; and wider discretion regarding the disposition of fats and meat food products condemned for causes other than disease should be given, so as to permit their utilization for industrial purposes under proper regulations. The department also should be authorized to follow and reinspect products bearing the Federal mark of inspection after they have left the official establishments in which they were first examined and to cancel the marks if it is found that the continuance of their use would be misleading or an instrumentality of deception or fraud; and paragraph 545 of the tariff act of October 3, 1913, which now prohibits the importation of the classes of meat covered by the meat-inspection act except under conditions prescribed by the department, but which provides no penalty for its violation, should be reenacted as a part of the meatinspection act, thus bringing it under the general penalty provisions. Other amendments of equal importance should be made, and a full statement of them will be presented to the Congress.

#### The Virus-Serum-Toxin Act.

In the case of the virus-serum-toxin act, a number of amendments are desirable in order more effectively to prevent the preparation and shipment in interstate and foreign commerce of virus, serums, and toxins which are worthless or contaminated. The law should be extended to cover articles which enter foreign commerce, and definite provision should be made for the destruction of worthless, contaminated, dangerous, or harmful products. Specific authority should be given to withhold the issuance of licenses to persons who refuse to permit inspection of their establishments, or to conduct them in accordance with the regulations, and a violation of the regulations at any time should be declared to be sufficient cause for the revocation or suspension of a It would be desirable, also, to provide that a license may be suspended temporarily, in critical cases, without the necessity of affording an opportunity for a hearing, and that

all containers must bear the name of the product, the date of its manufacture, and such marks or labels as will clearly identify it and indicate its potency. The counterfeiting or falsifying of identification marks prescribed by the regulations should be prohibited; the shipment of samples of virus, serums, toxins, etc., intended for scientific purposes should be permitted under properly controlled conditions; and the acceptance of any money or gift by an inspector connected with the enforcement of the act, or the giving or offering of anything of value to an inspector by a licensee, should be made a criminal offense, punishable by fine or imprisonment.

### The Food and Drugs Act.

In order to secure the more effective and efficient enforcement of the food and drugs act, the department should be specifically authorized to establish standards of strength. quality, and purity for the articles subject to its provisions, and ample power should be given it to enforce compliance with these standards. The term "drugs," as defined in the act, should be broadened to include specifically all cosmetics. toilet preparations, face creams, hair dyes, and antifat and antilean remedies; and all drugs containing methyl alcohol, for internal or external use, should be deemed to be adulterated, although the use of methyl alcohol in their preparation should be permitted, provided it is completely eliminated from the finished products. The list of habit-forming drugs set forth in the second paragraph of section 8 is incomplete and should be extended to include, by name, a number of dangerous substances commonly found in drug preparations; or, as an alternative, a definite requirement should be incorporated in the law that all habit-forming or poisonous drugs, or their derivatives, must be declared on the labels or packages. Virulent poisons should be brought within the scope of the act, and authority should be given to determine, from time to time, what substances shall be regarded as virulent poisons. The department should have power to inspect establishments in which foods or drugs are prepared for interstate or foreign commerce, or for sale in the District of Columbia or the Territories, in order to ascertain whether the articles are adulterated or misbranded; and the misbranding provisions of the act should be extended to food containers so made or shaped as to be likely to deceive or mislead the purchaser as to the quantity, quality, size, or origin of their contents.

### The Insecticide and Fungicide Act.

The insecticide and fungicide act should be amended in several particulars. A substantial minimum fine should be provided, because, in the absence of any stated minimum, fines are sometimes so small that offenders consider prosecution as a matter of small moment. Certain inconsistencies in the definitions of the two words "funcicide" and "insecticide" should be cleared up, and the doubt as to whether "fungicide" was intended to include disinfectants and antiseptics should be removed. The term "misbranded" should be extended to cover false and misleading statements, designs, etc., in the circulars or in the advertising matter accompanying packages of insecticides and fungicides, as well as the statements upon the package or label itself, and the misbranding provisions should be made clearly applicable to inert substances which do not of themselves, or in combination with other ingredients of the particular article, prevent, destroy, or repel insects or fungi.

### The Grain-Standards Act.

The act prohibits (section 4), under penalty, the interstate shipment of grain by grade from or to an inspection point unless it has been inspected and graded by a licensed inspector. It also forbids (section 5), but without a penalty, the representation of any grain as of a grade other than that shown in the certificate issued under the act. As a result, a person who ships or sells grain by grade without the required inspection and grading is guilty of a criminal offense, while one who complies with the inspection requirement but misrepresents the grade, thereby defrauding his customer, is not. The only punishment in the latter case is the business injury resulting from the publication of the facts by the department. It seems clear, in the circumstances, that the penalty provided by section 9 of the act should be extended to cover misrepresentation of grades, including the altera-

tion of official certificates. Specific authority also should be given for the publication of the findings of the department relating to false grading.

Under the act as it now stands, appeals respecting the grade of grain can be taken or referred to the Secretary of Agriculture only where the grain involved has entered interstate commerce. This restriction should be removed so that all persons dealing in grain who desire to avail themselves of the provisions of the act may be permitted to do so; and the present requirement that all interested parties other than those joining in an appeal must be named as respondents in the complaint should be omitted. The accurate determination of an appeal depends solely upon a proper examination of the grain, accompanied by tests of correct and representative samples, and such safeguards have been thrown around the collection of samples and the conduct of tests that the right to be heard does not aid in the determination of the true grade in any way.

### Food Products Inspection Law.

The food products inspection law at present is limited in its operation to products shipped in interstate commerce. This limitation should be removed. The service authorized by law is wholly permissive and in no way regulatory or mandatory and therefore does not interfere with the rights of any citizen. It tends to facilitate the distribution and marketing of farm products, since it hastens the settlement of disputes as to their quality and condition upon arrival in the market, and any shipper should be permitted to take advantage of it. It would be desirable also to amend the law so that inspections may be made at points that can be conveniently reached from important central markets.

#### The Warehouse Act.

Section 15 of the warehouse act requires the inspection and grading of grain, flaxseed, or any other "fungible" agricultural product covered by the act. Some grains, particularly corn and flaxseed, are not always stored as fungible products. It is customary, in certain parts of the country, to store grain in bags, or in special compartments or bins, which preserve

its identity so that the identical grain may be returned to the owner when it is taken from storage. In many such cases, sampling and grading are entirely unnecessary from the standpoint of the owner. He merely wishes to be assured that the place of storage is suitable, that the warehouseman is reliable, that the warehouse is being operated under the disinterested inspection and supervision of the Federal Government, and that he is further protected against the loss of his property by the warehouseman's bond. Whether he desires to incur the expense of inspection or grading is a matter for him to determine. It seems desirable, in the circumstances, to amend the act so that the grading of grain stored in bags or in special bins or compartments which preserve its identity will not be required unless desired by the This amendment would not weaken the act in any way, but would merely meet the expressed wishes of producers in certain sections of the country. In short, it would extend to the grain grower the same privilege that the producer of corn, wool, or tobacco already has under its terms.

### The Plant Quarantine Act.

The plant quarantine act of August 20, 1912, needs amendment in one important particular. At present, it is difficult for employees of the Federal Horticultural Board, which is responsible for the administration of the law under the direction of the Secretary of Agriculture, to prevent the movement of infected and infested plants and plant products from one State to another when they are carried in private conveyances. The employees of the board, therefore, should be authorized to examine vehicles and other means of transportation not now covered by the terms of the act when there is good reason to suspect that they are being used for the movement of products in violation of the law and the regulations issued under it.

# The Lacey Act.

The Lacey Act (secs. 242 and 243 of the Penal Code), which relates to the interstate shipment by common carriers of wild animals or birds, should be amended so as to cover the transportation not only by common carriers but by any

means whatever of live as well as dead animals and birds, and so as to require that packages containing game be clearly and plainly marked with a statement of the number and kinds of animals or birds therein. Provision should be made also for the more effective enforcement of the act, and duly designated employees of the department should be authorized to make arrests for violations committed in their presence, to serve warrants issued by the courts, and to seize wild animals and birds which are being illegally transported.

Administration of Wild-Life Reservations.

From time to time, by act of Congress and Executive orders, large tracts of land have been reserved as breeding grounds, ranges, and refuges for wild animals and birds. The administration of these reservations is committed to the Department of Agriculture. Section 84 of the Penal Code forbids hunting on the bird reservations, except in accordance with regulations prescribed by the Secretary of Agriculture. There is no statute, however, making it an offense to trespass on the refuges for wild animals, and no law which authorizes the department to administer the reservations for purposes other than the protection of the birds and animals. Neither is there any authority conferred by law upon the wardens of the reservations to arrest persons trespassing upon them. Authority similar to that contained in the act of June 4, 1897, with reference to the administration of the national forests, should be given the department to regulate the occupancy and use of the reservations, so that they may be devoted to all proper and lawful purposes consistent with the preservation and protection of the birds and animals thereon, and power to properly police them should be vested in the wardens.

### Protection of Officers from Violence.

There is now no provision for the punishment of persons who oppose, resist, or assault employees of the Forest Service and the Bureau of Biological Survey in the performance of their duties relating to the administration of the national forests and wild-life reservations and the protection of migratory birds. These employees frequently discharge their

duties under hazardous conditions. The lack of any Federal law for their protection is generally known and, in several instances, has encouraged or provoked wholly unwarranted acts of physical violence upon them. Furthermore, the absence of such protection breeds contempt of the authority conferred by law upon the department to enforce the statutes intrusted to it for administration. Section 62 of the Penal Code accords protection to the employees of the Bureau of Animal Industry, and by a simple amendment it may be made applicable to employees of the Forest Service and of the Bureau of Biological Survey.

### Authority to Obtain Information.

A number of the statutes administered by the department require the obtaining of information, both for the purpose of properly administering them and of submitting reports to Congress upon which it may base further legislation, but the department can now obtain this information only as the persons possessing it volunteer to give it. Authority should be conferred upon the department to compel the furnishing of such information, under proper safeguards, and to permit its duly designated representatives to administer oaths and to examine witnesses in connection therewith.

# New Legislation.

Aside from the revision or amendment of existing statutes, experience has demonstrated the desirability of new legislation along several lines, including the following:

#### Pure Seeds.

The importation into the United States of forage and like seeds is regulated by the seed importation act of August 24, 1912, but there is now no law to prevent the adulteration or misbranding of seeds shipped from one State to another. While it is not clear that Federal regulation of interstate commerce in seeds would be practicable, it is clear that the enlargement of the department's authority and funds for testing and other investigational work, accompanied by full publicity, would produce valuable results. It has been suggested in the estimates, therefore, that authority be given to determine the purity, viability, and trueness to variety

of seeds obtained in the open market and to publish the names of the persons responsible for the shipment or sale of those which are found to be adulterated and misbranded according to the standards established by the department.

### Feeds and Fertilizers and Naval Stores.

The need for legislation to insure the purity and wholesomeness of commercial feeds intended for domestic animals
and poultry has been apparent for many years. While the
food and drugs act is applicable to such feeds, it has been
impossible under its provisions to prevent some of the worst
forms of adulteration and misbranding. This matter should
receive careful consideration, and a comprehensive law
which will prevent the shipment in interstate and foreign
commerce of worthless, adulterated, or misbranded feeds
should be enacted as promptly as possible. In framing the
measure, it would be highly desirable to give the department
authority to establish standards which will adequately protect the purchaser against articles that have little or no feeding value.

There is need also of similar legislation dealing with the adulteration, debasement, and false labeling of fertilizers and naval stores.

#### Roads.

Provision should be made, at the next session of the Congress, for the continuance of the highway program along the lines recommended on pages 61 and 62.

# Marketing of Live Stock.

Many measures designed to regulate and control establishments engaged in the handling of live stock and in the manufacture and preparation of meat and meat food products have been under public discussion. Several bills dealing with the problems involved are now pending in the Congress and are in various stages of consideration. Undoubtedly, it would be desirable, not only in the interest of the producer but of the consumer as well, to enact legislation which would make it impossible for those dealing in live stock and its products to exercise undue control over marketing facilities or to impose unfair or unreasonable charges for their services.

# The Need of New Buildings.

Immediate consideration should be given to improving the housing conditions of the department in Washington. The existing situation makes for waste and inefficiency in many directions. Forty-two buildings or parts of buildings. including both Government owned and rented structures, are now occupied for office, laboratory, storage, and other purposes. They are in widely scattered locations, many of them considerable distances away from the administration building, and several are antiquated, unsuitable, and nonfireproof. The cost of maintenance, upkeep, and operation under such conditions is unavoidably large and will grow year by year.

Recently some branches of the department, at the direction of the Public Buildings Commission, which has full control over the allotment of all space occupied by the Government departments in Washington, have been placed in the temporary frame structures erected during the war. It is difficult to conceive of any type of buildings more inflammable than these. The property and records of the Government in them are exposed to serious fire hazard at all times, to say nothing of possible loss of life in the event of fire. For what length of time it will be necessary to occupy these buildings has not been indicated, but to continue to use them indefinitely is, in my opinion, contrary to the best interests of the department.

No other department of the Government in Washington is as inadequately and unsatisfactorily housed as is the Department of Agriculture, and immediate attention should be given to the development and execution of a building program for it. The first step should be the construction of the long-deferred central building between laboratories A and B along the lines of the original designs, which are still in the files of the department, the acquisition of the land and buildings in one of the squares lying immediately south of the department's reservation, and the erection thereon of a modern fireproof structure of plain though pleasing appearance. This would make it possible to bring the scattered units of the department closer together, to relinquish many buildings which are remotely located, unsuitable for offices and nonfireproof, and to effect a large annual saving in rentals.

### The Problem of Personnel.

In any discussion of what the department has done during the year, it must be borne in mind that every item of progress was accomplished under serious difficulties. Rapid advances in the costs of supplies and equipment, materials, and services, and an abnormal turnover in personnel have presented many problems. Increased costs have resulted in the forced curtailment of many lines of work, and the inability to pay adequate compensation has made it impossible to establish and maintain satisfactory personnel standards.

The department is charged with duties that are extremely varied and of the utmost importance. It is conducting fundamental research in every phase of crop and live-stock production and marketing, and it is actively studying the broad economic problems in the field of agriculture. It is supervising the expenditure of the Federal funds which have made possible the inauguration and execution of the greatest roadbuilding program ever undertaken in the history of the world. It is administering the national forests, which comprise within their boundaries 155,000,000 acres of land, and it is enforcing more than 30 regulatory laws, all of them of great importance to the people of the country. It can not hope to maintain these and other activities on a satisfactory basis, or to render the most effective service, without an adequate force of well-trained men and women. And it must not only be prepared to discharge, in full measure, its present responsibilities, but it must look to the future. Some of the most fundamental and difficult problems in agriculture still lie ahead of us, and the planning and execution of experiments and investigations for their solution, as well as the development of the necessary machinery for conducting vigorous campaigns to eliminate the pests and diseases which are handicapping production in every direction and in every section of the country, depend for their success upon the ability of the department to secure and retain the highest type of scientific and administrative officers.

#### Abnormal Turnover.

The turnover in personnel has reached an alarming stage. Highly trained and experienced specialists and administrators are leaving the service for salaries two, three, and four times as much as the department can pay them, and many of them can not be replaced at anything like the compensation that can be offered under existing limitations. We have a record of the salaries received in outside employment by 528 of the scientific and technical employees who left the department during the fiscal year 1920. This record shows that 383 of these employees are receiving from other public institutions and commercial concerns compensation ranging from \$500 to \$7,000 more than they were paid by the department.

It is understood, of course, that the Government can not meet commercial competition. The scientific and technical men of the department do not themselves expect it. As a general rule they are willing to accept less in order that they may remain in strictly scientific work, but they certainly should be paid salaries sufficient to keep themselves and their families in reasonable comfort. Otherwise, the department's force will continue to be drained of many of its most efficient workers. It can not be subjected to this steady draft upon its trained personnel without serious impairment of the service, nor can it utilize the funds appropriated by the Congress most effectively with a constantly disintegrating organization and an increasing percentage of new and relatively inexperienced personnel.

# Importance of Research.

The department should be in position to retain its scientific and technical workers over long periods. From the standpoint of the public service, a man once embarked upon an important field of investigation should remain there if he is capable and efficient. If he leaves to accept other employment, he carries with him much of the information he has acquired in the progress of his work, information which enriches him in experience, but which can not possibly be put on record. A new man, continuing the work, must, in many instances, go over a considerable part of the field already covered before he reaches the point where his predecessor left off.

We are at a stage of our agricultural progress where fundamental research and investigation are more essential than ever before. We are confronted to-day with serious problems of the most pressing nature about which we know relatively little. No one acquainted with the situation will deny that it would be the part of wisdom to concentrate the best brains of the country on these problems and to provide adequate facilities for carrying on the work in the most comprehensive manner.

Since 1914 there has been no increase in the limitation on the maximum amount that may be paid to scientific and technical workers. It has been impossible, therefore, for the department to adjust their compensation to accord with the great change in economic conditions which has taken place during the past six years. This situation should be corrected without delay, and I have therefore recommended in the estimates to the Congress that the existing limitation be increased to \$6,500. I have also recommended that provision be made for increasing the salaries of the chiefs of bureaus and divisions, all of whom have large and difficult tasks to perform and are decidedly underpaid. Their present compensation is considerably less than that received by officers of similar rank in other agricultural institutions and in other branches of the Government service, to say nothing of salaries paid by commercial concerns. I can not too strongly urge that these recommendations be adopted.

The personnel difficulties which the department has experienced are not confined to the scientific and technical workers. They have extended also to the clerical and mechanical employees who, in large part, are carried on statutory rolls, which means that promotions can be made only as vacancies occur. This has resulted in a serious situation. I have suggested in the estimates some changes in the statutory rolls which, while they will not solve the problem, will afford temporary relief until such time as the Congress acts in the matter of reclassification of the salaries of Government employees generally.

Directors of Scientific and Regulatory Work.

With the growth and development of the work of the department along research and regulatory lines, it is highly essential that definite provision be made for the closer coordination of these activities through a central agency. Only in this way can the most effective results be obtained. Every effort also should be made to bring about a further

correlation of the research and regulatory activities with those of the appropriate State agencies. The department has no adequate machinery at this time for accomplishing these purposes. I am suggesting in the estimates, therefore, that the Secretary of Agriculture be authorized to appoint a director of scientific work and a director of regulatory work, at \$7,500 per annum each, who will devote their attention not only to the development and coordination of the research and regulatory activities of the various branches of the department but will also work out and put into execution plans for their further coordination with similar lines of work in the various States. It is proposed that these directors shall not be subject to removal except for cause. The reason for this is obvious. In an institution such as the Department of Agriculture stability of tenure is absolutely essential if the best results are to be secured.

### Funds for 1922.

The estimates of the Department of Agriculture for the fiscal year ending June 30, 1922, aggregate \$41,989,384, representing an increase of \$10,276,600 over the appropriation for the current year. Of this increase, \$950,000 for combating foot-and-mouth disease, \$100,000 for fighting and preventing forest fires, and \$100,000 for the control of emergency insect infestations, amounting in all to \$1,150,000, are merely insurance funds and will be used only in case of necessity. Each and every item in the estimates has been carefully canvassed, and the amount suggested represents the minimum that, in my opinion, should be provided for the maintenance and prosecution of the work of the department. It should be borne in mind, in this connection, that the appropriation for the regular work of the department during the fiscal year 1921 was reduced by \$2,186,977, the total amount provided representing a reduction of nearly \$6,000,000 below the sum recommended in the estimates for that year.

If the increase proposed is allowed, it will be possible to restore to their former status and to develop properly the important activities which have been discontinued or seriously curtailed because of the lack of funds. It will be possible also for the department to pay better compensation to its earnest and efficient workers—provided, of course, the present limitations on salaries are increased as recommended—and thus to check, in part at least, the abnormal turnover in personnel; and, lastly, the department will be placed in position to attack important agricultural problems which are pressing for solution, to enforce more completely the regulatory laws intrusted to it for administration, and to provide for the more effective administration and protection of our great national forest properties.

# Agricultural Agencies Expected to Help.

Our great agricultural industry is in the midst of a difficult and trying period. It is confronted with numerous and complex problems, and the people of the country are rightfully expecting the agricultural agencies of the Nation—the Federal Department of Agriculture, the State agricultural colleges and experiment stations, and the State departments of agriculture—to render increasingly important service in working out ways and means of solving them. These institutions can not hope to measure up to their responsibilities in this respect unless they are properly equipped and are placed in position to secure and retain the services of the best trained men and women in America.

A review of the activities of the department during the past year clearly indicates not only that it will be unable to give proper study and attention to the new and vital matters of national concern now demanding its attention and action, but that it can not even maintain its present standard of service to American agriculture, and through agriculture to the people of the country, without more adequate support. Unless a considerably increased appropriation is granted for the next fiscal year it will be impossible for this great organization to deal effectively with the problems before it, and it will be compelled in many vital projects to mark time. I recognize full well the necessity for economy in governmental expenditures, especially in view of the great financial burdens thrust upon us by the war and the present unsettled conditions; but, in my opinion, it is not true economy to fail to provide the necessary facilities and personnel for this productive branch of the Government, which is returning to the Nation many fold. in

terms of wealth created or saved, the expenditures made by it.

I have already discussed briefly the personnel situation in the department, but I wish to reemphasize it here. Important units are in danger of going to pieces because of the lack of funds to prosecute the work at hand or because present limitations on salaries make it impossible to maintain a sufficient personnel to conduct their operations effectively. This is no exaggeration. In one of the most important bureaus—one dealing with serious economic problems—8 of the 16 divisions are without directing heads because the vacancies could not be filled at the available salaries. Onehalf of the work of the bureau is now without adequate leadership. A similar situation exists in many other bureaus of the department, and unless it is shortly remedied stagnation will be the inevitable result. Hope of early justice in the matter of salaries and better equipment for work have encouraged many men and women to stay with the department so far, but they can not be held indefinitely if they are to meet with repeated disappointments.

I am confident that no citizen of this country, in private or public life, who has an understanding of the work of the department, of the handicaps under which our present-day agriculture is laboring, and of the national problems involved in maintaining supplies of food and raw materials sufficient for our constantly increasing population, will fail to give his sympathetic support to measures which promise increased strength to the Nation in its most basic industry, the foundation of all other industries—agriculture.

Respectfully,

E. T. MEREDITH, Secretary of Agriculture.

THE PRESIDENT.





Entomologist in Charge. Cereal and Forage Insect Investigations,

Bureau of Entomology.

A NEW BROOM makes a clean sweep, but it may serve sometimes to carry a pest into the house. The European corn borer, which sailed into this country like a stowaway, hidden in the heart of broom corn from across the water, has now settled down in America, probably to stay. It extends its infestation over a widely broken belt of territory, from the coast of Massachusetts and New Hampshire on the east through east-central and western New York (fig. 1) to a point beyond St. Thomas in western Ontario, Canada. The total area inhabited by the pest within the United States is about 4,500 square miles, and in Canada it is probably not less than 3,000 square miles.

This insect is apparently a native of central Europe or Asia; at least it has long been known as a harmful insect in those portions of the globe. In Italy, Austria, and France it has been considered for many years a serious enemy of the maize or Indian corn plant. Maize seems to be its preferred food plant at present, although, as this plant is of American origin, its native or original host must have been some similar species, probably some one of the larger Asiatic or European grasses or grasslike plants. The insect seems to be able to subsist upon almost all herbaceous plants, and in this country has already been recorded as feeding on no

less than 167 kinds of plants, both wild and cultivated. Among the more important of these from an economic standpoint are corn of many varieties, celery, beans, beets, and rhubarb. Corn is the crop that sustains by far the greatest commercial damage (fig. 2), although recently the insect has been found to infest celery in the Boston region so seriously as to prevent its certification for shipment to the most profitable market. This pest also infests such commercially important flowering plants as gladioli, cosmos, hollyhocks,





Fig. 1.—Known distribution of the European corn borer in the United States, on November 1, 1920.

hardy chrysanthemums (fig. 2), and asters, while dahlias are very seriously injured where infestation is unusually heavy and these highly ornamental plants are grown in proximity to corn. A few woody plants, such as elder and raspberry, are occasionally found infested.

### Getting Past the Customhouse.

When the corn borer was first discovered in eastern Massachusetts during the summer of 1917, it was supposed that it had entered the country hidden in the stems of raw hemp,



In Corn and Chrysanthemum.

Fig. 2.—A, Typical infestation of an ear of flint field corn by the European corn borer; the white, powdery material is a combination of mold and eastings of the insect. B, Chrysanthemum, with caterpillar of the European corn borer within the stems at lower end.

which is one of its numerous food plants in Europe. A large cordage factory in the center of the area first found to be infested was known to have used hemp imported from countries in which the insect was numerous. This theory subsequently was weakened by the discovery that the hemp underwent a severe process called "retting" before it was exported to this country, which would destroy almost certainly any insect inhabitant of the plant thus treated. theory soon gave way upon the discovery that broom corn, which is badly infested by the pest in the old country, had been imported and used by factories located near the foci of infestation in both Massachusetts and New York, and customs records were unearthed showing that at least 10,000 tons of such material had entered the United States from infested countries during the period 1909-1914, and that this corn had been widely distributed throughout many States where corn is grown. The supposition that the insect was introduced in this manner received confirmation by the interception, in February, 1920, by Federal inspectors, of two large shipments of broom corn from Italy containing many live specimens of corn-borer caterpillars hidden within the parts of the stalk attached to the brush. Before these shipments were permitted to enter the country they were thoroughly sterilized by the introduction of live steam under cover, after it had been demonstrated that sterilization could not be effected by the ordinary methods of fumigation, except at the expense of incredible labor and extreme cost. In point of fact the European corn borer seems to be a most hardy and tenacious creature, and this doubtless influenced the entomologist who named the group to which it belongs "Pyrausta," a fabulous insect of Grecian mythology.

> "So in the fire, in burning furnace, springs The fly Pyrausta with flaming wings; Without the fire it dies; in it it joys; Living in that which all things else destroys."

> > -Du Bartas.

The reader will wonder perhaps, since the Government maintains a corps of inspectors to examine all importations of such character, why the original infestation was not prevented in a similar manner, but this is easily explained by the fact that this inspection service was not authorized by law until 1913, or several years subsequent to the probable introduction of the pest. It is true, moreover, that, even where an efficient corps of trained inspectors is employed, it is impossible for them to examine every shred of each plant, bale, or bundle so thoroughly as to prevent the entry of at least a few insects. For this reason the Federal Horticultural Board is extending supervision, as rapidly as available funds permit, to the importation of all plants or plant products which are deemed likely to convey insect or other pests dangerous to agriculture from foreign countries into the United States. Most of the insect pests of foreign origin now inhabiting the United States have entered the country through the avenues of commerce, and in view of the great damage inflicted on American agriculture by such introduced insects as the San Jose scale, the gipsy moth, the alfalfa weevil, the pink bollworm, and, last but not least, the Hessian fly, the necessity for some such action seems perfectly obvious.

How can an injurious insect like the corn borer exist in the United States for so long a period as from seven to eight years without detection? The answer to this natural and highly pertinent question is not difficult to find.


Assuming that several adults of the corn borer, male and female, succeeded in emerging from their hiding places in the stalks of broom corn in a given locality, only a few of these might find their way to growing corn or other plants suitable for the deposition of the eggs. Others might die without the opportunity of mating, while practically all of them would be exposed to innumerable perils from predacious enemies such as birds, predatory insects, etc. Thus in the beginning an exceedingly slight infestation would result. Moreover, it seems to be a well-established habit of the pest to refrain at first from seriously attacking the ears of the corn, and to confine its work chiefly to the tassel and upper portions of the stalk. Then, as it becomes more abundant, it works lower down in the stalks, finally attacking the ears and even entering the rootstocks wherever heavy infestation occurs. Thus it may easily be seen that, as a result of these peculiar habits, the insect might be present in a corn-growing center for a very considerable time without materially reducing the crop or attracting the attention of the farmer, who is not inclined to look for trouble or to complain of an insect pest until it appears in numbers sufficient materially to reduce the yield. Undoubtedly this is just what occurred in the case of the European corn borer. The insect was first discovered in the summer of 1917 by Mr. Stewart Vinal, an entomological investigator who had been assigned by the Massachusetts State Agricultural Experiment Station to aid the market gardeners of the environs of Boston in the suppression of insect pests attacking garden crops. Although gardeners had noticed the caterpillar (fig. 3) in sweet corn for several years, it had not, up to that time. interfered seriously with either the vield or the sale of that toothsome article of produce. Mr. Vinal recognized almost immediately the importance of his discovery, and the State authorities quickly enlisted the aid of the Federal Bureau of Entomology in an investigation of the pest. An account of these activities is given farther on in this article.

# An Innocent-Looking Moth.

The adult or parent of the corn borer is a rather pretty and innocent-looking little moth or miller that flits about in the twilight, or early hours of the night (see fig. 4). As a rhymester has put it:

> "Little moth on velvet wing, Such an airy, fairy thing; How can you so guileless look, Yet rob the farmer's pocketbook?"

It is not like many other night-flying moths which are strongly attracted to light, but, on the contrary, is seldom seen except as the insect is flushed from the grass and weeds as one walks through the fields, where it occurs in considerable numbers at certain seasons of the year. The female moth is pale yellow in color, with smoky, irregular lines on its wings, and measures about an inch in expanse, while the male is slightly smaller and is pale smoky brown, with pale yellow spots on both front and hind wings. In eastern Massachusetts this little pest has two generations annually; that is to say, it "breeds" twice each year. The first "hatching" or "brood" of moths lays an average of 386 eggs each, and the second 550, so if we assume that they were equally di-



Caterpillar and Eggs.

Fig. 3.—4, Stalk of celery with side cut away to show caterpillar of corn borer within. B, Cluster of eggs of European corn borer on blade of corn. C, Caterpillars of the European corn borer in three stages of growth.

vided as to sex, and all survived, the progeny or children of one pair of moths would amount to 53,075 insects at the end of one year, while in two years their numbers would amount to no less than 2.816.406.625 worms. Fortunately, however, as in the case of most other insects, many enemies and other restrictive and destructive influences intervene, otherwise we should soon be compelled to give up eating our natural aliments and subsist upon corn-borer caterpillar "en casserole," "a la Maryland," or in some other form for the rest of our lives, or so long as we could stand it.

# A Caterpillar With a Prodigious Appetite.

But to proceed with the natural history of the pest: In the moth stage the insect is not in the least injurious, as it takes no solid food, probably sipping the nectar from flowering plants as it flies about on its nefarious trade of depositing eggs where they will do the corn grower the most harm. These eggs (fig. 3) are flat and laid in little groups of from 15 to 20 on the leaves of corn and other plants. They are carefully placed in overlapping rows like the shingles on a building, and hatch in about one week after they are laid. When the little worm emerges from the egg, instead of beginning its career with a hearty meal from the corn plant upon which it was born, it follows the curious habit of many related insects in devouring a goodly portion of the shell of the egg from which it was hatched. No one has seen fit to explain just why these baby caterpillars should begin their diet with a course of eggshell; perhaps this is by way of a relish or appetizer, just as one eats an olive, or as, in historic times, one partook of a cocktail. Or, again, the shell may be of service in sharpening the insect's mandibles in the same way that a favorite young fruit tree too often serves a thomas cat in sharpening his claws. that as it may, the caterpillar very soon develops a prodigious appetite for corn, and after beginning to feed it eats and eats, for weeks on end, only stopping long enough to change its clothes when these become too small for it. This insect literally becomes too large for its skin, which it sheds in about the same way as a snake. During this process it takes no food, but devotes all its attention and energies to the business of peeling off its old skin, including even

its claws and bristles. This event occurs five times during the existence of the caterpillar. Soon after the fifth molt the insect becomes full grown and, at that time, is about an inch long and one-eighth of an inch thick. The head of the caterpillar (fig. 3) is dark brown or black, while the upper surface of the body or back varies from dark brown to pink. The underside, or belly, of the worm is flesh colored and without markings of any kind. This boring caterpillar bears no distinctive markings by which the ordinary observer might hope to recognize it, and even highly trained experts have at times been temporarily at a loss to distinguish the caterpillar from its nearest relatives inhabiting the same plants. These close relatives are several. but none of them, so far as known, is injurious to agriculture in any appreciable degree. In point of fact, some of them doubtless are beneficial, as they feed on the common weeds.

After about six weeks, when the caterpillar has fed to repletion and is full grown, it becomes stationary, shrinks slightly in length, sheds its skin for the sixth time, and transforms into a light-brown, shuttle-shaped object about three-fourths of an inch long. This is known as the pupa or resting stage of the insect. After the lapse of about two weeks the skin or shell of the pupa splits and the moth emerges. As the adult insect issues from its pupal envelope it is anything but a beautiful object—dull in color and bedraggled in appearance, with its wings crumpled up in little knots above the shoulders. It crawls to some safe perch, however, and in the course of an hour or two has assumed the graceful shape and pleasing colors which distinguish the species. Very soon it is able to mate, lay its eggs, and thus begin all over again the process of development described above.

This life history, or cycle, is repeated twice each year in the vicinity of Boston, Mass., the caterpillar produced by the second brood of moths spending the winter in its burrows within the plants upon which it has fed. Elsewhere in America, however, it is believed to undergo but one generation during the year. Such is the case in both eastern and western New York, although climatic and other conditions there apparently do not differ materially from those prevailing in eastern Massachusetts.



Corn Borer Injury to Various Plants.

Fig. 4.—Top at left: Larvæ and pupæ in cornstalks, and young tassel attacked by the insect. Male and female moths drawn on same scale as the corn. Top center: A female moth with cluster of eggs on a section of corn leaf, on a considerably larger scale. Top right: Mature tassel showing typical injuries by caterpillar (the broken tassel stem is often the most noticeable evidence of the presence of the insect during the early summer months). Center: External and internal views of injuries inflicted on two ears of sweet corn. Lower half of the plate: Snap beans, beets, and celery attacked by the borer, cornstalk containing caterpillars, corn stubbles cut away to show how the caterpillars hide themselves in the fall, winter, and early spring months, "smartweed," which is a favorite food at times, "barnyard grass," which in Massachusetts is often heavily infested, and "cocklebur" plant, a weed that often serves as a breeding place for the pest.

# By Rail and Wing.

Although the adult moth flies readily, it is not what might be called a strong flier. Compared, for instance, with the cotton moth, the army worm moths, and other robust members of that family, some of which are known to fly for hundreds of miles, the moth of the corn borer has rather feeble powers of flight. The longest flight that has actually been recorded under experimental conditions is about 3.900 feet. Under favorable conditions, however, the moth might be carried for much longer distances and perhaps for many miles. Investigations during 1920 have made it plainly apparent that this spread by flight, or natural spread, as it is termed, is a comparatively slow process, although it can not be prevented. The means of distribution of the pest most greatly to be feared is its carriage by human agency; that is to say, by its shipment for distances, perhaps, of hundreds or even thousands of miles in crops such as corn, celery, rhubarb, or There is also grave danger of its being incut flowers. cluded in the material used for packing, such as cornstalks, corn leaves, or husks, and many other dried plants, as hay, for instance, containing large weed stems, etc.; and the quarantine measures which are being enforced by the Bureau of Entomology and the Federal Horticultural Board are aimed at preventing, so far as may be possible, the transportation of such dangerously infested material from the infested regions to portions of the country where the insect is believed not to exist. Especially vigorous efforts are being made to prevent such movement of the pest into the great corn-belt States of the Middle West.

Besides corn, the caterpillars feed also on many other cultivated plants (fig. 4) to a very considerable extent, wherever infestation is heavy. Of the plants thus infested, celery (fig. 3) is perhaps the most important from a commercial standpoint. Many hundreds of acres are planted to this crop in that part of Massachusetts most seriously infested by the insect, and the heavy infestation of this crop may therefore mean a serious loss to the large interests involved. During the summer of 1919 celery was observed to be infested principally in the outer leaves and stems, in which case the insect was easily detected, but at present it has been found to bore

directly into the heart of the plant in many instances, and thus render celery one of the most dangerous means of artificial distribution for this pest. This fact has made it necessary for the inspectors to refuse certification, for shipment outside of the infested area, to growers whose crops were found to be most heavily infested. Rhubarb, or pieplant, is another product of the garden which recently has become of importance as a means of spread, but in the case of this plant inspection and certification usually are possible because the stems are separated in preparing the vegetable for market.

These plants are mentioned especially to illustrate how such comparatively unimportant products may harbor and distribute an insect which is of prime importance to a fundamental crop such as Indian corn. It is in relation to corn, of course, that the insect is being most seriously considered by entomologists and others most deeply concerned in controlling or restricting the ravages of the pest. We will show presently that the extermination of this new and injurious pest is beyond the pale of possibility, and the next important question is: How can it be repressed and restricted in order to minimize the damage it can do?

### Hard to Kill.

The first thought naturally is: We will poison it. This method has been tried without success, principally because the corn borer feeds within the stalks and ears of the plant, and can not be reached by the poison. Various cultural methods have also been tried without materially beneficial results.

The weak link in the chain of the creature's existence is the fact that it spends the late fall, winter, and early spring months as a caterpillar within the stems, rootstocks, and stubble of the plants upon which it has fed during the previous summer. Thus it seems obvious that if these could be destroyed or so treated as to kill the insects contained therein the desired results would be accomplished. Many caterpillars remain all winter in corn stubble in the fields (fig. 5), either in the stump of the stalk or in the rootstock below the ground, although the majority of them are concealed within the stalks or ears of the corn, even in the cobs. It has been found that the conversion of corn into ensilage de-

stroys all the worms contained therein, and for this reason growers within the infested regions are advised to adopt this method of disposal for their crops. Of course this method does not dispose of the insects remaining in the stubble, and



Fig. 5.-Work of the European corn borer.

for this reason corn stubble in infested territory should be cut at or as close to the surface of the soil as possible in order to remove as many caterpillars as possible from the fields. Where stalks and cobs are not made into ensilage some other effective method of disposal must be adopted if

this pest is to be successfully combated, and the only one that can be recommended at present is burning this material during the late winter, early spring, or sooner if the stalks are dry enough not to require excessive amounts of fuel to ignite them. In heavily infested regions the stems of coarse weeds and other plants should be treated in a similar manner.

In addition to the methods of artificial control mentioned above, the department is making every effort to introduce from continental Europe the natural enemies of the corn borer. An expert in this line has been in France for more than a year and has established a laboratory there, and large shipments of the insect parasites of the pest already have begun to arrive in this country.

The chief of the Federal Bureau of Entomology has lately been overseas, where he secured the cooperation of several of the most prominent European entomologists in this movement. He reports that although the pest is widely distributed in those portions of Europe where corn is grown in considerable quantities, it evidently is held well in check by its native insect parasites. This augurs well for the enterprise. but, of course, the process of parasite establishment is slow. and several years must elapse before the results of these efforts can be known. The department is engaged, at the present writing, in cleaning up by mechanical means, such as burning and crushing infested material, an area of intense infestation in extreme western New York, in an effort to reduce the likelihood of both natural and artificial spread of the insect to the corn-belt region. For this purpose the special machinery mentioned hereafter is being utilized. (See figs. 6 and 7.)

### Government-Control Measures.

Upon the discovery of the pest in the summer of 1917 the Department of Agriculture was called upon to assist in an investigation of the insect in order to obtain information upon which to base efforts at control or possible eradication.

No fund is set aside by Congress to meet emergencies that may arise through the introduction of plant pests, but the Bureau of Entomology responded as well as it was able in the circumstances by establishing, in the spring of 1918, a



Control Measures.

Fig. 6.—Above: Warning banner at the edge of infested territory to prevent automobiles carrying irfested plants into uninfested territory. Below: Destroying the corn borer by burning over infested weeds and grasses. Fuel oil is delivered to the nozzles of the burner at a pressure of 400 pounds to the square inch, creating a fiame of intense heat directed toward the ground. The machine burns a strip about 15 feet wide.

small field force and laboratory in the center of the infestation at Arlington, Mass. Here, in cooperation with the Massachusetts State Agricultural College, were conducted investigations upon which was based the Farmers' Bulletin (No. 1046) which was issued the following April. At the time that publication was prepared, the area infested was known to be at least 320 square miles in extent and the injuries caused by the insect to sweet corn indicated strongly that it might prove to be a corn pest of real if not of great importance. Realizing that a more thorough investigation should be made, the Secretary of Agriculture requested of Congress in September, 1918, the sum of \$25,000 for this purpose. In the meantime entomologists and agriculturists throughout the corn-growing regions of the country had become thoroughly and possibly unduly alarmed over the situation. A committee of State entomologists and other interested persons appeared before Congress requesting, in emphatic terms, an immediate appropriation of at least \$500,000




Fig. 7.—Special crushing machine used for treating green plants containing the borer. When infested plants are too green to burn readily they are run through the large corrugated rollers. These apply a pressure of about 40 tons, thus crushing all the insects contained therein.

for the purpose of exterminating the pest. The Sixty-fifth Congress expired without taking final action on either request. The department did not approve the request for the larger appropriation for purposes of extermination because it was convinced that this was impossible. The insect had become firmly established over a territory of several hundred square miles, embracing not only the city of Boston but many of its environs, and had demonstrated its ability to

subsist on a great variety of wild and cultivated plants. It was realized that to afford even a fair chance of extermination the expenditure of not thousands but millions of dollars would be necessary, and, as a mere incident to this expense, the reduction of the whole infested region to a desert must In other words, unlimited funds and unrestricted authority would be necessary as a preliminary to the possible success of such a campaign, which, of course, was absurd. The department further contended that before any very large sums were expended for attempts at extermination, the area of possible infestation should be delimited, at the same time pointing out the fact that no thorough scouting work for this purpose had yet been attempted. The wisdom of this stand was demonstrated in a striking way by the subsequent discovery of several additional extensive areas of long-standing infestation, remote from the original infested territory, which made it obvious that, had the large appropriations been expended for extermination within the areas first discovered, this money would have been largely, although perhaps not wholly, wasted.

### Striking a Hard Blow.

The department had recognized from the first the potential danger of the corn borer as a pest to Indian corn, and when in the early part of 1919 a very considerable new area of infestation was discovered in east-central New York, indicating that the pest was much more widespread than had at first been supposed, it acted promptly by requesting the Sixty-sixth Congress to appropriate \$500,000 for immediate use in repressive work against the pest. The sum of \$250,000 was provided and became available July 24, 1919. With this sum in hand, the first adequate control and regulatory work of the department with this insect was begun. A large force of inspectors and scouts was thrown into the field, rendering fully effective the Federal quarantine which had been in force since August, 1918, and soon making available information upon which was based the subsequent extension of the quarantine regulations. Machinery was designed and built for the purpose of treating the most intensely infested areas with fire, steam, and other agents in order to retard or restrict the natural spread of the pest as much as possible. At the same time the research or experimental work to determine the habits and natural history of the insect was pushed forward as rapidly as circumstances would permit. The newly discovered area of infestation in east-central New York was thoroughly explored and determined to be at least 500 square miles in extent. It is believed to have existed for at least seven or eight years and to have originated from a broom factory located near Schenectady.

The excitement caused by the discovery of the insect in New York culminated in a meeting of the National Association of Commissioners of Agriculture at Albany, N. Y., August 28, 1919. The direct result of this meeting was a resolution urging Congress to appropriate \$2,000,000 to carry on a combat with the corn borer. Believing that this demand largely exceeded the immediate needs of the work in hand, the department recommended an appropriation of \$500,000 and Congress responded by providing the sum of \$400,000, to be immediately available, and the present activities are being conducted with this money. Most of this is being expended in scouting operations and the enforcement of the quarantine regulations in the five States of the Union where the insect is known to occur. This work is a task of greater magnitude than is realized by the general public, involving as it does the employment of 200 or more inspectors during a large part of the year, distributed throughout most of the northern States. Some idea of the work involved may be conveyed when we say that more than 18,000 certificates of inspection were prepared and issued in a single day recently in the Boston area alone.

### What It Means to the Corn Grower.

After reading all that has been said thus far, the corn grower may remark to himself: "This is all very well" (and if he is good-natured he may add "and interesting"), "but just what is this bug going to do to my corn? What is it going to cost?" Very good; let's look this incubus straight between the eyes.

In a field-corn growing region where the insect has almost certainly been present for approximately 10 years it occasions a direct loss of about  $2\frac{1}{2}$  per cent of the kernels of all the ears. There is in addition to this an indefinite amount of indirect loss due to defective nutrition of the ears caused


by the boring of the worms in the stalks as well as by breakage of the stalks, but none of these injuries has been serious enough to prevent the production of an excellent crop of corn in any field examined. This statement applies only to a region where the pest breeds but once a year, but it seems likely that the insect would have two breeding periods, or generations, throughout the southern half of the corn belt in the United States. To allow for this difference, suppose we more than double our estimate of the possible loss and assume that it might reach 7 per cent of the grain in two-thirds of the crop. That would mean an enormous loss in money with a crop such as was produced in 1920 of more than 3,000,000,000 bushels. At a possible market price of 85 cents per bushel this loss would reach the enormous figure of \$119,000,000.

But wait just a minute; we have disregarded entirely for the moment the fact that the losses upon which our estimates were based have occurred in a region where the pest has been permitted to multiply unrestrained for a period of 10 years. This can not happen in the corn-belt States, now that we know the habits of the corn borer, and for this reason the losses which it could inflict undoubtedly would be greatly reduced by the methods of combat already described. In view of these considerations, it certainly does not appear that the pest would be able, in any case, to destroy the crop of any progressive farmer.

# No Decisive Victory for the Pest.

At least one man of science has gone into public print with the statement that if the pest is not eradicated "the corn industry, together with everything that depends on it, is doomed in North America," etc. This gloomy statement must be regarded as pure hyperbole, and in case the reader has been frightened by this or similar visions, let the following thought strengthen his wavering soul. No introduced insect pest ever has destroyed any important agricultural industry in America. The San Jose scale caused great losses to the deciduous fruit industry for many years, but it has been largely instrumental in the production of better fruit and in securing better prices for that fruit. The Mexican

cotton boll weevil has done great damage to the cotton crop of this country for a very considerable period, but cotton is still a major crop in the infested regions, and at least one community has erected a monument to the boll weevil as a benefactor, in forcing diversified farming upon a region that was sorely in need of this innovation. The Hessian fly, which came here late in the eighteenth century, is the worst insect pest with which our wheat growers have to contend. taking a toll of 10 per cent of the crop, but it has not prevented us from becoming one of the two greatest wheat-producing nations on the globe, and no pesky caterpillar from overseas is going to be permitted to deal a knock-out blow to that greatest of all American agricultural institutions, the corn crop-" not so you can notice it!" But, as with the older pests, so with this new one, we shall be compelled to fight long and hard.




The Male Moth.



# SCIENCE SEEKS THE FARMER

By L. C. Everard, Chief Editor, Division of Publications.

COMETHING IS WANTING TO SCIENCE UNTIL IT HAS BEEN HUMANIZED, said Emerson. was long ago, before the development of the Department of Agriculture. Were he here to-day he would probably say that something is wanting to agricultural science until it puts on its overalls and gets out between the plow handles. And the scientists of the department would agree with him; for though they may in their laboratories surround their work with a cloud of hard words and harder ideas like a smoke screen around a battleship, they realize that their investigations and discoveries are made for the sake of mankind, and acquire their chief value when the veil of technicality is torn away. Cyclonic action means something to the farmer when translated into terms of rain or snow or fair weather. And scientific study of the life history of Ascaris lumbricoides (see page 175) becomes a blessing to him when a way has been found to apply the knowledge so as to save his pigs.





Exhibits, Publications, Demonstrations on the Farm and in the Home. 106




Bulletins, Photographs, Drawings, Movies.

Agricultural science begins really to function only when it reaches the farm. And in America it reaches every farm whose gate is not closed against it. The results of thousands of great scientific researches and of thousands of studies in the practical application of these results to farming can be had for the asking. Farmers' Bulletins, easy to read and at the same time reliable and accurate, give the answer to all kinds of puzzling questions, not only about field and orchard, poultry and live stock, marketing of produce, and many another angle of the farm business, but about making the farm home a pleasanter place to live in and the children more robust and healthy and contented.

Many of the department specialists are not only scientists: they are also farmers. They know what the farmer is up against, and when a new method of doing a thing is found or an old method is improved they can tell him how to make it work. They are constantly seeking ways to fit new discoveries and developments into standard farming practice. And working alongside them, to put the information in the most convenient form, are the experts in writing, printing, pictures, and exhibits of the Division of Publications. A great fund of farm facts locked up in the files in Washington would not be of much help. They must be got into the field to produce results, and to get them there the facts are put up in various kinds of packages—bulletins, press stories, pictures, posters, models, and movies-whatever will most economically and at the same time most effectively carry the scientific studies of the department to the farmer and enable him to convert them into farm practice.

The department is constantly working to find out what the farmer's everyday problems are and constantly seeking ways to reach him with the answer. It is not unusual now for him to find a home-demonstration agent in his kitchen or meet the county agent at his gate. These are salesmen of science and the wares they have to offer are the combined knowledge and experience of the army of scientists and practical agriculturists of the State colleges and the department. And their terms are easy, for service is what they sell, and all the farmer has to pay is the time he takes to learn what the service is. Through them the other methods of distributing

farming facts are made more-effective. Many ways are found of getting all kinds of helpful information to the farmer. When he goes to town he may find a movie scheduled in the schoolhouse, showing just how to dust his cotton, or dip his cattle, or build his poultry pens. If he attends a meeting at the town hall he may see a department poster telling of some important discovery in farm practice or warning him of some danger to his crops from insects or disease and telling how to meet it. At the State fair he may find under the big sign "Department of Agriculture Exhibit" samples and models of crops and devices he never saw before and may see actual demonstrations that will help him with his own farm work. Even when he reads his county paper or his farm journal the department is with him, for from its press service goes out to all the farm press of the country news of the latest doings in agricultural science and advancement. Agricultural science not only seeks the farmer but it finds him. And the farmer is becoming more and more expert in using this scientific knowledge when it gets to him. The reward is not his alone; the Nation reaps a harvest in more meat from farms and ranges, more crops from the fields, and better all-round development of its agricultural resources.



# Prints of the Department of Agriculture

#### Farmers' Bulletins

More than 500 primers, each containing practical suggestions and information about some activity connected with the farm or home.

#### Department Bulletins

Bulletins containing new information obtained by the scientific staff through research and investigation.

#### Circulars

Leaflets issued to meet some emergency or to publish particular information needed immediately by industry or agriculture.

#### Soil Surveys

Descriptions of the soils of the country, by counties or other selected areas, based on careful, scientific surveys and accompanied by large detailed soil maps in color.

#### Journal of Agricultural Research

A semimonthly scientific journal which furnishes a point of contact between the investigative staff of the department and scientists all over the world.

#### **Experiment Station Record**

Abstracts of new publications on agriculture and related subjects, published monthly.

## Weekly News Letter

News of the latest developments in agricultural work and in the aims and policies of the Department of Agriculture.

#### Market Reporter

A weekly report on market quotations, supplies, and movement of farm products.

## Monthly Crop Reporter

Official estimates of crop conditions and crop yields.

## Weather Reports

Many series of reports on weather conditions, the Monthly Weather Review, climatology, snow and ice bulletins, climate and crop bulletins.

#### Public Roads

Information, chicfly technical, on the principles of road construction and the development of road building, published monthly.

### Service and Regulatory Announcements

Notices of decisions and other official information regarding the various laws administered by the department.

#### Yearbook

A report of the operations of the department, articles on agricultural subjects, and complete tables of agricultural statistics.



By O. B. Martin, Assistant in Charge Demonstration Club Work, and Ola Powell, Assistant in Home Demonstration Work, Office of Extension Work in the South, States Relations Service.

SUCCESSFUL demonstration work begins at home. It develops from there.

Home demonstration work began in 1910 with 47 girls growing one plant—the tomato—in their home gardens. They learned more about plant life than they could have done by starting with a dozen vegetables. By the time 50,000 girls grew tomatoes in their tenth-acre gardens, their families and neighbors had absorbed more information about vegetables than they had ever acquired before. Some knowledge, skill, and initiative are available in every community, and there is always need to extend good practices already in use. Suggestions and direction stir them to activity, and the results are cumulative and far-reaching. The same educational process followed canning of the product. Naturally the mothers had an interest in their daughters' training and took a hand.

A decade of achievement by girls and women on the farmstead furnishes a perspective most valuable. From the one vegetable they have gone through the garden, orchard, poultry yard, barnyard, kitchen, house, and household to the front lawn. The first home demonstration agents were told that it was their mission "to develop the resources, increase the harvests, improve the landscapes, brighten the homes, and flood the people with knowledge about helpful things." There were many simple processes to be gradually worked out before coming to the last objective. The deluge of knowledge would have been disastrous out of season.

The growing of tomatoes caused requests to come from the people themselves for help in growing a variety of other vegetables. Second-vear girls wanted to extend their activities and their knowledge, so they put part of their plats in peppers, okra, sweet corn, or other crop suitable in combinations with tomatoes. Third-year and fourth-year club members went farther along the same lines, and also tried out new crops like New Zealand spinach, chayotes, and dasheens, until the perennial garden idea was developed wherein longlived vegetables, berries, and small fruits were grown. terest in the perennial garden serves as a magnet to draw the girl back to the old home. It also furnishes an incentive for her family to maintain a living memorial to her while she is away at high school or college. The fruits of her plantings are harvested and enjoyed between school sessions and a quantity preserved for sale or home use during the winter months.

While the home demonstration agents had a simple method of approach, and while they had the workers take one step at a time, the larger purposes were kept continually in mind. It was their early and persistent aim to place country life upon "a higher plane of profit, comfort, culture, influence, and power." These practical pioneers realized that there is a proper order of procedure. The steps to this evolution can not be interchanged. Comfort and culture must follow, not precede, profit. Earning comes first. After the first step is taken the others come easier.

## Learning by Doing.

Those who followed the approved plan of work made signal successes; those who, from preconceived notions, tried to spread much miscellaneous knowledge first, failed. In other words, the agents who started with the idea of getting girls and women to make simple, profitable object lessons, and then guided them on in constantly advancing stages, have established a new field of service which opens and unfolds in its possibilities for good. One of the Virginia women agents, at the close of her first year's work, in 1913,

saw the point and gave an excellent definition when she said in a weekly field report:

After all, this canning-club work means that we are to get a girl to do something worth while, have it approved by those she loves, and then lead on to greater things.

The club girls did the first utilization work so well that many thought that canning was their only interest and purpose. It became a national object lesson. They adopted a brand and label based upon the club emblem. Their motto is, "To make the best better," and the four H's on their badge stand for the improvement of the head, hand, heart, and health. The 4-H brand, therefore, must have real significance because it calls for increasing purpose and excellence based upon determination and perseverance. Plain tomatoes were canned so well that the most expert judges pronounced them equal or superior to the best commercial brands. In many counties canned tomatoes were sold in carload lots, and the output was of considerable value. But the object was not to compete with the canning factories; the development went farther. The tomato had other market and pantry possibilities, so soups, ketchups, pastes, and other delicious products were canned and bottled. Then, as other vegetables were planted and studied one by one, the same standard was applied in their manufacture and conservation.

Here it is worth while to comment that these girls demonstrated to thousands that much work previously done in the cities should be done on the farms, as a matter of conservation of human resources and a contribution to the maintenance of balance between rural and urban civilizations, in this way keeping some of the manufacturing and business profits in the country and giving farmers and their families more to engage their minds and hands than the simple production of raw material. This means an increase in farm profits in the farm homes.

Dr. Seaman A. Knapp, the founder of the demonstration work, told those most interested at the beginning that the club members "could make a garden and raise the fruits and poultry to support the family if they would." He said:

It might brown their skins and soil their hands, but it would help them to do something and to know something. It would aid the family pocketbook and help the family \$0702°—XBE 1920——8+9

character. There is no sufficient reason why every American family should not own a good home and have a snug sum laid by for a rainy day, except laziness, lack of thrift, or possible sickness, and nine-tenths of all sickness is due to malnutrition, which is another name for ignorance.

To trace the accompanying results of the constantly growing and enlarging activities of home demonstration history is to follow events romantic in their attractiveness and vital in their educational power and value. The girls were not given pedagogic lessons on sanitation, health, and nutrition, but scrupulous cleanliness was required in carrying on club In thousands of cases the jars and cans of wholesome fruits and vegetables in the pantries drove the patent medicines from the shelves and the pill boxes from the mantels. It is no reflection on science to say that the girls learned and taught more nutrition than is possible from academic lessons on calories, enzymes, and vitamines. It is true that they learn these things afterwards, for they develop desires for knowledge and motives for service. Every girl who makes a food demonstration is a center of influence and a potent teacher, on the general principle that one example is better than a thousand arguments. Every demonstrator is also a health and sanitation officer for her State and Nation.

There is something appropriate for physical, mental, and spiritual development in the cultivation, utilization, and study of plants and animals by growing boys and girls. Nature's fundamental lessons can best be learned in youth. The club member learns by doing and grows by achievement. The child bristles with interrogation points, and most of them ask about the wonders of nature. How sad is the picture when the eye is not trained to see, the hand to form, and the mind to know the living resources so abundantly furnished everywhere!

## Doing It Well.

After three or four years' work with a few vegetables, additional suggestion or instruction was not required to get a great campaign of demonstrations started to save surplus fruits and other vegetables. It simply came forth from every quarter. People usually enjoy the doing of things they have learned to do well.

The girls had learned to put up vegetables in the most attractive standard packs, both singly and in combinations. They had commenced to grow additional vegetables and introduce new ones for their standard mixtures. Many of them grew pimiento peppers. The club members in one county alone sold several thousand dollars worth of fresh peppers, seed, and canned pepper products in a year. Such demonstrations furnish the best medium for the introduction of new crops. This pepper, which helped to make Spain famous for salads, has come into the diet in some



To Save Labor in the Home.

sections far more rapidly than the tomato did when it was a newcomer there. Additional zest was added to packing other vegetables and also to the preparation of them for serving, because it was found that these peppers were so suitable for use in garnishing various attractive products. The beautiful exhibits of relishes and chutneys, as well as the highly colored packs of the pimientos themselves, increased their popularity rapidly.

In the fruit work, also, the important thing was the establishment of a high standard. When a beautiful economic pack of peaches won \$10 at a fair and was carried around by the agent in her instruction work, it was copied as a work of art. Then there was emulation and rivalry in making simi-

lar packs of berries, cherries, pears, figs, guavas, and all other fruits of the orchard and vineyard. The girls and their mothers realized as few people do that skillful and artistic standardization of product, container, and label goes a long way toward solving the problems of marketing.

Second-year and third-year club girls showed the effects of training when they came to convert the fruits into jellies, jams, marmalades, conserves, fruit macedoines, juices, and Such an array of color and sweetness had not been seen in their homes and communities before. searched the bulletins and books for further information about hydrometers, pectin, and microorganisms. hunted in the gardens and the forests for plants and leaves suitable for flavor and seasoning. They were part of a moving force which expands and develops as it goes. Thoroughness in handling a single fruit is well illustrated in the making of jelly, marmalade, butter, paste, and juice from the muscadine grape. Every product must come up to the standard before it is entitled to the brand label. Thus the different fruits are reduced to a common denominator and it is "the best."

## Instruction on the Side.

At this stage of club progress, opportunities for incidental and supplementary instruction, instruction on the side so to speak, were seized upon by the agents. Cleanliness and sanitation are mandatory; so the kitchen was often cleaned up and the house screened, with homemade flytraps at the door, in order that the output might be high class. Sometimes running water was provided to facilitate the work in hand. This is a better line of approach for getting results even in home sanitation than the lecture method. These club members have motives which impel. They wish to excel for their own sakes. They improve their equipment because of a need that is realized. It is one thing to give a class of girls a lesson in sewing. It is a different thing to have a club meeting cut out and make a club cap, apron, or uniform. This much sewing by girls leads to the making of pennants, emblems, banners, hats, and clothing. New interest is aroused in dressmaking and millinery among the women.

The agent who helps a few women make fireless cookers and then has them come to the club and demonstrate the best methods of cooking several vegetables out of their daughters' gardens, or out of the supply which they have canned, stored, dried, or brined, soon has many other women and girls wanting to do the same thing. A South Carolina agent outlined the demonstration method when she wrote in her field report somewhat as follows:

I have done nothing for the past three weeks except direct and coach 87 girls in the making of Dixie Relish. I notice, however, that hundreds of women are making it, too. The editor of the county paper wrote a column in his paper about it. Indeed the whole atmosphere seems to be filled with the aroma of Dixie Relish.

A simple recipe was sent out from headquarters, and that was the way it was used in hundreds of counties. This kind of campaign gets somewhere. However much people may dislike joining in drives that include lecturing, urging, and scolding, they do not object to propaganda based upon the accomplishments of the members of their own families.

About the time when adult women on the farms began to demand a definite part in the home demonstration work it was noticed that there was more of a tendency toward stability and permanence in the girls' clubs. The active partnership of the mothers anchored the activities and the incidental results more and more in the homes. The canning created a revolution in the manufacture of canners, cans, jars, and labor-saving appliances. The mothers used the equipment in their daily tasks in the kitchen, when it was not being used in canning. Steam-pressure canners became pressure cookers. Inventive minds began to give thought to kitchen utensils and conveniences for saving time and labor there. This means reformation in kitchens. Pantries became places to which mothers could point with pride. This development in itself called for constant improvement in arrangement, equipment, and efficiency.

## Mothers and Daughters Get Together.

As the home is the fundamental unit of all organized society, so home enterprise comes before community activities. It is a mistake to try to organize the community without fundamental preparation among its members. Women who have backed up the girls' clubs and demanded

aid in their own demonstration activities are the best material for organized club work in both large and small groups. They cooperate readily. They have something to tell. They are anxious to learn. Their interest in club meetings is keen when profitable, progressive, and useful object lessons put on by themselves and their neighbors are under consideration.

The supervisory forces in different places reported simultaneously that club girls were ready to take up poultry. By a similar coincidence adult women, after some egg-grading



A Poultry Club at Work.

practice, formed egg circles in counties widely removed from each other, but where excellent advanced work had been done by the girls and the home demonstration agents. The partnership of the mothers then became close and vital. The club girl wanted standardbred chickens so that she might win some of the generous prizes offered by public-spirited business men. The mothers wanted the same kind of poultry, so that the eggs might be uniform with those brought by other members of the egg circle. It meant more money for all of them. In many counties, mongrel chickens have been eliminated by this cooperative effort.

This was not all. The girls furnished vegetables, the women the chicken, and Creole Chicken was demonstrated

as many times as Dixie Relish had been. Large numbers of culled hens and surplus roosters were canned for future use.

#### Meat for Dinner.

'The most significant outgrowth of this use of poultry was a demand for the conservation of other meats. Clubs of women asked agents to demonstrate the canning of beef, pork, mutton, fish, and game. Out on the plains they canned jack rabbits and "bunny sausage" and put the 4-H brand upon them. By this time the county home demonstration agent began to realize that she was the public dietitian and that her qualifications must constantly improve. She was asked about the proper combinations of various vegetables, fruits, and meats.

Working with meat has fostered the club idea. Groups of women have come together to help a neighbor can whole steers or hogs. They want expert demonstration in cutting up the carcasses properly. They soon find a need for recipes for using or saving the by-products. Then the home demonstration agent is ready with definite plans for making roasts, sausage, meat loaf, liver paste, headcheese, scrapple, and soups.

Individual demonstrators who have attained excellence in preparing meat products systematically market them under their own farm names. They have their own labels printed and proceed to build up reputations and trade accordingly. Several hundred demonstration agents and clubs where the climatic conditions are favorable have put the home curing of meat into their programs. Much good instruction has been given in cooking cured hams, from one to three years old, according to certain fine old Colonial methods, and yet nobody says it was a cooking school or class. A member occasionally invites the others in her club to come to her home. She and her daughter want to impress the visiting members with their skill and efficiency. They serve a wellcooked cured ham with all proper accessories of vegetables. fruits, and home-made bread and butter, seasonings, and garnishes. Who is able to define or measure the amount of helpful knowledge imparted or exchanged upon such an occasion?

## Help from Specialists.

As the various phases of this work grew, and as the numbers of people in it increased, it was found that the supervisory force could not keep pace with the demands for tests and experiments, and also with the advance of science applicable to all the products which were being utilized. Hence specialists were called upon for assistance, not only in meat work, but also in horticulture, poultry raising, beekeeping, and other lines in which the girls and women have an everincreasing interest. Specialists in home science are not so numerous as they are in farm science; but then Congress passed appropriations for the establishment of agricultural colleges nearly 50 years before the cooperative agricultural extension act came into existence.

#### Better Bread.

The extension forces specially charged with home activities took advantage of the conditions and needs incident to war times to give nation-wide object lessons in the making of better breads. Light and quick breads were made in thousands of homes and club meetings. Modifications were made, because corn, rice, rye, potato, and other materials were substituted for wheat in bread making. Contests for the honor of making the best bread in the club, or in the county, were held in all parts of the country. The winning club members worked for weeks in their home baking, to be able to display a perfect product. Fifteen-year-old girls who were not accustomed to giving much help in the kitchen took burdens off their mothers and gained valuable skill and knowledge in these operations. Public bread-judging contests, at which the club members and demonstrators not only judged the breads but gave talks on how they made them, were an important part of this far-reaching campaign. More and better work was done with pastries, pies, puddings, cake, and other articles of food in which flour and meal were important ingredients.

The home demonstration agents in this campaign, as well as in all similar ones, took advantage of the interest aroused to promote the making and use of time and labor saving devices and utensils, such as kitchen cabinets, bread mixers, measuring cups, standard pans, better ovens, and

other conveniences which have a tendency to introduce system and efficiency into the work of the kitchen. These things have been built or bought by thousands of club members in order that the bread work might be well and thoroughly done.

#### Milk.

No more difficult task has been undertaken in extension work than the handling of milk and its products. Making butter by proper dairy methods, in most homes, requires great care and attention. The agents who have really reformed butter making in their counties have carefully selected a few demonstrators and patiently helped them individually until success was assured. Afterwards these women and girls became the examples and inspiration of the others. Each one became a nucleus for the extension of this work in her community. The demonstrations were more often conducted in the homes. Successful butter makers found better butter profitable, and this item appears conspicuously in many reports of increased incomes from the enterprises of the farm homes. The making of cottage cheese frequently followed the butter work.

In some communities, the interest aroused along these lines resulted in the sale of milk and cream, and in all sections the use of milk in the diet increased. Campaigns for more family cows have been waged in many counties, and agents have reported, as a result of their work, thousands of family cows on farms where there were no cows before. The slogan is, "Keep the home cow milking." Propaganda has been promoted for more milk in the family diet, and the mothers follow the advice of the home demonstration agents because they have confidence in them as a result of what has been accomplished in previous work.

Educational milk exhibits at community, county, and State fairs have aided greatly in milk campaigns. It is more logical to approach the question of child feeding through milk demonstrations than it is to lecture mothers on infant feeding. The whole plan of the demonstration work has been evolved upon the theory that the people are to utilize the material resources about them in making impressive and instructive examples for their neighbors. It is just as wrong for an agent to go to a mother and tell her that she has

come to teach her how to feed her baby as it is to tell her that she has come to teach her how to cook. The agents have saved the lives and improved the health of the babies without using crude and untactful methods of approach.

During the influenza epidemic, the public often looked to the home demonstration agent to organize the forces and conduct the relief activities, because of her ability to prescribe proper diet and distribute it to afflicted ones everywhere. The agents did not take the places of the doctors or nurses, but they made the efforts of these public servants much more effective.

#### Home Conveniences.

At every step taken in this system of education it has been noticed that the workers appreciate the use of better devices and facilities for their work. Fathers and brothers also take the greatest interest in making such equipment whenever they have enough mechanical skill. Talent of this kind has been improved by use. The making of home conveniences has become a feature in the program. The girls and women themselves have learned to use hammers, saws, squares, and chisels. This is no small achievement in itself. Thousands of fireless cookers, iceless refrigerators, kitchen cabinets, tables, wheel trays, ironing boards, woodboxes, butter molds, shower baths, and other useful things have been made.

Let it not be inferred that the making of such things at home has prevented the purchase of the best available equipment. It has had the opposite effect. In many cases it has shown the need and created the desire for more useful and better things. Having made a profit out of their energy and thrift, they were anxious to use some of their earnings for comfort. The installation of home waterworks comes more easily when the need of running water is felt in connection with profitable canning, or butter making, than it does where the farmer is importuned to pay all the expenses of it from his crop or live-stock returns. Electric outfits for light and power are introduced more rapidly where churns, washing machines, meat grinders, fruit-juice mills, and sewing machines can be attached and made to pay big dividends in the saving as well as the making of money. The profit feature may reveal itself in thrift and economy. By and by it will be more fully realized that such things reduce drudgery and increase the opportunities for intellectual activity on the part of the farm family.

#### Better Homes.

The foregoing program of work having brought the women agents into the homes, their help is now being sought in home arrangement, equipment, construction, and beautification. In the tenth year of the history of home demonstration work practically every county home demonstration agent reported that home improvement is one of the things in which her club members are most interested and in which they are seeking help. This work divides naturally into two parts: First, that which has to do with the house itself, such as remodeling, building, and equipping with laborsaving conveniences and suitable furnishings; and, second, that which deals with plantings in the surrounding grounds and the general improvement of the farmstead.

Members of girls' clubs have become interested in refurnishing their own rooms, refinishing or even making the furniture needed. Impetus has been given by exhibits of such work at county and State fairs. State fairs have included club girls' rooms as a part of the home demonstration exhibits. Women demonstrators are constantly asking for help in the rearrangement of kitchens and in the purchase of new furnishings for the home. Much work has been done also in renewing old furniture and in refinishing floors and brightening walls. The sewing done by the members of the girls' clubs revived interest in making rugs, baskets, curtains, spreads, luncheon sets, and table runners. It paved the way also for many "clothes clinics" where the women made over old clothing, and this promoted thrift and industry. Home millinery became the vogue, and much money was saved and great skill developed in making hats. Community meetings are held at which the results of their work are displayed, and suitable garments for each member of the family are shown on living models.

Many demonstrators who felt that it was not possible to make many noticeable changes in the house itself, have nevertheless been interested in planting trees and shrubs for the beautification of the ground surrounding the house. In every case the use of native material was encouraged, keeping in mind a succession of flowers and beautiful foliage. Nurserymen cooperated by offering plantings as prizes or as part of special club offers of orchard stock. Such work can not help but make great changes in the beauty of the farm homes during the next few years.

The average home demonstration agent can look over a kitchen and replan its arrangement so as to save steps; she can survey a site and suggest a suitable house. The time has arrived when she must become a landscape artist. Many agents can already lay out a farmstead and make it symmetrical and beautiful. Any of them is able to change a front yard into a lawn. The goal that lies ahead is a condition such as the founder of the demonstration work described when he said:

The farm must be a place of beauty, so attractive that every passing stranger inquires. "Who lives in that lovely home?" The house is of minor consideration—the gorgeous setting of trees and shrubbery holds the eye.


He longed for such a condition, because he said:

It is also realized that the great force that readjusts the world originates in the home. Home conditions will ultimately mold the man's life.

Thus these readjustment forces commenced at the bottom and marched ever onward and upward. A decade has developed a cycle, but the work is still only well begun. Recruits come in every year and begin with the rudiments. Experienced ones take advanced steps in every direction, while those just starting have the advantage of an immense amount of others' experience and the brightening light of science focused upon their problems.

#### Millions in Results.

The annual tabulation of results shows an enrollment of hundreds of thousands of women and girls. The containers of canned, dried, preserved, cured, and brined products and the pounds of fresh products grown and put up by these workers from the gardens, orchards, vineyards, poultry yards, and farms are measured in millions. Better kitchen and labor-saving devices acquired through the influence of the work are reported in thousands, while such equipment




The Agent on the Road-Then and Now.

as waterworks, lighting and heating systems, washing machines, sewing machines, pictures, draperies, rugs, and other furnishings are also reported in thousands. New homes, rebuilt and rearranged homes, with their beautiful lawns and harmonious farmsteads, are told in columns of five figures. There has been a growth of the group idea because of the common purposes; there are now thousands of clubs and an evolution of community organizations, based upon such a foundation as gives promise of a better national life and a fuller civilization.

## The Home Demonstration Agent.

But what about the pioneer agents who inaugurated and established a new system of education like this? What kind of profession have they and their worthy successors given Travelers from abroad declare it is different to the world? from the itinerant teaching of other countries, because it is based upon the theory of object lessons by the people themselves, in their homes and on their own farms. The agents proceeded upon the well-defined belief that it was not so much what they could do themselves as what they could get other people to do that would constitute value and service. They knew that what a person hears he may doubt, what he sees he may possibly doubt, but what he does himself he can not doubt. The work carried conviction first to the thousands who did it, and afterwards to the millions who saw the concrete examples of it. The qualifications, as manifested by these devoted servants themselves, as they have moved about among the people, are difficult of definition because they are still growing. Suffice it to say that thus far they have developed a composite picture and in it is revealed at least some of the equipment and abilities of all of the following: Coach, trainer, and guide; gardener, orchardist, and farmer; cook, seamstress, and dietitian; carpenter, cabinetmaker, and mechanic; missionary, sanitarian, and health officer; chorist, colporteur, and recreationist; ambassador, diplomat, and financier; and florist, architect, and artist.

#### Standard Packs.





# KNOW YOUR MARKETS

By W. A. WHEELER, Specialist in Market Information, and

FRANK GEORGE, Assistant in Market Information.

AGRICULTURAL market reports were published as early as 1800, but it was not until 1858 that market reports were issued by an agency whose sole interest in the markets was to gather and disseminate news. The author of this new departure was a young New York printer who believed that if he himself collected market information and presented it from an unbiased viewpoint he could secure a sufficient number of subscribers to make the service a paying proposition. A number of produce dealers were canvassed for subscriptions, and in 1858 the first weekly edition of the publication was issued. The demand for the reports became

# NO YOU WANT to sell your potato crop?

Do you want to buy large quantities of eggs and butter?

Are you on either the buying or selling end of the market for fruits, vegetables, live stock and meats, grain, hay, feed, cotton, or wool?

If so, what you need is accurate market information furnished by an unbiased agency.

Widespread market information of this kind helps all concerned—producers, distributers, consumers.

The Bureau of Markets reports on every commodity that constitutes an important part of the Nation's food and clothing supplies.

so great that beginning in 1882 the journal was made a daily publication.

It is quite a span from 1858 to 1910, but this was the era of the development of scientific and intensive agricultural production methods. The sales end of the farm business was something about which the farmer admitted he knew little. His job was finished when he grew the crops. The selling of them was a matter that took care of itself in the natural course of things. But about 1910 the farmer began to give thought to distribution problems. He became dissatisfied with existing selling methods and sought to improve them. Consumers, too, became concerned with the methods of distributing agricultural products, and the universal interest that was manifested culminated in 1913 in the authorization by Congress of the formation of what is now the Federal Bureau of Markets under the direction of the Department of Agriculture.

The marketing experts on the Bureau of Markets staff recognized from the first that the prompt reporting of national market information to producers, dealers, and consumers all over the country was one of the prerequisites of any improvement in marketing methods. Immediate work was begun toward that end, and in the spring of 1915 an experimental market news reporting service on perishable products was established. Market reporters were placed in the field and at consuming centers and daily reports were issued upon the movement and prices of a few agricultural products. Farmers and distributers everywhere acclaimed the service a boon to the produce business and upon every hand the Bureau of Markets was urged to expand the scope of its reportorial activities. Then, further authorized by Congress, the bureau established a permanent market news reporting service. Twenty-six temporary field stations were opened and city branch offices located in 10 large cities. The number of marketing specialists in the field and at market centers was increased, and reports upon potatoes, tomatoes, apples, peaches, and a few other commodities were issued daily.

From that small beginning—the daily issuance of mimeographed market reports upon a few commodities to 50,000 subscribers—the Bureau of Markets news reporting services

have been developed to the point where to-day they embrace the reporting of market conditions in connection with 15 leading fruits and vegetables; all classes of live stock and meats at the country's principal live-stock and fresh-meat markets; all grades and varieties of hay, feed, and seed; dairy and poultry products at primary and consuming markets; wheat, corn, barley, oats, and rye at the four leading grain exchanges; cotton at 10 designated spot cotton markets and 2 future contracts markets; and other farm com-



There is a Commission Row in Every City.

For size and for volume of business transacted none compares with Chicago's South Water Street.

modities, such as wool, hides, and skins, as necessity demands. Foreign markets are also reported, representatives being located in Europe and South America for that purpose.

## It Pays to Know Where the Need Is.

The chief function of agricultural market information is to regulate the flow of farm supplies to meet the demand. An understocked market in one place and an overstocked market somewhere else is hardly conducive to the best economic and financial welfare of the Nation, and with abundant

supplies in the aggregate there is no good reason why such a condition should exist. Just how the dissemination of market news helps to prevent such a situation and directly benefits the farmer, the stockman, the distributer, and the consumer is amply demonstrated by a simple marketing transaction recently brought to the attention of the Bureau of Markets.

A certain Maryland farmer had always shipped his produce to Baltimore. His father had invariably traded in that market, and it had never occurred to the son to market his crops anywhere else. But a county agent was able finally to persuade him to study national market conditions, and the farmer subscribed to the market news service of the Bureau of Markets. He found that at that particular time the supplies of potatoes in the Philadelphia market were low, and learned that even with higher transportation costs to Philadelphia his net profit would be larger than if he shipped to Baltimore. He acted accordingly and secured an additional \$150 of profit.

While that single shipment may not have reduced considerably the price of potatoes in Philadelphia, unquestionably it helped to place supplies more nearly in line with demand, and, had other Baltimore shippers followed a similar course, prices in Philadelphia would have been placed upon an equable basis with those in Baltimore. On the other hand, to have sent the potatoes to Baltimore at a time when the market was overstocked would have glutted that market and unduly depressed prices there.

The narration of this incident is not intended as an invidious comparison of the two markets, but simply to give a concrete illustration of the value of market information. At another time the situation might be reversed; Philadelphia might have an abundance of potatoes and Baltimore need some, a condition that would be immediately revealed in the Bureau of Markets reports.

Apply the principles involved in the foregoing transaction to the hundreds of thousands of marketing transactions that take place every day, whether in connection with fruits, vegetables, live stock, or other farm products, and the advantages secured by the dissemination of market information are plainly apparent. In the case in point the farmer's bank

account was increased by \$150, transportation and distribution agencies were legitimately employed, consumers were benefited, and the community in which the farmer lived was made financially stronger. Thousands of farmers and stockmen now use national market information as a guide to marketing their products. When all producers do so, much will have been accomplished toward establishing a system of distribution to meet efficiently our national requirements.



Interviewing the Jobbers.

Most of the produce arriving at New York City is sold to jobbers at the plers of the railroad companies. The omnipresent market reporter is second from the right.

The Bureau of Markets has in the United States 73 branch offices located at 46 large market centers, 16 of which are directly connected with the Washington office and with each other by some 4,500 miles of leased telegraph wires. Marketing experts keep in constant touch with market conditions in the field and at consuming centers and at least 15,000 responsible individuals, firms, and railroads—voluntary reporters—render reports to the bureau regularly upon the marketing of farm products. Mimeographed reports are still sent to producers and the trade direct, but by the use of the telegraph and the press and latterly of the wireless,

132

these and the other reports sent out by the Bureau of Markets are received by not less than 15,000,000 potential readers.

## The Market Reporter.

The medium through which the Bureau of Markets reports in popular, narrative style the combined results of all its market-reporting activities in connection with leading farm products throughout the United States is The Market Reporter. This paper is a 16-page weekly publication containing market reviews upon fruits and vegetables, live stock and meats, dairy and poultry products, grain, hav, feed and seed, cotton and wool, and general foreign markets information. The Market Reporter has been in existence since January 1, 1920, and is the direct outgrowth of earlier publications issued by the Bureau of Markets in more limited fields. On July 1, 1920, the distribution of the publication was placed upon an "individual-request" basis, and since that date its circulation has jumped more than 100 per cent, 33,000 individual subscribers having specifically requested that the publication be sent to them regularly.

The articles upon market conditions published in The Market Reporter are prepared by some of the most expert marketing specialists in the United States. These articles deal with supply and demand, transportation, marketing practices and credits, and the multitude of other factors that control the marketing of farm products. Comprehensive weekly and monthly summaries of movement, marketing, and prices of specified commodities are published, as well as tabulated statistics that are accompanied by interpretative text, in an effort to present the figures in a form convenient for comparative studies through successive issues and volumes.


Producers, distributers, and students of agriculture have come to regard The Market Reporter as an authoritative guide in the field of distribution. From the standpoint of marketing the products of their farms, producers have found the articles printed in The Market Reporter of great value. One letter received recently from a farmer in the West stated that the information pertaining to market prices and conditions secured through its columns would be the means

of saving thousands of dollars to the farmers in his neighborhood each year. A similar instance of saving reported to the bureau is that of a farmers' exchange in New Jersey which wrote that as a result of reading in The Market Reporter "a very interesting article covering the cottonseed meal situation, stating that stocks were heavy and giving other interesting data, we decided to wait with the placing of our order and bought part of our requirements last week, which meant a saving to us of something like \$2,000 on 10 carloads."

## The "Marketgram" Service.

To be of greatest value market information must be received by the producer as soon as possible after the close of the markets. With that end in view the Bureau of Markets maintains a special telegraphic market-reporting service to producers direct, the producers paying only the telegraph tolls. Then there are the "C. N. D." services of the commercial telegraph companies, whereby a producer may receive Bureau of Markets live-stock reports at stated intervals during the day upon payment of a telegraph fee to the telegraph companies. The bureau's mimeographed reports sent by telegraph to its branch offices and thence by mail to producers are usually received upon the morning following the day's business.

A recent departure in the field of market reporting is the publication of weekly summaries of market conditions at the



important producing and consuming centers. In a single report, only 1,000 words in length, are summarized national market conditions and prices on fruits and vegetables, live stock and meats, grain, hay, feed, and seed, dairy products, and cotton. These reports, known as "Marketgrams," are compiled from telegrams received at the Washington office of the Bureau of Markets from hundreds of regular and voluntary reporters, and treat of trend of conditions and prices, briefly and concisely presenting to the reader, almost at a glance, a picture of the entire marketing situation. No statistical data are given in these reports beyond important changes in the week's range of prices.

"Marketgrams" are issued on Monday, Wednesday, Thursday, Friday, and Saturday of each week and cover the markets for the preceding seven days. At 5 o'clock on the days of issue the reports are dispatched over the leased telegraph wires of the Bureau of Markets to its branch offices and thence released immediately to farm papers and other publications which have requested them. More than 5,000 such publications, with a combined circulation of at least 10,000,000 readers, receive and publish the reports, several foreign-language newspapers being among the subscribers. Any newspaper or farm journal that is not now publishing the "Marketgrams" would probably be glad to arrange to do so if its readers requested the service.

## The Wireless Service.

Although there are thousands of subscribers to these services, they represent but a small proportion of all the agricultural producers in the United States. The aspiration of the Bureau of Markets is promptly to place daily national market information in the hands of *all* producers, and it is now experimenting with the wireless to determine the practicability of utilizing that medium of dispatch.

Through the cooperation of the United States Bureau of Standards the Bureau of Markets recently made arrangements for sending "Daily Radio Marketgrams" from the Washington radio station of the Bureau of Standards. These reports are 600 words in length and give daily market conditions and prices with regard to live stock and meats, grains,

hay, feed and seed, fruits and vegetables, and dairy products. The Chicago live-stock and fresh-meat markets are reported as well as three eastern fresh-meat markets. Of grain, prices and conditions at the Chicago, Minneapolis, Kansas City, and Winnipeg markets are given. The fruit and vegetable information is obtained in a manner similar to that employed in the case of the "Marketgrams." Of hay, feed, and seeds, conditions and prices at the principal eastern markets are



A Temporary Lull on the Kansas City Board of Trade. A moment hence and collars may wilt and buttons begin to fly.

reported, and of dairy products the New York butter market and the Wisconsin primary markets are quoted.

The "Daily Radio Marketgrams" are wirelessed at 5 p. m. each business day, and are received by hundreds of amateur wireless operators within a 200-mile radius of Washington. These operators relay the information to farmers, farmers' organizations, shippers' organizations, newspapers, and others concerned with the marketing of farm products. Certain newspapers have installed wireless equipment to receive the reports direct and other newspapers are making similar

arrangements. A number of producers and newspapers have made arrangements with wireless operators for the receipt of the information, and several public institutions such as State bureaus of markets and high schools are regularly receiving the reports with their own equipment. In conducting the experiment the Bureau of Markets has the benefit of the experience and advice of some of the Nation's foremost wireless experts, and marketing agencies everywhere are watching the work with great interest.

## Commodity Reports.

The reportorial activities of the Bureau of Markets, which make these composite services possible, are separated into sections according to the various branches of agricultural production. Thus, the fruit and vegetable division has its own staff of experts who report upon market conditions on fruits and vegetables only. The same is true of live stock and meats, dairy products, hay, feed and seed, cotton and wool, and foreign marketing conditions. Each section issues detailed daily, weekly, and monthly reports that are sent to producers, distributers, press associations, and newspapers specifically interested in the particular commodities covered, and separate mailing and telegraph lists are maintained at the Washington and at the branch offices for this purpose. The Bureau of Markets also issues reports upon the marketing of honey, peanuts, and a number of other farm products.

## Fruits and Vegetables.

Of the news reporting services, the reporting of the fruit and vegetable and the live-stock and meat markets is the most comprehensive. In 1918 the fruit and vegetable division had 32 permanent market stations and 71 temporary field stations located in 40 States. Thirty-eight farm commodities were reported upon and 23,000,000 daily bulletins issued to some 125,000 producers, shippers, and produce dealers. But by reason of curtailments of congressional appropriations for this work, the fruit and vegetable market reporting activities were subsequently contracted, and during the past year the number of permanent market stations was 14 and of temporary field stations 42. The number of sub-

scribers for the daily reports totaled 75,000, with a proportionate reduction in the number of reports issued.

Market experts in the field and at consuming markets render daily reports of conditions and prices to the several branch offices, which telegraph the information to the Washington office. The Washington office then summarizes the news and the same morning dispatches the summarized report to the various offices by telegraph, whence copies are mailed to producers and members of the trade direct. At a number of market stations valuable local service is also given by reporting to producers and distributers upon a much



Produce Market Reporters Must Be on the Job Early to Get a Line on ... the Day's Business and Prices.

wider range of commodities than it is possible to include in the national news service. These local reports indicate the daily supplies on the particular market, local jobbing prices, and sometimes retail prices. At the more important market stations a special telephonic and telegraphic service is maintained for the purpose of furnishing members of the trade with information more quickly than through the mimeographed bulletins. The subscribers pay the telegraph charges of this service, and the fact that the number of subscribers is constantly increasing attests its value and popularity. Local newspapers also print in their market columns extracts from these reports, and in this way a large number of readers who are not specifically interested in receiving the detailed reports distributed by mail are reached.

During the period of important car-lot movement in the leading producing sections throughout the country, daily market reports are sent by telegraph to growers and shippers in the localities concerned, the receivers paying the telegraph



Putting the News on the Wire.

A staff of expert telegraphers at Washington dispatches daily market reports over 4,500 miles of leased telegraph wires to 16 branch offices.

tolls. These telegraphic reports give shipping-point information from competing sections in comparison with local f. o. b. reports and include reliable information regarding supplies and prices in important markets. With such information the producer knows precisely when and where to ship his products, a service that is obviously of value from both an economic and financial viewpoint.

A crop and market review of fruits and vegetables that is largely a summary of the information given in the daily reports is issued once a week. This report shows the price ranges and general market tendencies at shipping points and in consuming centers, and treats of the car-lot movement of the various commodities to the markets. Two hundred local voluntary correspondents and a number of State reporting agencies also report crop conditions in their particular territories, which information is summarized and made a part of the weekly review. The review is prepared at the Washington office, sent over the leased telegraph wires to all branch offices, and 5,500 copies distributed among producers, shippers, transportation officials, and members of the trade. Copies are sent to daily newspapers and trade journals also.

By an arrangement with 474 transportation lines, including steam and electric roads, boat lines, and express companies, the Bureau of Markets receives daily reports of carlot movements of 36 important crops. During the fall, when car-lot movements are at their height, as many as 300 telegraphic reports of this nature are received daily. lighter seasons of the year the reports are not so numerous, but for a 12-months period the average number of daily reports from these sources is about 175. Not only are the shipments reported by States of origin, but all primary destinations are reported as well, a feature that very greatly increases the value of the reports, especially to the field stations issuing market information in producing sections. This information is dispatched over the leased-wire circuits before 9 o'clock each day and thence relayed from the branch offices to producers, shippers, and others interested. A weekly summary of car-lot shipments is also sent to a special list of subscribers composed largely of transportation officials, members of the trade, educational institutions, and others interested in such statistics.

A weekly article featuring the leading news developments of the fruit and vegetable market is also issued on Friday afternoons and distributed to press agencies through the press service of the Department of Agriculture. This review is prepared for general readers and is used by numerous important newspapers that do not publish the more technical market reviews. A monthly review is similarly prepared, going to about 50 periodicals and press associations, and appearing in newspapers having an aggregate circulation of 600,000 readers.

## Live Stock and Meats.


Ten million potential readers receive the Bureau of Markets live-stock and meat reports every day. This vast circulation is obtained by means of mimeographed reports sent to producers direct, the daily newspapers, the commercial news services of the commercial telegraph companies, and the dispatch of the market news by "ticker" service out of Chicago.

The various press associations place a high value upon the accuracy and unbiased nature of the bureau's reports. and every day a 110-word live-stock report prepared by the bureau is dispatched from each of the five leading live-stock markets to thousands of newspapers over the leased-wire circuits of these associations. The commercial telegraph companies have a special market reporting service known as the "C. N. D."-Commercial News Department-service whereby current market information on live stock, grain, and other commodities may be had by subscribers at stated hours during the day upon payment of a small monthly charge. Before the Bureau of Markets reported the live-stock and wholesale meat markets the telegraph companies obtained their information from various individuals, many of whom were biased by reason of having assumed a position in the market. These companies now receive the market news from the Bureau of Markets, and, during the past three years. thousands of additional names have been placed upon the subscription lists of the "C. N. D." services.

The subscription lists for the mimeographed reports contain some 10,000 names of producers, cooperative organizations, dealers, commission men, meat packers, and others. To insure prompt delivery of these reports their preparation and issuance are timed so as to catch the fast mail trains.

To make possible the service outlined above, which members of the trade affirm is the best service of its kind yet available, the live stock and meats division maintains eight branch offices in the eight largest live-stock and fresh-meat centers of the United States. At Chicago, Kansas City, Omaha, St. Paul, the National Stock Yards in Illinois, New York, Boston, and Philadelphia trained market reporters and telegraphers are located and at stated periods each morn-

ing designated reports of market conditions are released. These branch offices are connected with each other and with the Washington office by leased telegraph wires, approximately 2,375 miles of wire in all, extending from Boston in the east to South St. Paul in the north and Kansas City and East St. Louis in the south, thus linking five of the largest live-stock markets and four of the greatest meatconsuming centers in the country.



Part of the Chicago Stockyards.

More than \$3,000,000 of business is transacted at the Chicago live-stock yards every day. The man "on the fence" is reporting a sale for Uncle Sam's nieces and nephews.

Each office has one or more bulletin boards located in conspicuous places about the market and upon these boards the day's market news at all the markets is bulletined as fast as it comes over the leased telegraph wires. Producers, shippers, traders, and consumers consult these boards constantly and are kept informed of movements, prices, and general trade conditions in the particular kind of live stock or dressed meat in which they are interested.

The Chicago live-stock market is by far the most important live-stock center in the world. Here an average of \$3,000,000

of business is transacted every business day and, except for temporary local conditions, prices at most of the other livestock markets throughout the United States are based largely upon the prices prevailing at this market.

At 4.30 a.m. every day, at the Chicago office, a representative of the Bureau of Markets telephones the office of every railroad entering Chicago and receives a statement of the number of cars of each kind of live stock near enough to Chicago to arrive during the trading day. To this total is added the number of carloads that arrived during the night. With this information and his knowledge of the kinds of live stock shipped from different sections of the country at different seasons and of the number of animals usually loaded in a car, the bureau's representative is able to estimate accurately the number of animals of each kind that will reach the market that day in time to be offered for sale. Inasmuch as the day's trading is based very largely upon this estimate, it is essential that it be as accurate as possible. The report on the estimated receipts must be ready for release at 6 a. m., central time, and is of special interest to eastern buyers who wish to place orders for stock.

Prior to the time the bureau began making these estimates the trade had to depend on reports released by individuals, who often were interested in buying or selling live stock and whose information was limited. The fact that often widely varving estimates were released simultaneously by different individuals, thereby confusing the trade, indicated the necessity of having the estimates made by an unbiased ageny such as the Bureau of Markets which has authority to obtain the information needed on which to base the estimates. making its estimates the bureau is greatly indebted to the officials of the railroads entering the markets for their hearty cooperation in furnishing information.

Through the cooperation of the railroad officials, the bureau has been able also to perfect arrangements whereby an advance estimate of the following day's receipts can be released shortly after the noon hour. This estimate, while not always as accurate as the report released at 6 a.m. the day the animals are due, is of great value to shippers and others. The accuracy of both estimates is constantly improving, as indicated by the steadily decreasing variation

between the estimated and actual receipts. A second estimate of receipts is released at 7 a.m., and incorporates any changes or additions subsequently reported by the railroads.

As buyers and sellers are in the market ready for business before 8 a. m., the bureau's reporters must be on the job before that hour to get the opening sales and observe the market trend so that the "opening hog market" report may be placed on the wire by 8.30. Bureau representatives cover the cattle market, hog market, and sheep and lamb markets. These men must be not only trained market reporters, but good judges of live stock, able to determine at a glance the various classes and grades of the animals that are sold.

At 9.10 a.m., the "hog flash," a brief report on the condition of the hog market at that hour, is sent out. At 10.30 a.m., a detailed report that gives market and trade conditions in the cattle, hog, and sheep markets, together with complete estimated receipts and detailed quotations on various classes and grades of each species, is dispatched. The closing wire for the day is released between noon and 2 p. m., and contains information as to any changes which may have taken place after 10.30 a.m. In addition, brief summaries of the day's trading are prepared for the press associations, to be sent to the afternoon and morning newspapers.

## Dairy and Poultry Products.

Daily and weekly butter and cheese market reports, daily egg and dressed-poultry market reports, and monthly export. cold-storage, and condensed-milk reports are sent direct to some 13,000 persons and firms in the dairy and poultry products business. A number of creameries and cheese factories sell their products exclusively on the basis of the prices set forth in these reports. Wholesalers and jobbers find the reports useful in keeping informed of general trade conditions, and dairymen who study dairy marketing conditions throughout the country state that the monthly report of prices paid to milk producers is of great value to them.

The division of dairy and poultry products has branch offices at New York, Chicago, Philadelphia, Boston, San Francisco, Minneapolis, and Fond du Lac, Wis. By a cooperative arrangement with railroad, steamship, and other transportation officials, each of the four eastern branch offices

obtains by telephone each morning statements of receipts of butter, cheese, eggs, and dressed poultry for the preceding 24 hours. Each branch office also each morning secures a preliminary report of the quantities to be delivered for unloading that day, a service that is of especial value to the trade in the immediate markets. Daily reports of the quantities of butter, cheese, eggs, and dressed poultry received in cold storage, the quantities delivered, and the quantities remaining in storage are similarly obtained, the composite report representing the cold-storage movement in more than 45 of the largest warehouses in the United States.

Trained market reporters are located in the markets and each day obtain statements of quantities of butter, eggs, and cheese stocks on hand, more than 150 firms providing this information in New York alone. Reports of current trading stocks of cheese holdings at country warehouses in Wisconsin as well as stocks on dealers' floors in the distributing markets are also secured. All wholesale prices reported are of actual sales in the markets, this information being obtained by the reporters at the close of each day's trading. Price reports on cheese at Wisconsin primary markets are handled by mail from the Fond du Lac office. The several branch offices, save San Francisco, are connected by leased telegraph wires, and as soon as the reports are prepared they are dispatched over these lines for immediate distribution.

In addition to the cooperation of dealers and wholesalers, more than 300 milk dealers' and milk producers' organizations located in more than 100 of the principal cities of the United States inform the division of the prices obtained for milk, which has made it possible to issue a monthly milk-price report that is used by milk producers everywhere to ascertain the general price trend. The monthly condensed-milk report is compiled from information obtained from about 350 condensed-milk manufacturers. Similarly, the quarterly production report is the result of direct cooperation with 10,000 firms manufacturing dairy products.

Not only do sellers of dairy and poultry products use the reports, but large buyers, such as hotels, restaurants, and public institutions, use them as a check against prices. A

recent instance of this is of a well-known educational institution which uses large quantities of butter in its dining halls. The college became dissatisfied with its arrangement with a butter firm that furnished the supplies, and consulted the Bureau of Markets. As a result the institution incorporated in its purchasing contract a clause providing for settlements on the basis of Bureau of Markets reports and Bureau of Markets inspection, and the arrangement has worked out to the satisfaction of both parties.


#### Cotton.


In December, 1919, the cotton division began a cotton quotation service for the purpose of keeping cotton growers informed of general conditions and prices at the spot cotton and future contracts markets. Weekly bulletins are issued at Charlotte, Atlanta, New Orleans, Memphis, and Dallas to some 1,500 subscribers. The information contained in these reports is reported to the representatives of the Bureau of Markets by reliable agencies, and the prices set forth are generally on the basis of official cotton standards as provided in the United States cotton futures act. The reports state the daily prices for the various grades of spot cotton, the daily prices of future contracts at the New Orleans and New York markets, prices of staple cotton, and prices of cotton seed. Each report also invariably contains information of a general character, including approved methods of preparation of cotton for marketing. Among the subscribers for these reports are cotton growers, dealers, cotton-goods manufacturers, banks, and even shoe manufacturers.

An illuminating instance of the salutary effect of the reporting of the cotton markets by an unbiased agency occurred recently. At Little Rock the price of spot cotton was considerably lower than the price at Memphis. The sellers at Little Rock did not know this and were selling at the lower figure. But when the current market report of the Memphis office of the Bureau of Markets was received at Little Rock, the price of spot cotton on the Little Rock market advanced sufficiently to place the two markets on a parity and more closely in line with current values.

# Wide Scope of Market News.

The Bureau of Markets endeavors, with the facilities at its command, to cover the markets upon every farm commodity which constitutes an important part of the Nation's food and clothing supplies. This service is maintained for the express benefit of producers, distributers, and consumers. Never before has there been so great a demand for accurate, timely, and comprehensive information regarding agricultural markets. Individuals, organizations, and institutions concerned with production and distribution are constantly calling upon the Bureau of Markets for market information. Farmers' organizations—national, State, county, and local all have come to appreciate the necessity for accurate market news, and are persistently requesting information, both domestic and foreign, that will aid them in marketing their crops. They have come to recognize that it is impossible for them either to sell or to buy farm products intelligently without having accurate market information furnished by an unbiased agency. In the endeavor to meet these demands the Bureau of Markets strives not only for accuracy and completeness in assembling market information, but for its prompt, widespread, and efficient distribution.





By W. B. Greeley, Forester, Forest Service.

I THAS often been thought that the days of the log cabin and open hearth represent the period in our national development when a liberal supply of wood was most necessary; or if not the earliest pioneer days, the time of rapid settlement when new land was being brought under the plow, farmsteads constructed, and new towns appearing on the map. The countries of Europe whose social and industrial development runs some centuries back of our own use but one-third or one-half as much wood per capita as the people of the United States; and at first blush this would indicate that the older we get as a nation the less dependent will we be upon our forests. But this rule does not fit the American people. The older our States and communities grow, the more timber will they require in one form or another if social and industrial progress are to keep pace with age.

Recently I had a wonderful glimpse of the citrus belt of Florida, representing as highly developed agriculture as one would find in the world. I saw square miles of recently planted orchards stretching over the rolling hills of the Florida Peninsula. To market the present citrus crop takes 13 million boxes yearly, and each box requires 5½ board feet of wood. I learned that within five years over 20 million boxes and within ten years over 40 million boxes will be required every year to put the southern citrus crop upon the

market, wholly apart from the quantities of lumber needed in farm improvements. One of the serious problems of both the citrus and truck industries in Florida, which certainly do not represent pioneer agriculture, is a supply of wood in the future sufficient to market their products.

### We Want More Wood.

The average well-kept farm in the upper Mississippi Valley uses 2,000 board feet of lumber every year for repairs and improvements. This yearly use of lumber represents probably the minimum requirement of efficient twentieth century agriculture. Turn to our manufacturing communities. Industrial centers like Pittsburgh, Chicago, or St. Louis consume from two to four times as much lumber per

The largest owner of timberlands, the largest user of timber, is the farmer.

Wood means more to him than to anyone else.

It will pay him to put his idle land to work growing timber.

capita as the country at large. To maintain our railway systems requires 125 million wooden crossties every year, and the more railroads we build the larger does this permanent requirement become. And our use of paper, which is made largely from wood, has grown by leaps and bounds. In 1880 the average person in the United States used about 30 pounds of paper every year; to-day the average American uses 125 pounds every year.

Many substitutes for wood in one use or another have been devised, and yet the aggregate demands of the country for timber are growing all the time. More wood is used in houses than before the discovery of concrete. More wood is used in constructing railway cars than before the steel car or car constructed partly of steel was developed. And constantly new chemical or mechanical processes are being developed in

the utilization of wood, which enlarge its range of utility and increase demands for the raw material.

## A Comfortable House and the Morning Paper.

The United States produces over half of the entire lumber cut of the world, and uses 95 per cent of that amount right here at home. The difference between this country and the countries of continental Europe in the use of wood is not the difference between a young nation and old nations; it is the difference between a country with high standards of living and rapid industrial growth and countries of low standards of living and industrial conditions largely fixed and unchanging. Picture an average rural section in France, such as American soldiers have seen many times, where a new structure of any kind is a rare sight, and mean, mosscovered stone buildings of the time of Jeanne d'Arc must serve the needs of the French farmer of to-day. With all its beauty and picturesqueness, you carry away an impression of economic decadence, of low standards of living and inefficient methods of farming under which life is possible only by frugality and restrictions on comfort unknown to the masses of the American people. Compare this picture with the average rural section in New York or Minnesota or Iowa, and you will understand the difference between a country where wood has been plentiful and a country where wood is classed almost with the luxuries.

Abundant and widely distributed forests have meant to the United States comfortable homes for the masses of our people beyond the standards of any other nation on earth. They have placed newspapers and magazines on the average family table. They have contributed largely to living and social and industrial conditions which make for democracy and constructive energy—rather than the discontent, the limitations on opportunity, and the destructive social forces bred by conditions of life that are mean and hard and comfortless.

The aftermath of the war has brought home very sharply the menace to American prosperity and standards of living threatened by inadequate supplies of timber. The country is short to-day 1,250,000 homes. This shortage is a direct outgrowth of the scarcity and high cost of lumber, together with other building materials, during a period of about three years. The lack of dwellings resulting even from this temporary shortage is a serious problem, involving exorbitant rents, overcrowding, lowered standards of living, and a weakening of the family influence. Make the lumber prices of 1920 permanent and one can readily appreciate what the home conditions of the American people will become in a couple of decades.

In 1919 and 1920 the lumber normally used in farm improvements in the upper Mississippi Valley reached such a cost that the construction of new farm buildings fell off one-half and the repair of farm improvements fell off one-third from the normal use of lumber in that region. Project such a shortage over 25 years, resulting from a permanent scarcity of timber rather than a temporary condition of the lumber market, and the injury to living conditions in rural America and the efficiency of our agriculture will be serious.

# Reaping Where We Have Not Sown.

These are days when the whole world, more or less, is taking stock. A crisis like the great war often brings home forcibly weak points which were not appreciated during the easier years of peace. And one of these weak points is that while we are preeminent in the world as a nation of wood users, we are not a nation of wood growers. We are beginning to feel the full effect of the prodigality with which we have used up our virgin forests without replacing them.

Three-fifths of the forests which sheltered America's aboriginal inhabitants are gone. From the remnant we are now cutting yearly at least four times as much wood as is being grown. We are even cutting trees too small for the sawmill more rapidly than they are being produced. The American sawmill has moved over the face of the land, cleaning up one forest region after another. About 5 per cent of the virgin forests of the New England States is left. In 1850 New York held first rank among the States as a lumber producer; to-day she imports probably 90 per cent of the forest products required by her own people and industries. In 1860 Pennsylvania stood first in the cut of lumber and exported large quantities to her sister States. The lumber cut in Pennsylvania now is less than the requirements of the Pittsburgh territory alone. By 1892 the Lake States had become the great lumber camp of the country; to-day their cut has

dropped to a single billion feet, and of their vast pine forests about 2 per cent is left.

There are not many more chapters in this story. The pine belt of the Southern States is now our greatest source of lumber, but that region has also passed its peak and all the evidence goes to show that within another 10 or 12 years the Southern States will have little lumber for export. Fifty per cent of the timber yet standing is in three States border-



The Source of Many Comfortable Homes.

Abundant and widely distributed forests have meant to the United States comfortable homes for the masses of our people beyond the standards of any other nation on earth.

ing the Pacific Ocean. The westward movement of forest industries is becoming more accelerated every year; and every year constantly greater quantities of lumber are being hauled 2,000 or 3,000 miles from the sawmill to its consumer. The average freight charge on lumber to-day amounts to more than the lumber itself cost 30 years ago.

## Use Plenty and Grow Plenty.

. It is fruitless to decry this generous use of our forests which has contributed so largely to the growth and commer-

cial leadership of the United States. The exhaustion of our timber supply is coming about not because we have used our forests freely but because we have failed to use our timbergrowing land. The problem in a nutshell is the enormous



Sand and Brush.

All that is left of a great pine forest in the Lake States.


area of forest land which has been so logged and so burned that it is producing little or nothing. We have over 80 million acres, an area greater than all the forests of France, Belgium, Holland, Denmark, Germany, Switzerland, Spain, and Portugal, which has been denuded to the point of absolute idleness so far as the production of any timber of commercial value is concerned. We have other enormous areas of cut-over land now growing but a fraction of the amount of timber which they might produce. And we are adding to these areas of idle or largely idle land from 10 to 15 million acres every year, as destructive logging and still more destructive burning progress.

The United States contains some 465 million acres of forest land of all sorts, timbered, cut-over, and burned. Most of this will always be forest land. Its area is ample to grow all of the wood needed for our own use and for our export trade if it can be kept at work growing trees. The forest problem of the United States is primarily the problem of millions of idle acres. If steady work and steady production constitute the lasting and effective cure of the economic evils of the world, let us not overlook the national loss we are now suffering through the idleness of a large part of our land which might be growing timber. Idle acres of timber-growing land may mean just as great a loss to the economic stability of this country as idle farms or idle factories.

In other words, if we are to remain a nation of wood users we must become a nation of wood growers. This is peculiarly a national problem. There is no commodity in which our different States are more dependent upon one another than the products of the forest. Our most densely populated industrial States like Pennsylvania, New York, and Massachusetts import from 60 to 90 per cent of the timber which they use. One of our most highly developed agricultural sections, in the Middle West, imports almost 100 per cent of the timber which it uses. Half a dozen States supply the whole country The beehive of wood manufactures in the viwith paper. cinity of Chicago, Milwaukee, and Detroit would have to close down in a few weeks were their lumber supply from Southern and Western States cut off. In other words, timber supply is coming to the fore like our coal supply, like the development of agriculture, like our interstate transportation system, like our marine transport, as an economic problem affecting all interests and sections, as a problem which must be viewed from the national standpoint and dealt with from the national standpoint. We will get nowhere if we conceive of it as a problem of this or that particular locality.

## We Can Not Leave It Alone.

Nor can we solve this problem by the old economic theory of leave it alone. Considerable reforestation comes about by chance. Areas in the South Atlantic States are now yielding



The Last Great Commercial Forest.

Three-fifths of the virgin timber of the United States is gone. Half of what is left is in the three States bordering the Pacific Ocean.

their third cut of saw timber in spite of the prevalance of fires and other destructive agencies. Considerable reforestation is coming about through the intelligent action of landowners. There are not a few holdings in our north woods which have produced yields of saw timber and pulpwood through three generations of owners. Year after year the planting of denuded lands is increasing. It is safe to say that 12 or 15 million young forest trees are planted annually in the New England States and probably as many more in the Middle Atlantic and Central States.

Such instances of reforestation through private initiative are indeed encouraging and should receive every reasonable form of public assistance. But weighed in the balance against our national needs for timber, the production of wood by voluntary private effort is hopelessly inadequate and will remain so for a long time to come. It takes a long time to grow merchantable timber, and the vast public interests at stake can not, under a real national conception of the problem, be left to the turn of profit or loss or the business policy of the individual. We must devise some plan-wise system of reforestation, with enough public participation and assistance to make it effective, which will keep not an isolated spot here and there but our hundreds of millions of acres of forest land at work growing timber.

An obvious way of doing this is through the extension of publicly-owned forests. The National Forests now embrace 156 million acres, chiefly in the Western States. They are to-day the largest element of stability in our whole timbersupply situation because their timber will never be cut faster than it is grown. Several of the States have taken admirable steps in the same direction. New York owns nearly 2 million acres of State forests and State Parks, and Pennsylvania over 1 million acres of State forests under management. Massachusetts recently initiated a plan for the purchase and immediate planting of 100,000 acres of denuded forest lands within her borders. From every standpoint, not alone of economic needs but of conserving wild life and affording greater opportunities for recreation and health to the masses of our people, a large extension in public forest ownership, both State and National, is desirable. It is manifestly impossible, however, for the public to acquire all of the forest lands in the country. Four-fifths of our forests are now in private ownership, and in the nature of things a large proportion will necessarily remain in private ownership. Our future wood supply will be far from adequate unless some definite provision is made for keeping private woodlands in the continuous production of timber, on some basis equitable to their owners.

We have been very loath in the United States, with its abundant natural resources, to place any restrictions upon the freedom of the individual in using his own property. We have scarcely gone beyond restraints essential to prevent an actual menace to one's neighbors, like a fire trap in a thickly settled city, or a source of disease, or failure to exterminate noxious insects and plants.

The time has come to go a step further in our conception of the rights of the individual as compared with the interests of the people as a whole. Lands which contain important natural resources can no longer be viewed as merely the property of their owners, with no obligation to the welfare of the country at large. Rather should they be regarded, in a sense, as public utilities.


#### Put the Idle Land to Work.

By some means or other we must see to it that forest lands not needed for agriculture are not allowed to lie idle but are kept at work growing timber. Obviously regulations imposed upon timber lands must be reasonable and equitable to the owner; the owner of the land can not do it all. The public must aid him in overcoming the hazard of forest fires, which often makes the growing of trees a precarious venture. The public must recognize that the present methods of taxing growing forests in many regions are equivalent to taxing a farm crop twice a week during the growing season and may largely eat up the value of the timber before it is grown to marketable size. With the fire hazard reduced to an insurable risk, with the taxes on growing forests adjusted to a crop which requires 40 or 50 seasons to mature, we may rightfully insist that every owner of forest lands shall keep his land continuously in timber growth and there will be no practical reason why the owner of the land can not comply. The new principle which must be part of any adequate plan for nation-wide reforestation is this—require the forest owner to grow trees but give him fair and reasonable help in doing it.

At many points this great national problem touches the interests of the American farmer. Agriculture is the largest wood-using industry of the United States. Nearly 50 per cent of all the wood which the country requires is used on its

farms, for buildings and improvements, for barrels, boxes, and other containers required in marketing crops, for cordwood, fencing material, and so on. Probably no other American industry would feel so quickly or suffer so severely from a continued shortage of timber.

And, on the other side, the farmers of the country taken together are its largest timber owners. Farm woodlots the country over reach the enormous total of 191 million acres.




Idle Acres.


There is enough idle cut-over and burned-over land in the United States to grow all the timber we need. The answer to the forestry problem is not to use less timber, but to protect what we have and to grow more.

more than all the great holdings of commercial timberlands. In the States east of the Great Plains, 45 per cent of all the forests and 40 per cent of the merchantable timber form a part of farm holdings.

The farmer is proverbially the most independent of us all in the matter of foodstuffs; he might be equally independent in the matter of wood if his timber-growing lands were utilized with the same care and study as his orchards or grain fields. The woodlot has not figured largely in the development of scientific agriculture; often it has been regarded as wild land not yet reclaimed. Seldom has it been viewed as a permanent and productive part of the farm, to be taken seriously. The farmers of the country need to check the cords of wood or feet of timber which their woodlots are growing just as they would check the bushels of wheat which their fields are producing, and then improve the yields of their woodlots with the same intelligence and care that they apply to other crops, wherever the character of the land makes a permanent woodlot desirable.

The farmers of the United States are at one and the same time the largest consumers of forest products and the largest owners of forest lands. They have the most permanent interest in a systematic national plan of reforestation. They will find profit in taking their own woodlots out of the slacker class, and they may well take a hand in bringing about a common-sense plan of reforestation based upon necessary and equitable public control.





By EDWARD A. GOLDMAN.

Assistant Biologist, in Charge of Biological Investigations, Burcau of Biological Survey.

THE conservation of wild animals and birds is not a mere fad indulged in by those who have only a sentimental interest in the subject. It has a much greater importance, due to values difficult to measure but none the less real. Wild game especially is often of direct economic value to the inhabitants of a region, not only as food but also because of the expenditures of hunters and others attracted by its presence; and the recreational and educational advantages arising from an abundance of wild life in general are incalculable.

#### Millions of Hunters.

Many valuable forms of wild life have disappeared within recent years, or are now being threatened with extinction by the changing conditions brought about by man, especially by the general encroachment on their haunts accompanying his progressive settlement of the country, along with his too indiscriminate use of gun and trap. Modern firearms, including repeating or automatic shotguns and rifles, give the hunter an immense new advantage over the game. The automobile, better roads, extension of rapid transit, and finally the airplane, enable the hunter quickly to reach the most isolated places and have greatly reduced the natural seclusion so essential to the general welfare of many game

30702°---21

animals. Furthermore, the game laws, in many cases still defective, are the more easily evaded through the use of these means of conveyance.


Some conception of the extent to which shooting is carried on may be gathered from reports received through State game commissions, which indicate that the number of licensed hunters in the United States in 1919 was 3,598,268. To this number may be added at least 1,500,000, representing those who, hunting on their own lands under the laws of certain States, require no license, and others who indulge in this sport illegally. This makes an impressive grand total of more than 5,000,000 who go out with the gun every season.

### Conservation Based on Facts.

Much information has been accumulated concerning the various forms of animal life, but there is a steadily increasing demand for more exact knowledge of all the conditions affecting them, as a prerequisite to the solution of many problems almost vital in their bearing upon human welfare.

The research work of the Biological Survey, involving detailed investigation of the life habits and distribution of native wild animals and birds in relation to their environment, supplies the information necessary as a basis for many activities along special lines relating to agriculture, and for the formulation of Federal game legislation and suggestions for adoption in State game laws and regulations.

To maintain the game supply, and at the same time to provide if possible fair sport for the increasing number of hunters that may confidently be expected, is one task before us. Fortunately appreciation of the value of our wild life and recognition of the importance of conserving beneficial and harmless species, especially of birds and mammals, have become more general during recent years, and the demand more insistent for the protection of game. Through the efforts of game protective associations and individual conservationists, a more enlightened public opinion is resulting in better Federal and State laws and measures for their enforcement. Much remains to be done, however, to enlist the interest and local aid of the people everywhere, as without their cooperation the conservation of wild life becomes extremely difficult, if not impossible.



BIS47M; BI9628; BISISS

Bird Reservations and Their Occupants.

A, Mallard and pintail ducks on the Ward-McIlhenny Bird Reserve, Louisiana (photograph by H. K. Job, used by permission of the National Association of Audubon Societies); B, brown pelican, from photograph taken on Pelican Island, Florida, the first of the national bird reservations, established March 14, 1908; C, white pelicans and cormorants on the Klamath Lake National Bird Reservation, Oregon.

It has been the practice in many States to issue hunting licenses for the open season to all applicants, with too little regard for the available game supply of any particular area. The hunters may far outnumber the animals hunted within a given section, and under such conditions the extinction of big game especially is inevitable. With the disappearance of many of the kinds which favor the rougher, more inaccessible places little frequented by domestic stock, the utilization of available forage is less complete, and valuable natural

resources are wasted. The Biological Survey advocates a limited license plan, based on annual estimates of game conditions in each district. This means that the number of biggame licenses issued for a given area in one season would depend upon the number of game animals which it has been determined in advance can be spared. Proper administration of this sort should conserve game in the greatest numbers consistent with the reasonable demands for local grazing and other interests and obviate the necessity for establishing perennial closed seasons, except on areas being restocked.

### The Friendless Snake.

In one particular direction any sentiment in favor of conservation is slow to develop. The snakes have few friends. And no doubt this is excusable, though it results from lack of information. The popular prejudice against snakes, beginning with the story of the Garden of Eden and persisting throughout our historical period, has been fostered largely by the potential power of certain species to cause death through venomous bites. But the poisonous kinds are relatively few. While some snakes are known to be injurious, information concerning many species indicates that they are not only harmless but even beneficial and fill an important place in maintaining the natural balance. When people generally can distinguish between the dangerous or injurious and the harmless species, the indiscriminate killing so often indulged in will cease.

### Protecting Migratory Birds.

Game birds are recognized as one of the most valuable of our natural resources. Most of the ducks, geese, and other waterfowl traverse thousands of miles in their migrations from the breeding grounds in the far north to their winter habitats in the south. On the way they stop to rest and to feed at many places, where they were formerly subjected in both spring and fall to such systematic slaughter by hunters that their numbers were alarmingly diminished. The banding of birds, a feature of migration work now being developed by the Biological Survey in cooperation with many interested ornithologists, to secure exact information about

the movements of individual birds, has produced data that furnish some idea of the rate at which ducks are killed off by shooting. Of 240 black ducks, mallards, and blue-winged teals banded near Toronto, Ontario, between September 2 and November 10, 1920, about 10 per cent had been killed before December 23 of the same year. The bands were returned from localities extending in a general line south through the Mississippi Valley to near the Gulf coast, with outlying continental records as far east as the coast of North Carolina, the extreme being one from the island of Trinidad, British West Indies.


The end of waterfowl shooting as a permanent sport to be indulged in on a large scale seemed in 1913 almost in sight, owing to the depleted numbers of the birds. The problem was obviously international in scope, and the efforts of far-sighted conservationists in the United States and Canada finally resulted in what is known as the migratory-bird treaty, under which all migrant birds receive certain protection in both countries. The constitutionality of the migratory-bird treaty act was passed upon by the Supreme Court of the United States and sustained in a decision rendered April 19, 1920, a date which will doubtless become memorable in the history of wild-bird conservation in America. The most important features of the act prohibit spring shooting and the sale of migratory game birds everywhere in the United States.

The Biological Survey is charged with the administration of the treaty act and the regulations adopted under it, and although the number of Federal wardens that it has been possible to employ for the purpose has left much to be desired, gratifying results are already apparent. The active cooperation of many States and various game protective associations and individuals is tending to bring State game laws into conformity with the Federal regulations; and in this and in many other ways is contributing to the effectiveness of the work.

Hundreds of reports from widely separated parts of the country indicate that migratory wild fowl are now steadily increasing, their numbers being unusually large, especially in the Mississippi Valley and the Eastern States, in November and December, 1920. An example of the extent to which

hunting under controlled conditions may be indulged in apparently without disastrous results is shown by the published report of the State Game and Fish Commission of Minnesota for the 1919 season. Of the 76,335 licensed smallgame hunters in the State, 45,936 submitted returns indicating that 1,098,167 ducks, mainly scaups, mallards, and blue-winged teals, were shot, while the total of waterfowl killed by them alone was 1,282,881. The estimated total of ducks alone killed by small-game hunters was 1,804,900. As each duck may be considered to have a food value of 75 cents. the return from those reported killed was over \$800,000. The great value of such game to the country is thus clearly indicated. Owing to their comparative freedom from molestation in the spring, ducks and geese are said to linger and breed in many places where they had not bred for years previous to the passage of the Federal law.

One of the most important breeding areas for migratory game birds in North America is in the delta of the Athabaska River in Canada. Investigations were made by the Biological Survey during the summer of 1920 of the large marshy areas which here afford conditions favorable for the nesting of vast numbers of the waterfowl that migrate to the United



Swans and Canvasback Ducks.

Swans feeding under protection, without which their existence is threatened;
Potomac River near Widewater, Virginia, March, 1916.

States or pass through to countries to the southward. This work resulted in the securing of much information required in the proper administration of the migratory-bird treaty act.

Since large numbers of our ducks and other migratory waterfowl pass the winter in countries south of the United States, some of the plovers and other shorebirds reaching as far as Argentina and Patagonia, it has been suggested that migratory-bird treaties similar to that with Great Britain be negotiated with various Latin-American countries. Mexico migratory game birds are known to have been slaughtered for market on a large scale, but conditions in that country have not favored international measures for the protection of birds. The rapid agricultural development now taking place in southern South America may be expected to affect adversely our migratory birds during their sojourn in that region. To secure the information required preliminary to the suggested step, an assistant biologist of the Biological Survey was sent to Argentina and adjacent countries to observe the arrival of waterfowl during their southward migration in the summer of 1920 and to continuehis studies of the conditions affecting these birds in various localities until they return northward in the spring of 1921. The data obtained will fill a great gap in our knowledge of the life histories of many migratory species and will suggest appropriate measures for their protection.

Aside from indiscriminate shooting, now fortunately checked under the treaty act, an important factor in the reduction in numbers of waterfowl has doubtless been the curtailment, through drainage, of valuable breeding grounds. With the more complete settlement of our country and the transformation of many marshy areas into farm lands, especially in the Western States and Canada, water birds are driven from their accustomed breeding places. These marsh lands, commonly adjoining small bodies of open water, also afford absolutely necessary resting places and feeding grounds for many migratory birds in general, and their preservation wherever possible has become a matter of prime importance. Many such areas are drained under the erroneous impression that their value is enhanced thereby, when as a matter of fact they could be made to yield a larger return if maintained during the open season as private or



Marsh Attractive to Wild Fowl.

Dead Dog Lake, North Dakota, typical of many areas throughout the United States which should be preserved as refuges for the breeding waterfowl and for the hosts of visiting migrants spring and fall. Nest and eggs of coot in the foreground.


public shooting and fishing grounds, and, where there is sufficient cover, for the production of such valuable fur-bearing animals as muskrats, beavers, minks, skunks, and raccoons. Beavers, through the building of houses and dams which tend to check erosion and to equalize the flow of streams, are active conservators of water. A natural ice supply may also be harvested from undrained marshes, and the underground water level may be more nearly stabilized, the latter an important consideration, especially in regions subject to long summer droughts.

## Big-Game and Bird Reservations.

Appreciation of the value of big game and bird life as a public asset has resulted in the creation of many national wild-life reservations in charge of the Biological Survey. Four of those already established are big-game preserves, 70 are devoted to birds alone, and one is used for both big game and birds. In addition, the Survey is interested, in cooperation with the Forest Service, the National Park Service, State game commissions, and other organizations, in problems affecting game on the public domain.

The national bird reservations, distributed irregularly from Florida to Alaska and Hawaii, with warden service at some of the most important places, protect from molestation heron rookeries and the nesting sites of thousands of pelicans, gulls, terns, ducks, and other waterfowl. The heron rookeries include some of the principal remaining breeding places in the United States of the beautiful egret and the dainty snowy heron, both of which have been persecuted almost to the point of extinction for their nuptial plumes, formerly widely used in millinery under the name of aigrettes.

The big-game reservations administered by the Biological Survey in Montana, Wyoming, South Dakota, North Dakota, and Nebraska afford protection to limited numbers of buffalo, elk, antelope, and deer. Of these the most notable is the National Bison Range, at Moiese, Mont., where the buffalo herd now numbers about 335 head. This important remnant of the former great herds is exceeded in point of size



Buffulo on the National Bison Range.

B14467; B12132

A, Superb specimen of the former monarchs of the plains; B, part of the herd of 335 buffalo on their range in Montana, where they are protected by the Federal Government.

by only two others in the United States, the largest under Government control being the Yellowstone Park herd.

Perhaps the most interesting and important of the biggame reservations is the Winter Elk Refuge, in Jackson Hole, Wyo. The Jackson Hole region, a southern extension of the wonderland including the Yellowstone National Park, is traversed by the Snake River, which winds its way in graceful curves through a valley hemmed in by mountains,



Elk on Their Winter Refuge, Wyoming.

B20609; B20584

A, Feeding hay to elk during the severe winter of 1919-20, in Jackson Hole, Wyoming; B, part of the herd of 3,500 on the refuge in March, 1920. The winter care thus provided by the Government is preserving from otherwise sure extermination the remnant of the countless numbers of these, the most majestic of deer.

the serrated Teton Range towering like a wall on the western side. Upon the success attending the administration of this refuge largely depends the permanence of the so-called southern group of elk, now numbering about 12,000 head and comprising the largest section of the Wyoming, or Yellowstone, elk herd. Especial interest attaches to the elk of the Yellowstone Park region, as they constitute the only really large herds of big game remaining in the United States: and these are mere remnants of the former herds whose general range was measured by the full width of the continent, from Maine to California. Until recently a northern group, ranging in summer mainly within the Yellowstone National Park and migrating northward, was regarded as the larger, but it suffered greatly from the adverse conditions of the winter of 1919-20, and in all probability will never again attain its former numbers.

The elk comprising the southern group are widely scattered in summer at high elevations in the southern part of Yellowstone National Park and in the mountains of the Teton, Bridger, and Wyoming National Forests. With the first heavy snowfall in early winter they descend or migrate to lower levels, and formerly passed out into the open valleys, where the snow was light and forage abundant. With the coming of settlers, however, their winter range became more and more restricted. Many were killed, and the survivors have been forced to winter in the Snake River drainage, thousands congregating in the path of their former migration, in the vicinity of the winter refuge mentioned.

Following a prolonged summer drought which curtailed the growth of forage throughout the region, the winter of 1919-20 was unusually long and severe. In addition to the stock of hay on hand at the Winter Elk Refuge, the State of Wyoming provided about 500 tons of hay and a carload of cottonseed-oil cake. An emergency purchase of 573 tons of hay by the Biological Survey in January, because of conditions which it was foreseen would become desperate, prevented disaster to the herd. Several thousand elk frequently congregate on the feeding ground, where they crowd close about the wagons from which the hay is distributed, and the spectacle thus presented is one long to be remembered by the fortunate visitor to the place. The cottonseed-oil cake

proved to be a particularly attractive ration, and the ordinarily shy, retiring animals quickly formed the habit of advancing with confidence to take pieces from the hands, and in some instances even from the lips, of those in attendance. Summer range and forage for elk are still plentiful, but additional lands adjoining the present winter refuge are urgently needed to furnish an adequate supply of winter feed and insure the permanence of the largest remaining herd of these splendid game animals, the most majestic of all deer.



Elk "Asking for" Cottonseed-Oil Cake.

B20600

Crowding cagerly about the sled these normally wild animals readily take cottonseed cake from the hands. Their too close approach has somewhat alarmed the young lady assisting in the feeding. Leek Ranch, near Jackson Hole, Wyoming, March, 1920.

In addition to the conservation of existing big game, the restocking of certain areas over which game has disappeared is a measure of obvious importance. Mountain sheep, especially, should be restored to many rugged mountainous areas where they have recently become extinct. What may be accomplished in this line is exemplified by the recent introduction on the Sitgreaves National Forest, in Arizona, of elk from the Yellowstone. Native elk went the way of the buffalo and became extinct in Arizona more than 30 years ago.

As a result of the transplanting of 80 animals in 1913 through the cooperation of several Elk lodges, the Biological Survey, the Forest Service, and the National Park Service, the elk now on the forest are estimated to number between 400 and 500 head. Owing to the general absence of agricultural interests with which elk are apt to conflict, this former range is admirably adapted for restocking with elk. A proposed refuge to be established before any hunting is permitted is now under consideration. Under



- Mountain Sheep Feeding.

B900M

Natural haunts in Yellowstone National Park. These splendid game animals are now extinct in many mountainous areas which should be restocked. (From photograph by M. P. Skinner.)


proper administration the elk may be expected to spread gradually to adjoining parts of the Mogollon Plateau and become a splendid addition to the game resources of the State and Nation.

## Big Game and Fur Bearers of Alaska.

Conditions are more primitive in the Territory of Alaska, where the Biological Survey has within the year been charged with important and pressing problems, including consideration of the future of the great caribou herds. These animals, numbering tens of thousands, are preyed upon by the packs of wolves which follow them in their annual migrations, and the advent of man has become a very serious factor in their diminution. A most promising

172

line of activity associated with the caribou is the promotion of the reindeer industry. It is believed that by crossing the reindeer with the larger native caribou a superior and yet tractable breed may be secured. Reindeer, the domesticated Siberian caribou, were first introduced into Alaska in 1892, and, fostered by the Bureau of Education, thriving herds have been built up and now aggregate about 200,000 head. These animals give promise of going far to make up any future shortage in our meat supply, and their management will result in the utilization of millions of acres of northern




Alaskan Reindeer Herd.

820513

Reindeer were first introduced from Siberia in 1892 to provide food and transportation for the natives of Alaska. The thriving herds now promise to supplement the meat supply not only of Alaska but of the States as well. (Photograph by Lomen Brothers.)

lands largely overgrown with a lichen known as reindeer moss, one of the principal plants naturally fed upon by these animals, especially in winter. Investigations that will lead to improved grazing administration and herd management are now in progress.

Other Alaskan game animals now engaging the attention of conservationists are the native deer and the big bears. The deer of southeastern Alaska have been indiscriminately killed by natives and are now threatened with extinction, but it is hoped that measures may be taken to save them.



The Beaver and Its Conservation Work.

A, Beaver dam, pond, and "house" on branch of Mountain Creek, Yellowstone National Park; B, beaver, from drawing by Ernest Thompson Seton; C, close-up view of beaver dam, on Horse Creek, Rainier National Forest, Washington. The beaver is a conservator of water. The dam is built in order to maintain submerged entrances to the house, the interior of which is above the water level.

The great brown bears of Alaska, some of the largest in the world, are classed as game animals, but owing chiefly to their aggressiveness opinions differ as to whether they should be afforded any protection.

The conservation of land fur-bearing animals is, if possible, more difficult than that of most game. Fur bearers of Alaska, particularly foxes and martens, have been seriously depleted in numbers during the past few seasons, owing to

the apparent periodical scarcity of certain of the birds and the rabbits upon which these animals normally feed, and to the fact that high prices paid for fur have greatly stimulated trapping activities. The former circumstance affords another example of the complicated relationships existing in nature. Plans for the better protection of fur-bearing animals are being formulated and executed, and less persistent trapping due to falling prices for the fur is favoring the increase of fur bearers in Alaska. Fur farming, particularly fox farming, seems destined to become an important industry in Alaska as well as in the various States. The conservation of land fur-bearing animals, upon which a trade representing many millions of dollars is based, is receiving the especial attention of the Biological Survey, with the object of fostering the rearing of these animals in semidomestication or under partially controlled conditions. Experiments and practical studies, some in Alaska, but most of them in the States, have been initiated regarding foxes, fishers, martens, minks, skunks, raccoons, beavers, and muskrats.

The conservation of wild animal life, intimately bound up with the conservation of natural resources in general, has become a necessity. The alternative would transform our country into a land as barren of natural interest as some of the waste parts of the Old World and stripped of material assets which should contribute immeasurably to our wealth, comfort, and well-being.





By B. H. RANSOM, Chief, Zoological Division, Bureau of Animal Industry.

A TEN DAY TOUR through the body, from the intestine to the lungs and back again, is the strange trip taken during its early life by the common intestinal roundworm of the pig. The recent discovery of this habit of the young parasite has led to another interesting discovery, that if many of the worms go on their travels at the same time, the result to the animal whose lungs are thus invaded is often disastrous. The roundworm in question, which bears the name of Ascaris lumbricoides, is one of the most injurious parasites of pigs and has long been recognized by swine breeders as a troublesome pest, causing digestive troubles, interfering with growth, and impairing health, especially in young animals. It is also of common occurrence in human beings, particularly children.

# Eggs Hard to Spoil.

The adult worms (fig. 1, 1) live in the small intestine. The female, measuring when full grown a foot or more in length, produces millions of eggs of microscopic size, which pass out of the body of the infested pig or human being in the intestinal excreta. These eggs are provided with thick, impermeable shells and are endowed with remarkable vitality, so that they can withstand severe cold, dryness, and most chemical disinfectants. They have been known to remain alive as long as five years.

When the eggs reach the outer world they are in an early stage of development and are not infectious if taken





Fig. 1.—A, Adult intestinal worms of the pig. Larger one, female; smaller one, male. About one-half natural size. B, Eggs in early stages of development. Magnified 150 times. C, Eggs containing embryonic worms. Magnified 150 times.

into the body of a pig or a human being (fig. 1, B). In a few weeks, however, if temperature and moisture conditions are favorable, a tiny worm develops within the eggshell, and the egg becomes infectious (fig. 1, C). If the egg should then be swallowed it hatches after reaching the small intestine, and the young worm is ready for its 10-day journey.

# Taking a Trip and Growing.

Formerly it was supposed that the worm after hatching simply settled down in the intestine and continued its development, but as a result of recent investigations by Lieut. Col. Stewart, of the Indian Medical Service, by Prof. Yoshida, of Osaka University, Japan, and by Mr. Foster and the writer, of the Bureau of Animal Industry, it is now known that the young parasite makes a circular tour—a sort of home-seeker's trip-through the body of the pig. After hatching, the young worm, which at this time measures less than one one-hundredth of an inch in length, promptly leaves the intestine, gets into the blood vessels, and is carried first to the liver and then to the lungs (fig. 2), passing through the heart on the way. In the lungs it spends a number of days, but soon passes up the windpipe into the pharynx and then down the esophagus or gullet into the stomach and at last into the small intestine. This journey



The Parasite in a Lung.

Fig. 2.—Young intestinal worm in lung one week after infection. Highly magnified.

30702°—TBK 1920——12 + 13

from the intestine to the lungs and again into the intestine usually requires about 10 days. Meanwhile the worm has grown considerably, and when it leaves the lungs and returns to the intestine it is nearly ten times as long as when it first hatched, although it is still too small to be seen without a microscope, and has yet to undergo an enormous growth before it is fully developed. It reaches maturity in about two and one-half months, including the time spent on its journey to the lungs and back again into the intestine.

# "Thumps."

In passing through the lungs the young worms cause small hemorrhages, and if numerous they give rise to pneumonia, which may prove fatal. Moreover, it has been observed that pigs which survive the stage of lung infection often fail to grow and develop properly, and remain small, stunted, and unprofitable (fig. 3). The symptoms shown by pigs whose lungs have been invaded by these worms are commonly known as "thumps." . There are other causes of "thumps," which is a term loosely applied to almost any condition in pigs in which there is difficult breathing, but invasion of the lungs by young intestinal roundworms is one of the most frequent causes. Similar disturbances of respiration occur in human beings in the early stage of roundworm infection, and it is probable that some of the obscure lung troubles of children will be found to have the same basis as parasitic "thumps" in pigs.


Pigs as they become older become more resistant to infection by the intestinal roundworm and also are less likely to suffer seriously from the lung stage of the parasite.

### How to Prevent Losses.

The newly discovered facts that have been mentioned not only show that the common intestinal roundworm is a more dangerous parasite than formerly supposed, but also help to show how the damage it does may be avoided.

Because of its great prevalence among hogs, and because its eggs in hog yards and pastures are so long-lived, complete eradication of the parasite is a difficult matter and not likely to be accomplished on most farms. It is readily possible, however, to manage in such a way as to eliminate the serious losses that often occur as a result of Ascaris infection. In short, the problem resolves itself largely into that of proper protection to young pigs until they have reached an age at which they are no longer likely to suffer serious injury even though they become infected.

Accordingly, clean and sanitary farrowing pens should be provided, into which the sows are placed a few days before farrowing. Mud and dirt from long-used hog yards and wallows, likely to be heavily laden with infectious Ascaris



Growth Is Stunted by Parasites.

Fig. 3.—4, Three pigs about 4 months old from the same herd. The two small pigs, weighing 12 and 15 pounds each, show the effects of severe Ascaris infestation. The large pig, which has escaped serious injury by Ascaris, weighs 90 pounds. B, Three pigs from the same litter, about 4 months old. When a few weeks old the small pig in the middle was artificially infected with Ascaris eggs, as a result of which it passed through an attack of thumps. Originally of about the same weight as either of the other two, this pig, though kept with the others on the same feed, failed to grow as well. At the time the picture was taken the small pig weighed 45 pounds and the large pigs 100 pounds each.

eggs, should be cleaned from the skin, especially from the udder, before the sows enter the farrowing pens.

From the farrowing pens the sows and pigs are transferred to fields or pastures that are as free as possible from infection, and until the pigs are about 3 months old they are rigidly excluded from permanent hog yards and pastures and other places likely to be badly contaminated with the droppings of hogs.

Essentially the plan consists in providing a clean place for farrowing and in excluding young pigs from polluted pens and pastures. It has been tried with excellent results on a number of farms in the Middle West. On some of them, where formerly a considerable percentage of the pig crop was lost, there have been practically no losses since this simple plan of sanitation was adopted. From the experience gained in the practical tests that have been made of improving the sanitary conditions under which pigs are reared, based upon our newer knowledge of the intestinal roundworm, it is evident that with comparatively little effort, understandingly applied, on the part of the swine raisers, tremendous savings can be made in the pork production of the Nation, and added security given to an industry from which already much of the hazard has been removed by the application of the results of investigation of other swine diseases.

Thus, in this instance, as in many others, scientific research has pointed the way toward the elimination of destructive waste from disease among live stock as well as among human beings, and has again demonstrated its importance as a factor in agricultural progress.



By J. WARREN SMITH, Meteorologist, Weather Burcau.

"Well, Duncombe, how will be the Weather?"
Sir, it looks cloudy altogether,
And coming across our Houghton Green,
I stopped and talked with old Frank Beane.
While we stood there, sir, old Jan Swain
Went by and said he knowed ''twould rain';
The next that came was Master Hunt,
And he declared he knew it wouldn't.
And then I met with Farmer Blow;
He plainly said he didn't know—
So, sir, when doctors disagree,
Who's to decide it, you or me?"

TS THERE any place in this country where the first and often the chief subject of conversation wherever neighbors meet is not the weather? Perhaps in those regions where the sun shines during most days, and where rain seldom falls; but assuredly not where the change from fair to foul is frequent and where the mercury has to run far up and down the glass to keep up with the changes of temperature.

With farmers the topic is a favorite one, and the reason is plain and practical. An extra quarter of an inch of rain at the right time may add thousands of bushels to the corn planter's harvest; a few degrees lower temperature may put a lot of extra money into the potato grower's pocket. The way the wind blows is sometimes more important than the cost of farm labor. Crop yields are controlled by the amount of sunshine, rainfall, and heat received, and all farm operations are fostered or hindered by the prevailing weather.

The weather is a source of anxiety from the time of preparation of the soil for seed until the last harvest is gathered. And even then the producer's worry is not over, because the weather may hinder the movement of his wagon or truck to the freight station, or of the train or boat or truck fleet to the large centers of distribution.

When the meteorological work of the Army Signal Corps was transferred to the Weather Bureau, Department of Agriculture, on July 1, 1891, the duties of the service were designated "for the benefit of agriculture, commerce, and navigation." As such a large percentage of commerce and navigation consists of products from farms and orchards, the agriculturist is vitally interested in all phases of the work of the Weather Bureau.

### The Weather Twice a Day.

Every morning and evening at 8 o'clock (75th meridian time) work speeds up at 200 different weather stations in the United States as observations are made of the wind and weather, air pressure and temperature, clouds, humidity, and rainfall during the preceding 12 hours. Within 5 minutes after these observations are made, a telegraph message, in code, giving all the essential weather facts, is filed at each local telegraph office, and by an ingenious "circuit" system, is transmitted within 30 minutes after the instruments are read to the central office at Washington and to about 180 other important Weather Bureau offices in various parts of the country.

Trained men take these telegrams as fast as they come into the district forecaster's office and chart the information they contain on outline maps of the United States, so that by the time the last message is received the forecaster has a complete picture of the weather as recorded at practically the same moment over the entire United States. In addition, reports are received from stations in the West Indies, northern South America, Central America, Canada, Alaska, Bermuda, the Azores, and from a few places in Europe and Asia. No other country covers so wide a territory in the daily information spread before the weather forecaster. With this information and with the maps made 12, 24, 36, and

D ID the weather man "hit it" to-day? Well, maybe not to-day, but did you know that the daily forecasts are 88.4 per cent accurate?

And that no big storms have occurred along the coasts and Great Lakes for years without warnings 12 to 24 hours in advance?

How are the roads to market to-day, muddy, snow-filled, frozen, washouts, or good?

Is the temperature down the line safe for shipping produce to-day?

Will next week be good having weather?

Will the orchard heaters be needed to-night? How high is the river to-day?

Will it be safe to spray to-morrow?

I want to cut my seed crop to-morrow: How 'bout it, Mr. Weather Man?

The Weather Bureau has the answer. Its forecasts are scientific—not superstitions or guesswork.

This article tells how the Weather Bureau serves you right.

48 hours before, the forecaster can trace the movements of storms, cold or hot waves, fair weather areas, and the like, as they move across the country.

Twice-daily weather forecasts are made by the district forecasters at Washington, Chicago, Denver, New Orleans, and San Francisco for each State in the groups of States surrounding their stations. The morning forecasts are made at about 9 a. m. (eastern time), and cover the probable conditions for the next 36 hours. These forecasts are promptly telegraphed to about 1,600 distributing points, whence they are further disseminated by telegraph, telephone, wireless, and mail. They reach nearly 100,000 addresses by mail, and are available to more than 5,500,000 telephone subscribers within one hour after the time of issue. These are the forecasts that are published in the afternoon newspapers, and they aid a multitude of people to prepare for favorable or unfavorable weather during the coming night and following day.

Many thousands of persons never think of starting out on a trip, or of taking up any important work, without first consulting the daily weather forecast. Shippers of perishable products in most of our important cities delay their daily shipments until they know from the forecast what temperature to expect, and can judge how to prepare their goods for it. High temperatures are detrimental to certain commodities, and low temperatures may harm or destroy others. During the harvesting season, especially, a large number of farmers use these forecasts in planning their work for the afternoon or next day.




Fig. 1.—A typical winter storm central over southern Iowa, December 15, 1898.

The lines pass through points of equal pressure. The arrows fly with the wind and show that it blows spirally inward toward areas of low pressure, and outward from areas of high pressure.

Figures 1 and 2 show typical weather maps for two successive days and illustrate the usual movement of weather changes toward the East in this latitude. The twice-daily maps are the basis of all weather forecasts. Evening forecasts are made at about 9 p. m., covering the next two days, and are published in the morning papers throughout the country.

## Will It Be Fair and Warm Next Week?

Is it going to be cool and rainy next week or warm and dry? Or will it be a period of showers and sunshine? Such questions and kindred ones are often in the mind of the

farmer as he plans his work for the week ahead during the growing season. He is concerned with the general state of the weather in this case rather than what will happen in the next 36 hours. For instance, will it be a particularly favorable time to cultivate certain crops? The right answer may mean both easier and better cultivation and in turn more money in the farm pocketbook.

Forecasts are made each Saturday for the six days beginning the following Monday. They are made for nine sepa-




Fig. 2.—Twenty-four hours later than figure 1, December 16, 1893. The storm center has moved to the lower Lake region. The dotted temperature lines are shown on this map and indicate the influence of wind direction on the temperature.

rate districts and, necessarily, are couched in general terms. They are immediately telegraphed to certain designated centers, where they are further disseminated by telegraph, telephone, mail, and through the press.

## Flying Weather.

For many years the daily weather forecasts have been made for activities on the surface of the land and for the benefit of those who travel the surface of the waters. The recent phenomenal development of the navigation of the air now makes it imperative that the condition and movement of the atmosphere above the land and water be anticipated; so the Weather Bureau issues twice-daily forecasts of "flying" weather for 13 aviation zones in the United States. These give visibility, kind and height of clouds, wind at various elevations, and other information to help the aeronaut lay his course and choose his altitude.

Observations on which forecasts of upper-air conditions are based are made twice daily at 25 pilot-balloon stations, and once daily at 6 kite stations. The reports from pilotballoon observations show the wind direction and velocity, not only at the surface of the ground but at 250, 500, 1,000, 1,500, 2,000, 3,000, and 4,000 meters above the surface. They also give the height and movement of clouds. The kite stations show pressure, humidity, and temperature at various elevations, in addition to wind direction and velocity. Occasionally observations show a wind at a moderate elevation blowing in exactly the opposite direction from that near the surface. The aerial mail going from New York to Chicago, for example, may find a favorable wind from the east at 500 meters elevation, while at the same time the mail from Chicago to New York may find a high west wind at 1,500 meters.

#### Fire Weather.

Another comparatively new feature of the work of the Weather Bureau is the forecasting of conditions favorable for the inception and spread of forest fires, so that forest officers may make plans ahead for a hard fight against this enemy of the forest.


## Keeping Ahead of the Frost.

One cold night is sometimes enough to ruin a crop of fruit worth thousands of dollars. In such a case the orchardist is not content in these days to fold his hands and let the weather have its way. He recognizes, to be sure, that one can not warm up all outdoors; but it is possible to warm up a considerable slice of outdoors, enough to save his fruit, and so he invests in heaters and relies on the Weather Bureau to tell him when to stoke up. The protection of fruit, truck, tobacco, and alfalfa seed from late spring or early fall frosts is receiving more and more attention and the Weather Bureau

is doing its part in regions where the endeavor is made to protect crops from cold by issuing detailed and definite frost warnings and minimum temperature forecasts.

The protection of citrus fruits against winter cold is necessary and highly profitable in most sections where these

crops are grown. The annual fruit crop in the Pomona district of southern California is valued at fully \$17,-000,000, and the saving in one year by orchard heating may be not less than \$1,000,000. In one 40-acre orange grove at Claremont, Calif., there was an estimated loss by low temperature of \$10,000 worth of fruit in the two seasons prior to 1913, and \$25,000 worth of fruit in 1913. In addition, so many of the trees were so severely damaged that they bore crops during the next several years.



greatly reduced Fig. 3.—Tall-stack, down-draft oil heaters in a circus orchard. These burn with very little smoke. The lower part of the stack becomes red hot when in operation.

The orchard was fully equipped with oil heaters in November and December, 1913, at a total expense of \$3,067, and the loss by frost since that time, including the severe season of 1918–19, has been negligible. The average annual cost for heating per acre for the four years following installation, including the interest on the investment, was \$26.56, or only 4 per cent of the loss sustained in the year previous to the installation of the heaters.

The cost of protection on a 220-acre lemon orchard in southern California for the six years from 1913 to 1918, inclusive, was \$13.15 per acre. This included labor, oil, depreciation, and interest on the equipment. The lemon crop from this grove in 1913, a season when the citrus crop in many parts of southern California was practically a total loss and thousands of trees were killed outright, brought \$734,318 f. o. b. California, or an average of \$3,338 per acre. If the heating was instrumental in saving only one-fourth of the crop in 1913, this saving would pay the entire expense of heating for over 60 years.



Fig. 4.—The California Oil Heater in an Orange Grove.

The value of the citrus crop in California for the year ending August 31, 1920, is estimated to be \$81,200,000. There are few sections of the State not subject to frost damage some time during most winters; hence, forecasts of damaging temperatures are of vital importance to its fruit industry.

The Weather Bureau has had a special representative in the Pomona district for several winters to study the temperature distribution, air drainage, other weather conditions, and the results of heating, so that more detailed and exact minimum temperature forecasts could be made. This official has performed similar duties in the deciduous orchards in the Rogue River Valley in Oregon, with results shown in the following quotation from a letter from Medford: "This work has saved our fruit growers literally hundreds of thousands of dollars worth of fruit."

## Cold Waves and Heavy Snow.

Warnings of sudden and destructive falls in temperature are issued from 24 to 48 hours in advance of the drop in temperature, and the information is widely disseminated by telegraph, telephone, mail, and flag display. The warnings



A Popular Type of Oil Orchard Heater in Operation.

Fig. 5.—The burning surface can be regulated by the sliding cover. About 100 to the acre should be used on severe nights.

issued for a single cold wave of exceptional severity and extent resulted in saving over \$3,500,000 through the protection of property from injury or destruction.

When cold-wave warnings are issued, transportation companies protect goods in transit; florists and warehouse and greenhouse men take necessary precautions; water pipes are protected in towns and cities; cement work is delayed or cared for, and winter truck and citrus fruits are protected.

Heavy snow warnings aid railroad, interurban, and city officials to take extra precaution to keep the interruption of

traffic at a minimum; stock are kept near shelter and the feeding sheds; extra effort is made in advance to keep motor-truck roads open; and all outside work is governed accordingly. Large hardware firms take steps to ascertain whether the distributing houses have a sufficient stock of snow shovels, and the like, on hand.

## Blizzards on the Ranges.

The stock growers over the great range States of the West are vitally interested in cold waves, heavy snows, high winds, and storms locally known as "blizzards." The Weather Bureau recognizes this and issues warnings of these unfavorable conditions for stock. These warnings are widely distributed by telegraph and telephone to large centers, but the further dissemination must devolve on the people interested. The problem has been largely solved in the State of Missouri by telegraphing the warnings to one central point in each county, at which place arrangements are made to telephone information of the warnings to each community interested. When a warning is received the cattle or sheep men on the great western ranges arrange to graze their stock near shelter, or in such a direction from shelter that the stock will drift toward it when the anticipated wind comes.

A modification of this service is the sheep-shearing and lambing forecasts and warnings. In early shearing and lambing districts shearing is delayed, or newly shorn sheep and ewes with young lambs are kept near suitable shelter, such as coulees, where they will receive protection from the wind when cold rains are expected.

#### Fruit Pests and Rainy Weather.

The value of the western New York apple crop averages about \$12,000,000 a year, and the value of other fruit in the district is \$6,000,000. The importance of protection from insect and fungous diseases in this district by spraying is well shown by the results of one test case, where by spraying at the proper time the value of the crop was increased \$126 per acre, while the expense of spraying was only \$6.77 per acre. It is estimated that \$500,000 are spent in spraying each year, with a resulting increase in the value of the fruit of \$6,000,000.

It has been found that to protect against apple-scab, as well as other fungous diseases, the spray must be applied before a spell of rainy weather. Because of the size of many of the orchards, it takes from two to three days to apply the Spray specialists were called in to advise the orchardists when to apply the different sprays, and they, in turn, called on the Weather Bureau for forecasts of spells of rainy weather far enough in advance to apply the spray during the fair weather intervening. As the regular daily weather forecasts are made for only 36 to 48 hours in advance, it became necessary for the bureau to inaugurate a special forecast service for fruit spraying. In 1919 a special representative of the bureau was located at Rochester, N. Y., near the center of the fruit-growing district. This official kept in touch with the advance of the season and conferred with the spray specialists, while the special weather forecasts were made by the district forecaster at Washington, D. C. As funds were not available for the detail of a special representative of the bureau in 1920, the duties were assigned to the official in charge of the Weather Bureau office at Rochester, to whom the forecasts were telegraphed each evening. The spraying specialists located in Rochester conferred with this official on receipt of the forecasts, and whenever rain was forecast instructions were given to start spraying. A complete system for the immediate distribution of these warnings was inaugurated, so that practically every fruit grower in six or seven counties received them early the next morning, and could at once start his campaign against fruit diseases. The plan was so successful that it was carried into the Hudson Valley fruit district of New York, and into lower Michigan, in 1920.

The fruit growers of the Yakima Valley of Washington, where damage by codling moth amounted to \$2,000,000 in 1918, and other fruit growers, are asking for a similar service. This is a new demand on the Weather Bureau which will be met as fast as the appropriations allow.

## River and Flood Warnings.

The flood-warning system of the Weather Bureau is of long standing in the large river valleys and it is not unusual to predict river heights in the lower Mississippi Valley to within a few tenths of a foot several weeks in advance. The flood warnings may be only a few days or hours in advance in some of the smaller valleys, but these allow for the driving out of stock, the protection of merchandise, or the moving of people to places of safety.

During the unprecedented flood in Ohio in March, 1913, the wires went down so quickly after the excessive rains started that warnings could be given little distribution in the western portion of the State, and many lives were lost in Dayton, Hamilton, Columbus, Delaware, and other cities. A warning reached the Muskingum Valley, however, in the eastern portion of the State, and only two lives were lost at Zanesville, where the river was over 15 feet higher than ever before known; no lives were lost in the valley south of that city.

## Alfalfa Harvest Forecasts and Seed Warnings.

Forecasts of weather favorable for alfalfa harvest are widely distributed in the West, particularly in Oklahoma, where 2,000 or more growers receive the forecasts through the

Fig. 6.—The Flooding of Agricultural Territory During Periods of High Water.



local agents of the Extension Service. A much more extensive distribution of this information is possible in many districts.

A rather limited, but important, frost-warning service for alfalfa-seed growers is in operation in Utah. Seed is largely grown from the second crop, and if the season is late the harvest and fall frost periods come close together. As the seed crop increases in value at the rate of about \$5 a day for each acre of seed when nearing maturity, the growers let the seed stand as long as possible. When temperatures low enough to cause damage are predicted by the Weather Bureau, it is not unusual for the seed growers to run their cutting machines most of the night.

In two sections of Millard County, Utah, in the fall of 1918, fully 500 acres of seed were cut after receipt of the warnings, at an average saving of \$20 to \$30 per acre. Reports from two growers stated that they had saved not less than \$2,000 by information furnished by the Weather Bureau as to frost.

## Sugar-Cane Harvest.

A similar condition obtains in the lower Mississippi Valley. The sugar content of the cane increases rapidly in the late fall, and cane is left standing until warnings of damaging temperatures are received; then every available man is set to windrowing cane, and hundreds of thousands of dollars worth of cane may be cut in the 24 hours following the receipt of a cold-wave warning.

#### Rain and Raisin Drying.

In the great raisin-grape growing district in central California, the drying is done in trays in the open air. Great loss would result if rain should fall on the partially dried fruit; hence when rain is expected the information is immediately spread throughout the valley by telephone and telegraph, and every available person is set to stacking the trays. The schools may be closed and the children be pressed into service, and woe betide the unfortunate hobo caught in the district who has a disinclination to get acquainted with work.

#### Mountain Snowfall.

Mountain snowfall stations are maintained in the western mountains in cooperation with the Forest Service, and make it possible to show the accumulation of snow for spring and summer irrigation in the agricultural valleys.

## Storm and Hurricane Warnings.

Scores of other instances might be mentioned of the use made of the regular and special forecasts and warnings issued by the Weather Bureau, that show the far-reaching value of this information that so many people have come to take as a matter of course.

The warnings of storms and hurricanes along the coast must not be overlooked, however, as this service is probably the most important from a money and life-saving point of view in operation by any Government bureau.

Storm warnings are displayed in every port and harbor of any considerable importance along the Atlantic, Pacific, and Gulf coasts, as well as along the shores of the Great This warning service is so nearly perfect that scarcely a storm of marked intensity has occurred for years for which ample warning has not been given from 12 to 24 hours in advance.

The sailings of the immense number of vessels engaged in our ocean and lake traffic are largely determined by these warnings, and those displayed for a single hurricane are known to have detained in port on our Atlantic coast vessels valued, with their cargoes, at over \$30,000,000.

An increased number of reports from West Indian stations and from ocean craft of all kinds, and the hoped-for inauguration of a number of aerological stations in the Tropics, will make it possible to follow the tracks of the terrible tropical hurricanes more closely, and determine further in advance just where they will strike the coast line.

## Special Reports for Cotton and Cereal Regions.

In addition to the weather maps, and forecasts and warnings, the Weather Bureau maintains a daily reporting service, especially in the interests of agriculture.

Reports of the rainfall and highest and lowest temperatures during the preceding 24 hours are telegraphed each morning during the growing season from 187 special stations in the 16 principal grain States. Daily bulletins, giving the data in detail in the immediate district, and a general summary of the weather over the whole area, are published at 19 different points.

This service is maintained for the benefit of those interested in the cereal crops in the United States and gives each day accurate information as to prevailing weather throughout the sections where these crops are principally grown.

A similar service is maintained in the interest of the cotton growers in the South. Reports are received each morning from about 200 different points in the 11 principal cotton States, and daily bulletins are issued at 26 central points. These give exact information of the temperature and rainfall in all parts of the cotton belt during the preceding 24 hours.

# Highways Weather Service.

In the winter of 1917-18, when the war made necessary the inauguration of extensive motor truck lines, the Weather Bureau began reports of snowfall, and snow probability, along the Lincoln Highway east of Pittsburgh. This was found so valuable that requests came from other districts, not alone for reports in winter but in the summer as well; hence, what was expected to be a winter service over limited areas has developed into an important all-the-year service over a large part of the country. Prompt information as to the effect of rain on the great highways, in the Middle West especially, is of the greatest value to automobilists and motor truck operators, but of no less value to the farmer who wishes to get his crops to market. A lack of available funds has made it impossible to extend this very popular highways service as rapidly as desired, although bulletins are being issued at about 50 stations in 30 States.

## Weekly Weather and Crop Reports.

A report is published each Wednesday at New Orleans, La., which shows the weather during the preceding week, in detail, and its effect on crops and farm operations in the South. A similar bulletin is issued at Chicago covering the principal grain-growing States. At the same time bulletins are published in each State covering the weather and its effect in that State.

The National Weather and Crop Bulletin is published at the Central Office, covering the whole United States. It shows the temperature, rainfall, and sunshine, by means of charts, during the week ending Tuesday, and their effect on all the principal crops in every part of the country. By following these reports from week to week, it is easy to see when the weather has been favorable or unfavorable for crop development or farm work.

Similar bulletins in the great grazing districts of the West show whether ranges are snow-covered, where the rainfall has been ample, or deficient, and whether the ranges are in good or poor condition.

# Studying the Air and Sunlight.

No sciences make real progress unless research is carried along with routine work. The science of meteorology needs to develop several lines of research to make its work of the most value to agriculture, navigation, and commerce.

Soon we must add to our knowledge of the physics and dynamics of the upper air to aid in making aviation forecasts, as well as to improve the regular daily forecasts for other interests. Some of the aerological stations use kites that carry meteorological instruments to heights of from 1 to 3 miles usually, although, in a few cases, an altitude of over 4 miles has been attained.

Rubber pilot-balloons are used to determine wind direction and velocity at moderate elevations above the earth. When observations of pressure, temperature, and moisture, in addition to wind, at very great heights are desired, however, they are made by sounding balloons, carrying light meteorological instruments. It is not uncommon for these balloons to reach heights well above 10 miles, and they have gone slightly higher than 20 miles above the surface of the earth.

It is known that the temperature falls fairly steadily to 70° or 80° F. below zero at about 8 miles, while at greater heights there is very little variation in temperature; that the pressure at 20 miles is only about one-sixteenth of what it is at the surface of the ocean, and that the wind velocity is sometimes 100 to 200 miles per hour at no very great elevation; one record of 185 miles was recently observed at slightly above 4 miles.

This is a line of investigation demanding no great expenditure of money, but very promising in results. A complete knowledge of shifting and variable great air currents, the differences in the moisture content of the upper air, and the variations in temperature promises to aid materially in aviation and daily weather forecasts.

All life on our earth, and likewise all weather changes, are dependent on energy received from the sun. The rate at which this energy is received varies with geographical position, with the season of the year, and from day to day, with the state of the atmosphere. In other words, the intensity of sunshine, as well as its duration, varies with geographical position, and from day to day.

The most noticeable effects of the variations in solar radiation are the zonal and seasonal variations in air temperature and in vegetation; and these latter are closely associated with human existence and comfort.

Delicate apparatus is maintained by the Weather Bureau at a number of points to measure and record the intensity of the radiation received from the sun. The correlation of these records with the development of plant and animal life, as well as with weather changes, remains to be worked out.

Investigations are conducted in certain arid and semiarid regions of the West for the purpose of determining the loss of storage water by evaporation. These results are of direct value to engineers in planning city water supply systems and water and irrigation reservoirs.


#### The Climate.

The Climatological Division of the Weather Bureau has a vast accumulation of data for showing the climate in all parts of the country. These data are from the regular Weather Bureau stations, some of which have been in operation nearly 50 years, as well as from some 5,000 cooperative

or voluntary observers. Some of the latter represent more than 50 years of careful, conscientious effort on the part of men whose ambition has been to determine the climate of their locations.

The outfit of a cooperative observer consists of a rain gauge and standard thermometers, as shown by figure 7. From the data accumulated, engineers can determine the probable water supply and possible power over watersheds: the farmer can determine the average temperature and precipitation, as well as the probable frost dates in their relation to types of farming and farm operations; prospective purchasers need not be in ignorance of climatic conditions in (to them) new ventures; and the investigator can determine the climatic distribution of crops, and the effect of the weather on their yield.

Bulletins are published each month showing the precipitation and highest and lowest temperatures at each station every day of the month, as well as the total precipitation



7 .- A cooperative weather server's equipment: Maximum minimum thermometers in a latticework shelter, and a standard 8-inch rain gauge.

#### Climate and Crops.

The climate determines the distribution of vegetation, types of farming, and proper farm operations. These factors have been studied, and the whole globe can be divided into broad general bands, or districts, where particular crops dominate, because of climatic conditions. It is climate, for example, that causes over 75 per cent of the cultivated land in the Southern States to be given to intertilled crops, while over 90 per cent of the cultivated land in the Northwest devoted to broadcast crops.

Climate is responsible for a harvest value of \$10 to over \$20 per acre from crops in parts of the Mississippi and Missouri Valleys, as compared with less than 10 cents per acre over large areas in the far Southwest.

## Weather and Crops.

While the effect of climate on plant distribution has long been known, the effect of current weather in varying the yield of crops is a study of recent development. That yield is affected by weather is, of course, well recognized, but it




Fig. 8.—The effect of the rainfall for the month of July alone on the average yield of corn in Indiana, Illinois, Iowa, and Missouri during each year from 1888 to 1919, inclusive.

has not been thought possible until recently to select one weather factor from the many that affect crop development, and to show its influence on the yield.

Recent studies have demonstrated that this is possible, however, and have shown that most crops have a comparatively short critical period when favorable weather will cause a large yield, and unfavorable weather a small yield, largely without regard to earlier or later conditions.

With corn, for example, rainfall is the meteorological factor of greatest importance in varying this yield, and the critical period of growth is at about the time of blossoming. The relation of the rainfall during the month of July alone to the yield of corn in the four greatest corn-producing States is shown in figure 8.

In Ohio alone, in a period of 60 years, an average increase of one-fourth inch in rain in July, at the critical rainfall period, caused an average increase in the yield of corn of 6,000,000 bushels, while a one-half inch increase in rain made an average increase in the yield of over 15,000,000 bushels. A more detailed study in this State showed that the most important 30 days from a rainfall point of view is from July 15 to August 15, while the most critical 10 days is from August 1 to 10.

On the other hand, temperature has a greater influence than rainfall in varying the yield of potatoes in Ohio. July is the critical calendar month, and it must be cool for best results. In a period of 54 years, with each average decrease




Fig. 9.—Relation between the total rainfall in May and June and the yield of spring wheat in North Dakota.

of 1.6° in the mean temperature for the month of July the yield of potatoes increased, on the average, 6.3 bushels per acre, or a total of 1,096,200 bushels.

In the State of New Jersey, during a period of 33 years, the yield of potatoes averaged 25 bushels an acre greater when July was appreciably cooler than when it was considerably warmer than the average, which means a variation in yield for the State of over 2,000,000 bushels.

The yield of spring wheat in North Dakota is influenced largely by the rainfall in May and June, as is shown by figure 9. In general, however, the most critical period for small grains is when the berry is in the milk or dough stage. Hot and dry weather at this time will reduce the yield of high-class seed very materially.

Studies of this character frequently bring out unusual and unlooked-for results. Figure 10, for example, makes plain

that a heavy snowfall in March is very detrimental to winter wheat in northwestern Ohio. This is contrary to the usual opinion of the effect of a late snowfall on winter wheat, but the evidence of the chart seems conclusive.

A full knowledge of the effect of the different weather factors on the development of crops, and especially of the most critical stage of development, and the factor having the greatest influence in varying the yield, would be of almost untold value to the farmers and other business men in this country.




Fig. 10.—Belation between the total snowfall for the month of March, at Wauscon, Ohio, and the yield of winter wheat in Fulton County, Ohio. Wauseon is near the center of the county.

The Weather Bureau has made a sufficient start in this direction, with the small funds and few men available for the work, to show its tremendous possibilities. To carry the study along properly, however, agricultural meteorological stations should be established at all the experiment stations in the country, where detailed records could be kept of meteorological and crop development factors over a period of years.

When this is done and the new science of agricultural meteorology is developed, we believe it will be possible to

convert rainfall into terms of dollars and cents, and temperature and sunshine into the ability to buy more machinery for farm development, more complete equipment for the housewife, and better education for our sons and daughters.

# Does It Pay to Talk About the Weather?

The total appropriation for the Weather Bureau during 1919 was \$1,880,210. A very conservative estimate of the returns to interests directly relating to agriculture, including horticulture, forestry, etc., is placed at \$17,580,000, while the estimated return to commerce, navigation, and other interests is \$56,000,000. As the marketing of crops is dependent to such an extent on commerce and navigation, at least one-fourth of the last named amount should be credited to the return to farmers. This makes the total appropriation for the Weather Bureau return to agriculture alone, at a most conservative estimate, fully 1,680 per cent, and to all interests not less than 3,913 per cent.



By Samuel Fortier,

Chief of the Division of Irrigation Investigations,

Bureau of Public Roads.

THE distinguishing feature of the climate of the far western States is its low rainfall. Over the greater part of this extensive territory the annual precipitation in normal years is less than 15 inches and over large areas it is less than 10 inches. The exceptions to this rule are to be found mainly on the higher ranges of mountains, which intercept moisture-laden winds and where there is a larger precipitation, chiefly in the form of snow. This snow, when lodged and compacted in deep mountain recesses, forms the chief source of water supply for irrigation.

If the snow which falls on the elevated ranges melted gradually so as to maintain a fairly equable stream flow during the irrigation season, much larger areas could be watered. Actually, the bulk of the snow melts quickly and the resultant run-off creates floods which carry large quantities of valuable water to the sea. In consequence there is a wide seasonal fluctuation in the natural flow of streams. For instance, the maximum flow of the South Platte River at Denver, Colo., is over 24,000 second-feet, while the minimum flow is 40 second-feet. That of the Rio Grande at Del Norte, Colo., is 14,000 second-feet in flood periods and 70 second-feet in low-water periods. The Salt River at Granite Reef, Ariz., has been known to carry 143,000 second-

feet, but 300 second-feet is the minimum. The Sacramento River at Red Bluff, Calif., carries 254,000 second-feet in flood as compared with a minimum flow of 4,000 second-feet in midsummer.

The greater part of the land of the western States is utilized chiefly for grazing purposes. The arable lands of the Rocky Mountain and Pacific Coast States constitute, it is believed, less than one-fourth of the total area. A part of these arable lands is irrigated, another part is farmed dry, while the remainder is still in its natural condition and is used chiefly for grazing. As closely as it can be estimated. the area at present irrigated in this country is, in round numbers, 18,000,000 acres, and the area for which water is available throughout the 17 western States does not exceed 50,000,000 acres, or less than 5 per cent of the total area. follows that more than one-third of the total area of western lands susceptible of irrigation has already been reclaimed, that in a broader sense the revenue to be ultimately derived from irrigated products will be largely dependent upon economical use of water, and that the utilization of the limited water supply sets a fixed limit to further production under irrigation. It likewise follows that if only 5 acres out of every 100 acres can be ultimately irrigated, owing to the lack of water, a premium will be placed on the relatively small areas for which water is available. Such lands will be called upon to produce sufficient forage to feed range stock during severe storms in winter; and when droughts occur and dry-land crops partially fail, the crops grown on irrigated fields will constitute the farmer's main dependence. At present the trend is in this direction. In recent years the farmers of the West have depended more on their irrigated holdings. The prevalence of droughts, the small average yearly returns from dry farming, the high prices of many irrigated products, and the scarcity of labor have exerted more or less influence in causing farmers to concentrate their efforts to a greater degree on relatively small irrigated tracts and to bring these to the highest state of production. This, in turn, has created a greater demand for water, increased its value, enhanced the price of irrigated land, and awakened a desire to lessen the waste of water by the adoption of better appliances and by more skillful use.

# Two Kinds of Irrigation Farmers.

The irrigators of the West may be classed in two groups. those under Government projects and those under private irrigation enterprises. The reclamation act, under which Government projects have been built, provided, as first passed, for the repayment of the cost of the water right in not more than 10 yearly installments. This was found to be impracticable, and by an amendment passed in 1914 the period of paving for a water right was extended to 20 years. In no case is any interest charged. The interest exemption is important. The interest at 4 per cent per annum on deferred payments, if compounded annually, would amount to over 80 per cent of the construction charge. Furthermore. several years intervene, on an average, between the time of construction and settlement. If the interest for this period were similarly computed and added, it would increase the total charge to over 100 per cent. In other words, the United States grants a bonus to all settlers on projects operating under the reclamation act, equaling, if not exceeding, the construction cost of the works by the exemption of all interest charges on deferred payments. Over 400,000 people living on or dependent on Government reclamation projects are at present receiving the benefits of these liberal terms. They pay no interest whatever on an expenditure of nearly \$125,000,000 made by the Federal Government in their behalf.

The Nation has not been so liberal in dealing with the second group, those under private irrigation enterprises, and yet this class constitutes more than 90 per cent of the total. Before the war Congress granted to the Department of Agriculture, for the investigation of irrigation problems, an annual appropriation of \$102,440, but this amount has since been reduced, and for the current year it is \$62,440. When this fund is distributed over the 17 western States, not to speak of the irrigation of rice in the Gulf States and the irrigation of truck crops along the Atlantic coast, the amount available for any one State is quite small. In many cases, however, Federal funds are augmented by State funds under cooperative agreements. Before the war, when a larger appropriation was available, it was possible to contribute dollar for dollar with the States cooperating. Since the funds for

this purpose were reduced, it is seldom that this can be done, but several States and State institutions, rather than abandon the cooperative investigations, are now contributing more than is allotted by the Department of Agriculture.

#### The Need of Stored Water.


In the irrigation of over 16,000,000 acres under private enterprises of one kind or another little storage has been provided. The greater part of the canal systems are dependent on the natural flow of the streams for their water supplies. During periods of high water large quantities are diverted and wastefully used, while in July, August, and September, when the most profitable crops require the largest amount of water, little is available. In many localities in the West the storage of a relatively small quantity of water to tide the farmers over the low-water period would result in a doubling of the area irrigated and a like increase in the profits obtained. The reasons that so few dams have been built to impound irrigation water are mainly the cost of such structures and the difficulties encountered in financing them.

Under private enterprises large numbers of independent canals and ditches divert water from the same stream, resulting in low efficiency and much waste. None of these small enterprises is financially able to build the usual type of storage dam costing up into the millions of dollars. It is seldom that a number of such enterprises, when cooperating, can undertake a work of such magnitude. About the only feasible solution of a problem of this kind is to induce all the water users on a stream to merge their interests in a single organization, such as an irrigation district, and in this way provide sufficient security to float long-term bonds with which to obtain money to build the necessary storage works. In work of this kind the human problem is the most difficult to handle. When hundreds, and in many cases thousands, of farmers must be persuaded to cooperate and come within the jurisdiction of a single governing body, it is difficult for local men, on account of animosities of long standing, to unite diverse interests. Such a task, as recent experiences have demonstrated, is much less difficult when undertaken by a representative of the Federal Government. The Government engineer is not supposed to know anything of local factions, jealousies, and disputes. He has no private interests to serve, and his best efforts are devoted to improving the condition of the community as a whole. A small amount of money expended in helping communities to make the right kind of start in this direction and in exercising a general supervision over their organization, management, and construction could not but result in lasting benefit to the irrigation farmers.

## Community Irrigation Interests.

There has been no time since the present irrigation work of the Department of Agriculture was organized 21 years ago when community irrigation activity has been so great as at present. The seed of cooperation early planted by the irrigation pioneers of Utah, Colorado, and California has brought forth an abundant harvest of cooperative and mutual irrigation companies and irrigation districts. principle of ownership and control by irrigators of the water and works upon which their agriculture depends has thus become so firmly established as to be a fixed western irrigation institution. In one way or another the specialists of the Division of Irrigation Investigations of the Bureau of Public Roads have studied at close range the organization and operation of nearly every important community irrigation enterprise in the country, and to a considerable proportion of these enterprises, particularly of the irrigation districts, they have rendered substantial help. Possibly even more important than the help rendered to individual irrigation districts has been the help rendered in revising and establishing our present body of irrigation-district laws. This has largely had to do with encouraging the strengthening of State supervision over the organization and the financial management of districts, which in turn has made at least home markets for irrigation district securities that but a decade back, because of early mistakes under noncontrol and nonsupervision by the States, were hardly salable at all.

In Utah the irrigation district problem is the consolidation into more efficient single systems of the numerous independent, wasteful, often paralleling ditches, shovel-built in early days by the sturdy followers of Brigham Young. To cite only one instance, engineers of the Bureau of Public Roads are helping the farmers about Ogden in the formation of a single irrigation district of 93,000 acres within which over 40 independent systems, operating under 149 separate and distinct water rights, now furnish irrigation water. Through lack of storage of flood waters much of this area now receives water only in the early summer, much of it has



Modern Machines for Extensive Work.

Exervator at work on a trench for tile on a drainage district in Wyoming.

none at all, and much of it is so overirrigated in months of plenty and so affected by seepage from leaky ditches as to be unsuitable, until reclaimed. Specialists of the bureau have a thorough knowledge of the resources and latent wealth of this locality and, in conjunction with representatives of the State engineer's office, the Utah Agricultural College, and the local farm bureau, are awakening the interest of the community in the utilization, through united effort, of these neglected opportunities.

The more important present irrigation district movements in California are a little different from those in Utah just described. They involve in some instances a similar consolidation of present smaller systems; but, more important, they involve cooperation in storage construction on a larger scale than heretofore attempted by community irrigation enterprises in this country. A representative of the Department of Agriculture has recently ascertained that the six California major irrigation districts now actively constructing or planning new or additional irrigation works expect to require more than \$100,000,000 for construction purposes during the next five years. In fact, the total reported as needed in the next 5 to 10 years by existing California irrigation districts and those far enough along in their organization plans to make them of live present interest is \$174,000,000. While all of the expenditures now under consideration are not likely to be made within the next decade, the mere statement of the amount shows the present importance of the community irrigation movement in this State and suggests the call that comes to the Division of Irrigation Investigations.

## The Drainage of Water-Logged Lands.

Community action is likewise necessary in the drainage of wet lands. It is seldom that the individual farmer can find, at a reasonable cost, an outlet for waste water. He must as a rule cast in his lot with his neighbors and with all those whose lands are being damaged. Thus the drainage district is very similar to the irrigation district in form of organization, but differs from it in the object to be attained.

No census has ever been taken of the extent of irrigated lands needing to be drained, and, if attempted, such a census would be difficult to take on account of the large number of classes under which water-logged lands might be listed. It is perhaps not far from the truth to state that 10 per cent of the irrigated lands have been rendered well-nigh worthless through water-logging and the rise of alkali, and that a larger percentage of the remainder is being more or less injured from these causes. A community having a large percentage of what formerly constituted its most productive lands rapidly becoming practically worthless is in a pitiable condition. Without organization, money, or a knowledge of

the remedies to be applied, they are apt to stagnate. It is at this stage of proceedings that the drainage engineer of the Department of Agriculture can render the most effective service. By making a technical examination of the lands needing drainage as well as those menaced by a rising water table, estimating the cost, and outlining a drainage district and its organization, he can usually at small cost start such communities on the road to prosperity by pointing out what is needed, helping them to organize and exercising a general



Getting the Land Ready.

The tractor replaces a four-horse team in throwing up borders on land previously leveled.

oversight over the construction of a drainage system. Such supervision is being exercised to-day with satisfactory results in a dozen Western States, and might be greatly extended if more funds were available.

## The Preparation of Land for Irrigation.


After a water supply has been provided and conveyed to the highest corner of each farm, a large amount of labor and money have to be expended in grubbing out sagebrush, plowing, leveling, and grading the surface of fields, building the necessary supply and field ditches with their accompanying structures; in short, preparing the land for efficient irrigation and profitable crops. The manner in which this work is done determines in a large measure the profits derived from irrigation farming. It pays to prepare the surface of fields in a thorough manner. Measured in capital invested for the betterment of the irrigated farm, the difference between a field poorly prepared and one well prepared would not exceed, as a rule, \$12 an acre. The interest on this investment at current rates would be about \$1 a year. The benefits to be derived from this investment, which costs \$1 per acre per annum, would consist in larger yields, a better quality of crops, a reduction in the waste of water, labor saved in irrigating, lessening the risk of waterlogging soil, and enhancing the value of the farm.

Efforts have been made to adapt the methods used to local conditions. At least nine standard methods have been developed and put in practice for the preparation of land and the application of water. It is no easy task to choose the right one, and any assistance offered to water users either in the form of published reports or advice bearing on this subject is not only gladly received but put to good use.

#### Soil Moisture.

Soil moisture is that form of moisture held in the soil by capillarity and available for plant use. The popular conception is that this moisture may move around in the soil quite freely and somewhat rapidly. Especially is it thought to move upward to the soil surface freely and from considerable distances. Experimental work by the Division of Irrigation Investigations upon the capillary movement of soil moisture from a wet or damp soil to a dry soil has demonstrated that the popular idea is erroneous. This work showed that the lateral movement of soil moisture by capillarity during a period of 30 days through a distance of 6 inches in a loam soil was less than half enough to support an alfalfa crop. During the same period of time, moisture did not move from the wet soil 18 inches laterally into the dry soil. Barley plants, the roots of which were confined within a space 6 inches square, within a body of wet soil, thrived for about 30 days, then began to wilt, and within two weeks more were all but dead for lack of moisture. Analysis of the soil showed plenty of moisture at 2 inches from the roots.

The upward movement of soil moisture is not so rapid or extensive as the lateral movement. Numerous experiments gave results tending to show that the downward movement of soil moisture by capillarity over a period of 30 days was approximately one and three-fourths times as far, and that twice as much moisture moved down as up. Gravity is work-



Testing Movement of Soil Moisture.

Isometric view of open flume connected by wick to supply tank from which soil obtained moisture.

ing all the time upon soil moisture, tending to pull it down below the plant roots. The experiments have demonstrated that capillary moisture is influenced greatly by gravity and that soil moisture, once below the root zone, is all but entirely lost in so far as nourishing plants is concerned. Numerous tests have shown that capillarity will not move it through even a few inches rapidly enough or in sufficient quantity to grow and mature a grain crop or support an alfalfa hay crop.

The capillary movement of soil moisture from a body of free water into a body of dry soil differs only in degree from the movement of moisture from a wet soil into a dry soil. The upward movement of the moisture in a loam soil from ground water will be farther in one day than it would be in 30 days from a body of wet soil and the quantity of moisture moved would be even relatively greater. In a very fine loam soil of high capillary power it was found that if barley roots did not reach within less than 40 inches of the ground water, the plants would not mature. Sufficient moisture would not reach the roots to satisfy the plants' needs.

The downward movement of moisture by capillarity, when the source of moisture is free water, may extend indefinitely in distance and may be relatively quite large in quantity. In fact, bogs may be formed in this way.

The experiments indicate that gravity is a very potent factor in soil-moisture movement and that one great value of capillarity is to hold the moisture and cause its relatively slow transference from one soil particle to another.

#### Irrigation Water from Underground Sources.

Water for irrigation from underground sources may be obtained from springs, flowing wells, or pumped wells. The irrigated area in the 17 western States in 1909 was reported at about 13,750,000 acres. Of this total, the surface-water supply irrigated an area of about 13,056,000 acres, spring-fed supplies about 200,000 acres, flowing wells about 140,000 acres, and pumped wells approximately 300,000 acres. thus evident that at that time pumped-well water was the second greatest source of supply for irrigation. At the present time there are no authentic data published showing the changed aggregate or the proportion of each of the above classifications, but the data obtained in the cooperation this division has extended to various outside agencies indicate a rate of development of irrigation from pumped-well supplies far exceeding that of any of the other three classifications. In California, which has done most in making use of underground water, records show that in 1909 there were 9,297 pumping plants in operation, irrigating 277,000 acres. 1914, this number had increased to 24,589 plants, and to-day it is estimated that there are 30,000 pumping plants, irrigating between 750,000 and 800,000 acres. New Mexico

214

probably follows, with Utah, Colorado, Nevada, and Arizona showing rapid increase in development, though not in proportion to that of California. With proper encouragement and assistance, there are vast possibilities in the extension of irrigated areas from pumped supplies. Only about four years of extensive research in Utah has resulted in the sinking of wells in Cache Valley, Utah Valley, Uinta Basin, and in southern and southeastern Utah, with the development of the underground water of that State only begun. There are possibly more appeals from farmers for assistance and more requests for information on this subject addressed to the Department of Agriculture than on any other pertaining to irrigation. Cooperative agreements with 6 of the 17 western States include work on underground water supply, study, and development, and there are petitions from other States for such aid.

Furthermore, there are areas in several of these States where water applied from surface sources has percolated through the soil of the higher lands and water-logged the lands of the lower levels. Pumping from wells or trenches sunk on these lower areas not only lowers the water table of the water-logged lands and therefore reclaims them, but in addition furnishes water for higher lands supplied from the surface water system.

## The Distribution of Irrigation Water.


As has been pointed out, the bulk of the water supply for the irrigated farms falls upon elevated ranges. If uncontrolled this water would flow down natural channels unutilized and eventually would be lost in the ocean or would evaporate. For its utilization laws are passed, regulations formulated, administrative officers appointed, and water courts created. So important has legislation regarding water become in many of the western States that a large part of the laws on the statute books relate to this subject. Much money has likewise been expended in building diversion works and channels. If the main canals and laterals built to convey irrigation water in this country were placed end to end, they would encircle the globe six times. Some of these structures and canals are well designed and built, but the large majority are mere makeshifts.

As an aid to the proper control and distribution of irrigation water, the engineers of the Division of Irrigation Investigations have sought to improve the laws relating to the control of public waters, render State administrative systems more effective, determine the water requirements of different types of soils, design better structures, and increase the carrying capacity and efficiency of channels. In investigations of this character the main object sought has been to benefit the many rather than the few. The data collected regarding the service which water performs in irrigating crops and the quantities of water which should be allotted to definite tracts of land have been widely disseminated, and all are at liberty to make free use of this information. The same is true of the results of experiments to ascertain the carrying capacities of canals, pipes, and other conduits. All conduits should be large enough to satisfy the requirements of the lands they serve. On the other hand, all money expended in making conduits larger than necessary is wasted. Although the farmer may have no part in making these highly technical adjustments, he is always an interested party, since he pays the bills. At first thought it would appear that water has been conveyed from place to place for so long a time that all the fundamental facts relating to flow have become known to hydraulic science. While this is true in a degree, the new materials used and the new types of conduits which have been devised and introduced into general practice during the past two or three decades have rendered many of the old formulæ obsolete.

Transmission losses in earthen channels being one of the largest sources of waste, the use of concrete has recently been investigated with a view of making a stronger, more uniform and more serviceable pipe of this material. A cooperative arrangement was entered into with the State engineer of California and the California Concrete Pipe Association, by which the materials used in making pipe have been carefully investigated, the proportions of the several ingredients, including water, standardized, and numerous specimens and joints of pipe tested. As a result the weak, porous, and improperly made pipe can no longer be classed as good pipe, and a much higher standard has been adopted for all pipe made by the association.

#### The Economical Use of Water.

In many of the western States fertile raw land is cheap and abundant, but water is valuable and scantv. This fact can not be too often reiterated or too strongly impressed upon all. As a result of long-continued and carefully conducted experiments the amount of water which different crops require under any given set of conditions of soil and climate has been fairly accurately determined, but much remains to be done in conveying water to the place of use with the least possible loss and in spreading it over the surface of soil so as to minimize the losses due to evaporation and deep percolation. Notwithstanding all the improvements brought about in the past 20 years, it is doubtless still true that on the average for every 3 gallons of water diverted from streams only 1 gallon serves to nourish plant growth. Were it possible to convey and use water in irrigation with the same degree of efficiency that electric current is transmitted and applied the water now used and wasted might serve double the present area. Here, too, the activities of the Division of Irrigation Investigations are accomplishing beneficial results. The demonstration in all the larger irrigated centers that larger yields and a better quality of crops can be grown with a medium rather than an excessive amount of water is leading farmers to realize that the use of too much water is a detriment in that it water-logs their soil, causes the alkali to rise, and otherwise injuriously affects both crops and soil. However, the waste of water is not wholly due to the farmer's carelessness or lack of skill. It arises from absorption and percolation losses in canal systems, in too liberal allowances granted by judges in issuing decrees, and in defective State laws and administrative systems.



By WILLIAM H. WAGGAMAN, Scientist, Bureau of Soils.

A N eminent scientist, in emphasizing the importance of phosphorus and its compounds, once said, "No phosphorus, no brain."

While it is true that this element is actually contained in the tissues of the brain, he might very well have added, "No phosphoric acid, no bone, no flesh, no food, no life," for this compound of phosphorus enters into the structure of plants, animals, and men, and upon it we depend for our very existence.

The use of phosphatic materials as fertilizers goes back so far that no one knows when their agricultural value was first discovered. Practically all of the fertilizers of ancient times contained phosphoric acid as one of their ingredients, and such materials were used with considerable effectiveness long before their composition was recognized. Manure and animal refuse, bones, fish, and guano were among the earliest fertilizers known. All of these contain phosphoric acid, and in some it is the predominating ingredient. When science taught us the nature of phosphoric acid and the part it plays in crop production we began to use other sources, until now we are supplying it to crops from the animal, vegetable, and mineral kingdoms.

Not only is phosphoric acid essential to the growth of plants, but it plays a more important rôle than any other fer-

tilizer material in the maturing, fruiting, and ripening of crops. This, coupled with the fact that many soils are actually deficient in phosphoric acid, has caused it to be used as the basis or backbone of nearly all mixed fertilizers.

## Greatest Phosphate Deposits in the World.


By far the greatest quantity of phosphoric acid used in fertilizers is derived from the mineral phosphates, and the United States is particularly fortunate in having larger deposits of this mineral than any other nation. As in the case of many of our other now highly prized possessions, however, the nature and value of phosphate rock was not recognized until relatively recent times. The phosphates of South Carolina, the first important deposits of the mineral exploited in this country, were not discovered until 1862, and it was a considerable number of years later before mining operations were conducted on a large scale. The discovery in Florida of phosphate rock of a considerably higher grade soon attracted capital to that field, and later the same mineral was discovered in Tennessee, then in Arkansas and Kentucky, and finally huge bodies of the rock were found underlying vast areas in Utah, Idaho, Wyoming, and Montana. These latter deposits are so enormous that they exceed in tonnage all of our other known phosphate fields combined, and according to the latest estimates of the United States Geological Survey contain more than 6,000,000,000 tons of high-grade rock and many times this amount of lower-grade phosphates.

Not only does the United States possess the greatest phosphate deposits in the world, but our production of this basic fertilizer material exceeds that of any other nation. Besides supplying our own ever-growing demands, we have been aiding materially in maintaining the crop-producing power of European and Asiatic soils by our phosphate exports. These exports prior to the war amounted to from 500,000 to 1,000,000 tons annually.

While a considerable tonnage of phosphate rock is finely ground and applied to the field without other treatment, the vast bulk of the rock produced for agricultural purposes is treated with sulphuric acid and manufactured into what is known as acid phosphate, a fertilizer material readily soluble in water and quickly available to crops. Acid phosphate is the basis of practically all mixed fertilizers, and hence most of the world's output of sulphuric acid is used in its production.

## Throwing Fertilizer on the Dump Heaps.

It is the history of practically every industry that crude and rule-of-thumb methods of manufacture are employed




Mining Our Basic Fertilizer Ingredient.

A phosphate mine in Florida, the State which supplies the bulk of the phosphate rock used for fertilizer purposes.

for a long period before scientific knowledge and thorough acquaintance with the processes involved bring about the changes necessary to put production upon the most sound and economic basis. The fertilizer industry is no exception to this rule, and the production of phosphoric acid for fertilizer, from the time the rock is mined until it is mixed and bagged for application to the field, is gradually becoming recognized as involving some of the crudest and most wasteful methods known to any industry. It is logical, perhaps, that we should be wasteful as long as we have in sight such immense quantities of high-grade material readily and cheaply obtained; but the time has now come when the cream

of the more accessible deposits of phosphate rock in the East has been skimmed, and, while the vast phosphate deposits in the West are still practically untouched, they are so far from the fertilizer market that their exploitation presents a serious economic problem. Moreover, both labor and transportation charges have soared to unprecedented heights; so we are coming to realize that more careful methods of mining and handling phosphate rock with due regard to the conservation of these deposits must be practiced, and that scientific



Latest Method of Producing Phosphoric Acid.

A small furnace at Arlington Farm, Va., in which mixtures of phosphate rock, sand, and coke are smelted at high temperatures and the phosphoric acid distilled off and collected.


methods of manufacturing a finished product sufficiently high grade or concentrated to withstand heavy transportation charges must be applied in the phosphate industry.

One of the greatest examples of colossal waste of a marketable mineral is found in the Florida phosphate fields, which have had an average annual production of 2,000,000 tons of rock for the past decade. In order to put out a high-grade marketable product, the phosphate is put through an elaborate washing and screening process, during which in

some instances two-thirds of the phosphate is washed out upon the dumps, with a loss of several million tons each year. Of course, it has been argued that this can not be regarded as waste until some economic means has been devised of separating the mineral from its impurities, but when the losses entailed are compared with those occurring in the mining and smelting of metalliferous ores they appear little short of scandalous. Metallurgical practice, for instance, has now reached such perfection that old dump heaps and tailings containing only a fraction of 1 per cent of a metallic element are being worked over with economic success. It seems, therefore, almost criminal that material containing from 12 to 18 per cent of a marketable ingredient, even though this ingredient may be relatively low priced, should be heedlessly thrown away.

### Paying Freight on Filler.

But this is not all. After the high-grade rock has been recovered it is shipped long distances to the fertilizer factories, where it is treated with an equal weight (approximately) of sulphuric acid and manufactured into acid phosphate. The average grade of acid phosphate put upon the market contains 16 per cent of phosphoric acid, or about onehalf of that contained in the original rock. This comparatively low-grade product is again shipped, and frequently long distances, either to fertilizer-mixing plants or to the farmer. Freight, labor, and handling charges are being continually paid upon 84 per cent and more of natural or artificial filler contained in the product, and by the time it reaches the consumer these charges have amounted to a very tidy sum. Were it not such a serious matter the present procedure would appear ludicrous, and to one engaged in some other manufacturing line and unacquainted with the fertilizer business the methods employed in the latter industry appear highly inefficient, to say the least. The manufacturer of iron or steel, for example, could hardly conceive of a condition where his finished product would contain less of the marketable ingredient than the ore from which it was derived, and to ship and reship material from place to place while the percentage of its valuable ingredient was con-



Collecting Phosphoric Acid Fumes.

The Cottrell electrical precipitator, originally devised to abate the smoke and fume nuisance and now being used in the industries for saving valuable by-products.

stantly being decreased would seem at first sight little short of industrial suicide. Yet such is the condition prevailing to-day in the phosphate industry, an industry which is the backbone of the fertilizer business and the basis of the agricultural wealth of a considerable portion of the eastern and southern States.

It is recognized that concentrated phosphatic fertilizers must be considerably diluted before they can be safely applied to crops, but it is a needless and foolish practice purposely to manufacture low-grade goods far from the points of consumption, when the filler or diluting agent can just as well be incorporated in the fertilizer almost at the farmer's door.

# The Dawn of a New Era.

A change, however, is slowly but surely taking place in fertilizer manufacture, and the promise is held forth that in the not far dis-

tant future crude methods of mining and manufacturing phosphates will give place to efficient and scientific practices which will enable us to market phosphoric acid with the least possible waste of time, money, and material. A number of concerns are producing what is known as double acid phosphate, a product containing from 45 to 50 per cent of phosphoric acid instead of the 16 per cent contained in the ordinary acid phosphate of commerce. At least one concern has placed on the market a compound of ammonia and phosphoric acid which is sufficiently rich in these two fertilizer elements to permit its shipment to far distant points.

The United States Department of Agriculture, through its fertilizer division in the Bureau of Soils, has shown that the great losses of phosphate entailed in mining Florida rock may be at least partially eliminated by mixing the "run-of-mine" phosphate with sand and coke, and smelting the mass in either an electric or a fuel-fed furnace. In these processes the phosphoric acid is driven off as a fume and may be readily collected in concentrated form. While the mechanical and chemical details have not all been solved, the work has reached the stage where these processes hold out great promise of commercial success and bid fair to prolong the life of our phosphate deposits for an almost indefinite period.

The change from rule-of-thumb to scientific methods of manufacture is at the beginning very slow, particularly where capital is tied up in factories and equipment which are producing, and producing profitably. But when this change once starts it goes steadily on, and with each step in advance the movement gathers impetus. This forward movement in the manufacture of phosphatic fertilizers has undoubtedly begun, and it is being hastened by necessity. The day has gone by when we can say "Let well enough alone." Rather the true American industrial slogan is and should be "Only the best is well enough."

MILLIONS OF TONS of phosphate are thrown on the dump heap every year.

Phosphoric acid is the backbone of nearly all mixed fertilizers;

And the cost and supply of fertilizer affects crop production, the farmer's income, and everybody's comfort and food supply.

The lumber industry has had a lot of advertising for the wasteful methods it has used in cutting down the forests;

The phosphate industry is not so well advertised in that respect, but the losses entailed in preparing a high-grade phosphate rock for the market are even greater and more serious than in the lumber industry; for we can replant our forests, but when our phosphate deposits are exhausted they can not be replenished.

The United States has the greatest phosphate deposits in the world, but the cream of the deposits in the East has been skimmed and the deposits in the West are so far from the fertilizer market that their exploitation presents a serious economic problem.

Scientific methods, in place of the old rule-ofthumb ways of mining and manufacturing, will give a more economical product and will prolong the life of our phosphate deposits for an almost indefinite period.



By John R. Mohler, Chief, Burcau of Animal Industry.

NEED RUNTS among farm animals be accepted as a necessary evil, or can they be prevented? The experience of several hundred practical stockmen and breeders who answered a questionnaire on this subject shows that runtiness is largely preventable. It reveals, on the other hand, that a great many live-stock owners who were consulted in the matter regarded the problem as baffling. In some cases they frankly admitted lack of knowledge on the cause of runty live stock, but expressed a desire to obtain the facts if possible.

#### Remarkable Differences in Growth.

Animals raised under varying conditions often show great differences in size, appearance, and rapidity of growth. For instance, a bull nearly 3 years old received at the stockyards in Kosciusko, Miss., last year weighed only 300 pounds. In contrast another bull examined by a department specialist in northern Illinois weighed 2,150 pounds as a 2-year-old. The younger bull weighed seven times as much as the older one. Here was a difference not to be explained by any one cause, and in seeking a combination of causes one soon reaches the place where facts are few and opinions are varied. This paper contains the results of a preliminary inquiry on the subject.

The live-stock owners whom the Bureau of Animal Industry consulted regarding the runt problem represented a class

of practical farmers whose live stock probably is somewhat better managed than the general average for the United States. A large majority of the stockmen owned cattle officially accredited as free from tuberculosis. Others were cooperating with the department in the "Better Sires—Better Stock" campaign, a national educational movement to improve the average quality of live stock in the country. Yet even on farms of this class, reports indicated that runty ani-



A Good Steer and a Runt.

A year-old Aberdeen-Angus steer (the large one) and a 3½-year-old Piney-Woods steer. Poor breeding is the principal reason of runtiness in this case, with parasites and a variety of other factors as contributing causes.

mals constituted 7 per cent of the total. In connection with this proportion the reports showed that the financial returns on these farms would be increased 13 per cent if runts were absent. This was the average of 535 replies.

# Runts by the Million.

Considering that the figures refer to a superior class of farms, they must be regarded as conservative for the country at large, especially since the average includes farms reporting an entire absence (zero per cent) of runts. But even 7 per

cent of runty stock is a figure that looms large when applied to the live-stock industry of the country. Seven per cent of approximately 200 million domestic animals means 14 million head, exclusive of feathered stock.

Runtiness, of course, is a general term involving various degrees and may signify either a greatly or moderately stunted growth. Besides, it usually results from a combination of several causes, seldom just one alone. The term



An Assembly of Runty Live Stock.

Reports of the Department of Agriculture indicate that fully 7 per cent of farm animals in the country are of inferior development and that returns from live stock would increase 13 per cent if runts were absent.

runt, as here used, signifies an animal considerably undersized or lacking in development as compared with normal animals.

A total of 846 opinions on the class of stock in which most runts appear gave hogs the doubtful distinction of being first; in fact, this was the opinion of more than two-thirds of the live-stock owners. This conclusion received support also from those who reported the percentage of runty animals on their farms. Whereas the general average of runts for all classes was 7 per cent, reports on hogs alone showed 10.1 per cent of runts. For sheep the figure was 7 per cent, for poultry 6.5 per cent, and for cattle 3.9 per cent.

# Breeding and Feeding the Chief Causes.

Seven main causes and 16 contributing ones explain why animals either are born runty or become runty afterwards. Inferior breeding and inadequate or unsuitable feed head the list. The figures following give the consensus of opinion on this subject for 783 farms:

Principal causes of runts.	
Cause. Po	er cent.
Inferior breeding	31. 6
Inadequate or unsuitable feed	30. 4
Parasites and insect pests	<b>15.</b> 1
Lack of adequate housing and care	12.4
Contagious diseases	4. 9
Exposure	2. 9
Accident	1.0
Other causes	1.7
Total	100.0

The "other causes" included inbreeding, breeding immature animals, excessively large litters (swine), poor condition of dam, overcrowding at feed, digestive troubles, lack of exercise, weaning too early, unkindness, and a variety of minor causes.

# Weaning Time a Critical Period.

The importance of giving live stock suitable care early in life and especially around weaning time is shown by opinions on the time when runtiness appears. More than 85 per cent of runty animals become so between birth and shortly after weaning. Nine hundred and twenty-nine opinions on this subject indicate that 4.4 per cent of runtiness appears at birth, 50.7 in infancy or before weaning, 35.7 shortly after weaning, 7.7 in the early part of life generally, and 1.5 at any time. Many of the replies specifically mentioned hogs and cattle, the great majority indicating that pigs become runty before weaning and calves shortly after weaning. Weaning time or thereabouts is undoubtedly the critical period in the life of a farm animal.

### Ways to Prevent Runts.

Opinions on the best methods of preventing runts appear below. The list represents, in a sense, methods of overcoming the principal causes of runts already given.

Methods of preventing runts.	
	er cent.
Proper and adequate feed	31. 9
Better breeding	24. 3
Good care and systematic attention	18. 3
Better housing and sanitation	9.4
Care of dam before birth of young	5. 7
Control of parasites (worms, lice, etc.)	3. 5
Control of disease	1. 2
Other methods	5. 7
Total	100.0

It is noticeable that whereas inferior breeding occupies first position as the chief cause of runty live stock, proper and adequate feed is first as a preventive method. Supplementary comments on methods of prevention explain why this is so. "Although inferior breeding causes most runts," one breeder stated, "breeding alone will not prevent runts. You can stunt the best-bred animal by improper or insufficient feed." In this connection another stockman advised, "Study your animals before mating. Do not use inferior stock. Be sure they are free from disease. Then give the 'corncrib cross' and runts will be scarce."

The first five items in the foregoing table received particular comment by persons who reported success in reducing the proportion of undersized animals on their farms. "Better breeding, better feeding, and housing," declared one stockman, "have been my aim, and I have reduced my runts from 40 to 10 per cent within three years. I discovered that I lost money on nine-tenths of the runts I raised to normal size and with the others I just barely broke even. Breed and feed make the animal every time."

Another breeder who stated that he had no runts whatever, explained, "We have eliminated runts by raising nothing but purebred stock." "We quit the scrub business long ago," still another remarked. "When everyone quits raising

scrubs the runts will gradually quit. But so many people say 'Oh, it's a hog or a calf. What's the difference so the service fees are cheap?' Poor, blind people!"

A North Carolina farmer says of reducing runts, "I always try to use a better sire than the dam and in that way get better offspring not only in cattle but in chickens." A stockman



A Runty Bull.

Age, about 3 years; weight, 300 pounds; breeding, scrub. Inferior breeding and poor feeding are the two chief causes of runts.

who emphasizes the value of skillful feeding advises, "Continue correct and nourishing feed until the animal is a year old and then don't stop."

A comment which sums up the general sentiment on the prevention of runts comes from a Virginia stockman who says: "In 10 years of farming I have not had a runt born either of horses, cattle, or hogs. All my sires have been registered and this with good care and feeding may be the

#### To Raise or Not to Raise Runts.

Does it pay to raise runts to market size? This question resulted in 74 per cent of negative opinions. On the other hand, 26 per cent advised raising runts under certain conditions. Such conditions involved an abundance of cheap feed, favorable markets, and especially the practicability of raising well-bred animals even if undersized. Whether to raise or



Little Pigs and Big Ones Feeding Together.

A practice which helps to cause runts. Give the young stock a fair chance to eat and exercise.

not to raise runty stock necessarily is a matter for the owner's judgment, and as a basis for such judgment a number of comments are of interest.

A hog grower who points out the value of an abundance of milk as a feed states: "I have given away runty pigs to persons who had skim milk to spare and they beat my best ones at 12 months old." Commenting on the size of pigs at birth, another breeder states that although "pigs may be small at birth, if otherwise all right they will grow as well as their larger brothers."

"In the case of inherited runtiness due to inferior breeding," an experienced stockman states, "it does not pay to raise the animal; but other cases, due to lack of proper feed,

may be raised with a profit." An Ohio hog grower, in discussing runtiness due to parasites, tells of a pig which he bought as a runt for 50 cents and which weighed 287 pounds when 9 months old. In speaking of the purchase, he explained: "I thought the pig would die before I got it home. However, I took a tub of warm water and plenty of soap and an old scrub brush and gave that pig a good bath. I did this again a week later. It had a pen to itself and soon began to grow. The pig was 8 weeks old when I got it and when sold



A Litter of Ten, All Husky.

Good care of the dam before farrowing and afterwards helps to prevent undersized, unthrifty live stock.

at 9 months it weighed 287 pounds. I have tried the same methods since then with good results, but some pigs take more scrubbing than others."

A Tennessee live-stock owner states: "Well-bred runts make fairly good animals, mongrels never." One of the most striking comments is the case of a registered Aberdeen-Angus calf that was "badly stunted on account of the mother's not giving sufficient milk. But with proper care," the owner adds, "this calf did very well later. I showed him at the State fair at Helena, Mont., in 1918, and he carried off the blue ribbon in his class."

A Vermont farmer tells of a colt which at 4 months old was very poor and undersized. "I gave it skim milk for some six months," he added, "and it grew into a better built and heavier horse than either parent."

A comment which forms a general basis for deciding whether to raise a runt comes from a Virginia farmer. His conclusion is this: "Being born small generally has little effect on the size of an animal at maturity if it has proper nourishment from birth to maturity. But to develop into a high-class animal it must have good breeding back of it, and to do this we must use purebred sires that are good individuals with strong constitutions."

## Profits in Reducing Runts.

When asked to give their opinion on the extent to which their financial returns would be increased if runts were absent, 535 live-stock owners mentioned figures varying from 1 per cent to more than 100 per cent. The average was 13.1 per cent. More than 20 per cent of those expressing an opinion reported that their returns would be increased one-fifth if they could solve the runt question. Several stockmen urged with emphasis a more liberal feeding policy on live-stock farms, and pointed out that niggardly feeding is nearly always unprofitable. "I find I can not cheat the animal without cheating myself," says a Maine farmer.

Another New England live-stock owner explains that formerly his financial loss from runts was approximately 25 per cent, "as they not only run you into debt but detract from the appearance of the good stock. In my experience of 45 years," he adds, "I am sure that any breeder can eliminate the runt to a practical absence. I have had practically none in the last 25 years."

### Can Runts Be Reduced? Yes.

The reduction of the proportion of runty live stock on farms in general was considered practicable by a large majority of those expressing an opinion. However, less than three-fourths of those who had answered the various other questions made any reply as to the possibility of runt reduction, and many stated their inability to answer. Such re-

234

quests as "I would like information along this line," and "If I knew how to prevent runts I would do so," explain the reasons for the partial replies. However, of 511 persons who answered the question 89 per cent believed runts could be reduced, 10 per cent more made a similar answer, with the qualification that reduction, though possible, was not always profitable. Only 1 per cent said "No." Many giving affirmative answers supported their opinions with evidence.



An Excellent Type of Sire.

Sires like this are improving the size and quality of live stock in the South. This purched Hereford bull, used in Mississippi, weighed 1,800 pounds in good breeding condition.

A Utah farmer, in warning against the danger of inbreeding, said, "When I was a boy my father bought a bull. He kept that bull for 10 years. The calves became smaller and runty. Finally he sold the bull and got another, and every two years now we get new bulls. We have improved our stock and have no runts."

Another stockman declared, "Since going into the purebred business and having learned to feed well, I have had no runts. Previously my loss was at least one-fifth." Various sidelights on this question indicated that the presence of one or even several runty pigs in a litter was a regular occurrence and was practically unpreventable. But in contrast to this opinion some reported an ability to obtain good-sized litters in which the pigs were uniform in size, all making normal growth.

A South Carolina breeder of registered Poland-China swine states, "We have not had a runty pig in two years and some sows have from 9 to 11 pigs each. We give them good pasture on alfalfa and good range."

A Nebraska Duroc-Jersey breeder prevents runts in large litters by weaning the strongest pigs at 6 weeks old, thus giving the others a better chance. A Virginia dairyman states, "By bringing a purebred and fine, large, healthy Holstein bull into my herd the calves almost doubled in weight at birth." From Pulaski County, Va., where the "Better Sires—Better Stock" movement has made noteworthy progress, a live-stock owner writes, "Over 300 farmers in this county have pledged themselves to breed to nothing but purebred sires of any kind and have distributed good bulls over the county. In three years our cattle have improved from 50 to 75 per cent. The same can be said of sheep, hogs, and poultry. Don't breed runts and you won't have them."


### Runts in Poultry.

Inbreeding and poor matings, as a cause, are the principal factors distinguishing runtiness in feathered stock from that in other farm animals. The following list of causes and methods of prevention contains the views of 474 poultry owners:

Principal causes of runts in poultry.	
P	er cent.
Poor feeding	17. 9
Inbreeding and poor matings:	13. 7
Inferior breeding stock	13. 1
Parasites, especially lice	12. <b>4</b>
Neglect	11.4
Poor housing	7.0
Late hatching	6. 5
Overcrowding	5. 9
Disease (roup, diarrhea, etc.)	5. 3
Low vitality of chicks	3.4
Selecting poor eggs	3.4
٠,	
Total	100.0

The importance of hatching early occupies a more prominent position among the comments than the figures for late

hatching in the table indicate. While but a small proportion of poultrymen, it appears, are familiar with the advantages of early hatching, those who do hatch early find it a distinct-benefit. For instance, one farmer states, "Last year all of my chickens hatched after the 1st of June were runts. Those before that were normal and were laying in October. The same feed and care were given to each"



A Result of Good Breeding.

A standardbred Rhode Island Red hen, weight 6! pounds. To obtain growthy birds that begin laying in the fall, breed well, hatch early, and feed well. In addition, provide comfortable, sanitary quarters.

Still another adds, "When I get my chicks hatched in April and May I do not have runts in my flock." Further along this line another poultryman estimates that one-third of late hatches are runty. "To prevent this," he adds, "hatch no chicks later than May 1."

Another farmer states: "I have purebred Barred Rocks and rarely ever have a runt, unless I try to hatch in June or

July." The warnings against inbreeding likewise are of interest. "We have no runts in our poultry," is the statement of a Virginia farmer, who adds, "We buy purebred cocks from a different strain every year." "Keep purebred fowls and change the sire every year," is the injunction of another poultryman, which is typical of similar experiences.

## Experiments Support Breeders' Opinions.

The benefits of early hatching reported by farmers tally with the results of the experiments which the Bureau of Animal Industry has conducted. In these experiments the early-hatched chicks showed a marked superiority over those purposely hatched late to observe the effects. There was a noticeably steady degradation in size and type of the late chicks as compared with those hatched early.

With some of the larger animals early births are likewise important. The March pig if "pushed along" can be sold by Christmas time. Of course, care must be taken with early births to give better attention than if the young come after grass is good and the weather is milder. Yet, if properly cared for, the young animal will make more rapid progress at the opening of spring. There is a similar benefit with lambs. Late lambs, for example, go on the market in competition with the western run. Instead of being born early and put on the market at from 4 to 6 months of age in wellfinished, plump, attractive condition, the average farm lamb is sold at from 6 to 8 months. It has lost its baby fat and is little better than a poor feeder. The effect of putting this class of lamb on the market is to reduce the popularity of lamb as a food compared with other meats, and it unquestionably injures the reputation of lamb from the farm States as compared with western lamb.

With beef cattle early calving is important on the range in order to have the calves weaned before fall storms and to have them of good size before they are sold to go to the Corn Belt for further feeding.

From these sidelights the reader will see that the questions of runtiness and of good live-stock management are closely related. Both are tied up with economic factors of great importance.

# Principles of Growth.

The experiences contributed by persons cooperating with the Bureau of Animal Industry in pointing out the cause and prevention of runty live stock support certain general principles that have to do with animal growth. These principles embody also the observations of experts in animal husbandry and genetics.

Methods of dealing with runty live stock also may indicate the best course to take in dealing with unthrifty young animals in general. This matter is fully as important as that of actual runts, since the conditions that retard the growth and vigor of stock already below normal may naturally be expected to affect other animals on the farm. Here are the principles of growth to keep in mind:

- 1. Every animal has in the first part of its life a natural growing period. This varies from a few months in the case of birds (and most small creatures) to more than a year with cattle, horses, and other large animals. After the natural growing time expires, the animal's capacity for growth practically stops; hence the importance of obtaining the desired development during the early period of life, when an animal is capable of growing.
- 2. Heredity is an important element in an animal's ability to grow rapidly and to reach the desired size. Well-bred beef steers frequently attain a weight exceeding 1,000 pounds within 18 months, whereas scrubs of light-weight ancestry can not be expected ever to reach 1,000 pounds in weight, even though given the same feed and care. The same natural laws that cause a turkey to grow larger than a chicken affect the size of individuals in the same species and even the same class or variety.
- 3. Interference with the nervous system and the vital organs is a serious drain on the vitality of an animal. Hogs infested with lice, for instance, make poorer gains than those free from such parasites. A heifer bred before reaching maturity may be permanently stunted by the extra demands of the young calf on her system. There is an exception, however, in the effect of castration on growth. A capon grows more rapidly and reaches greater size than a rooster, and with

most meat animals skillful castration appears to increase rather than retard growth.


- 4. Nutrition, of course, is a prime factor in the question of runty live stock. The proper nutrition of young stock begins with the feeding of the pregnant mother. After the animal is born its proper nutrition involves not only the quantity of feed, but likewise the palatability, quality, and proper combination. There must be no interruption of feeding, since periods of semistarvation, most common in winter, may prevent an animal from reaching its normal size. The question of feeding live stock includes the very important matter of watering.
- 5. Fatigue, exposure, and overcrowding may retard growth. Physical deformity and certain mental factors, such as timidity or sluggishness, likewise may interfere with the ability of an animal to obtain the necessary feed, especially in competition with other stock that is normal, alert, and aggressive.

#### STOP PRODUCING RUNTS

Runts are usually the result of—
Inferior breeding
Inadequate or unsuitable feed
Disease, parasites, and insect pests
Lack of adequate housing and care

## To prevent runts-

Use quality stock for breeding
Feed well with suitable feed, especially during the natural growing period of early life
Guard against parasites and diseases
Provide comfortable and sanitary housing
Give proper attention, care, and kindness



By. B. R. Coad,

Entomologist, Southern Field Crop Investigations,

Bureau of Entomology.

CAN the cotton boll weevil be controlled profitably? If you are a cotton raiser there is hardly anything you would rather know. An affirmative answer to the question, eagerly sought ever since the weevil invaded this country, has at last been found. The weevil can be controlled by means of a calcium arsenate dust, if the dust is applied at the right season, at the right intervals, and in the right way. This may sound hard, but it isn't. All it means is that the job must be done right. It is no good to build a house and leave the roof off; if you are not going to make a complete job, it will not pay to start.

The method now recommended by the Department of Agriculture for poisoning the weevils is the outgrowth of a long series of experiments. The first announcement of success in weevil poisoning was made by Prof. Wilmon Newell and Mr. G. D. Smith as a result of experiments conducted with powdered lead arsenate in Louisiana during the season The farmers, however, did not adopt this method, and experiments conducted by the Department of Agriculture during the next few years gave such variable results that definite recommendations could not be made regarding it. But as a result of technical experiments by the author in 1913-14, the problem was attacked from a new angle; in new field tests the poison used and the methods of application were changed, and striking results were obtained. More ex-241

haustive studies followed these experiments, and it was found possible by poisoning to reduce the number of weevils sufficiently to keep them under control. It was also found, however, that this control usually did not last long after the poisoning was stopped, and, furthermore, that the weevils were merely reduced in number—never exterminated. Applications of poison made early in the season, with the view of killing the hibernated individuals and thus preventing their multiplication, were not profitable, and far better results were obtained by poisoning later in the season. Apparently enough weevils survived the early-season treatment to keep up the infestation. The poisoning period was therefore deferred to a time, later in the season, when the plants are fruiting more heavily and are better able to take advantage of a short period of protection.

# Free Fruiting of Cotton Favors Poisoning.

The cotton plant puts on much more fruit than it can mature, and about 60 per cent of the squares which are put on are shed. This shedding varies as the plant develops, starting with a fairly light shed early in the season and increasing until it reaches the point where all new fruit is shed. Up to a certain point, shedding due to boll-weevil injury merely takes the place of this natural shedding, and thus a certain amount of weevil activity can be permitted without any loss of crop.

With these facts in view, the poisoning of the weevils is begun just before they become abundant enough to offset this natural shedding of the plant, and is continued long enough for the cotton plants to put on a crop of bolls and develop them beyond the danger of weevil injury. Then poisoning is stopped and the weevils are allowed to multiply unchecked.

The most serious obstacle to bringing about the general adoption of such a system of poisoning is the difficulty of giving explicit instructions regarding the best time for starting and for stopping poisoning. Arbitrary rules can not be established. Conditions vary from field to field and from season to season. Probably it will never be possible to give instructions for poisoning which will not leave much to the

discretion of the individual; but continued use and the adoption of local practices which most nearly fit local conditions will overcome this drawback in a measure.

# Increasing Success with Dusting.

The fact having been established that weevil control was possible, it became necessary to make it both profitable and practicable under farming conditions. This has meant development of the methods of dusting and improvement of the material utilized.

From 1915 until 1917 the department's experiments consisted entirely of small-plat tests of different methods of poisoning, the results in each case being ascertained by careful comparison with those in plats of unpoisoned cotton. These experiments resulted in rapid improvement in dusting methods until uniform gains of from 250 to 1,000 pounds of seed cotton per acre were obtained from the tests.

The first really practical work on an extensive scale was undertaken in 1917, when several hundred acres of cotton on one plantation were poisoned late in the season with profitable results. This experience led several owners of large cotton plantations to undertake poisoning work on their entire properties in 1918, the work being supervised by experts of the Department of Agriculture. During that season about 35,000 acres were included in the experimental work, and the results on the whole were profitable.


Following the success of 1918, the department issued its first publication on poisoning, which aroused interest among the farmers in several localities. As a result some 3,000,000 pounds of poison were used for weevil control during the summer of 1919, the work of the department during that season involving about 75,000 acres. Again results were favorable and interest in the poisoning spread rapidly among cotton growers.

# Dust Every Four Days.

In the earlier work poison was applied every seven days, but it has since been determined that an interval of approximately four days is much better. As the primary aim in poisoning is to keep the cotton thoroughly poisoned from the first application until the weevils are under control, weathering and plant growth make it necessary to repeat the applica-

tions about every four days. The poison reaches only the adult weevil and has no effect on the immature stages, protected as these are within the squares and bolls. These would produce weevils daily for about two weeks after the first application was made, even if no eggs were laid after the first application. When the applications are seven days apart a sufficient number of weevils emerge, escape poisoning, and lay

their eggs to perpetuate the infestation; but by keeping the



Cart Duster in Operation in Cotton Field.

This machine will cover about 25 to 30 acres during a night's operation and can be allotted from 75 to 100 acres of cotton for the season.

cotton continuously poisoned it is possible not only to kill the adults present when the first application is made but also to destroy the majority of their progeny.

It is generally found in the field that about three applications at the short-time interval of four days will reduce the number of weevils below the point of danger.

# Raise a Cloud of Dust, and Let It Settle.

Any attempt to blow the poison directly onto all portions of the cotton plant is out of the question. Fortunately, however, this is neither necessary nor desirable. Technical studies indicate that most of the weevils are poisoned not through their feeding but through their habit of drinking moisture from the surface of the plant. Therefore the

weevils will be killed if the fine powder is caused to settle on all portions of the cotton plant that may retain moisture, and this is accomplished by the dust-cloud method of application. The poison is blown out in such a manner as to form a dense cloud of dust, which drifts through the plant and covers all exposed surfaces.

# Night Applications Best.

Practically all poisoning work must be done at night. The plants are unusually moist at this time and thus retain the poison better; furthermore, atmospheric conditions at night are such that the dust cloud will remain over the plants and settle upon them, whereas during the day it is likely to rise above them and drift away. On occasional days, of course, the plants are moist and the air is calm, but as a rule satisfactory dusting conditions occur only at night.

#### Use Calcium Arsenate.

At the outset of the work powdered arsenate of lead was utilized for poisoning. As the grades of this arsenical which were then standard did not give the requisite degree of weevil control, an improved grade was prepared. This gave fair results, but it was still not thoroughly satisfactory.

Calcium arsenate was then tried and was found to be far more poisonous to the weevil than any form of lead arsenate, a better material for dusting, and far cheaper. The calcium arsenate first used, however, burned the cotton plants seriously, owing to the presence of too much water-soluble arsenic oxid. Improved methods of manufacture have eliminated this difficulty. Calcium arsenate containing different proportions of total arsenic were tested, and it was found that the product containing from 40 to 42 per cent total arsenic pentoxid gave very satisfactory weevil control and could be made so as not to contain too much water-soluble arsenic.

It is important that the material have the right physical properties, especially those which make possible the best dust cloud with the least possible material. Eventually a material bulking 80 to 100 cubic inches per pound was selected as most satisfactory for this work.

### Getting a Good Dust.

Prior to 1918 only one manufacturer was producing calcium arsenate, and this in very limited quantities. In 1919 about a dozen more manufacturers undertook its production, and in 1920 the number was increased to at least 25. Unfortunately, calcium arsenate proved not so easy to manufacture as was anticipated; and with so many new producers making it the quality of the product was naturally exceedingly variable, especially since it might be unsuitable in three different ways: First, it might contain too much water-soluble arsenic and thus injure the cotton plant; second, it might not contain sufficient total arsenic to control the weevil; third, the physical properties might be such that it could not be satisfactorily dusted on the cotton plant.

To give the farmers as much protection as possible, all purchasers of calcium arsenate have been invited to send samples to the department, at Tallulah, La., for analysis. More than 2,000 samples have been analyzed, and the farmers have been advised as to whether their material was satisfactory for use for boll-weevil control. In addition, the Federal Insecticide and Fungicide Board has devoted considerable attention to sampling the larger shipments of calcium arsenate, and wherever these have been found to be made up of unsuitable material they have been seized and condemned. On the whole, this has resulted in a fairly thorough degree of protection to the farmers, and much calcium arsenate which could not have been used safely has been eliminated from the market, although on several occasions unsatisfactory material was used before it was possible to detect it. It is hoped that this difficulty will soon cease to exist, and the improved quality of the material sold during the latter part of the season of 1920 indicates that the majority of the manufacturers have now had sufficient experience in the making of this chemical to turn out a very satisfactory product. Owing to the rapid development of this industry, however, the material on the market still requires careful inspection.

# Dusting Machines.

Suitable machinery for dusting is highly important. The original plat tests were conducted with hand "guns," but as soon as practical control work was started it became necessary to have equipment of larger capacity. The first machines used were adaptations of types then on the market, but it was soon found that they were unsatisfactory and it became necessary for the department to organize a mechanical branch. This was done by the Bureau of Entomology and the Division of Rural Engineering of the Bureau of Public Roads working together.

On account of the large area under treatment at that time, the first machine developed was a gasoline-power duster. Gas engines proved unsatisfactory, however, owing to night operation and the quality of labor available for running these machines. Another difficulty at that time lay in the feeding of these machines, for it was found impossible to dust an acre of cotton with less than about 15 pounds of material. Improved feeding devices were therefore developed, capable of delivering any desired quantity of material per acre, and thus permitting the use of the desirable dosage of 5 to 7 pounds per acre.

To avoid the use of the gas engine, experimental models of machines which derive their power from the wheels were built and found to be very satisfactory. Blue prints showing all details of construction of a machine of this type were furnished all interested manufacturers. As a result several hundred machines of this type were distributed during 1920, and at present a half dozen or more manufacturers are building machines based on this design.

Hand guns, on the whole, have proved decidedly unsuited to extensive weevil-poisoning work. Notwithstanding every effort to improve existing models, the hand gun has two great drawbacks—laboriousness of operation and lack of durability. Of course such machines will always be of use on very small areas or where, owing to stumps, roughness of ground, or other conditions, the operation of a larger machine is impossible.

Following the development of the cart duster, the need of a smaller and cheaper machine became very apparent, and during the 1920 season the department worked on the development of a one-mule type of machine which will meet the needs of small farmers. It is expected that this machine will be comparatively cheap and will dust about 50 acres of cotton

during the season. Experimental models of such a machine have proved satisfactory, and several manufacturers are becoming interested in its construction for the 1921 season.


In addition to these standard types of machines, several other models are now being developed. For example, at the suggestion of the department some manufacturers have undertaken the construction of a two-row machine to be carried on mule back. Other designs include machines modeled somewhat on the order of the hand gun but carried by two men; and still others will undoubtedly be forthcoming soon, as is desirable.

All machines designed and developed by the department engineers have been covered by patents dedicated to the public. These designs are then available for any manufacturer or individual who cares to utilize them.

The mechanics of the department have also served in an advisory capacity for manufacturers engaged in the production of dusting machines and have assisted in every way possible in making these designs satisfactory. In the same manner the farmers have been assisted by advice regarding the best type of machines for the conditions under which each man is trying to poison.

# Poisoning Schedules for Each Locality.

In the interest of the best experimental work, all the earlier experiments were conducted in one district, the Mississippi Delta. This was unfortunate in a way, for although detailed information could be given regarding the poisoning methods best adapted to that district, these methods do not necessarily apply in other localities. The work has therefore been extended as rapidly as possible and substations established in many representative districts throughout the cotton belt. The simultaneous collection of data at many points, at each of which conditions differ radically from those elsewhere, will permit the preparation of schedules for poisoning more nearly adapted to each locality. At each of these stations plat tests of weevil control were conducted during the 1920 season, largely with the view of determining the margin of profit for operation at these different points. It is already apparent that profitable gains from poisoning may be looked for in the Alabama black belt, southern Louisiana, eastern Georgia, and southern South Carolina.



Yields of Poisoned and Unpoisoned Cotton.

Above: Dividing line between poisoned and unpoisoned cotton in check-plat work conducted near Tallulah, La., during the season of 1920. Neither plat has been picked. The poisoned plat produced over 500 pounds of seed cotton per acre more than the unpoisoned plat.

Below: Piles of cotton showing difference between yield of poisoned and unpoisoned cotton in commercial poisoning work in the Mississippi Delta during 1920. This farmer left 3 acres of a 10-acre cut unpoisoned, and the piles were picked from a quarter acre each of the poisoned and unpoisoned cotton. The increase of seed cotton per acre due to poisoning was over 900 pounds.

#### Success and Failure in 1920.

The large-scale poisoning work under the supervision of the department was still further extended during the season of 1920, especially to embrace additional districts. Seasonal conditions made the experiments of that year particularly interesting. The mild winter of 1919-20 permitted the emergence of an unusually large crop of hibernated weevils in the spring of 1920. Following this, the excessive and frequent rains which were almost universal caused a rapid multiplication of weevils. In addition, the spring of 1920 was so unfavorable to planting that the cotton crop was from two to four weeks late. These conditions combined produced an unusually heavy damage by the weevil, probably the heaviest in the history of its activity in this country, a fact which gave large margins for gains from the poisoning work, though this advantage was more or less offset by the difficulty of operation in the face of the almost incessant rains. On the whole, the conditions were decidedly against poisoning, yet the gains from poisoning were more general than ever before, and these gains as a rule were larger than usual.

During this season 10,000,000 or more pounds of calcium arsenate was sold for cotton dusting. Evidently a large number of farmers attempted poisoning. Their operations extended from southern Texas to South Carolina, but only in separate localities or sections, poisoning being a recent development and still unknown to a majority of the cotton farmers.

Early in the season it became apparent that the suitable dusting machines would fall far short of the number required. As a result many farmers bought calcium arsenate with little or no likelihood of being able to obtain machines for applying it. Furthermore the shortage of other machines gave a great opening for the sale of hand guns, which were available in rather large numbers. The only types of machines to be had were the hand guns and the large cart dusters. The latter were selling at from \$300 to \$500 and were therefore out of reach of the farmer who planted less than 100 acres of cotton; consequently many farmers tried hand guns on entirely too large a scale. Not more than

8 acres of cotton can be treated throughout the season with a hand gun. Furthermore, owing to the inadequate supply of labor and the reluctance of plantation hands to operate these guns for any length of time, it is ordinarily impracticable to use them on more than 25 acres in one organization. In spite of this, many farmers purchased one hand gun for 40 acres or more of cotton, and in other cases several hand guns were purchased for very large areas. Naturally, many failures resulted.

A survey has been made to determine the degree of success attained by the farmers in the different districts, and also to determine the cause of the failures. The results are interesting. In many districts success was general, in some a few individuals succeeded while the rest failed, and in others weevil poisoning was almost invariably a failure.

#### Reasons for Failure.

A careful scrutiny of the methods of application used showed that an unfortunately large number of farmers had in no way approximated the recommended methods. In many cases they had applied the poison only once, in others they had tried two applications from a fortnight to a month apart. Other farmers, with hand guns, attempted to dust areas so large that it was impossible to cover them, and so gave it up in disgust. The one saving feature of the situation was that in practically every case in which recommended methods of application were used the results were at least fairly satisfactory.

The failure of many farmers to follow the proper method in dusting seems to have been due usually to lack of information, or at least to lack of correct information. Poisoning, when done as recommended, is an expensive operation, but some salesmen have tended to minimize its cost and its difficulties. For instance, if the salesman had an idea that the farmer would not try poisoning if told that it would be necessary for him to make three or more applications, he would affirm that one application would control the weevil. If the farmer showed disinclination to buy more than one hand gun he was often informed that this would quite suffice for treating whatever area he had in cotton, whether 10 acres or 50 acres.

252

These conditions, of course, will be remedied rapidly, but unfortunately they have served unwarrantably to discourage many men and undoubtedly have led to a number of losses. Fortunately the smaller machine adapted for the small farmer will be available for use in a short time, so that it will no longer be necessary for him to depend upon hand guns.

Many failures were evidently caused by the use of unsuitable calcium arsenate. In some cases the total arsenic content was so low that it would not kill enough weevils to secure control. Furthermore, a considerable quantity of calcium arsenate sold to the farmers was sandy or granular, not ground finely enough, so that instead of drifting through and remaining on the cotton plants it failed to adhere and fell to the ground. With such material it was almost impossible to secure any weevil control.

One important cause of failure is carelessness of operation. All publications on weevil poisoning have thoroughly explained the fact that the operation is useless unless thoroughly done; and since the method is so entirely new to the laborer, it is futile to hope for satisfactory results from equipment turned over to tenants for operation without any instruction or supervision.

Some farmers, having made one or two applications of poison on the cotton and, upon examination, finding live weevils still present, have become discouraged, inferring that the work was useless, and have discontinued it. No matter how poisoning is conducted, it is always possible to find live weevils in the field, and their presence in no way precludes obtaining a full crop of cotton and a very good profit from the poisoning operations.

# Do it Right or Not at All.

To recapitulate, the results of poisoning in 1920 were exceedingly variable. While there were many failures, there were many more successes, and on the whole the experience of the season showed more plainly than ever that it is possible to control the weevil if the work is done properly. It emphasizes the repeated advice of the department, "Do it right or not at all."



By W. L. McAtee,


Assistant Biologist in Economic Ornithology,

Bureau of Biological Survey.

B IRDS hunting insects and worms in an orchard may not buzz so much as the proverbial bee, but just the same they are mighty busy. One who has seen them at it during the season when they are rearing their young can have no doubt about their being a great help to the orchardist. They are active everywhere: flickers, blackbirds, robins, and thrashers seek their insect prey on or near the ground; woodpeckers, nuthatches, titmice, and chickadees closely search the trunks and limbs of trees; vireos and warblers scan the leaves and probe the flowers; and flycatchers and swallows sweep their prey from the air itself. Every few minutes all day long the hungry young must be fed; and that they are well fed their rapid growth attests. The quantity of insects they and their parents consume is enormous. Not only orchards benefit by the good work of birds, but gardens, berry patches, and plowed and newly sown fields as well. While fields actually grown to tall crops are less freely visited, all crops are helped to some extent, and practically every farm pest has its bird enemies.

To learn exactly how and to what extent birds are aids to agriculture, horticulture, and forestry, the Biological Survey has been making a scientific study of their food habits ever 254

since its establishment in 1885. Its investigations are carried on in both the field and laboratory. All that can be learned out of doors by direct observation and by study of the avail-



B945M: B796M

How the Feeding Habits of Birds are Studied.

The stomach content, the tale of what the bird eats, is analyzed under the binocular microscope in the laboratory, other equipment of which includes stomach-analysis cards, filter, dissecting instruments, containers, and other paraphernalia as shown in the upper picture. From the 80,000 cards now on file in the Biological Survey, each representing the analysis of one bird stomach, it is possible to chart the food of any species investigated. The lower picture is such a chart of the monthly and average annual food of the common crow. The relative proportions are seen at a glance.

able food supply is valuable, but there is a surer way of finding out what a bird eats, namely, to look into its stomach. It has been repeatedly demonstrated that the nature of the food and feeding habits of birds is such that it is impossible to arrive at definite results by direct observation. On the other hand, the examination in the laboratory of the contents of the stomach gives information that is definite, exact, and indisputable.

In the laboratory of the Biological Survey, the method of examining the stomach content of a bird consists of washing all material into a white-lined tray, separating the larger particles on white blotters, catching the more finely ground food on a bolting cloth, transferring this to blotters, and finally identifying the component parts of the whole under Identification is facilitated by comparison a microscope. with collections of seeds, fruits, insects, snails, and bones of birds, mammals, reptiles, and amphibians, in fact of all classes of objects eaten by birds. A card prepared for each stomach contains a full inventory of food items and their relative percentages by bulk, and when a sufficient number of these index cards have been accumulated for any species of bird, the percentages of the principal items of food for each month are calculated, and the average for the season or year is taken. These are the figures quoted in official reports on the food of birds.

From the percentages and the economic value of the food items, the utility of a bird can be closely estimated. The Biological Survey is then able to recommend how it should be treated. Exhaustive accounts of the economic relations of more than 200 species of American birds have been published by the Survey, and some description given of the status of no fewer than 500 species.

In the United States are found more than 800 distinct kinds of birds of 69 families, of which 20 families are classed as waterfowl, 7 as shorebirds, 4 as upland game birds, 5 as birds of prey, and 33 as land birds. In general, the smaller land birds are of greatest interest to the farmer and orchardist. Of the larger birds, however, the upland game birds, the hawks, and the owls deserve notice.

# Upland Game Birds.

The upland game birds comprise such familiar groups as the quail, grouse, ptarmigan, wild turkeys, wild pigeons, and doves. The last two, while usually harmless, sometimes damage crops to an extent which requires that they be controlled, and economically they deserve less consideration than the turkey, quail, and grouse. These three kinds of birds have feeding habits which are helpful to agriculture. They may be hunted, but their numbers should not be reduced below the normal population for each type of country.

# Birds of Prey.


The birds of prey include the carrion-feeding vultures, the fiercely rapacious hawks and eagles, the fish-loving osprey, and owls of various habits. The vultures, of which our familiar black and turkey buzzards are examples, are carrion feeders and will disappear from communities where all offal is properly disposed of, but in some localities they have still plenty of work to do. The charge that they are instrumental in distributing hog cholera and other live-stock diseases is based chiefly on suspicion. It is not true that they disseminate the germs of these diseases in their droppings, and the fact seems to be that buzzards, if a factor in spreading stock ills, are a minor one.

Hawks and owls, though not closely related, may be considered together on account of the similarity of their feeding habits. Feeding chiefly upon living animals smaller than themselves, naturally they sometimes prey upon some of the domesticated kinds, particularly poultry. This has given them a bad reputation with farmers, so long established as to amount to traditional prejudice. Scientific investigation of their habits shows that only a few species of hawks and only one owl feed chiefly, or even largely, upon birds, and therefore to any great extent upon poultry. birds of prey regarded as chiefly injurious include the sharp-shinned, Cooper, and duck hawks, the goshawk, and the great horned owl. The bird hawks fly swiftly over trees and bushes and make sudden darts upon their prey, and from this behavior and their color, three of the species are often known as blue darters. The chiefly beneficial hawks differ in flight from the darting hawks, either soaring at a considerable height or hovering over places where they are seeking prev. The great horned owl, which, like most of its relatives, feeds at night, gets only poultry that is improperly exposed, and when prevented from doing this, its habits are largely beneficial.

lets, rolled up

### Useful Hawks and Owls.

The remaining species of hawks and owls, more than 50 in all, have useful habits. They feed on a great variety of rodents and have a tremendous effect in controlling the num-



gestible portion of the food and ejected; C, contents of 592 pellets investigated—1,058 skulls of pocket gophers, rats, and mice. Most owls are valuable aids to the farmer in their destruction of numerous harmful small animals.

consists for the most part of meadow mice, but it includes also many other destructive rodents, such as rabbits, ground squirrels, prairie dogs, pocket gophers, and house rats and mice. The barn owl is one of the most useful of the birds of this group. Its food is easily studied by examination of the

30702°--- чвк 1920-----17+18

pellets, made of the hair and bones of its victims, which accumulate about its roost. These indigestibles are ejected

habitually by all birds of prev, but are scattered too widely for collection and study except by species having restricted roosting sites. In 675 barn-owl pellets collected in Washington, D. C., were found the remains of 1,119 meadow

mice, 452 house mice, and 134 house rats, together with a sufficient number



The Woodpecker and Its Helpful Work.

A. Hairy woodpecker, one of the 24 species of birds of this large family, most of which are highly beneficial (photo by C. F. Stone); B, example of work of woodpeckers-their bills are specially fitted to dig out wood-boring larvæ from deep in the trees.

average of almost three to the pellet, and probably to the meal. In 592 pellets collected in California there were found skulls and other traces of 261 pocket gophers, 74 field mice, 184 pocket mice, 144 deer mice, 50 harvest mice, 230 kangaroo rats, and 215 house mice. These items make it clear that the barn owl is constantly doing work of great value to agriculture. Its services are typical of those of hawks and owls in general. Owls as a group have long been persecuted by man, but never has persecution been more unjust. hawks and owls are not the only sufferers, however, for when their numbers are greatly reduced in any community,

farmers will be forcibly reminded of the fact by a great increase in the number of destructive rodents.

# Cuckoos and Woodpeckers.


While many of the birds of prey, game birds, and wild fowl have distinct economic value, we must turn to the characteristic land birds to find whole families that are almost uniformly beneficial and for large numbers of species practically perfect from the economic point of view. Among the most praiseworthy birds are the cuckoos. The most widely distributed species, the yellow-billed and black-billed cuckoos, usually keep out of sight, but are well known by their strange notes, which have earned them the name "rain crow." The cuckoos feed very largely on caterpillars, and subsist to a larger extent than most of our birds on the hairy and spiny kinds. One stomach contained 250 tent caterpillars and another 217 fall web-worms. The cuckoos are fond also of grasshoppers, sawfly larvæ, plant bugs, and other injurious insects.

The large and important woodpecker family includes 24 species in the United States, most of them highly beneficial. They are the chief defenders of trees against insect attack, most of them being specialized to feed upon wood-boring larvæ, pests preyed upon by few other birds. From a third to two-thirds of the entire food of several species consists of wood-boring insects. From 10 to 80 per cent of the annual diet of various species is made up of ants, which are almost uniformly injurious. The flickers, or "yellow-hammers," especially are assiduous destroyers of ants, one of these birds being known to have taken more than 5,000 at a single meal.

# Nighthawks and Hummingbirds.

A group of birds, which, though diverse in appearance, are related in essential characters, includes the chuck-will's-widows, whip-poor-wills, poor-wills, nighthawks, swifts, and hummingbirds. All are almost strictly insect eaters and consequently beneficial. The larger ones feed extensively upon leaf-chafers, the larvæ of which, including the well-known white grubs, are very destructive. The nighthawks

take considerable of the same sort of food, but, in common with the swifts, capture a great variety of small insects, more than 50 different kinds having been found in single stomachs, represented in some cases by thousands of individuals. The hummingbirds devour minute insects which they find in flowers or catch on the wing, and do not subsist to so large an extent as ordinarily supposed upon the nectar of flowers.



The Nighthawk, an Extremely Valuable Insect Destroyer.

This bird, often wantonly shot, scoops its prey out of the air, and more than 50 different kinds of insects, representing thousands of individuals, have been found in single stomachs. (Photograph by Lewis F. Hall.)

## Flycatchers.

One of our families of birds gets its popular name "fly-catcher" from the insect-eating nature of its species, 31 of which live in the United States, including such birds as the spectacular scissor-tail, the bold, dashing kingbird, and the more quiet and domestic phoebe. On the average, 95 per cent of the food of these birds has been found to consist of insects. The rose-chafer, a species not only destructive to vegetation, but known to be poisonous to chickens and pheasants, is freely eaten by the kingbird. Several fly-catchers have the reputation of eating hive bees to an injurious extent, but it has been shown that they take mostly drones, and furthermore, that they eat enough enemies of bees, as robberflies, to pay for all the domestic bees they take.

## Jays, Crows, and Ravens.

The jays, crows, and ravens have always been severely criticized, and it must be admitted that on the whole the criticism is justified. About the best that can be said for birds of this family is that on the average they do about as much good as harm. It would seem a good policy to accord them the same treatment long given the common crow—the crow is not especially persecuted, neither is it protected. Thus while the birds are allowed to exist in reasonable numbers for the sake of the good they do, the way is left open for aggressive measures against them when necessary. In the case of this family, as of all destructive birds, damage usually is the result of overabundance.

### Blackbirds.

The damage done by the blackbirds is conspicuously the result of over-population. One of the most characteristic habits of these birds is flocking, and some of their gatherings are enormous. In their winter home along the Gulf coast flocks of blackbirds at a distance look like great clouds or rolling balls of dense smoke. Fortunately, at the time these birds are assembled in these armies there is nothing for them to damage, and their flocks are much smaller at the season when grain from the milk stage to maturity is exposed to their attack. Nevertheless, the damage sometimes is serious, and protection of these species is not recommended. In the same family with the blackbirds, however, are such birds as orioles and meadowlarks, and these do much more good than harm.

# Sparrows.

The great sparrow family, comprising almost a hundred species in the United States, as a whole shows a good economic record. The introduced English sparrow, usually a nuisance and often injurious, is, it must be remembered, but one of this large family, and its habits are by no means characteristic of the native species. The sparrows, or finches, are essentially seed eaters, but they consume also a fair proportion of insects, and in general must be regarded as beneficial. Certain species at times take too many buds, and a few others occasionally damage grain, but these practices are exceptions which may be met by local control.

### Other Insect Eaters.

The tanagers and swallows are almost exclusively beneficial, the latter especially being tireless destroyers of a great variety of insects. They course systematically over



Lower view, tree swallow at nest box, bringing a cranberry moth to its young (photograph by E. H. Forbush); swallows are tireless destroyers of a great variety of injurious insects.

graph by F. A. Kinsey.)

fields and gardens, over land and water, and gather up untold numbers of the small pests that are a constant menace to our comfort and prosperity.

If soft plumage and harmonious colors were the criteria of bird worth, the cedar waxwing would stand near the top. Economically, however, it is in the doubtful, even the very doubtful, class. It is too fond of flowers, buds, and fruits, especially cherries, and it consorts in such large flocks while

gratifying these tastes that the interests of mankind suffer considerably.

The butcher birds, or shrikes, which have the curious habit of hanging part of their prey upon thorns, in crotches, or in other suitable places, destroy some other birds, but on the whole are beneficial.

About 10 kinds of the smooth green-coated vireos and 55 kinds of warblers of varied and brilliant but neat plumages constitute the especial guardians of the foliage of our trees. All day long these little birds are scanning twig and branch and limb, snapping up the caterpillars, scale insects, plant lice, and the like, which collectively are so great a drain upon the vitality of arboreal vegetation. There are millions of warblers and vireos in North America, and the aggregate destruction of insects by them is beyond conception.

Allied in service to the warblers are the bark-climbing creepers, the industrious and inquisitive nuthatches, the restless and active chickadees and titmice, and the tree-scanning kinglets and gnatcatchers, of which groups there are in the United States more than 25 species. They either pursue their prey chiefly among foliage, as do the warblers, or supplement this work by seeking insects on the bark of trees and in crevices and cavities everywhere. Some of the smaller of these birds are especially meritorious for their destruction of the eggs of insects.

Mockingbirds, catbirds, and thrashers are distinguished by unusual ability as songsters. Economically considered, all are rather too fond of cultivated fruits, but as a rule they do more good than harm, and experience shows that despite the damage they inflict these birds are usually desired in the vicinity of homes and even invited there for the sake of their songs.

Closely related to the mockers and thrashers are the wrens, of which we have 11 species. These little birds are incessantly active, tireless, and good singers, almost wholly insectivorous, and consequently beneficial to a high degree. About the only complaint made against them is that the familiar house wren interferes with the nests and eggs of other birds.

Only one family of small land birds remains to be mentioned, namely, that including the thrushes, robins, and bluebirds. The thrushes are characteristic woodland species, and


while not of great economic importance are for the most part commendable in their relation to man. Robins and bluebirds are the most familiar species about our homes, and so beloved are they that they are almost immune from persecution. The bluebirds strictly deserve this high consideration, but the robins take a large toll from cultivated fruits, and probably are too numerous in many localities.

### Combined Attacks on Insect Pests.

To understand the economic value of birds, not only must the feeding habits of species and families be known, but also the collective effect of birds upon pests and crops. Most of their damage results from local over-abundance either of one species or of a number of species of similar feeding habits, and it is inflicted chiefly upon fruit and grain crops. The produce of small numbers of fruit trees especially is liable to severe damage where there is an abundance of fruit-eating birds. In orchards of commercial size damage is less often noticed. Preventive measures are of some avail; but aggressive action is sometimes necessary against birds that persistently destroy fruit crops or grain. Grain fields are not often severely damaged by birds under modern conditions, except on lands near breeding grounds of bird colonies, populous roosts, or in the migration route of gregarious species. The blackbirds are the most notorious offenders in this respect, and flocks of them at times are so large that it seems there must be a blackbird for every plant in the grain field.

If birds by their united effort are potent to accomplish great harm, they are for the same reason able to do great good in the destruction of insect pests. Fortunately, many more species are helpful than harmful. Unusual outbreaks of pests upon which birds can feed are always attended by gatherings of the bird clans. In no instance has this been more evident than in the field-mouse plague which occurred in the Humboldt River region, Nevada, in 1907-8, during which the damage to crops was placed at \$250,000 in a season. Gulls, hawks, and owls flocked to the scene, and all birds able to live upon mice practically took no other food. The birds, it was estimated, destroyed about 900,000 of these field mice each month.

The way in which birds concentrate when an outbreak of an injurious insect occurs is illustrated in the case of the alfalfa weevil, a destructive pest accidentally introduced into the region about Great Salt Lake. In two summers' investigations in Utah 45 species of birds were found to attack the weevil. The killdeer was one of the most active of these,



One Meal of a Brewer Blackbird.

B598M

The graphic record of a single bird for destruction of alfalfa weevils. These injurious insects formed 96 per cent of the food of this individual and numbered 442, chiefly in the larval stage; three adult weevils and remains of other insects in the stomach are shown at the bottom of the picture.

making alfalfa weevils a third of its food during part of the summer; one stomach contained no fewer than 383 individuals, 376 in the larval stage. The record for numbers—442 in one stomach—was held by the Brewer blackbird, an abundant species in Utah. A surprising discovery was that as a species the English sparrow was the most effective enemy of this insect; alfalfa weevils formed about a third of the food upon which its young were reared, and it was estimated that the number fed to growing English sparrows on a typical Utah farm was about 500,000. To this must be added the number eaten by the adult sparrows, which made

of them about a fifth of their food. Most of the common birds of northeastern Utah were depending upon alfalfa weevils for almost a sixth of their entire food, and the destruction of these pests by this warfare is almost beyond conception.

The good work of birds in preying upon another weevil pest, the cotton boll weevil, must not be overlooked. Sixtysix kinds of birds are known to feed upon this formidable cotton destroyer, probably the most effective being the orioles, which actually remove the boll weevils from the place where damage begins—that is, the squares, or flower buds, of the cotton plants—and the swallows, which feed upon the weevils when in flight and seeking to extend their range. No fewer than 41 boll weevils were found in a single stomach of the Bullock oriole, and large numbers are habitually taken by all species of swallows; every one of a series of 35 eaves swallows had eaten them, the largest number in any stomach being 48, and the average 19.

Another serious agricultural pest that is freely eaten by birds is the wheat aphis, or green bug. On a 200-acre farm in North Carolina, where wheat, rye, and oats were severely attacked by green bugs, it was found that birds were very effective in destroying the pests. The outbreak was at its height during the migration season of such birds as the gold-finch and the vesper and chipping sparrows, which with other species on the farm numbered more than 3,000 individuals. It was found that these birds were destroying green bugs at the rate of nearly a million a day, and on days when additional flocks of migrants were present this destruction was doubled. During the season such numbers of birds flocked to the grain fields that the aphis infestation was reduced by an incalculable number.

A classic instance of the concentration of bird attack upon an army of insect invaders occurred during the severe outbreaks of the Rocky Mountain locusts between 1865 and 1877. So numerous were these voracious pests that many places visited by them were denuded of every green thing. A thorough investigation was made of the relation of birds to the outbreak, and it was found that practically every species, from the largest birds of prey to the tiny hummingbirds,

from ducks and other aquatic fowl to typical bird denizens of the dry plains, turned to feeding upon locusts. In fact, most birds gorged themselves with this abundant supply of food, and in so doing were the means in numerous cases of saving crops from destruction.

# Terrific Daily Warfare.

Conspicuous and important as are the activities of birds in gathering at the scene and taking part in the suppression of insect outbreaks, probably their every-day services in consuming insects of all kinds, thus holding down the whole tide of insect life, are of greater significance. No one who has observed the ceaseless activity of birds in feeding their young can doubt that the destruction of insects in this way is enormous. The house wren brings food to its young about once every two minutes all day long. Not many birds equal this record, but the average rate probably is one feeding to every 5 to 8 minutes. When one watches the parent birds hurrying out to forage, returning with a beak or mouth and gullet full of insects for the nestlings, and repeating this process every few minutes—when he observes that all the birds about are engaged in the same business, scouring ground, grass, trunks, branches, and foliage, the wonder is that any insects escape. Only their marvelous powers of reproduction enable them to survive this terrific warfare.

Not only at the nesting season but all through the year birds carry on an intense predatory campaign against the insect hosts. Hardly an agricultural pest exists but has numerous effective bird enemies. For instance, 25 kinds of birds are known to feed upon the clover weevil, and a like number on the potato beetle, 36 on the codling moth, 46 on the gipsy moth, 49 on horseflies, 67 on billbugs, 85 on clover-root borers, 98 on cutworms, 120 on leaf hoppers, and 168 on wireworms. These are but illustrations of the prevailing beneficial activities of birds; the list might be extended indefinitely.


The usefulness of birds in their destruction of crop pests, especially by concerted action in such cases, makes the subject of the total value of birds to the country very interesting. One of the principal factors for arriving at a valuation of

these services is the number of birds in the country. All bird enumerations agree in setting two birds per acre as the average for at least the eastern half of the United States. On parts of this area many more are present, the number varying to a maximum of 59 pairs to the acre, and in part, at least, making up for the admittedly smaller number of birds in the West. On this basis, it is probable that there are 3,800,000,000 breeding birds in the United States, most of which are more or less insectivorous. Without doubt an equal number of migrants pass through the United States to their breeding grounds in the vast expanses of the Dominion of Canada and Alaska. On their northward and return journeys together, therefore, they spend on the average two months apiece in the United States. This means an effective augmentation of our insect-eating birds by a third. The total number of birds that prey upon our crop pests each season, therefore, probably is more than 4,500,000,000. addition, all the native breeding birds rear one or more broods of young, which during the period of their growth consume an enormous quantity of insects. The size alone of this feathered army is beyond real conception, but since each individual in it may destroy a hundred or even many hundreds of insects daily, how enormously more difficult to realize is the total destruction of the insects and other animals making up their food. The great value of this service in terms of crop improvement demands that the people of the United States constantly bear in mind the welfare of their bird allies.

## Our Attitude Toward the Birds.

The subject of bird protection has received great attention in the United States, and as the result of proof by the Biological Survey of the value of birds and of prolonged campaigning for bird protection by the American Ornithologists' Union and the National Association of Audubon Societies, the American Ornithologists' Union model law for the protection of birds has been adopted by 40 of the 48 States of the Union. The migratory-bird treaty act, putting into force a treaty with Great Britain for the protection of migratory birds, supplements and reenforces the State legislation. So far as desirable laws are concerned, the United States leads the world in bird protection.

It remains only for public opinion to back the law at every point, and for citizens to put into effect every practicable measure for the increase and conservation of bird life. Experience has shown that efforts to attract birds and increase their numbers are rewarded by very encouraging results. The essentials of bird attraction are the suppression of enemies and the provision of water, food, and nesting sites. From the normal number of one pair of birds to the acre under natural conditions, bird-attraction methods 1 have in-



Spread of Sentiment for Protecting Birds.

D78784

The chaded area shows the States that have adopted the American Ornithologists' Union model law for the protection of birds.

creased the number in certain areas to 10, 27, 40, and even 59 pairs. Areas inhabited by so large bird populations are practically immune from the destructiveness of insects.

Aside from the economic advantage of an increased number of birds, the esthetic phase of bird attraction must not be overlooked. Nearly every one enjoys watching birds. Birds typify life, beauty, and sprightly activity, and the songs of many of them are a source of great pleasure. Their presence in numbers means increase in all these forms of enjoyment.

Material increase in the numbers of birds admittedly is a two-sided problem: Some birds of negative value should


<sup>&</sup>lt;sup>1</sup>Publications giving details of methods of attracting birds may be obtained upon application to the Department of Agriculture.

not be increased, while others, not now noticeably destructive, may become so when they are more abundant. On the other hand, there is no doubt that the majority of birds are more beneficial than injurious and that by increasing



Means of Attracting Birds.

Bird baths or drinking fountains, food, and nesting sites are the essentials for increasing the numbers of birds in a locality. Areas inhabited by large numbers of birds are practically immune from the ravages of insects. (Upper photos by F. E. Barker and Carl Purple, respectively; lower, by E. H. Forbush.)



By L. C. GRAY,

Economist in Charge of Land Economics.

TP TO about 30 years ago the man who desired to become the owner of a farm could still obtain land of good quality by homesteading. By 1890, however, good free land in humid regions was becoming scarce. After that some good farm land formerly held in Indian reservations was opened to settlement. The opening of Oklahoma in 1888 and subsequently was the most notable instance, and the scramble for land was a striking indication of how scarce good free land had become. Following 1900 the land available for homesteading consisted largely of dry-farming land. At the present time there is practically no land suitable for ordinary farming to be acquired by homesteading. Semiarid lands adapted only to grazing, or to grazing with some incidental cropping in favored spots, is all that remains of the opportunity to obtain free land.


### Farms Cost a Fortune.

For some time after 1890 it was possible to purchase good farm land at nominal cost from the States, railways, or other large holders of land, as well as from individual landowners. In the past 20 years, however, a veritable revolution in land values has practically eliminated purchase as an easy method of becoming the owner of a good farm. In 1900 the average value per acre of farm land and improvements was \$19.81. It doubled during the next decade. And it is estimated that since 1910 the increase has been nearly threefold, so that in

272

1920 the estimated value per acre of land and improvements was \$99.24. The changes since 1850 in the average value of land in the United States are shown in figure 1.

Considering the large areas of poor land included in farms, the average of practically \$100 an acre for all the farms of the United States means that really good farm land is valued at \$200 an acre and upward. Perhaps there are few districts where such land does not sell for from \$200 to \$500 an acre. At \$300 an acre a 160-acre farm involves an investment of




#### Land Values.

Fig. 1.—Changes in average value of land in United States, 1850–1920. nearly \$50,000, in addition to the capital needed for operation. In short, the ownership of a good farm and its equipment involves a considerable fortune.

# How Difficult Is It for the Landless to Become Farm Owners?

In the past there has been a constant movement of tenants into the class of farm owners. The door of opportunity has been kept open. (See fig. 2.) Having in mind the radical change in land values pointed out above, we may well ask, What are the present opportunities for tenants and other landless farmers, as well as for various land-hungry city people with small capital, to become farm owners, and what can be done to make easier the process of climbing the agricultural ladder to farm ownership? This is one of a

number of problems important to the future progress of American agriculture being systematically studied by the



Farm Owners.

Fig. 2.—Percentage of farmers who own their farms, classified according to age.

recently established Division of Land Economics in the Office of Farm Management and Farm Economics.

Broadly speaking, the would-be farmer may choose between two kinds of farming—pioneer or self-sufficiency farming and commercial farming. The former requires but little initial capital, for the land is usually cheap and can be bought on very easy terms, while the equipment usually employed in the first few years after settlement is not extensive. Probably from \$1,500 to \$3,000 may be considered as the amount necessary to begin to be a landowning pioneer farmer in these days of high prices, although some farmers make a start on less by spending a good deal of time working for others. While this kind of farming requires but a comparatively small initial investment it usually promises also but small money returns for a number of years.

If the farmer does not make too serious mistakes in selecting and purchasing the land and in the methods of improving it, he may expect to make a living, not infrequently attended by considerable hardships and privations, and to have the opportunity of investing his surplus labor in the gradual improvement of the farm. In course of time, moreover, he may benefit more or less from the gradual upbuilding of the community.

Becoming a farmer in regions of commercial agriculture involves the advantage of a considerable money income from the farm even in the first years. Generally, although not everywhere, commercial farming is carried on in communities in which there are advantages of developed roads and other forms of communication, schools, churches, and neighborhood social life. To offset these advantages the financial demands on the new farmer are likely to be greater both for initial capital required and for annual expenses for operation.

# How Much Capital?

The amount of capital required for commercial farming varies greatly according to type of farming, section of the country, quality of the land, and size of farms. For some kinds of "specialty" farming such as trucking and poultry raising, comparatively little land may be required. However, this is offset somewhat by the relatively large expense for improvements and equipment. Moreover, the market for

many agricultural specialties is comparatively narrow and easily glutted, so that such types of farming can not be expected to provide opportunity for a large number of new farmers.

One can, of course, reduce the amount of capital required for general farming by purchasing a farm smaller than the prevailing size in the community, but this is ordinarily hazardous, because the farm may not be large enough for efficiency. One way out of the difficulty is to buy a small improved farm and rent additional land from neighbors until sufficient capital is available to purchase more land. Many indications point to this as an advantageous arrangement for the man of small capital.

In the South and east of the Alleghanies in the North, land suitable for commercial agriculture is, generally speaking, cheaper than in the North Central States. The same is true of the great area of dry-farming lands stretching from about the 97th meridian to the Rocky Mountains. In the irrigated districts of the Rocky Mountain and Pacific Coast regions, as well as in the humid areas of these regions, land is comparatively high in value.

In the choicer sections of the corn belt and in the dairy regions of southern Wisconsin and Minnesota, a farm of normal size represents a total investment of from \$50,000 to \$100,000. The investment in the better farms of the winter wheat and spring wheat belts ranges from \$30,000 to \$50,000. An apple orchard of normal size in western New York involves a capital of \$25,000 to \$30,000. In the cotton belt farms of average size operated by owners represent an investment of \$5,000 to \$15,000. Many small poultry and truck farms in the North Atlantic States involve a capital of less than \$5,000.

These few representative figures will make it easier to appreciate what the tenant or other landless farmer must undertake when he sets out to buy a farm, for in most cases he must buy it if he wants to own a farm. Some tenants, of course, may be expected to become farm owners by inheritance, gift, or marriage, but such data as are available indicate that the number is small in proportion either to the total number of tenants or to the total number of farms to be acquired.

# Will the Farm Income Help Pay for the Farm?

What then are some of the conditions that affect the chances of tenants and other landless persons to purchase farms? The first important condition is the relationship of the income of the farm to the value of the land. sections of the United States the value of farm land has risen so high that the annual return is a very small percentage of the total value—much smaller than the ordinary return on sound investments such as bonds or first mortgages. This is true whether the return is in the form of cash rent or in the form of profits attributable to the use of the land by the owner after paving expenses and allowing a fair return for interest on other capital and for the owner's time.

Let us take cash rent for example, for share rent usually involves return to the owner for contributing supervision and sharing the risk of price changes and poor crops, as well as for supplying the use of the land. Numerous surveys show that the cash rent of farm land is not more than from 2 to 3 per cent of the value of the land in the great majority of areas in the corn belt. In a recent study of farm-land values in Iowa it was found that the average return in a very favorable year for the land operated by landowners was only 3.5 per cent, and this included return for the risk involved in farming.

This condition is attributed to a number of causes, one of the most important of which is the fact that land has been rising rapidly for the past quarter of a century and men buy land not only as an investment but also as a speculation, paying something more than the investment value because of the expected increase in value. Other reasons for the relatively high value of farm land as compared with its annual earning power are the tendency for many farmers and retired farmers to invest in land without considering the relative advantages of other methods of investment, also the fact that the farm yields benefits and satisfactions as a home, as well as a money income.

To what extent this condition is general throughout the United States it is difficult at present to say. The Division of Land Economics is engaged in assembling comprehensive information on this point, for it is recognized that the point is vital. When farmers must pay from 6 per cent to 10 per cent for borrowed money to buy land that will yield only 3 per cent it is obvious that the problem of buying a farm largely on credit to be repaid out of the proceeds of farming becomes exceedingly difficult. The tenant who can rent land for 2 per cent of its value is discouraged from purchasing when his own or borrowed money is worth 6 per cent or more, and he is inclined to leave the field to the speculator who can afford to consider the future increase in value as well as the present return. If we are to reduce to an important extent the present high percentage of tenant farmers, we must know more about the causes of the tendency to overvalue land and the methods necessary to correct this tendency.

# Less Than Nothing to Live On.

How far these conditions have already made it difficult to pay for a farm out of its earnings in a reasonably short time is indicated by a recent summary of the results of 26 farmmanagement surveys in different parts of the United States.1 It was shown that if a man tried to buy a farm of average value and pay for it on the amortization plan out of the average net income of the farm, together with interest at current rates in the community, there would be less than nothing left to live on in 13 out of the 26 communities surveyed. In other words, even making no allowance for any money for living expenses there would be less than enough to make the annual payments on interest and principal, the deficits ranging from \$28 to as much as \$722. In 8 of the remaining communities, after meeting the annual payment for interest and principal, there would be left less than \$200 for annual living expenses. Only in three communities was the remainder for living above \$300.

It is possible, of course, to draw too gloomy a view from these facts, for there are a number of conditions which make them appear less serious. In the first place, the value of unpaid family living has been deducted as a part of farm expenses. On the average this may add from \$100 to \$200 to the means available for paying for a farm. Interest on operating capital has been deducted as an expense, and this

<sup>&</sup>lt;sup>1</sup> "Can Farms of the United States Pay for Themselves," by George Stewart, Journal of Farm Economics, October, 1920.

interest may serve to supplement the amount available for expense of living and meeting annual payments. The figures are based on the average net returns in the several communities, whereas it is obvious that the more efficient farmers will earn returns above the average. Finally, the average farmer does not try to pay for the entire value of a farm out of its income, but usually has a part of the purchase price at the beginning. This, of course, greatly reduces the annual payment to cover interest and principal.

# Initial Payment.

With given credit facilities the size of the initial payment will be larger for farms of high total value than for farms of low total value. Much also depends on how high a proportion of the purchase price is required under existing arrangements of credit and on the ability of the tenant to accumulate this amount in a reasonable time.

How much a tenant will put up for a first payment depends to some extent on how much wealth he has. In a recent local study made in one of the most productive districts of the corn belt it was found that the average net worth of tenants was \$9,552. In that district the average amount of capital invested by farm owners in farm land, improvements, and operating equipment was \$88,404 in August, 1919. In a somewhat less fertile section of the same State the average net worth of tenants was \$3,415, while the average amount of farm capital in farms operated by owners was \$44,080. In a recent study of tenancy in the fertile black land region of east central Texas it was found that the average net worth of tenants who rent for a half share of the crop ("croppers") is \$715, while tenants renting for a third of the grain and a fourth of the cotton have an average net worth of \$3,124. The average farm capital investment in land and equipment for the farms studied in this district is about \$15,000.

The young man who has made good as a tenant is often able to buy a farm in the neighborhood where he is known, on a land contract with a very small initial payment and with a long period in which to pay the remainder. In areas where they are many well-to-do farmers wishing to retire and leave their money in the land, this unorganized credit is an important factor in aiding tenant farmers to become owners. Where there are farm profits from which to save, credit is the institution which enables the tenant to acquire ownership of land in the areas of high land values long before he has earned enough to pay the whole price of the farm.

# What Help Does the Farm-Loan System Provide?

When the Federal farm-loan act was under consideration it was hoped that it would prove an important aid to tenants and other landless persons in acquiring farm land. As finally drafted, however, the provisions of the act were made extremely conservative for the purpose of rendering the security back of each loan as safe as possible. The act provides that the loan shall not exceed 50 per cent of the value of the land and 20 per cent of the value of improvements. Recent studies show that the average loan is only 37 per cent of the total value of land and improvements conservatively appraised. However, persons borrowing specifically to buy land have obtained an average of about 43 per cent of the total value of land and improvements.

In a study recently made by the Division of Land Economics it was found that only about 13 per cent of the total loans made by the farm-loan banks were for the purpose of buying land, although the percentage appears to be increasing to some extent. Of those borrowing to buy land about two-thirds already own other farm land. A little over one-third of those borrowing from the farm-loan system to buy land are tenants. As loans by the Federal land banks comprise only about 8 per cent of the estimated mortgage indebtedness and 8 per cent of the new mortgage loans made in a single year, it is apparent that these banks have not yet become an agency of paramount importance in promoting farm ownership.<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> It is true that a larger percentage of the loans approved by Federal joint stock banks have been for the first purchase of farm land (26.5 per cent). However, the total loans approved by these banks up to January 1, 1920, amounted to less than a fifth of the loans made by the Federal land banks.

# Second Mortgages.

In view of the fact that on the average only 43 per cent of the purchase price is obtained from the Federal farm-loan system, we may well ask how the would-be farm owner is to finance the remainder of the purchase price. Those who have borrowed on second mortgages in addition to loans on first mortgages through the farm-loan system have largely obtained their loans from the sellers of the land. This was true of 78 per cent of the sales involving second mortgages. Many of these sellers were relatives of the purchasers. For the most part the terms of second mortgages were more liberal in cases where the seller became the mortgagee. Leaving out of account the motives that prompt relatives to give unusually favorable credit terms, it is a well-established practice for sellers of land to make favorable terms in consideration of the profits or other advantages gained from making the sale.

These facts point to the conclusion that there is little commercial machinery for the making of loans on second mortgages, and that such mortgages are now handled largely by persons who make the loans, not primarily for investment purposes, but rather from some other motive. However, the making of loans on second-mortgage security where the first mortgage is held by the Federal farm-loan banks is likely to be more satisfactory from an investment standpoint than is the case when the second mortgage is preceded by a first mortgage held by private persons or agencies under the usual There are a number of reasons for this. The first mortgage under the Federal farm-loan system runs for a long period, 341 years, and during that time there is little danger of foreclosure. Moreover, the comparatively small annual payments on the principal of the first mortgage leave the borrower substantially free to pay off the principal of the second mortgage. If the loan is made for the purpose of buying land, the first and second mortgages are likely to be made at the same time. This makes it possible to base both loans on the same appraisal, thus economizing expenses and giving the lender on second mortgage the assurance of a conservative appraisement of the security of his loan.

It is probable, however, that even these more favorable conditions for the making of second-mortgage loans will not attract private capital in large quantities to this form of investment because of the general distrust of second-mortgage loans and the consequent lack of an open market for such loans. On the other hand, the importance of promoting rural home ownership would seem to justify making some kind of provision for such loans.

### Small Additional Credit Needed.

As compared with the total requirements for farm-mortgage credit the additional credit to be supplied would be relatively small. A large proportion of the annual demand for loans is for the refunding of old indebtedness, for making improvements, extending the scope of farm operations, investing in other businesses, or purchasing land in addition to that already owned. In the study referred to it was found that of the 13 per cent borrowing from the Federal farmloan banks to buy land, two-thirds already owned farm land. Moreover, of those landless persons borrowing to purchase a farm a considerable number are doubtless able to finance the deal by the employment of first-mortgage credit alone. It would also be desirable to restrict the benefits of such a system to those who could demonstrate sufficient experience and other personal qualities to insure the probability of reasonable success as farmers, and also to those who possess no other important tangible assets that may be made the basis of credit except what is to be invested in the farm. Since the farm-loan system provides a means by which an average of upward of 40 per cent of the value of an improved farm may be obtained on first-mortgage credit, it is only necessary to supply an additional 30 or 35 per cent of the purchase price in aid of landless persons with small capital seeking to become owners.

# A Necessary Limitation.

This additional credit should be supplied only in cases where the first mortgage is held by the Federal farm-loan system, thereby removing the danger that exists when the first mortgage and second mortgage are held by different parties. However, the two loans should not be merged in a single mortgage. It is not desirable to impair the investment

reputation of Federal farm-loan bonds by including loans made on a less conservative basis, and such impairment would occur even though the less conservative loans were but a small per cent of the total. Again, it is probably desirable to encourage a reasonably early repayment of the margin of indebtedness in excess of that based on first mortgages under the Federal farm-loan system. Finally, it is only fair to compel those who require the additional margin of credit to pay a higher rate because of the greater element of risk rather than to distribute these extra charges among all borrowers, including those borrowing on a conservative margin of security.

Ordinarily the first-mortgage loan is made on security so ample that there is little likelihood of loss on any individual mortgage. This is rendered necessary by the practice of reselling mortgages or using them as security for bond issues. But it would be possible to lend on a less conservative basis, taking the risk of loss on some loans and distributing this loss as an extra charge over the total number of loans of this class, according to the principle of insurance. The amount of the charge would necessarily depend on the margin of credit granted. That is, it would be greater if the margin were 80 per cent than if it were only 75 per cent, etc. How high such charges should be above the basic interest rates on first mortgages is a problem on which the Division of Land Economics and the Division of Farm Credits are attempting to throw additional light.

## New Lands.

For the man who does not care to shoulder the heavy burden of land values and the accompanying load of indebtedness involved in purchasing lands in well-developed agricultural areas, there is the alternative of migrating to some undeveloped region.

A half century ago such a pioneer could have for the taking rich prairie lands or fertile woodlands in regions of ample rainfall and reasonably satisfactory conditions of temperature. This opportunity no longer exists. A study of our land resources indicates that probably a billion acres, or more than double the improved acreage in 1910, can

never be used for crops. There remains probably about 370 million acres of potentially arable land vet to be developed. However, a large part of this area, probably nearly one-half, consists of woodland or wet land already included in farms. Practically all of the 370 million acres comprises lands that have heretofore been avoided by those seeking farms, because of natural disadvantages. Thus, it is estimated that 200 million acres consists of cut-over or timbered land that must be cleared of trees, stumps, or small growth. Perhaps one-half of this is now in farms. Of the remainder a large part is light sandy soil of comparatively small agricultural value. There are approximately 60 million acres of swamps and other wet lands. Much of this is characterized by rich soils, but there are large areas of peat bogs unsuited to agricultural uses. It is estimated that probably 30 million acres of land may yet be reclaimed by irrigation. It is possible also that there may be some extension of area by dry-farming methods, although the most available lands for this use are probably now in farms. Finally, there is approximately 50 million acres of land in the Eastern States classed as "Improved land other than woodland" and consisting largely of unused fields, stony upland pastures in hilly regions, and waste lands. A large part of this area is already included in farms.

Some of the above-mentioned disadvantages are removable by drainage, irrigation, and clearing, but the expenditure of capital may be prohibitive, even if the soil and climate are potentially suitable to agriculture. Certain areas of wet lands must not only be drained and protected from overflow, but also cleared of a heavy growth of stumps and underbrush. Although the soils are potentially rich and the rainfall ample, the cost of development into farms may be justified only in periods when prices of farm products, and consequently land values, are relatively high. On the other hand, there are large areas of light sandy lands that can be developed and equipped for farming purposes at relatively small expense, but the prospective yields are too small, except in periods of high prices for agricultural products, to cover the expense of cultivation, including the application of large quantities of fertilizers.

The rapid rise in prices of farm products of the war period tended to stimulate interest in these undeveloped areas; but parallel to this rise of prices occurred the rapid increase in the costs of rendering such lands available for use. Moreover, the possibility that the prices of farm products, as well as the prices of other things, may subsequently be lower than at present has emphasized the importance of conservatism in investing large sums of money in reclamation and clearing at the present high level of cost.

# What Do the Settler's Chances of Success Depend Upon?

No more important problem confronts the Nation than the proper development of these unused areas, and it seems desirable to make clear some of its important aspects.

In the first place, it is highly important to determine the proper rate of development. It is obvious that this enormous area can not and should not be brought into use in a short time. If the rate of development should be too rapid it would imperil the success of those settling the lands as well as the prosperity of agriculture as a whole. It is important that the process of development be based on a wise selection of areas immediately to be developed, the less suitable areas being reserved until the demand for agricultural products justifies their development.

It is essential that the methods employed in developing and settling these areas be such as to give the settler a reasonable chance of success. This involves intelligent adjustment by the settler to the conditions of the region—the selection of economical methods of clearing the land, a suitable type of improvements in the early years of settlement, the proper selection of farm enterprises, methods of farming best suited to conditions of soil and climate, etc. In part, however, the settler's chance of success depends on the conditions under which he is brought to the region and placed on the land; and nowadays these conditions are largely determined by the agency which induces him to buy the land. A half century ago migration to new lands was largely spontaneous. present it is largely induced and directed by the numerous private agencies of various kinds, operating mainly for profit, which are interested in the sale of undeveloped lands.

# Difficulty of Picking a Farm on New Land.

Those seeking a career on the land should receive such direction as will insure a maximum opportunity for success, and should be protected from those individuals and agencies which seek to exploit this land hunger.

Numerous inquiries received by the Division of Land Economics indicate that considerable numbers of persons want to get farms somewhere but have little idea of geographic conditions in different sections of the country and of their relative advantages and disadvantages for farming. This ignorance is equally characteristic of large numbers of buyers in the selection of the farm after they have decided on the section in which they desire to settle. Even persons with considerable farming experience are likely to be incapable of wise selection in a region essentially different from that with which they are familiar. Thus thousands of farmers from the corn belt have purchased land because the soil looked black and rich, without recognizing the menace of alkali or the uncertainties of water rights. Other thousands have bought useless peat lands for the same reason.

If experienced farmers find difficulty in making a wise selection in new and undeveloped regions, how much more is this the case with people who have not had farming experience! It seems probable that the largest class of buyers who purchase farms from land companies in the cut-over lands of the Great Lake States consists of laborers from the copper and iron mines and lumber camps of the region. The next largest class comes from Chicago, Milwaukee, and St. Paul, and some of the smaller cities of the region. Many of these are wage earners from the steel mills of Chicago seeking to escape the stress and strain of industrial labor by investing their small savings in land. Many of them have had little or no farming experience.

## Land Sharks.

The prospective buyer's ignorance of fundamental conditions provides the peculiar opportunity of the exploiting land company. An enormous business has developed in various parts of the country for the purpose of profiting by this condition. Sometimes it takes the form of selling substantially

worthless land at what appears to be a low price. Sometimes the company is selling good land, but at prices far in advance of its normal value.

It is basic to a proper understanding of the problem to recognize the fact that the methods of advertising and selling are substantially free from specific misrepresentation. is a fundamental policy of large land companies to avoid statements that can involve the company in a lawsuit and particularly that will incur the danger of prosecution for misuse of the mails. Occasionally a slip occurs on the part of some overeager salesman or advertising agent, but such occurrences are merely incidental, and, for the most part, avoidance of specific misrepresentation is held to be a cardinal principle of land salesmanship. Such a policy is justified not only on grounds of safety, but because it is recognized that specific misrepresentation is a clumsy tool not needed in overcoming the inertia, timidity, or suspiciousness of the prospective buyer. By the employment of ambiguous phrases, half truths, skillful omission, and subtle suggestions, the buyer may be led to form the desired impression. What can be more innocent than printing pictures of well-equipped farms in the same county in which the land company is selling land, leaving the buyer to assume that the company's land is of the same kind? Indeed, it must be recognized that misrepresentation of facts even by suggestion is not so prevalent as the creation of exaggerated impressions.

# The Policy of "Let the Buyer Beware."

It is but fair to recognize that among land companies there are all degrees of variation as to honesty of intention. Without doubt comparatively few are consciously pursuing what they consider to be dishonest methods. "Good salesmanship" in the business world involves creating a favorable impression on the minds of prospective buyers, and, provided no specific misrepresentations are made, few salesmen consider themselves obligated to reveal the weak points as well as the strong points of the goods sold. Especially if the article sold is of fair to good quality the salesman suffers no qualms of conscience if his salesmanship results in a sale at a price somewhat above the normal value. To admit this is not to condone the large volume of land sales made with the deliberate intention of selling land of inferior quality at an excessively high price with the expectation that the buyer

in despair will ultimately allow the contract to lapse, leaving the company free to self the land to the next victim. It is merely to admit the fact that many companies may be and are doing an entirely legitimate business according to the usual standards of business, and that the serious results are due to the fact that the land is sold at a price above that which the normal value of the land justifies; a price so high that the settler has but a slim chance to make a financial success of his enterprise. Even when this is true, the company




Fig. 3.—4, Type of farmstead found in the cutover districts of the Lake States. The family living here has to carry water three-fourths of a mile. B, Home of a settler who has built two houses in the cutover country—the first on land that belonged to some one else, where he had been inadvertently located by a land company. For time and labor wasted in building and clearing he was permitted to buy this second farm at a "reduced price."

on the land may be more than absorbed by heavy development costs, advertising and selling expenses, or carrying charges.

Settlers moved by the impulse to become land-owning farmers are being induced by thousands to invest painfully accumulated savings, to waste years of labor, and frequently to endure severe hardships in undertakings which offer but doubtful chances of success, with the consequent discouragement and disillusionment of themselves, as well as of others who might be considering a career on the land.

It is of vital concern to the Nation that this movement to the land be not only not impeded, but that it be guided and directed in such a manner as to establish a stable agricultural industry in these newly developing areas.

It is necessary not only to make possible the intelligent selection of the farm at a reasonable price, but also to provide other important conditions of success. The proper selection of settlers, the size of the tract to be purchased, the amount of cleared land and the initial improvements to begin on, the equipment required in the early years of settlement, the amount of capital, the terms of credit, facilities for direction and guidance of the settler after settlement, community improvements and cooperation are being studied by the Division of Land Economics.

# A National Policy of Land Settlement.

In stimulating and directing the process of developing and settling on reserve agricultural areas, four courses are possible, if we leave out of consideration the policy of allowing private agencies a free hand. (1) The State and Federal Governments might undertake the task of regulating private land-selling agencies. (2) The State and Federal Governments might leave the work to private initiative, but rely on a policy of courageous publicity not only to prevent abuses but also to stimulate the employment of the most successful methods. (3) The States or the Nation might possibly supplement such a policy of education by undertaking on a moderate scale the operation of colonization enterprises for experimental and demonstration purposes. (4) Finally, the States or the Federal Government might undertake on a comprehensive scale the task of developing and colonizing new agricultural areas.

It must be acknowledged that it is yet an open question which of these four policies is likely to be best suited to conditions in the United States. When more information concerning the problem has been assembled it is probable that the line of procedure will be more apparent. The policy followed in the past with respect to the settlement of our undeveloped regions is not longer to be tolerated. It is imperative that a policy be formulated which will provide for adequate development of the unoccupied lands on a basis favorable to the success and stability of the settlers.



By W. B. Bell,


Assistant Biologist in Economic Investigations,
Bureau of Biological Survey.

WOLVES, coyotes, bobcats, mountain lions, bears, and their kind have slaughtered their prey from prehistoric times. Sometimes they pulled down victims in plenty, sometimes their pickings were lean—until the advent of civilized man. In man's introduced herds of cattle, sheep, goats, colts, and other domestic stock, the original rangers of the country found a readily available supply of food to be preyed upon day after day and night after night. What more natural than for the hungry wolf to draw upon the ever-replenished reservoir discovered in the stock corral or on the open range?

The nature of the business on which the predatory kind were engaged was no secret, of course, and gun, trap, and poison were resorted to by the early ranchers, each man for himself, with now and then a community hunt as the needs were more or less pressing. Learning that they had to contend with protectors of their new-found food supply, the prowlers became more and more wary in approach and kill, until what originated in a mere matter of satisfying a craving for food has developed into a war to the death.

Uncle Sam, tired of a drain on his resources of from \$20,000,000 to \$30,000,000 every year through the slaughter of domestic stock by predatory animals, now keeps con-

stantly in the field a force of hunters who are instructed to wipe out these nonproducers. In their place, and safe from their depredations, it is the aim to populate the range country with flocks and herds, and in this way to lower the cost



FM: B19757; B19746

Flocks and Herds Now Protected from Predatory Animals.

A, Goats, hardy and valuable introductions to southwestern pastures, formerly were a prey of wolves, coyotes, and bobcats (photograph from Farm Management). B, Cattle, as a substitute on western ranges for buffalo, deer, elk, and antelope, were equally acceptable to wolves and other predatory animals. C, Sheep raising was a precarious undertaking so long as coyotes were at large. Cooperative campaigns against the stock killers have greatly reduced their depredations and have increased correspondingly the yield of wool, hides, and meat.

of production of live stock and of the meat that goes upon the family table.

Losses of live stock from ravages of predatory animals are among the most spectacular and exasperating of those suffered by the stockman. Disease may decimate his flocks and herds, or drought or wintry storms may result in the starvation or death of numbers of valuable animals. None of these disasters, however, arouses such resentment and determination to settle the score as arises in the heart of the ranchman when wolves or other stock destroyers enter corrals or operate on the open range, maining and killing his cattle or other domestic stock.

The average destruction by these animals is estimated to be for each wolf and mountain lion about \$1,000 worth of live stock annually; each coyote and bobcat, \$50 worth; and each stock-killing bear \$500 worth. Statistics may leave the stockman unmoved and uninterested, but a vivid, lasting impression is made when he finds one of his own valuable steers pulled down by a wolf, one of his colts struck down by a mountain lion, the scattered carcasses of several of his sheep killed by coyotes for sheer lust of killing, or a valuable cow maimed or with skull crushed by a blow from the powerful paw of a grizzly.

Since the beginning the hand of the stockman has been raised against predatory animals; and every known means at his disposal—guards, guns, traps, poisons, bounties, and inclosures—have been employed to secure the protection of his flocks or herds from their depredations. Individual efforts have been supplemented of late years by organized endeavor through stockmen's associations and the securing of State and county legislation.

# The Government Takes a Hand.

Careful field studies of the abundance, habits, and relationship of predatory animals to the live-stock industry had been made by the Biological Survey of the United States Department of Agriculture for many years. Men with keen insight into animal psychology and the ways and motives of wild creatures had sought out improved methods of luring them to destruction when their presence was detrimental to the live-stock business. The first demonstrations and experiments for the control of wolves and covotes were conducted

during the year 1914-15 in Colorado, Nevada, Texas, Idaho, Oregon, and other western States. In eastern Oregon and northern Nevada, where rabies prevailed among coyotes at that time, a considerable number of hunters were employed to assist in destroying the coyotes in the hope of eradicating this disease.

Depredations upon live stock continued to be so serious and the means of protection then employed afforded so little real relief to the stock-raising industry that in 1915 stockmen took up the matter with their representatives in Congress with the view of obtaining the aid of the Federal Government. On July 1, 1915, the first appropriation—\$125,000—resulted, specifically providing Federal funds to assist in organizing campaigns against predatory animals on national forests and other public lands and to correlate and direct the many agencies at work on the problem along the most effective and economical lines. This had as its object making distinct and permanent headway in relieving the stockmen from the serious drain caused by predatory animals upon the productive capacity of the great western ranges.

The Biological Survey then undertook to build up the necessary field organization. The principal western livestock producing States where the need appeared most urgent were formed into eight predatory-animal districts, each in charge of a predatory-animal inspector. The hunters employed devoted their entire time to the work, and were not permitted to receive bounties from any source. The skins of all animals having fur value taken by the hunters became the property of the Government and were sent in to the Department and sold at public auction, the receipts being turned into the United States Treasury.

#### Methods of Combat.

Three methods of destroying predatory animals were followed at this time—shooting, trapping, and poisoning. During the first year 424 wolves, 9 mountain lions, 11,890 coyotes, and 1,564 bobcats were accounted for. Extended trapping and poisoning campaigns were carried on, but the above numbers do not take into consideration animals killed by poison unless the bodies were actually recovered and the skins or scalps secured. Demonstrations and experiments were carried on in localities other than on national forests

and public lands, where predatory animals were causing heavy losses of live stock. Great added impetus and intensity of purpose were given this work by the appearance, spread, and dread destructiveness of rabies, which gained a foothold, particularly among coyotes and wild cats, in southwestern Idaho. To effect the suppression of rabies among wild animals Congress provided an emergency appropriation of \$75,000, which became available March 4, 1916.

# Suppression of Rabies.

Special work for the suppression of rabies, made possible. through the emergency appropriation, was conducted under the supervision, organization, and methods that were followed in the regular predatory-animal operations. alarming increase of rabies among wild animals, particularly covotes, was attended with danger to live stock and also to human beings. The seriousness of the outbreak is indicated by the fact that during the year the State authorities of Nevada treated more than 60 persons who were bitten by either wild or domestic animals. So great was the dread inspired by the presence of these maddened wild animals that children were accompanied to school by armed guards. Driven by their rabid blindness, covotes entered the yards of dwellings, attacking dogs, cats, human occupants, or any object they might encounter; they entered feed lots and snapped and infected cattle, sheep, and other domestic animals; and also attacked pedestrians, horsemen, and automobiles on the public highways. The destruction of live stock was enormous. In a feed lot at Winnemucca, Nev., a single rabid coyote caused the loss of 27 steers. The State of Nevada promptly appropriated \$30,000 to cooperate with the Survey in waging a campaign against the pests in that State. The work was prosecuted vigorously through trapping and extended poisoning operations, the spread of the disease was materially checked, and plans were further developed for its limitation and ultimate suppression.

The movements of live stock between their summer and winter pasture ranges, with accompanying movements of dogs and predatory animals, made possible an extension of the disease into the contiguous territory of eastern Oregon, southern Idaho, northern California, the western half of Utah, and even into eastern Washington. Cattle and sheep



B17406; B17393

Results of Rabies Among Coyotes.

During the first year of the rabies epizootic, over \$500,000 worth of live stock were killed by infected predatory animals in Nevada alone—in one feed lot 27 steers were killed by a single rabid coyote. Inset picture: Head of coyote found decorated with porcupine quills—evidence of an unusual encounter, but illustrating the characteristic blind fury of rabid coyotes. The spread of the disease has been checked by the Biological Survey's cooperative campaigns.

were destroyed in large numbers through this extension of the disease, and at least 1,500 persons were bitten by rabid animals. A few cases of rabies were reported in Montana and Wyoming, but prompt action resulted in stamping it out in these localities before it could gain a foothold. The measures employed by the Biological Survey in Nevada were applied in the States mentioned, and with the cooperation of the local authorities further spread of the disease was effectually stopped. The measures for the control and eradication of this dread disease are now so well understood that the occasional sporadic outbreaks are promptly met and stamped out by detailing specially trained men to each locality.

#### The Kill.

The following typical cases of losses are illustrative of the destructiveness of predatory animals and of the importance of operations for their control: In Colorado a

single wolf took a toll of nearly \$3,000 worth of cattle in one year. In Texas two wolves killed 72 sheep, valued at \$9 each, during a period of two weeks. One wolf in New Mexico killed 25 head of cattle in two months; while another was reported by stockmen of the same State to have killed 150 cattle, valued at not less than \$5,000, during six months preceding his capture by a Survey hunter. Wyoming two male wolves were killed, which during one month had destroyed 150 sheep and 7 colts; another pair were reported to have killed about \$4,000 worth of stock during the year preceding their capture; while another, captured in June, had killed 30 head of cattle during the preceding spring. The county agricultural agent at Coalville, Utah, reported that wolves had taken 20 per cent of the year's calf crop in that section. A wolf taken in New Mexico was known to have killed during the preceding five months 20 yearling steers, 9 calves, 1 cow, 15 sheep, and a valuable sheep dog. In two weeks at Ozona, Tex., two wolves killed 76 sheep.

In Oregon four coyotes in two nights killed 15 purebred rams valued at \$20 each. One flock in Morgan County, Utah, was attacked by three coyotes and \$500 worth of sheep were killed in an hour. Near Antonito, Colo., 67 ewes, valued at about \$1,000, became separated from the rest of the herd and two days later all were found killed by coyotes.


One bobcat in Texas killed over \$300 worth of Angora goats; and another taken at Ozona, Tex., in a month had killed on a single ranch 53 rams, 1 ewe, and 1 goat. In New Mexico a Biological Survey hunter killed a grizzly bear which had killed 32 head of cattle during the spring and was known to have killed 50 cattle the previous year. In Arizona, while following the trail of a mountain lion which was later killed, one of the Department's hunters found the bodies of nine head of cattle which had been killed by this animal.

After a personal investigation in 1917, the president of the State Agricultural College of New Mexico reported that 34,350 cattle, 165,000 sheep, and 850 horses are killed annually by predatory animals in that State, these losses amounting to \$2,715,250. This involves the loss of 16,000,000 pounds of meat and about 1,320,000 pounds of wool.

# "Getting" the Chief Offenders.

Whenever especially destructive animals are reported, exceptionally skilled hunters are detailed to capture them. The success that has attended this plan of procedure is evidenced in a great addition to the meat output of the ranges and in the active support of local stockmen.

The effectiveness of the plan of organization for "getting" the most destructive individuals is well illustrated by the



B1659M; B1704M; B19735

The Portion of Coyote and Wolf-Trap and Poison.

A, Trapped coyote-more than 250,000 of his ilk have been accounted for in five years by Federal and cooperating hunters. B, The \$10,000 "Split Rock" wolf-trapped in 1920, thus ending a tribute exacted of at least 50 head of cattle annually. C, Expert Biological Survey hunter distributing poisoned baits to rid the range of the wily coyote.

recent success of a Biological Survey hunter in dispatching the notorious "Custer wolf," as it had come to be known. This animal had ranged in a territory about 40 by 65 miles in extent in the vicinity of Custer, S. Dak. During the six or seven years that he is known to have patrolled this territory stockmen who suffered from his depredations estimated that he had killed at least \$25,000 worth of cattle. His killings were particularly exasperating, owing to the number of stock slaughtered at times when he appeared to go on a killing debauch, and to the savage mutilation of others-many cows having been killed for the sole purpose of devouring their unborn calves. Because of this and of the reputation which the animal gained for supernatural cunning in eluding hunters and avoiding skillfully placed traps and temptingly prepared poison baits, unusual efforts had been made by sportsmen to "get him." Stockmen, driven to desperation, offered increasingly large bounties, until there was a price of \$500 on his head. Still he escaped.

Some ranchers gave up hope and said they must board the outlaw until he died a natural death. Others, more sanguine, appealed to the local predatory animal inspector of the Biological Survey for the detail of a hunter, and one of the best trappers and shots in the service was sent on this During several weeks of hide and seek the wolf displayed his uncanny cunning but finally placed his front foot squarely in a trap baited with scent material obtained from another notorious wolf that had been taken by the predatory animal inspector at Split Rock, Wyo. As he dashed away, the trap drag caught firmly on a tree, but the swivel snapped. Dragging the heavy trap with him, the wolf traveled a distance of 3 miles before the hunter, close on his trail, got a shot at 300 yards and ended his career of destruction. Many wolves of similar cunning have been taken by Biological Survey hunters, but this animal was one of the most difficult to capture.

The death of the Custer wolf was hailed with delight by stockmen throughout the region where the depredations had occurred, and has added impetus to a movement for cooperation with the Department in order to meet more adequately the needs of the live-stock industry.

# Present Fighting Organization.

During the fiscal year 1920 a force varying from 300 to 400 skilled hunters was employed under the direction of district inspectors of the Biological Survey. The work is now organized into 13 districts, each with a trained inspector in charge, as follows:

- 1. Arizona.
- 2. California.
- 3. Colorado.
- 4. Idaho.
- 5. Montana.
- 6. Nevada.
- 7. New Mexico.

- 8. North Dakota and South Dakota.
- 9. Oregon.
- 10. Texas.
- 11. Utah.
- 12. Washington.
- 13. Wyoming.

The hunters of the various districts are paid in part from the Federal Treasury and in part from cooperative funds supplied by State appropriations and from contributions from live-stock organizations and individuals. The amount thus provided by cooperators in the year 1920-21 totaled \$272,509. There has been a steady, consistent increase in the funds provided by State appropriations, by stockmen's associations, and by individuals for cooperation with the Department in this work, as the direct benefits derived from the systematically organized operations became evident. Present prospects indicate that the cooperative funds will be materially increased for the ensuing year.

Study and experimentation by experts have resulted in great improvement in the methods and practices employed in eradicating predatory animals. The poisoning campaigns have increased in number and have been more effectively organized each succeeding year. Their success has been such that in many areas stock growers are urging their application during the appropriate season. These campaigns have been followed by a marked decrease in the number of coyotes in the sections poisoned, with a corresponding decrease in the losses of sheep, cattle, pigs, colts, and poultry. Reports from stockmen indicate that on many ranges and lambing grounds the former heavy annual losses have become negligible or have been entirely eliminated.

#### Killers Killed.

The following statement shows, by States, the number of true predatory animals—the chief live-stock destroyers—which have been killed and their skins or scalps secured from the time the work was initiated, July 1, 1915, to June 30, 1920, a period of five fiscal years. The table does not include the large number of animals poisoned, as no complete record can be obtained of those that travel so far before the poison takes effect that they can not be located in time to secure skin or scalp. The large numbers of coyote carcasses found by stockmen while riding the range following poisoning operations afford strong evidence in support of the estimate which has been made by the Biological Survey that the animals thus destroyed equal in number the total of all those killed by other means and included in this table.

Predatory unimals destroyed in Biological Survey and cooperative campaigns from the initiation of the work, July 1, 1915, to June 30, 1920 (not including animals poisoned).

•	True predatory animals killed.							
States.	Bears.	Bobcats and lynxes.	Coyotes.	Moun- tain lions.	Wolves.	Total.	tive work was begun.*	
Arizona	17	695	3,711	182	146	4, 751	1919	
Arkansas		12			17	29	None.	
California	10	796	3, 961	26		4, 793	1919	
Colorado	22	372	5, 447	. 35	109	5,985	1918	
Idaho	34	1,323	12, 747	9	75	14, 188	None.	
Montana	26	360	5, 202		287	5,875	1918	
Nevada	3	4,268	23, 286	21	4	27,582	1916	
New Mexico	82	1,237	6, 056	141	385	7,901	1918	
North Dakota			337	;		337	1920	
Oklahoma		9	8		73	90	None.	
Oregon	51	1,742	8,594	41	16	10,444	1920	
South Dakota	1	58	794		23	876	None.	
Texas		1,763	10, 321	6	1,283	13, 373	1918	
Utah	22	2,141	14, 509	69	142	16,883	1918	
Washington	23	254	8, 362	2		8,641	1918	
Wyoming	. 26	344	6,011	8	376	6, 765	1918	
Total	317	15,374	109, 346	540	2,936	128,513		

<sup>\*</sup> The date refers to the fiscal year ended June 30 in each case.

# Money in the National Pocket.

The sale of skins taken by the Federal hunters has enabled the Biological Survey to turn in to the United States Treasury in the five years ended June 30, 1920, \$240,423.63. Estimates based on information supplied during the last year by farmers and stockmen indicate that the destruction of the approximately 50,000 predatory animals under the direction of the Survey resulted in a saving of live stock for the year valued at about \$6,000,000, calculated on prices prevailing




B 17391

Evidence That Uncle Sam's Hunters Get Results.

Each hunter reports his day's catch and sends to the Biological Survey inspector in charge the pelts or scalps of all animals taken. The salvage of skins having fur value, which are sold at public auction, has already netted the United States Treasury over \$240,000.

during the period. The killing of these long-lived predatory animals also results in a saving which is cumulative from year to year. Elimination of predatory animals is saving on the pasture ranges for development to marketable age a great number of cattle, sheep, colts, pigs, and poultry, which formerly fell prey to these animals. This work has so encouraged the live-stock men that they are adding to their flocks and herds as forage for additional animals is provided by the eradication of such range-destroying rodents as prairie dogs, ground squirrels, and related pests.



By F. W. PECK,

Farm Economist, Office of Farm Management and Farm Economics.

HOW MUCH does it cost to produce a bushel of wheat? This question sounds innocent enough. Viewed casually, it does not seem especially difficult. One unacquainted with the uncertainties of farming, and particularly of grain farming, might fancy the farmer figuring out the answer; extempore, on a shingle, as the city dweller might figure up his coal bill on his cuff. As a matter of fact, however, the question is both difficult and important. Of all knotty problems of economics there are few that are more puzzling. In a certain sense, too, it is an insoluble problem, for the conditions of production are so variable that it is not possible to cite any one figure as the cost of a bushel of wheat in a given region.

# What About the Average?

It is quite possible, of course, to figure out the average cost of a bushel of wheat for a given region—or for the whole country, or even the world, for that matter—provided the necessary data on cost of seed and labor, use of land, etc., are available, but after such an average is found it is a sort of statistical white elephant. The average does not serve the purpose it is popularly supposed to serve in establishing the right relation between costs and prices.

The average person—that elusive individual whom no one has ever met, because, like the average cost of wheat, he is a mere abstraction—may be evoked at this juncture to ask the natural question:

"Why will it not do to use the average as the measure of the cost of producing wheat?"

# Why the Average May Be Misleading.

The answer to this question must be framed with an eve to the fact that the public mind is prejudiced in favor of the average as a statistical yardstick, since it has been so largely used as such. If the average cost were set up as a standard, we would have merely a 50 per cent standard, since the average tends to divide the figures into two groups of about equal size, so that about half the farms concerned show up as producing wheat at a cost above the average and half at a cost below the average. On this basis, if the average cost should determine the price, about half the farmers would be producing at a loss. When the price of a commodity goes so low that production is a fifty-fifty gamble, the tendency for many of the producers is to quit and go to raising some other crop that promises a better chance of profit. The result may be underproduction and a period of higher prices.

# Ranges of Costs.

One needs only to glance at an array of actual cost figures to see that the average cost is but one of many costs that must be taken into consideration. During the past year the Office of Farm Management and Farm Economics has gathered cost figures on the 1919 wheat crop from 481 farms located in the six great wheat-growing States of the Middle West-Kansas, Missouri, Nebraska, Minnesota, and the two Dakotas (284 farms in the winter-wheat area, covering 42,714 acres and producing over 635,000 bushels of wheat, and 197 farms in the spring-wheat area, covering 42,847 acres and producing over 362,000 bushels of wheat). A trained investigator visited the farms and obtained from each farmer's records, or from his knowledge of his business, the facts necessary for making a close estimate of the cost of growing wheat on that farm. The average cost per bushel was found to be \$2.15. You are asked to consider this average in connection with the following figures showing ranges in cost that entered into the making of the average:

#### Winter wheat:

Average net cost per acre, \$27.80.

Range in net cost per acre, \$10.55 to \$50.23.

8 per cent of the acreage was grown at from \$10 to \$20 per acre.

39 per cent at from \$20 to \$30 per acre.

40 per cent at from \$30 to \$40 per acre.

13 per cent at over \$40 per acre.

Average net cost per bushel, \$1.87.

Range in net cost per bushel, \$1 to \$8.20.

18½ per cent of the wheat cost from \$1 to \$1.50 per bushel.

45½ per cent from \$1.50 to \$2 per bushel.

24½ per cent from \$2 to \$2.50 per bushel.

11½ per cent at over \$2.50 per bushel.

#### Spring wheat:

Average net cost per acre, \$22.40.

Range in net cost per acre, \$12.98 to \$47.84.

23 per cent of acreage was grown at from \$12 to \$20 per acre.

45 per cent at from \$20 to \$25 per acre.

25 per cent at from \$25 to \$30 per acre.

7 per cent at over \$30.

Average net cost per bushel, \$2.65.

Range in net cost per bushel, \$1.10 to \$14.40.

3.2 per cent of wheat cost from \$1.10 to \$1.50 per bushel.

21.3 per cent from \$1.50 to \$2 per bushel.

29.4 per cent from \$2 to \$2.50 per bushel.


22.8 per cent from \$2.50 to \$3 per bushel.

22.3 per cent at over \$3 per bushel.


#### What Makes the Cost.

The principal items of operating expense in producing wheat are: Man labor, horse labor, seed, twine, fertilizer, thrashing, taxes and insurance, machinery, abandoned acreage, and overhead expense. The one item of cost that in accounting practice can not be called operating expense is interest on the land, or land rental. One of the important objects of the cost studies is to bring out the relative profitableness of the various farm enterprises. When the farmer's labor, capital, and land can be used for alternative purposes, and when various amounts of labor, capital, and land are required for crop production, the inclusion of interest or land rent as a cost is very important.

In the winter-wheat area the charge for the use of land was a little less than one-third of the total cost, man and



horse labor about one-third, "materials" expense about onetenth, and other expenses one-fourth. Without including land rent as a cost, man and horse labor constituted one-half of the cost, materials one-sixth, and other expenses about onethird of the total.



In the spring-wheat area land rent constituted about one-fourth, labor one-third, materials one-sixth, and "other expenses" one-fourth of the total cost. Excluding land rent as a cost, labor constituted two-fifths, materials one-fourth, and other expenses one-third of the total cost.

# Low Yields Mean High Cost.

The range in cost per acre was much narrower than in cost per bushel because of the wide variation in yields due to weather conditions or to disease and parasites. A yield per acre below that anticipated when the crop was sown means a relatively high cost per bushel. This is true where the acre cost is low as well as where it is high. It was found that on the spring-wheat farms those who received yields of from 5 to 10 bushels per acre had costs 100 per cent greater per bushel than those who obtained from 15 to 20 bushels, while their acre costs were only 24 per cent less. Similar results were noted in the winter-wheat area.

The wide variation and the range of yield per acre are indicated by the following figures:

Vario	ition i	in yield	and	cost	of	production	of	wheat.	

Item.	Cost per acre.	Cost per bushel.	
WINTER WHEAT.			
Average yield per acre, 14.9 bushels	\$27.80	\$1.8	
Range in yield per acre, 1.5 to 28 bushels	10.55 to 50.23	1.00 to 8.20	
4 farms, or 1 per cent, obtained less than 5 bushels per acre	16. 27	5.14	
39 farms, or 14 per cent, from 5 to 10 bushels per acre	21. 29	2. 63	
69 farms, or 24 per cent, from 10 to 15 bushels per acre	25.99	2.04	
101 farms, or 36 per cent, from 15 to 20 bushels per acre	30.51	1.77	
65 farms, or 23 per cent, from 20 to 25 bushels per acre	32.86	1.5	
6 farms, or 2 per cent, more than 25 bushels per acre	39. 64	1.4	
SPRING WHEAT.			
Average yield per acre, 8.4 bushels	22.40	2.6	
Range in yield per acre, 3.5 to 20.8 bushels	12. 98 to 47. 84	1.10 to 14.0	
29 farms, or 15 per cent, obtained less than 5 bushels per acre	19.01	5.2	
112 farms, or 57 per cent, obtained from 5 to 10 bushels per acre.	22.07	2. 9	
51 farms, or 26 per cent, from 10 to 15 bushels per acre	24: 27	2.0	
5 farms, or 2 per cent, more than 15 bushels per acre	23. 73	1. 4	

# Another Way of Measuring Cost.

A more stable measure of crop costs than dollars is found in quantities of labor, seed, twine, and fertilizer required per acre. By knowing these it is possible to estimate the cost per acre from year to year in a very satisfactory manner.

It was found on the winter-wheat farms surveyed that the average number of man-hours required per acre was 10, with a range of from 5.4 to 27.4. For the horse labor the aver-

age requirement was 24.8 hours per acre, with a range of from 15.9 to 61.6. Estimating the machinery cost by the number of horse-hours required to produce an acre of winter wheat, it was found that this item amounted to  $7\frac{1}{2}$  cents per hour of horse labor. In the spring-wheat area fewer hours of both man and horse labor were required. On the average, but 7.4 man-hours were required, with a range of from 3.6 to 19.1. The average horse labor required was 22.1 hours, with a range of 13.4 to 45.8. The machinery cost on the spring-wheat farms amounted to 8 cents per hour of horse labor.

There was little variation in the quantity of seed used per acre. The range for the winter-wheat farms was 0.8 to 1.4 bushels, with an average of 1.1 bushels, and for the spring wheat farms 1.2 to 1.4, with an average of 1.3.

There was also a relatively small variation in the use of twine per acre. In the winter-wheat area the average acre requirement was 2.8 pounds, with a range of 2.3 to 3.7. On the spring-wheat farms the average was 2 pounds per acre, with a range of 1.3 to 2.2.

These are concrete examples of basic requirements. There is need of much more study along this line, that we may accumulate a mass of fundamental figures for use in estimating future costs.

#### The Bulk Line.

It will be seen, in the light of the foregoing data, that it is not possible to give an off-hand answer to the question of the cost of a bushel of wheat. It is possible, however, to present cost figures that will be of great value to individual farmers in reorganizing their lines of production, in reducing certain items of cost, and in testing the efficiency of their operations. From the consumer's standpoint cost figures show problems of the producers and emphasize the importance of a price which will maintain a continuous and steady supply of food.

The Office of Farm Management and Farm Economics tries to present its cost figures so that a complete picture of the range of individual costs can be obtained at a glance. From the presentation of a range of costs of any product at various cost intervals it will appear that an adequate production will not be forthcoming if the price at which the crop is sold approximately represents the average cost.


Usually 40 to 50 per cent of the production is produced at costs above the average. It follows that one must consider the cost that is representative of the "bulk" of the production of a given product in order to arrive at a cost figure that approximates what the price should be to maintain the industry on a proper basis. This consideration has led to the development of the "bulk-line" theory of cost in its relation to price, which has assumed an important place in the field of economic research.

The "bulk-line" theory is a modification and attempt at practical application of the "marginal cost" theory. For purposes of convenience the "bulk line" has sometimes been drawn to include 85 per cent of the production, but this is an arbitrary figure. In reality the position of the bulk line varies with different commodities and from time to time according to the alertness with which farmers adjust their production to market conditions. The "bulk-line" cost corresponds to the long-time average price which is essential to stimulate the production of that quantity of the product which the market demands. (See charts.)

Our studies thus far made of cotton, winter-wheat, and sugar-beet costs show that the price received by the producers in 1918 and 1919 approximated a "bulk-line" cost of from 75 to 80 per cent of the product produced on those farms.

# Merely a Beginning.

It should be borne in mind that all the figures thus far available on cost of production represent merely the first efforts of research along this important line. Certain State colleges have conducted investigations in cost of production, and the Federal department has tabulated cost data on wheat, cotton, tobacco, fruit, sugar beets, and live-stock products; but many more data than are yet available for these crops and other farm enterprises should be gathered, analyzed, and interpreted to bring out existing facts in the cost problem.



By Hebbert A. Smith,
Assistant Forester in Charge of Public Relations, Forest Service.

I F YOU go into almost any city west of the Great Plains and pick up the telephone book, the chances are you will find a number entered in it for the "Forest Service." And if you go to the address recorded with the number you will probably arrive at an office building in the business part of the town, within which somewhere is a glass door carrying the name of a National Forest.

There are such offices in Seattle, Portland, and Los Angeles; in Denver and Salt Lake; in Missoula, Mont., and in Phoenix, Ariz. Also there are National Forest headquarters in dozens of little places of which you may never have heard. There is Austin, Nev., an old and almost deserted mining camp, reached by 109 miles of narrow-gauge railroad on which trains run three times a week; and Widtsoe, Utah, a hamlet of about 15 houses, 60 miles from a railroad; and Kanab, in the same State, 135 miles from the nearest railroad, and often virtually cut off from the world. And so on, a hundred and forty-odd of them in the West, all told. and in all kinds of places.

Fifteen years ago almost all the Forest headquarters were in little settlements or out-of-the-way towns close to the Forests themselves. But for the better service of the public it has been necessary to move them, where possible, to more accessible points. For the forest supervisor is first and foremost a business man, the local manager of an important enterprise—the handling of some million acres of land permanently devoted to the advancement of the general welfare.

His duties as manager are partly those of an executive in charge of a property which must be protected, developed, and improved. But they are also very largely those of a sales manager. What he is engaged in selling, however, is something more than the things that bring in money to the Government. It is service—to the individual, the community, and the Nation.

Let us go in through the glass door and have a look at the supervisor. We can expect to find a man between 30 and 45 years old—probably lean, and certainly with a complexion that sun and wind have colored; an outdoor man, yet an office man, too; surrounded by files, with a stenographer to help handle his mail, and probably a clerk or two more—though he is quite capable on occasion of pounding out his own typewriting, after the fashion of the self-taught; and with a storeroom handy somewhere, either on the premises or in quarters not far away, in which is a varied equipment of Government property—from shovels and axes to surveying instruments, and from blank forms for timber-sale records to telephone wire and split tree insulators.

# The School of the Woods.

The supervisor may or may not be a college graduate who has prepared for his profession as would an engineer or a student of agriculture at a State university; but he is always a graduate of the school of the woods. Over one-third of the 152 supervisors have been through a professional school of forestry. But all should be counted technical men, for to be qualified for their jobs they have had to learn through years of service the practice of forestry, as it is applied on the National Forests.

Before finding out just what this means, we may profitably note what sort of business goes on in the supervisor's office. On his desk is his morning's mail—perhaps 50 or 60 letters,


if it does not happen to be a busy time. Some are from people whose homes are within or near the Forests and who have written for a permit to cut some "free use" timber, for fuel, fencing, or lumber, or who want summer employment as fire



Opening the Way to the Back Country.

To fight fire, to get out timber, to open the way to the traveler and the settler, Forest Service officers are constantly at work pushing forward roads and trails into the wilderness.

guards, or who are not satisfied with the way the local ranger is dealing with them. For we must remember that our general sales manager for the Forest, in the person of the supervisor, is not the man who does most of the actual "selling." The men in first-hand contact with the local public are the



A Ranger Station.


The Forest Service believes in doing business on the ground, and much of the Forest business is in the hands of the ranger, who is in direct contact with the local public.

forest rangers—a goodly body, all in the classified civil service and therefore selected on the basis of proved qualifications.

The forest ranger has almost become famous, collectively speaking, in the West, and even in the East. That is partly because he is a somewhat picturesque and romantic figure as well as a highly useful citizen and public officer. He is, indeed, in a sense the keystone of the Forest Service arch; all the rest of the administrative organization leads up to him, and he is the final unit that completes the system.

# Illiterate and Angry.

Since the rangers are the actual "salesmen" of service to the local public, if they don't mind their p's and q's the supervisor quickly hears of it—and very likely also if they do. Here is a letter on the supervisor's desk, for instance, breathing fury. The writer is illiterate, but voluminous, after the fashion of the man whose grievance rankles within him. The ranger, it seems, has been marking timber to be cut by a lumber company, and has marked some on the letter writer's group of mining claims. The charge may be true—even a woodsman may sometimes miss the evidences of location that



A Forest Ranger.

A somewhat romantic and picturesque figure as well as a highly useful citizen and public officer.


the mining laws require. On the other hand, the claims may prove to have been illegally staked out after the timber sale was made, at a place where they will be most in the way or will include some of the choicest stand, for the thrifty purpose of being bought out.

Here is a letter asking the supervisor to attend a meeting of local citizens, at which will come up some road project requiring Forest Service cooperation. Other letters are from points outside the State. An eastern sportsman wants to know where he will find good camping and fishing, and by what trails he can get there, and what the State fish and game laws are; or perhaps an officer of a paper-manufacturing company is inquiring about the suitability of some large body of timber for the supply of a pulp mill; or there is an application from a deluded would-be settler who imagines that the wild, rough, high-lying mountain lands typical of the National Forests need only to be cleared to become like the farms of the East, and who supposes the supervisor can practically hand him out a homestead by return mail.

Other letters come without having to pay postage—official letters, from the supervisor's subordinates, or from the district forester's office. If the latter, they contain instructions,

or approval of plans submitted, or perhaps word that the supervisor is to be ready on a certain day to take an expert on timber operations, or grazing, or road building out on an inspection trip. The inspection will be made by one of the specialists attached to the district forester's staff—or possibly by the district forester, or by one of the assistant foresters from Washington, or even the Forester himself, the "Big Chief" in the eyes of all his field men. For the Forest Service organization does not set up two classes of men, one to sit at office desks and criticize paper reports and generally obstruct and bedevil the field work, and the other to try to get things done on the ground.

The field and office men serve turn-and-turn-about. The supervisor has, if necessary, a deputy supervisor, who changes places with him; when one is at the desk the other is in the woods. In the district offices, into which head up the administration of some 20 individual Forests, no branch of the work is supposed ever to come to a standstill for lack of some one



By Pack Train.

To reach the back country with supplies for fire fighters or to make a timber reconnaissance the pack train is often the Forest officer's only practicable means of transportation.

to handle it; yet every administrative officer must spend a large part of his time in seeing just what has happened, in his particular line of activity, on the ground and in the woods.

# The Supervisor Knows.

But we have let our attention wander from the supervisor. He is talking with a little group of substantial looking, typical western men—three cattlemen who have come to protest because they have been told they will have to allow some sheep to feed, jointly with their cattle, on the part of the Forest range they have been using. "We won't have sheep around. Cattle won't feed where sheep have been." The supervisor listens patiently. But we soon see that he knows his facts, and has not made up his mind without good reason. "There is feed there that is going to waste. Your cattle won't eat it, but sheep will. It isn't true that sheep on the range spoil it for cattle. That is an exploded idea. Our tests have proved the contrary. Why up in——."

But we need not listen further to the argument. The cattlemen will yield in the end. Of course, they can appeal from the decision of the supervisor, if they wish, to the district forester, and, if their grievance is important enough, to the Forester, and as the court of last resort, to the Secretary of Agriculture himself. But appeals are not very numerous, for generally speaking the forest supervisor is able to make the other fellow see that he is right. He has a big advantage, for one thing, because of the esteem in which he is held locally for his fairness, capacity, and leadership.

# National Forests Have Become Popular.

Now the cattlemen have gone, and the supervisor is ready to talk with us. We begin to ask him what the western public generally thinks of this National Forest business. There used to be a great deal of criticism of it. The supervisor smiles. He has been through all that—began as a ranger in the days when a forest officer in that country couldn't go to a dance without having it made quite obvious to him that his room was preferred to his company.

If we could get the supervisor to talk with us long enough (the best way would be to ride with him for three or four days as he travels over the Forest on his official business) what he would say might boil down into something like this:

Much of the early opposition to the National Forests was based on the feeling that the system was un-American. It was held that private enterprise could develop to best advantage the great resources involved. On general principles, the average American has a healthy dislike of too much government; and further, experience gives him good warrant for skepticism of our ability to get public business taken care of both cheaply and well. But the National Forests have become popular. Western public opinion expresses itself vigorously from time to time in their favor. Any attempt to take the back track and abolish the forests would certainly call forth bitter opposition. The way in which the business connected with their administration is handled, the quality of their personnel, and the cooperative and beneficial relationships maintained with local communities and community interests are a standing subject of comment and praise. The evidence is overwhelming that, in the eves of the West, the National Forest enterprise has made good.

The National Forests have for their primary purposes timber production and the control of run-off. In the words of the law, they are "to furnish a continuous supply of timber for the use and necessities of citizens of the United States." The same act specified also that they may be established "to improve and protect the forest" and "for the purpose of securing favorable conditions of water flows." But they are to be open to the public "for all proper and lawful purposes;" and one of the objects of their establishment is to "regulate their occupancy and use." In short, they are to serve the interests of the people in the broadest fashion.

# All Kinds of Range.

When the Forest Service took charge of the Forests in 1905 the most pressing administrative problem was what to do about grazing. Unregulated grazing was proving seriously injurious both to the growth of timber and to water supplies, and the range itself was fast losing productive capacity. Many persons advocated entirely closing the For-

ests to the grazing at least of sheep. No one would think of suggesting such a policy now.


The timber is still too far distant from local markets and means of transportation to the general markets of the country to have come into full demand. The West has not grown up to it. But the pasturage is fully utilized, under methods which safeguard the tree growth, hold in check erosion, prevent interference with the purity and regularity of streams, and are bringing back the depleted ranges to their full productive power.

Within the National Forests, reaching as they do from Mexico to Canada, from almost sea level to the summer snow banks, and from the desert to the well-watered mountain meadows where the first cattle grazed knee-deep in luxuriant verdure, the widest diversity of conditions exists. There is natural sheep range, natural cattle range, and natural goat range: there is range on which it takes 50 acres of land to support a cow, and range which at its best might carry 80 head of cattle to the quarter section through the summer season; there is winter range, summer range, and yearlong range: there is range on land where the tree growth is no more than scattered brush valuable only for water protection. range on denuded foothills and mountain slopes, in dense brush, in open parks, in timber that grows wide-spaced and high-crowned so that one may see through it for a mile, and in timber so dense that sheep can scarcely penetrate it.

But this is only the beginning. When grazing commences, a disturbing factor is introduced. More than 5,000 different species of range plants have been identified. The live stock have their preferences, and feed most eagerly on certain selections from nature's varied bill of fare. Their choice changes as the advancing season alters the menu-as early plants mature and later ones spring up. The grazing animals may crop the seeds, for their concentrated food value, or the tender foliage of an earlier stage of growth. Their hoofs trample, cut. pack. They may loosen, or compact, the soil: they may facilitate or almost wholly prevent reforestation; but always there is an effect on the forage crop. Broadly speaking, the more valuable plants tend to disappear, less valuable or worthless plants to gain ground, and the vegetation to thin out

# 318 Yearbook of the Department of Agriculture, 1920.

To prevent this deterioration and make the best use of the range calls first of all for knowledge of the actual conditions on each range unit. Is its carrying capacity on the decline? If so, why? Because the stock come on too early in the season, or stay on too late? Because they graze too much on certain parts of the range? Can they be better distributed by a different method of salting, by new water development, by drift fences, or by some other change in the method of handling?



Some Ranges Are Best for Cattle.

The goal of range management on the National Forests is the best use of all the forage by the number and kind of animals best suited to each kind of range.

Or must the number be decreased or the grazing season shortened? Again, the range may be depleted because of past overgrazing, so that although not now declining it is much below par. How can it be restored to normal productivity with least disturbance to those dependent on continuous use of the area? Or would it perhaps do better if used by a different class of stock—by cattle instead of sheep, or vice versa.

# Science and Practice on the Range.

The whole system of grazing is directed by grazing experts—men who combine practical knowledge of the range live-stock industry with scientific training. The local forest officers work under and with them to apply the methods which the experts prescribe. The condition of each range is closely watched, and reported annually. Decision is then made how many stock can safely be admitted the next season, and whether the plan of management can be bettered. If reductions are necessary, they are made with as little disturbance of the business of those using the range as possible; for the best interests of the country at large require a live-stock industry that is reasonably stable.

# Range Control Keeps the Live-Stock Business Going.

Protection of the range against overgrazing has in itself been a great stabilizing factor; live-stock men in the West now recognize that but for the system of grazing control applied on the National Forests, most of them would long ago have had to go out of business for lack of forage. But stability requires not only that the forage keep on growing; it requires also that those who wish to put their money into live stock shall have reasonable assurance that they will not suddenly be put off the range. Otherwise the business would be highly speculative, haphazard, and hand-to-mouth.

When the forest supervisor gets in his applications for use of the range, the chances are that they call for permits for more stock than the number fixed. Some of the users of the previous year wish to expand their business. New men have come in, developed ranches near the Forest, and want to share in the grazing privilege. How can stability be reconciled with further development? And how be fair to those already in the business while giving a square deal to new men equally entitled to the benefits of the public resource?

The forest officer is not embarrassed when confronted with such a quandary. To him it is no quandary at all; the regulations tell him just what he should do. No permanent monopoly of the forest ranges by a favored few is allowed; the big man must make room for the small, within reasonable limits. A carefully worked out system of preferences makes the whole matter simple. The reductions required of the larger owners are made on a sliding scale which operates to curtail the number of stock allowed them gradually and without unnecessary hardship. Preference is given to citizens over aliens, to those regularly engaged in the business in that locality over transients, to owners of improved ranch property over stockmen who have not such property, to ranch owners who are actually residents of their ranches over nonresident owners.


The near-by home builder of moderate means who raises cattle or sheep in connection with other farming, who needs to use the public range for summer pasturage, and who has no other good way to get his hay or grain to market than to send it on the hoof, is given the highest preference. What he does not require, others in graduated order are welcome to utilize—and more than welcome. To open feeding grounds for them roads and bridges are built, driveways located, and the remotest corners of the Forests ransacked in the search for new grazing areas. Meanwhile intensive study is being given to ways of increasing the forage yield and the effectiveness of its utilization.

# Prize Winners Off the Range.

It has become common for live stock from the National Forest ranges to top the market in the fall, win prizes at live-stock shows, and go straight to the packers instead of being sold for "finishing" as farm feeding stock. Not scrub stock but high-grade, heavy, well-conditioned animals have become the rule. At the same time the number of animals grazed on the Forests has been steadily rising. On the average the carrying capacity of the range has been increased by something like 30 per cent in the 16 years since the Forest Service took charge of them. It is not strange that western cattle and sheep industries have been converted from opposition to enthusiastic advocacy of regulated grazing by the Forest Service.


# For a Stay-at-Home Lumber Industry.

When we turn from the range to the timber, certain parallels are disclosed. Here also protection of the public against monopolistic control is a part of the policy. The law requires that when National Forest timber is sold for commercial use its fair market value must be obtained. The timber is sold on the stump for not less than the appraised value; and every effort is made to secure competitive bids in all commercial sales. Large sales are extensively advertised, and before a contract is awarded all possible opportunity is given prospective purchasers to become familiar with the logging chance in question. But the right is reserved, and on occasion exer-



Using and Growing Timber on the National Forests.

Mature trees, marked in advance by Forest officers, are cut without waste; brush is piled to reduce the fire hazard; and a good stand of thrifty young trees is left to grow for future use.



Minutes Count.

A glimpse of distant smoke, a quick calculation to "spot" the fire, a word over the wire to ranger headquarters, and the fight is on.

further protection against monopoly it is distinctly the policy to make sales in such a way that competition of manufacturers for a given market will be developed. the same time, stability of manufacturing enterprises is provided for by holding for established operators a supply of timber adequate to meet their needs for a term of years; while the cut is limited to what the forests can permanently produce as a sustained vield. In place of a nomadic industry,

gutting the country and moving on to new fields of devastation, is substituted one that is meant to continue as long as trees grow and water runs.

This imposes a task for the expert in silviculture, very much like that imposed on the grazing expert. When the Forest Service took the Forests in charge there was scarcely the beginning of a science of forestry in this country. Lumbering interferes with the forest growth in much the same way that grazing interferes with the forage growth. To use the resource so that it would not be impoverished, but improved, was the vital matter.

Laboriously and step by step, the technical practice of forestry has been worked out. Every cutting has become an object lesson and source of new knowledge. Field observations have been supplemented by carefully planned intensive work at experiment stations. Lack of adequate funds has

made it impossible to prosecute the experimental studies with the vigor that was needed to build up, as rapidly as it was called for, the basic knowledge of forestry, and curtailed appropriations for the support of this work have recently compelled the virtual closing of most of the stations; but in spite of such obstacles, progress of a notable character has been made.

#### Fire.

Just as the range had been badly abused before the National Forests were created, the timber had been ravaged by fire. Forest fires had set their mark on the western forests even before the first white settlement of the country began. These early fires were sometimes of Indian origin, but were largely caused by lightning. As the whites moved in, fires became more frequent. There was little sense of a personal responsibility for protection of the forest resources. Hunters and trappers, prospectors, sheep herders and cowboys, lumbermen, settlers, railroads, and recreation seekers all contributed to increase the danger.

There were many great fires. The earliest explorers ran into some of them. In the West the forests normally face each year a dry season. Frequently the summer drought is

severe and prolonged. Electrical storms, with little or no rain, are common, and one such storm may start from a dozen to thirty fires within an hour or two. These lightning fires are most common in the high mountains. where their control made difficult by remoteness and inaccessibility. They



A Smoke.

The smoke from a burning forest is visible many miles away and gives the lookout on the peak his first warning of the fire.

may burn for days and sometimes for weeks before an adequate force of fire-fighters can reach them.

The great fires left extensive areas of desolation. Less spectacular but no less harmful were the thousands of small fires that burned each its few acres of heavy timber or ran unchecked over the surface, killing mainly seedlings and young growth. The oftener surface fires run through timber the thinner the stand becomes. The old trees are left without a normal crop of young trees coming on to take their place, and a depleted, impoverished, and in the end very likely a ruined forest is the consequence.

Fires not only interfere with the production of timber, but also impair, and may destroy, the capacity of the forest to protect watersheds. The first task imposed on the Forest Service when, in 1905, it was placed in charge of the National Forests was to devise and apply effective methods of holding down the fire damage.

# A Tough Job.

The task was immense. There was nothing to pattern by, and worse than nothing in the way of a field organization to work with. "Political" appointees had been the rule, almost to the time when the "forest reserves" were transferred to the care of the Forest Service; for the field force had not been put in the classified civil service until December, 1904. Public sentiment with regard to the reserves was at best inclined to be indifferent, if not suspicious; in many regions it was strongly hostile. The business methods in vogue were archaic and cumbersome; the organization ill-adapted to its tasks; the personnel neither commanding nor on the whole deserving public confidence. With regard to forest fires, the prevailing-sentiment in the West was that they could neither be prevented nor effectively controlled, and a large part of the population saw no reason why they should be. Settlers set fires to clear land, and let them run; miners set them to make prospecting easier; sheepmen and cattlemen set them to get more forage. Congressional appropriations for the protection of the "reserves" were grossly inadequate. short, there was neither the machinery for fire control, nor knowledge how to bring control about, nor funds for bringing it about, nor any great public desire that it be brought about.

And every summer, from the Pacific to the Great Plains, a large part of the country was dim with haze or shrouded in smoke.

With notable swiftness the whole situation began to change. Crooked and inefficient job holders were hunted out of the inherited field force; business methods were vigorously overhauled and organization was improved; the technic of fire suppression was learned in the hard school of experience; an aggressive campaign of public education was waged. While 16 years has not sufficed to bring about complete



Backing Up the Fire Fighters.

Equipment and supplies are sent forward by pack train from the base camp to the fire lines.

protection to the public forests against the fire hazard, the gains made are of a profound and revolutionary character. Essentially the battle has been won; what remains is to press the victory home.

The National Forest protective force knows how to handle fires and is competently organized. It has suffered from too frequent changes in personnel, due to inadequate pay, and the force is still in many regions too small. But the greatest deficiency is in the equipment of the Forests with what is necessary to detect and get to the fires quickly, so that they can be put out while still small. More lookout stations, telephone lines, and especially more roads and trails are badly needed. The outlay required for so huge an aggregate area is, of course, too great to enable these improvements to be supplied all at one time. Each year sees their construction carried farther.

# Getting the Public to Help.

Perhaps the most notable single achievement has been the conversion of western public sentiment with regard to fires. Fifteen years ago most of the sentiment against fires was in the East. To-day it is in the West. The value of the strong western support of the policy of protection, and of the readiness of the public to cooperate both in preventing fires and in putting them out, is beyond estimate. This is due partly to the demonstration by the Forest Service that the fire losses can be held down and to the beneficial results that have followed, but it is largely due also to the unremitting campaign of education that has been waged by every available means. This campaign must be nation-wide if the country is to have adequate permanent forests.

Throughout a large part of the West, and in the National Forests that are strung along the Appalachian Mountain system from Georgia to Maine, the problem of protection is now well in hand. In the three Pacific Coast States, however, and in northern Idaho and western Montana, the conditions are much less satisfactory. This is the portion of the country in which the worst fires occur. It is also the part of the country in which is concentrated one-half of our remaining stand of timber.

All the conditions that make fire control difficult are in these regions accentuated and combined, so that the problem of protection is presented in its most acute form. The summers are usually so dry that for months the surface litter and vegetation are like tinder; the timber stand is of conifers; the country is very mountainous and broken, little settled, undeveloped, and lacking in means of communication and transportation; lightning storms are common and severe; the areas to be protected are immense; and the funds available for protecting the Forests are exceedingly inadequate. Here are the last great strongholds of the arch enemy. What is the prospect for their reduction?

Perhaps that can accomplished only by the method of slow siege. Season by season, the roads and trails. stations. lookout telephone lines, and similar permanent equipment will be carried farther into the mountains and increased in number. Thus the approaches will be driven forward. outposts t h e strengthened, and the foe weakened and pressed back. The men employed in constructing these improvements will furnish potential firefighting forces



National Forest Timber is Used.

Mature timber on the National Forests is placed on the market and bids are accepted from responsible operators. The trees to be removed are marked in advance and the cut is limited to what the Forest can produce permanently as a sustained yield.

close to the advance line. Ahead of them will be the scouts and skirmishers—"smoke-chasers," patrolmen, lookout-men holding their lonely vigils on commanding peaks and turning in the alarm when their telescopes bring to view the tell-tale smoke banners of the enemy. Behind the front-line men there will gradually press in potential supporting columns—logging crews come to harvest the ripe timber for sawmill or pulp, miners opening a new camp, ranchers here and there in the mountain valleys, railroad construction crews, little settlements, villages, towns. Dangerous old burns covered with "jackstraw" dead-and-down timber will be made innocuous, either by fire lines run about and through them, by utilization, or, if there is no better way, by letting fire take its final toll and utterly consume the débris. Sheep and cattle will be got

into portions of the forests now inaccessible to them, to eat off the forage before it becomes fuel to spread the flames, and sometimes to create fire lines through their driveways, or to trample down and break the smaller fallen wood. And as the interests of the public in the Forests increase through economic development, there will be more and more forest officers on the ground, more and more money appropriated to hire guards, a more and more vigorous pushing of improvement work. Progress will be at an accelerating rate; it will gain by its own momentum, and conquer the last ground with a rush. It is the first step that is hardest to take, and therefore really counts most—and already there are many steps behind.

# Sound Science and the Spirit of Public Service.


There is much else that would have to be told to make the story of how the National Forests are handled anything like complete. It would be necessary to tell of their growing use for recreational purposes; of their relation to the mining industry, which may freely develop their mineral wealth and obtain from them both wood and water essential to mining operations; of their relation to many other industries, and how their management is shaped with a view to making all industries dependent on them stable and permanent. But the essence of the whole matter may after all be summed up in a very few words.


On February 1, 1905, the Secretary of Agriculture, James Wilson, addressed a letter to the Chief of the Forest Service, which said in part:


In the administration of the forest reserves it must be clearly borne in mind that all land is to be devoted to its most productive use for the permanent good of the whole people and not for the temporary benefit of individuals or companies. All the resources of forest reserves are for use, and this use must be brought about in a thoroughly prompt and businesslike manner, under such restrictions only as will insure the permanence of these resources.

You will see to it that the water, wood, and forage of the reserves are conserved and wisely used for the benefit of the home builder first of all, upon whom depends the best permanent use of lands and resources alike. The continued prosperity of the agricultural, lumbering, mining, and live-stock interests is directly dependent upon a permanent and accessible supply of water, wood, and forage, as well as upon the present and future use of these resources under businesslike regulations enforced with promptness, effectiveness, and common sense. In the management of each reserve local questions will be decided upon local grounds; the dominant industry will be considered first, but with as little restriction to minor industries as may be possible; sudden changes in industrial conditions will be avoided by gradual adjustment after due notice, and where conflicting interests must be reconciled the question will always be decided from the stand-point of the greatest good to the greatest number in the long run.

These were the principles which the Forest Service was instructed to put into effect when it took charge of the National Forests 16 years ago. They have never been changed. To the extent that they have been faithfully carried out, the Forest Service has been successful. For that measure of success it is indebted to the fact that, as a unit of the Department of Agriculture, it has been able to bring to its varied tasks the methods and spirit of agricultural science (of which forestry is a part) and to apply them in the service of the public interest. Under no other department of the Government could it have accomplished its tasks with equal success. It can continue to serve the public with thorough efficiency only so long as its work continues to be guided by the same combination of sound science and the spirit of public service. Forestry must be applied by foresters and its kinship with agriculture should never be forgotten.









# SCRUBSTO QUALITY STOCK

By D. S. Bubeh,

Editor, Bureau of Animal Industry.

WHEN you start to improve live stock by grading up with purebred sires you will not stop with merely the sires, nor will you limit yourself entirely to the grading process. You will acquire some purebred females and become, in a degree, a breeder of purebred live stock as well as conducting the grading-up process with the other females. More than that, you will acquire several times as many purebred females as you have males.

These results happened on more than 3,200 farms in the United States where purebred sires are used. Moreover, the statements hold true for all classes of live stock.

In the case of cattle the owner of a purebred bull acquires on an average seven purebred cows besides his other cows that are not purebred. With swine and sheep for every purebred male used there are about eight purebred females; and with poultry the proportion is 1 to 13. For horses the ratio is not so large—one stallion to only two mares—yet the principle of getting purebred dams to go with purebred sires still holds good.

# Better Stock of All Kinds.

These figures represent the experiences of 3,243 live-stock owners who are cooperating with their State agricultural colleges and with the United States Department of Agriculture in the "Better Sires—Better Stock" campaign. This



is an educational movement to improve the quality of live stock in the United States by the use of good purebred sires. It involves the pledge of a live-stock owner to use such sires for all classes of live stock kept, and upon receipt of this pledge, together with the blank on which is listed the number of animals kept for breeding, the department issues a suitable emblem of recognition.

The principal part which the various agricultural colleges and the Department of Agriculture play in the bettersires drive is to give out information showing the benefits which purebred sires bring. Whatever action live-stock owners themselves take is a matter prompted by their own best judgment. It is their judgment, their decision, and their ultimate action which are the basis for the figures already given. The noticeably large use of purebred females is an unexpected result of the better-sires movement and contributes largely to its success.

The trend toward better live stock is shown in a striking way by the total figures representing enrollment in the better-sires campaign for slightly over a year.

# What the Pictures Show.

### A. Piney Woods Rooter and Her Litter of Three.

Although some swine raisers, especially in the prominent swine-raising States, have never seen a typical razorback, other swine raisers have not seen well-bred swine of good type.

### B. Purebred Profit Makers.

An unusually excellent pair of Hampshires with a litter so lively that the camera could scarcely "catch" them.

### C. Plenty of Ventilation—Little Comfort.

Poor housing interferes with animal comfort, tends to lower production, and may also harbor live-stock diseases. Better returns from headed by purebred sires generally make possible a better class of farm buildings.

### D. Good Live Stock Earns Good Quarters.

Light, ventilation, sanitation, and plenty of economical feed—all these combined with good breeding cause live stock to be most profitable to owners.

# 334 Yearbook of the Department of Agriculture, 1920.

Quality of live stock used for breeding by purebred-sire owners.

[Based on reports of 3,243 persons enrolled in "Better sires—Better Stock" campaign Jan. 1
1921.]

Kind.	Males (all pure- bred).	Females.					Total
		Pure- bred.	Grade.	Cross- bred.	Scrub.	Total females.	males and fe- males.
Larger animals (including cattle, horses, asses, swine, sheep, and goats)	8,021	50, 213.	72, 546	22, 203	3,849	148,811	156,832
guinea fowls)	12,346	159, 149	52,584	10,043	4,000	225,776	238, 122
Total animals and poul- try	20, 367	209, 362	125, 130	32, 246	7,849	374,587	394, 954

Slightly more than one-third of all the larger female animals kept by purebred-sire users, are purebred.

These summaries, in the judgment of specialists in the Bureau of Animal Industry, show the esteem in which farmers of the country are holding purebred live stock. At the beginning of the "Better Sires—Better Stock" campaign a large proportion of the discussion concerning the merits of purebreds originated in the department, but now, like a returning tide, the favorable opinions and reports of success which attend the use of well-bred live stock are rolling in.

# Another Page of Live Stock Contrasts.

### A. A Scrub Cow.

There is seldom any uniformity in scrub stock. About the only things they have in common are 4 legs, 2 horns, a hide, and a tail.

### B. One Result of Tick Eradication.

Purebred Hereford cattle in Mississippi. Only a few years ago the State was tick infested. Good breeding stock combined with the control of pests and disease makes possible a great live-stock empire in the South.


### C. Where Breeding Means Power.

A purebred Percheron stallion. Sires of this kind result in vigorous, growthy animals.

### D. Handicapped by Inferior Breeding.

Poorly bred horses like this one are less valuable for work and bring less at sales than those having purebred ancestors.

In the case of poultry, which are more prolific, more than two-thirds of the females kept by purebred-sire users are of pure breeding.



These match up so closely with the figures already given that they should interest live-stock owners throughout the country regardless of the kind and quality kept.

# What Purebred-Sire Users Say.

A breeder in Nevada remarks, "My steers (from purebred sires) will weigh 100 pounds more at 2 years old than a scrub at 3." "If I had \$3,000 to start a herd of good cattle," declares a North Carolina dairyman, "I would put at least 50 per cent in a bull. I claim to have the best bull in the State and am looking forward to his offspring. Get a better sire."

"Use big, vigorous sires and feed well," another breeder urges. "A scrub can't be expected to produce growthy offspring."

"A first-class animal can not be produced without a good sire," remarks a Florida stockman, "but I would urge also better dams. You have never seen a real high-class animal that didn't have a good dam."

A Pennsylvania dairyman who is a member of a cooperative bull association states in a letter to the department, "I have been a member of the Grove City Holstein-Friesian Bull Association for three years. It is one of the best investments a small breeder can make. I do not believe I would ever have started in purebred stock had I not be-

# -And This Stock Also Tells a Story.

A. Barred Plymouth Rock Cock of Good Type.

Poultry of pure breeding and conforming to recognized standards for their breed are known as standardbred fowls, the highest type.

### B. The Kind not to Use.


The mixed heredity of a bird like this mongrel means a mixed lot of chickens unlike in appearance and unable to transmit good qualities to offspring.

### C. A Scrub Ewe.

This native ewe has undesirable qualities so common in poorly bred live stock. The humped back, long legs, and light growth of wool are in striking contrast with the conformation of well-bred sheep.

D. Good Breeding Means More than "Blood."

In sheep it means more wool, better wool, more meat, better meat, faster growth, greater vigor, and increased profits.



longed to the association. I now own three purebred females and sold one bull calf to almost pay for my interest in the association."

A swine breeder in Washington State tells of breeding an ordinary sow belonging to a near-by farmer to his own purebred boar. "Out of the litter," he adds, "the farmer raised hogs that took first and second prize and junior champion at the State fair."

"To understand how to breed and how to feed," declares a Utah farmer, "will greatly improve the standard of our live stock."

"Use purebred stock, at least purebred sires" is a similar comment from a stockman, who adds, "keep less stock, give them better care, and make twice as much money."


The comments just given illustrate the appreciation of a superior quality of stock by persons who depend on domestic animals for a large part of their livelihood.

### Ratio of Sires and Dams.

Developments in the better-sires movement have resulted likewise in figures showing the relative number of purebred males and of all females (including purebred, crossbred, grade, and scrub) kept for breeding purposes. These ratios are based on approximately 400,000 head of stock listed with the United States Department of Agriculture:

Cattle1	bull to 17.5 cows.
Horses1	stallion to 17.2 mares
Swine1	boar to 11.1 sows.
Sheep1	ram to 32.2 ewes.
Goats1	buck to 23.9 does.
Fowls1	rooster to 23.9 hens.
Other poultry, geese, ducks, tur-	
keys etc. (average)1	male to 10.6 females.

These figures, representing the proportion of males to females on more than 3,200 farms throughout the country, show the importance of placing stress on quality in sires. In practically all cases a sire is the parent of a much larger number of offspring than the average female animal. Yet the tendency, clearly shown by the records of the "Better Sires—Better Stock" campaign, to recognize the value of good dams is likewise sound and practical. This tendency is a basis for even more rapid live-stock improvement than the use of purebred sires alone would bring.



By H. S. FAIRBANK, Senior Highway Engineer, Bureau of Public Roads.

NE of the advantages of Heaven, according to Milton, is a "broad and ample road." The farmer who has to haul half-loads of produce because of the mud between his fields and the market, or the automobilist who has to pull out of a hole by means of a rope passed around a roadside tree, is excusable if he is tempted to envy the disembodied spirit traveling luxuriously along Milton's star-paved highway. He may even wish himself there audibly and in no uncertain tones. But the reason for this feeling is rapidly passing away. We have entered a new era, in which the bad road is giving way to the good, and the good road is being pushed forward into places where no roads have ever been before. Everywhere in the United States good roads have come to be regarded as indispensable to the welfare of the community. State and Federal Governments are cooperating in a great nation-wide endeavor to change the country thoroughfare from "a rough, a weary road" to a smooth, well-graded, well-kept highway. In the year 1921 alone the Bureau of Public Roads will be responsible for the expenditure of \$100,000,000 of the Government's money, and more than an equal amount appropriated by the States.

It is an interesting commentary upon the growth of the "good roads" movement that the Office of Public Road Inquiry, which was the name by which the Bureau of Public

Roads was first known, was created in 1893 with an annual appropriation of \$10,000—nearly enough to build a quarter of a mile of modern highway. But it established itself in the front of the fight for better roads, the work grew, and its supporters have multiplied a thousandfold. For more than a score of years its rôle was that of the searcher after knowledge. The testing and research work which it carried on during this period laid the foundation of the structure of modern highway engineering, and much of the testing apparatus which is now used the world over to measure the value of road materials was developed during this fruitful period.

# Sand and Clay.

Offhand, sand-clay doesn't sound very promising when you ask about the road ahead. But if you know what the Bureau of Public Roads has done with these materials you will take heart. Until the possibilities of this type of construction became known the public roads of a large section of the Southern States had never been improved. Its discovery and development marked the first impulse toward rural development in that region; and from 1900 to 1912 hundreds of thousands of square yards were built under the direct supervision of Public Roads engineers sent out to assist local county and district road authorities.

Every other type of road construction adaptable to rural conditions was carefully studied and the simplest and best methods of constructing them were taught to the local road builders of counties all over the United States.

# The Automobile Brings New Troubles.

When the automobile came to demand a further improvement in the character of the roads which were being built, the testing division of the Bureau of Public Roads did more than any other single agency to develop the intelligent use of asphalts and tars with which to settle the clouds of dust raised by the new vehicle. The bituminous materials which solved this problem had never before been used in road construction. In chemical composition they are extremely complex and variable, and no one knew what composition was needed for any particular highway use. The adjustment of

Roads. 341

these materials to their new use and the standardization of manufacturing processes was a work which is comparable to the development of such basic structural materials as steel and cement.

The development of these materials definitely solved the problems of the dust nuisance and of surface wear. Though the traffic which uses our roads has increased from five to ten fold in the last decade, the highway builder still finds no difficulty in building roads which are practically dustless and which are scarcely perceptibly worn down by the passage of the hundreds of thousands of vehicles which use them each year.

But the engineers have not been permitted to rest content with these achievements. A type of vehicle has come into use almost in a day which is so different from any other vehicle that has ever traveled the highways as to require the most fundamental alterations in standards of road construction. This vehicle—the motor truck—carries twice as much freight at a single load as ever has been hauled by road before. Formerly the heavier loads were drawn by plodding horses at the pace of 3 miles an hour, but these marvelous vehicles can go five times as fast. Their great weight and speed have taught us that roads which formerly were thought to be smooth are full of small depressions and inequalities of surface. The trucks, as they rumble over the small elevations and fall into the adjoining depressions, deliver great hammer-like blows, the effect of which upon the roads is greater far than the weight of the vehicle and its load. Anyone who has stood near by as one of the huge Army trucks was passing, and has felt the road quiver under the punishment of its solid rubber tires, can appreciate the tremendous destructive force which they exert.

They do not greatly wear the surface of the roads, but they do a damage which is far worse. Roads which were built for the traffic of five short years ago are literally shattered to pieces by the herculean blows of their wheels. The deterioration is not, as formerly, a product of many vehicles and long periods, but may result from the passage of a single heavy vehicle, in the same way that a bridge will collapse under a load which is too heavy for it. To prevent this damage is the new highway problem.

# Defense Against Motor-Truck Impact.

The blows a motor truck delivers to a road, like the shells a big gun hurls into a fortress, can be withstood only if the force of the impact is accurately known in advance and adequately provided for. The first move in solving the problem of road building for motor-truck traffic was to find out how much force the truck puts into a blow.

Researches conducted at the Arlington Experimental Farm near Washington have given highway engineers the



Measuring Motor Truck Impact at the Arlington Experimental Farm.

basis for the design of highway surfaces which will withstand the impact of motor trucks, by measuring the intensity of the blows delivered. It has been found, for example, that a 5-ton truck equipped with solid rubber tires and traveling at a speed of 15 miles per hour, striking a surface depression only one-quarter inch in depth, delivers a blow to the road equivalent to four times its actual weight. Carrying the research a step farther, it has been found that the intensity of the blow delivered is enormously reduced by the use of pneumatic instead of solid rubber tires.

Having measured the intensity of the blows of the truck wheels, and having developed entirely new apparatus by

Roads. 343

which such measurements can be made by others, the Bureau of Public Roads is now proceeding to examine, in detail, the effects of the trucks upon different types of roads, expecting in this way to be able to propose definite new standards of construction to replace those which have been outgrown. How important these researches are may be judged from the fact that the president of the American Association of State Highway Officials, a body composed of the leading highway engineers of the country, referred to them recently as the outstanding accomplishment of the year. The cost to the people of the United States was about one-hundredth of 1 per cent of the amount of money that was spent for road construction in the country during the year.

### A Tremendous Job.

To know what kind of roads ought to be built is very important. But actually to build them throughout a country like the United States is another thing. A long step toward the first goal has been made at small expense by a small force of earnest men. To do the second requires an army of men and a pile of money. The Federal aid and national forest road work constitutes the greatest program of road construction ever undertaken under single control in the history of the world. The appropriations now available provide for the construction of roads which will cost nearly twice as much as the Panama Canal.

The law under which this great work has been conducted since July 11, 1916, is known as the Federal-aid road act. As the name of the act implies, the roads constructed under it are not built by the Federal Government alone, but by the States and the Government in cooperation. The framers of the law recognized the success which had crowned the efforts of the States with highway departments to supervise the construction of their roads, and one of the principal provisions of the law was designed to encourage the formation of adequate highway departments in all the States. The duty of actual supervision of the construction of the Federal-aid roads is laid upon the highway departments of the States, and no State can receive aid under the law unless it has such a department adequate in the opinion of the Secretary of Agriculture to perform the functions expected of it.

# Far-Reaching Results.

To this requirement of the law are due some of its most far-reaching results. In order to comply with it, 17 States, which previously had either no State department at all or departments insufficiently equipped to perform necessary functions, have been led to establish adequate departments of the State government to care for the important work of highway construction. In one year after the passage of the act more constructive highway legislation was placed on the State statute books than had ever before been enacted in a similar period in the history of the country; and a condition was brought about which otherwise would not have been reached in less than 5 or 10 years.


The insistence of the Government upon the construction of Federal-aid roads under the supervision of the State departments has resulted in placing a much larger part of the road work of the country under skilled engineering supervision. Thus, in 1915, the year before the act was passed, only 30 per cent of the money spent for roads and bridges in the United States was expended under the supervision of State highway departments. In 1921 the State departments will exercise control over fully 80 per cent. In this respect the act has exerted a powerful influence for economy and efficiency in the administration of the road work of the country.

The funds appropriated by the act may be used only for the construction of roads, the duty of maintaining them after they are constructed being laid upon the States. As a means of enforcing proper maintenance the law gives the Government authority to withhold future allotments of Federal aid in case any road constructed is not maintained in a manner satisfactory to the Secretary of Agriculture.

The amount of aid which may be granted to any one piece of construction is limited to 50 per cent of the cost of the labor and material employed, and to \$20,000 per mile, exclusive of bridges of more than 20 feet clear span.

# The Money.

The original act with its amendment appropriates a totalof \$275,000,000 for Federal-aid roads and \$19,000,000 for Roads.



Federal-Aid Roads Are Built to Carry the Traffic.

the construction of roads and trails in the national forests. The amount appropriated for aided roads by the original act was \$75,000,000, and this amount was made available in five annual installments beginning in July, 1916, with \$5,000,000 and increasing by \$5,000,000 annually to July, 1920. This method of appropriating the money was adopted to give the States an opportunity to expand their organizations and handle the greatly increased funds.

Only the allotments for the first two years were appropriated according to this original schedule, however, because in February, 1919, the Congress appropriated \$200,000,000 additional, which it made available concurrently with the first appropriation, \$50,000,000 for the fiscal year 1919, and \$75,000,000 for each of the two years 1920 and 1921. This

made the total appropriations for these years, \$65,000,000 for 1919, \$95,000,000 for 1920, and \$100,000,000 for 1921.

The method of appropriating the money by years is clearly shown in the following table, which also shows how the \$19,000,000 for forest roads was appropriated.

Method of appropriating Federal-aid and forest-road funds by fiscal years, beginning July 1, 1916.


Fiscal year.	F	ederal-aid fun	đs.	Forest-road funds.			
	1916 appropria- tion.	1919 appropria- tion.	Total.	1916 appropria- tion.	1919 appropria- tion.	Total.	
1917	\$5,000,000		\$5,000,000	\$1,000,000		\$1,000,000	
1918	10,000,000		10,990,000	1,000,000		1,000,000	
1919	15,000,000	\$50,000,600	65,000,000	1,000,000	\$3,000,000	4,000,000	
1920	20,000,000	75,000,000	95,000,000	1,000,000	3,000,000	4,000,000	
1921	25,000,000	75,000,000	100,000,000	1,000,000	3,000,000	4,000,000	
922				1,000,000		1,000,000	
923				1,000,000		1,000,000	
924				1,000,000		1,000,000	
1925				1,000,000	l	1,000,000	
1926				1,000,000		1,000,000	
Total	75,000,000	200,000,000	275,000,000	10,000,000	9,990,000	19,000,000	

Three per cent of these annual amounts may be deducted by the Secretary of Agriculture to pay for the administration by the Federal Government, after which the balance is divided among the States. The division or apportionment is made in accordance with a rule laid down by the act itself—a rule so ingeniously devised as to make sure that there can be no unfairness in the distribution of the money. According to this rule each State gets a part of each annual allotment which bears to the total allotment the same ratio as the area, population, and mileage of rural delivery and star postal routes in the State bears to the total of these factors for the United States as a whole. The diagram on the next page shows the total amount allotted to each State for the whole 5-year period covered by the acts.

### How It Is Done.

The administration of those vast sums, of course, calls for a large organization. That the organization can never be overdeveloped, however, is assured by the 3 per cent limitation on administrative funds. As the Federal funds must be met by at least an equal appropriation of State money, the allowance is really only 1½ per cent of the whole fund administered.

Instead of centralizing all authority in Washington, the United States has been divided into 13 districts, with a dis-




Federal Aid Apportioned to the States to July 1, 1920, Inclusive.

trict engineer in charge of each, who is authorized to deal directly with the State departments in his district. Where the work is sufficiently heavy to warrant it, one or more resident engineers have been placed in a State. By thus decentralizing the organization, much closer relations can be maintained with the State departments than it would be possible to bring about through a single remote organization located in Washington. And as the district engineers are authorized to approve plans submitted by the States, a great

deal of time is saved which would otherwise be lost in sending plans and documents back and forth to Washington.

The central organization at Washington is comparatively small, consisting only of the chief of bureau and chief engineer and a staff of reviewing engineers maintained to coordinate the work of the various districts and to act as a check upon the district offices.

According to recent reports, over half of the projects handled are passed by the district offices in an average of five



Federal-Aid Districts and District Headquarters.

days. Greater delay at this stage is generally due to the necessity for careful investigation to determine whether the road proposed is of sufficient importance to warrant the expenditure of Federal money upon it. When these doubtful points are cleared up the prompt passage of the project to approval by the Secretary of Agriculture is practically assured, as 90 per cent of all projects received at Washington are passed by the Bureau of Public Roads in an average of four days.


# The Progress of the Work.

Up to December 31, 1920, 3,630 projects involving a total of 35,045 miles of road had been approved by the Secretary of Agriculture. The preliminary estimate of cost upon these projects was \$473,852,216.96, of which \$198,966,230.37 will

be approved as Federal aid. On the same date 817 projects representing 4,302 miles had been entirely completed, and 2,034 additional projects were in various stages of construction. The projects that were under construction include 17,219 miles, and they were reported as being 45 per cent completed on December 31.

Including the aid allotted to the projects entirely completed and that allotted to the completed portions of projects under construction, the work which had been done up to the end of the calendar year involved \$83,000,000 of Federal aid, and the total cost of this completed work has been estimated at \$193,000,000.

The accompanying diagram shows graphically the principal steps in the expenditure of the Federal appropriations.



Federal-Aid Progress.

The heavy stepped line indicates the annual allotments to the States, increasing in amount from \$4.850,000 (\$5,000,000 less 3 per cent) the first year to \$97,000,000 for the fiscal year 1921, the total amount allotted during the five years being \$266,750,000.

The solid line next to the right shows the amount of Federal aid allotted to projects approved by the Secretary of Agriculture. The dotted extension beyond December 31, 1920, indicates that by December 31, 1922, the Secretary of Agriculture will probably have approved enough projects to absorb the whole Federal appropriation now available.

The dashed line shows the amount of Federal aid involved in the projects for which formal cooperative agreements had been entered into at any time. The last line—the dotted line—indicates the amount of Federal money involved in the work completed at any given stage.

## Character of Federal-Aid Roads.

No effort has been made to encourage the construction of any particular type of road. Though there have been those who have urged that no roads should be constructed except of the highest and most expensive types, the legal requirement that the roads shall be "substantial in character" has not been thus interpreted.


It has been recognized that the heavy and expensive construction which is necessary in New York, Massachusetts. and Pennsylvania is not suitable or necessary for the less exacting traffic of Nevada, Idaho, and the Dakotas. A number of other considerations have influenced the choice of type in many cases. It is frequently found that suitable local materials are so much less costly than better materials imported from a distance that the construction of a lower class of work with the local material is justifiable; and as it is important to develop material sources throughout the country on as large a scale as possible, approval of the use of local materials is not infrequently given for the purpose of encouraging local production. There are also peculiar conditions affecting the methods of construction. For example, in parts of the far west the entire absence of water along a right-of-way and the expense of piping an adequate supply for 20 or 30 miles often make it necessary to approve a type of construction which can be built without the use of large quantities of water.

With these and other similar conditions in mind, the initial decision as to the type of a particular road is made by the State highway department. Its decision is reviewed by the Bureau of Public Roads after an independent study of the conditions, and the type of road finally decided upon is that type which in the judgment of the engineers of the State department and of the Bureau of Public Roads is the most suitable under the circumstances.

The types of road selected and constructed in this manner have included practically all the well-known forms of construction from earth to concrete, brick, and bituminous concrete. The lower types-earth, sand-clay, and gravel-predominate in mileage, including about 66 per cent of all the Roads. 351

road constructed. The intermediate types—water-bound and bituminous macadam, etc.—constitute about 7 per cent of the mileage, and the higher types involve about 24 per cent.

In point of cost the order is reversed. The higher types, including cement concrete, brick, and bituminous concrete, which account for only 24 per cent of the mileage, have called for 60 per cent of the money. The earth, sand-clay, and gravel roads, which make up 66 per cent of the mileage, have used only about one-quarter of the money.



In Wisconsin the Federal Money is Going Into Such Works As This Road and Bridge.

# Forest Roads.


In addition to the administration of the Federal-aid work, the Bureau of Public Roads is also responsible for the construction of roads and trails in the national forests, for which \$19,000,000 have been appropriated by Congress.


In this work the Bureau of Public Roads cooperates with the Forest Service. Within the national forests are approximately 15,000 miles of roads which form connecting links for State and county highway systems. As the States have no jurisdiction over these roads Uncle Sam must see that they are kept in good condition.

The improvement of these roads and the construction of a supplementary system of roads and trails for purposes of

# 352 Yearbook of the Department of Agriculture, 1920.

fire protection constitute the national forest road project. The importance of the work is enhanced because of the fact that the forest areas all lie along the mountain summits and, therefore, contain the passes through which the important trunk highways must cross the mountain ranges. The transportation of forest products, the protection and administration of the forests themselves, and the utilization of these national areas for recreational purposes are all dependent upon these roads.






By Habold W. Samson, Specialist in Standardization, Bureau of Markets.

THE reform wave struck the produce business along with the refrigerator car. That was about 40 years ago. Then it was that the thrifty grower turned his attention to educating the appetite of the Nation to demand strawberries in January and lettuce the year round, and the great distributing centers began to draw their supplies from the four corners of the country. The personal contact which to a large extent had existed between buyer and seller was broken, and distribution problems became intricate. The inevitable result was an attempt to smooth out the many difficulties incident to doing business at long range by improved methods of grading and by the development of a common language. Stern necessity is a great teacher, and the records show that the instances are few and far between where "the mother of invention" has not been the counselor and friend who has pressed the adoption of definite standards upon the unwilling industry. But she has been faithful to the trust: and although much remains to be done, those who have watched the march are viewing the present situation with a feeling of satisfaction and are looking to the future with a lively hope. The producers and dealers are awake, and it is only a question of time before there will be a general adoption of uniform grades. Every branch of industry has sooner or

later recognized the fact that progress must come through the proper application of the basic principle of standardization.

The history of cotton standardization dates back to 1793, when Eli Whitney invented the cotton gin, and the rapid increase in production stimulated the demand for standards of quality. There has been a gradual extension of trading



U. S. Middling Cotton.

The Department of Agriculture has standardized nine grades of cotton. Middling is the basic grade on which future contracts are based. The higher and lower grades are sold on the basis of so many points on or off middling.

on the basis of grade since that time, but not until six years ago were the official cotton standards of the United States promulgated under the provisions of the United States cotton futures act. The use of these standards is now compulsory in the settlement of future contracts on the exchanges in the case of delivery of cotton thereunder, and they are also used as a basis for quotation in all the spot markets of the country.

The grain trade went along for years with no official grades. It is true that most of the leading grain-producing States had grades, and where such State standards were not in effect boards of trade and chambers of commerce adopted their own grades and controlled the grading of incoming and outgoing shipments. But too many standards are little better than none at all, and the greatest confusion and dissatisfaction reigned. The demand for uniform standards was practically universal, coming not only from farmers, grain societies, exchanges, and manufacturers in our own country, but from buyers from foreign countries, where American grain was falling into disrepute solely on account of our unsatisfactory grading practices. In 1916 public sentiment on this subject had crystallized sufficiently to induce Congress to pass the United States grain standards act, one of the principal objects of which was the preparation of a single set of standards for American grain. Federal grades for wheat, oats, and shelled corn have been established already, and similar grades will soon be ready for rye, barley, grain sorghums, milled rice, and flax. The common language is to this extent an accomplished fact.

These examples could easily be multiplied, but it is the same story in reviewing the history of marketing agricultural products, no matter what the commodity may be—live stock or eggs, wool or hay. Eventually there will be uniform standards, and that means national standards, for State boundaries have long since been obliterated in our national scheme of distribution.

### Potatoes Get in Line.


It was in 1915 that the Bureau of Markets first inaugurated an experimental telegraphic market news service on fruits and vegetables, and in so doing brought the fact home to the shipper that it is very difficult to report current prices unless they are based on definite standards of pack and quality. Potatoes may be \$2 a bushel in Chicago, \$3 in New York, and \$2.50 in Cleveland, but unless the grade of these potatoes is known there is no means of determining which market is giving the shipper the best returns.

A force of investigators was therefore assigned to the task of formulating suitable grades for perishables; and on account of their great importance as a staple food, potatoes were selected as one of the crops to receive first consideration. By the time the United States entered the World War these investigations had established the practicability of marketing potatoes by grade, and had placed the department in a position to make definite recommendations as to what the grades should be.

It is fortunate that this was true; for the summer of 1917 presented the prospect of a record-breaking crop, and with the transportation facilities of the country seriously overtaxed it became a problem as to how this supply was to be stored and moved into the markets in quantities which could be absorbed. A glut would have cost producers enormous losses and discouraged production at a most critical period. In order to relieve the financial needs the Federal Reserve Board authorized its member banks to make loans against warehouse receipts for potatoes when properly graded, packed, stored, and insured. The board set forth in a letter to the United States Food Administration that under these conditions potatoes constituted a readily marketable, nonperishable staple within the meaning of the regulation relating to commodity paper. Immediately following this ruling the Department of Agriculture and the Food Administration jointly recommended the U.S. grades, the use of which, on January 31, 1918, became compulsory as far as the licensees of the latter organization were concerned. This ruling continued in effect until after the signing of the armistice.

About this time also a food products inspection service was organized by the Bureau of Markets, with offices in the larger markets of the country. Its inspectors were disinterested parties who could paint a word picture which would enable the arbitrators of the United States Food Administration to make proper adjustments. Their certificates also furnished a basis for settlements between shippers and receivers in cases of disputes over quality or condition.

Here again the U.S. potato grades stepped into prominence and enabled the inspectors to determine accurately what shipments complied with the prescribed standards and what did not. The result was gratifying to reputable shippers and dealers alike. One prominent broker said: "It is much easier to do business on a definite basis, and dealers do not hesitate to make purchases and to give bank guaranties, since they realize that in case the shipper does not live up to his contract the purchaser can secure fair dealing through the Bureau of Markets inspection service." Of course, it worked both ways, as will appear in the following letter from a shipper: "Am pleased with your report on car of potatoes I C 59782. This car left here in fine condition, being one of the best cars I ever loaded. There was no excuse whatever for Smith to kick about accepting this car." The development of standard grades has made such service possible.



Hamper of Well-Graded U. S. No. 1 Potatoes.

The U. S. potato grades are now generally recognized throughout the country.

Thus it was that the U. S. potato grades became so well established during the war that thereafter they were used by the trade voluntarily. To-day these grades are the official standard in nine States which represent 25 per cent of the total production of the country, and in addition to this territory they are used voluntarily in practically every other important producing section. When one considers the chaotic condition which prevailed prior to 1916 there is certainly room for encouragement in reviewing the work of the past four years.

# Onions and Others.

It was again the development of a telegraphic market news service at Laredo, Tex., in the spring of 1916 that turned the attention of the Department of Agriculture to the grading of Bermuda onions. Growers and members of the trade had already given the subject much attention, but had not secured uniformity. Two seasons were spent in studying the grading and packing methods, the market de-



mands. and preferences, and in the comparison of the prices and movement of graded and ungraded stock. It takes a lot of time and figuring to find out where the "Doubles," "Bottle Necks," "Seed Stems," and "Pinks" belong and then to write out in plain language just what the shippers should put in the package. When the work was finished the recommendations of the department were promulgated as the official standard for inspection by the Texas State Legislature, and by this act two-thirds of the Bermuda-onion crop of the country was required to be packed on this basis.

The remainder of the crop is grown in California and Louisiana, and the former State has already signified its intention of adopting the same standard for the coming year.

A recitation of the particular circumstances which led to the development of grades for other crops would be in many respects a repetition of the progress of potato and Bermudaonion standardization. Onion growers in the North and sweet-potato growers in the South have also felt the need of similar standards for their products; and the Department of Agriculture, with their cooperation, has prepared and recommended grades. The general success which has attended their use has enlisted the interest of growers of other products, and those who are in the best position to know realize that this work will never cease until the entire list of farm products is included. Much has already been done in a preliminary way on cabbage, celery, lettuce, asparagus, and tomatoes; and tentative standards are now being discussed with the trade. Thus the same sound business principle is being applied to crops which heretofore have been considered as more or less impossible subjects for standardization.


The development of grades for fruit has progressed along somewhat different lines. For many years shippers located on the Pacific coast have graded their fruits and vegetables, and at present there are no products more carefully graded as to quality and size than northwestern apples and California citrus fruits. This development was literally forced on these sections, for it was impossible for them to pay the high freight rates to distant markets and compete with prod-. ucts grown at near-by points without carefully selecting their stock for appearance and carrying qualities. The rigid inspection provided by the shipping organizations, many of which are run on a cooperative basis, has also been a great factor in securing uniformity. The results which have been obtained have been so striking that the growers in most of these States have written these grades into the State laws in order to protect the good name of their industry.

# Apples in the Barrel.

In the case of barreled apples the changing of the trade practices of many years' standing has been a slow process. What has been accomplished is the result of the untiring 360

zeal of public-spirited men, leaders in their industry, who have pressed the adoption of grading laws, and of the influence of trade organizations and horticultural societies.

The first definite move to remedy the situation by legislation was the introduction in Congress of the present applegrading law, commonly known as the Sulzer law. The passage of this act served to awaken public sentiment in favor



A Good Commercial Pack of U. S. No. 1 Rome Beauties.

The use of modern packing house equipment is bringing about a great improvement in the grades.

of providing a standard which would eliminate fraudulent and deceptive packing, stabilize the market, and stimulate better methods of production; but its provisions were wholly permissive, and there was no appropriation for its enforcement.

So much difficulty was experienced in harmonizing the conflicting opinions of the various producing sections that

the Department, working in close cooperation with progressive men in all branches of the industry, prepared a proposed law which was introduced in the legislatures of the apple-producing States. So many unnecessary modifications were made to fit local conditions that the result has been anything but satisfactory. To-day there are some 15 State apple-grading laws differing in many important details and in some instances inconsistent with good commercial practice. Not only that, but there is no uniformity of interpretation nor of enforcement. When a buyer finds 10 different kinds of graded apples on his market he is inclined to lose heart and resort to his former practice of opening the barrel and taking a look before parting with his money.

Standardization legislation is now being attempted along sounder lines. Some recent State marketing laws provide departments with authority to establish and enforce official grades. These grades may be modified at any time without resort to the legislative bodies for amendatory action. Even if the regulations of the various States should conflict, there is always opportunity for the marketing officials to smooth out their differences in conference or for all to accept the recommendations of the Federal Government.

The Department of Agriculture has studied barreled-apple grading since 1916 and now is ready to recommend a standard which can be used by all producing sections.

### Making it Easy to Get a Square Deal.

Standardization of the containers for fruits and vegetables is intimately connected with standardization of the products themselves. In the interest of a square deal, the capacity of shipping packages should be definitely fixed in sizes readily distinguishable from each other. In the old days the only way to determine the capacity of an apple barrel was to measure it, for each grower used his own judgment about size, and if he had no apple barrels he used flour or sugar barrels instead. This placed a premium on dishonesty, and the "short measure" dealer thrived. In 1915 the standard barrel law was passed by Congress, and in one year the motley array of deceptive and nonstandard fruit and vegetable barrels was replaced with a single series which met all the needs of the trade. Then the Department turned its at-

tention to the question of grape baskets, berry boxes, and small till baskets. The situation was even worse than in the case of barrels, for the sizes were based on standards of both weight and measure. About all a customer could say when he bought a quart of berries was that he had a quart more or less. The standard container act took care of that, and now there are three standard sizes of grape baskets, 2, 4, and 12 quarts; and berry boxes and till baskets are made in definite subdivisions and multiples of the dry-measure quart.

So far, so good. But there are in common use to-day about 40 styles of cabbage crates, 30 styles of lettuce crates or boxes, 20 styles of celery crates, 50 styles and sizes of hampers, 15 styles and sizes of round stave baskets, and market baskets varying in size from 1 quart to 24 quarts. A relatively few sizes would satisfy the demands of the trade. After several years' study the bureau has recommended standards for the last three types of packages in this list, and these standards are contained in legislation pending in Congress. The short-measure package is doomed.

The year 1920 finds the agricultural districts harvesting bountiful crops, but never in the history of the produce business have the marketing problems been so numerous or so difficult. The national trade organizations are analyzing their trade customs more carefully than ever before and the leading thinkers are pointing the way to opportunities for increased efficiency. Associations of shippers, brokers, and jobbers are putting down in black and white their ideas of business ethics for the guidance of their members; trade terms likely to be variously interpreted are being defined, and arbitration committees are planning bureaus for the settlement of disputes. These are healthy activities and they all lead straight to the development of uniform grades.

Unjustifiable rejection of shipments on account of a declining market is the shipper's nightmare, just as enforced acceptance of poorly graded products is the bugbear of the receiver. The answer to the whole problem is definite, practical grades. When shippers furnish products of standard quality and receivers are willing to enter into contracts on that basis, the business of marketing farm products will have reached the goal toward which it is marching.



By WILLIAM H. Ross, Scientist, Bureau of Soils.

THE growth of all crops depends on the soil and the weather. The weather we always have with us; sometimes it is good, sometimes it is bad, and sometimes it is only fair; but in whatever state we find it we must learn to be content, for we can not change it. It is different with the soil. By faulty cultivation it is possible to make a good soil bad and, conversely, by proper treatment, to make a poor soil fertile.

A soil may be unproductive for many reasons, but the most frequent cause is an inadequate supply of the elements essential for plant growth, one of the most important of which is potassium. This element, probably better known under the trade name of potash, plays a very important rôle in the life processes of the plant. When it is lacking the leaves of the plant are brown and unhealthy and the stems become weak and brittle.

There is no substitute for potash as a food for plants. An adequate supply of it in an available form is absolutely necessary for the production of crops of desirable yield and quality. It enables plants to withstand more effectively the attacks of fungous diseases; it produces fleshy fruits of fine flavor and texture; and it supplies a food element absolutely essential to normal growth.

A suitable system of cultivation will serve in some soils to maintain a supply of potash for the crops; but where the natural supply in the soil is insufficient it is necessary to apply potash from outside sources. Even where there is an abundance of insoluble potash materials in the soil, it has been found profitable in many cases to apply soluble potash salts.

#### Sources of Potash.

The principal ultimate source of all potash salts is a class of igneous rocks known as the feldspar group. By exposure to water and atmospheric agencies these rocks are decomposed and the potash is leached out and is deposited in the soil or carried by streams to the ocean or to inland depressions. When the water into which the potash has been carried evaporates, soluble deposits are formed. The potash liberated from disintegrated rocks is also taken up and stored in plants and may be recovered again when the plant is burned or otherwise treated. There are thus three distinct sources from which potash is obtained: Rocks, salty lakes or soluble deposits, and plant materials.

#### Plentiful, but----

Potash is one of the most widespread and abundant constituents of the earth's surface. The tremendous amount in the United States in various forms can be indicated best by a comparison with phosphate. Uncle Sam is said to have the greatest phosphate deposits in the world, but his potash holdings are twenty times as great. These holdings, however, are so widespread and of such low concentration that no deposits anywhere are known to average much over 10 per cent. Furthermore, though some of the combinations in which potash occurs are soluble, the great bulk are not soluble in water—or even in acids.

#### From the Rocks.

The principal rocks containing potash are feldspar, mica, greensand, leucite, and alunite. The last three are found only in certain localities; the first two are widespread. With the exception of alunite all contain silica as well as potash and are therefore often spoken of as potash silicates.

A great many attempts have been made, both in this country and abroad, to use these mineral rocks directly as fertilizers but without very marked success. Some soils respond to

applications of these minerals, particularly greensand, but owing to their low solubility the results obtained as a rule were scarcely sufficient to justify the expense. It was soon




A, Cottrell precipitator installed at one of the cement plants for the collection of potash-bearing dust. Precipitator not operating; fumes escaping.



Potash from Rock.

recognized that much better results might be expected if the minerals were first treated in some way to render the potash soluble before applying it as a fertilizer. Many processes

have been proposed for decomposing the potash silicates, but the amount of potash that has actually been produced from this source is still very small. The reason for this is entirely



Collecting and Bagging Cement Dust.

A, Dust dropping from precipitator into bags. B, Close-up view of precipitator, showing pipes in which the dust is deposited.

an economic one. Many of the processes that have been devised are comparatively simple, and several of them make it possible to bring about a quantitative separation of the pot-

ash. If the percentage of potash in feldspar, for example, approached that of phosphoric acid in phosphate rock, the potash problem would long since have been solved. It unfortunately happens, however, that the potash in all silicates is comparatively low, and no mine-run rock has been found anywhere that contains as high a percentage of potash as the deposits of Germany and France in which the potash is already soluble.

It would seem, therefore, that the extraction and recovery of potash from silicate rocks at a price that will compete with the foreign product does not offer much promise, unless the potash is recovered as a by-product in some industry in which these rocks are used as raw materials. It is in this way that most of the potash so far obtained from this source has been prepared.

A study that was made of this subject a few years ago by the Bureau of Soils indicated that the most promising methods for recovering potash from the silicate rocks consist in igniting the rock with lime, as in the manufacture of cement, or in digesting the rock with lime and water under pressure. In the first process the potash is volatilized and passes from the kilns in the process of burning, while in the second it passes into solution during the digestion. In both cases the residue is suited for the manufacture of cement or other building material. At the present time these two processes are both being developed on a commercial scale, and of the numerous methods that were tested out during the war these are the only ones, so far as is known, that are now being operated.

The process of digesting the potash silicates with lime and steam under pressure has been given special attention by the Bureau of Soils, and it has been found possible with pressure, such as can readily be maintained in the industries, to bring about a very high percentage extraction of potash. This process is now being developed on a large scale for the treatment of greensand with the object of producing bricks and other building material in addition to potash, and there is every reason to believe that this will prove a profitable though limited source of potash in proportion as a market is found for the other products.

#### From Cement Kilns and Blast Furnaces.

In the survey that was made of the cement industry by the Bureau of Soils it was found that the total potash that escapes from all the plants of the country amounts to about 87,000 tons annually. The maximum actually collected in any one year (1917) amounted to 1,621 tons, which was 5 per cent of the total produced in this country from all sources. In 1919 the production from cement plants dropped to 1.250 tons. The decrease was due to unforeseen difficulties which developed in some of the plants in collecting the potash and in preparing it in a marketable condition. The potash volatilized from some plants was too small in amount to be profitably recovered. In other plants, where the loss of potash was greater, such a quantity of dust was collected with the potash that there was relatively too little potash to justify leaching the material, or shipping it for direct use as a fertilizer. This might be remedied (1) by increasing the proportion of potash volatilized; (2) by increasing the efficiency of the process used for its recovery; (3) by reducing the dust that escapes with it; or (4) by bringing about a mechanical separation of the potash and the dust during the process of collection. Very discouraging results have frequently been obtained in attempts at improvement in these directions. Progress, however, has continued to be made, and recent developments give assurance that the difficulties in the way are not insurmountable, but simply require time and attention for their satisfactory solution.

Potash silicates are not intentionally used in the blastfurnace industry, but are associated in varying amounts with the ore, coke, and limestone used in the charge. In the process of smelting, the lime reacts with the silicates as in the burning of cement, the potash is volatilized and escapes from the furnaces, and the residue or slag is sometimes used in cement manufacture. Potash may, therefore, be recovered from blast furnaces, and the situation with regard to its recovery in this industry is very similar to that outlined for the cement industry. A survey of this industry corresponding to that which was made for cement plants is now being made by the Bureau of Soils. The results obtained in this work and in large-scale experiments now being made at two plants

in this country go to show that the percentage of potash in the dust that escapes from some blast furnaces is higher than that contained in the richest cement dust. However, success here is not dependent alone on the quantity that might be collected. The gases that escape from a blast furnace are combustible and after being freed from dust are used as fuel. In the present wet system for purifying the gases the potash is lost. Large-scale experiments are now being made on the purification of the gases by a dry system in which the potash is recovered with the rest of the dust. If it is demonstrated that the dry process is superior to the wet, then potash will be recovered in all plants in which the new process is installed. It is thus possible that potash at a comparatively low cost may yet be recovered from these furnaces.


### From the Salty Lakes.

The soluble salts of potash possess a very salty, disagreeable taste and readily dissolve in water. If a natural deposit is not salty to the taste it does not contain sufficient potash to make it a profitable source. The converse does not hold true, however, for there are other materials which are salty, and when a salty deposit is found a chemical analysis is necessary to determine its value.

Since soluble potash deposits are formed by the evaporation of water in which the potash was originally contained, large deposits of this kind are located only where a large volume of water has had an opportunity to concentrate. This occurs in fresh water lakes which have no outlet or where some unusual geological formation has inclosed a body of sea water so that it has ultimately evaporated and deposited the salts which it contained.

The world's largest known potash deposit, that which occurs in Germany and Alsace, is supposed to have been formed in the way last mentioned. According to the accepted view, a large arm of the sea at some period of former times was shut off from the rest of the ocean by a bar of such peculiar formation that the sea water flowed into the bay at high tide but could not flow out. As the water evaporated, more and more was added at each successive high tide until, when the isolation of the bay had become complete, a deposit

of potash and other salts was formed which extended over an area of many square miles and varied to a maximum of 5,000 feet in depth. In the course of time this was covered over with earth and vegetation, and not until 1857 was it recognized that the deposit contained a fertilizer material in the form of potash salts. The richness and extent of the



Potash from Salty Lakes.

A, Potash salts obtained from brine at Searles Lake, Calif. B, Pipe line through which brine is conveyed from the lake to the plant for evaporation and recovery of potash. C, Brine pouring into reservoir at plant.

deposit soon made it the principal source of the world's supply of potash, and this position it still maintains.

A number of relatively small potash deposits occur in this country, but unlike the European deposits all have been formed apparently by the evaporation of what was originally fresh lake water. The most important of these are in western Nebraska; at Searles Lake, Calif., and in the Salduro Marsh, Utah.

These deposits may all be said to represent a geological process that has not yet been completed, inasmuch as the lakes from which the deposits were formed have not yet been evaporated to dryness, but have simply been reduced in each case to a potash-bearing brine of varying concentration. In western Nebraska the brine is distributed in a number of pockets, the largest of which is known as Jesse Lake. When the brine of this lake is evaporated it yields a product containing about 25 per cent of potash. The recovery of the potash is therefore a very simple process and consists in pumping the brine from the lakes, concentrating in special evaporators to about 33 per cent solids, and finally drying in rotary kilns.

The production of potash from these lakes during the five years, 1915–1919, exceeded that from any other source in this country and amounted to 43 per cent of the total. The future of the industry will largely depend on the outcome of experimental work now under way. The product recovered at present consists of a mixture of several salts. By making a separation of the salts it would be possible to produce several materials of value instead of one, and a number of processes with this end in view are now being investigated. It is recognized, too, that the cost of concentrating the brine might be greatly reduced by applying solar evaporation, and as the concentration of the brine as it occurs in the lakes is greatest during the dry season, it is possible that the industry may yet develop into a seasonal one.

The deposit at Searles Lake is the largest known deposit of soluble salts in this country. It resembles those of Nebraska in that the potash is contained in a brine; but the association of salts is different. In the former the potash occurs as the chloride and in the latter as the carbonate and sulphate. The salts in the brine of Searles Lake are also characterized by the presence of a relatively high percentage of a soluble salt called borax. This has been shown to be injurious to crops when applied in fertilizers, and the recovery of the potash for fertilizer therefore involves not only evaporation of the brine but also purification of the potash by crystallization of the recovered salt. A satisfactory process seems to have been developed for this purpose, and the borax in the product that is now placed on

the market amounts to less than 0.5 per cent—a proportion well below the danger point.

#### From Plant Materials.

The earliest potash materials to be used as fertilizers were plant ashes and kelp. These were frequently applied to the soil long before it was recognized that their fertilizing value was due to the potash which they contained. It is now known that all organic materials contain potash, and the quantity present in parts of many plants is much in excess of any other mineral constituent.

The potash in some organic materials is low, but in others the quantity present is sufficient to justify its recovery as a by-product when these materials are used in the industries. The most important of these sources of potash are sugar beets, wood, wool, kelp, and tobacco. With the exception of kelp, none of these products are primarily treated for the production of potash, and only the wastes resulting from their use in the industries are utilized in this way. The total amount of potash that is contained in these wastes is very large, but it unfortunately happens that these wastes are frequently too widely distributed to admit of the economic recovery of the potash. This is best illustrated in the case of the wood wastes. According to estimates that have been made by the Forest Service, the total potash in the ash of the wood burned as waste, together with that used as fuel, amounts to upward of 140,000 tons annually. About 80 per cent of the wood that goes into firewood is used on farms, and it is known that a portion of the ashes is applied as a fertilizer, but owing to the wide area over which wood is burned the greater part of the ash is not recoverable, and it is for this reason that the maximum annual production of potash from this source, under the stimulation of the high prices that prevailed during the war, amounted to only about 600 tons.

Other organic materials, such as kelp and sugar residues, are more localized in their distribution than wood ashes, and during the war these served as important sources of potash. The principal item of expense in the recovery of the potash from these materials has to do with the necessary evaporation of a relatively large volume of water. This is well illus-

trated in the preparation of potash salts as a by-product of beet sugar. It is estimated that the total potash in an average crop of sugar beets in the United States is about 20,000 tons. In the process of manufacture the potash remains in solution and is found in the final molasses. A portion of the molasses is used as feed for stock and the potash values in this case are recovered in proportion as the manurial values




The Giant Kelp of the Pacific Coast.

An organic source of potash. The Bureau of Soils is now obtaining potash from kelp in its plant at Summerland, Calif. During the war kelp was one of the most important sources of potash in this country.

from the feeding operations are utilized. A second portion is used in alcohol production, and the still residues containing the potash are concentrated and used as potash fertilizers. The remaining portion, amounting to about half of the total, is subjected to a treatment known as the Steffens precipitation process, by which the greater part of the sugar still contained in the molasses is precipitated. The filtrate, which is called Steffens waste water, contains the potash, and this may then be recovered by evaporating the solution. In 1919 the production of potash from molasses distillery

waste amounted to 2,792 tons and from Steffens waste water 3,616 tons. The sugar industry thus came next to the saline lakes as a source of potash during 1919, but owing to the cost of concentrating the potash it is doubtful if any further increase in yield of potash will be obtained from this industry unless the waste waters are found to yield other products of value in addition to the potash.

Kelp differs from the other organic sources of potash in that most of the potash occurs in the plant in the same form



Bureau of Soils Potash Plant at Summerland, Calif.

An experimental plant developed to handle 100 tons of wet kelp a day and to produce therefrom 2 tons of potash salts, 1,500 pounds of kelp char, and other by-products.

as it is found in sea water and in many mineral deposits. It also differs from the other organic sources in that potash is the principal product for which the material is harvested. The commercial treatment of kelp for the production of potash salts began in 1915. In 1917 the quantity that was obtained from this source increased to 3,572 tons and in 1918 to 4,804 tons. Shortly after the signing of the armistice, however, all plants working in this field ceased operations, as it was apparently recognized that the processes used would not prove economical under normal conditions. As this result was anticipated, an investigation was

undertaken by the Bureau of Soils in 1917, under special authorization of Congress, with a view to the possible development of a process that would yield products of sufficient value to place the industry on a permanent basis.


The process to which special attention has been given consists in subjecting the dried kelp to destructive distillation. By this treatment such products as ammonia, oils, creosote, and pitch are volatilized, while potash salts, iodine, and active carbon are recovered from the residue. This investigation is still in progress, but the results already obtained give promise that the different products that can be recovered in this way will yield sufficient revenue to enable the main product, potash salts, to be marketed successfully in competition with foreign sources.

# In Case of Emergency.

The production of American potash increased from 1,090 tons in 1915 to a maximum of 54.803 tons in 1918 and then dropped to 30,899 tons in 1919 and to 48,625 tons in 1920. Of the total of 177,000 tons produced during this six-year period, 10 per cent was obtained from insoluble potash deposits, 70 per cent from soluble deposits, and 20 per cent from organic materials. The average annual importation for the six-year period preceding the war amounted to 230,000 tons. This dropped to a minimum of 7,885 tons in 1916, but increased again to about 200,000 tons in 1920, or more than the total produced in this country during the period of the war. Thus, notwithstanding the interest that has been taken in the matter, and the estimated expenditure of \$50,000,000 in capital, we have as yet fallen far short of meeting our potash requirements. It is well to emphasize, however, that the time and effort that have been given to the subject have not been lost. It is possible that potash will shortly be imported more cheaply than it can be produced from most American sources, but the processes that have been developed during the last few years give assurance that in the case of future necessity it can be produced in unlimited quantity as occasion demands,

# 376 Yearbook of the Department of Agriculture, 1920.

The value of the 177,000 tons produced in the United States during the war is estimated at \$58,000,000, or about \$46,000,000 in excess of the prewar price. These values and the large importation of 1920 would thus seem to indicate the necessity of further investigations on potash recovery if the cost of domestic production is to compete with that from foreign sources. The importance of this work might well be emphasized, even should it lead to no further advantage than to reduce expenditures in a future emergency.



By W. W. Garner, Physiologist in Charge, and H. A. Allard, Physiologist, Tobacco and Plant-Nutrition Investigations, Bureau of Plant Industry.

ONE of the most characteristic features of plant growth outside the Tropics is the marked tendency shown by various species to flower and fruit only at certain periods of the year. This behavior is so constant that certain plants come to be closely identified with each of the seasons, in the same way as the coming and going of migratory birds in spring and fall. In midwinter the blossoms of cyclamen, freesia, the brilliant color of poinsettia, and the fruits or berries of ardisia, all are reminders of the season; in spring we expect to see the unfolded blossoms of forsythia, wild violet, crocus, redbud, dogwood, and other typical plants; as summer approaches, poppy, rhododendron, iris, and columbine begin flowering; in the autumn salvia, aster, cosmos, dahlia, and chrysanthemum herald the approaching end of the open growing season.

The thought at once suggests itself that the underlying cause or causes of flowering or fruiting occurring only at a particular season must be purely internal, else the vagaries of the weather and other variable external conditions would seriously upset the regular cycle. It is true, of course, that plants can flower and fruit successfully only within certain limits of temperature and moisture supply, and it has long been known, also, that light is indispensable. Thus, plant de-

velopment may be retarded in the spring by cool weather, and at times drought or excessive rainfall may interfere, but, in general, flower and fruit are produced regularly in their seasons in spite of these temporary disturbances. The ripening of seeds as a sequel to flowering is obviously of great importance to many plants, in that it affords the only means of avoiding extermination. We might easily conclude from this that the plant's entire activities are directed toward this means of propagation, all preliminary growth and development of root, stem, and leaf being incidental. This view, however, is not correct. The plant merely inherits the capacity to flower and fruit in response to certain favorable external conditions. It is both interesting and practically important, therefore, to determine these conditions.

While marked regularity in the time of flowering and fruiting is the rule in plants so long as they are grown in any particular locality in temperate regions, transferring plants from one region to another may greatly change their habits. A species which flowers and fruits readily in one region may become sterile in another, or, in some instances, the time of flowering may be changed from spring to fall, or vice versa. Again, plants behaving as annuals in one region may become biennials in another. These changes in the behavior of plants when grown outside their native regions furnish strong evidence that external conditions control the processes of flowering and fruiting and also suggest the possibility of artificial control.

# Does Change in Temperature Account for Seasonal Flowering and Fruiting?

We instinctively think of temperature as the outstanding external factor causing one season to differ from another in its effects on plants. In particular, we associate the opening of spring flowers with moderate temperatures, following the chill of winter. Likewise, as the characteristic flowers of autumn make their appearance we have been inclined to assign decrease in temperature as the cause, mainly perhaps for the reason that there has seemed to be no other obvious cause for the flowering of these plants. Temperature unquestionably is a very important factor in plant development, and plants differ widely in their temperature require-

ments. Nevertheless, change in temperature fails to explain why plants flower and fruit at certain periods; that is to say, even though the appropriate temperatures are provided out of the regular flowering and fruiting season, as a rule the flower and fruit fail to appear except in their usual seasons. For example, common iris, which flowers in May and June, will not blossom under ordinary conditions when grown in the greenhouse in winter, even under the same temperature conditions that prevail in early summer. Again, one variety of soy beans will regularly begin to flower in June of each year, a second variety in July, and a third in August, when all are planted on the same date. There are no temperature differences during the summer months which could explain these differences in time of flowering; and, since "internal causes" alone can not be accepted as furnishing a satisfactory explanation, some external factor other than temperature must be responsible.

The ordinary varieties of cosmos regularly flower in the fall in northern latitudes if they are planted in the spring or summer. If grown in a warm greenhouse during the winter months the plants also flower readily, so that the cooler weather of fall is not a necessary condition. If successive plantings of cosmos are made in the greenhouse during the late winter and early spring months, maintaining a uniform temperature throughout, the plantings made after a certain date will fail to blossom promptly, but, on the contrary, will continue to grow till the following fall, thus flowering at the usual season for this species. This curious reversal of behavior with advance of the season can not be attributed to change in temperature. Some other factor is responsible for the failure of cosmos to blossom during the summer months. In this respect the behavior of cosmos is just the opposite of that observed in iris.

Certain varieties of soy beans change their behavior in a peculiar manner with advance of the summer season. The variety known as Biloxi, for example, when planted early in the spring in the latitude of Washington, D. C., continues to grow throughout the summer, flowering in September. The plants maintain growth without flowering for 15 to 18 weeks, attaining a height of 5 feet or more. As the dates of successive plantings are moved forward through

the months of June and July, however, there is a marked tendency for the plants to cut short the period of growth which precedes flowering. This means, of course, that there is a tendency to flower at approximately the same time of year regardless of the date of planting. As a necessary consequence, the size of the plants at the time of flowering is reduced in proportion to the delay in planting. This behavior is well shown in figure 1, for all plantings had flowered when photographed. Like cosmos, the Biloxi soy beans show a marked tendency to flower at a definite season of the year, and if planted early they wait, as it were,



Soy Beans Planted at Regular Intervals during the Summer.

Fig. 1.—From left to right: Plantings were made at intervals of three to five days, beginning July 14. All plantings had flowered and growth had almost ceased when photographed September 8. The progressive decrease in vegetative development as the dates of planting become later and later is very striking.

till this season arrives. It is easy to see the advantage which a plant has in being able to shorten the growing period which must precede flowering if, for any reason, the plant gets a late start. In such a case the chances of successfully maturing seed before frost and thus avoiding extermination in a given region are greatly increased, and the production of seed constitutes the plant's method of perpetuating itself in the face of the destructive action of cold. It is important, however, to make a distinction between advantage and cause with respect to time of flowering. The Biloxi soy beans by curtailing the period of vegetative activity when beginning growth late in the season are actually able to forestall the arrival of cold weather; hence, low

temperature can not be considered as a cause of this behavior. The response of the soy beans to the advance of the season begins before there is any decrease in temperature.

## Effect of Shortening the Duration of Daylight.

It is perfectly clear that the time of flowering and fruiting of many plants is inseparably linked in some way with the advance of the season, and necessarily there must be some external factor which maintains this relationship.

With temperature eliminated, there remains one change from season to season which proceeds with great regularity, namely, the change in length of day and night. At Washington, D. C., the time between sunrise and sunset ranges from nearly 15 hours in late June to about 94 hours at Christmas. To determine whether this change in the length of day is a cause of regularity in the time of flowering and fruiting, a series of experiments was made in which a number of plants were darkened for a portion of the day during the long days of summer. The results obtained were remarkable. The plants no longer persisted in their usual habit of deferring the flowering period till a particular time of the year had been reached. The normal seasonal periodicity was completely broken up. The experiments included a large variety of plants both wild and cultivated, and it was found that the reaction to differences in the length of the day is of very wide occurrence.

The method followed in these tests is very simple. A "dark house" was so constructed as to admit air freely at the bottom and allow its escape at the top, without the admission of daylight. For convenience a series of small steel tracks leading into the dark house was provided, and on these tracks were mounted a number of trucks with steel wheels capable of supporting the containers in which the plants were grown. With this equipment it was a simple matter to transfer the plants into and out of the dark house at regular intervals each day. For example, if it were desired to give a particular lot of plants eight hours of light each day the truck bearing these plants would be rolled into the dark house at, say, 4 o'clock in the afternoon each day and rolled out into the open air again at 8 o'clock the following morning. The outfit




used in the experiments is well shown in figure 2. For comparison, in each test a second lot of plants, known as "control" plants, was grown under exactly the same conditions as those to which the darkened plants were exposed, except that the control plants were exposed to light throughout the day.

The response of the plants to this artificial shortening of the daylight period was prompt and clean cut. Biloxi soy beans which germinated May 17 were allowed to receive seven hours of light daily, beginning May 20. These plants were in blossom in 26 days, whereas a similar lot of plants exposed to light throughout the day required 110 days to flower. This variety of soy beans, which ordinarily flowers in September, even though planted in May, was forced into blossom in June, simply by shortening the daylight period. In further tests it was found that a daylight period of 12 hours was as effective as the 7-hour period in forcing the flowering of the soy beans. It is easily seen, therefore, why this variety of soy beans ordinarily does not flower till September, for it is at that time that the length of the day is reduced to 12 hours.

An experiment was made with another variety of soy beans known as Peking at the same time and in the same way as with the Biloxi. In this case the plants receiving 7 hours of light daily flowered in 21 days, while those exposed to light for the entire day required 62 days to reach the blossoming stage. This is fully in accord with the fact that the Peking regularly blossoms in the field in July, two months in advance of the Biloxi. The Peking, therefore, is capable of flowering under a considerably longer day than the maximum day length which will cause the Biloxi to blossom.

A common wild aster which ordinarily flowers in September was found to behave in the same manner as the Biloxi soy beans when exposed to a shortened daylight period. When exposed to 7 hours of light daily the aster was in bloom in 36 days, as against 122 days when exposed to light for the entire day. A variety of Lima bean imported from Peru which ordinarily does not flower till late in the fall at Washington, D. C., was caused to blossom in 28 days by reducing the daily light period to 7 hours. The common ragweed behaved in a similar manner.



Some Effects of Short Daylight Periods.

Fig. 4.-B, Forcing flowering and fruiting in soy beans by shortening the daylight period. The plants on the left were exposed to the full day length of summer, while those on the right received only 10 hours of light each day, all other conditions being the same. Many plants will not flower and fruit when the days are long.

Fig. 5 .-- C, Chrysanthemums are made to flower in summer by shortening the daylight period. The plant in blossom on the left was allowed to receive only 10 hours of light daily, beginning May 12, and the first blossoms opened July 17. The plant on the right, receiving light during the whole day, did not flower till fall.

One scarcely expects to see chrysanthemums in bloom in midsummer but, as is indicated in figure 5, these typical fall-flowering plants are readily made to flower in summer by shortening the length of the daily light period. Late-flowering varieties of dahlia are readily forced into blossom during the summer by reducing the length of the daily light exposure to 10 hours or less. A highly colored specimen of poinsettia, the plant so typical of the Christmas season, was developed in August by reducing the daily light period to 10 hours.


In the light of these experiments there is no longer any element of mystery concerning the fact that when plantings of cosmos are made at successive dates in early spring a point is reached at which the plantings suddenly swing over from flowering in the spring to flowering in the fall. Cosmos begins to flower in the fall when the length of day has decreased to about 12 hours (sunrise to sunset) and, in the same way, it is no longer able to flower in the spring after the days become much in excess of 12 hours in length.

There is, then, a large group of plants, including most of the so-called summer annuals, which regularly flower after midsummer as a result of decrease in the length of the day. While relatively short days favor flowering and fruiting in these plants, long days are more favorable to rapid and extensive vegetative development. Some of these plants, therefore, if they receive the full benefit of the long days of summer, may reach giant proportions before being brought into the flowering condition. Thus, we can understand why it is that when the farmer plants some crops too early, there is a tendency toward excessive development of leaf and stem with little flowering or fruiting. Late planting, on the other hand, may lead to dwarfing in growth but abundant flowering and fruiting. Again, it is easily seen why carrying some plants into northern latitudes causes very rank growth, with a tendency toward barrenness, since the length of the day in summer increases as we go northward. Plants in this group differ widely as to the extent to which the longest summer days must be shortened to induce flowering, with the result that some flower in July while others may not flower till November. Even the latest of these are readily forced into flowering and fruiting during the hottest part of the summer

simply by shortening the daylight period, so that there is no reason for considering the cooler weather of fall as a factor of importance.

Effect of Darkening Plants in the Middle of the Day.

Fig. 6.—A, The Biloxi coy beans in box on the right were exposed to light from daylight to 10 a. m. and from 2 p. m. to dark, in all 9 to 10 hours daily. The plants in the box on the left were exposed to light from 6 a. m. to 6 p. m., 12 hours daily. The 4-hour period of darkness in the middle of the day was not effective in hastening flowering and the ripening of seed, although the plants thereby received less than 12 hours of light daily.



Red Clover Flowers under the Influence of Long Days.

Fig. 7.—B, The plants in the can on the left were exposed to the light for only 10 hours daily, while those in the can on the right were exposed throughout the day during the spring and early summer. Long days favor flowering in this type of plant. The prostrate habit of growth during the short days of winter is characteristic of this group of plants.


A modification of the method of shortening the daily light period used in the above-mentioned experiments gave somewhat surprising results. Instead of giving Biloxi soy beans a single exposure to light each day, they were transferred into the dark house at 10 o'clock in the morning and returned to the light at 2 o'clock in the afternoon. As is shown in figure 6, the midday period of darkening was almost without effect in hastening flowering, although the two daily light periods aggregated considerably less than 12 hours in duration.

Another important feature of the effect of shortening the daylight period should be mentioned. Just as many plants may be forced into flowering by artificially shortening the daylight period, so also is the ripening of the fruit or seed greatly hastened. Thus, in a test with Peking soy beans, two similar lots of plants were grown under natural summer conditions of daylight till flowering had taken place and very small seed pods could be seen. At this stage one lot of plants was darkened for a portion of the day, so that they received only 71 hours of light daily, while the second lot continued to receive light during the entire day. The result of the test is indicated in figure 8. Six weeks after flowering, the leaves were falling from the plants which received the shortened light exposure, and some of the seed pods were fully ripe. The plants under the natural length of day did not mature their seed till several weeks later. Several other plants have responded in a similar manner to artificial shortening of the daylight period.

# Some Plants Require Long Days for Successful Flowering and Fruiting.

In striking contrast with the group of plants already discussed is a second group regularly flowering in late spring and early summer. It is obvious that these plants do not require short days to reach the flowering stage. On the contrary, it has been found that short days prevent, or at least greatly delay, flowering and fruiting. To this class of plants belong the so-called winter annuals; also many of our common vegetables. The radish has given some interesting results which are fairly typical for the group. The ordinary varieties of radish when planted in the spring first produce a thickened edible root and somewhat later develop a flowering stem, which in due season matures seed. Thus the Scarlet Globe variety, planted May 15, began to blossom June 21 when exposed to the natural length of day.

A similar planting, made at the same time, but allowed to receive only 7 hours of light daily, grew slowly and



The Length of the Day is a Controlling Factor in the Ripening of Seeds and Fruits.

Fig. 8.—A, Peking soy beans which were exposed to light during the entire day in summer till flowering had taken place, but thereafter were allowed to receive only 7½ hours of light daily. B, Peking soy beans exposed to light during the whole day throughout the test. The two lots of plants are of the same age and were treated exactly alike except as to the length of the daily light exposure after flowering had taken place.

formed no flowering stem. Under the shortened daylight period the roots of the radishes continued to enlarge slowly

throughout the summer, with a corresponding increase in size of the rosettes of leaves surmounting the roots. One of the plants which was transferred to the greenhouse in the fall continued its slow growth through the winter months. Finally, as the days lengthened in early spring this plant was able to send up a flowering stem and perished after seed formation was completed. Thus the radish, which ordinarily is a typical annual, was made to behave as a biennial. The radish furnishes a case in which flowering may be prevented for a more or less indefinite period by shortening the daily period of illumination, in contrast to the group of plants previously considered, which are prevented from flowering by long days and are forced into flowering by shortening the daylight period.

The behavior of the radish is in no sense exceptional. Failure to send up a flowering stem during the short days of winter and early spring is a characteristic feature of many hardy plants which maintain more or less vegetative activity at those seasons of the year. The tendency is toward a prostrate type of growth, with free stooling or a rosette form of leaf development. As the longer days of spring come on, the character of growth changes, and upright-growing stems appear, in preparation for flowering and fruiting. Our small grains belong to this class of plants. Red clover furnishes a good illustration of this behavior, as may be seen by referring to figure 7. By allowing the test plants to receive only 10 hours of light daily, the prostrate nonflowering type of development was continued long after a corresponding lot of plants which were exposed to light all day had developed upright stems and had successfully flowered and fruited. Likewise, the common evening primrose transplanted from the field in early spring continued the prostrate rosette type of development for several weeks when allowed a daylight period of only 10 hours, whereas similar plants exposed to light throughout the day quickly developed tall, erect flowering stems.

Under ordinary conditions spinach can not be grown successfully for table use during the summer months, because it quickly goes to seed instead of forming the desired rosette of large leaves. This behavior has been generally attributed to high temperature. It is quite true that within suitable limits an increase in temperature, as a rule, speeds up plant development. Nevertheless, experiments have shown that spinach will produce an excellent rosette in summer if the light period is reduced to 8 or 10 hours. Under these conditions the flowering stems are unable to form, or, at least, their appearance is greatly delayed.

Tubers of the groundnut (Apios) planted on March 11 sent up shoots which appeared above the ground on April 6. By April 20 flower buds were showing on all these plants. On one lot which was exposed to light all day, the first open blossoms appeared June 1, and flowering continued till late in August. On a second lot which received only 10 hours of light each day, beginning May 20, only one or two blossoms were able to open, the other flower buds dropping off. Thus, in spite of the fact that the flower buds had been laid down before the daylight period was shortened, these buds were unable to unfold under the new conditions.

The above examples illustrate the fact that there is a large group of plants which are brought into the flowering and fruiting stages of development because of the increase in length of day as spring advances into summer. As a matter of convenience in discussing flowering and fruiting activities, this group may be spoken of as "long-day plants," in contrast with the group previously discussed, which are forced into flowering and fruiting by the shortening of the days in fall and therefore may be called "short-day plants.". While as a whole there are sharp contrasts between the two groups, there are many plants which perhaps may be regarded as occupying an intermediate position. There is, in fact, no hard and fast line between these two classes of plants. There are some plants, indeed, for which it is possible to provide a daylight period too long, on the one hand, and too short, on the other, to induce flowering and fruiting.

It has already been pointed out that while the short-day plants are diverted toward the flowering and fruiting, or reproductive, stage of development by shortening the daylight period, the rate and amount of vegetative growth, on the other hand, are increased in proportion to the lengthening of the daylight period. In the case of the long-day plants the reproductive stage is induced by a lengthening of the daily period of illumination, so that vegetative growth is necessarily restricted more or less through the influence of long days. This refers more particularly, however, to the final size attained by the plant rather than to the rate of growth. For example, as already has been detailed, long-continued exposure to a short day length eventually produced a radish of exceptionally large size, but it required nearly nine months to accomplish this result. The rate of growth was less than when the radish is exposed to the light for the whole day in summer. It is true, however, that there are plants whose rate of growth is less during the longest days of summer than during the days of spring and fall, which are of intermediate length.

# How Length of Day Controls Everflowering and Everbearing.

In temperate regions most plants have a comparatively short period of flowering and fruiting each year, though plants differ in the length of this period. In some cases, however, this period of reproductive activity continues through several months, and plants behaving in this manner are known as everbloomers or everbearers. In the preceding discussion the fact is brought out that most plants tend to continue the purely vegetative form of development as long as the days are of a certain length, while under another length of day vegetative development quickly gives way to flowering and fruiting. Not all plants are equally sensitive, however, to changes in the length of day. With these two fundamental facts in mind it is easy to understand the relation of the length of day to the condition in plants known as everblooming or everbearing. If Biloxi sov beans or cosmos plants are subjected to an artificially shortened period of daylight of 9 or 10 hours in midsummer the purely vegetative form of activity is promptly checked and flowering and fruiting quickly follows. Subjecting Biloxi soy beans to a somewhat longer daylight period of 12 hours in midsummer has resulted in a considerably larger stature for the plants, and blossoming has been considerably delayed. Furthermore, lengthening the daylight period from 10 hours to 12 hours has markedly slowed down the rate of development of the

pods, and consequently the ripening of the seed. In other words, we have been working in the direction of vegetative activity and to a greater or less degree away from the condition of free and rapid flowering, ripening of seed, and final death of the plants. This suggests the possibility of a nice balance or adjustment between the vegetative and the reproductive phases of development which would express itself in more or less prolonged everblooming and everbearing tendencies. From this viewpoint the everflowering tendency simply means the ability to continue both vegetative and reproductive activities more or less successfully together.

Two features of the relationship between length of day and everblooming are of special importance, namely, (1) the occurrence in different latitudes of the proper range in length of day continuing over a sufficiently long season and (2) differences among plants in their sensibility to changes in length of day. In the case of those plants which are readily changed from the vegetative to the reproductive form of activity by a change in the length of the day, the proper intermediate length of day favorable to both forms of activity must persist over a sufficiently long period if we may expect the everblooming habit to appear. As one advances from the poles toward the equator both the seasonal and the daily changes in length of day decrease till at the equator a fixed day length of 12 hours prevails the year round. In extreme northerly or southerly latitudes, on the other hand, there is a constant and relatively rapid change in length of day. It is clear that under these latter conditions the tendency would be for plants to be swept rather rapidly through the particular range in day length which would permit the vegetative and reproductive activities to proceed simultaneously. Therefore, there would be little opportunity for the everblooming habit to develop in far northerly or southerly regions, even during the open growing season. In these regions everflowering would be confined mostly to those plants which happen not to be particularly sensitive to changes in the length of day. For plants having a daylight requirement for both growth and flowering ranging around 12 hours, conditions at the equator would be ideal for the development of the everflowering habit. As a matter of fact, everflowering is a characteristic feature of plant life in the Tropics, and this form of reproductive activity steadily becomes less prominent as we advance toward the poles. In temperate regions comparatively few plants can be regarded as typical everbloomers.

By suitable control of the daylight period the explanation of everflowering offered above can be directly tested. With a daily light period intermediate between that required to induce free flowering and that which favors vegetative development exclusively a given plant should continue to flower for a more or less indefinite length of time so long as the light period is held constant. For example, one of our common wild violets (Viola papilionacea) after a brief period of winter dormancy renews its activity in early spring by unfolding new leaves. A little later the familiar blue spring blossoms make their appearance. As the longer days of May and June come on vegetative activity is increased. there is greater development of foliage leaves, and the characteristic blue blossoms disappear. Obviously, these plants are approaching a strictly vegetative form of activity. reality, however, flowering in the botanical sense does not cease, for in place of the showy spring blossom a peculiar type of flower is produced beneath the leaves which does not open, though it produces seeds. This appears to be a case of fine adjustment to day length, for evidently the peculiar summer type of flowers represents a stage nearer the purely vegetative condition than does the richly colored spring blossom. Now, when these plants were allowed to receive only about 8 hours of light daily they continued to produce only the blue spring type of blossom and made but little vegetative growth. Surprising as it may seem, by this method the plants were kept in bloom constantly from March till November, with a minimum growth. Flowering finally ceased only because the daylight in December fell below the minimum requirement, so that the plants were forced into dormancy.

But, by keeping the plant under a daylight exposure in excess of 12 hours, it is possible, also, to maintain this violet for an indefinite period in the more nearly vegetative condition of midsummer, in which the inconspicuous, nonopen-

ing type of flower is formed. As will be explained later, this may be done by the use of artificial light after sunset to prolong the daily light period. Thus, in the broadest sense, this plant is in blossom from early spring till late fall under the natural range in length of day in our latitude. Considering either of its two alternative forms of blossoming separately, however, the violet behaves as a true everbloomer only when, by artificial means, the appropriate length of the daylight period is held approximately constant. Thus, two distinct types of everblooming are possible in this violet, involving the formation of different sorts of blossoms, and both types of everblooming can be produced at will by artificially regulating the daily light period. This plant furnishes a striking example of the marvelously fine balance between vegetative and reproductive activities which the length of the day controls.

Other plants have shown similar tendencies toward everflowering when exposed to a suitable, fixed illumination period. In fact, under these conditions there is a tendency in plants generally to become everbloomers. Under natural conditions, however, the seasonal change in day length in our latitude is such that only a few of our plants show a pronounced type of everblooming. A number of our common weeds, including the ubiquitous chickweed and the dead nettle (Lamium), are of this class. These plants continue to grow and to flower more or less persistently throughout the winter in the warm greenhouse, and likewise in the field throughout the summer. plants stand out conspicuously as essentially different in this behavior from the majority of our plants, which have their definite floral seasons.

## . Electric Light to Prolong the Daily Light Period.

In summer the daily light period is readily shortened by use of dark chambers, into which the plants are placed for a portion of the day. In this way various plants may be forced into flowering and fruiting out of their natural season, or plants normally flowering and fruiting in summer may be prevented from doing so. On the other hand, to initiate flowering out of season in long-day plants during the short days of winter, or to prevent its occurrence in short-day plants, it would be necessary to lengthen the daily period of illumination. With this in view, a greenhouse was fitted with a series of 40-watt electric lights, evenly distributed overhead, so that an average intensity of about 3 to 5 candlepower was obtained immediately above the soil surface. The electric light was used from sunset till about midnight each day. The intensity of the light used seems insignificant in comparison with daylight, which on clear days in winter may reach as high as 5,000 foot candles or more. Yet some striking results were obtained. For comparison, plants were grown in a similar greenhouse without the use of electric light.

As a general proposition, the long-day plants, so called, should tend to remain in the purely vegetative condition in the "control" house without electric light and hasten toward reproductive activity in the electrically lighted house. Short-day plants, on the contrary, should flower readily in the control house and assume a purely vegetative form in the illuminated house. In the control house cosmos has invariably flowered, showing reproductive tendencies when very small. Flowering actually took place within 50 to 60 days from germination. In the illuminated house the plants grew vigorously, greatly exceeding the control plants in stature, and showed no indications of flowering, months after the controls had flowered. These plants were removed from the illuminated greenhouse in June and placed out of doors, where they received only the normal daylight of the long summer days. Under these conditions the plants remained in the actively growing, sterile, vegetative stage and did not flower till they had reached a height of 15 feet in October, when they were finally forced into the reproductive stage by the natural decrease in day length.

Various species of beggar-ticks (Bidens), comprising some of our best known and most persistent weeds in moist, rich bottom lands, have shown a behavior similar to that of cosmos. In response to the short winter days, these have quickly flowered in the control house when only a few inches high, and flowering in turn has been promptly followed by the decline and death of the plants. This is just the way these plants behave when subjected to an artificially shortened daylight duration of 9 to 10 hours in midsummer. In the

greenhouse where the daily duration of light had been artificially lengthened by electric illumination the plants behaved just as they have done during the midsummer period of longest days—i. e., grew to great stature, with no indications of flowering. To make these results even more striking, plants of various ages and statures were from time to time transferred from the illuminated house to the control house, where they at once came under the influence of the relatively very short daylight duration of the winter time. Within a few weeks flowering was initiated simultaneously on all the branches, and decline and death of the plant ultimately followed. This is just what happens in summer time when out-of-door plants are suddenly subjected to artificially shortened daylight periods of 9 to 10 hours' duration.

In the control house, where no electric light was used, the Peking and Biloxi varieties of soy beans, although producing only a dwarfed growth, flowered in the characteristic winter manner, i. e., with the production of poorly developed blossoms. This is also the behavior of these plants when grown under the influence of artificially shortened daylight in summer time. In the illuminated house, on the other hand, vegetative growth was favored and the plants reached an unusually large stature without flowering, thus showing a general similarity to their summer behavior when the days are long.

In the above plants the purely vegetative development is favored by long days, and flowering is initiated when the days have been sufficiently shortened. We will now consider the behavior of iris, which flowers during the long days of May and June. Plants taken from the field in autumn started into growth at once and flowered within 55 to 60 days in the house where electric illumination was used from sunset till midnight to supplement the short daylight period of the winter season. In the control house the plants remained practically dormant vegetatively until March or April, since they showed practically no growth, and flowers did not appear till June. In spite of the warm temperatures in the control greenhouse, this plant was unable to flower in winter because the days were too short. In the same way the common goldenrod, which regularly begins flowering in

June, was readily forced into flowering in winter by the use of the electric light, whereas without electric light no flowering stem was formed, even after an exposure of several months to short-day conditions. Spinach planted in the house provided with electric light on November 1 was in bloom in six weeks, while in the control house the plants remained in the rosette stage throughout the winter.

The above examples are enough to show that artificial light of low intensity used to prolong the daily illumination period during the short days of winter effectively prevents many short-day plants from flowering and is equally effective in forcing long-day plants into flowering and fruiting. In other words, comparatively weak artificial light used as a supplement to daylight of short duration during the winter will produce much the same effects as the daylight of long duration in summer.

In the above-mentioned tests the electric light was supplied by 34 tungsten filament lights of 40 watts each evenly distributed beneath the glass roof of a greenhouse 50 feet long, 20 feet wide, and 12 feet high to the ridge. While the average intensity of 3 to 5 foot candles thus obtained was sufficient for many plants, it was found that others require higher intensities. The number of hours of artificial light needed after sunset, of course, depends on the particular plant concerned, since each variety and species has its own requirements as to duration of the light period. Naturally, the best indication of this requirement is the prevailing length of day at the regular season of flowering for the plant under consideration.

# Practical Uses of the Discovery.

The experiments briefly discussed in this paper have opened a wide field for experimentation and study. The full significance of the discovery that the activities of plants are profoundly influenced by seasonal change in the length of day can not be understood until the field has been more fully explored. At present it is possible only to indicate broadly some of the directions in which it seems most likely that practical application of the principles involved can be made.

A correct interpretation of the effects of length of day upon the plants will be a great aid in reaching a better understanding of the causes which limit the natural habitat of most plants, a problem which has been a difficult one to solve. To the farmer, the facts which have been established will strongly emphasize the importance of accurately knowing the correct season for planting each of his crops in order to secure the highest returns. Under some conditions a difference of no more than 10 days in time of planting would definitely direct the plant's activities toward either the purely vegetative or the reproductive form of development, as the case may be. Now, in one case the farmer may be chiefly concerned with extensive vegetative growth, while in another he may be interested primarily in flower, fruit, or seed development. Of course, much has already been learned empirically as to the proper time of planting various crops, but recognition of the importance of the relative lengths of day and night as a factor in a measure reopens the question.

The plant breeder should be able to gain a better insight into some of his problems, such as securing for any particular region earlier or later varieties, more fruitful or larger growing forms, and improved everbloomers and everbearers. In the same way the problem of extending the northern or southern ranges of crop plants may be more clearly defined. In many cases breeding work can be hastened through artificial control of light duration, which will make it possible to work more or less independently of natural conditions of day length, both as to time of year and as to geographical location of the worker. It often happens that plant breeders are unable to make crosses between certain plants because of differences in time of flowering of the two parental types. In such instances artificial control of the daily light period should be of great value, for in this way the date of flowering can be accurately controlled. The plant introducer will have at his command a more adequate basis for analyzing the factors which determine whether any particular plant is adapted to a new region. Moreover, in special cases it may be possible to introduce successfully new plants through artificial control of light conditions or by taking fuller advantage of seasonal differences in length of day.




Solution of the Problem of Seed Production in the Maryland Mammoth Tobacco.

Fig. 9.—1, The plant at the left, which was grown in the greenhouse in winter, shows the characteristic behavior of the Mammoth tobacco when propagated under a short day length. The plant at the right was grown under exactly the same conditions except that the daylight period was lengthened by the use of the electric light, and flowering thus prevented. The plant does not flower in the field in Maryland because the days are too long.

B, A crop of Maryland Mammoth tobacco estimated to yield 2,000 pounds or more per acre. Under the influence of the long summer days exceptionally large yields may be obtained with this variety in southern Maryland, but the plants normally fail to mature seed. The seed may be readily obtained by growing the plants in southern Florida in winter, thus exposing them to short days.

Within suitable limits of temperature and other important factors in plant growth, there would seem to be no reason why almost any plant may not be made to flower and fruit at any season of the year and in any region. By shortening the daily light period through the use of dark chambers or lengthening it by means of artificial light, reproductive activities may be induced almost at will. With proper knowledge of the specific requirements of each plant, therefore, the florist should be able to force flowering at any desired time of the year. It has been possible to secure excellent flowering specimens of iris in midwinter and chrysanthemum, poinsettia, and other plants in summer by utilizing these principles. In the same way wild violets have been kept in the everblooming stage as long as 9 months. The principles involved are so simple that anyone interested in plants can easily obtain instructive and convincing results.

In conclusion, it may be of interest to cite a specific instance in which the day-length effect has been applied to the solution of a practical problem in tobacco culture. Several years ago a new type of tobacco was discovered in southern Marvland. Under suitable conditions this type grows to an unusually large size, the plant in some cases producing more than 100 leaves; hence the name Marvland Mammoth by which this variety is known. Because of its high yielding capacity this variety has been grown with great success in southern Maryland. An excellent crop of Mammoth tobacco is shown in figure 9. A peculiarity of this tobacco is that either it does not flower at all in the field in Maryland or flowering occurs so late in the season that the seed does not mature. Farmers, therefore, can not obtain seed by the usual methods. It was found, however, that Mammoth tobacco flowers very readily in the greenhouse under the natural day length of winter, whereas artificial lengthening of the daily light period of winter prevents flowering, as shown in figure 9. The plant does not flower in the field in Marvland, because the summer days are too long. The problem of securing seed is easily met by growing the plants in southern Florida during the winter, for under these conditions the Mammoth flowers and fruits much the same as the ordinary varieties of tobacco.



By J. C. McDowell,

Dairy Husbandman, Dairy Division, Bureau of Animal Industry.

LAST SUMMER, while visiting the Eastern Pan Handle Cow-Testing Association in West Virginia, I saw a fine young herd of registered dairy cattle. As I stepped into the clean, well-lighted, well-built dairy barn the owner said to me: "It's between me, these cows, and the sheriff. Because my capital is limited my cows have got to pay; if they don't the sheriff will sell me out. My cows must pay and to make sure they will I must know their individual records. That's why I belong to the cow-testing association."

That man's cows are paying because he knows their records and feeds according to production.

Hundreds of millions of dollars' worth of feed are consumed annually by our dairy cows. The net income is large or small, according to the way that feed is used. When production is increased through feeding and breeding, the income rapidly expands, yet a few real scrubs on any dairy farm will deflate the net income.

In this country 5,000,000 farmers furnish feed and care for 23,000,000 dairy cows. Because of low-producing dairy cows a large part of that feed is wasted. Weighing out

expensive feeds to a low-producing cow is like shoveling costly coal into the fire box of a leaky boiler; and the farmer who keeps such cows is seldom bothered with an income tax.

Like a factory, the dairy cow transforms raw materialssilage, hay, and concentrates-into the finished productmilk. In that way she furnishes a market for our feeds. Whether that market will be good or bad depends in part upon the way the cow is fed and in part upon the cow.



Inferior Cows of Mixed Breeding. The farmer who keeps such cows is seldom bothered by an income tax.


## Selling Feeds to the Cow.

There is no better way to market the feeds grown on the farm than to feed them to a high-producing herd of dairy cows. The cow takes corn silage, grain, and clover hay and converts them into a product for which there always is a ready sale. It is much easier to send the butterfat to the creamery than to haul the hay to town. Yes; and in the long run it is generally much more profitable, because it keeps the soil fertility at home. Instead of selling hay and grain that may go to enrich the soil in some far-distant State, or in a foreign country, the wise dairy farmer markets such products through high-producing dairy cows.

In selling feeds to dairy cows the farmer has a wide choice of markets—bad, good, and very good. Few men discriminate closely enough between these markets. If a wheat buyer offers a cent or two a bushel more than other buyers he gets our wheat; if a wool buyer offers half a cent a pound

Let Dairy Cows
Market Your
Pasturage.

Here is one place where the farmer has the market largely under his control.



Live Stock Maintains Soil Fertility.

Keeping dairy cows keeps the richness of the land at home.

more for our wool we sell our wool to him; but if one cow returns \$3 from a dollar's worth of feed and another only \$2, we scarcely notice it. Here is a difference of a dollar every time each of these two cows eats a dollar's worth of feed, and frequently within a year this difference is enough to buy a hundred-dollar Victory bond. I believe much more attention would be given to a choice of cows if we would think of them as markets for our labor and for corn silage, concentrates, and clover hay. Here is one place where the farmer has the market largely under his control.

## Room for Improvement.

According to careful estimates, the average dairy cow in the United States produces annually about 4,000 pounds of milk and 160 pounds of butterfat. According to 40,000 yearly individual cow records just tabulated by the Department of Agriculture, the average cow-testing association cow produces 5,980 pounds of milk and 246 pounds of butterfat a year. The world's records are 37,381.4 pounds of milk and 1,205.09 pounds of butterfat. The average dairy cow seems to have plenty of room for improvement.

## Record Keeping Easy.

The keeping of individual cow records is easy. To test a half dozen samples of milk for butterfat requires about half an hour, and the weighing of the milk, the estimating of the weight of the roughage, and the weighing of the concentrates require but little time. The testing of a composite sample of each cow's milk from two consecutive milkings once a month furnishes the figures from which the yearly production records can be computed. Any man competent to care for a dairy herd can easily learn to make the butterfat test and to keep feed and production records.

## In Old Virginia.

A dairyman in Virginia says that when he began testing for production he had a herd of 31 cows. There being no cow-testing association in his neighborhood at that time, he did the work and kept the records himself. After weighing and testing the milk for a few weeks he reduced the number of cows to 26. These he fed according to known production and obtained a higher total yield than had formerly been obtained from the larger herd. Before the end of the year he reduced the number of cows to 20, and the 20 produced more than the 31.

Through rigid culling and feeding according to production the herd was finally reduced to 10 well-bred, well-fed cows, and the 10 produced almost as much milk and butterfat as the 20. Since then the herd has gradually been increased in numbers until to-day it consists of 20 cows, and the 20 produce annually more than twice as much milk and butterfat and many times as much net profit as was produced by the old original herd of 31 cows.

## Cow Testing Worth While.

Is cow testing worth while? Ask the dairyman who has recently joined a cow-testing association and he will seldom answer "No." Ask the dairyman who has seen the profits of his herd more than doubled through the work of the association and he will never answer "No." Ask the breeder of high-class, purebred dairy cows after he has sold a bull calf from a record cow for a thousand dollars, and he will always answer "Yes."

Cow testing is not worth while to the dairyman who makes no use of the records and who continues the doubtful practices of former years, but cow testing is worth while to the dairyman who desires to feed and breed according to known production. In dairy-herd improvement, knowledge alone is nothing, but knowledge followed by intelligent action is everything. To the man who belongs to a cow-testing association, who studies the individual records of his dairy cows, and who selects, feeds, and breeds according to these records, cow testing is and always will be well worth while.

## It Pays to Know.

The dairyman who knows the records of his cows is usually the owner of a herd that yields a profit. The relation between production records and profits is quite evident, but it is not so easy to see a relation between profits and the owner's knowledge of such facts as age of cow and date of freshening. Certainly a cow does not give more milk and butterfat because the owner knows her age and date of freshening, yet it is undoubtedly true that the man who knows these things is generally a better dairyman and gives his cattle better care than the man who keeps no records of his cows. From the department's study of 40,000 yearly individual cow records it is quite clear that the dairyman who does not know such facts is usually the owner of cows whose production and profits are below average.

In the White River Junction (Vermont) Cow-Testing Association the cows whose ages were not known averaged

552 pounds of milk below those whose ages were known. In butterfat production they were 27 pounds below and in income over cost of feed they were \$10.78 below the average of those whose ages were on record.

In the Lenawee County (Michigan) Cow-Testing Association the records of the 33 cows whose owners did not know




Careful Selection Increases her Efficiency.

Like a factory the dairy cow transforms raw materials into the finished product—milk.

the date of freshening were relatively low all along the line. In milk production their average for the year was 2,536 pounds below the average of the others. In butterfat production they were 79 pounds below, and in income over cost of feed they were \$37.06 below the average of those cows whose owners knew the dates of freshening. Evidently in dairying for dollars it pays to have a fairly complete knowledge of the records of our cows.

## Ten Years of Progress.

The United States Department of Agriculture now has figures that give 10 years of progress in the first cow-testing association organized in the United States, the Newaygo



Ten years of progress in the first cow-testing association in the United States, Newaygo County, Michigan. See how butterfat production climbed in the herds of this association.

County (Michigan) Association. The first year the average production of milk was 5,354 pounds; the tenth year it was 6,637 pounds. The chart shows the yearly change in average production of butterfat per cow. The gain was quite rapid until average production of butterfat had reached a relatively high level. From that time on it was not so easy to make great gains, yet at no time was there a falling back to the low levels of former years. The first year the average production of butterfat was 215 pounds, the sixth year it was 270 pounds, and the tenth year it was 276 pounds.

This is not a wonderful gain, but it is a gain that is well worth while. Figures from other associations are sometimes more striking, but we do not yet have figures for so long a

period from any other cow-testing association. Successful though it was, the work of the Newaygo association was stopped by the war before the end of the eleventh year. At the end of the tenth month of the eleventh year the tester, who was then keeping the association records, resigned to go into the Army and fight on European battlefields.

#### "Goldie."

Before a certain Missouri farmer joined the cow-testing association he owned a good herd in which was an old crippled cow named "Goldie." At that very time the owner was trying to sell her for \$75. To his great surprise the milk scales and Babcock test not only placed poor old crippled Goldie at the head of the herd but at the head of the whole association. Her yearly production as shown by the records was 9,300 pounds of milk and 526 pounds of butterfat, and her yearly earning over cost of feed was \$267.


Goldie belonged to a herd whose average yearly butterfat production was 360 pounds, yet in production of butterfat she was almost 50 per cent above the average of the herd. In production of butterfat she was more than 200 per cent above the average dairy cow of this country. Among the cows on test in the 468 cow-testing associations there are many like Goldie. The true production records furnished by cow-testing associations have prevented the sale of a large number of unassuming but fairly high-producing cows.

#### A and Z.

In a certain association 511 cows were on test. Mr. A owned 16 cows whose average butterfat production was 306 pounds. Mr. Z owned 91 cows whose average was 155 pounds. For Mr. A's herd the average income over cost of feed was \$75, and for Mr. Z's herd, 64 cents. The average cow in the herd belonging to Mr. A produced more income over cost of feed than all of the 91 cows in the herd belonging to Mr. Z. It would require 117 cows like those in Z's herd to produce as much income over cost of feed as was produced by the average cow in A's herd. Evidently Mr. A is dairying for dollars, but it is not quite so clear why Mr. Z is in the dairy business.

## Building Through Breeding.

There are several ways of improving a dairy herd. Elimination of low producers increases average production, decreases total production, and usually increases net profit. Better feeding of the cows we now have increases average production, increases total production, and may increase net profit. Use of better sires increases average production, increases total production, and always increases net profit.



Better Sires Increase Herd Production.

Six daughters of this bull averaged in one year 1,695 pounds more milk and 93 pounds more fat than their dams.

All dairy-herd improvement due to better breeding tends to increase profit to the producer and to decrease cost to the consumer. It is one of the ways by which the world may become richer without decreasing the prosperity of any individual in it. Therefore, as I see it, the breeders of good dairy cattle are among the world's greatest benefactors.

Well-formed, registered bulls from proved sires and advanced-registry dams are usually fit to head even high-producing dairy herds. When such bulls have proved sons and advanced-registry daughters, their value becomes exceedingly great because of the certainty that they will transmit to the offspring, in large measure, the high-producing

qualities of the ancestors. So far as possible only such bulls should be chosen to head herds of selected, high-producing, registered dairy cattle. In ordinary dairy practice, however, the bull goes to the block before the production records of his daughters are available. In that way many excellent bulls are lost to the dairy business every year.

## Dams and Daughters.

A few years ago a Wisconsin farmer sold his registered Holstein bull to the local butcher. At the time the bull was sold no records had been made by any of the daughters. Within one year 11 of the daughters freshened at the ages of 2 and 3. Records of milk and butterfat production were kept and to the farmer's astonishment the average milk production was 15,047 pounds and the average butterfat production 571 pounds.

Long before these records were available the bull was dead and his hide converted into leather. Because there were no records a \$5,000 bull was sold for \$50. The cow-testing association tests the dams and daughters; the bull association makes it possible to keep a bull until his daughters are tested. These associations would have saved that bull.

Every dairy herd should be carefully selected. Every carefully selected herd should be headed by a good bull. A good bull gets productive daughters. Such daughters greatly excel their dams. The dams may be selected scrubs, the daughters become productive grades, and the grand-daughters high grades of very large production. Such intelligent, constructive breeding takes place in every well-managed cooperative bull association. The bull association combines low investment, light expense, and large profit.

A scrub dairy cow is almost worthless because she yields no profit. A scrub dairy bull is worse than worthless because he quickly drags the remainder of the herd down to his low level. In a year a scrub cow produced 146.8 pounds of butterfat. Her daughter, sired by a scrub bull, produced 126.3 pounds of butterfat, and the granddaughter, sired by the same scrub, produced 99.7 pounds of butterfat. California Gretel, a Toggenburg goat, produced almost as much.

10

#### "Looked Bad for Billy."

The registered Guernsey bull, Imp. Primrose's Billy of Waddington, was at the head of a grade Guernsey herd in the Leon Valley (Wisconsin) Cow-Testing Association. After he had been in the herd a couple of years it was decided to send him to the butcher to prevent inbreeding. "For a time," as the tester reported, "things looked bad for Billy, as he was headed straight for the block." Just in the nick of time six of his daughters furnished records at the ages of 2 and 3. Figured to maturity the average production of the daughters was 7,886 pounds of milk and 397 pounds of butterfat. The average production of their dams was 5,965 pounds of milk and 292 pounds of butterfat. The cowtesting association records saved Billy's life, and he is now at the head of a purebred Guernsey herd.

#### Looking Forward.

Ever since dairy records were first available it has been a common custom to rate the value of a dairy bull according to the records of his ancestors. That is all very well so far as it goes, but the thoughtful dairyman is just beginning to look in the opposite direction and to rate the value of a dairy bull according to the records of his daughters. In the past, bulls have been in great demand if they had proved sires and advanced-registry dams. Such bulls may or may not have the power to transmit the high-producing qualities of their ancestors. In future times a bull will be in great demand if he has proved sons and advanced-registry daughters, especially if the daughters have records much above the records of high-producing dams.

We have made considerable progress in dairying by selecting for breeding purposes the descendants of high producers, but we can never make the most rapid progress until we begin to look forward as well as backward. The records of the first ten daughters determine with a high degree of certainty the true value of a dairy bull, and it is doubtful whether any bull, regardless of his breeding, should head any well-bred herd until a number of his daughters have been tested and their records compared with the records of their dams. When all dairy bulls are required to pass


through a probationary period before they are allowed to head a dairy herd, when only proved sires are allowed to become the sires of many daughters, and when the best of these sires are used to their full capacity, then, and not until then, may we look for a tremendous advance in the economical production of our dairy herds.


We now have the machinery to carry out this plan. The cow-testing association, at little cost, keeps the records of dams and daughters, and the bull association makes it possible to keep a good dairy sire for ten or twelve years, or as long as he is fit for service without the dangers of inbreeding.

#### Profits Made Certain.

Of all the enterprises of the farm none lends itself more readily than dairying to the keeping of records, and there is no other farm enterprise in which the lack of records is more fatal to success. With the Babcock test, the milk scales, the feed scales, and a working knowledge of the multiplication table, dairying need never be conducted at a loss.

The cow that produces enough to buy her feed and pay a satisfactory profit is the kind to be kept if we are dairying for dollars. Such a cow makes the dairy business interesting, adds to the profits of farming, and lifts agriculture to high and still higher levels. May her tribe increase.





By Charles H. Seaton, Editor, Bureau of Soils.

TOWARD the close of the nineteenth century the Department of Agriculture embarked upon the serious study of the soils of the country. Up to that time work upon this subject had been sporadic and general, and the results of a character ill suited for use as a basis either for scientific research or for application to the practical needs of agriculture.

It was proposed now to change all this—to proceed in a thorough, systematic way to map, name, and classify the different soils of the country; to show their extent and their relation to one another, to existing agriculture, and to the possibilities of agricultural changes and extension. It was proposed also to investigate, in properly equipped laboratories, the physical and chemical properties of soils.

Upon this undertaking the Division, now the Bureau, of Soils embarked. The sea it was to sail was uncharted; none before had gone far upon it; there was little or no precedent to follow.

But there is no room here to dwell upon the interesting period of constructive development—the period when methods were devised and tested by experiment, when system was evolved and perfected. The space can better be used to describe briefly the work as it is carried on at present, to state broadly the things achieved in nearly a quarter century of consistent endeavor, the various practical applications to which the results lend themselves, and the ideals toward which it is believed agriculture will move more rapidly and more certainly when the facts gathered have been thoroughly digested and made an integral part of agricultural knowledge.

## Soil Maps.

A number of Government agencies make maps. The United States Geological Survey has for years been engaged in surveys, principally of mineralized sections of the country, and has published many maps intended primarily for the mining industry and for the engineer. The Coast and Geodetic Survey has charted the coast lines for the benefit of mariners. The General Land Office has mapped the public domain in its work of patenting homestead and other Federal land grants. The soil maps issued by the Department of Agriculture conflict with none of these, being designed for a distinct purpose—the furtherance of agriculture.

In the surveying of soils use is made of the maps issued by other branches of the Government whenever possible, so that there will not be duplication of effort and needless expenditure of funds, but where no suitable Government, State, or privately published map is in existence the soil surveyors construct base maps as well as plot the soils. The base maps so prepared are placed at the disposal of the other mapmaking agencies and are the means of saving much time and effort to these other branches of the Government service.

A soil map thus consists of a base, showing the salient natural features of an area, and the towns, houses, roads, railroads, and other artificial features, upon which base are outlined and colored the various areas of the different types of soil. Ordinarily the survey covers a single county. A surveying party, consisting usually of two men, visits every part of the chosen area, tracing and locating the soil boundaries, taking samples of the soil and of the subsoil to a depth of 3 feet in the East and to 6 feet in the far West, and identifying the various types of soil, so far as may be done

from field examination. This work is revised by inspectors, who visit the areas from time to time, and is finally passed upon by a committee of correlation, who make certain that each soil is properly named, so that the same soils in different parts of the country shall not bear different names, and thus defeat the object of classification.

There are in the United States 3,043 counties. Detailed surveys have been completed in 926 counties.¹ The total extent of these surveys, 547,733 square miles, is equal to the combined areas of Great Britain and Ireland, France, and the German Empire before the World War. In addition to the area surveyed in detail, about an equal extent of country has been covered by reconnoissance maps, the two together representing one-third the area of continental United States, and very much more than one-third of the arable lands of the Nation.

Thus there has been accumulated by the department in a quarter century a vast store of facts concerning our soil resources—the number of different soils, their location, distribution, and extent, their origin, and their physical characteristics in both surface and subsoil. Concurrent with the compilation of such facts has been the collection of data relating to the use of soils, to productiveness, to soil adaptation, or the peculiar fitness of soils of certain types to certain crops or to certain definite crop qualities.

While admitting the value of accumulated knowledge on whatever subject, the reader will want to know in just what ways the country is benefiting from the results of soil work, and what good may be expected to flow from it in the future. Some of the benefits are obvious, direct, and immediate; some are less obvious and indirect, though of greater importance.

## Buying Farm Lands.

Among the more obvious ways in which the results of the soil survey are of practical value is their use by corporations, colonization societies, and individuals in locating and purchasing farm lands. It may be that a definite type of agriculture has been determined upon. Where can lands

A few areas, each covering only a part of a county or parts of several counties, have been included in this count.

best suited to that type be found? Upon what soils can rice growing be safely and profitably undertaken, or the production of tobacco of the various kinds be followed, or the raising of hogs with alfalfa pasture as a feature in their management be engaged in? Perhaps you would establish a commercial peach orchard in Georgia, embark upon the growing of long-staple cotton in South Carolina, or specialize in the production of asparagus, peppers, tomatoes for canning, or lima beans in New Jersey. The results of the soil survey will help you to select suitable land. Or when farmer John Doe decides to sell his fat and high-priced acres in the corn belt and reinvest in cheaper lands in a milder climate. he will find a soil survey report a very helpful thing to carry with him on his inspection trip. The records of the department show a steadily increasing number of persons using its soil publications in this way. Anything that aids in a safe and sane movement back to the farm in these days when the shift toward the city preponderates stands in a position to benefit the Nation.

#### Lands and Loans.

The basis for the evaluation of farm lands and the foundation of the wealth of agricultural communities is the productiveness of the soil. It is therefore not surprising that concerns interested in the placing of farm loans, in the handling of rural mortgage securities, or in the financing of industrial enterprises depending upon the soil for their raw materials should find in the information afforded by the soilsurvey publications a valuable aid to their business. A distant banker may find it well worth while to substantiate the favorable opinion of his local agent as to lending \$10,000 to Mr. B. with his farm situated 1 mile from Beeville as security. A glance at a soil map may do this, or it may notdepending upon what it shows. Mr. B's farm may be composed entirely of the Hagerstown silt loam, one of the very best soils in the East, with a value in normal times running from \$100 to \$300 an acre, which, with other known facts, would make the security ample, or his farm may be composed of the Norfolk sand and undrained Portsmouth soils in an indeveloped part of the Coastal Plain, in which case. even if there were 1,500 acres, the local agent's favorable report would require, to say the least, careful explanation. This illustration will suffice to indicate how the facts gathered by the soil survey are of value to financial business.

## A Basis for Agricultural Advancement.

These are a few of the more obvious ways in which use is made of the facts gathered by the soil survey. The value of such use, while large and of growing importance, is overshadowed by the present and prospective value of a less obvious and, as regards the ultimate beneficiaries—the farmer and the general public—less direct use. This is the use of the scientific data concerning soils by scientific workers in all the varied lines of endeavor looking to the improvement of agriculture.

At the time the Government began the soil survey the known facts relating to the country's soils were for the most part general, and the accumulated soil knowledge not only meager but a jumbled and chaotic mass, without system or the value which orderly arrangement gives. Take the question of soil texture, for instance. The differentiation of soils on the basis of their mechanical composition was woefully incomplete, depended upon empirical methods, and thus varied widely with the judgment of the individual. Soils were sandy soils, loams, or clays, and what constituted one or another class merely a matter of opinion. Compare this with the present classification of soils on the basis of texture into 12 distinct classes, scientifically determined, and uniformly applied to soils throughout the country, so that a fine sand in Maine is the same as a fine sand in Oregon, and a silt loam is a silt loam, and a clay a clay, no matter in what part of the country it may occur.

Take the question of the extent and relative importance of soils. No one at the time referred to knew which were the great soils of the country. Many knew where wide areas of productive lands occurred, where the production of the great staple crops was concentrated, but until the soils had been identified and measured ideas as to their rank and importance were hazy in the extreme.

This is only a small part of the story, but enough to indicate the change that has taken place in our knowledge of the soils. It needs no argument to convince one that

the influence of the standardization of soil types upon crop experiments and the application of the results of such experiments is fundamental and of the greatest moment.

In carrying on the soil survey the department is working in cooperation with the experiment stations or other public agencies in more than 20 States. This cooperation is most intimate, the several States contributing in men and money equally with the Federal Government. In this way the results of the work are brought home to the leading agricultural investigators in all parts of the country and are becoming a part of the equipment of the most powerful agency existing in the Nation for the advancement of agriculture.

Time was when it was considered sufficient to have a central experiment station in a State, there to carry on variety, fertilizer, and cultural tests on one type, or at least two or three types, of soil, and to advise farmers in all parts of the State, located on widely different types of soils, on the basis of the results achieved on the results achieved on the results at the central station. The general inadequacy of this system is now recognized by nearly all, if not all, the station workers, and more and more of the stations are providing in one way or another for the tying of results to the important soils of the States.


Take one instance, that of North Carolina. In this State test farms have been established on the more important soils in different parts of its confines, and a farmer on a certain soil is advised on the basis of results of tests on that soil. A separate edition of the soil survey report also is issued, in which experimental results on the several soils of a county are added to the text of the Federal report. Other States are following up the soil survey in various ways and correlating the results of their work with soil conditions. This refinement is made possible by the knowledge gained in the soil survey. It and other refinements to follow make for increased production, greater profits to the farmer, and cheaper food and clothing for the consumer.

## Soil as a Factor in Crop Production.


One of the results of the soil survey has been to emphasize the importance of the soil as a factor in crop production, to immeasurably raise this importance in the estimation of

those who study the problems in which the soil enters. It has long been recognized in a general way that definite relationships exist between the character of the soil and the vield and quality of its plant products, and this has been substantiated by much concrete evidence. Standarization of soil characters and much finer distinctions between soils than were possible before have shown that these relationships are much more delicate than would be supposed. bright tobacco produced on the Durham fine sandy loam is superior to that from the Norfolk fine sandy loam, for the purpose intended, the manufacture of pipe tobaccos and cigarettes. Yet these soils are texturally the same, occur in the same districts, and therefore under similar climatic influences, and are similarly well drained. Again, Wilder<sup>2</sup> found that in the same district in New York certain soils would produce a green Rhode Island Greening and certain other soils a vellow Rhode Island Greening. The two types of Greening finding favor in different markets, it would be clearly of advantage to the orchardist to know beforehand what soil to select in setting out his trees. Wilder also found that the best soils for the Greening were not the best soils for the Baldwin or certain other varieties, though in the common practice of the orchardists such distinction in their plantings was exceedingly rare, and naturally, for the facts were not known to them. Instances of this close relation between soil type and quality of product could be multiplied almost without end; but the object is attained if the instances cited carry the suggestion of an almost unlimited field for future use of the facts gathered and to be gathered by the survey and scientific study of the soil-the suggestion that finer and finer distinction may be made in the practical use of soils, in the selection of crops, in the breeding of new crop varieties to fit important soils, and in the adjustment of our basic agricultural industries, as well as special inclustries, to the soils on which they are most certain best to flourish.

Henry J. Wilder in an unpublished manuscript, The Apple Solls of New York,



Department of Agriculture Explorers scour the world for new plants and seeds



By W. B. Bell,

Assistant Biologist in Economic Investigations,

Bureau of Biological Survey.


To ELIMINATE a crop-production loss of \$500,000,000 a year, due to rodents, looks like a staggering undertaking. When a leak is detected in a corporation, mill, or factory and a means of prevention is found, it is possible to issue orders putting improved practice into effect forthwith. Not so in the case of losses caused by rodent pests: you can not order the rodents to stop eating.

The magnitude of the task is measured by the length and breadth of the whole of the United States, and its execution requires not only action by Federal and State officials, but the voluntary cooperation of hundreds of thousands of people who must be enlisted in the movement. A great educational campaign must be conducted to fix public attention upon the need, to give assurance as to the practical character of the methods to be employed, and to obtain concerted action by private, State, and Federal agencies. Plans and means of organization must be provided, trained and experienced leadership secured, cooperation of great numbers of people effected, legislation enacted, financial support furnished, and special supplies procured and laid deviate at the point of use.

The actual carrying forward of this work has afforted a fine instance not only of willingness to cooperate but of co-

operation put into effective, harmonious, and widely correlated action on a large scale, involving many thousands of farmers and stockmen, their organizations, and county, State, and Federal officials.

Some idea of the seriousness of the losses suffered annually from the native rodents, including prairie dogs, ground



Results of Prairie-Dog Activities.

B19705

A close-up view showing detail of work of prairie dogs on a heavily infested area. All valuable forage grasses, including their root systems, had been completely destroyed, leaving only a few scattering clumps of weeds and wire grass. Not less than 100,000,000 acres of range and agricultural lands are infested by prairie dogs, these animals selecting the most productive valleys and bench lands for their devastating activities. After poison treatment, 55 dead prairie dogs were counted on the area in the illustration.

squirrels, pocket gophers, and jack rabbits, may be obtained from the following estimates submitted during the fiscal year 1917 by cartain State directors of agricultural extension: Montana, \$15,000,000 to \$20,000,000; North Dakota, \$6,000,000 to \$9,000,000; Kansas, \$12,000,000; Colorado, \$2,000,000; California, \$20,000,000; Wyoming, 15 per cent of all crops; Nevada, 10 to 15 per cent of all crops, or \$1,000,000; New Mexico, \$1,200,000 loss to crops and double this amount to range. In a single county of Virginia, losses of or-

chard trees from depredations of pine mice from 1915 to 1917 were estimated at not less than \$200,000. Similarly heavy losses were disclosed in other States as attention was directed to these direct causes of decreased production. It is estimated that native rodents cause a loss of \$150,000,000 a year in the United States in cultivated crops and a similar loss in forage on the pasture ranges, making a total loss of \$300,000,000 a year from this source



Effect of Prairie Dogs on Range Production.

Upper view, an area which has not yet been invaded by plaine dogs, showing the natural stand of grama grass, one of the most valuable lange forage plants. Lower view, from photograph taken at the same time of a near-by area invaded by prairie dogs. Here these pests have completely destroyed all valuable forage grasses, reducing the stock-carrying capacity to zero

## Eating Up the Margin of Profit.

For many years farmers and stockmen, in numerous instances driven to the verge of desperation by constantly recurring losses, endeavored to clear their holdings of rodent pests, only to find their methods ineffective or their lands constantly reinfested by animals coming in from adjacent Government lands or from those of their less thrifty and energetic neighbors. Large sums were expended by States, counties, and townships for bounties, only to disclose that, while their treasuries were greatly depleted, the animal pests persisted in practically undiminished numbers. Manufacturers and dealers in commercial poison preparations were reaping a constantly increasing harvest through the sale of their products, while the farmer saw his crop returns constantly reduced by the inroads of rodent pests.

The Biological Survey received many urgent appeals for help from the far-western States, the cry being that if the rodents could not be controlled the people would have to abandon their ranches. In many instances it was apparent that the portion of the crop eaten by the rodents represented the difference between a comfortable profit and a distinct loss on the year's enterprise. A profit of 10 per cent on a given business turnover is usually accounted a fair return. On the farms of western States prairie dogs, ground squirrels, pocket gophers, jack rabbits, and similar rodent pests were commonly cutting down the crop yields 10, 20, and 30 per cent, and in many instances were destroying the entire stand.

When farmers became aware of the extent of these losses they were eager to learn how to obtain permanent relief. When Department specialists and county agents had gone out into the grain fields and demonstrated beyond question the amount of loss involved, by measuring off the area of a given crop and the part that had been destroyed by rodents, the farmers began to see the importance of having this margin placed on the credit side of the farm account book or in their bank, instead of having it consumed for the immediate requirements of these myriads of small raiders or stored as fat for their subsistence while indulging in their long hibernation sleep.




Destructive Activity of Prairie Dogs on Cultivated Crops.

At left, field of cats, showing normal production at harvest time; at right, a contrasting view of a portion of the same field invaded by prairie dogs. Where the prairie dogs have attacked the crop, nothing is left; to harvest. Corn, wheat, oats, rye, barley, feterita, and alfalfa are among the valuable grain and hay crops of the United States which prairie dogs, ground squirrels, pocket gophers, jack rabbits, and similar rodent pests destroy to the extent of \$150,000,000 annually.

As long as stockmen could merely move on to fresh pastures with their flocks and herds and there was abundance for all comers, there was little concern over the great stretches of fertile range lands denuded and made unproductive by the hosts of rodents feeding undisturbed upon them. With increasing settlement of the country, larger numbers of live stock, keener competition for the more productive ranges, and reduced areas of free Government pasture lands, stockmen began to cast about for metric maintaining their live-stock production. When it technically apparent that the carrying capacity of their pasture ranges

was being reduced from 10 to 50 per cent or more by the prairie dogs and ground squirrels, which occupied the most fertile and favorably situated valleys and bench lands, denud-



ing them of grass and rendering them useless for pasturage purposes, it became evident that eradication of these animals was the most practical way of providing additional forage to maintain and increase flocks and herds.

Fortunately, positive evidence that the carrying capacity of pasture ranges could be greatly increased by this means was at Large areas of Government lands, cleared of rodents by Biological Survey field parties. had shown quick recovery of forage grasses and a marked increase in the number of cattle and sheep that could be carried on them. Smaller demonstration plots. which had been established under similar conditions to illustrate the difference in productivity between infested and cleared areas, showed grass knee high on the land where rodents had been destroyed and reinvasion prevented, as contrasted with grass cropped close to the ground on land immedistely adjoining, where the rodents had been left in their usual numbers.


Typical Grass Specimens from Experimental Plots.

A, The best samples found in the inclosure where the prairie-dog population was normal. B, Sample of normal production in adjacent plot, where prairie dogs had been eradicated and reinfestation prevented.

## Going After the Rodents.

Up to and including the year 1916 the Biological Survey had worked largely on field investigation of damage caused by prairie dogs, ground squirrels, pocket gophers, jack rabbits, field mice, and related pests, together with study and experimentation to determine effective methods for their control or eradication in localities where they were proving seriously destructive of crops and range grasses.

Field-party operations against prairie dogs had been conducted on 15 national forests in Arizona, Colorado, Montana, New Mexico, Utah, and Oklahoma, on the Crow In-



B19696


Biological Survey Field Party Distributing Poisoned Grain to Destroy Rodent Pests.

Over 132,000 men working aroot and on horseback in cooperative campaigns distributed 1,610 tons of poisoned grain on more than 32,000,000 acres of range and farm land during the year 1920. The resulting destruction of prairie dogs and ground squirrels effected a saving of \$11,000,000.

dian Reservation in Montana, the Fort Sill Military Reservation in Oklahoma, and on considerable areas of public lands in Wyoming. Similar operations against ground squirrels had been undertaken on the California and Sequoia National Forests, and other forests in Modoc, Monterey, Rem, and Santa Barbara Counties, Calif.; on a small area in the vicinity of Sopris, Colo.; and on the Fort Totten Indian Reservation, N. Dak. A small amount of work had been done against pocket gophers on the Sequoia and California Forests, Calif.; the Nebraska National Forests, Calif.; the Nebraska National Forests, and the Ochoco National Forest, Oreg., Some Landonstrations had also been given to show farmers and sopring

men how to protect crops and hay from destruction by jack rabbits.


During 1916, 1,356,429 acres of Government lands were given original treatment for the eradication of prairie dogs. and 164.755 acres, previously poisoned, were given a second treatment to complete the work; 208,950 acres were treated for the destruction of ground squirrels; and 7,770 acres for the extermination of pocket gophers. Some demonstration work also was done to enable farmers and ranchmen to apply on their own lands the methods which the Biological Survey



Results of Poison Properly Prepared and Distributed.

Pile of 1,872 prairie dogs, picked up on 320 acres after poison was distributed by men working according to directions of the Biological Survey. A large percentage of animals killed were not collected, as they entered the burrows before the poison could act. The grass required to feed these animals is sufficient for the maintenance of several head of cattle or sheep. Results such as this have convinced stockmen and farmers that this work is practical and worth while as a means of increasing production.

had found most effective in eradicating rodent pests on Federal lands. Demonstrations were given and campaigns organized to combat jack rabbits in infested farming communities of southern Idaho, central and eastern Oregon, southwestern Utah, northern Nevada, western Texas, and in smaller areas in California. Extermination of rodents that destroy seeds and nursery stock on areas being reforested had been completed on the Black Hills National Forest, S. Dak., and the Florida National Forest, Fla. Experiments to devise eradication methods had been conducted on the above planting areas and on the Converse Experiment Station of California. Improved methods for controlling pine mice, wood rats, and other seed-eating rodents also were developed.



B18594; B1850

Ground-Squirrel Work in Grain Fields,

The upper view is of a field of oats, showing along the border the usual results of ground-squirrel activity in destroying the growing crop before cradication work was undertaken. A loss of 10 to 30 per cent of a field of grain occurred commonly before the cooperative campaigns were launched. The lower view is from a photograph of a field adjoining, where damage was prevented by poisoning the ground squirrels on the planted area and on adjacent fields of poisoning the ground squirrels on the planted area and on adjacent fields area planted. Here it was possible to harvest a full crop from the entire area planted.

# Cooperation.

During the spring of 1916 the extended poisoning paigns undertaken in North Dakota against ground spring rels—locally known as "gophers"—had the cooperation of the agriculture experiment station and extension service of the agriculture.

tural college. The operations included demonstration of the most effective methods of destroying these pests in farming communities and the organization of systematic township and county campaigns. These animals were reported as causing crop losses aggregating from six to nine million dollars annually in the State. In this campaign the then enormous quantity of five-eighths of a ton of strychnine was used. This was prepared and applied to grain bait under supervision of Department of Agriculture and State experts according to methods determined through extended field experiments previously conducted by the Biological Survey and the State experiment station.

This work, organized in seven counties, was the beginning of systematic cooperative campaigns to clear of rodent pests great areas, involving Federal, State, and private lands, in which the costs were paid by the respective owners. The organized movement has gone forward with remarkably rapid strides because it has met a very important need in a practical, effective, and economical way.

These campaigns demonstrated that theses from rodent pests not only constitute an entirely unnecessary drain upon the productive capacity of the farms and stock ranges, but that they may be permanently eliminated at a cost which is but a small fraction of the damage occasioned during a single year. Where the expense for labor and poisoned materials is included, the cost of this work usually ranges between 4 and 10 cents an acre, depending on the kinds of animals and their abundance. Where the farmers and stockmen utilize the services of their regular farm and ranch help in distributing the poisoned grain on their land no increased cost of operation is involved except the cash outlay for poison supplies, which usually amounts to only 1 or 2 cents an acre.

By 1917 the time was ripe for correlating all rodent eradication activities in accordance with a unified but comprehensive plan. Work under the plan outlined by the Department of Agriculture for the organization of cooperative campaigns for the control of ground squirrels, prairie dogs, and jack rabbits (Yearbook Separate No. 724, 1917) was already progressing favorably in several States, and requests were received from officials and farmers to extend the service to include other States. Added stimulus was given the move-

ment by the world appeal to the United States at this time for cereal and meat products. Cutting off losses of grain crops due to rodent depredations, thus making possible the harvesting of the entire crop, was a most direct, practical, and economical way of increasing the available supply of grain. Farmers were prompt to recognize this and to join in the movement, as its effectiveness and value were demonstrated by Department specialists and county agents. Stockmen were quick also to see that the saving of alfalfa and range grasses from being eaten and uprooted by rodents afforded an immediate means of carrying and finishing for market greater numbers of cattle and sheep, thus increasing the urgently needed supply of meat, hides, and wool. With the enthusiastic and hearty cooperation of extension directors, county agents, State officials, farmers, and stockmen, the work has been extended until now it embraces thoroughly organized aggressive campaigns in 16 western States.

# Four Tons of Strychnine for Prairie Dogs and Ground Squirrels.

The extent of operations at the present time is indicated by the fact that in cooperative undertakings during the past year Biological Survey field men have guided farmers and stockmen in the destruction of prairie dogs and ground squirrels on over 18,000,000 acres of farm and range lands, and have re-treated 14,672,000 acres in follow-up work to complete eradication. The Survey parties, aided by labor contributed by cooperating farmers, have destroyed most of the prairie dogs and ground squirrels on approximately 1,000,000 acres of the public domain. More than 4,500,000 acres of public lands have already been largely freed from prairie dogs, and this work at the present time is closely correlated with the cooperative campaigns on private lands. Over 132,000 farmers and stockmen joined in this work, and 1,610 tons of poisoned grain were distributed on infested lands. This required the purchase, preparation, and use of over 4 tons of strychnine.

The estimated saving in crops and range grasses, based largely on statements of farmers and stockmen themselves, amounts to more than \$11,000,000 for the past season. Farmers report in many cases a crop return of \$15 to \$20 for each

dollar invested in the work, and a very marked increase in the stock-carrying capacity of the ranges. This may be illustrated by a recent statement that on 90,000 acres cleared of prairie dogs in Arizona, increased forage has been raised sufficient to feed an extra head of cattle to every 20 acres, or from 20 to 30 head on each section of land. The forester in charge of the Santa Rita Range Reserve, in New Mexico, reports that 2,305 acres, previously of little value because practically all of the forage was consumed by prairie dogs, have been partially restored for grazing purposes, and that when the work is completed this range will carry 75 to 100 additional stock annually.


Acreage treated with poisoned baits for the cradication of prairie dogs and ground squirrels in Federal and cooperative campaigns, by States and fiscal years.<sup>1</sup>

State.	Acreage treated.				
	1916	1917	1918	1919	1920
Arizona	. 278,540	364, 990	263,920	420,710	427,049
California	. 184,960	170, 953	3,832,900	3, 232, 224	1,070,814
Colorado	40,904	41,642	159, 110	795,433	769, 480
Ideho			277, 751	737,433	240, 252
Kansas					21,32
Montana	73,576	82,755	3,681,673	4,541,400	6,926,944
Nebraska					75, 275
Nevada			85,000		161, 231
New Mexico	. 177,010	95,435	1, 167, 094	951,618	607, 156
North Dakota	4,960,160	4,537,600	5,487,580	4,000,000	5,991,278
Oklahoma				8,600	80, 543
Oregon	. 5,390	13,000	717,600	724,000	317,850
South Daketa	. 52,371			600,000	1,310,200
Texas	. 107, 293		3,000		
Utah			4, 255	317,960	589,756
Washington				303, 200	498, 644
Wyoming	340, 790	442,647	717, 189	404,628	135, 200
Total	6, 220, 994	5,769,012	15, 897, 072	17,037,206	19, 222, 993

<sup>1</sup> The year in each case ends with June 30.

# Pocket Gophers Take the Bait.

Success has attended similar lines of campaign for the destruction of pocket gophers, chiefly in Kansas, Nebraska, Idaho, Oregon, New Mexico, and Arizona. Reports have been received from many farmers that it was possible to



Pocket-Gopher Mounds in Cultivated Field.


B 18896

While burrowing underground, pocket gophers cut off the roots of alfalfa and other growing crops and of orchard trees, and pile up great mounds of dirt on the surface. These mounds cover up and destroy much of the crop, damage machinery used in harvesting, and interfere with its efficient operation.

destroy as many as 95 per cent of these animals through a single application of the poisoned bait. Pocket gophers occur in all States west of the Mississippi River and are particularly destructive to alfalfa, grazing lands, hay meadows, and root crops. A stand of alfalfa is often entirely ruined through the cutting off of the main branches of the root system. The quantity of hay that can be harvested is reduced both by this depletion of the stand and through being buried by the great mounds of dirt which are thrown up by pocket gophers. These mounds also interfere seriously with the operation of the harvesting machinery.

In addition to the direct damage caused by pocket gophers, their burrows frequently serve as an outlet for water from irrigation ditches. The flow of water through these small openings enlarges them, and breaks occur that result in serious loss of water and the flooding and destruction of crops. Such washouts also entail large expenditures in repairs. Burrows distributed over the irrigated areas also admit water when irrigation is in progress, frequently resulting in the washing of deep gullies on sloping land and also interfering seriously with the proper distribution of the available water supply. A striking instance of the breaking of a canal bank, due to a pocket-gopher burrow, occurred in the Farmers' Cooperative Canal Co. project of Canyon

County, Idaho, in May, 1919. The canal is 26 miles long and draws 18,000 inches of water, which is used in supplying about 30,000 acres of land. To repair this break cost the company \$5,000, and during the interval before repairs could be completed drought caused a loss of 25 per cent of the hav crop, for the growth of which the irrigation water was intended. Important campaigns are now in progress in irrigated sections with a view to overcoming such losses.




A Costly Pocket-Gonher Burrow.

Break in bank of irrigation canal caused by pocket gopher. Besides a bill of \$5,000 for repairs, 25 per cent of the hay crop on 30,000 acres was lost, owing to lack of water, occasioned by the break, at a critical time during the growing period.

Getting Jack Rabbits With Poison and Drives.

Where jack rabbits are abundant they are responsible for heavy losses of farm crops and range grasses. Many instances have occurred where entire fields of grain were cut down and absolutely destroyed by these animals, and farmers stated that it would be necessary to abandon their farms unless the ravages could be stopped. During the summer jack rabbits frequently gather in great numbers in grain and alfalfa fields. Under such conditions they may completely devastate great areas of growing grain or eat out the crowns of the young alfalfa, thus preventing its proper growth. During the winter season they congregate about stacks of hay and grain, feeding upon supplies intended for the subsistence of live stock. Their inroads are so serious that a stack is frequently entirely undermined, topples over, and becomes practically a complete loss. They oftentimes seri-



Poison and Drives Get Results Against Jack Rabbits.


Farmers and stockmen, thed of sceing growing crops and stacked has destroyed by jack rabbits, appealed to their Government for assistance. The systematic distribution of poison and the conduct of organized drives have accounted for many thousands of jack rabbits and have afforded practically complete protection from their depredations in localities where the work was undertaken.

ously interfere with the introduction of new and profitable crops, as in the case of lettuce and long-staple cotton in Arizona, and peanuts in Oklahoma, and, by gnawing the bark from the trees, seriously damage orchards.

In Arizona, Idaho, Nevada, Oregon, Utah, and Washington, campaigns for the control of jack rabbits, organized

on a considerable scale, were conducted under the leadership of Biological Survey field representatives in cooperation with local agencies. The animals were destroyed through the use of poison and also by driving them between converging fences into inclosures where they were killed. Idaho a total of 40,000 rabbits were killed in Minidoka County; and an average of 400 rabbits for each ounce of strychnine used was reported in Lincoln County. Two farmers in Gooding County reported killing 1,000 jack rabbits with each ounce of strychnine. The organized drive also accounted for great numbers. Seven drives conducted in Bingham County, Idaho, netted 15,728 rabbits. Other notable kills through county drives in the State were 5,500 rabbits in Gooding County, 17,800 in Jerome, 20,000 in Lincoln, and 19,000 in Minidoka. One drive in Washington County resulted in killing 10,000 animals.

Practically complete protection of crops was effected during the season of 1920, according to reports received from



Damage to Orchards by Rodents.

Roots of orchard trees are cut off and trees killed by pocket gophers and pine mice; the bark is gnawed from the trunk by jack rabbits, cottontails, and meadow mice; and nuts and fruits are frequently eaten and destroyed by ground squirrels, two of which are here pictured, poisoned at their burrow at the root of an orchard tree.

farmers in localities where these campaigns were conducted. Owing to the high price prevailing for skins, a large number from the killed animals were cured and marketed. In many instances the carcasses of rabbits killed in drives were also collected and shipped to city markets to be disposed of for human consumption. In other cases they were utilized as feed for poultry and swine.



Some "Good" Rats from a City Market.

D1211m

Rats are notorious destroyers of food products in all stages, from the planting of the fields to harvest, storage, or use on the farm, in transit to market, at terminal elevators, mills, and warehouses, at the distributing points, and in the pantry of the ultimate purchaser. They not only destroy but contaminate and pollute food products with filth and disease-producing organisms. The rat has been designated as "the most destructive animal in the world" and it fully deserves this invidious distinction. It has no redeeming traits to compensate for its disgusting depredations. Starvation, poison, trap, and exclusion should be its portion everywhere.

## Thirty Thousand Rat Tails.

The Biological Survey has developed effective, practical, and economical measures for the control of house rats and mice, introduced pests which annually destroy \$200,000,000 worth of crops and stored products in the United States. This sum does not take into account the large amounts expended in efforts to combat them. Recommended methods of

operating against these pests are by means of poisoning and trapping and the rat-proof construction of buildings. extended educational campaign has been conducted during the past four years in order to acquaint the public with the serious drain on the Nation's food resources through depredations of house rats. Demonstrations have been given of methods of poisoning and trapping the animals, and plans for community organization against them have been presented and put into operation at many points. As a result, many State officials, municipal organizations, and publicspirited citizens have taken up the work of organizing campaigns, and great numbers of the rodents have been destroyed. A campaign recently waged against rats in a small town in Virginia resulted in 30,000 tails being turned in as evidence of its success. Substantial progress has also been made throughout the country in rat-proofing existing buildings where food and feed products are stored and in introducing rat-proof features into buildings now being planned and constructed. The enormous movement required for an effective fight against these pests, which are both a source of economic loss and a menace to health, appears to be gradually taking shape and steadily but surely getting under way.

# Financial Support.

The most convincing evidence that campaigns against rodent pests are getting the desired results lies in the fact that when the Biological Survey began the work no funds were being supplied by the States to help, except for an appropriation of \$3,500 in North Dakota. During the fiscal year 1920 funds expended by cooperating State and county organizations and by individuals amounted to \$849,000. Present prospects indicate that this will be materially increased from year to year, and the operations are being pressed with unabated vigor and enthusiasm. Most of the States where campaigns are in progress have already enacted legislation making provision for financing and organizing the work in cooperation with the Biological Survey.



# Putting ———— WOOD WASTE to WORK

By Samuel T. Dana, Forest Economist, Forest Service.


BIG BUSINESS is not in the habit of opening its pocket-book to demonstrate its appreciation of Government activities. The exception that proves the rule occurred at Madison, Wis., in July, 1920, when lumbermen, timber manufacturers, and wood users generally assembled from near and far to celebrate 10 years of service by the Forest Products Laboratory, established in 1910 by the Forest Service in cooperation with the University of Wisconsin. For the first time in history a group of industries, on their own initiative and at their own expense, arranged an elaborate meeting for the sole purpose of indorsing the scientific work of a Government institution. Why? Because of the service that institution is rendering through investigations aimed at making the most of our wood supply.

### The End of the Trail.

General recognition of the need for such investigations is very recent. Thirty, twenty, even ten, years ago they would have been scoffed at in many, perhaps most, parts of the very industries now urging their expansion. So long as our timber supplies were regarded as inexhaustible, interest in their most efficient utilization was decidedly feeble. It is not human nature to make the most of the things we have in abundance. "Easy come, easy go," is true alike of individuals and of nations.

Prophets of a day of reckoning have been crying in the wilderness for many years. To-day the increased prices and

growing scarcity of forest products resulting from the steady depletion of one forest region after another are driving home their message. The pinch on our pocketbooks is at last beginning to convince even those not versed in higher mathematics that it is a physical impossibility to continue indefinitely removing from the forest three or four times the material grown. Year after year we have cut, burned,



and otherwise destroyed our forests without providing for their replacement, until at last the end of the trail through the virgin forests is in sight.

## Two Ways Out.

There are two ways, and only two, in which we can continue to meet our wood requirements. One of these is to grow more wood; the other is to use more effectively what we have. We must see that our remaining 137,000,000 acres of virgin forests are cut in such a way as to maintain the productivity of the land, and that our 81,000,000 acres of wholly idle and 235,000,000 acres of partially idle forest lands are put to work. At the same time we must see that

more than a third or a fourth of the 24 billion cubic feet of wood removed from the forest each year is actually put to some beneficial use.

It is a curious fact that until a comparatively few years ago almost no thoroughgoing study was made of a material



Through the Microscope.

Studies of the structure and identification of various kinds of woods and the microscopic examination of defects for incipient decay constitute an important part of investigations in forest products. The panels in the background show how various woods look when magnified from 50 to 250 times their natural size.

that is so widely used and enters into our daily life in so many different ways as does wood. Highly paid chemists and engineers were employed to investigate steel, and concrete, and oil, and rubber, and a hundred other products, but wood was apparently taken for granted. Yet wood, being more complex, more variable, and less efficiently utilized than any of these, was actually in greater need of investigation. This need has always been recognized by the Forest Service, but not until the establishment of the Forest Products Laboratory was it possible to undertake the work in an effective way. Since then the progress that has been, made constitutes a fascinating story of achievement in a hitherto almost unexplored field.

#### New Woods for Old.

Ten years ago, when John Jones wanted anything made of wood, from an ax handle to a barn, he went on the general principle that what was good enough for his grandfather was good enough for him. As a result several million John Joneses, including architects, builders, vehicle manufacturers, and other wood users, wasted an amazing amount of perfectly good material that might have been saved by the equally effective use of less valuable species, lower grades, or smaller sizes. Perhaps this did not matter much so long as high-class material was abundant. Moreover, if any unusually farsighted member of the Jones family had wanted to practice thrift he would have had difficulty in doing so, since adequate information as to the properties of the various woods was decidedly lacking.

To-day the tables are turned. The better woods are now so scarce and so high priced that if John Jones continues to use them as indiscriminately as in the past he is likely some fine morning to find himself bankrupt, while his neighbor, Bill Smith, is prospering. The difference is that Smith has had the good sense to make use of the information now available as a result of over half a million tests on 149 kinds of native woods. These make it possible to substitute knowledge for guesswork in utilizing wood for the thousand purposes in which its strength, elasticity, toughness, and other mechanical properties play an important part.


In the building trades alone, grading rules based on the discovery that the strength of southern yellow pine and Douglas fir varies directly with the relative amounts of springwood and summerwood now make it possible to secure the same strength as before from structural timbers with the use of about 20 per cent less material. If universally used, these rules would bring about an annual saving of approximately \$40,000,000, of which it is estimated that some \$4,000,000 is now saved each year. An additional saving of perhaps \$2,000,000 is being effected by the substitution for more valuable species of cheaper woods, the suitability of which has been demonstrated by mechanical tests.

Millions of feet of hickory, the standard wood for handles and spokes, have been wasted because of the general belief that the red heartwood was inferior in quality to the white sapwood. Exhaustive tests proved that this prejudice is unfounded and that weight for weight sound heartwood is fully as strong and tough as the sapwood. This discovery not only increased materially the available supply of hickory, but converted the large amounts of heartwood formerly wasted in the woods and at the mill from a liability into an asset. Verily, the trash of one generation is the treasure of the next.

## Speeding Up Nature.


Equally astonishing results have been obtained in the artificial seasoning of timber. Dame Nature's method of removing water from wood by air drying is slow, wasteful, and expensive. Previous generations, to be sure, have had to put up with it, but in these days when subways, airplanes, and wireless are abolishing time and distance no one can afford to wait several years for a piece of dry wood. So man has speeded up nature by the use of dry kilns. These have now been perfected to the point where some 35 of the more important woods in common use, such as Douglas fir, southern yellow pine, spruce, gum, and oak, can be dried in much less time and with greatly reduced losses. Already the new methods are saving some \$5,000,000 a year, with the prospect of a very much wider future usefulness. Here is a field where haste, properly directed, does not mean waste.

During the war certain woods, such as spruce for airplane wing beams, walnut for gunstocks and airplane propellers,



- A. Airplane propellers are made by gluing together several boards and then carving out the propeller by hand. Many studies have been made to determine the most satisfactory kinds of wood to use, proper manufacturing conditions, and methods of rendering the finished product waterproof.
- B. Mechanical glue spreader of the type commonly used at the Naval aircraft factories in the manufacture of plywood wing ribs and other airplane parts.
- C. Prior to the war from one to two years of air drying was regarded as necessary for the production of satisfactory spruce and Douglas fir stock for wing beams. Investigations by the Forest Products Laboratory proved that equally good stock could be produced in a specially devised dry kiln in from 20 to 40 days. This is the first load of Douglas fir wing beams coming from a battery of 24 such kilns erected by the Spruce Production Division of the Army at Vancouver Barracks, Wash. At the time of the armistice these kilns were turning out 40,000 board feet a day of high-grade stock for the United States and its allies.

and oak for heavy vehicles and artillery wheels, were indispensable in supplying the boys in France and on the high seas with the munitions of war. Air-dried stocks of these woods were not to be had. Improved methods of kiln drying, therefore, had to be devised and put into operation if the Army and Navy were not to be seriously crippled. So



Pickling Posts,

The amount of wood destroyed each year is approximately equal to the loss from forest fires. This decay, much of which takes place in the 900,000,000 posts used on farms and elsewhere throughout the country, is to a large extent preventable by the use of preservative treatment. Could such treatment be applied to all wood used under conditions where it is subject to decay, it is estimated that the annual saving would amount to some 6,000,000,000 board feet, or nearly a fifth of the total lumber cut.

successfully was this done that in the case of spruce and Douglas fir, for which one or two years of air drying had previously been regarded as necessary, satisfactory stock for airplane wing beams was produced in from 20 to 40 days in kilns devised by the Forest Products Laboratory. At the time of the armistice a battery of 24 such kilns at the Gov-

ernment cut-up plant at Vancouver Barracks, Wash., was turning out daily 40,000 board feet of high-grade stock. In speaking of the results secured, the officer in command of the plant said, "This material is perfect in appearance and

#### A. Rougher Than A Stevedore.

This revolving drum was devised by the Forest Products Laboratory to test the strength and general suitability of boxes and crates for the shipment of such materials as cannot goods, fresh fruits and vegetables, clothing,



at the left. It not only withstands more satisfactorily an equal amount of rough handling, bu saves from 15 to 21 per cent in shipping space and 32 per cent in lumbe required, and is much easier to pack and unpack.

oratory of the one


the strength tests made by our technical department show that the kiln-dried lumber retains its full strength as compared to the strength of the most carefully air-seasoned stock. The drying is so successful that we have had no cullage at all."

Kiln drying of walnut for gunstocks and airplane propellers in some cases reduced the loss of material from 60 to 2 per cent, and in others shortened the time required by approximately one-third. Incidentally, the efficiency of airplane propellers, one of the chief defects of which was their tendency to change shape as a result of absorbing moisture. was greatly increased by devising an aluminum-leaf coating which was practically 100 per cent waterproof. Three-inch green oak for heavy wagons and artillery wheels, which the War Department had previously insisted must be air dried for at least two years, was successfully conditioned in 90 to 100 days. Moreover, better stock was secured with noticeably less waste. Thus three large plants using the Forest Service system had negligible losses as compared with those in plants using other methods, where the losses ranged from 10 to 100 per cent.

## Defying Decay.

Wood-destroying fungi are less spectacular than forest fires but none the less deadly. How many realize that the drain upon the forests caused by the necessity of replacing decayed railroad ties, mine timbers, poles, posts, piling, bridge timbers, and other material used under exposed conditions equals the loss due to fires? The remedy is to defy the decay-producing organisms by treating the wood with creosote, zinc chloride, sodium fluoride, or other good preservative.

A single example will indicate the possibilities in this direction. The average life of an untreated railroad tie is about 7½ years; of a properly treated tie approximately 15 years. If all of the 85,000,000 railroad ties at present untreated were treated, an annual saving of 1½ billion board feet would be effected. Could similar treatment be extended to all wood used under conditions where it is subject to decay, the annual saving would rise to some 6 billion board feet, or nearly a fifth of the total lumber cut.



#### A. When Will It Break?

The strength and elasticity of different kinds of wood under continuously applied loads are determined by static bending tests. The variation between species is illustrated by the fact that small, clear pieces of air-dry white pine will bear a maximum load of only 9,600 pounds per square inch as against 16,700 pounds for longleaf pine. Similar pieces of mockernut hickory are so elastic that they will recover their form immediately upon the removal of a load of 13,500 pounds per square inch, while basswood will not do so beyond a maximum load of 7,300 pounds.

#### B, Eliminating Guesswork.

During the war methods were developed whereby the strength of airplane struts could be determined by actual tests. It was found that the maximum load could be applied without injury to the strut, which would resume its shape immediately upon removal of the pressure. Many struts tested in this way supported a load of from 5,000 to 6,000 pounds, with a deflection of from one to two inches at the center.

#### C. Smokeless Powder from Wood.

The suitability of wood pulp for the production of nitrocellulose has been conclusively demonstrated. All of these samples except the 16-inch naval-gun powder were made from wood pulp which met satisfactorily all the chemical tests for purity and stability.

#### D. The Latest in Shoe Lasts.

Shoe lasts built up by the gluing together of several thin laminations promise to replace largely those turned from solid blocks of wood. It ordinarily requires about two years to airseason the solid blocks. The laminated lasts made from one-inch waste stock are-easily dried and have given excellent service under the most trying conditions. Satisfactory results have also been obtained from built-up articles such as bowling pins and wagon axies, bolsters, hubs, and poles.

While it would be Utopian to expect human nature to attain such perfection, it is not unreasonable to look forward to a sufficiently wide use of preservative processes to save several billion board feet of timber a year. This is particularly true because further investigations are leading both to greater efficiency and to decreased cost of treatment. Thus it is estimated that recent decreases in cost of treatment resulting from improved processes have effected an annual saving of \$625,000 on the very small proportion of material now treated.

#### Consider the Humble Box.

In the construction of various products made of wood we are unbelievably wasteful and inefficient. Consider, for example, the toll exacted by so commonplace and apparently simple an article as the humble box. About 15 per cent of the annual lumber cut of the country now goes into the making of boxes and crates, the vast majority of which are unsatisfactory in shape, size, strength, or some other important respect. The net result is a formidable waste of material and an appalling loss due to breakage. It is difficult to estimate what this loss means to the farmers and manufacturers of the country, practically all of whose products are shipped in wooden (or fiber, which is derived from wood) containers of one sort or another. We do know, however, that in 1919 the railroads paid over \$100,000,000 for goods lost and damaged in shipment as a result of faulty containers, and that these constituted but a small part of the total loss.

Tests of thousands of containers made with a revolving drum devised by the Forest Products Laboratory have made possible improved designs which increase strength, decrease cost, or save shipping space. One of the interesting results has been to dispel the erroneous impression that some kinds of wood are so superior to all others for making serviceable boxes that their exclusive use should be specified. In point of fact the kind of wood is less important than the method of nailing; so much so, indeed, that the poorest species when properly nailed is superior to the best species when improperly nailed. An excellent illustration of the importance of nailing is afforded by tests of apple boxes made of western yellow pine, in which an increase in the number of nails per

nailing edge from 4 to 6 almost doubled the amount of rough handling the boxes would stand before failure occurred in the tops and bottoms.

During the war specifications prepared largely by the Laboratory and adopted by the War Department made possible the use of some 40 kinds of wood in place of white pine alone, permitted thinner material, allowed greater latitude in design and construction, saved from 10 to 40 per cent in cargo space, and reduced losses in certain containers on their arrival in France by 85 per cent. The adoption of improved specifications by several large associations has saved at least a million dollars annually. One association alone which uses 150,000,000 boxes a year for canned goods reports that 60 per cent of its boxes can now be made more efficiently with less lumber. At a saving of approximately 1 cent a box this means an annual saving of \$900,000 in addition to the decreased amount of lumber necessary.

Here is the statement from a company using about 200,000 boxes a year, which translates Franklin's old couplet-

> A penny saved is twopence dear; A pin a day's a great a year-

into modern industrial prose: "There would be a saving on nails by using 4d. slims instead of 4d. regular of about \$350; there would be also be a saving of 1 pound per box in weight on which we would have to pay the freight as we shipped out our goods, which would make another indirect saving of about \$400. \* \* \* It is safe to say that we can save approximately \$3,000 on account of adopting the box as recommended."

# "Think Naught a Trifle."

Striking examples of poor utilization are also afforded by the group of industries using small-dimension stock, such as those manufacturing handles, spokes, chairs, furniture, toys, and agricultural implements. There is probably not one of these in which at least an equally good product could not be produced with from 10 to 50 per cent less material. A manufacturer of hickory handles has stated that it sometimes requires 2 tons of lumber to produce 400 pounds of handles. Since only a third of the tree gets into the form of lumber, this means that barely more than 3 per cent of the material in the tree is actually utilized in the finished product. the furniture industry from 40 to 60 per cent of the raw lumber is frequently wasted.

These wastes are largely due to the present practice of cutting small-dimension stock from lumber rather than direct from the log, and to the fact that sizes are not standardized. Closer utilization of the material now used and an interchange of material between the various industries would result in a tremendous saving. Some optimists have estimated that all requirements for small-dimension stock could be met from timber now wasted. This would mean an annual saving of some 5 or 6 billion board feet and a correspondingly reduced drain upon the forests. Such a prospect tempts one to paraphrase the words of the poet:

> Think naught a trifle, though it small appear; What once was waste now maketh profit clear.

# Using all but the Knot Hole.

A golden opportunity for the utilization of what is now classed as low-grade and waste material is offered by "builtup," construction. This consists merely in gluing or otherwise fastening together a number of small pieces of wood in such a way as to build up an article ordinarily made of a single piece of solid wood. Thus there are now under test shoe lasts, hat blocks, bowling pins, baseball bats, wagon bolsters, wheel hubs, and other wooden products that have been put together in just this way. The new process not only uses less wood but actually permits the salvaging of material now consigned to the scrap heap. Furthermore, there is no apparent reason why the same principle should not be extended to the building up of larger materials, such as structural timbers.

· Here is a possible means of stopping in large part the biggest leak in the entire field of wood utilization. Of the wood in the forest some 25 per cent is now lost in the woods, 40 per cent at the mill, 5 per cent in seasoning, and from 5 to 10 per cent in converting the raw lumber into the finished product. Moreover, the replacement of our magnificent virgin forests by small-sized, poorly formed, often defective, second-growth trees is making it increasingly difficult to

secure high-grade material. The problem is to find some way of utilizing the 75 per cent now wasted and of making the low-grade material from our inferior second-growth forests do the work for which high-grade material has heretofore been regarded as indispensable. Built-up construction, by making possible the use of odds and ends cut from low-grade lumber, slabs, edgings, and other material now wasted, may furnish the answer.



Genesis of an Artillery Wheel.

The rims for artillery wheels are made by bending heavy planks, usually of oak or hickory, after steaming to soften the wood, to a semicircular shape. After bending there is a difference of nearly a foot between the inside and outside semicircumference of a plank 3§ inches thick used for a 56-inch artillery wheel rim, which indicates the strain on the wood. During the war improved methods of bending were developed whereby the loss of material, which in many cases had run as high as 50 per cent or more, was considerably reduced.

One of the striking things about built-up products is that if properly made they are not only fully as serviceable as similar articles made of solid wood, but that the glued joints are ordinarily stronger than the wood itself. Their chief weakness lies in the fact that when they are subjected to constant immersion in water or to alternate drying and wetting, they must be made of waterproof glue, a thing that does not yet exist. During the war marked progress was

made in the improvement of glues and in the manufacture of water-resistant plywood, as a result of which the War Department was able to save \$6,000,000 in the purchase of this material. But the ideal glue is still to be found; and so it happens, curiously enough, that in perfecting built-up, or "layer cake," construction the investigation which just now seems most essential does not have to do with the wood itself, but with the material by which the different pieces of wood are held together.

## When is Wood not Wood?

All who read the daily paper will think immediately of one answer. But there are many others. For wood is a complex chemical substance from which a host of other chemical products can be obtained. The more we know about it the more nearly limitless seem the possibilities in this direction. Already products derived from wood are being used in the manufacture of such important and widely diversified articles as news and writing paper, linoleum, artificial silk, gunpowder, paints, varnishes, soaps, inks, celluloid, sausage casings, acetylene, chloroform, and iodoform. The time may indeed come when wood will be less sought as such than as a source of various chemical derivatives.

# Where Our Paper Comes From.

At present the most conspicuous of these derivatives is paper, 90 per cent of which is manufactured from wood. The paper industry employs 110,000 persons, has an annual output valued at \$850,000,000, and consumes each year some 6,000,000 cords of wood, the product of more than a million acres of forest. Over 60 per cent of this is spruce and the great bulk of the remainder hemlock, balsam, and poplar. Nearly all of the wood pulp thus comes from four kinds of wood, and chiefly one, with a corresponding drain upon the forests of these species.

Tests on the suitability of some 50 species of American woods for the production of chemical pulp and of some 25 species for mechanical pulp have shown to what other woods we can turn as the supply of those now in use gradually be-

comes exhausted. In fact, the practicability of substitution has already been demonstrated by actually printing newspapers on stock made of some of the more promising species. Improved methods for the cooking of chemical pulp have also been devised which have resulted in a reduction of 30 per cent in the steam used in cooking and made it easier to recover the soda used in the process. New methods have been devised for producing ground wood pulp with a reduction of 15 per cent in the manufacturing waste.

In the wrapping-paper field, methods for utilizing the southern yellow pines, hitherto regarded as unsuitable for the commercial production of paper pulp, have been developed and the industry established. What this means in the way of increased production is indicated by the fact that one of the largest lumber companies in the South is now turning its woods and mill waste into paper pulp at the rate of some 60 tons per day. During the past year marked progress has been made in working out methods to enable the use of the southern pines, such as shortleaf, in mixture with hardwoods, such as red gum, for the production of book paper, and one large manufacturer of book paper is taking steps to introduce the methods in his mill.

All of this work has tended in the direction of forest conservation by opening up new sources of supply, introducing more efficient methods of manufacture, and developing a market for material previously wasted. Studies are under way looking toward a further saving of material with an estimated value of \$16,000,000 now lost through the decay of pulp wood and wood pulp while in storage. Another means of decreasing the drain upon the forests for wood pulp lies in the utilization for paper pulp of hull fiber and second-cut cotton linters. It has been demonstrated that these products, which were previously of little value and of which some 200,000 tons a year are available, can be made into high-grade paper. Several large plants for the utilization of this material have been established with a potential daily production of 300 tons, having a sale value of \$15,000,000.

# Wood Alcohol Valuable—But not as a Beverage.

Wood alcohol is a chemical wood product which is not to be scoffed at in spite of the fact that it will not pass muster as a beverage. It is in fact indispensable in various chemical industries, and has so far been produced only by the destructive distillation of wood. A companion product of the distillation is acetate of lime, from which are derived acetic acid, acetone, acetic ether, and other substances used extensively in numerous chemical manufactures. The residue from the distillation consists of charcoal, which is valuable not only as a fuel but in the smelting of iron, tin, and copper, in the manufacture of gunpowder, as an insulating material, as a clarifier in sugar refineries, and for other purposes. From the standpoint of our wood supply these products are important not only because of their intrinsic value but because they afford a profitable means of utilizing lowgrade and waste material, such as small and crooked trees, limb wood, and slabs.

For many years birch, beech, and maple have been the standard species for hardwood distillation, and have often been regarded as the only ones suitable for the purpose. Investigations have proved that this is not true and that many other hardwoods, such as oak, gum, elm, ash, and hickory, can be successfully used. Moreover, the crude methods of distillation previously in use have been greatly improved. For example, by controlling the temperature in the distillation process it proved possible to increase the yield of wood alcohol and acetate of lime by from 10 to 15 per cent without extending the time of distillation and with a decrease in the amount of fuel required. The importance of this discovery, which means an annual saving of \$400,000, was keenly felt during the war, when acetone, one of the materials in urgent demand for military purposes, was almost impossible to secure in sufficient quantity. More recently increased yields of wood alcohol running as high as 50 per cent have been obtained by the simple device of adding a cheap chemical, such as sodium carbonate, to the wood, in the form of chips or sawdust briquettes, prior to its distillation.

Quite different products are obtained in the distillation of resinous woods, particularly longleaf pine, depending on the methods used. The destructive distillation process gives wood turpentine, tar oils, tar pitch, and charcoal, while the extraction or solvent process gives wood turpentine, pine oil, and resin. Stumps and "lightwood" are the materials which have been largely used by these processes, since only very resinous wood is suitable. Through standardization and refinement, both of the process and its products, assistance has been given to the industry, which uses waste wood as a raw material.

# Keeping Up Our Spirits-of Turpentine.

The naval-stores industry, the annual products of which still exceed \$40,000,000 in value and constitute approximately 80 per cent of the total world production, is commonly regarded as a dving industry in the United States. Its life can be saved only by perpetuating the forests, but it can be prolonged by devising methods of tapping which will give larger vields with less injury to the tree. A marked advance in this direction, with an annual saving of \$4,000,000, came when investigations led to the substitution of the modern cup and gutter system for the old box system. Under the new system 20 per cent more gum can be obtained, the deterioration of the timber is much less, and the danger from fire is greatly decreased. More recent investigations are proving the possibility of further modifying present methods so as to prolong the life of the trees, thus giving still larger total yields both of naval stores and of lumber.

## Feeding Cattle on Sawdust.

Everyone has heard of the farmer who fed his cow on sawdust and had just about concluded that the experiment was a success when the cow died. To-day that selfsame farmer might repeat the experiment with less fatal results. Only in place of the common sawmill variety of sawdust, which still is and probably always will be highly indigestible, he would use what the chemists call "hydrolyzed" sawdust. By this they mean sawdust that has been cooked with a weak acid in such a way as to convert a part of its cellulose into sugar. Although this sugar is not sweet like cane or beet sugar, it has good nutritive properties which would ap-

parently make possible its substitution in part, at least, for other carbohydrate foods. Here are the ingredients necessary for preparing the new feed: Sawdust, dilute sulphuric acid, hot water, and lime.


Mix the sawdust and acid. Cook for 15 to 20 minutes under a steam pressure of 115 pounds per square inch. Extract the sugars now contained in the solution by washing



Sawdust for Stock Feed.

When sawdust is cooked with weak sulphuric acid, part of the cellulose in the wood is turned into sugar. By boiling this sugar solution down to a thick molasses and mixing it with the dried residue, a bran-like product is obtained which gives promise of having considerable value as a stock feed. In some preliminary feeding experiments in which it was substituted in part for barley, the cattle not only maintained their production of milk and butter fat but gained slightly in weight.

with hot water. Neutralize the sulphuric acid with lime and filter or allow to settle. Evaporate the sugar solution under reduced pressure to a thick molasses. Partially dry the sawdust residue. Add the molasses, stir thoroughly, and dry the mixture to a moisture content of not more than 12 per cent.



We Must Stop Wasting Two-Thirds of Our Wood.

One of the Leaks (above): Only 30 per cent of the wood in a forest is at present converted into lumber. Some 25 per cent of the remainder consists of woods waste in the form of small and defective trees, tops, limbs, and stumps. Small dimension stock, built-up construction, and wood distillation offer possible uses for a considerable part of this.

Potential Alcohol (below): Fuel for running our automobiles may soon come in large part from mill waste such as this. From 20 to 25 gallons of ethyl, or "grain," alcohol can be obtained from a ton of dry coniferous wood by treating it with dilute sulphuric acid and then fermenting the resulting sugar solution. It is estimated that some 300,000,000 gallons of alcohol a year could be produced from material now wasted at the mill.

When white-pine sawdust is treated in this way the sugars in the final product average from 14 to 18 per cent of the dry wood, and this proportion can probably be increased. Similar results can doubtless be obtained from any of the nonresinous and perhaps some of the more resinous coniferous woods, but hardwoods give much smaller yields of sugar. The hydrolyzed sawdust, which somewhat resembles bran in general appearance, may not sound particularly appetizing to human beings, but is apparently eaten with relish by cattle. Moreover, when substituted in part for barley at the rate of 2 pounds of hydrolyzed sawdust to 1 pound of barley, it seems to agree with them. In some preliminary feeding experiments in which, in addition to alfalfa hay and corn silage, the cattle were given a concentrate mixture consisting of about 25 parts of hydrolyzed sawdust, 30 parts of barley, 30 parts of wheat bran, and 15 parts of linseed meal, they not only maintained their production of milk and butter fat, but gained slightly in weight.

Considerable further investigation is necessary before hydrolyzed sawdust can be placed on the market as one of the standard stock feeds. Enough has already been done, however, to indicate the possibilities in this direction. Sawdust, which now claims 13 per cent of the wood in the log, has long been regarded as one of the most hopeless of our wood wastes. Just think what it would mean, particularly in regions such as the Pacific Northwest, where carbohydrate feeds are scarce and sawdust abundant, to be able to convert it into beef!

## Wood Waste for Motor Fuels.

Perhaps a still more promising outlet for sawdust and other forms of mill waste lies in converting them into ethyl, or "grain," alcohol. The process for doing this resembles closely that for manufacturing hydrolyzed sawdust up to the point where the sugar solution is boiled down to a molasses. Here a new step intervenes, namely, the fermentation of the sugars through the addition of yeast, the growth of which has been started in molasses. After the fermentation is complete the alcohol is separated from the rest of

the solution by distillation. From 20 to 25 gallons of 95 per cent alcohol can be obtained from a ton of dry coniferous wood, such as Douglas fir or southern yellow pine. This is more than can be obtained from a ton of sugar cane containing 75 per cent juice of which 14 per cent is fermentable. As in the case of hydrolyzed sawdust, the yield from hardwoods is much less, but may perhaps be increased as a result of further investigations.


No great stretch of the imagination is required to look forward to the day when ethyl alcohol derived from wood will be one of our important motor fuels. Already, as the supply of gasoline is becoming more restricted, alcohol, which is a more efficient fuel, is beginning to be used in small proportions as a substitute. Present sources of supply, of which cane and beet molasses are the most important, are utterly inadequate to meet the enormous prospective demand without turning to grains, potatoes, or other starch-containing materials commonly used as food.


Wood offers a way out. Thus, it is estimated that from material now wasted at the mill some 300,000,000 gallons of alcohol could be produced annually. While this falls far short of the consumption of gasoline, it compares favorably with the amount available from the world's present production of blackstrap molasses, and could be increased many times by utilizing small, inferior second-growth trees and low-grade material now used for other purposes. Indeed it is well within the realm of the possible that the time will come when one of the specific purposes for which trees are grown will be the production of alcohol. Who knows but that some day we shall rely upon successive crops of trees to act as the medium through which the sun's energy is converted into power for running our automobiles?

## Dreams That Come True.

The results that have been achieved in 10 short years of research in the field of forest products open the way to future achievements which require the imagination of a Jules Verne to do them justice. The \$30,000,000 which wood-using industries are already saving each year through the partial application of information now available is in-

significant in comparison with the possibilities. What has so far been accomplished in putting our wood waste to work and in bringing about the more effective utilization of material already used constitutes but a beginning. We have. however, gone far enough to vision dimly some of the infinite possibilities that lie ahead. We can be confident that what to-day is but a dream, to-morrow will be a reality. Scientific investigations in the field of forest products have already done much to promote forest conservation by pointing to ways and means of making one tree do the work of two. He would be a rash individual who would venture to prophesy how much further they may go in helping us to make the most of our dwindling wood supply.





In Charge Market Milk Investigations, Dairy Division,

Burcay of Animal Industry.

TNCLE SAM is constantly on the alert to better his naval forces. This is manifested by bigger guns, better armament, and improved personnel. The "man behind the gun" is a big factor; but bigger yet is the directing genius that plans and guides. Officers of the Navy must possess a superlative degree of brain and brawn, courage, sinew, and clear-headedness. Of course, young Americans destined for such important duties are most carefully selected. They have to pass stringent mental tests and must be absolutely sound in wind and limb. So they go to the Naval Academy picked men from the city and the farm, the mountain and the plain.

After all the trouble and expense of selecting and training these candidates it would be downright negligent of Uncle Sam to let them become undernourished or weakened in any way; for a sick man is an inefficient man mentally as well as physically. It is not surprising, then, that specialists are constantly at work to determine the purity and efficiency of all that the young midshipmen put into their stomachs.

# Typhoid Fever-Then New Plans.

Nearly 11 years ago, in the fall of 1910, an outbreak of typhoid fever occurred at the Naval Academy. The Secretary of the Navy appointed a medical board which, after careful investigation, reported that the infection came

through the milk supply. At that time the academy was using about 150 gallons of milk daily. The supply was irregular and came from scattered dairies. This outbreak, coming like a bolt from a clear sky, convinced Paymaster Samuel Bryan, who was then midshipmen's storekeeper and commissary officer, that the only proper course was the erection of a modern sanitary dairy, owned and operated by the academy.

Accordingly, every effort was made to obtain funds for the project, and by January, 1911, \$25,000 had been set aside for the purpose, and work on the dairy was commenced. It took some stretching to make \$25,000 purchase 100 cows and erect up-to-date cattle barns, feed barn, silos, milk house, etc., but it was done.

The Navy did not waste any time. Paymaster Bryan called on the Dairy Division of the Department of Agriculture for help. Blue prints were prepared; land was surveyed; and in October, 1911, only 10 months after work was begun, the cows were chewing their cuds in their new sanitary homes and a stream of pure milk was flowing to the midshipmen's "mess."

It's an old, familiar saying that "great oaks from little acorns grow;" and it held true in the case of the Naval Academy dairy. From the beginning the success of this enterprise was assured; but soon there was a fly in the ointment. The milk was so good that it would not supply the demand. Furthermore, the land occupied by the dairy was needed by the academy for other purposes; so, literally, the institution had to "tear down its barns and build greater."

# The New Naval Academy Dairy.

Congress agreed to advance \$255,000 for a larger plant. Several farms, aggregating 864 acres, were purchased at Gambrills, Md., about 12 miles from Annapolis on the trolley line connecting that city with Baltimore and Washington. Work on the buildings began July 1, 1914, and the first milk was shipped from the new dairy on April 1, 1915.

At present the Naval Academy dairy is in full operation and has the appearance of a small village. Some of the old farm buildings were left on the back part of the farm,




Fig. 1.—Type of Cow Used at the Naval Academy Dairy.




Fig. 2.—Cows are Housed in Hollow-Tile Stables, with Concrete Floors and Plenty of Light and Air.

30702°---YBK 1920------30



Fig. 3.—Cattle and Barn are Kept Scrupulously Clean.



Fig. 4.—The Milk House is of Sanitary Construction.

where dry cows and young stock are kept. On a high knoll near the car line stand the new buildings.

The milking herd is housed in five 50-cow milking barns, which are built of hollow tile, plastered inside and stuccoed outside. These barns are sanitary in every respect, with concrete floors and gutters, an abundance of windows, and improved ventilating systems. The cows are well bedded and stand on cork-brick platforms.

The milk house, which stands in front of the row of cow barns, is also built of hollow tile, with plastered walls and concrete floors. It contains an office, boiler room, wash room, milk room, refrigerator, sterilizer, and laundry. The equipment consists of a complete refrigerating plant and all modern apparatus essential to the proper handling of milk. Other buildings in the group are a maternity barn, a calf barn, a horse barn, a bull barn, a feed barn (under construction), five concrete silos of 180 tons' capacity each, a pump house, a dairy house, and a men's house.

What about the man power necessary to run such an enterprise? On an average 18 men are employed at farm work the year round, and 24 men are used in the dairy itself to feed and milk the cows and care for the milk. The single men live in a spacious dormitory and mess house; the superintendent, herdsman, and married employees occupy 18 cottages on the grounds.

## The Herd is Tuberculin Tested.

At present there are 223 cows on the farm, 170 of which are in milk. All are Holsteins, mostly typy grades which have been carefully selected in the big dairy districts of Ohio and New York. Forty-one registered animals have been added to the herd. Of course, the sires are all purebreds, for the men in charge have an eye to the future. Every animal is tuberculin tested before it is purchased and is retested after arrival at the farm. Government experts carefully watch the health of the herd.

The 170 cows now milked are producing 500 gallons of milk daily for about 1,850 midshipmen. But Uncle Sam made the dairy hustle during the war, for at one time 3,080 people were receiving milk, and the records show that on one day 850 gallons were shipped to the academy.

#### Water-But Not in the Milk.

Milk and water should not be mixed; but no good dairy can get along without an abundant supply of pure water. To meet this need, two wells were drilled, capable of delivering each minute 82 gallons of excellent water which flows into a concrete reservoir having a capacity of 114,000 gallons. A fire pump in connection with this water system gives protection against fire, though the buildings are as near fireproof as possible. So much for equipment; but



Fig. 5.—The Milk is Cooled in This Separate Room.

that's only part of the story of clean milk. Plenty of running water makes it possible to scrub the barns and milk house daily, so that everything is spick and span. The cows are groomed, and just before milking time their udders, teats, and flanks are thoroughly washed with clean water. Then the attendants, clad in clean, white suits, attach the milking machines which draw the milk into sterilized pails. From the barns the milk is hurried to the milk house, where it is immediately chilled until nearly ice-cold, to prevent the growth of bacteria. It is then placed in clean cans and loaded on the trolley, which takes it to the big refrigerator at the academy "mess hall."

Special attention is paid to the milk pails, cans, milking machines, cooler, and everything that comes into contact with the milk. Every piece of apparatus is scrubbed with warm water and washing powder. Then it is rinsed and placed in the big steam sterilizer, where it is subjected to the action of live steam for half an hour.




Fig. 6.—Chart Showing Decrease of Gastrointestinal Disorders at Naval Academy.

"All very well," you may say, "but has it been worth while?" Your question would be answered if you could see those clear-eyed, husky midshipmen at mealtime. They have all the milk they will drink twice a day and three times in summer. It is an exceedingly popular part of the diet.

# Sick Days Decrease.

The authorities at the academy are well pleased with the results. Gastrointestinal disorders used to be of fairly frequent occurrence; now they are so infrequent as to be negli-

gible. Whether this is due to more milk, better milk, or other factors, no one can positively tell; but there is more than a strong presumption that good milk is the explanation.

From 1902 to 1910, before the dairy was begun, there was an average of 574 sick days a year from gastrointestinal disorders among the midshipmen. A "sick day" means one man sick for one day. By 1918, with about three times as many men at the academy, there were only 203 sick days.

Whatever the cause of this improvement, pure milk for midshipmen is here to stay, for the authorities are convinced that better health and efficiency accompany the cow and her product.





By HELEN W. ATWATER,
Office of Home Economics, States Relations Service.

FARM DIETS in the United States are as varied as the farms and farming people. Popular ideas about them are almost as varied, and are usually made up of a curious jumble of fact and fancy. Vague recollections of his school history mixed with stock newspaper jokes have given one man the impression that farmers in New England live chiefly on baked beans and fish cakes, with the addition of five or six kinds of pie for breakfast. Another has a hazy idea that in the Southeastern States farm families revel daily in fried chicken, candied sweet potatoes, and mysterious delicacies known as corn pone, gumbo, and Lady Baltimore cake, or else subsist entirely on pork and corn meal with a little blackstrap molasses in their coffee. One will tell you that American farm women are the best cooks in the world, and the next that American farmers all have indigestion because their wives make such soggy bread.

In the midst of all this variety and confusion it might seem useless to attempt definite or general statements. Nevertheless, we have two reliable sources of information, one the accurate observation of persons who really know conditions, and the other studies of the food actually used in typical farm families. From these together it is possible at least to say whether our farm population in general is adequately fed, and how their food compares in amount, attractiveness, and cost with that eaten by the Nation as a whole.

## Different Food in Different Places.

What any family eats depends on what it has to choose from, what its members happen to like and dislike, and what it can afford. Before the days of quick transportation and cold storage the choice in perishable food materials was limited to what could be grown and kept near by; and even in the matter of staples, local products were much more important than at present. The farther a family was from a large trading center, the more it relied on home-grown foods; and until two or three generations ago, farm families were almost self-sufficient in the matter of food supplies, except for such things as sugar, spices, and other imported luxuries. As a result all our people, and particularly our farming people, had a much less varied diet than at present. This was especially true in winter. The many kinds of bread, pies, preserves, and pickles which appeared on oldfashioned tables show how the housekeepers tried to give variety to the meals by using the same materials in different combinations.

Local differences in diet were also caused by the differences in the traditions of the various nationalities that have settled in this country. For example, much the same kinds of food can be produced throughout the Middle Atlantic States, but the early "Pennsylvania Dutch" settlers tried to use American materials as they had used similar ones in Germany, and thus the dishes typical of their sections came to be quite different from those of their neighbors from England and Holland.

# Why the Differences Arc Disappearing.

Though people are usually more conservative about what they like to eat than about most other things, these regional differences are rapidly decreasing. We take it as a matter of course that in any small town and at reasonable prices we should find bananas from the West Indies, lemons and oranges from Florida or California, canned corn from Maine, sweet potatoes from New Jersey, cheese from Wisconsin, maple sirup from Vermont, flour from Minnesota, and crackers and breakfast foods made almost anywhere. Fish, which used to be considered out of the question unless one lived near the water, can now be frozen and shipped to any distance, and since it remains good until it is thawed, any farm housekeeper who can buy it still frozen from a good fish market and slowly thaw it at home can have it as easily as a woman in town. Gradually, too, the dishes peculiar to one group or one region find their way into the rest of the country. Indian succotash, Dutch crullers, Italian macaroni, German sauerkraut, and Spanish pimiento are some of our common foods whose names betray their various origins.

The adoption of new foods and dishes perhaps goes on more rapidly in towns, where people of different habits and experiences are more often thrown together, but farm families are no longer as isolated as they used to be, and everywhere local differences are becoming less and less marked. The State of New Mexico recently furnished an example of how such changes may be hastened when it issued some recipes for dishes that have long been used by its Mexican farmers and that the others in the State are now coming to enjoy.

The food conservation campaign during the war did much toward lessening our food prejudices and nationalizing our tastes in food. Then it was a patriotic duty to try new foods and dishes, and some of them proved too good to forget. Exchanging recipes has always been a favorite diversion among housekeepers, and the bulletins and leaflets distributed by the Food Administration and the home demonstration agents brought the whole country into the game. Southern recipes for corn breads were everywhere eagerly tried on "wheatless" days, while French soups, Italian rissoto, and Hungarian goulash helped to make a little meat go a long way. Since then some of the workers in the Americanization movement have seen that to get our different racial groups to enjoy the good things from each other's tables helps to make them feel more at home together; and those who deal directly with the housekeepers are trying not only to make newcomers learn the advantages of such typical American customs as the use of breakfast cereals, but also to get Americans to copy some of their new neighbors' ways. such as obtaining inexpensive and nutritious variety by the skillful use of different cheeses, flavoring vegetables, and salad greens.

# Is Farm or City Diet More Attractive?

Farm diets are sometimes spoken of as less varied and attractive than those in cities. This may have been the case in years gone by, but there is no reason for it now, if there ever was. City and farm are nearly on a par as regards staple groceries, package goods, and canned goods, for a generous variety of these is carried in almost every town or can be ordered by mail. The advantage may even be with the farm housekeepers, because more of them have suitable storage space and so can save money by buying such supplies in quantity. It is easier for city housekeepers to buy out-ofseason fruits and vegetables, fresh meats, and bakeshop goods, or to get supplies for some sudden need, but some of these advantages are not so great as they seem. Comparatively few people can afford fresh strawberries in January. even though they may be on sale around the corner: the cakes and cookies now put up in air-tight packages and sold by grocers or by mail are quite as appetizing and very likely more sanitary than those found in many city bakeshops: and emergency marketing, though convenient, is usually expensive. It is doubtful whether the farm woman envies the city woman her easy marketing more than the city woman envies the farm woman her new-laid eggs, her abundance of milk and cream, her freshly picked fruits and vegetables, and her stores of preserves, pickles, and jellies, all grown at home and put up according to favorite family recipes. One hears occasionally of dairy farms where the housewife buys butter for home use and seldom has cream for her table, or of fruit farms where the family contents itself with the culls, but such a state of things arouses about as much general sympathy as the proverbial shoemaker with his barefooted children.

# The Food Actually Eaten by Farm Families.

Many of these general points about farm diets are brought out in studies recently made by the Office of Home Economics in cooperation with the Bureau of Markets to show the food actually eaten in typical American homes. There are 500 studies in all, made in 41 States among people of 16 national stocks. They have been placed in 16 different groups,

according to the occupation of the bread winner, and among them are 73 farm families from different parts of the country and representing many types of agriculture. The yearly incomes among the other groups varied from \$754 to \$2,924, with an average of \$1,905. The incomes of the farm families were not given because of the difficulty in estimating costs and values, but it seems safe to assume that the general economic condition among the farm families was similar to that of the general average. As regards the size of families, farm families showed more adults, but hardly more than half as many children as the average of the 500 families.

These studies bear out the general impression that on the average the farmers' families have an abundant diet, with enough different kinds of food to insure their obtaining all the substances necessary to keep them in health. In mere matter of total weight of food, the farm families stand well at the head, receiving 19 pounds per day, while the average for all the families is only  $14\frac{1}{2}$  pounds.

Animal foods appear to be used more freely on the farms, making up 38.3 per cent of the farm diets as compared with 35.6 per cent for the general average. This difference, however, appears to be due chiefly to the fact that larger quantities of milk are consumed on the farms.

## Meat.

The average proportion of meat is much the same on the farms as in the general average, and among all the groups the differences seem to depend chiefly on the income. Both the cost and quantity of meat are smallest in the group of families where the wage earners were mothers and the yearly income was only \$754, and both increase fairly regularly as one passes to the groups with more comfortable income. Among farm families the meat eaten was reckoned as worth 9 cents per man per day, while among the 500 families it was worth 8.8 cents, a difference too small to be significant. The average weight of the meat used per man per day was 5.4 ounces on the farms and 4.9 ounces in all the families. This shows a more generous use of meat than has been found by similar studies in European countries. There are no accurate or complete figures for other parts of the world, but careful observers have given fairly reliable ideas of

general customs. Most Asiatics appear to use meat less freely than Americans. The heaviest meat eaters in the world are probably found on the great cattle and sheep ranches of the Southern Hemisphere. Except for them our American farmers seem to be as generously supplied with meat as any class of people and undoubtedly use as much as is needed for health and variety.

The studies do not show what proportion of the meat was from beef, mutton, pork, poultry, or game, but everyone knows that pork products and poultry have long been the commonest kinds in most rural regions, and the majority of farm families probably still depend chiefly on the pigs and chickens that they can raise at home at less cost than they can buy other meats from a butcher.

# Eggs.

Oddly enough, eggs appear not to be more generally used in farm families than among our people at large. The lowincome families naturally bought very few; but in practically all of the town groups where the income came up to the general average for the 500 studies, eggs were more abundantly supplied than among the farmers. This will seem surprising to many city housekeepers, who consider plenty of good eggs one of the greatest helps in serving appetizing, wholesome meals and who, although they understand the increased cost of production, will probably wonder if people in the country always appreciate their blessings.

# Dairy Products.

The situation is different as regards dairy products. The average farm family used 17.7 ounces of milk per man per day, but the average for all 500 families is only 13.9 ounces. This difference represents about half a cupful a day, and amounts to a little more than 4 quarts a week for the family. There were fewer children in the average of the farm homes, which makes the use of milk by adults and in cooking appear even more generous. The butter used in farm homes was 1.3 ounces per man per day, and in the general average 1 ounce, a difference equal to about 6 ounces a week for the family. No separate figures are available for cream and cheese, but in a week the farm family used 31 pounds of both together where the average family used only 1½ pounds. The free use of dairy products is now considered one of the safest ways of assuring a healthful diet, especially for children, and in this respect the farm diets showed a decided advantage over most of the other groups.

# Cooking Fats.

Lard and other animal cooking fats were used about twice as freely in the farm homes as in the average family, the figures being, respectively, 21 and 10 ounces per family per week. On the other hand, the average family used slightly more vegetable and mixed fats for cooking and table purposes but not enough to make up for its more restricted use of animal fats. These differences are probably due in part to the fact that animal fats are produced on the farm and therefore are less expensive there than in the city markets.

### Cereal Foods.

Between 12 and 13 ounces of cereal products per man per day were used both by farm families and by the general average, but they made up a smaller proportion of the total farm diet because other foodstuffs were more abundantly used. This amount is equivalent to about a pound of bread, or a combination of 8 or 9 medium-sized slices of bread, a cupful of cooked oatmeal, a generous serving of macaroni, and 1½ cups of flour used in cakes, pies, and general cookery.

The figures do not show how wheat, corn, oats, rye, rice, and other cereals compare in popularity among the different groups, but it is generally known that wheat is the most important grain for bread making and general cooking. Corn breads are popular everywhere, but except in the Southern States they are used only occasionally for the sake of variety. Wheat bread is the staple. "Quick" breads made of wheat flour are also used for variety, but in most parts of the country people seem to prefer the texture, flavor, and keeping qualities of yeast-raised breads. Thanks to the good, uniform quality of bread made in large factories and delivered to many grocery stores even in small towns, home baking is no longer the absolute necessity it used to be, and many farm wives now buy bread regularly. In some cases the readymade bread costs a little more, but where time and labor are

scarce the convenience is often worth the extra price. In the Southeastern States "quick" breads are still often preferred to yeast-raised kinds, even when made with wheat flour.

## Sugar.

The amount of sugar and sirup used is an item which varies more with the income than with the locality or occupation. The farm families used 3.3 ounces per man per day for table and cooking purposes, a fraction of an ounce more than the general average. As these studies were all made when the price of sugar was high, it is probable that the figures represent less than normal consumption.

# Vegetables and Fruits.

Vegetables and fruits, like eggs and dairy products, are among the foods in which rural families might be expected to have the advantage over those in town, and these studies show this to be the case. The average farm family used 20.6 ounces of vegetables per man per day, as against 15.9 ounces of vegetables in the general average, a difference of 30 per cent. Their use of fruits was also slightly greater—9.4 ounces as compared with 8.5 ounces.

Fruits and vegetables serve much the same dietary purposes; and considering the two together, we find that the farm families surpassed all the other occupational groups and ran about 25 per cent above the average. Unfortunately, there are no figures to show the proportions of different types of vegetables and fruits used, but the records indicate that there was a relatively large proportion of starchy vegetables and a relatively small one of green and succulent kinds. This contributed more to economy than to pleasant variety and healthfulness, for some of the substances that make vegetables and fruits particularly valuable to the body are better supplied by the more expensive leaf and fruit forms than by the cheaper potatoes and root vegetables.

## Is the Food Sufficient?

With human beings, as with farm animals, we judge whether a ration is adequate not merely by the amount of food it contains but by the nutrients and energy which it furnishes. We must also take into account the needs of different individuals, and see how nearly the food they receive corresponds to the generally accepted requirement for persons of their age, sex, and occupation or muscular activity. In studying family diets, the usual way is to reckon how the total food needs of all the members correspond to those of a man in the prime of life doing moderately active muscular work, and then to calculate how the food supplied corresponds to the food needed by such a man. Another publication of this department describes how such calculations are made. The food needs of each of the 500 families here studied were on the average equivalent to those of 3.6 such men, and the farmers' families to those of 4 men. standard food requirement, for food actually eaten, of such a man has been set at 80 to 90 grams of protein and 3,150 calories of energy per day, and is generous enough to allow a fair margin of safety. Among the 500 families the protein averaged 96 grams and the energy 3,225 calories. This means that these families were receiving about onetenth more protein than the standard called for and were also well supplied with energy. Among the 73 farm families the figures were 101 grams of protein and 3,540 calories of energy. That is, they were receiving about one-fifth more protein and one-eighth more energy than the standard. The only occupational group that appears more generously nourished is that of day laborers, who received 105 grams of protein and 3.560 calories of energy.

Besides total protein and energy, there are several other things to consider in judging how well a diet meets the needs of its users. Most important among these are the kind of protein, the amount of mineral matters, especially of calcium (lime) and iron, the presence of newly discovered substances called vitamines, the bulk and the attractiveness of the diet.

Not all kinds of protein are now believed to be equally useful in building up the body, those of animal origin, especially those from milk, eggs, and meat, doing the work more completely than those from most plants. The generous use of meat and the very generous use of milk among the

<sup>&</sup>lt;sup>1</sup>U. S. Dept. Agr., Farmers' Bulletin 142, "Principles of Nutrition and Nutritive Value of Foods."

farm families leaves no doubt that these people were getting protein adequate in kind as well as amount.

The calcium (lime) in ordinary diets is supplied chiefly by milk, and here again the farm families are out of danger.

Iron comes chiefly from meats, eggs, the outer layer of cereals, and certain fruits and vegetables, especially leaf vegetables. Probably most of the farm families studied were obtaining enough, but a freer use of green vegetables and fruits would give a wider margin of safety.

The nature of vitamines is not yet thoroughly understood, nor have they been accurately measured or even separated out from food materials, but it is generally accepted that at least three kinds are necessary to maintain health and growth. Without going into details, we may say that the best way to guard against a lack of vitamines is to include in the diet an abundance of whole milk (or such milk products as contain milk fat), eggs, and a variety of fruits and vegetables. It seems probable that most of the farm diets in these studies meet this condition; whether all the 500 studied do so is not so sure.

Bulk is commonly said to make the food pass properly through the digestive tract, and is supplied chiefly by the cellulose in fruits and vegetables and in the outer coatings of the cereal grains. Diets made up largely of meats, fine flour and meals, fats, sugar, potatoes and other starchy vegetables are likely to lack bulk as well as some vitamines, and may lead to constipation and all its attendant dangers. Many of the diets here studied probably provided enough roughage, but observation shows that the so-called "meat-bread-potato" type of diet is a common one, and also that constipation is a common complaint. It seems doubly unfortunate that such a state of things should be found among the families that have the best opportunities for growing fruits and vegetables at home.

# Ways of Cooking and Serving.

In most of the 73 farm diets there was enough variety in the food materials to make possible very appetizing meals; whether the food was equally well cooked and attractively served the studies do not show, and we can judge of it only by general knowledge. There is no doubt that many of the best cooks in the country are found on our farms, and that no meals are better than the best of those served in American farm homes. On the other hand, extension workers and others who have first-hand knowledge of rural conditions report that in many cases the bread is heavy, the few vegetables used are not cooked or seasoned so as to bring out their good texture and flavor, good meat is made unpalatable by poor cooking, and there is great monotony in the meals.

The fact that almost twice as much cooking fat was used by the farm families as by the general average confirms the impression that some farm housewives are inclined to cook too many foods by frying. This is an excellent method for certain things, and almost everyone enjoys the flavor of delicately browned fat in its proper place, but a diet in which many of the foods are greasy and others have lost their good natural flavor under that of scorched fat is neither attractive nor wholesome. One of the greatest services which the home demonstration and girls' club movements are rendering is to arrange for the skillful housewives in a community to show how they cook the good things for which their tables are famous.

A little formality of a simple and suitable kind makes meals more attractive. Cleanliness in connection with food and everything in the kitchen and at the table is as necessary for sanitary reasons as it is in the dairy, and no one should ever handle food or come to the table without washing the hands. Moreover, such simple conventions as neatly set tables, courteous ways of passing food, and quiet, tidy habits of eating are almost everywhere followed because they have proved the easiest means of showing consideration for others. Extension workers find that the women in the home-demonstration work and the girls in club work are eager to learn simple, easy ways of making meals attractive as well as wholesome.

## Cost of Farm Diets.

In determining the cost of food in the studies, the homegrown materials were valued at current retail prices. This puts the farm diets on the same price basis as the others,

but it probably makes them appear more costly than they really were, for in many cases a considerable proportion of the food was obtained practically as a by-product of the general farm business and cost the users very little extra material or labor.. Calculated in this way, the average cost of the farm diets was 45 cents per man per day, or 1 cent less than the average for the 500 families. The cost per farm family per year is figured at \$660 and is \$60 larger than that for the general average, because the farm families included more adults and therefore used more food. Assuming that the average income for the farm families was the same as for the others, the value of food materials used in the farm home was 35 per cent of the income as against 32 per cent in the general average.

In this connection it is interesting to remember that the proportion of the farm diet grown at home has been estimated as follows: Meat, exclusive of poultry, 75 per cent; poultry and eggs, 100 per cent; dairy products, 85 per cent; vegetables, 80 per cent; fruits, 60 per cent. Assuming that these figures hold good for the farm diets here studied, the foods grown at home furnished about one-third of the energy of the diet, and their money value was about six-tenths that of the total food.

When we consider cost in connection with nutritive value, we find that the farm diets furnished about 21 grams of protein and 78 calories of energy for 1 cent, while the average for the 500 studies shows only about 2 grams of protein and 70 calories of energy. The only occupational groups who got better nutritive value for their money were the three with the lowest incomes. Their diets, like most low-priced ones. contained unusually large proportions of cereals and were hardly varied enough for either enjoyment or healthfulness. Among the families who could allow themselves some choice. those of laboring men were the only ones with "heartier" diets than the farm families, that is, diets in which meats, fats, and cereals played a large part. The professional families, on the other hand, were more inclined to pay for dairy products and for different kinds of vegetables and fruits. materials that add to the healthful and agreeable variety of the diet but are relatively expensive sources of protein and

energy. These foods are the ones that in many cases can be obtained on the farm at less cost than ordinary market prices, and thus pleasant and wholesome variety often costs farm families less than it does the rest of our population.


It must not be understood that all farm families or regions in the United States correspond to the average of these studies. Unfortunately, there are everywhere individual families that do not get as much food as they should, and there are very likely some that live better than is necessary, too well perhaps for their own good, but probably the extremes are less marked among rural people than in cities. It is usually cheaper to grow food in the country than to buy it in town, and so a farm family is in less danger of not getting enough to eat.

# Importance of Providing the Right Kinds of Food.

There may be danger of not getting the right kinds of food, and this may happen through ignorance as well as through poverty. A good example of farm diets abundant in quantity but restricted in kind was found in studies made 15 or 20 years ago in a remote mountain district of the Southeast. Here the food supplied 20 per cent more energy than the standard calls for and the protein, 82 grams per man per day, would have been sufficient if it had been of the right kind. The diet, however, was made up chiefly of pork, corn meal, and wheat flour, with occasionally a very little milk. butter, sugar, cabbage, onion, potatoes, and wild berries in addition. Eighty-three per cent of the protein came from vegetable foods, chiefly cereals. The chances are, therefore, that these diets were not adequate as regards protein, mineral matter, vitamines, or bulk, though they were more than sufficient in energy. The people were among the economically backward groups of our rural population; and while no special sickness was reported, they were said to grow old fast. Recently pellagra has been found to be especially prevalent among people living under similar conditions, and the restricted diet is undoubtedly a contributing cause if, indeed, it is not the principal cause of this very serious disease. Such families fortunately represent an extreme condition.

American Farm Families Well and Cheaply Fed.

Fortunately, too, with better means of getting about there is less chance of such conditions arising or lasting. Every vear it is easier to obtain a variety of foods, and every year, thanks to schools and colleges and extension workers, more people understand what foods are needed to make an adequate, wholesome, and attractive diet. In spite of exceptions among individual families here and there, and among larger groups in some regions, the farm families whose diet was recently studied probably give a fairly true picture of farm diets in the United States. The energy furnished is more than enough, and the protein is sufficient in amount and variety. Calcium is well supplied by the generous use of milk. There is also probably a fair proportion of iron, vitamines, and indigestible bulk, though the margin of safety for these would be greater with more eggs, coarse cereals, and a greater variety of vegetables and fruits, especially more green vegetables. With possibly a freer use of these food materials and with attractive ways of cooking and serving, there can be no doubt that the food eaten on the average American farm is abundant, wholesome, and varied enough for health and enjoyment. Common observation and accurate studies all indicate that, in general, no large group of the population is better nourished or secures its food so cheaply as the farm families of the United States.



By C. B. Smith, Chief, and George E. Farrell, In Charge of Boys' and Girls' Club Work, Office of Extension Work North and West, States Relations Service.

Work has been to me. It not only gave me credit for a semester's work in clothing, but also created my desire for a college education," wrote a Kansas club girl who was permitted to take a final examination for the first semester in college on the strength of her three years' experience in club work. Club work often leads boys and girls to seek a fuller knowledge of agriculture and stimulates an ambition to secure a broader education. Of those taking the regular course in agriculture and home economics in the State colleges last year over 1,800 were boys and girls who had been in club work, while over 3,300 club boys and girls took short courses at the colleges, 730 having scholarships won through their club work.

The daughter of a Bohemian baker in Westfield, Mass., the oldest of a large family of children, found her first opportunity through club work. First, she learned to can at the canning center. Then she bought equipment and canned at home evenings, after working all day behind the counter in the bakery and helping her mother with the younger children. A second and third year she continued this homecanning work, branching out by canning for several neigh-

bors and in this way earning money which was her very own. In her second year, she wished to learn more and joined a garment-making club. At 17, she first learned how to sew, but within a year we find her with such skill that she is teaching her friends how to make their own dresses. Still her outlook on life grew, and she began to plan ways and means of getting enough together to go to Massachusetts Agricultural College for a course in home economics. One of the red-letter days of her life was the day she actually enrolled as a student at the college.

The great advantage of working with boys and girls is that whatever you do is only a beginning—a take-off so to speak, from which they leap forward to greater things. A broader education is only one of these things; in countless other ways the club work of the farm boys and girls is working toward the improvement of rural life.

Through club work, boys and girls are led to realize the possibilities of farm life and to look upon it as worthy of their best thought and effort and as offering opportunities for success and happiness second to no other occupation. How it helps to keep the boys on the farm is indicated by the experience of a Wisconsin boy who joined the calf club and raised a prize-winning Holstein calf. To use his own words, "Club work has completely changed my life plan, as my parents always encouraged me to get a mechanical education, thinking that I am best fitted for that. I thought so myself until I became interested in club work and found out what I could do."

During the past 10 years there have been numerous and striking examples of improvements in farm life and practice brought about through the influence of this work.

Crop production has been materially improved in many parts of the country through demonstrations carried on by club members. Corn clubs have probably had a wider influence than any other in this respect. There is evidence that the results of corn-club demonstrations are being accepted and put into practice by farmers generally in communities where the most successful demonstrations are made. R. A. Moore, corn extension specialist of the University of Wisconsin, states that he is convinced that the high yield of corn in recent years in Wisconsin, as compared with several

other corn States, is due largely to the fact that boys' and girls' club members in that State have for 10 years been producing high-grade seed and distributing it to farmers throughout the State. One corn-club boy in Minnesota, although he is only 16, has developed a regular seed-corn business, has built and owns a fine seed-corn house, and expects to sell this year 500 bushels of seed corn. For several years corn-club members in Colorado have been making demonstrations in corn growing and have been selling seed from registered fields, with the result that there has been a marked



A Demonstration in Corn Growing.

improvement in corn production. It is reported that Colorado farmers are willing to pay practically twice as much for registered seed grown by club members as for ordinary seed corn.

## The First Purebred on the Farm.

In introducing purebred live stock into communities where scrubs have largely prevailed, and in weeding out unprofitable animals from the farm herds, as well as in improving methods of feeding and caring for stock, the club members have accomplished some notable results. Thousands of purebred animals have been introduced as a result of the club work with baby beeves, dairy animals, sheep, and swine. Some 33,000 club members are now engaged in such work in the Northern and Western States.



A, Learning How to Judge as Well as Feed; B, Preparing for the Show.

Of 174 entries by club members at the Iowa State Fair in the baby-beef class, 121 were sold at auction and 2 by private sale. The 123 calves weighed 124,220 pounds and sold at an average price of \$18.30 per hundredweight. Iowa State College purchased two of the calves for \$650.

Club work with dairy calves is carried on in 23 of the Northern and Western States, and has two main purposes, namely, the introduction of better stock and the demonstration of the best methods of feeding and care for maximum milk production. This has in many cases led to the general introduction in the community of systematic milk testing and keeping of records of feed and of milk production. In some instances club members as a group have brought in registered sires or joined bull circles, and in some communities members have joined or formed cow-testing associations, of which farmers generally have also become members. The introduction of better stock and better methods which has thus been brought about is laying a foundation for permanent future improvement.

In many instances the club animal has been the first purebred on the farm, and it has been the interest of the boy or girl that has won the farmer over to purebreds entirely and has made him more kindly disposed toward community movements and associations for the introduction of better stock. It is a matter of actual record that during 1920 over 5,000 farmers were led to replace scrub pigs with purebreds as a result of the pig-club work, and this figure is undoubtedly an inadequate index of the influence the club work is exerting in this direction. It is especially significant that in many communities the club members are supplying much of the purebred stock bought by the farmers.

As a result of poultry club work purebred fowls have been introduced on many farms that had previously known only scrub chickens, and thousands of unproductive fowls have been culled from the flocks. In many communities club work has been responsible for establishing the practice of raising only one breed, thus simplifying production problems and establishing a better reputation and market for the community product. In 1920, 3,000 poultry-club members in the Northern and Western States introduced 38,000 purebred fowls on their home farms, culled 1,200 flocks, and raised 155,000 chickens. Club work not only helps to keep the country boy on the farm, but even reaches out and leads the city boy back to the land. One city boy who went into the poultry-club work made such a success of it that he determined to go regularly into the business. "I owe all my success in the poultry business," he says, "and what I may accomplish in the future, largely to the boys' and girls' club work, for it has started me on the road to success."

One of the far-reaching effects of club work has been its influence in extending the practice of home canning. The farm diet has been materially improved through this important contribution to the winter food supply of the home.



A, The Garment-Making Club in Action; B, A Bread Club Demonstration Team.

The average cash income on the farm is relatively low, and therefore any increase in the cost of clothing becomes a heavy tax on the family budget, making home sewing increasingly necessary. In 1920, 30,000 girls in the Northern and Western States were organized in sewing clubs in which they learn not only to sew but to use commercial patterns

and to select suitable fabrics. They produced 63,100 garments for themselves and for members of their families, and, in addition, more than one-third of them did all the family mending. They also organized demonstration teams, and during the year gave 897 demonstrations in garment making before 36.485 people. Through these demonstrations they created a widespread interest in home sewing and showed how simple it is. Their work convinced many mothers that what seemed to be a difficult problem was really quite easy when attacked in the right way. These teams gave style shows, demonstrating not only the proper garments for the growing girl, but the shape of shoes one should wear as well.

## The Bankers Take an Interest.

Property ownership is a powerful incentive to the best effort, and creates a sense of business responsibility that is of the utmost value to the prospective citizen. A survey conducted at the International Live Stock Exposition at Chicago in 1920 showed that 253 club members taking part in demonstrations at the exposition were worth \$300,000. Their average holdings were about \$1,200, representing live stock, savings, and investments acquired over a period of from three to six years through strict attention to business and to the use of the best known practices. This accumulation of resources has not escaped the watchful eye of the banker, who is always ready to loan money for use in productive enterprises and to assist in community development. In 1920 the bankers of the Northern and Western States loaned \$900,000 to the young business men and women of the clubs. Not a single case of a club member failing to meet his obligations in a businesslike manner has come to our attention.

# Social and Community Development.

: Club work not only promotes individual thrift and skill. but has also had a marked influence in the social development of the club members. Meetings, songs, vells, games, and the like, as part of the group activities of the clubs, have appealed especially to young people and have tended to increase their interest in demonstration work, as well as to promote their social development and welfare.

Parades, festivals, displays, pageantry, fairs, and games have been valuable supplementary features of club work, and have had an important influence in stimulating interest among boys and girls and in making them active club members. A realization of the importance of the work they are doing in giving public demonstrations, the organization of a definite program of work, and the keeping of accurate records and reports have done much to make young people



A Club Boy and His Pig.

feel that they are essential to the life of a community and are making definite contributions to its welfare. In 1920 club members held 1,736 achievement day meetings and 98 club camps, and made more than 95,500 club exhibits.

In the Northern and Western States club work is rapidly becoming a regular feature of the county extension program, and in the organization of counties and communities for extension work the

part that boys and girls can take in helping to meet the problems that arise is now generally recognized and provided for. For example, suppose that in a certain community one or more of the following problems develop: The wheat yield is low, the potato crop is unprofitable, the hens lay only one-fifth of the time, living conditions do not compare favorably with those of the city home, there is much hard work and little social life or recreation in the community, and the young men and women of the community are leaving for the city in large numbers. In planning a community program of extension work the problem of low wheat yield may be assigned to certain farmers who undertake to demonstrate the value of late fall planting and using an improved variety; other farmers take up demonstrations in the better handling of the potato crop, treating the seed for scab prevention, and cultivating the crop according to the most improved methods suggested by scientific investigation. In this connection, however, the question may arise as to whether some of the boys of the community might not be competent and willing to assist in the demonstration work, thus greatly increasing the number of demonstrations and the reliability of the results. A potato club is organized and the boys take up the demonstrational work as enthusiastically as their fathers, treating seed and practicing better methods of cultivation, spraying, and seed selection. In the same way both boys and girls are enrolled in poultry clubs to supplement the demonstrations their mothers are carrying on in profitable poultry production, and take an active part in promoting such work. Thus a foundation is laid for holding the interest of the young people in the community by establishing closer ties of interest between parents and children and uniting them in the work of solving the economic and social problems of the community as a whole.

# Clubs Make a Big Place for Themselves.

Boys' and girls' club work has come to be recognized as of such consequence that in the Northern and Western States 200 counties now employ county club agents to work with the communities in developing demonstration work among young people. In such counties a budget of from \$3,000 to \$4,000 is appropriated to carry on the work annually. The club enrollment in these counties is from 400 to 1,000 members, and the earnings of the club work amount on an average to \$40 a year per member.

The fact that in 1920 over 216,000 boys and girls between the ages of 10 and 18 years were engaged in club work and were seeking through their membership in about 14,000 local clubs to improve agricultural and home economics practices in their communities and reaching and influencing through this means over a million persons, indicates that club activities have become an important part of extension work and community life. The actual financial output of these clubs in 1920 was something over \$4,600,000, which is an indication of the sound business basis upon which this work has been established. When we realize that the club



Poultry Club Members Starting Home After a Club Meeting.

membership in the Northern States which was only 23,000 in 1915 had increased to over 216,000 in 1920, some idea may be gained of the popularity of this work and of the possibilities it offers for the future.

From an economic standpoint club work has more than paid its way in actual money returns, and, in addition, has trained in leadership and broadened in social outlook hundreds and thousands of boys and girls who will soon constitute a considerable portion of the adult rural citizenship of the country and be a controlling influence in American farm life.



By E. G. Montgomery, Specialist in Foreign Markets, and C. L. Luedtke, Assistant in Market Information, Burcau of Markets.

WORLD MARKET is a comparatively reliable and A stable market, since it is a broad market. Such a market is especially advantageous to the farmer, who can not vary his production to meet current needs in the same way that a manufacturing plant can. He plans from one to two years ahead, with the result that an acreage that produces enough in poor seasons yields a large surplus in good years. variation is largely beyond his control. To meet this variation in local supply, agriculture, more than any other industry, needs a world market with all facilities in transportation, warehousing, and business organizations to move the surplus to the regions where it can be consumed. The effect of a surplus on a narrow market is illustrated by a perishable crop like peaches, which can not be given very wide distribution. A surplus in one section means as a rule low prices and often no market for at least a part of the crop.

# The World Market Determines the Price.

The sharp decline in the prices of grain, wool, and other agricultural commodities during the last half of 1920 has focused the attention of the country on the marketing problems of the American farmer. It has accentuated the need for a more accurate knowledge of the influences that deter-

But the fact to remember is that it is not the condition of the crop in one or several States but the whole potential supply of wheat or other commodity in the world that determines the price level.

The most difficult thing to ascertain is the demand, for after all it is demand that influences and determines prices. It is what you or I or someone else will pay for lemons that finally determines the price of lemons. It is what somebody will pay for wheat that decides the price of wheat. In the long run and to a certain degree, the cost of production determines price over a period of 10, 20, or 50 years, but does not determine it in a particular year or at a particular place.

There are two kinds of price fluctuations to be considered: First, steady upward or downward trends which should correspond to changes in world price levels and are controlled in general by the world supply and demand. Some of these trends last for months, others for years. Second, short movements from day to day or week to week are influenced by domestic conditions or sudden changes in foreign countries. These short-time fluctuations are very annoying, as it is often difficult to discover any real reason for them. The long-time variations are eventually of greater importance, especially long-term periods of high or low prices.

If the general world conditions that affect supply and demand could be foreseen it would be possible to regulate stock raising or wheat production on a better basis. At present we are practically blind as to the future. A few years of fair prices may stimulate thousands of farmers to equip for live-stock raising, to be followed then by years of low prices which may mean a hard struggle, discouragement, and heavy losses.

# Forecasting the World Market.

Is it possible to establish a forecast of the world market, and how? It can be done only through a thorough, continuous study of all the great producing areas and the problems that confront the producer in each community and a study of the great consuming countries of the world. At present there is only one great consuming world market. That is western Europe. All other sections of the world.

like China or India, produce their own supplies or do not enter into foreign trade in grain or live stock, or else, like South America and Australasia, they produce a surplus. For such study, then, we can arrange the countries in three groups: (a) Consuming or importing countries; (b) surplus or exporting countries; and (c) countries that do not enter into world trade in farm products. The world price level is determined by conditions in the first two groups; that is, the amount of surplus to be exported and the demand for the surplus.

# Surplus for Export.

The United States is no longer a large surplus producer of meat products. We still export some pork products, we just about consume our beef products, and we import some mutton. However, our prices are controlled by potential supplies in surplus countries that may ship meats here if our price is above that of Europe or other consuming centers. We are directly concerned by the surplus production of South America and Australasia because we are on the trade routes between these countries and Europe.

South America has a great undeveloped prairie region, varying from humid to semiarid and in about the same state of development as our own great stock region west of the Missouri River some 50 years ago. The same is true of Australia and South Africa. The rate at which these regions develop in stock raising, transportation facilities. and packing-house plants has a direct bearing on the future prices of live stock in the United States. There is also the great undeveloped region in Manchuria and Siberia, a vast prairie region, almost as large as Canada, and practically undeveloped. Our live-stock growers should have carefully prepared and regular reports on the development of these regions, considering their handicaps as well as advantages and some forecast as to their probable future. Present surpluses influence the current market and information on such surpluses should be always available.

The relative development and supply of different kinds of live stock, such as sheep, cattle, or swine, should be considered. For example, if for the next 20 years the world is likely to have large surpluses of sheep from these countries, but probably no competition in swine, owing to lack of grain feed, this should be made known as a guide in our own live-stock policy. In the same way we might find strong prospective competition for grass-fed cattle, but possibly little competition for grain-fed stock. This again would have a bearing on the kind of cattle production to be promoted in our own country. Other influencing factors come readily to mind, such as the kind of farmers in the



Loading Cotton for Export at Gulfport, Miss.

Cotton is the biggest export crop of the United States. The exports of cotton in 1920 amounted to \$1,136,468,916.

surplus countries, the industrial development of the country, increasing home consumption, or the effect of wars or political policies, etc., all of which combined will influence the surplus meat production.

# Some World Market Information.

While the Bureau of Markets has developed to the extent permitted by available funds an efficient market reporting service for the United States, no similar machinery for collecting foreign market information has been provided. The foreign markets division of the bureau is endeavoring to keep in close touch with conditions abroad, in cooperation with other Government agencies engaged in the collection of foreign trade information. The work of this division is carried on principally in Washington, with an agricultural trade commissioner in London and another in Buenos Aires. The information collected is published from time to time in The Market Reporter, the official marketing publication of the Department of Agriculture. Information is also given out in the extensive correspondence conducted by the division of foreign markets.

The investigational work conducted by the division of foreign markets consists of specific studies concerning the marketing of agricultural products abroad, including grain and grain products, seeds, vegetable oils, oil cakes, live stock and meats, dairy products, fresh fruits and vegetables, honey, leaf tobacco, wool, cotton, and other textile fibers. In the prosecution of this work it is the practice to utilize to the fullest possible extent the consular agents of the Department of State, as well as the commercial attachés and trade commissioners of the Department of Commerce. In some cases especially qualified representatives have been sent to the foreign field to make first-hand studies of conditions. In 1917 a preliminary study was made of the general agricultural market conditions in Europe. This was followed by specific investigations, of which the following are typical examples:

In the latter part of 1917 a special investigator was assigned to visit the Far East to study possibilities for American fruit. During 1918 another investigator was sent to Australia and New Zealand to look into the market conditions for fruit, live stock, meat, dairy products, and wool. In the spring of 1919 an investigation was made of the livestock, meat, and dairy industries of Europe to secure the fullest possible information regarding the probable demands for American live stock, dairy products, and meats during the readjustment period. Reports of the results of these investigations have been published under the titles of "Australia and New Zealand as Markets for American Fruit," (Department Circular 145), "Markets for American Fruits in China, with Recommendations for American Shippers"

(Department Circular 146), and "Live Stock Conditions in Europe" (Separate 821, Yearbook of the Department of Agriculture, 1919).

In May, 1919, and again in June, 1920, special investigators were detailed to make a study of the possibilities of marketing American purebred live stock in South America. To aid them in promoting interest in American live stock in South America, an illustrated pamphlet was printed in Spanish and Portuguese. This pamphlet contains pertinent facts relative to American purebred live stock and will serve as an accurate guide for South Americans in forming trade contacts in the United States. A preliminary report on the



Purebred Holstein Dairy Herd.

South America is a promising field for American purebred live stock, a result of contacts established by representatives of the Bureau of Markets, business amounting to over \$400,000 was transacted up to June 30, 1920.

investigations conducted in 1919, entitled "Selling Purebred Stock to South America," was published in the 1919 Yearbook of the Department of Agriculture, and is obtainable as Yearbook Separate 818.

In May, 1919, an agricultural trade commissioner was assigned to the United Kingdom to study at first-hand the conditions in the agricultural markets of that country and to report promptly by letter or cable timely information and suggestions for the assistance of American agricultural industries and exporters. He is also making systematic studies of the markets for specific products and working in close cooperation with representatives of the Department of State and the Department of Commerce.

#### More Needed.

The Department of Agriculture is no doubt best qualified to collect and disseminate information on the world markets for agricultural products, since it alone possesses the requisite contact with the agricultural interests of the country. But with present facilities the department can not make anything like a complete enough job of it. The organization for collecting market information would need to be greatly expanded and ways developed of helping the farmers to apply the results. If the funds were available for these developments there are many ways in which the farmer's marketing problems could be made easier of solution. For instance, if the world wheat situation could be clearly put before him from month to month it would greatly assist him in so regulating his production and marketing as to secure a maximum return for his efforts. Accurate information would also stabilize the price, as many of the wide fluctuations are no doubt due to rumors and misinformation that should have no place in a large conservative business.



#### APPENDIX.

#### AGRICULTURAL COLLEGES IN THE UNITED STATES.1

College instruction in agriculture is given in the colleges and universities receiving the benefits of the acts of Congress of July 2, 1862, August 30, 1890, and March 4, 1907, which are now in operation in all the States and Territories except Alaska. The total number of these institutions is 69, of which 67 maintain courses of instruction in agriculture. In 24 States and Porto Rico and Hawaii the agricultural colleges are departments of the State universities. In 17 States separate institutions having courses in agriculture are maintained for negroes. All of the agricultural colleges for white persons and several of those for negroes offer four-year courses in agriculture and its related sciences leading to bachelor's degrees, and many provide for graduate study. About 60 of these institutions also provide special, short, or correspondence courses in the different branches of agriculture, including agronomy, horticulture, animal husbandry, poultry raising, cheese making, dairying, sugar making, rural engineering, farm mechanics, and other technical subjects. The agricultural experiment stations, with very few exceptions, are departments of the agricultural colleges. All of the colleges have extension services for conducting cooperative extension work in agriculture and home economics in accordance with the act of Congress of May 8, 1914. With a few exceptions, each of the land-grant colleges offers free tuition to residents of the State in which it is located. In the excepted cases scholarships are open to promising and energetic students, and in all opportunities are found for some to earn part of their expenses by their own labor. The expenses are from \$125 to \$300 for the school year.

#### Agricultural colleges in the United States.

State or Territory.	Name of institution.	Location.	President.
Alabama	Alabama Polytechnic Institute	Auburn Tuskegee Institute	Spright Dowell, R. R. Moton.
	maland Industrial Institute. Agricultural and Mechanical College for Negroes.	Normal	W. S. Buchanan,
Arizona	College of Agriculture of the University of Arizona.	Tucson	D. W. Working.
Arkansas	College of Agriculture of the University	Fayetteville	Bradford Knapp.
California	Branch Normal College. College of Agriculture of the University of California.	Pine BluffBerkeley	J. G. Ish, jr. T. F. Hunt.
Colorado	The State Agricultural College of Colo-	Fort Collins	C. A. Lory.
Connecticut Delaware Florida	Connecticut Agricultural College Delaware College State College for Colored Students	Storrs Newark Dover	
P IOI ION	College of Agriculture of the University of Florida. Florida Agricultural and Mechanical College for Negroes.	Tallahassee	N. B. Young.
Georgia	Georgia State College of Agriculture	Athens	A. M. Soule. R. R. Wright
Hawaii	Georgia State Industrial College University of Hawaii	Honolulu	A. L. Dean.

<sup>&</sup>lt;sup>1</sup> Including only institutions established under the land-grant act of July 2, 1862.

<sup>2</sup> Principal.

<sup>3</sup> Dean.

### Agricultural colleges in the United States-Continued.

State or Territory.	Name of institution.	Location.	President.
Idaho	College of Agriculture of the University of Idaho.	Moscow	E. J. Iddings. <sup>1</sup>
Illinois	College of Agriculture of the University of Illinois.	Urbana	E. Davenport.
Indiana	School of Agriculture of Purdue Univer-	La Fayette	J. H. Skinner. <sup>1</sup>
Iowa	sity. Iowa State College of Agriculture and Mechanic Arts.	Ames	R. A. Pearson.
Kansas Kentucky	Vancoc Stata Amimitural Collors	Manhattan Lexington	W. M. Jardine. T. P. Cooper. <sup>1</sup>
i	The College of Agriculture of the University of Kentucky. The Kentucky Normal and Industrial Institute for Colored Persons,	Frankfort	G. P. Russell.
Louisiana	Louisiana State University and Agricul- tural and Mechanical College.	University Station, Baton Rouge.	T. D. Boyd.
	Southern University and Agricultural and Mechanical College of the State of Louisiana.	Scotlandville	J. S. Clark.
Maine	College of Agriculture of the University	Orono	L. S. Merrill,1
Maryland	University of Maryland Princess Anne Academy Massachusetts Agricultural College	College Park Princess Anne	A. F. Woods. T. H. Kiah. <sup>2</sup> K. L. Butterfield.
Massachusetts	Massachusetts Agricultural College	Amherst Cambridge	K. L. Butterfield.
Michigan Minnesota	Michigan Agricultural College Department of Agriculture of the University of Minnesota.	East Lansing	Elihu Thompson. F. S. Kedzie. R. W. Thatcher.
Mississippi	Mississippi Agriculturaland Mechanical	St. Paul. Agricultural College.	D. C. Hull.
	College. Alcorn Agriculturaland Mechanical College.	Alcorn	L. J. Rowan.
Missouri	College of Agriculture of the University of Missouri.	Columbia	F. B. Mumford.1
	School of Mines and Metallurgy of the	Rolla	A. L. McRae.
Montana	University of Missouri. Lincoln Institute. Montana State College of Agriculture and Mechanic Arts.	Jefferson City Bozeman	Clement Richardson, Alfred Atkinson.
Nebraska	College of Agriculture of the University of Nebraska.	Lincoln	E. A. Burnett. <sup>1</sup>
Nevada	College of Agriculture of the University of Nevada.	Reno	Robert Stewart.1
New Hampshire	New Hampshire College of Agriculture	Durham	R. D. Hetzel.
New Jersey	StateCollege of Agriculture and Mechan- ic Arts of Rutgers College and the State University of New Jersey. New Mexico College of Agriculture and	New Branswick	W. H. S. Demarest.
New Mexico	New Mexico College of Agriculture and Mechanic Arts.	State College	R. W. Clothier.
New York	New York State College of Agriculture at Cornell University. The North Carolina State College of Ag-	Ithaca	A. R. Mann.
North Carolina	The North Carolina State College of Ag-	West Raleigh	W. C. Riddick.
North Dakota Ohio	riculture and Engineering. Negro Agricultural and Technical College. North Dakota Agricultural College. College of Agriculture of Ohio State Uni-	Greensboro Agricultural College. Columbus	J. B. Dudley. E. F. Ladd. Alfred Vivian.
Oklahoma	versity. Oklahoma Agricultural and Mechanical	Stillwater	J. W. Cantwell.
	College. Colored Agricultural and Normal Uni-	Langston	J. M. Marquess.
Oregon Pennsylvania	versity. Oregon Agricultural College. The School of Agriculture of the Pennsylvania State College.	Corvallis State College	W. J. Kerr. R. L. Watts. <sup>1</sup>
Porto Rico		Mayaguez	C. E. Horne.1
Rhode Island South Carolina	of the University of Porto Rico. Rhode Island State College The Clemson Agricultural College of	Kingston Clemson College	Howard Edwards. W. M. Riggs.
	South Carolina, State Agricultural and Mechanical Col-	Orangeburg	R. S. Wilkinson.
South Dakota	State Agricultural and Mechanical College of South Carolina. South Dakota State College of Agricultural Mechanical College of Agricultural Mechanical College.	Brookings	W. E. Johnson.
	ture and Mechanic Arts. College of Agriculture, University of Ten-	Knoxville	H. A. Morgan.
Tennessee	nessee.	TOTAL ATTION ATTION	A. A. Mulgan.

Acting Director.

<sup>&</sup>lt;sup>1</sup> Dean. <sup>2</sup> Principal. <sup>3</sup> Does not maintain courses in agriculture.

### Agricultural colleges in the United States-Continued.

State or Territory.	Name of institution.	Location.	President.
Texas	Agricultural and Mechanical College of Texas.	College Station	W. B. Bizzell.
,	Prairie View State Normal and Indus- trial College.	Prairie View	J. G. Osborne.1
Utah Vermont	The Agricultural College of UtahCollege of Agriculture of the University	LoganBurlington	E. G. Peterson. J. L. Hills. <sup>2</sup>
Virginia	of Vermont. The Virginia Agricultural and Mechanical College and Polytechnic Institute.	Blacksburg	J. A. Burruss.
	The Hampton Normal and Agricultural Institute.	Hampton	J. E. Gregg;1
Washington West Virginia	State College of Washington	Pullman Morgantown	E. O. Holland. J. L. Coulter. <sup>2</sup>
Wisconsin	The West Virginia Collegiate Institute College of Agriculture of the University	Institute Madison	J. W. Davis. H. L. Russell. <sup>2</sup>
Wyoming	of Wisconsin. College of Agriculture, University of Wyoming.	Laramie	A. D. Faville.2

<sup>1</sup> Principal.

### AGRICULTURAL EXPERIMENT STATIONS.

Alabama (College), Auburn: J. F. Duggar. Alabama (Canebrake), Uniontown: J. M. Burgess. Alabama (Tuskegee), Tuskegee Institute: G. W. Carver Haven

Connecticut (Storrs), Storrs

Connecticut (Storrs), Storrs

Deraware, Newark: C. A. McCue.

Florida, Gaines ille: P. H. Rolfs.

Georgia, Experiment: H. P. Stuckey.

Guama: C. W. Edwards.

Hawaii (Federal), Honoiulu: J. M. Westgate.

Hawaii (Sugar Planters'), Horolulu: H. P. Agee.

Idaho, Moscow: E. J. Iddings.

Illinois, Urbana: E. Davenport.

Indiana, Le Fayette: G. I. Christie.

Iowa, Ames: C. F. Curtiss.

Kansas, Manhattan: F. D. Fairell.

Kentucky, Lexington: T. F. Cooper.

Louisiana... Louisians (State), University Station, Baton Rouge (Sugar), Audobon Park, (Sugar), Audobon New Orleans.... W. H. Dalrymple. (North Louisiana), Calhoun. Mississippi, Agricultural College: J. R. Ricks.

Missouri (College), Columbia: F. B. Mumford. Missouri (Fruit), Mountain Grove: F. W. Faurot. Montana, Bozeman: F. B. Linfield. Nebraska, Lincoln: E. A. Burnett. Nevada, Renc: S. B. Doten. New Hampshire, Durham: J. C. Kendall. New Jersey (College), New Brunswick.. New Jersey (State), New Bruns-New Mexico, State College: Fabian Garcia.
New Mexico, State College: Fabian Garcia.
New York (State), Geneva: W. H. Jordan.
New York (Cornell), Ithaca: A. R. Mann.
North Carolina, Raleigh and West Raleigh: B. W. Kilgore. North Dakota, Agricultural College: P. F. Trow-Kigore.
North Dakota, Agricultural College: P. F. Trowbridge.
Ohio, Wooster: C. E. Thorne.
Oklahoma, Stillwater: H. G. Knight.
Orgor, Cervallis: J. T. Jardine.
Pennsylvania (Institute of Animal Nutritior),
State College: H. P. Armsby.
Porto Rico (Federal), Mayaguez: D. W. May. J.
Perto Rico (Insulat), Mayaguez: D. W. May. J.
Perto Rico (Insulat), Rio Piedras: E. D. Colon.
Rhode Island, Kingston: B. L. Hartwell
South Carolina, Clemson College: H. W. Barre.
South Dekota, Brookings: J. W. Wilson.
Tennessee, Knoxville: H. A. Morgan.
Texas, College Station: B. Youngblood.
Utah, Logan: F. S. Harris.
Vermont, Burlington: J. L. Hills.
Virginia (College), Blacksburg: A. W. Driukard, jr.
Virginia (Truck), Norfolk: T. C. Johnson,
Virgin Islands, St. Croix: Longfield Smith.
Washington, Fullman: E. C. Johnson,
West Virginia, Morgantown: J. L. Coulter.
Wisconsin, Madison: H. L. Russell.
Wyoming, Laramie: A. D. Faville.

\* Animal husbandman in charge.

<sup>2</sup> Dean.

Agronomist in charge.
 Address: Island of Guam, via San Francisco.

<sup>8</sup> Animal husbandman in charge. 4 Acting director.

### STATE OFFICERS IN CHARGE OF COOPERATIVE AGRICULTURAL EXTENSION WORK.

Alabama: L. N. Duncan, Alabama Polytechnic Institute, Auburn.
Arizona: W. M. Cook, College of Agriculture,
University of Arizona, Tucson.
Arkansas: M. T. Payne, Southern Trust Build-

Arkansas: M. T. Payne, Southern Trust Bund-ing, Little Rock.
Calliornis: B. H. Crocheron, College of Agriculture, University of California, Berkeley.
Colorado: H. T. French, State Agricultural College of Colorado, Fort Collins.
Connecticut: H. J. Baker, Connecticut Agricultural

Connecticut: H. J. Baker, Connecticut Agricultural College, Storrs.
Delaware: C. A. McCue, Delaware College, Newark. Florida: P. H. Rolts, College of Agriculture, University of Florida, Gainesville.
Georgia: J. Phil Campbell, Georgia State College of Agriculture, Athens.
Idaho: L. W. Fluharty, The Statehouse, Boise.
Illinois: E. Davenport, College of Agriculture, University of Illinois, Urbana.
Indiana: G. I. Christie, Purdue University, La Wayetta.

University of minios, constitution of the cons

Minnesota: A. D. Wilson, Dopas and Coulting, University of Minnesota, University Farm, St. Paul.
Mississippi: R. S. Wilson, Mississippi Agricultural and Mechanical College, Agricultural College, Missouri: P. H. Ross, College of Agriculture, University of Missouri, Columbia.
Montana: F. S. Cooley, Montana State College of Agriculture and Mechanic Arts, Bozeman.
Nebraska: W. H. Brokaw, College of Agriculture, University of Nebraska, Lincoln.

Nevada: C. A. Norcross, College of Agriculture, University of Nevada, Reno. New Hampshire: J. C. Kendall, New Hampshire College of Agriculture and the Mechanic Arts, Durham

New Jersey: L. A. Clinton, Rutgers College and the State University of New Jersey. New Bruns-

wick.

New Mexico: C. F. Monroe, New Mexico College
of Agriculture and Mechanic Arts, State College,
New York: A. R. Mann, New York State College
of Agriculture, Ithaca.

North Carolina: B. W. Kilgore, North Carolina
State College of Agriculture and Engineering,
West Raleigh.

North Dakota: G. W. Randlett, North Dakota

West Kaleign.
North Dakota: G. W. Randlett, North Dakota
Agricultural College, Agricultural College.
Ohio: H. C. Ramsower, College of Agriculture,
Ohio State University, Columbus.
Oklahoma: J. A. Wilson, Oklahoma Agricultural
and Mechanical College, Stillwater.
Oregon: P. V. Maris, Oregon Agricultural College,

Corvallis

Pennsylvania: M. S. McDowell, Pennsylvania State College, State College. Rhode Island: A. E. Stene, Rhode Island State

Rhode Island: A. E. Stene, Rhode Island State College, Kingston.
South Carolina: W. W. Long, Clemson Agricultural College of South Carolina, Clemson College. South Dakota: W. F. Kimaleni, South Dakota State College, Brookings.
Tennessee: C. A. Keffer, College of Agriculture, University of Tennessee, Knoxville.
Texas: T. O. Walton, Agricultural and Mechanical College of Texas, College Station.
Utah: R. J. Evans, Agricultural College of Utah, Logan.

Logan.

Logan.
Vermont: Thomas Bradlee, University of Vermont
and State Agricultural College, Burlington.
Virginia: J. R. Hutcheson, Virginia Polytechnic
Institute, Blacksburg.
Washington: S. B. Nelson, State College of Washington. Bullington.

Washington: S. B. Nelson, State College of Washington, Pullman.
West Virginia: N. T. Frame, College of Agriculture, West Virginia University, Morgantown.
Wisconsin: H. L. Russell, College of Agriculture,
University of Wisconsin, Madison.
Wyoming: A. E. Bowman, College of Agriculture,
University of Wyoming, Laramie.

### STATE OFFICIALS IN CHARGE OF AGRICULTURE.

Alabama: Commissioner of Agriculture, Mont-

gomery. Arizona: Dean, College of Agriculture, Tucson. Arkansas: Commissioner of Eureau of Mines, Manu-

factures, and Agriculture, Little Rock.
California: Director of Agriculture, Sacramento.
Colorado: Commissioner, Colorado State Board of Immigration, Denver. Connecticut: President, State Board of Agriculture,

Hartford. Delaware: President, State Board of Agriculture,

Dover.
Florida: Commissioner of Agriculture, Tallahassee.
Georgia: Commissioner of Agriculture, Atlanta.
Idaho: Commissioner of Agriculture, Boise.
Illinois: Director of Department of Agriculture,
Springfield.
Indians: President, State Board of Agriculture, Indians:

dianapoli

Iowa: President, Department of Agriculture, Des Moines.

Kansas: President, State Board of Agriculture, Topeka. Kentucky: Commissioner of Agriculture, Frank-

Louisiana: Commissioner of Agriculture and Immi-

gration, Baton Rouge.
Maine: Commissioner of Agriculture, Augusta.

Maryland: Executive offices, State Board of Agriculture, Kensington.

Massachusetts: Commissioner of Agriculture, Bos-

Michigan: President, Michigan AgriculturalCollege, East Lansing.

Minnesota: Commissioner of Agriculture, St. Paul. Mississippi: Commissioner of Agriculture and Com-

missisply. Commissioner of Agriculture and Commerce, Jackson.

Missouri: President, State Board of Agriculture,
Jefferson City.

Montana: Commissioner of Agriculture and Pub-

licity, Helena. Nebraska: Secretary, Department of Agriculture,

Lincoln.
Nevada: Dean, College of Agriculture, Reno.
New Hampshire: Commissioner of Agriculture, Concord.

New Jersey: Secretary of Department of Agricul-ture, Trenton.

New Jersey: Secretary of Department of Agricul-ture, Trenton.

New Mexico: President, New Mexico College of Ag-riculture and Mechanic Arts, State College.

New York: Commissioner of Agriculture, Albany.

North Carolina: Commissioner of Agriculture, Raleigh.

North Dakota: Commissioner of Agriculture and

Labor, Bismarck. Ohio: Secretary of Agriculture, Columbus.

Oklahoma: President, State Board of Agriculture, Oklahoma City.
Oregon: President, Oregon Agricultural College,
Corvallis. Pennsylvania: Secretary of Agriculture. Harrisburg. Rhode Island: Secretary of State Board of Agricul-Hotel Island: Secretary of State Posit of Agriculture, Com-ture, Providence.

South Carolina: Commissioner of Agriculture, Com-merce, and Industries, Columbia.

South Dakota: Commissioner of Immigration, Pierre. Tennessee: Commissioner of Agriculture, Nashville.

Texas: Commissioner of Agriculture, Austin. Utah: President, Agricultural College of Utah, Logan. Vermont: Commissioner of Agriculture, Montpelier. Virginia: Commissioner of Agriculture and Immi-

gration, Richmond. Washington: Commissioner of Agriculture, Olym-

pia.
West Virginia: Commissioner of Agriculture,
Charleston.

Wisconsin: Commissioner of Agriculture, Madison. Wvoming: Commissioner of Immigration, Wyoming: Cheyenne.

STATE FORESTRY DEPARTMENTS, FORESTRY EXTENSION SPECIALISTS. AND FOREST SCHOOLS, TO WHICH INQUIRIES SHOULD BE MADE CONCERNING THE HANDLING OF FARM WOODLAND PROBLEMS IN THE RESPECTIVE STATES.

State.	Office or officer, and address.
Alabama	State commissioner of Conservation, Montgomery, Ala.
California	State forester, Sacramento, Calif.
Colorado	State forester, Fort Collins, Colo.
Connecticut	State forester, New Haven, Conn.
Georgia	Forestry department, Georgia State College of Agriculture, Athens, Ga.
Idaho	University of Idaho School of Forestry, Moscow, Idaho.
Indiana	State forester, Indianapolis, Ind.
Iowa	State forestry commission, Des Moines, Iowa.
	Forestry department, Iowa State College of Agriculture, Ames, Iowa.
Kansas	State forester, Manhattan, Kans,1
Kentucky	
Louisiana	Superintendent of forestry, conservation commission, New Orleans, La.
Maine	Forestry department, University of Maine, Orono, Me.1
Maryland	
Massachusetts	
Michigan	
Minnesota	
Missouri	Professor of forestry, University of Missouri, Columbia, Mo.
Montana	University of Montana, School of Forestry, Missoula, Mont.
New Hampshire	State forester, Concord, N. H.1
New Jersey	
New York	Superintendent of forests, conservation commission, Albany, N. Y.
North Carolina	Forester, State geological and economic survey, Chapel Hill, N. C.
	Forest extension specialist, North Carolina College of Agriculture and Mechanic Arts, West Raleigh, N. C.
North Dakota	State forester, Bottineau, N. Dak.1
Ohio	State forester, Wooster, Ohio.1
Oregon	Oregon Agricultural College, School of Forestry, Corvallis, Oreg.
Pennsylvania	Commissioner of forestry, Harrisburg, Pa. <sup>1</sup> Commissioner of forestry, Chepachet, R. I.
Rhode Island	Commissioner of forestry, Chepachet, R. I.
Tennessee	Forester, State geological survey, Nashville, Tenn.
Texas	State forester, College Station, Tex.
Vermont	Chief forester, Montpelier, Vt.1
Virginia	State forester, University, Va.1
Washington	State College of Washington, Pullman, Wash.
•	University of Washington, Seattle, Wash.
Wisconsin	Conservation commission, Madison, Wis.1

<sup>1</sup> Planting stock distributed free or practically at cost to residents of the State.

### LIVE-STOCK ASSOCIATIONS.

### NATIONAL LIVE-STOCK ASSOCIATIONS.

Name of association.	President.	Address.	Secretary.	Address.
American National Livestock Association	John B. Kendrick E. C. Stone.	Sheridan, Wyo	T. W. Tomlinson	Gooper Building, Denver, Colo. 609 Transportation Building, Chicago, III,
National Datry Union N. P. Hull Institute, Mich. Association R. E. Taylor Carlsbad, N. Mex A. C. Gage	N. P. Hull R. E. Taylor	Lansing, Mich. Carlsbad, N. Mex	A. C. Gage	627 Board of Trade Building, Portland, Orec.
National Swine Growers' Association   Fred H. Moore.   Rochester, Ind.   W. J. Carmichael   F. R. Marshall   F. J. Hagenbarth   R. Bult Lake City, Utah   R. R. Marshall   Wayne, Ill   Manchart Association of America.   R. M. Michael Association of Sallom Register Association   C. W. McCampbell   Manthatan, Kaus.   Dr. C. W. Gayne, Ill   C. W. Gayne, Ill   Manthatan, Raus.   W. H. Gocher   W	Fred H. Moore F. J. Hagenbarth W. S. Dunlham H. H. Williams, fr. C. W. McCampbell J. C. Weity W. S. Corsa.	Rochester, Ind. Salt Lake City, Utah. Wayne, Ill. I Broadway, N. Y Manhattau, Kans. Canton, Onio.	W. J. Carmichael. F. R. Marshall. Wayne Diusmore. A. A. Cedawold. Dr. C. W. Gay. W. H. Goeher.	37 West Van Buren Street, Chicago, III. Salt Lake City, Utah. Union Stock Yards, Chicago, III. Washington, D. Ohio State University, Columbus, Ohio. 1020 Main Street, Harford, Conn.

## NATIONAL LIVE-STOCK REGISTRY ASSOCIATIONS.

### CATTLE.

American Aberdean-Angus Breeders' Association.         L. A. Campbell         Utics, Minn.         Chas. Gray.           American Doyon Castile Club.         E. H. Caulbert.         W. H. Neal.         W. H. Neal.         W. H. Brown.           American Glubrays Preceders' Association.         Robit Security.         Robit Security.         W. H. Brown.           American Gramsey Castile Club.         W. L. Yost.         W. L. Yost.         N. T. Kinzer.	L. A. Campbell W. H. Neal. E. J. Guilbert. Robt. Scoville	Uttes, Minn. Meredith, N. H. Wallace, Kans. Taconic, Com. Lees Summit, Mo.	Chas. Gray Richard Pattee R. W. Brown. Wm. H. Caldwell R. J. Kinzer	817 Exchange Avenue, Chicago, III. 51 Cornbill, Boston, Mass. Carrollton, Mo. Peterboro, N. H. Elwenth and Central Streets, Kansas City, Mo.
American Jersey Cattle Club.  American Kerry and Dexter Cattle Club.  American Rery and Dexter Cattle Club.  American Rely Minn.  C. S. Plumb.  American Polled Revelord Breeders Association.	M. D. Munn	Ploneer Press Building, St. Paul, Minn.	R. M. Gow C. S. Plumb F. O. Gammon	324 West Twenty-third Street, New York. Columbus, Ohio. Des Moines, Iowa. Greenwills, Ohio.
American Polica Shorthorn Breeders' Association.  H. K. Williams.  Grand View, 1000 per 10 K. Groves.  M. Will B. Hale Adueding Roches.  Will B. Hale Adueding Roches.  H. M. Will B. Hale Republic Joya P. Groves.  Will B. Hale For M. Y. The Timman.	H. K. Williams. H. O. Weaver. Wm. B. Hale	Grand View, 10wa Wapello, Iowa Aqueduct Building, Rochester, N. Y.	P. K. Groves	or contract of the second of t
Dutch Belted Cattle Association of America. Holstein-Friesian Association of America. Milking Shorthorn Society	C. S. Mellen. D. D. Altken.	Stockbridge, Mass. Flint, Mich.	E. J. Kirby Frederick L. Houghton Roy A. Cook J. G. Watson	Covert, Mich.  Brattleboro, Vt. Independence, Iows. Brandon, Vt.
Ayram's Dreders Association Red Polled Cattle Club of America.	Chas, Graff.	Bancroft, Nebr., B. D. 2.	H. A. Martin.	Richland Center, Wis.

### ORSES.

American Association of Importers and Breeders of Beigian Draft Horses.			J. D. Conner, jr	Wabash, Ind.
American Breeders' and Importers' Percheron Registry			J. A. Forney	Plainfield, Ohio.
American Breeders' Association of Jacks and Jennets American Hackney Horse Society.			J. W. Jones.	Columbia, Tenn. 460 Fulton Avenue, Hampstead, Long
American Clydesdale Association	W. L. Houser.	W. L. Houser Mondovi, Wis		Island, N. Y. 842 Exchange Avenue, Union Stock
American Morgan Register Association. American Shediand Pony Club American Saddle Torse Bredeer's Association.	T. S. Simpson	Downers Grove, Ill.		z arus, Cineago, III. 2-15-44a Street, New York. I.a. Fayette, Ind. Louisvelle, Ky.
American Suffolk Horse Asserbation	Samuel Insult	72 West Adams Street, Chicago, III.		To West Adams Street, Chicago, III.
American fronting Kegister Association. Arabian Horse Club of America. Cleveland Bay Society of America. French Coath Horse Society of America.	W. R. Brown. Geo. R. Brown. W. S. Dunham	Berlin, N. H Auora, III Wayne, III	Frank B. Best. H. S. Nielson R. P. Storicker. D. R. Willett	137 South Ashland Avenue, Chicago, III. 72 West Adams Street, Chicago, III. 1134 Harrison Street Chicago, III.
German Hanoverian and Oldenburg Coach Horse Asso- ctation of America. Tocker (July America)	Cheirmen			La Fayette, Ind.
National French Draft Horse Association Percheron Society of America	Belmont. J. W. Craft E. B. White	August, 10 Dast, FOLV-1113t Sheet, New York city. Pakin, III.	<u>.</u>	Is tast forty-urst burget, new 1 ork city.  Rairfield, Iowa. Thion Stock Yards. Chicago.
Standard Jock and Jonnet Registry of America. Wash Pony and Cob Society of America.	John Alexander	Aurora, III	Wm. E. Morton. Julia M. Wade.	Kansas City, Mo. La Fayette, Ind.
	•	SWINE,		
American Berkahiro Association American Duroc-Jersey Swine Breeders' Association	W. E. Peacook	White Hall, III	Frank S. Springer. Robt, J. Evans.	510 East Monroe Street, Springfield, III. 817 Exchange Avenue, Chicago, III.
American Enrightive Swine Regard Association.  R. C. Pollard. American Large Blank Pig Soviety American American Blog Beourd Co.	R. C. Pollard.	Nehawka, Nebr	F. M. Srout E. C. Stone W. T. Benton R. E. Pfeiffer	New London, 10wa. 409 Wisconsin Avenue, Peoria, III. Box 296, Lexington, Ky. 1105 Wyandotte Building, Columbus,
American Poland China Record Association. American Tamworth Bwine Record Association. American Yorkshire Club.	P. W. Young F. M. Hartzell B. F. Davidson	Peoria, III. Carthage, III. Menlo, Iowa.	W. M. McFadden E. N. Ball Harry G. Krum.	Ohio.  909 Transportation Building, Chicago, III. Hamburg, Mich. 471 North, Fairtiew Avenue, White Bear
Cheshire Swine Breeders' Association Chester White Beoof Association Improved Small Yorkshire Chink America	F. A. Fowler.	F. A. Fowler. Harpster, Ohio.		Lake, Minn. Freeville, N. Y. Rochester, Ind.
Kantucky Red Berkahire Association. National Chestar White Record Association. Bruce R. Vale. Bruce R. Vale.	Bruce R. Vale.	Bonaparte, Iowa		Richmond, Ky. West Chester, Pa.

# NATIONAL LIVE-STOCK REGISTRY ASSOCIATIONS—Continued.

SWINE-Continued.

	2	SWINE—Commuser.		
Name of association.	President.	Address.	Secretary.	Address.
National Durco-Jersey Record Association.  National Poland China Record Association.  J. H. Lackey.  J. Samesport, Mo.  J. Sa	M. W. Putman J. H. Lankoy H. L. Faulkner A. M. Goster Frank Ridgoway	Tecumsch, Nebr Jamestown, Ohlo Jamestowt, Mo. Rushville, Ill. Bianchard, Iowa	J. R. Plauder A. M. Brown F. L. Obenchain Bec. Trobs, O. C. Ver- non, F. L. Garrett F. L. Garrett H. Davis.	Peerls, III. Moorman Block, Winchester, Ind. Gosber, Ind. Gosber, Ind. Maryville, Mo. Montgomery, Mich.
		SHEEP.	`	
American Cheviot Sheep Society  American Cotroldale Association  American Cotroldale Association  American Cotroldale Association  American Empshire Sheep Association  American Empshire Sheep Association  American Lenestor Breeders' Association  American Cotrol Down Record Association  American Cotrol Down Record Association  American Sampolilet Sheep Reselers' Association  American Surpailler Registry Association  American Units Sheep Breeders' Association  H. H. Cherry  Graham Valker	W. T. Hyde F. S. King Robt. Bisstock Wm. Whitelaw Frank R. Cock. R. P. Hite Frank Harman H. H. Cherry Greham Walker	25 Brbad St., N. Y. City. Cheyenne, Wyo. Versallies, Ky. Versallies, Ky. Gellebn., Outstro. Gellstin, Tenn Gellstin, Tenn Kanis, Olito. Chary, N. Y.	Edw. A. Stanford W. C. Bond. F. W. Harding. Gowdy Williamson. Comfort A. Tyler A. J. Temple. W. A. Shafor. Dwight Lincoln Mark Hawhill Mark Hawhill Miss Julia Wardinger. Raymond Hays. Edith Chidester. Bert Smith.	Chester HIII, Pa.  Box 218, Cheyeune, Wyo. Wheston, III. Xenia, Ohio. Ta Woodhad Ave., Detroit, Mich. Camerov, III. Bamilton, Ohio. Marysville, Ohio. Marysville, Ohio. Marysville, Ohio. Marysville, Ohio. Marysville, Ohio. Ha Payette, Ind. Ha Payette, Ind. Bahbridge, Ind., Springfield, III. Bahbridge, Ind., Ohio. Chester, Mich.
		GOATS.		
American Angers Goat Breeders' Association.  American Milon Goat Record Association.  F. B. Dawley.  International Nubian Breeders' Association.	Robt, Davis F. E. Dawley	Robi. Davis. F. E. Davioy. Fayettoville, N. X.	C. E. De Groff W. L. TeWalt Archie C. Talboy	Reeds Spring, Mo. Vincennes, Ind. La Jolla, Calif.

### NATIONAL POULTRY ORGANIZATIONS.

	Name of association.	ation.		Secretary.		Address.
American Poultry Association	rs' Association tion	American Poulity Association. American Incubator Manulacturers' Association International Baby Chick Association.		Mrs. E. B. Campbell P. L. Coatsworth.		319 Citizens Trust Building, Fort Wayne, Ind. Care Queen Incubator Co., Lincoln, Nebr. Baltimore, Md.
		SPECIALTY POULTRY CLUBS.	ULTRY C	LUBS.		
Name of association.	Secretary.	Address.	Nam	Name of association.	Secretary.	Address.
American Barred Piymouth Armerican Black Legborn Club.  American Black Legborn Club.  American Black Legborn Club.  American Buckeye Club.  American Buckeye Club.  American Buff Vyandotte Club.  American Buff Wyandotte Club.  American Carnish Club.  American Carnish Club.  American Guine Barkarn Club.  American Guine Barkarn Club.  American Guine Club.  American Fight Brahma Club.  American Fight Club.  American Fight Brahma Club.  American Fight Comb Write  G. G. Truman.  American Write Orphogon Club.  American Write Plymouth Rock  Club.  American Parket Club.  American Write Plymouth Rock  Club.  American Bantam Association.  J. Hart Welch.  National Butam Association.  J. Hart Welch.  National Braham Association.  J. Hart Welch.  Club.  Club.  Angres.  Angres.  Club.  Angres.  Angres.  Angres.  American Parket Club.  American Write Plymouth Rock  Club.  American Parket Club.  American Parket Club.  American Write Plymouth Rock  Club.  Angres.  J. Hart Welch.  J. Hart Welch.  Angres.  J. Hart Welch.  Angres.  J. Hart Welch.  J. Hart.  J. Hart.  J. J. J. J. J. J. J. J. J.		Waltham, Mass.  Palarison Avenue, Scrauton, Palarison Avenue, Scrauton, Palarison Avenue, Scrauton, Benton, Kr., Benton, Kr., Mich. Bantorer, Pa., West Pawlet, Vt. Potsadani, N. Y. Somerville, N. Y. Fundell Fam, Tunbridge, Vt. Pen, San, Y. Fundell Fam, Tunbridge, Vt. Pen, San, Y. Food Stan, J. F	National Gam Club. National Par- Club. National Bou- Club. National Bou- National Sing Ington Club. National Sing Ington Club. National Sing Ington Club. National Will International Built Minorea (Built Minorea Built Minorea (Built Minorea Island Rhode Island America. Silver Vanderley Island Rhode Island Rhode Island Rhode Island America. Cunited Ancenta.	National Game Club.  National Partridge Wysandotte National Bourbon Red Turkey National Bourbon Red Turkey National Bourbon Red Turkey National Bourbon Red Turkey National Black Comb Buff Orp. Leghorn Club. Leghorn Club. Leghorn Club. Litternational Black Wyandotte Club. Litternational Stream National Na	E. J. W. Dietz 736 Cornella Aven T. W. Schoen Grosse Pointe, M. B. M. Mangel Auburn, P.a. Mrs. Minnie M. B. Appleton City, M. I. Brook Clark Meriden, Conn. A. F. Rolf B. F. P. D. Metairie E. B. Rose East Strondsburg Rahph Roudebush Arcadia, Ind. Minnespolis, Kar Roy E. Sutton Minnespolis, Kar Roy E. Strotch Minnespolis, Kar Galf. Jr. Montello, Mass. Mirs. Res. Fowler Willer J. Coates. East Challs, VI. Waller J. Coates. Bast Challs, VI. Walter J. Coates. Bast Challs, VI. Walter J. Coates. Bast Challs, VI. Walter J. Coates. Manchester, Conn. Manchester, Conn. Manchester, Conn. Carl H. Sommer Rush City, Minn. B. W. Van Hoosen Franklinville, N. Stanley Mason Albrightsville, N. Stanley Mason	National Game Club.  National Partridge Wyandotte Club.  National Bourbon Red Turkey Mist. Minnel Busk Club.  National Single Comb Orpington F. W. Schoen Club. National Single Comb White A. F. Rolf  Raph Roudebush A. F. Rolf  Raph Roudebush A. F. Rolf  Raph Roudebush A. F. Rolf  Roy E. Sutton  Minnespolis, Kans.  nuth Rock Club.  International Busk Wyandotte Club.  International Silver Penciled Fred F. Field, fr.  Myandotte Club.  Myandotte Club

INTERSTATE LIVE-STOCK ASSOCIATIONS.

Name of association,	President.	Address.	Secretary.	Address.
Atlantic Hereford Cattle Breeders' Association Soutsal Shorthorn Breeders' Association Missoy Milk: Froducers' Association Jorn Belt Meat Producers' Association.	Walter Sonell L. B. Ogden A. Sykes	Gamden, S. C. Maryville, Mo. Ida Grove, Iowa	L. W. Hill J. A. Forsythe W. J. Kittle H. A. Wallace.	Locust Dale, Va. Pleasant Hill, Mo. 29 South La Salle Street, Chicago, Ill. Des Moines, Iowa.
Daityment's League Eastern Berkshire Compress Eastern Guernsey Breeders' Association. Eastern States Durco-Jersey Association.	Percy D. Elliott Lowell Gable.	Greenwich, Conn. Landenburg, Pa	Albert Manning. Wm. H. McKee. M. M. Hollingsworth. R. N. Shaw.	303 Fifth Avenue, New York City. Pittsfield, Mass. Landenburg, Ps. Springfield, Mass.
Farmers' Cooperative Live-Stock Commission Co Improved Stock Breeders' Association of Kansas and Oklahoma.	C. H. Gustalson.	Omaha, Nebr Renfrow, Okla		Caldwell, Kans.
Interstate Hereford Breeders' Association. Interstate Milk Producars' Association. Interstate Shorthorn Breeders' Association.	F. P. Willits H. E. DeVries.	Thunder Hawk, S. Dak Ward, Pa Hull, Iowa Bisherds Wo		Haynes, N. Dak. 505 Eleventh Street, Sloux City, Iowa.
Literate is Sulu allo a recellable sociational control and control	J. B. Dillingham	Platte City, Mo.	E. F. Lowry J. R. Moore E. F. Adams	Ottumwa, Iowa. Meridian, Miss. <u>Kansas City, Mo</u> .
Missouri Valley Duro breders Association Missouri-Yellowstone Stock Breeders Association Mes England Ayrshire Club New England Davon Breeders' Association	H, M. Kimball. John E. Gifford	Concord, N. H. Rockville, Conn	Dwignt Funam John Shaw R. M. Handy Leslie Geer	Technisch, Nebr. Williston, N. Dak. Barre, Mass. 816 Pearl Street. Hartford, Conn.
	H. S. Cheney. Frank S. Adams	Waterville, Me. Southbridge, Mass	Stephen J. Adams Whilfred M. Carrigon Gen., mgr., Richard	Cornish, Me. Concord, Mass. 51 Cornhill, Boston.
n Breeders' Association. Southern Wisconsin Hoistein	David Barnard G. F. Baumister	Shelbourns, Mass. Freeport, III.	Pattee. W. A. Simpson	Lyndonville, Vt.
	Theo. Hollister	Duluth, Minn	W. P. Hicken	Floodwood, Minn.
	A. D. Dunn Association	Wapato, Wash	E. E. Flood. E. L. Potter E. E. Dept	Rosalia, Wash. Corvallis, Oreg. Connell, Wash.
Northwestern Lave Stock Association  Padile Coast Hereford Breeders' Association.  Padile Coast Trotting Horse Breeders' Association.	Geo. A. Pierson. J. I. Cazier. I. L. Borden.	Wells, Nev	J. A. Bunting. F. W. Kelley	Mission San Jose, Calif. Belvedere, Calif.
Texas and Southwestern Cattle Raiser's Association Queen City Milk Producers' Association Red River Veller I for Stock A scoriation	W. W. Turney. P. B. Welssinger	Francisco, Cam. El Paso, Tex. Shelbyville, Ky.	E. B. Spiller.	Fort Worth, Tex. Crookston Minn
		Wisacky, S. C. Ninety Six, S. C.	Edm. B. Link. C. T. Rice. E. R. Lloyd.	Las Cruces, N. Mex. Oakton, Va. Memphis, Tenn.

San Gabriel, Fla. San Gabriel, Cali. Independence, Mo. Chande, Tex. Agricultura I College, N. Dak. Hamilton, Ind. Dudley, Mass. Allen, Mich. Wreeling, W. Va. TRylorstown, Pta. Minnespols, Minn. Evanston, Wyo. Dyersburg, Texn. Arriba, Cola. Arriba, Cola. Bask Anturn. Cola. Bask A		Snggsville. Gasionburg. Unionfown. Mobile. Auburn. Auburn. Auburn. Auburn. Gallion. Troy.		Skrill Valley. Phoenix. Theson. Mess. Fascinf. Holbrook.
Will M. Traer G. A. Shugle Bobt, W. Barr Horse Baker Horse Baker Horse Baker J. W. C. Fahner J. W. Lekrned Miss. L. W. Babcock, F. E. McConniel Chas. Crothers. K. A. Kirkpatrick Bened Walfon J. B. Garpenter R. B. Garpenter R. B. Lucore Miss. L. Yore Miss. L. Garpenter G. B. Gark		Francis Coleman. B. J. Goode, Jr. D. M. Roncher. Geo. S. Templeton. M. C. Crapb. H. B. Gross. Dr. C. A. Cary. Morton Crabb.		Athrey Gist. F. B. Schneider. W. S. Cumingham. F. R. Sanders. F. W. Perkins. B. R. Turbeville.
F. J. Parham  M. L. Galloday  M. L. Galloday  G. B. Waldrun  Agricultural College, N. Dak. Mark I. Woodhull  Angols, Ind. Woodstook, Conn  Angols ind. Woodstook, Conn  Chas. B. Marst.  Angols, W. Va.  Chas. B. Myers.  Knight, Wyo  Chas. B. Myers.  Knight, Wyo  State College, Bozeman, Mont.	STATE LIVE-STOCK ASSOCIATION. ALABAMA.	Orville. Ward Pratbville Commissioner of Agriculture, Montgomery. Butaw	ARIZONA.	
F. J. Parham. M. L. Galloday. C. B. Waldron. Arnold Stone. H. E. Reva. H. E. West. Alex Hamilton. Chas. B. Myers. Chas. B. Myers.	STATE LA	J. B. Dunaway T. J. Darboy G. B. Thomas R. F. Kolb. V. D. Smith		Anbege Gist. Skrull Valley T. L. Morris. Kirkland F. B. Sanders. Phoenix High B. Campbell. Flagstaff
Southwestern Bertahire Congress Southwest Jersen Barkshire Congress Southwest Jersen Berkshire Congress The State Breaterd Association The State Flower Berkshire Congress The State Flower Stock Association The State Flower Stock Association The State Flower Stock Association The State Milk Preducer's Association The Break Milk Preducer's Association The Break Milk Break State		Alabama Aberdeen-Angus Breeders' Association Alabama Brecker (Satio Breeders' Association Alabama Stresty Catifo Club. Alabama Stresty Catifo Club. Alabama Surthur Breeders' Association T. J. Derbey Alabama Surthur Breeders' Association Central Alabama Dairy Association But Surthur Alabama Shorthorn Breeders' Association Southern Alabama Shorthorn Breeders' Association Gouthern Alabama Shorthorn Breeders' Association V. D. Smith Gouthern Shorthorn Breeders' Association		Arizona Angera Goat Groweey' Association. Arizona Gutle Groweev Association. Arizona Gutle Groweev Association. Arizona Dalryman's Association. Arizona Bulryman's Association. Arizona Wool Growers' Association. Navajo and Apache Gattle Growery' Association.

### STATE LIVE-STOCK ASSOCIATIONS—Continued.

### ARKANSAS.

Name of association.	President.	Address.	Secretary.	Address.
Arkusus Angus Breaders' Association Arkusus Elector Breaders' Association Arkusus Jensey Cattle Association Arkusus Poland-China Breaders' Association Arkusus Shorthon Breaders' Association Arkusus Shorthon Breaders' Association Arkusus Swine Breaders' Association Arkusus Swine Breaders' Association Arkusus Swine Breaders' Association Northwest Arkusus Shorthorn Breaders' Association.			R. I. Block. D. F. S. Galloway. C. E. Brangs acting. Harwell Greesom. Conway Scott. R. M. Grow Wm. Bruce.	Wym. Liftibe Rock. Prestort. Prestort. Littis Rock. Brinkley. Fayetteville.
		CALIFORNIA.		
Associated Dairymen of California  California Cattlemen's Association California Draft Horse Breeders' Association California Draft Horse Breeders' Association California Edistenia Freisen Association California Edistenia Freisen Association California State Livestock Association California State Livestock Association California State Divestock Association California State Divestock Association California State Divestock Association F. A. Ellenwood Canta Stockmen's Association F. A. Ellenwood North California Greenery Cattle Chib F. B. Nixon Freitonia Horse Divestors Association F. A. Ellenwood State Dairy Bureau Western Bertshire Congress M. T. Freitss M. T. Freitss	I. M. Henderson Pred Bixty. W. J. Hidgon. Harry V. Bridgeford. T. E. Thorp. F. A. Ellenwood. B. E. Nixon I. L. Borden. M. T. Freitas.	D   Stollery   Long Beach   D   Stollery   Long Beach   R. P. Boyce   R. P. Boyce   D   Stollery   R. P. Boyce   D   Stollery   R. P. Boyce   D   D   Stollery   D   D   Stollery   D   D   Stollery   D   Stollery	D. I. Stollery R. P. Boyre D. O. Brant Y. C. Bryant F. J. Stroller J. I. Thompson W. S. Brvetts A. J. Welsh A. J. Welsh F. W. Kolley F. W. Andresson J. Francis O'Comor.	222 Sharon Building, San Francisco. Davis. Davis. Davis. Davis. 211 Ochsener Building, Sacramento. Berkeley. Jan Francisco. University Farm, Davis. San Lutis Obispo. Redwood City. Belyedere. 16 California Street, San Francisco. Santa Ross.
		COLORADO.		
Cattle and Horse Protective Association John B. Psinter Colorado Duroc-Jersey Breeders' Association Tudsom Solomon Colorado Guenzaso Breeders' Club Colorado Joisten-Friesian Club Mrs. Dorothy Dongas Colorado Jersey Breeders' Association A. M. McClenahan	John B. Painter. Judsm Bolomon. Clark Bender. Mrs. Dorothy Donglas. A. M. McClenaban	Roggan Olathe. Berthoud Kendriek Greeley	Frank K. Watkins C. F. Burke. Donald M. Stone Mrs. Storrs Hall. Geo. E. Morton	1525 Wazee Street, Denver. Signam Skar Bottie, Pueblo. 207 West Abriendo Avenne, Pueblo. 1200 West Alameda, Denver. Fort Collins.

Colorado Live Stock Association. Colorado State Dairymen's Association. Colorado State Rederation of Connectiva Live Stock	W. T. Letford.	Johnstown	John Graham. Roud McCann. E. J. Trosner	Exounfield. 621 Chamber of Commerce Bldg., Denver. 90R Royal Insurance Building. Chicago.
Bitppers. Chiraca de Steckgrowers' Association Colorado Steckgrowers' Association Polanto China Breeders' Association Polanto China Breeders' Association Salation River Cattlio Growers' Association of Colorado Stallion Registration, State Board of Stock inspection Western Herefurd Breeders' Association Western Renefurd Breeders' Association	Carl W. Henry. A. D. McGillynay. John B. Painter. A. S. Cornforth.	Greeley Bondder Donver Boggan Eibert		Ga. 614 Denham Bullding, Denver. Fort Collins. Hooper. Dixon, Wyo. Route 2, Loveland.
		CONNECTICUT.		
Commissioner on Domestic Animals  Commerciour Barbehire Association  Commerciour Dairymen's Association  Commerciour Dairymen's Association  Commerciour Drawners Breeders Association  Commerciour Breeders Association  Commerciour State Ayrabire Breeders Association  Gomesciour State Ayrabire Breeders Club  Hoistein-Friesian Breeders Association of Commerciour	Commissioner James M. Whittesey. R. L. Faux. Bobert Mitchell Rollin S. Woodruff. Heary Dorance Wilson H. Lee Robert E. Buell	State Capitol, Hartford Nimitic Southbury Guilford Panifield Openified Wallingford	Geo, L. Grant. D. J. Minor. Walter Cook. C. H. Savago. H. L. Garrigus. Leomard H. Healy. Frederick M. Peasity.	Taffreile. Bristol. Steinheid. Storrs. North Woolstock. Gheshire.
		DELAWARE.		
Delsware Holstein-Friesian Breeders' Association D. O. Hastings 900 Market Street, Wilmington State Live Stock Sanitary Board	D. O. Hastings.	900 Market Street, Wilmington J. R. Danks. Dr. H. P. Eves.		Winterthur. 301 West Eighteenth Street, Wilmington.
		FLORIDA.		
Cattle Raisers' Association of Florida. Florida Aberdeen-Augus Breeders' Association. Florida Dairy Association. Florida State Swine Growers' Association.	C. A. Carson, fr. L. K. Edwards A. R. Nielson Burdette Loomis, fr	Kissimmee	Sec. Treas., F. N. Burt. De Leon Springs. J. B. Simonton	De Leon Springs. Micanopy. Jacksonville.

## LIVE-STOCK ASSOCIATIONS—Continued. STATE LIVE-STOCK ASSOCIATIONS—Continued.

GEORGIA.

University of Illinois, Urbana. Pendia. Peoria. Pooria. Johana. Johana		La Fayetta.  Najpanaso.  Salem.  Railem.  Railem.  La Fayetta.  Railem.  La Fayetta.  La Fayetta.  Indianapolis.  Conterpoint.  Indianapolis.  Indianapolis.  Indianapolis.  Indianapolis.  Pardley.  Railey.  Railey.  Railey.  Railey.  Railey.  Roberta Rayetta.  Purdue University, La Fayetta.  Purdue University.  Rot Wayne.  Purdue University.  Rot Wayne.  Rote Wayne.  Rote Wayne.  Roberta.  Rochester.
A. F. Hedgies, A. F. Hedgies, Sidney B. Smith. A. P. Peters. J. L. Edmonds. I. I. Edmonds. I. H. Piepenbrink. W. C. Offer. W. C. J. McMaster. Glob. W. Cheer. H. P. Bink. Frof. J. B. Rice. H. J. Heeg. H. J. Heeg. H. J. Schultz.		C. F. Gobble L. W. Hart B. N. Stovens F. G. Gring F. G. Gring F. H. Sthmer I. H. Sthmer R. R. Morris G. R. George C. R. George C. R. George C. R. George Thomas D. Kelsay Thomas D. Kelsay Thomas D. Ressy Thomas D. R
Cilifon Sharpsburg Trimble Galva Cilifon Sionington Borlish Moritan Moritan Waferman Waferman Springfeld Decetur	INDIANA.	Anderson  Martinsville  Ordenson  Ordenson  Ordenson  Maddelow  Marten  Maddelow  Marten  Mather  Marten  Mather  Math
R. C. Raboin. Ira Sharp. Caretton Trimble. John Miller C. J. Raboin. R. J. Rones. R. C. Robes. J. P. Mason. F. E. Drury. Garl Bate.		E. M. Wilson. H. B. McCariney. G. C. Fisher. J. V. Faller. Geo. O. Bartley. G. L. Jones Geo. G. Wharton. Frank For. Ton Keene. J. A. Dricoll. E. J. Barker. J. C. Andrew.
Hinois Horse Breeders' Association  Hinois Idea, Jenney Octile Cub.  Hinois Idea, Jenney Octile Cub.  Hinois Idea Octile Cub.  Hinois Idea Octile Breeders' Association  Hinois Peders' Association  Hinois Peders' Association  Hinois Peders' Association  Hinois Peders' Association  Hinois Belanch Breeders' Association  Hinois State Derever Association  An Nabort  An Na		Indiana Aberdeen-Angus Breeders' Association Indiana Berkelind Association Indiana Berkelind Association In II. B. McCariney Indiana Berkelind Association In II. John III. McCariney Indiana Device Struck Feeders' Association Indiana Duro's Struck Breeders' Association Indiana Duro's Struck Breeders' Association Indiana Buro's Struck Breeders' Association Indiana Hongeline's Struck Breeders' Association Indiana State Outpreative How Stock Shipping Association Indiana State Outpreative Breeders' Association Indiana State Outpreative Breeders' Association Indiana State Dark Dark Association Indiana State Dark Associa

## LIVE-STOCK ASSOCIATIONS—Continued. STATE LIVE-57. OCK ASSOCIATIONS—Continued.

2

		Address	Secretary.	Address.
Name of association.	President.	Trumpos	. 6 3000	
Iowa Aberdeen Angus Breeders' Association Iowa Butter Makers' Association Iowa Butter Makers' Association Iowa Unsets Breeders' Association Iowa Draft Enree Breeders' Association Iowa Preduction of Cooperative Live Stack Shippars, Iowa Peterstand of Cooperative Live Stack Shippars, Iowa Pienes Wool Growers' Association. Iowa Flereders' Association. Iowa Flereders' Association. Iowa Flereders' Association. Iowa Flereders' Association. Iowa Bluerin-Friestan Breeders' Association. Iowa Bluerin-Friestan Breeders' Association. Iowa Sheep Dairy and Rod Commissioner. Iowa Sheep Breeders' Association. Iowa Sheep Dairy and Rod Commissioner. Iowa Sheep Breeders' Association. Iowa Sheep Breeders' Association. Iowa Sheep Dairy and Rod Commissioner. Iowa Sheep Breeders' Association. Iowa Sheep Dairy and Rod Commissioner. Iowa Sheep Breeders' Association. Iowa Sheep Dairy and Rod Commissioner. Iowa Sheep Breeders' Association. Iowa Sheep Dairy and Rod Commissioner. Iowa Sheep Breeders' Association. Iowa Sheep Dairy and Rod Commissioner. Iowa Sheep Breeders' Association. Iowa Sheep Dairy and Rod Commissioner. Iowa Sheep S	W. B. Seeley C. C. Evans. W. Crownover Kante Espe. W. W. Letta H. J. Schmidt F. W. Timmernan. F. W. Timmernan. F. W. Timmernan. F. W. J. F. Cass N. M. Leonard V. N. Casadey Carlos Favest W. D. Barney R. W. Hallord B. W. Hallord	W. B. Seeley Mount Pleasant C. C. Evans. Kinte Spo. Kinte Spo. H. J. Schmidt H. J. Schmidt F. W. Timmerman. R. W. Cassidy H. M. Leonard H. M. Leonard H. M. Leonard H. M. Leonard W. M. Barney W. M. Barney W. M. Barney W. M. Halford Manning Dept. of Agricuiture Dest. Months.	E. T. Davis. A. W. Rudinke. G. S. O'Brien. Tom C. Stone. A. D. Witse. A. D. Witse. C. F. Jennes. J. G. Silver. J. G. Silver. J. G. Silver. J. G. Warstein. W. G. Warner. M. P. Hancher. M. P. Hancher. Frank Brunner. Frank Brunner. Frank Brunner. Frank Brunner. Frank Brunner.	Idwa City. Auduboa. Ames. Boolester. Des Moines. Ames. Stoom Lake. Bool Lake. Lake Mars.
		KANSAS.		
A berdeen-Angus Association of Kansas. Checker White Suvine Breeders' Association of Kansas. Holstein-Erlegian Breeders' Association of Kansas. Kansas Ayrabire Breeders' Association Kansas Buros Breeders' Association Kansas Hereford Breeders' Association. Kansas Hereford Breeders' Association. Kansas Hereford Breeders' Association. Kansas Hereford Stock Breeders Kansas Jurys Catific Clib. Kansas Jurys Catific Clib. Kansas Silve Breeders' Association. Kansas State Darly Association. Northern Kansas Hereford Breeders' Bealtin Registration: Live Stock Kegistry Board State Darry Commissioner.	E. L. Barrier.  J. L. Darrier. Walter A. Smith H. H. Hoftman G. M. Shepblerd F. B. Wempe T. O. Southard D. F. McAlister I. R. Plumb F. B. Caldwell A. L. Stockwell Geo. Lenhert F. B. Caldwell F. B. Caldwell Win. Acker Win. Acker H. M. Jones.	Eureka Huron Huron Huron Huron Huron Lyblane Lyblane Lygous Frankfort Cogniskey Cogniskey Frankfort Topeka Larned Larned Abilene Topeka Topeka Topeka Topeka Topeka Abilene Topeka Topeka Topeka Topeka Topeka Topeka	Johnson Workman. Arthur Mosse. W. H. Mott. Iss. W. Linn. Iss. W. Linn. Iss. W. Linn. Geo. W. Ela. Geo. W. Ela. F. W. Johnse. F. W. Bell. F. W. Bell. F. W. Atkeson. J. H. Mercer J. H. Mercer J. H. Mercer J. H. Atternom. J. H. Mercer J. H. M. Peterson. W. B. Peterson. E. F. Fertin. C. G. Steele.	Bussell.  Manhattan. Do. Do. Beloit. Valley Falls. Valley Falls. Valley Falls. Anahattan. Darville. Manhattan. Darville. Do. Do. Bannes.

Column   C
Matthe Breeder A secondation   E. W. Files   Potutand,   John A. Nuss.   Auburn

## LIVE-STOCK ASSOCIATIONS—Continued. STATE LIVE-STOCK ASSOCIATIONS—Continued.

MARYLAND.

HOAVE LIEND.	me of association. President. Address. Secretary. Address.	Holstein-Friesian Breeders' Club of Maryland Charles Association.  Holstein-Friesian Breeders' Association.  Maryland Sheep Growers' Association.  D. G. Harry.  Latherville.  G. H. Hibbard.  C. E. Llord.  E. B. Dord.  E. B. Bomberger, sec. College Park.  Friedrick Perfection.  D. G. Harry.  Friedrick Breeders' Friedling Building, Baltimore.	MASSACHUSETTS.	Owners Association.         W. A. Harlow         Commington         I. I., Harrington         I. I., Harrington           nery acts Association.         G. F. E. S. Storey         Worder Sets.         W. P. B. Lockwood         Amberst.           nery Association.         F. Lofting Amerst.         Richard G. Harwood.         Littleton.           Breeders' Association.         R. C. Barkon.         South Amberst.           Breeders' Association.         R. Marwood, gen.         R. Marwood, gen.           P. M. Harwood, gen.         R. Marwood, gen.         R. Marwood, gen.	MICHIGAN.	Central Michigan Holstein Breeders' Association Central Michigan Education Breeders' Association Central Michigan Borthorn Breeders' Association Central Michigan Aborders association Central Michigan Aborders association Central Michigan Aborders association Central Michigan Aborders association Central Michigan Berelears' Association Central Michigan Dairy media Association Central Central Control Control Central	reeders' Association.  E. J. Smallidge.  E. J. Smallidge.  Igy Harwood.  Igy Harwood.  Igo Harwood.	Association.  Alvin Balden.  Capac.  Alvin Balden.  Alvin Balden.  Alvin Balden.  Alvin Balden.  Alvin Balden.  Alvin Balden.  B. C. Reed  B. C. Reed  Hendrickson.  B. C. Reed  Hendrickson.  B. C. Reed  Hendrickson.  B. C. Reed  Hamburg.  Howell.  Howell.  Howell.
	Name of association.	Holstein-Frieslan Breeders' Club of Maryland. Jersey Cattle Breedfars' Association. Maryland Sheep Growers' Association. Maryland State Dairymen's Association.		Massachusetts Cattle Owners' Association. Massachusetts Creamerymen's Association. Massachusetts Darlymen's Association. Massachusetts Groerisey Breeders' Association. Massachusetts Swine Breeders' Association. Massachusetts Swine Breeders' Association.		Central Michigan Holstein Breeders' Association	Potza Michigan Gnernsey Breeders' Association Michigan Hereford Breeders' Association Michigan Holstein-Fresian Association Michigan Improved Live Stock Breeders' and Feeders'	Association. Michigan Jersoy Cattle Club. Michigan Merino Sheep Breeders' Association. Michigan Milly Producers' Association.

Mason.	Hilsdale. Grand Ledge. Bast Lansing. Do. Hastings. Mount Pleasant. New Buffalo.	
J. Carl Jewett Mason.	1. K. Mayslead. B. T. Peshody. D. Williams W. B. J. Bdwards. W. H. Shantz. I. R. Waterbury. P. P. Pope. A. H. Cresby. New Bullale.	
	Hudson. Richiand Tawas City. Millington. Millington.	
H. T. Crandell	J. R. Hawkins N. C. Herbison, E. G. Read, G. A. Prescott, O. M. Yorke W. C. Taylor.	
Michigan Q. I. C. and Chester, White Swine Breeders'   H. T. Crandell   Cass City	Modigan Poland-China Swine Breeders' Association.         I. R. Hawkins         Hudson.         I. Birmingam           Modigan Poland-China Swine Breeders' Association.         N. G. Hertison.         Birmingam         B. Rendlement Birmingam           Mohigan Shorthern Breeders' Association.         G. A. Prescott         Tawas City         W           Mohigan Shorthern Breeders' Association.         O. M. Yorke         Millington         I. Milnigan           Monthagan Strong Down Sheep Breeders' Association.         W. C. Taylor         Millington         I. Milnigation           Stallion Registration Board.         Association.         P. Richmond         P. Richmond	

ILINIESOTA.

W. A. McKerrow. University Farm, St. Paul. G. A. Lundine. Bourie 4, Box 147, Mileae. Geo. J. Chambers. Owstonnia. Laddus F. Brunold. Canifornia. Frank E. Millard. St. James. Chas. A. Moore. Si. Paul. Bedram D. Scort. Sink Center. Brail. I. Y. Wilson. Oniversity Farm, St. Paul. J. S. Ones. Chas. E. Minneapolis. J. F. Kuhin. Geo. S. Taylor. Dinversity Farm, St. Paul. Dinversity Farm, St. Paul. Th. McKeron. University Farm, St. Paul. Th. McKeron. Morris. Th. McKeron. Morris. Thills. Godon. Morris. Thills. Godon. Morris. Th. Kuhin. Station F. Minneapolis.	Chris Heen
W. A. McKerrow. G. A. Lundine W. B. Morris Geo. J. Chambers. Luctus F. Brunold. Frank E. Milard. Chas. A. Move. E. V. Wilson. J. S. Jones. J. S. Jones. J. S. Jones. J. R. Kuchu. Geo. S. McKerow. F. W. McKerow. F. W. Forde. F. M. Forde. F. F. Forde. F. Forde. F. F.	Chris Heen. C. A. Gammitz. W. A. McKerrow Chas. E. Walker. E. F. Ferrin.
H. L. Halverson         Litchfield         W. A. McKerrow         University Farm, St. Paul.           L. A. Campbell         Uties         W. B. Morris         Diversity Farm, St. Paul.           Arthur H. Barnard         Lolis         University Farm, St. Paul.           J. S. Montgomey         Ovestonna.         Ovestonna.           J. S. Montgomey         Ovestonna.         R. 5, Rochester.           J. S. Montgomey         Ovestonna.         Drack B. B. Brandd.           J. S. Montgomey         Ovestonna.         Canby.           J. A. Rove         S. James.           Geo. P. Orout         S. L. Rove         St. Paul.           Geo. P. Orout         Nickerson         J. S. Mones.           E. Potter         Springfield         J. W. Winship.           E. Potter         Springfield         J. W. Winship.           J. W. Orr.         Diversity Parm, St. Paul.           T. W. Orr.         Diversity Parm, St. Paul.           J. W. Orr.         Diversity Parm, St. Paul.           J. W. Orr.         Diversity Parm, St. Paul.           Hoss. Labelular         W. A. Karlow           J. E. Behilm         Baston           J. L. Morten         Baston           J. L. Morten         Baston	Oid Capitel, St. Paul Osakis Wykoff
H. L. Halverson L. A. Gampbell Arthur H. Bernard J. S. Montgomery H. A. Derenthal Mason W. Spiter E. T. Winship L. W. Orr T. T. Bachellar Thos. E. Cestiman Geo. P. Grout J. W. Orr T. Machon J. M. Morton Glytle C. Lee.	Jas. Sorensen. H. W. Van Valkenburg. H. A. Derenthal
Contral Cooperative Live Stock Shipping Association  H. L. Halverson  Of Minnesota Abordear Association  L. A. Campbell  Archur H. Barnard  Officerson  Minnesota Abordear Association  I. S. Montgomery  Minnesota Abordear Association  Minnesota Abordear Association  Minnesota Abordear Association  I. S. Montgomery  Organization  Minnesota Breeders Association  Minnesota Chembers  Organization  Minnesota Breeders Association  Minnesota Chembers  Organization  Minnesota Chembers  Organization  Minnesota Chembers  Organization  Minnesota Chembers  Organization  Minnesota Chembers  Minnesota Chembers  Minnesota Chembers  Minnesota Chembers  Organization  Minnesota Chembers  Minnesota Station Chembe	Minnesche State Darty and Frond Commissioner. Minnesche State Dartymen's Association. Minnesche State Dartymen's Association. Minnesche State Bulden-Friesten Catile Breedens' Ausgelein-Friesten Catile Breedens' Minnesche State Bulden State Bulden Catile Breedens' Minnesche State Bulden State Bulden Catile Breedens' Minnesche State Poland-China Breedens' Association.  H. W. Van Valker.  Glass E. Walker.  Glass E. Walker.  Glasso.  Glass E. Walker.  Glasso.  University Farm, St. Paul.  University Farm, St. Paul.

## LIVE-STOCK ASSOCIATIONS—Continued. STATE LIVE-STOCK ASSOCIATIONS—Continued.

### MISSISSIPPI.

			seas City.
Address.	280		: Building, Ka
	Michigan City. Canton. Tupelo. Bardy. Posahomise. Durant. Natchez. Natchez. Carrollton.		Pleasant Hill. * Rapette. * Columbia. * Do. * Do. * Columbia. * Do. * Do. * Clayton. * Clayton. * Clayton. * Clayton. * Columbia. * Do. * Columbia. * Do. * Clayton. * Clayton. * Columbia. * Do. * Do. * Do. * Do. * Do. * Columbia. * Do. * Do. * Do. * Columbia. * Do. * Do. * Do. * Clayton. * Do.
Secretary.	M. T. Addrich S. S. Jerdan L. S. Edwards J. A. Martin, f E. K. Middlekon E. P. Gulledge Archibald Smith W. L. Newton C. G. Bingham E. M. Rauck		I. A. Forsythe Sidney D. Frost S. T. D. Biackwell S. T. Simpson E. A. Trowbridge R. L. Hill Raph Loomis R. L. Hill Raph Loomis R. F. Tesson W. W. Farson W. W. Henderson C. H. Walker Frimm T. Haile E. A. Trowbridge C. Ctting E. A. Trow- religie E. A. Trowbridge C. E. Driver C. H. Walker C. H. Walker C. H. Walker C. H. Walker C. Ctting E. A. Trow- religie C. Ctting E. A. Trow- religie C. E. Driver L. A. Wowver L. M. Woord L. W. Moore
Address.	A. Olson Billott J. B. Anderson. Flora. J. S. Moore. Agricultural College Percy H. Anderson. Holly Springs C. H. Coeke. Grawford.	MISSOURI.	F. Meanaw   Cameron   F. Meanaw   Cameron   Foplar Bind   Poplar Bind   Chillicothe   E. H. Ouisenberry   Mouroe City   Carrolium   Martin   Carrolium   Mouroe City   Carrolium   Cameron   F. M. Long   Kaboka   F. M. Long   Cameron   Cameron   F. C. Bennett   Cameron   Cameron   F. C. Bennett   Cameron
President.	A. Olson Bliott J. B. Anderson Flora. J. S. Moore. Percy H. Anderson Holly Springs C. H. Coeke Grenada  Grenada		J. H. Meanaw Ernest Bacon.  Scott J. Miller B. H. Quisenberry W. W. Fugus G. M. Long. S. P. Houston J. P. Bennett. E. C. Bennett. G. M. Long. G. M. Long. G. M. Long. Harry Cook. Harry Cook. "Zach." Galloway. Timothy C. Bradley.
Name of association.	Mississippi Aberdeen-Augus Breeders' Association. Mississippi (Satile Feeders' and Breeders' Association. Mississippi (Creameyrnen's Association. Mississippi Unrow Breeders' Association. Mississippi Hereford Cratile Breeders' Association. Mississippi Lave Coatile Clinto. Mississippi Lave Stock and Dairy Association. Mississippi Powederd-Clinto Association. Mississippi Rorthorn Breeders' Association. Mississippi Shorthorn Breeders' Association. Mississippi Shorthorn Breeders' Association.		Central Shorthorn Breeders' Association Missouri Catile, Swame, and Sheep Raisers' Association Missouri Catile Swame Savedation Missouri Catile Ca

Bower Mills, Independence, Verons,	٠	Spion Kop.  1018 South Fifth Avenue, Bozeman, Helens. R. 1, Belgrade. Great Falls. Sherdan. Sherdan. Helens.		Friend.  Cozad.  Madison.  Lindell Brotel, Lincoln.  1219 City National Bank, Omaha.  Williams. Bellevue. Callaway. University Barm, Lincoln.  136 South Thirty-third Street, Lincoln.  136 South Thirty-third Street, Lincoln.  146 South Thirty-third Street, Lincoln.  157 Street, Lincoln.  158 South Thirty-third Street, Lincoln.  158 South Thirty-third Street, Lincoln.  158 South Street, Lincoln.  158 South Street, Lincoln.  158 South Street, Lincoln.  158 South Street, Lincoln.  158 Street, Street, Lincoln.  158 Street, Street, Lincoln.  158 Street, Street, Lincoln.  158 Street, Street, Lincoln.
C. B. Langston Robt, W. Barr Clinton Marbut.		L. Chafterton. R. H. Riley E. A. Philips A. Philips W. W. Wheeler W. W. Womson D. W. Raymond F. M. Hampton		G. H. Murnay. E. L. Godfrey. D. K. Robertson. J. E. Palm. J. M. Lamb. J. M. J. J. M. Lamb. J. M. J. M. J. M. J. M. J. M. J. J. M. J.
Aurora. Holden. Mount Vernon Columbia.	MONTANA.	Brady Brown Salesville Hamilton Bozeman State Capittol Building, Helma	NEBRASKA.	Friend  Omaha.  Impedial  Collegeview Minden.  Avoca.  Salaway  Salaway  Salaway  Salaway  Salaway  Salaway  Salaway  Salaway  Avoca.  Salaway  Avoca.  Salaway  Aunahan  Salaway  Aunahan  Aulianee  Farifeld  Lincoln
Zack Galloway M. L. Galloday J. W. McCanse E. G. Bermett.		Hal. B. Ives. J. H. Burke. P. J. Meloy. C. E. Axtell. Wallaco Huidekoper W. H. Fluhr		H. L. Bode. C. H. Gustakson F. J. Hofmeister H. A. Morrison J. S. Canaday. V. W. Stranb Glonn E. Stryker H. C. Langan H. C. Langan H. J. Mol. Aughin Charles Graff Z. F. Leftwich Z. F. Leftwich A. C. Shallemberger A. C. Shallemberger Robert Graham Sam McKelvio.
Southwest Hereford Breeders' Assotiation. Southwest lersey Cattle Breeders' Assotiation. Southwest Shorthorn Breeders' Assotiation. Stallon Registry Foard. Statlon Registry Foard.		Montana Hereford Breeders' Association. Montana Horse Breeders' Association. Montana Live Skow Commission. Montana Purchred Rog Breeders' Association. Montana State Darlymers' Association. Montana State Darlymers' Association. Montana State Darlymers' Association. Montana Wool Growers' Association. Montana Wool Growers' Association. Stallion Registration Board. State Dairy Commissioner		Chester Breeders' A scotistion of Nebrasia.  Farmars' Cooperative Live Stock Commission Co.  Highlin Shorthorn Breeders' Association.  Nebrasia Abridean-Augus Breeders' Association.  Nebrasia Barmars' Cooperative Grain and Live Stock States Association.  Nebrasia Barmars' Cooperative Grain and Live Stock States Association.  Nebrasia Guerney Breeders' Association.  Nebrasia Guerney Breeders' Association.  Nebrasia Linproved Live Stock Breeders' Association.  Nebrasia Linproved Live Stock Breeders' Association.  Nebrasia Live Stock Feeders' Association.  Nebrasia Live Stock Feeders' Association.  Nebrasia Live Stock Feeders' Association.  Nebrasia Stock Feeders' Association.  Nebrasia Shorthorn Breeders' Association.

### STATE LIVE-STOCK ASSOCIATIONS—Continued.

### NEVADA.

	Address.	EIRo, 397 Nixon Building, Reno. Reno. Do.		Durham. Dyove: Controcook. Dunbarton. Meredith.	-	Somerville. Gladstone. Bernardsville. Bapruss Station, New Brunswick. Department of Agriculture, frenton. Amandale.		Santa Fe. Box 617, Albuquerque. Albuquerque. Do.	
	Secreta	H. J. Jones Vernon Metc Stan. C. Mitc Dr. W. B. E. E. V. Metcal		J. M. Fuller. Geo. H. Yeal C. A. Preston F. E. Garvin E. A. Perry.		Jacob Todd, Fred Huyler L. B. Orfiz John W. Bar VWn. H. Har		W. C. Reed. Bertha Bens. Walter M. C.	
NEVADA:	Address.	Winnemuces	NEW HAMPSHIRE.	West Claremont Annehester Astread Contocook	NEW JERBEY.	Trenton Neshanic Station Neshanic Station Bernardsville Haddornfeld Algusta. Algusta. Odumbus New Brunswick.	NEW MEXICO.	Artesia. Albert Los Lunas.	
	President.	J. Sheeban	E	Roy D. Hunter. Hollis F. Towns. J. W. Prentiss. Geo. M. Putnam. W. H. Neal.		G. W. McGuire, chief. Louis H. Schenck. A. S. Knight. B. T. Gill. Robert V. Arnstrong. Arthur G. Danks. C. Craig Tallman.		O. M. Trotter T. E. Mitchell. G. M. Otero.	
	Name of association.	Eastern Novada Wool Growers' Association.  Novada Eave Steek Association.  Novada State Veferinary Sasociation.  Novada State Veferinary Sasociation.  Novada Wool Growers' Association.		Granite State Dairymen's Association New Hampshire Ayrainte Catile Breeders Association New Hampshire Holsten, Friesin Association New Hampshire Jersey Cattle Chib. New Hampshire Streep Cattle Chib. New Hampshire Sheep Breeders' Association.		Bureau of Creamery and Dairy Inspection.  Holstein-Friesian Breeders' Association of New Jersey. Jersey Chatile Association of New Jersey. New Gersey Gentschieb Breeders' Association. New Jersey Gentschieb Breeders' Association. New Jersey State Buirymen's Association. New Jersey State Buirymen's Association. New Jersey State Sewine Growers' Association. New Jersey State Swrine Growers' Association. Stallion Registration Board.		Eastern New Mexico Swine Growers' Association. New Mexico Cattle and Horse Growers' Association. New Mexico Wool Growers' Association. Stallion Registration, the Cattle Sanitary Board.	Control of the contro

### NEW YORK.

Vernon     Herman I., W. Delhi.       Bauling     E. J. Chaffee.       Avon.     Milton W. De. Canatso.       Onelda.     Milton W. De. Canatso.       Penn Yan.     Frank T. Frie Syracuse.       Penn Yan.     Spectress V. Jelleviale.       Penn Yan.     Bootherts.       Pool Acterman Ave., Syracuse.     E. B. Tiqu.       Grown Point.     Department of Farm and Markets.       Mark J. Smitl     Department of Farm and Markets.       Mark J. Smitl     College of Agriculture, Ithaca.       Lowisten     C. O. Gould.       Rast Annon.     J. Stanley Fr.       Maryllie.     Geo. A. Kirki.       Albany.     Avon.	ROLINA.	E. H. Harriso   Salisbury   F. B. Curtis   F. M. Harriso   F. M. Mayastan-Salean   J. A. Hary   Do. Mount Ulla   J. R. Rogens   R. Rogens   R. Rogens   J. C. Montut Ulla   J. C. Montut Ulla   J. C. Montut Ulla   J. C. Montut   J. C. Montut Ulla   J. C. Montut   J. C. Montut	AKOTA.	Cogswell B. J. Thomps Agricultural College, Fargo. Hiemarrik
	NORTH CAROLINA-	J. E. Lathem. Greensboro. D. J. Pybrook. Winston-Salem. Winston-Salem. Mount Ulla. B. B. Miller. Linwood. W. W. Shay. West Raleigh.	NORTH DAKOTA.	Livy Johnson. Cogswell.
Cornell Dairy Students' Association.  Dairymen's League Cooperative Association (Inc.)  Dairymen's League Cooperative Association (Inc.)  Empire State Ayraite Club.  Empire State Ayraite Club.  New York Chester White Dreeders' Association.  New York Estate Breeders' Association.  New York Estate Dreeders' Association.  Calvin'i Hugh Troy.  Cooperative Association of County Sheep Greeners'  New York Estate Preeders' Association.  New York Estate Preeders' Association.  I. R. Clanoy.  New York Estate Dreeders' Association.  I. R. Clanoy.  Southwestern New York Hoistein-Friesian Breeders' Estate Benglamin Fringle.  Association.  Commissioner of Agric.  Commissioner of Agric.  Commissioner of Agric.		Carolina Aberdeen-Angus Breedery Association. North Carolina Beef Breedery and Feedery Association. North Carolina Delaymen's Association. North Carolina Hereford Breedery Association. North Carolina Hereford Breedery Association. North Carolina Ferse Catile Club. North Carolina State Guernsey Breeders' Association. North Carolina State Guernsey Breeders' Association. North Carolina State Breeders' Association. State Sheep Breeders' Association. Western North Carolina Strong Breeders' Association.		North Dakota Aberdeen-Angus Breeders' Association. Livy Johnson. Cogswell. E. J. Thomps Agricon North Dakota Abertymens' Cadie Commenter Tra Seronetius Bismannis I J. T. Osterhou

## STATE LIVE-STOCK ASSOCIATIONS—Continued.

NORTH DAKOTA-Continued.

Name of association.	President.	Address.	Secretary.	Address.
North Dakona Holstein-Friestan Breeding Chrutt. North Dakona Jersey Cattle Breeders' Association. North Dakona Jersey Cattle Breeders' Association. North Dakona Stronk Association. North Dakona Stronk Growers' Association. North Dakona Strok Growers' Association. North Dakona Verstiffer Glub. Stallom Registration Board. United Stock Breeders' Association.	Chas. Klusman. C. E. Batchellee. Ed Pecke. L. A. Kroke	Youngstown.  S. F. Crabbe.  S. F. Crabbe.  S. F. Crabbe.  Burkel T. Critchield.  W. L. Richard.  W. L. Richard.  W. L. Richard.  W. L. Richard.  Harry J. Devine.  Bamond.	Fred Michaels S. F. Crabbe Burke H. Critchield W. L. Richard W. L. Richard Harry J. Devine J. C. McMillan	Youngstown. Bargo. Bargo. Agricultural College. Mapleton. Agricultural College. Mapleton.
		оню.		
Ohio Aberdeen-Angus Breeders' Assodation. Ohio Ayrshire Breeders' Assodation. Ohio Belgan Breeders' Assodation. Ohio Dauros Swine Breeders' Assodation. Ohio Duruce Swine Breeders' Association. Ohio Branters' Corperative Milk Co. Ohio Bampshire Swine Breeders' Association. Ohio Guernesy Breeders' Association. Ohio Harrichet Breeders' Association. Ohio Harrichet Breeders' Association. Ohio Harrichet Breeders' Association. Ohio Breage Otatle Glub. Ohio Percheron Breeders' Association. Ohio Percheron Breeders' Association. Ohio Percheron Breeders' Association. Ohio Breaders' Association. Ohio Breaders' Association. Ohio Breaders' Association. Ohio Breaders' Association. Ohio Shate Delixeter White Breeders' Association. Ohio State Chester White Breeders' Association. Ohio State Dairymen's Association.	O. E. Braditte E. B. McConnell M. M. Chadfin M. M. Chadfin Chas. F. Sprague H. W. Ingersoll Jas. V. Hill Jas. V. Hill H. B. Gooding W. C. Gilliland Jas. V. Hill H. B. Gooding W. H. Butler C. P. Ram H. W. H. Butler C. P. Ram H. W. H. Butler L. A. Huston L. B. Pahmet I. Cummins H. W. Ingersoll Geo. Rousch	Xenia. Wellingtom Galena. Lima Elylia Elylia Bylia Roundhead Nowark. Yon Wert. Toungstown Youngstown Sandusky Springfield Newark Granvilla. Pistaskala Xenia. Kenia.	B. L. Thompson Lawrence Betts J. Kays J. Kays (Temporary) S. M. (Temporary) S. M. (Temporary) S. M. (Temporary) S. M. (Text) G. C. Text Hamson G. D. Simmons Sectreas. W. H. Steffers fens. J. W. Wuchet J. B. Pernow B. H. Chumings D. J. Chumings D. J. Chumings D. J. Chumings J. D. John J. C. Orth J. D. John J. C. Corth J. W. C. Secuberger Frank Nahoh A. Postle.  Raph A. Postle.  Bann. Ocsar Eri. R. A. C. Schwister- mann.	Columbus. Columbus. Columbus. Delaware.  Xenia.  New Vienna. Hicksville. Sylvania. Columbus.

-
-

Oklahoma. Edmond. Stillwaster. Dr. Homestead. Yakon. Waukomis. Whita. R. B., I Earlboro. Clinton. Bison. Wankomis.		Baker. Turner. Turner. 1008 Broadway Building, Portland. Corvaliis. Corvaliis. Hubbard. Scappoose. Corvaliis. Jo. Sacas Minth Street, North Portland. Johnson, Wash. Enterprise.
Sec-treas. W. B. Martineau. William Alson W. L. Bukayay W. L. Bilasard F. M. Outhier J. C. Pontrias J. C. Pontrias A. L. Churchill M. A. Wakitan B. N. Britan S. B. Jackson Roy Finery		S. O. Correll S. A. Riches H. A. Riches Mrs. Edith K. Hill W. S. Bandt M. S. Schrock Orsan M. Nelson Octsan M. Nelson Octsave Voget J. B. Franks S. Franks M. O. Maris G. O. Swales Mac Hoke
Pawnee   Sec. treas.   W. B.	Oregon.	Wm. Poliman. C. A. Bear. C. A. Bear. C. A. Bear. C. L. Hawley C. L. Hawley C. L. Hawley McCoy M. M. Malley M. M
Manager, Glen Daniell, John Simpson. S. L. Peobly. F. A. Hoberling. G. W. Hiersche. J. H. Reify. R. L. Publey. G. W. Er Baske. G. W. Fyke. G. W. Fyke. H. T. Blake. W. A. Williams. H. T. Walsh.		
Parmers' Union Creamery and Produce Co.   Manager, Glen Daniell   Parmee   Parmers' Union Creamery and Produce Co.   Manager, Glen Daniell   Parmee   Collaborna Aberdeen-Angus Breeders' Association   Collaborna Dairyment's Association   Collaborna Dairyment's Association   Collaborna Dairyment's Association   Collaborna Dairyment   Collaborna Edit Polici Cattle Breeders' Association   Collaborna Shorthorn Breeders' Association   Collaborna Shorthorna Sho		Cattle and Horse Raisens' A ssociation of Oregon.  Farmers' Dairy A seociation.  Oregon Dairy and Cheese Malers' Association.  Oregon Dairy Council.  Oregon Dairymen's A seociation.  Oregon Dairymen's A seociation.  Oregon Dairymen's A seociation.  Oregon Dairymen's A seociation.  Oregon Horse Presers' A seociation.  Oregon Horse Preders' A seociation.  Oregon Horse Preders' A seociation.  Oregon Probe Live Stood & seociation.  Oregon Wool Growers' Association.  Oregon Wool Growers' Association.  Oregon Wool Growers' Association.  State Dairy and Food Commissioner.  Wilsamethe Valley Wool Growers' Association.

### LIVE-STOCK ASSOCIATIONS—Continued. STATE LIVE-STOCK ASSOCIATIONS—Continued.

### PENNSYLVANIA.

,	-	- The state of the		
Name of association.	President.	Address.	Secretary.	Address.
Northwestern Pennsylvania Shorthorn Breeders' Asso- dation.  Pennsylvania Berkshire Breeders' Association. Pennsylvania Breeders' and Datzymen's Association. Pennsylvania Jersey Breeders' Association. Pennsylvania Jersey Breeders' Association. Pennsylvania State's Veterinary Medical Association. Pennsylvania State's Veterinary Medical Association. Stallion Registration, Live Stock Sanitary Board.	W. W. Blake. John A. Bell, jr. Horace G. Twadell R. L. Merrill	Alva Reynolds.  W. W. Blake. Arkoll, New Hope E. S. Deubler. D. E. K. Hishman Howard C. Reynolds. Homeo G. Twadell Washington J. B. Honderson. F. L. Merrill Washington J. B. Honderson. Howard C. Franciscon. Howard C. Franciscon. Howard C. Franciscon. Heartsburg Dr. D. B. Hickman.	Alva Reynoidis. B. S. Deubler. B. K. Hishman. Howard C. Reynoids. A. K. Heath. J. B. Henderson. Dr. D. E. Hickman.	Lyonsville.  Narberth. Sighe College. Dakton. Hekryr. Fikladelphia.
-	)S	SOUTH CAROLINA.		
South Carolina Barkshire Association. South Carolina Guernsey Breeders' Association. South Carolina Live Stock Association.	B. Harris. A. McDonaid B. M. Cooper, jr	Columbia. Blackstook Wisacky	J. M. Moss. R. M. Cooper, fr. T. O. Lawton.	Cameron. Wisseky. Garnett.
	ō2	SOUTH DAKOTA.		
South Dakota Aberdeen-Angus Association South Dakota Gattlemen's Association South Dakota Chester White Bredere's Association South Dakota Daryman's and Butter Makers Asso-	J. M. Erion. Chas. Anderson.	Mitchell Howard	R. E. Hunter Frank M. Stewart C. W. Caskey A. P. Ryger	Letcher. Buffalo Gap. Mitchell. Brookings.
estator. South Dakota Federation of Live Stock Associations South Dakota Hereford Breaders's Association South Dakota Holstein-Friesian Association South Dakota Improved Live Stock and Poultry Personal Packs Association.	M. J. Flanagan H. A. Hildebrand C. Larsen M. W. Myler	Selby Religios Brockings. Mitchell	B. N. Cuykendall J. H. Sinclair T. E. Gage J. C. Holmes	A berdeen. Beresford. Groton. Brookings.
ina Breeders' Association Breeders' Association re Stock Sanitary Board) Association	Geo. W. Dixon. J. E. Ziebach. Jas. T. Craig.	Watertown Chas McCaffree Patawallay D. C. McMonies Pierre Bellefourdhe F. M. Stewart.	Chas. McCaffree. D. C. McMonies F. M. Stewart.	Pierre. Huron. Buffalo Gsp.

### ENNESSEE

Middle Tennessee Beet Breeders' Association.       Clarence Campbell.       Lynnville.       J. E. Hite.         Tennessee Aberdeen-Angus Breeders' Association.       Geo. Campbell.       Spring Hill.       J. E. Morris.         Tennessee Bhorthorn Breeders' Association.       Geo. Campbell.       Spring Hill.       J. E. Morris.	Clarence Campbell Geo. Campbell	Lymville Spring Hill	J. E. Hite. J. E. Morris A. D. Knox.	Nashville. Knoxville. 1606 Dallas Avenue, Nashville. Knoxville.
		TEXAS.		
Holstein-Friesian Breeders' Club of Texas.  C. O. Moser. Panhandle Hereford Breeders' Association.  Pecos Valley Angora Goat Raisers' Association.	C. O. Moser. Geo. M. Boles.	Dallas. Lubbock	R. L. Pou. R. M. Stephens. Sec Treas., W. R.	Dallas. Chaming. Frijole
Sheep and Goat Raisers' Association of Texas Torns Aberdeen-Angus Breedars' Association. John C. Burns College Station, A. and M. of	John C. Burns.	College Station, A. and M. of	Hegier. E. E. Stricklen. W. M. Hill	Juno. Christoval.
Texas Hereford Association. Texas Jack and Mule Breeders' Association. Texas Isray Catalle Club. Texas Live Stook Shippers' Protective League. Texas Red Polled Cattle Club.	B. C. Rhome, jr. J. W. Shephard D. T. Simonds. S. B. Burnett S. W. McLarty.	Toras. Port Worth Plano Port Worth, Box 81, R. 8 Fort Worth.	John P. Lee. S. L. Greene. Emmett Brown. W. E. McConnell. J. W. Mann.	San Angelo. Celeste. Cibinrie. Fort Worth. Waco.
Texas State Dairymen's Association  Texas State Dairymen's Association  Texas State Swine Breeders' Association  Texas State Swine Breeders' Association  Geo. P. Illiard  Arlington	W. I. Xopp G. E. King Geo. P. Lillard	Dalls. Taylor Arlington.	Jas. J. Miller John C. Burns. R. L. Pou. R. L. Ward.	Stockyards Station, Fort Worth. College Station. Do.
		ОТАН.		
Stallion Registration Board   Urab Castle and Horse Growers' Association   C. L. Funk   Richmond   Urab Latele Breeders' Association   C. L. Funk   Richmond   Urab Latele Breeders' Association   W. C. Winder   Sait Late City   Urab Rate Brockman's Association   Urab Wirpin River Stockman's Association   Urab Wirpin River Stockman	C. L. Funk. W. C. Winder John W. Thornley	C. L. Funk. Richmond. W. C. Winder. Salt Lake City	W. E. Carroll A. L. Harris A. E. Carroll G. B. Caine J. A. Hopper D. H. Morris	Logan. Richmand. Logan. Salt Lake City. St. George.

### STATE LIVE-STOCK ASSOCIATIONS—Continued.

### VERMONT.

Name of association.	President.	Address.	Secretary.	.Address.
Vermont A yrshire Club       R. D. Swanton.         Vermont Dalryman's Association.       F. H. Farrington.         Vermont Dalryman's Association.       F. H. Farrington.         Vermont Glostein-Friesian Club.       Dummerston.         Vermont Jersey Cattle Club.       H. M. Lee.	G. H. Dunsmore F. H. Farrington G. F. Gregory H. M. Lee.	R. D. Swanton. Brandon. Dummerston. Windsor.	Clyde N. Smith O.L. Martin J. P. Ramsey, F. L. Parmalee	Braudon. Plainfield. Charlotte. Putney. East Berkshire.
		VIRGINIA.		
Holstein-Frieslan Association of Virginia.  Rochingham Pure Brief Live Stock Association Rechingham Pure Brief Live Stock Association Virginia Aberdeen-Angus Breeders' Association Virginia State Dattyment's Association Virginia State Dattyment's Association Virginia State Dattyment's Association Virginia State Guernsoy Breeders' Association.  F. S. Walker Woodbarry Forcest Carlot Carl	J. A. Turner F. S. Walker S. C. Freeman	Hollins Woodbarry Forest Oak Ridge	B. V. Martindalo. G. F. Holstuger. John C. Gather. A. F. Buchanan. F. Fank C. Baldwin. F. F. Howard. Frank E. Saunders.	Sweet Briar. Winchester. Winchester. Windester. Braing. Fredericksburg. Frantylle. Lessburg.
		WASHING TON.		
Northwest Hereford Breeders' Association.   1. D. Miles   Stalium Registration Board   State Dairy Association   1. D. Miles   State Dairy Association   Noshington   1. A. Scollard University   Noshington   Nosh	J. D. Miles J. A. Scollard Wm. Bishop G. M. Wilson John B. Wrage.	ivingstonullmanullmanullmanullmanullmacumullmacumullmacumullmacumullmacumullmacumullmacumullmacum.	Chas. Bull. A. B. Nystrom. A. B. Winter I. H. Roberts I. H. Poston. H. B. Douglas.	Mabton. Pullman. Everett. U. S. Yards, Spokane. R. F. D., Spokane. Ferndale. Walla Walla.

### WEST VIRGINIA.

Holstein-Friesian Association of West Virginia.  West Virginia Arraine Breeders' Association West Virginia Live Stock Association West Virginia Live Stock Association West Virginia Sheep Breeders' Association West Virginia Sheep Breeders' Association West Virginia Sheep and Wool Growers' Association West Virginia Sheep and Wool Growers' Association A. Dowlitz Pierce.	J. B. Caldwell  Howard M. Gore do.  Flavius B. Davidson. A. DeWitt Plare	Solumulbach Building, Wheeling, Transcriped and the Bridgeport	Walter Wayman Paul O. Reymann V. V. Law. E. A. Lavessy S. C. Gist. Chas. E. Wheeler R. H. Tuckwiller	R. I, Wheeling. Wheeling. Janelew. Morganiown. Wellsburg. Charleston. Lewisburg.
		WISCONSIN.		
Gentral Wisconsin Guernsky Breeders' Assodation. Hoistein-Friestan Breeders' Association. Milwaukee Milk Producers' Association.		I. Ross Porter. Marshfield. S. H. Bird. South Byron.	A. P. Bean. J. B. Garver. G. B. Rice.	Vesper. Ploneer Building, Madison. First National Bank Building, Milwarkee.
Skallon Registration, department of horse breeding. Wisconsin A Partie on Hederics' Association. Wisconsin A Partie b Rededers' Association. Wisconsin Cheste Producers' Padeatain. Wisconsin Cheste Producers' Padeatain. Wisconsin Cheste Producers' Padeatain. Wisconsin Chester Witte Breeders' Association. Wisconsin Distryment's Association. Wisconsin Distryment's Association. Wisconsin Literaturent's Association. Wisconsin Hereford Cattle Breeders' Association. Wisconsin Hereford Cattle Breeders' Association. Wisconsin Literation Breeders' Association. Wisconsin Literature Breeders' Association. Wisconsin Red Pol Breeders' Association.	Parke Gelbach Stephun Bull M. L. Ayers Henry Krunssy James Fisher Clusa, A. Peterson M. H. O'Keedo A. L. Damon C. W. Thompson G. W. Thompson J. A. Wood W. H. Glark W. L. HOUST W. L. HOUST W. L. HOUST W. L. Morehouse J. B. Ahlers J. B. Ahlers W. W. Woodard F. B. Martling	Madison. Madison. Radine. Radine. Radino. Rosende. Plymouth Rosende. Reland Center Relander Lanester Res Bend Bloomer Bloomer Bloomer Chippens Fells.	J. G. Fullar A. J. Morkab B. H. Hibbard B. H. Babook Bend C. Burchard J. D. Grant W. W. Meachan G. J. Schroeder G. J. Schroeder G. J. Schroeder J. G. Fullar Mackew W. Hopkins Burlig, Doban L. C. Underwood J. L. Rank W. F. Bank J. L. Rank Burlie, Dobson J. L. Panney Burlie, Dobson	Madism. Black River Falls. Madison. Bransville. Bransville. Downing. Rachie. Mayville. Madison. Madison. Avoral. Avora. Avora. In Prairie. In Bulder Sireet, Madison.
		WYOMING.		
Wyoming Stock Growers' Association. Wyoming Wool Growers' Association.	J. C. Shaw J. M. Wilson	J. C. Shaw. Orin. Donglas.	Miss Alice Smith.	Cheyenne. MoKinley.
			-	-

### STATISTICS OF GRAIN CROPS, 1920.

CORN.

Table 1.—Corn: Area and production in undermentioned countries, 1909-1920. AREA.

							•	
Country.	Average <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
NORTH AMERICA.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres,
United States	104, 229	103, 435	106, 197	105, 296	116, 730	104, 467	100, 072	104,601
Canada:								
Ontario	291	239	237	160	160	195	221	244
Quebec	24	17	16	13	74	55	44	48
Total Canada	315	. 256	253	173	234	250	265	292
Mexico	11, 554	2 4, 748		2 2, 765		2 3, 974		
Total	116,098							
SOUTH AMERICA.								
Argentina.	8, 128	10, 260	10,386	9, 928	8,969	8, 715	9,800	8, 184
Argentina. Chile	56	59	80	66	49 627	65	65	
Uruguay	551	692	787	697	627	590	552	495
Total	8, 735	11,011	11,253	10,691	9,645	9, 370	10,417	
EUROPE.	======							
	8 761	4 469	5 497	6 362	121	113	104	
Austria	6, 038	6, 129	6, 194	9302	121	110	104	7 1,894
Hungary proper 3 Croatia Slavonia 3	1,036	0, 120	0,104					1,094
Bosnia Herzegovina 8	578							
Bulgaria 3	1, 544	1,571	1,579	1,342	1, 385	1, 455	71,392	<sup>7</sup> 1, 419 292
Czecho-Slovakia							8 36	292
France 8	1, 155 3, 931	1, 128	935	812	847	754	736	792 3, 707 3, 018
Italy	8,931	3, 894	3, 887	3,918	3, 853	3, 558	3,709	8,707
Jugo-Slavia Portugal			590					3,018
Roumania 8	5 143	5, 104	5.207	5, 056 2, 865		9 5, 728	10 6, 751	11 7, 330
Russia proper *	3, 173	5, 104 3, 186	5, 207 2, 717	2, 865		0,1.0	0,101	- 1,000
Northern Caucasia	5, 143 3, 173 750	834	917					
Serbia 8	1,445							
Spain	1,134	1, 137	1, 152	1,154	1,175	1, 169	1, 179	1, 167
Switzerland		3	8	4	5	7	6	6
Total	26,688							
ASIA.								
British India	6,340	6, 146	8 144	6,679	6, 518	6, 442	5, 994	l
	130	141	6, 144 143	144	138	141	137	139
Philippine Islands	992	1, 041	1, 095	1,069	1,058	1, 034	1,064	
Total	7, 462	7, 328	7, 382	7,892	7,714	7,617	7, 195	
	1, 102	1, 020	1,002	1,002	1,112	1,011	1, 100	
AFRICA.			(	1	i	ł	İ	l
Algeria	. 34	32			20		15	22 30
Tunis	43	1 000	57	1 740	46	36	45	30
Egypt Morocco.	1,857	1,889	1, 846 625	1, 740 355	1,685	1,812 405	1, 896	
Union of South Africa			2, 562	2,740	3, 150	3,300	3, 952	3, 122
		-	-,	7	<u> </u>	-,		
Total	1,934				5, 255			
AUSTRALASIA.		· ·			1			
Australia:	1.		l	1	i			
Queensland New South Wales	. 143	157	176	146	181	165	150	
New South Wales	190	157	144	154 22	155 23	146	115	
Victoria Western Australia	. 18	(12) 18	(12)	(18) 22	(12) 23	(12) 21	(12) 22	
South Australia	<u>'</u>	1 712	754	1 (5)	12	124	123	
Total	352	332	339	323	359	332	287	
					كسيجسية			
New Zealand	. 10	6	5	. 8		8	10	
Total Australasia	. 362	338	344	331	365	340	297	
Grand total	. 161, 279		1		i .			
	-,,	1	1		.,	1		

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were not available.
2 Unofficial.
3 Old boundaries.
4 Excindes Galicia and Bukowina.
5 Includes Galicia and Bukowina; excludes Goritz and Gradisca.
6 Includes Galicia; excludes Bukowina, Goritz, and Gradisca.

<sup>7</sup> New boundaries.

9 Moravia only.
9 Includes Bessarabia, but excludes Dobrudja.
10 Former Kingdom, Bessarabia, and Bukowina.
11 Former Kingdom, Bessarabia, Bukowina, and Transylvania.
12 Less than 500 acres.

TABLE 1 .- Corn: Area and production in undermentioned countries, 1909-1920-Contd. PRODUCTION.

			PRODUC	TION.				
Country.	Average <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
NORTH AMERICA. United States	1,000 bushels. 2, 708, 334	1,000 bushels. 2,672,804	1,000 bushels. 2,994,793	1,000 bushels. 2,566,927	1,000 bushels. 3,065,233	1,000 bushels. 2,502,665	1,000 bushels. 2,858,509	1,000 bushels. 3,232,367
Canada: Ontario Quebec Other	17, 436 736 6	13, 410 514	13, 860 508	5, 960 322	5, 960 1, 803	13, 015 1, 190	15, 152 1, 788	12, 915 1, 420
Total	18, 178	13, 924	14, 368	6, 282	7, 763	14, 205	16, 940	14, 335
Mexico	164, 657	78, 443	60, 000	132, 823		75, 985		
Total	2, 891, 169	2, 765, 171	3, 069, 161	2, 706, 032		2, 592, 855		
SOUTH AMERICA.						- TO .000	240 744	070.400
Argentina. Chile. Uruguay	174, 502 1, 390 6, 027	263, 135 <sup>1</sup> 1, 505 7, 142	338, 235 1, 842 11, 382	161, 133 1, 570 4, 604	58, 839 1, 338 6, 815	170, 660 1, 446 7, 086	240, 144 1, 702 6, 574	258, 686 1, 689 2, 784
Total	181, 919	271, 782	351, 459	167, 307	66, 992	179, 192	248, 420	263,159
Austria. Hungary proper 2. Croatia Slavonia 2. Bosnia Herzegovina 2.	2 14, 536 168, 081 24, 873	<sup>2</sup> 10, 771 172, 308 25, 000	\$ 8, 050 180, 550 25, 000		2, 810	2, 291	2,115	4 48, 319
Bulgaria 2	28, 219	7, 000 80, 901	7, 000 29, 821	17, 471	17, 780	8, 144 9, 760	4 39, 412 5 448 5 9, 976	4 39, 650 6, 299 6-16, 793
France *	22, 229 100, 349	22, 530 104, 966	17, 104 121, 824	16, 635 81, 547	14, 902 82, 771	9, 760 76, 590	85, 846	86, 661 86, 555
Roumania 2	15, 600 100, 620 56, 571	15, 000 102, 552 61, 670 19, 241 20, 000	9, 275 86, 412 44, 663	62, 207			7 137, 412	8 92, 950
Russia proper <sup>2</sup>	13, 651 28, 128 26, 548	19, 241 20, 000 30, 325 106	18, 520 12, 000 29, 096 138	28, 642 150	29, 369 252	24, 141 358	25, 555 287	27, 692 280
Total	607, 916	622, 370	589, 453					
ASIA. British India Japan. Philippine Islands	87, 240 3, 637 7, 446	83, 360 3, 753 13, 336	83, 280 4, 022 14, 753	100, 080 4, 102 14, 083	93, 760 3, 791 13, 441	96, 600 3, 757 11, 271	70, 808 13, 095	
Total	98, 323	100, 449	102, 055	118, 265	110, 992	111,628		
AFRICA. Algeria. Tunis Egypt Morocco.	461 64, 220	350 73, 191	350 73, 956	65, 485	302 65, 198	66, 756 3, 364 45, 143	236 257	253 197
Union of South Africa.	26, 498		36, 607	26, 304	3, 143 36, 516	45, 143	41, 291	2, 858 42, 966
Total	91, 179							
Australia: Queensland New South Wales Victoria: Western Australia. South Australia.	887	3, 915 4, 453 801 2 2	4, 261 3, 175 1, 018 ( <sup>6</sup> )	2,003 3,773 1,000 (*)	3,019 4,333 1,172 1	4,188 3,500 1,153 1	4, 106 2, 091 712 1 2	
Total	10, 264	9, 173	8, 455	6, 792	8, 526	8, 843	6, 912	
New Zealand	493	312	284	340	274	368	415	
Total	10, 757	9, 485	8, 739	7, 132	8, 800	9, 211	7, 327	
Grand total	3, 881, 263							

Five-year average, except in a few cases' where five-year statistics were unavailable.
 Old boundaries.
 Excludes Galicia and Bukowina.
 New boundaries.

<sup>5</sup> Moravia only.
6 Excludes Alsace-Lorraine.
7 Former Kingdom, Bessarabia, and Bukowina.
8 Former Kingdom and Bessarabia.
9 Less than 500 bushels.

Table 2.—Corn: World production so far as reported, 1895-1916.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899		1901 1902 1903 1904 1905	Bushels. 2, 366, 883, 000 3, 187, 311, 000 3, 006, 506, 000 3, 109, 252, 000 3, 461, 181, 000 3, 963, 645, 000	1907 1908 1909 1910 1911	Bushels. 3, 420, 321, 000 3, 606, 931, 000 3, 563, 226, 000 4, 031, 630, 000 3, 481, 007, 000 4, 371, 888, 000	1913 1914 1915 1916	Bushels. 3, 587, 429, 000 3, 777, 913, 000 4, 201, 589, 000 3, 642, 103, 000

TABLE 3.—Corn: Average yield per acre in undermentioned countries, 1890-1920.

Year.	United States.	Russia (Euro- pean). <sup>1</sup>	Italy.	Austria.	Hungary (proper).	France.	Argen- tina.
Average: 1890-1899 1900-1909 1910-1914	Bushels. <sup>2</sup> 24. 5 25. 8 26. 1	Bushels.2 13. 6 13. 9	Bushcls. <sup>2</sup> 15. 3 21. 4 24. 9	Bushels. <sup>2</sup> 19. 5 18. 9 19. 9	Bushels. <sup>2</sup> 23. 0 22. 2 28. 0	Bushels. <sup>2</sup> 19. 1 18. 9 18. 9	Bushels.2 26.6 23.5
1906	25. 9 26. 2	23. 1 14. 5 16. 7 9. 6 22. 1	20. 2 19. 9 21. 8 25. 0 25. 3	21. 5 19. 3 18. 0 19. 4 22. 6	27. 3 24. 7 24. 3 26. 0 30. 5	12. 9 19. 7 21. 4 21. 3 19. 6	29.0 10.2 31.9 24.1 23.6
1911 1912 1918 1914 1915	29. 2 23. 1	21. 4 18. 5 17. 7 12. 6 10. 9	23. 1 25. 0 27. 9 26. 9 31. 4	15. 9 20. 4 18. 8 22. 9 22. 8	22. 7 28. 4 29. 3 28. 0 29. 2	16. 1 20. 2 18. 9 19. 7 18. 3	3, 5 35, 0 20, 8 25, 6 32, 6
1916. 1917. 1918. 1919.	26. 3 24. 0	13.6	20. 9 21. 8 21. 5	15.8		18. 9 17. 6 12. 9 15. 9	10.2 4.1 12.3

<sup>&</sup>lt;sup>1</sup> Excludes Poland.

<sup>&</sup>lt;sup>2</sup> Bushels of 56 pounds.

Table 4.—Corn: Acreage, production, value, exports, etc., in the United States, 1849-1920.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of sores are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

				·								
		Aver-	Produc-	Aver-	Farm	Chic bu	ago cas ishel, c	h pricontra	e per	Domestic exports,	Imports during	Per cent
Year.	Acreage (000 omitted)	age yield per acre.	tion (000 omitted).	farm price per bushel	value Dec. 1 (000 omitted).	Dece	mber.		wing	including corn meal, fiscal year begin-	fiscal year beginning July 1.	of crop ex- port-
-				Dec. 1.		Low.	High.	Low.	High.	ning July 1.		ed.
1849 1859	Acres.	Bush.	Bushels. 592,071 838,793	Cents.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels. 7,632,860 4,248,991	Bushels. 49, 190	P. ct. 1.3 .5
1866 1867 1868 1869	34,307 32,520 34,887 37,103	25. 3 23. 6 26. 0 23. 6	867, 946 768, 320 906, 527 874, 320 760, 945	47. 4 57. 0 46. 8 59. 8	411, 451 437, 770 424, 057 522, 551	53 61 38 56	62 65 58 67	64 61 44 73	79 71 51 85	16, 026, 947 12, 493, 522 8, 286, 665 2, 140, 487	34, 970 49, 922 89, 809 88, 980	1.8 1.6 .9 .2
1870 1871 1872 1873 1874	34,091 35,527 39,197	28. 3 29. 1 30. 8 23. 8 20. 7	1,094,255 991,898 1,092,719 932,274 850,148	49. 4 43. 4 35. 3 44. 2 58. 4	540, 520 430, 356 385, 736 411, 961 496, 271	41 36 27 40 64	59 39 28 49 76	46 38 34 49 53	52 43 39 59 67	10, 673, 553 35, 727, 010 40, 154, 374 35, 985, 834 30, 025, 036	111, 080 58, 568 61, 536 76, 003 38, 098	1.0 3.6 3.7 3.9 3.5
1875 1876 1877 1878 1879	50,369 51,585	29. 5 26. 2 26. 7 26. 9 29. 2 28. 1	1, 321, 069 1, 283, 828 1, 342, 558 1, 388, 219 1, 547, 902 1, 754, 598	36. 7 34. 0 34. 8 31. 7 37. 5	484, 675 436, 109 467, 635 440, 281 580, 486	40 40 41 30 39	47 43 49 32 431	41 43 35 33 32§	45 56 41 36 36	50, 910, 532 72, 652, 611 87, 192, 110 87, 884, 892 99, 572, 329	51, 796 30, 902 13, 423 33, 869 58, 876	3. 9 5. 7 6. 5 6. 3 6. 4
1880 1881 1882 1883 1884	62, 318 64, 262 65, 660 68, 302 69, 684	27. 6 18. 6 24. 6 22. 7 25. 8	1,717,435 1,194,916 1,617,025 1,551,067 1,795,528	39. 6 63. 6 48. 5 42. 4 35. 7	679, 714 759, 482 783, 867 658, 051 640, 736	355 582 491 542 342	42 63½ 61 63½ 40½	41½ 69 53½ 52½ 44¾	45 767 561 57 49	93, 648, 147 44, 340, 683 41, 655, 653 46, 258, 606 52, 876, 456		5. 5 3. 7 2. 6 3. 0 2. 9
1885 1886 1887 1888 1889	73, 130 75, 694 72, 393 75, 673 78, 320 72, 088	26. 5 22. 0 20. 1 26. 3 27. 0 29. 4	1,936,176 1,665,441 1,456,161 1,937,790 2,112,892 2,122,328	32, 8 36, 6 44, 4 34, 1 28, 3	635, 675 610, 311 646, 107 677, 562 597, 919	36 35 <del>2</del> 47 33 <del>1</del> 29 <del>1</del>	428 38 511 353 353	341 367 54 331 322	363 398 60 358 35	64, 829, 617 41, 368, 584 25, 360, 869 70, 841, 673 103, 418, 709	16, 104 30, 536 37, 493 2, 401 1, 626	3.3 2.5 1.7 3.6 4.9
1890. 1891. 1892. 1893. 1894.	71, 971 76, 205 70, 627 72, 036 62, 582	20. 7 27. 0 23. 1 22. 5 19. 4	1,489,970 2,060,154 1,628,464 1,619,496 1,212,770	50. 6 40. 6 39. 4 36. 5 45. 7	754, 433 836, 439 642, 147 591, 626 554, 719	473 393 40 341 442	53 59 427 362 472	55 403 393 363 473	69½ 2100 44½ 38½ 55½	32, 041, 529 76, 602, 285 47, 121, 894 66, 489, 529 28, 585, 405	1,881 2,199 16,575	2.2 3.7 2.9 4.1 2.4
1895. 1896. 1897. 1898. 1899.	81,027 80,095 77,722 82,109	26. 2 28. 2 23. 8 24. 8 25. 3 28. 1	2, 151, 139 2, 283, 875 1, 902, 968 1, 924, 185 2, 078, 144 2, 666, 524	25. 3 21. 5 26. 3 28. 7 30. 3	544, 986 491, 007 501, 073 552, 923 629, 210	25 22½ 25 33½ 30	262 232 272 38 311	27½ 23 32¾ 32½ 36	291 251 37 348 401	101, 100, 375 178, 817, 417 212, 055, 543 177, 255, 046 213, 123, 412	4, 338 6, 284 3, 417 4, 171 2, 480	4.7 7.8 11.1 9.2 10.3
1900. 1901. 1902. 1903. 1904.	83, 321 91, 350 94, 044 88, 092	25. 3 16. 7 26. 8 25. 5 26. 8	2, 105, 103 1, 522, 520 2, 523, 648 2, 244, 177 2, 467, 481		751, 220 921, 556 1, 017, 017 952, 869 1, 087, 461	351 621 431 41 431	401 671 571 431 49	425 591 44 471 48	581 642 46 50 641	181, 405, 473 28, 028, 688 76, 639, 261 58, 222, 061 90, 293, 483		3.7
1905. 1906. 1907. 1908. 1909.	96, 738 99, 931 101, 788 108, 771	26. 9	2, 707, 994 2, 927, 416 2, 592, 320 2, 668, 651 2, 772, 376 2, 552, 190	41. 2 39. 9 51. 6 60. 6	1, 116, 697 1, 166, 626 1, 336, 901 1, 616, 145 1, 477, 222	-1	501 46 611 621	471 491 671 721	50 56 82 76	119, 893, 833 86, 368, 228 55, 063, 860 37, 665, 040 38, 128, 498		4.4 8.0 2.1 1.4

<sup>&</sup>lt;sup>1</sup> No. 2 to 1908.

<sup>&</sup>lt;sup>2</sup> Coincident with "corner."

Table 4.—Corn: Acreage, production, value, exports, etc., in the United States, 1849-1920—Continued.

Year.	Acreage (000 omitted)	Aver- age yield	Production (000 omitted).	Aver- age farm price	Farm value Dec. 1	bu	ago cas shel, c	ontra Folk	owing	Domestic exports, including corn meal,	Imports during fiscal year	Per cent of crop
		per acre.		per bushel Dec. 1.	(000 omitted).			h. Low. High		fiscal year begin- ning July 1.	beginning July 1.	ex- port ed.
1910 1. 1911 1912 1913 1914	Acres. 104,035 105,825 107,083 105,820 103,435 106,197	Bush. 27. 7 23. 9 29. 2 23. 1 25. 8	Bushels. 2, 886, 260 2, 531, 488 3, 124, 746 2, 446, 988 2, 672, 804 2, 994, 793	Cents. 48.0 61.8 48.7 69.1 64.4	Dollars. 1, 384, 817 1, 565, 258 1, 520, 454 1, 692, 092 1, 722, 070 1, 722, 680	Cts. 45½ 68 47½ 64 62½ 69¾	Cts. 50 70 54 73½ 68½ 75	Cts. 521 761 551 67 501	Cts. 551 821 60 721 56 781	Bushels. 65, 614, 522 41, 797, 291 50, 780, 143 10, 725, 810 50, 668, 303 39, 896, 928	Bushels. 53, 425 903, 062 12, 367, 369 9, 897, 939 5, 208, 497	P. ct. 2.3 1.7 1.6 .4 1.9
1916 1917 1918 1919 1920	105, 296 116, 730	24. 4 26. 3 24. 0 28. 6 30. 9	2,566,927 3,065,233 2,502,665 2,858,509 3,232,367	88. 9 127. 9 136. 5 134. 7 67. 7	2, 280, 729 3, 920, 228 3, 416, 240 3, 851, 741 2, 189, 721	88 160 135 142 701	96 190 155 160 86	152 150 160½ 189	174 170 185 217	66, 753, 294 49, 073, 263 23, 018, 822 16, 707, 447	2,267,299 3,196,420 3,311,211 10,220,249	2.6 1.6 .9 .6

<sup>1</sup> Figures adjusted to census basis.

Table 5.—Corn: Revised acreage, production, and farm value, 1879, and 1889-1909.

Note.—This revision for 1879 and 1889-1909 consists (1) in using the Department of Agriculture's estimates of average yield per acre to compute, from census acreage, the total production, (2) in adjusting the Department's estimates of acreage for each year so as to be consistent with the following as well as the preceding census acreage, and (3) in recomputing total farm value from these revised production figures.

Year.	Acreage.	Average yield per acre.	Production.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
1879	A cres. 62, 369, 000 72, 088, 000 70, 399, 000 74, 496, 000 72, 610, 000 74, 434, 000	Bushels. 29. 2 27. 7 20. 7 27. 6 23. 6 22. 9	Bushels. 1, 823, 163, 000 1, 998, 648, 000 1, 490, 406, 000 2, 055, 823, 000 1, 713, 688, 000 1, 707, 572, 000	Cents. 37. 1 27. 4 50. 0 39. 7 38. 8 35. 9	Dollars. 676, 251, 000 546, 984, 000 729, 647, 000 816, 917, 000 664, 390, 000 612, 998, 000
1894	69, 396, 000	19.3	1, 339, 680, 000	45. 1	604, 523, 000
1895	85, 567, 000	27.0	2, 310, 952, 000	25. 0	578, 408, 000
1896	86, 560, 000	28.9	2, 503, 484, 000	21. 3	532, 884, 000
1897	88, 127, 000	24.3	2, 144, 553, 000	26. 0	558, 309, 000
1897	88, 304, 000	25.6	2, 261, 119, 000	28. 4	642, 747, 000
1899	94, 914, 000	25. 9	2, 454, 626, 000	29. 9	734, 917, 000
	95, 042, 000	26. 4	2, 505, 148, 000	35. 1	878, 243, 000
	94, 636, 000	17. 0	1, 607, 288, 000	60. 0	964, 543, 000
	95, 517, 000	27. 4	2, 620, 699, 000	40. 0	1, 048, 735, 000
	90, 661, 000	25. 8	2, 339, 417, 000	42. 1	984, 173, 000
1904	93, 340, 000	27. 0	2, 520, 682, 000	43. 7	1, 101, 430, 000
1905	93, 573, 000	29. 3	2, 744, 329, 000	40. 7	1, 116, 817, 000
1908	93, 643, 000	30. 9	2, 895, 822, 000	39. 2	1, 135, 969, 000
1907	94, 971, 000	26. 5	2, 512, 065, 000	50. 9	1, 277, 607, 000
1908	95, 603, 000	26. 6	2, 544, 957, 000	60. 0	1, 527, 679, 000
1909	98, 389, 000	26. 1	2, 572, 336, 000	58. 6	1, 507, 185, 000

TABLE 6.—Corn: Acreage, production, and total farm value, by States, 1919 and 1920

State.	Thousand	is of acres.	Production of bus	(thousands hels).	Total value, basis Dec. 1 price (thousands of dollars).			
	1920	1919	1920	1919	1920	1919		
Maine. New Hampshire Vermont. Massachusetts. Rhode Island	Acres. 5 9 25 21 8	Acres. 5 11 22 26 8	Bush. 226 405 1,175 840 320	Bush. 300 512 1,034 1,508 360	Dolls. 289 587 1,480 1,050 576	Dolls. 585 870 1,810 2,594 670		
Connecticut New York New Jersey Pennsylvania Delaware	795 260 1, 490 190	50 820 260 1, 536 195	1, 804 82, 595 11, 440 67, 050 7, 125	2, 900 35, 260 10, 400 72, 192 5, 850	2, 526 37, 810 9, 724 67, 050 5, 344	5, 220 58, 532 15, 912 106, 122 8, 482		
Maryland Virginia. West Virginia. North Carolina. South Carolina.	670	680	25, 795	27, 880	20, 894	39, 032		
	1, 670	1,670	50, 100	46, 760	50, 100	79, 024		
	650	650	22, 100	22, 100	25, 636	36, 244		
	2, 784	2,800	64, 032	53, 200	72, 356	98, 420		
	2, 230	2,270	42, 370	36, 320	49, 149	71, 550		
Georgia	5, 100	4, 820	76, 500	69, 890	80, 325	111, 824		
Florida.	780	830	10, 530	12, 450	10, 530	17, 430		
Ohio	3, 735	3, 668	162, 099	161, 392	110, 227	195, 284		
Indiane.	4, 545	4, 500	184, 072	166, 500	108, 602	208, 125		
Illinois.	8, 652	8, 400	294, 168	294, 000	173, 559	382, 200		
Michigan. Wisconsin. Minnesota. Iowa. Missouri.	1, 625	1, 625	65, 000	65, 000	53, 300	89, 700		
	1, 960	1, 845	86, 044	86, 715	66, 254	108, 394		
	3, 150	2, 900	118, 125	116, 000	60, 244	139, 200		
	10, 300	10, 000	473, 800	416, 000	222, 686	499, 200		
	6, 215	5, 650	198, 880	152, 550	127, 283	210, 519		
North Dakota	711	508	17, 064	16, 764	12, 286	23, 470		
	3, 520	3, 200	105, 600	91, 200	44, 352	108, 528		
	7, 560	7, 030	255, 528	184, 186	104, 766	224, 707		
	5, 190	4, 100	137, 535	62, 320	60, 515	87, 248		
	3, 300	3, 300	100, 650	82, 500	82, 533	127, 875		
Tennessee. Alabama Mississippi Louisiana Texas.	3, 325	3, 300	93, 100	70, 620	80, 997	110, 873		
	4, 277	4, 334	67, 149	62, 843	65, 806	99, 920		
	3, 980	3, 980	63, 680	59, 700	64, 954	95, 520		
	1, 906	1, 850	36, 595	32, 375	31, 106	48, 562		
	6, 700	6, 500	174, 200	195, 000	146, 328	230, 100		
Oklahoma	3, 190	2, 900	89, 320	69, 600	48, 233	88, 392		
Arkansas	2, 360	2, 407	55, 224	43, 326	53, 567	71, 065		
Montana	179	128	3, 580	1, 728	2, 864	2, 851		
Wyoming	65	50	1, 560	800	874	1, 320		
Colorado	843	704	17, 450	11, 757	12, 215	16, 695		
New Mexico	270	243	7, 155	7, 200	7, 870	11, 008		
	28	30	644	900	1, 095	1, 800		
	24	18	521	324	782	486		
	1	1	33	30	53	42		
Idaho. Washington. Oregon. California	45	35	1, 800	1, 225	1, 800	2, 021		
	78	78	2, 808	2, 808	3, 510	5, 195		
	46	45	1, 426	1, 170	1, 854	1, 814		
	90	90	3, 150	2, 970	3, 780	5, 316		
United States	104, 601	100, 072	3, 232, 367	2, 858, 509	2, 189, 721	3, 851, 741		

Table 7.—Corn: Production and distribution in the United States, 1897-1920.

[000 omitted, except in percentage columns.]

	•		Crop.				Shipped	
Year.	Old stock on farms Nov. 1.	Quantity.	Quality.	Propor- tion mer- chant- able.	Total supplies.	Stock on farms Mar.1 following.	out of county where grown.	
1897	Bushels. 290, 934 137, 894 113, 644 92, 328 95, 825	Bushels. 1, 902, 968 1, 924, 185 2, 078, 144 2, 105, 103 1, 522, 520	Per cent. 86. 3 83. 8 87. 2 85. 5 73. 7	Per cent. 86. 8 82. 2 86. 9 86. 3	Bushels. 2, 193, 902 2, 062, 079 2, 191, 788 2, 197, 431 1, 618, 345	Bushels. 782, 871 800, 533 733, 730 776, 166 441, 132	Bushels. 411, 617 396, 005 348, 098 478, 417 153, 213	
1902	29, 267 131, 210 80, 246 82, 285 119, 633	2, 523, 648 2, 244, 177 2, 467, 481 2, 707, 994 2, 927, 416	83, 1 86, 2 90, 6 90, 6 89, 9	76. 2 76. 0 84. 8 88. 4 89. 1	2, 552, 915 2, 375, 387 2, 547, 727 2, 790, 279 3, 047, 049	1, 050, 653 839, 053 954, 268 1, 108, 364 1, 297, 979	557, 296 419, 877 551, 635 681, 539 679, 544	
1907. 1908. 1909. 1910.	71, 124	2, 592, 320 2, 668, 651 2, 552, 190 2, 886, 260 2, 531, 488	82. 8 86. 9 84. 2 87. 2 80. 6	77. 7 88. 2 82. 5 86. 4 80. 1	2, 723, 315 2, 739, 775 2, 631, 969 3, 001, 956 2, 655, 312	962, 429 1, 047, 763 977, 561 1, 165, 378 884, 059	467, 675 568, 129 635, 248 661, 777 517, 768	
1912 1913 1914 1915 1916	137, 972 80, 046 96, 009 87, 908	3, 124, 746 2, 446, 988 2, 672, 804 2, 994, 793 2, 566, 927	85. 5 82. 2 85. 1 77. 2 83. 8	85. 0 80. 1 84. 5 71. 1 83. 9	3, 189, 510 2, 584, 960 2, 752, 850 3, 090, 802 2, 654, 835	1, 290, 642 866, 352 910, 894 1, 116, 559 782, 303	680, 831 422, 059 498, 285 560, 824 450, 589	
1917. 1918. 1919. 1920.	34, 448 114, 678 69, 835 139, 906	3, 065, 233 2, 502, 665 2, 858, 509 3, 232, 367	75. 2 85. 6 89. 1 89. 6	87.0	3, 099, 681 2, 617, 343 2, 928, 344 3, 372, 273	1, 253, 290 855, 269 1, 070, 677	678, 027 362, 589 466, 615	

Table 8.—Corn (merchantable): Total corn crop and portion of merchantable quality, 1883-1920.

Year of crop growth.	Crop, bushels.	Per cent mer- chant- able.	Bushels merchant- able.	Year of crop growth.	Crop, bushels.	Per cent mer- chant- able.	Bushels merchant- able.
1920 1919 1918 1917 1916	3, 232, 367, 000 2, 858, 509, 000 2, 502, 665, 000 3, 085, 233, 000 2, 566, 927, 000	87. 0 82. 4 60. 0 83. 9	2, 486, 296, 000 2, 062, 041, 000 1, 837, 728, 000 2, 154, 487, 000	1901 1900 1899 1898 1897	1, 522, 520, 000 2, 105, 103, 000 2, 078, 144, 000 1, 924, 185, 000 1, 902, 968, 000	86. 3 86. 9 82. 2 86. 8	1, 815, 938, 000 1, 806, 663, 000 1, 582, 541, 000 1, 650, 847, 000
1915 1914 1913 1912 1911	2, 994, 793, 000 2, 672, 804, 000 2, 446, 988, 000 3, 124, 746, 000 2, 531, 488, 000	71, 1 84, 5 80, 1 85, 0 80, 1	2, 127, 965, 000 2, 259, 755, 000 1, 961, 058, 000 2, 654, 907, 000 2, 027, 922, 000	1896 1895 1894 1893 1892	2, 283, 875, 000 2, 151, 139, 000 1, 212, 770, 000 1, 619, 494, 000 1, 628, 464, 000	84. 8 88. 1 82. 4 85. 6 82. 6	1, 936, 207, 000 1, 895, 706, 000 999, 402, 000 1, 386, 357, 000 1, 345, 445, 000
1910 1909 1908 1907 1906	2, 886, 260, 000 2, 552, 190, 000 2, 668, 651, 000 2, 592, 320, 000 2, 927, 416, 000	86. 4 82. 5 88. 2 77. 7 89. 1	2, 492, 763, 000 2, 104, 775, 000 2, 353, 370, 000 2, 013, 208, 000 2, 609, 060, 000	1891 1890 1889 1888 1887	2,060,154,000 1,489,970,000 2,111,892,000 1,987,790,000 1,458,161,000	88. 5 79. 5 85. 7 82. 4 83. 9	1, 822, 431, 000 1, 183, 795, 000 1, 810, 558, 000 1, 637, 406, 000 1, 222, 166, 000
1905 1904 1903	2, 707, 994, 000 2, 467, 481, 000 2, 244, 177, 000 2, 523, 648, 000	88. 4 84. 8 76. 0 76. 2	2, 394, 462, 000 2, 091, 195, 000 1, 706, 006, 000 1, 923, 292, 000	1886 1885 1884 1883	1, 665, 441, 000 1, 936, 176, 000 1, 795, 528, 000 1, 551, 067, 000	86. 4 81. 8 88. 7 60. 3	1, 438, 447, 000 1, 583, 013, 000 1, 593, 332, 000 935, 901, 000

TABLE 9.—Corn: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

			Yi	eld p	er ac	ere (l	oush	els).				Farm price per bushel (cents).					ı	Value per acre (dollars).1	
State.	10-year aver- age, 1911–1920.	11611	1912	1913	1914	1915	1916	1917	1918	1919	1920	10-year aver- age, 1911–1920.	1916	1917	. 8161	1919	1920	5-year aver- age, 1915-1919.	1920
Mass R.I	44, 2 43, 1 46, 0 41, 0	45. 0 41. 0 44. 0 45. 0	45.0 41.5	37. 0 37. 0 40. 5 39. 5	46. 0 47. 0 47. 0 42. 0	45. 0 46. 0 47. 0 43. 0	46, 0 43, 0 42, 0 31, 0	40. 0 45. 0 45. 0 42. 0	45. 0 38. 0 52. 0 44. 0	46. 5 47. 0 58. 0 45. 0	45. 0 47. 0 40. 0 40. 0	140	119 115 110 120 138	228 217 213 215 236	167 150 170 170 180	195 170 175 172 186	128 145 126 125 180	72, 50 64, 09 65, 73 74, 58 69, 56	57. 73 65. 25 59. 22 50. 00 72. 00
Conn N. Y N. J Pa Del													120 110 100 97 89	215 198 170 153 140	171 175 150 155 136	180 166 153 147 145	140 116 85 100 75	78. 30 51. 99 52. 52 51. 11 36. 61	57. 40 47. 56 37. 40 45. 00 28, 12
Md Va W. Va N. C S. C													89 93 101 110 113	140 153 170 170 192	135 160 180 177 195	140 169 164 185 197	81 100 116 113 116	43. 06 35. 94 43. 33 28. 57 26. 61	31. 18 30. 00 39. 44 25. 99 22. 04
S. C Gs Fls. Ohio Ind	15. 0 14. 8 39. 2 36. 4 33. 7	16. 0 14. 6 38. 6 36. 0 33. 0	13. 8 13. 0 42. 8 40. 3 40. 0	15. 5 15. 0 37. 5 36. 0 27. 0	14. 0 16. 0 39. 1 33. 0 29. 0	15. 0 15. 0 41. 5 38. 0 36. 0	15. 5 15. 0 31. 5 34. 0 29. 5	16. 0 15. 0 38. 0 36. 0 38. 0	15. 0 16. 0 36. 0 38. 0 35. 5	14. 5 15. 0 44. 0 37. 0 35. 0	15. 0 13. 5 43. 4 40. 5 34. 0	111 100 83 78 78	100 90 90 84 84	160 140 136 125 110	165 138 130 119 120	160 140 121 125 130	105 100 68 59 59	20. 15 17. 71 40. 66 35. 69 34. 82	15. 75 13. 50 29. 51 23. 90 20. 06
											40. 0 43. 9 37. 5 46. 0 32. 0		95 92 80 80 90	182 163 110 108 114	130 130 111 122 143	138 125 120 120 138	82 77 51 47 64	36, 24 39, 13 33, 29 35, 66 28, 03	32, 80 33, 80 19, 12 21, 62 20, 48
N. Dak S. Dak Nebr Kans Ky													84 77 78 90 87	151 120 120 125 121	130 110 128 149 146	140 119 122 140 155	72 42 41 44 82	23, 23 28, 21 24, 28 14, 58 31, 20	
Tenn Ale Miss La Tex		1	1	Į.	1	i	1	1	1	1	28. 0 15. 7 16. 0 19. 2 26. 0		94 102 98 94 104	120 125 138 146 167	145 148 151 161 176	157 159 160 150 118	87 98 102 85 84	28. 66 17. 83 20. 81 22. 23 20. 95	24. 36 15. 39 16. 32 16. 32 21. 84
OklaArkMontWyoColo	19. 7 23. 2 22. 4 18. 7	20. 8 26. 5 15. 0	25. 5 23. 0 20. 8	19. 0 31. 5 29. 0 15. 0	17. 5 28. 0 25. 0 23. 0	23. 0 28. 0 25. 0 24. 0	17. 7 25. 0 22. 0 15. 5	24. 0 12. 5 20. 0 20. 0	13. ( 21. ( 25. ( 17. (	18.0 13.5 16.0 16.7	23. 4 20. 0 24. 0 20. 7	98 88	93 98 93 90 90	147 140 175 175 125	164 180 135 140 135	127 164 165 165 142	54 97 80 56 70	16, 28 23, 72 23, 02 26, 59 19, 90	15. 12 22. 70 16. 00 13. 44 14. 49
N. Mex. Ariz. Utah Nev	82.0	30. E	30. (	34. (	36.0	35. 0	34.	30.	32.0	30.0	26, 5 23, 0 21, 7 33, 4	129	140 115 125	188 190 170 150	180 210 181 210	151 200 150 140	150 160		53. 44
Idaho	32. 2 30. 5 35. 0	28. 5 28. 5 36. 0	27. 3 31. 5 37. 0	28. 0 28. 5 33. 0	30, 0 36, 0	27. 0 35. 0 41. 0	37. ( 33. 5 32. (	37. ( 5 30. ( ) 32. (	38. ( 31. ( 35. (	36.0 26.0 33.0	40. 0 36. 0 31. 0 35. 0	113 107 124	100 100 95 124 88.9	155 162 150 185	183 170 155 193 136, 5	165 185 155 179 134. 7	120	47.35 49.79 38.77 52.32	40.00 45.00 40.30 42.00
									$\Box$	1	1								

<sup>&</sup>lt;sup>1</sup>Based upon farm price Dec. 1.

### CORN-Continued.

Table 10.—Corn: Condition of crop, United States, on first of months named, 1900-1920.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1900	P.ct. 89.5 81.3 87.5 79.4 86.4 87.3 87.5	P. ct. 87.5 54.0 86.5 78.7 87.3 89.0 88.0	P.ct. 80.6 51.7 84.3 80.1 84.6 89.5 90.2	P. ct. 78.2 52.1 79.6 80.8 83.9 89.2 90.1	1907 1908 1909 1910 1911 1912 1913	P. ct. 80.2 82.8 89.3 85.4 80.1 81.5 86.9	P.ct. 82.8 82.5 84.4 79.3 69.6 80.0 75.8	P. ct. 80.2 79.4 74.6 78.2 70.3 82.1 65.1	P. ct. 78.0 77.8 73.8 80.3 70.4 82.2 65.3	1914 1915 1916 1917 1918 1919	P. ct. 85.8 81.2 82.0 81.1 87.1 86.7 84.6	P. ct. 74.8 79.5 75.3 78.8 78.5 81.7 86.7	P. ct. 71.7 78.8 71.3 76.7 67.4 80.0 86.4	P. ct. 72.9 79.7 71.5 75.9 68.6 81.3 89.1

Table 11.—Corn: Farm price, cents per bushel, on first of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1	140.4	144.7	134.8	90.0	62.1	66.2	69.6	48.9	62.2	48.2	86.7
Feb. 1	146.8	138.1	138.8	95.8	66.7	72.8	68.3	50.6	64.6	49.0	89.2
Mar. 1	148.5	137.2	154.3	100.9	68.2	75.1	69.1	52.2	66.6	48.9	92.1
Apr. 1	158.6	149.6	153.6	113.4	70.3	75.1	70.7	53.7	71.1	49.7	96.6
May 1	169.6	162_6	155.7	150.6	72.3	77.7	72.1	56.8	79.4	51.8	104.9
	185.2	171_2	152.5	160.1	74.1	77.9	75.0	60.6	82.5	55.1	109.4
	185.6	176_5	153.7	164.6	75.4	77.7	75.5	63.2	81.1	60.0	111.3
	163.7	191_2	159.7	196.6	79.4	78.9	76.8	65.4	79.3	65.8	115.7
Sept. 1.	121.3	185.4	165.7	175.5	83.6	77.3	81.5	75.4	77.6	65.9	114.4
Oct. 1.		153.9	159.5	175.1	82.3	70.5	78.2	75.8	70.2	65.7	105.2
Nov. 1.		133.4	140.3	146.0	85.0	61.9	70.6	70.7	58.4	64.7	91.8
Dec. 1.		134.7	136.5	127.9	88.9	57.5	64.4	69.1	48.7	61.8	85.7
Average	140.5	151.5	147.3	129.2	73.8	71.2	71.4	59.4	67.6	55.3	96.7

Table 12.—Corn: Monthly marketings by farmers, 1914-1920.

Month.	Estim farm bush		mount United		monthl (millio	y by ons of		Per	cent of	year's s	ales.	
:	1919-20	1918–19	1917–18	1916-17	1915-16	1914-15	1919-20	1918-19	1917–18	1916-17	1915–16	1914-15
July August September October November December January	18 22 20 22 22 37 60 72 38	27 28 35 27 30 49 61	34 26 22 24 56 78 91	30 34 28 25 67 60 73	31 33 35 33 38 - 57 88 64	19 34 23 23 23 71 82 96 38	4.5 5.6 4.9 5.6 9.2 15.0 12.9	6.7 6.8 8.4 6.7 7.3 12.1 15.0	5.3 4.0 3.4 3.8 8.8 12.2 14.2	6.2 7.1 5.9 5.3 14.0 12.5 15.1	5.6 5.9 6.4 6.0 10.4 15.9 11.7	3.9 7.1 4.7 4.7 11.7 16.8 19.8
February  March  April  May  June	38 35 24 30 42	30 31 34 33 25	103 88 45 36 37	43 34 26 31 29	58 39 35 35 35 32	22 27 21 29	9.5 8.7 5.9 7.6 10.6	7.2 7.5 8.2 8.0 6.1	16.1 13.7 7.1 5.6 5.8	9.0 7.0 5.4 6.5 6.0	7.1 6.4 6.3 5.9	7.8 4.6 5.6 4.4 5.9
Season	400	410	840	480	550	485	100.0	100.0	100.0	100.0	100.0	100.0

## CORN-Continued.

TABLE 13.—Corn: Extent and causes of yearly crop losses, 1909-1919.

Year.	Deficient moisture.	Excessive moisture.	Floods.	Frost or freeze.	Hail.	Hot winds.	Storms.	Total cli- matic.	Plant di- sease.	Insect pests.	Animal pests.	Defective seed.	Total.
1919	P. ct. 10.8 22.1 12.1 18.5	P. ct. 7.3 .9 2.9 5.8	P. ct. 1.4 .5 .6 1.7	P. ct. 0.1 2.0 13.5 1.7	P. ct. 0.3 .4 .6 .4	P. ct. 1.0 6.3 1.2 1.7	P.ct. 0.4 3.2 .3 1.1	P. ct. 21.4 32.8 31.6 31.3	P. ct. 0.4 .3 .3 .3	P. ct. 3.1 2.6 1.4 2.0	P. ct. 0.1 .1 .1 .1	P. ct. 0.2 1.5 .2 .6	P. ct. 25.4 37.7 33.8 34.7
1915	3.0 20.8 27.1 8.7	11.9 1.3 1.2 4.6	2.1 .4 .4 .9	6.9 .4 1.0 1.7	.6 .5 .3	2.1 3.1 1.0	1.1 .4 .4 .3	26.5 26.1 33.7 18.1	.3 .1 .1 .3	2.1 3.6 3.7 4.8	.1 .1 .2 .3	.2 .2 .4 2.3	29.9 30.6 38.9 26.3
1911	23.4 13.9 13.0	1.6 3.0 7.3	(1) .8 1.5	.4 .9 1.0	.2 .4 .5	3.4 1.6 1.6	.1 .5 .7	29.6 21.3 25.8	.2 .2 .2	2.3 2.3 2.3	.2 .4 .4	1.2 ,3	33.7 26.0 29.6
Average	16.3	4.0	.9	2.9	-4	2.2	-5	27.7	.2	2.7	.2	.7	32.1

<sup>1</sup> Less than 0.05 per cent.

TABLE 14.—Corn. Wholesale price per bushel, 1918-1920.

							[Com	piled fr	om con	nmercia	Compiled from commercial papers.	S.									
Nev		New York.	-	Bal	Baltimore.		Cip	Cincinnati.		5	Chicago.		I	Detroit.		20	St. Louis.	.,	San	San Francisco.	.00
Š.		No. 2 yellow		<b>A</b>	Mixed.1		No.	No. 2 mixed	<u></u>	ర	Contract.			No. 3.\$			No. 2.4		Whi	White (per 1 pounds).	100
Low.		High.	Aver.	Low. I	High.	Aver.	Low. 1	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.
3.125 X	+	888	28.88 8.88 8.80 8.00	3.22	888	83.5	8.25	888	386	S. <del>\$</del> .5	488	78% 78%	8,4 <u>8</u>	78 78 78 78 78 78 78	Cars.	6.55. 61.5	£ 28	25.5 25.0 25.0 25.0 25.0 25.0 25.0 25.0	Dolls. 1.59 1.513	Dolls. 1. 80 1. 87	Dolls. 1.701 1.743
87		200	15.83 1.14	38	83	79.6 4.6	, 2 <u>8</u>	25.00	72.9	95 62 62 7	15.88 15.08	73.4	83	<b>7</b> 88	67.1 75.0	62	733	68.6 73.6	1.61	1.83	1. 820
EE		28	- 20 20 20 20 20 20 20 20 20 br>20 2	25	****	78.7	28	<b>≅</b> 8	72.8	1805	28	74.3	84	88	74.9	585	783	74.3	1.72 1.46	38.	1.82 1.685
<b>258</b>			101.6	28	107	78.6 96.1	Ēr.	E 201	75.7	88	智	55.2 2.4	12.5	794	75.8 94.0	48	H4	8.9 9.4	1.70	2.45	1.732 1.881
15.25		88	211.1	55 St	25 E	140.3	:88	23.5 23.5 23.5 23.5 23.5 23.5 23.5 23.5	133.5	18 19 19	25 28 28 28	131.9	252	176 <del>1</del> 240	136.0 211.3	161 161	175 <u>4</u> 233	131.6 192.3	3.5 3.5 3.5	3.50	3.23 3.73
88		2002	181.3	141	器器	178.9 170.1	<del>2</del> 8	175	152.2	22	25.25	168.7	135	215	173.9 159.5	148	196 195	167.9 159.3	2.20 75	3.50	%. 88.
1524	_ 149	088 888	173.2 183.8	081 180	192	163.8 188.0	136	288	158.9	23.53	1853	157.2 165.6	125	<b>88</b>	160.7 170.8	123 139	203	157.4 165.9	2, 10 3, 05	3.35	3.33
8	100	<del>n</del> —	168.9	97	╫──	163.2	-		155.0	271	1583	153.0	925	155	153.1	150	156	152.9	3.45	3.77	3,659
20,50			136.2	7 191 191		58.5			183.1	33	88	160.5	199	38	162,7	158	991	163.0	88	888	88
185	·_ =	1991	192, 8	28	88	176.2	E:8	도 종	176.0	<b>2</b> 8	82	200.0	32	35	204.6	282	88	200.0	88	4.4 3.23	. 4 . 4
ö	rege		208.2	961	-	198.8		-	188.0	176	2013	189.5	28	202	199.3	111	8	187.5	4.15	4. 13.	4.200
120		231	188.4	140	25	177.6	68	230	171.7	2	217	170.6	147	215	174.8	150	213	1/3.0	3.40	4.60	0.0
88 5	-40	1953	176.5	<b>19</b> 2	198	196.4	154	171	162.6	35	£ 8 8 8	159.3	120	25 175	165.2	<del>3</del> 4	25 25	159.5	4.4 5.5	44 88	4.356
388			156.5	135		147.3	:E		136.8	1194	7	135.0	82	191	141.4	28	151	128.5	32.25	89	3,275
83	. "		115.5	1123		117.1	28		×-	\$12 84 84 84 84 84 84 84 84 84 84 84 84 84	3	4.8	3 5	100	95.8	2 20	18	3 75	26	38	3,167
Ė			186	3		*	38		78.5	Ŕ	8	4	1	88	80.8	π	æ	76.1	2,65	3.30	2,808
3	1000	1995	138.4	100	861	145.7	22	151	120.4	29	1834	117.4	77	175	125.1	658	173	117.4	2.63	4.65	3.518
100	15	eginnir	1 No. 3 yellow, beginning Mar., 1919.	, 1919.	,	,	No. 2 mixed, 1919.	nixed,	1919.		*	No. 3 y	ellow, 1	No. 3 yellow, 1919-20.	8		4 No. 3	No. 3 yellow, 1919.	1919.		

No. 3 yellow, beginning Mar., 1919.
 Solifornia yellow, Mar. to Oct., 1919; Egyptian, white, Oct., 1919, to Dec., 1920.

#### CORN-Continued.

Table 15.—Corn (including meal): International trade, calendar years 1909-1919,1

#### [The item maicena or maizena is included as "Corn and commeal."]

GENERAL NOTE.—Substantially the international trade of the world. It should not be expected that the world export and import totals for any year will agree. Among sources of disagreement are these: (1) Different periods of time covered in the "year" of the various countries; (2) imports received in year subsequent to year of export; (3) want of uniformity in classification of goods among countries; (4) different practices and varying degrees of failure in recording countries of origin and ultimate destination; (5) different practices of recording reexported goods; (6) opposite methods of treating free ports; (7) clerical errors, which, it may be assumed, are not infrequent.

The exports given are domestic exports, and the imports given are imports for consumption as far as it is feasible and consistent so to express the facts. While there are some inevitable omissions, on the other hand there are some duplications because of reshipments that do not appear as such in official reports. For the United Kingdom import figures refer to imports for consumption when available, otherwise total imports, less exports, of "foreign and colonial merchandise." Figures for the United States include Alaska, Porto Rico, and Hawaii.

#### EXPORTS.

Country.	Average, 1909–1913.	1914	1915	1916	1917	1918	1919
From—	1,000 bushels. 115,749	1,000 bushels. 139, 461	1,000 bushels. 170, 490	1,000 bushels. 113, 143	1,000 bushels 35, 194	1,000 bushels. 28, 171	1,000 bushels. 97,851
Austria-Hungary Belgium British South Africa Bulgaría	268 8,130 4,115 9,307	4, 926	6, 930	6, 748	11, 284	13, 507	612 13, 582
Netherlands	8, 750 38, 966 30, 034	4,345 41,804 11,275	808 53	(²) 97	(2)		38 26
United States. Uruguay. Other countries	45, 054 201 10, 452	17,018 3 10,997	50, 223 93 11, 588	55, 237 14 9, 593	57,011 5 7,970	47, 059 5,349	16,002
Total	271,026	229,829	240, 185	184, 832	111,464	92,086	

### IMPORTS.

· · · · · · · · · · · · · · · · · · ·		,	,	<del></del>			
Into-							
Austria-Hungary Belgium	13, 877 25, 801 257						1 489
British South Africa Canada	257 10,629	52	340 10, 980	132	196	56 11,757	1, 483 86 6, 459
Cubs Denmark	2,746 11,440	8, 347 2, 890 10, 399 687	3, 242 27, 354	132 8,832 3,810 17,767	8, 101 2, 634 9, 508 44	1,672 105	u, 200
Egypt	471	687	2	1	9,508	5	22 6,921
France. Germany	18,708 32,160 14,895	16, 331	17,582	28, 379	6,349	6,748	
ItalyMexico	14, 895 4, 404	3,313	7,842	2, 184	7, 935	10, 856	8, 232
Netherlands Norway	4, 404 29, 580 1, 079	25, 674 1, 672	43,338 1,925	27,514 1,889	8,528 1,305 693	346 2,531	9,685
Portugal	1,674 335	3, 105 578	471	(2) 443	1		
Spain Sweden	9,775	7,980 2,195	8, 134 8 202	4, 248 2, 023 4, 767	2,179 1,212	383 1 374	2,509 3,199
Switzerland United Kingdom	1, 674 335 9, 775 1, 476 3, 987 82, 976 1, 226 3, 495	7, 960 2, 195 3, 068 75, 499	8, 134 8, 292 4, 461 92, 226	4, 767 68, 759	2,179 1,212 3,241 53,802 1,654 1,983	1,374 652 32,275	2, 509 3, 199 5, 274 38, 987 11, 213
United StatesOther countries	1, 226	15, 821 4,866	6, 499 5, 003	2, 155 4, 241	1,654	1,990 928	11, 213
				<u> </u>			
Total	270, 991	182,455	237,744	177,143	109,364	71,676	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
<sup>2</sup> Less than 500 bushels.

30702°-YBK 1920-35

#### WHEAT.

Table 16.—Wheat: Area and production in undermentioned countries, 1909-1920. AREA.

			22					
Country.	A verage, <sup>1</sup> 1909–1913,	1914	1915	1916	1917	1918	1919	1920
NORTH AMERICA. United States	1,000 acres. 47,097	1,000 acres. 53,541	1,000 acres. 60,469	1,000 acres. 52,316	1,000 acres. 45,089	1,000 acres. 59,181	1,000 acres. 72,308	1,000 acres. 57,192
Canada: Quebec	70 . 850 2, 861 4, 894 1, 201 69	55 834 2,616 5,348 1,371 70	71 1, 093 2, 800 8, 929 2, 138 78	64 865 2,726 9,082 2,605 78	277 770 2, 449 8, 273 2, 897 90	366 714 2,984 9,249 3,892 149	251 981 2,880 10,587 4,283 144	222 1, 030 2, 706 10, 061 4, 074 139
Total	9, 945	10, 294	15, 109	15,370	14,756	17, 354	19, 126	18, 232
Mexico	2, 628							
Total North America	59,670							
SOUTH AMERICA.					•			
ArgentinaChileUruguay	15,799 1,021 734	16,243 1,018 911	15,471 1,074 788	16, 420 1, 143 950	16,089 1,272 780	17, 875 1, 302 976	16,976 1,313 840	14, 957 721
Total	17,554	18, 172	17,328	18, 513	18, 141	20, 153	19, 129	
EUROPE.								
Austrie Hungary proper <sup>2</sup> Belgium Bulgaria <sup>2</sup>	2 3, 011 8, 284 395 2, 764	* 1,660 8,016 400 2,638	* 1,588 8,288 2,408	4 2, 008 2, 220	411 2,481	400 2,445	371 329 5 2, 080 6 816	2, 081 282 6 2, 154
Bulgaria <sup>a</sup> Czecho-Slovakia Denmark Finland	123	134	164	152	181	140	124 19	1,494 165 19
France <sup>2</sup> . Alsace-Lorraine. Germany <sup>2</sup> .	16,308 341 4,768	14,975 333 4,932	13, 564 299 4, 950	12, 429 7 3, 950 9 895	10,357 73,573	10, 998 7 3, 547	7 11,515 257 7 3,162	7 11, 995 7 3, 427
Greece Italy Jugo-Slavia	868 11,746	11,783	847 12, 502	11,679	10 1, 045 10, 556	10, 788	936 10,571 3,380	11, 292 3, 952
Luxemburg Netherlands Norway	27 138 12	27 148 14	22 163 14	20 136 14 929	22 122 20 685	23 148 41 806	168 41 132	156 41
Portugal Roumania 2 Russia proper 2 Poland 3	1,180 4,576 50,388 1,260	5, 218 83, 862 14 343	929 4,705 77,238	4, 844 42, 028	050	11 5, 684	19 4, 271 16 1, 407	18 5, 156 16 2, 044
Serbia	9,547 255 156	9, 681 269 113	10, 037 299 114	10, 148 307 124	10,340 329 130	10,228 381 203	10,378 345 130	10,050 360 119
United Kingdom: England Wales Scotland Ireland	1,748 44 52 43	1,770 37 61 37	2,122 49 77 87	1,862 50 63 76	1, 855 64 61 124	2,461 96 79 157	2,150 71 80 70	1,825 51 55 50
Total	1,887	1,905	2,335	2,051	2,101	2,793	2,371	1,981
Total Europe.	. 118,908							

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
2 Did boundaries.
3 Gallois and Bukowina not included.
4 Includes Gallois, but excludes Bukowina, Goritz, and Gradisca.
8 New boundaries.
8 Bohemia and Moravia only.
7 Excludes Alsace-Lorraine.
8 1914.

<sup>Brcludes Macedonia.
Excludes eastern Macedonia.
Excludes Pobrudia.
Former Kingdom, Bessarabia, and Bukowina.
Former Kingdom, Bessarabia, Bukowina, and Transylvania.
Winter wheat, 5 governments only.
Includes Congress Poland, Western Galida, Bastern Galidia, and Posen.

Montre Transylvania.</sup> 

## Statistics of Wheat.

Table 16.—Wheat: Area and production in undermentioned countries, 1909-1920—Con. AREA-Continued.

				mondada.				
Country.	A verage, <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
ASIA. British India <sup>2</sup>	1,000 acres. 29,114	1,000 acres. 28,475	1,000 acres. 32,475	1,000 acres. 30,320	1,000 acres. 32,940	1,000 acres. 35,487	1,000 acres. 23,797	1,000 acres. 29,975
Cyprus. Japanese Empire: Japan Formosa Chosen (Korea)	1,179 14 369	1,174 16 474	1,227 16 499	1, 304 14 520	1,393 13 560	1,390	1,355	1, 335
Persia								
Russia: Central Asia 3 (4 governments) Siberia 3 (4 gov- ernments)	3, 767	5, 501	5, 421					
ernments)	5,987	7, 931	7,727					
Transcaucasia 3 (1 government)	10	11	10					
Total Russia	9,764	13, 443	13, 158					
Turkey (Asiatic)								
Total Asia	40,440							
AFRICA.								
Algeria Egypt Tunis Union of South Africa	3,371 1,311 1,193	3, 368 1, 301 1, 010 725	3, 209 1, 592 1, 112 725	3, 272 1, 447 1, 482 785	3,222 1,116 1,310 755	3,186 1,286 1,413 925	2,800 1,323 1,400 953	2, 647 1, 190 1, 211 801
Total	5,875	6, 404	6,638	6,986	6,403	6,810	6,476	5, 849
AUSTRALASIA.		<del></del>		<del></del>		<del></del>		
Australia: Queensland. New South Wales Victoria. South Australia. Western Australia. Tasmania.	95 2,025 2,105 1,993 544 36	132 3,205 2,566 2,268 1,097	127 2,758 2,864 2,502 1,376	94 4, 189 3, 680 2, 739 1, 734	228 3,807 3,126 2,778 1,567	128 3,329 2,690 2,356 1,250	22 2,410 2,214 2,186 1,145	37 1, 457 1, 918 1, 922 1, 078
Other					1		. 1	
Total	6,798	9, 286	9,651	12, 485	11,535	9,775	7, 990	6, 413
New Zealand	258	167	230	329	218	281	208	193
Total Austral- asia	7, 056	9, 453	9, 881	12, 814	11,753	10,058	8, 198	6, 606
Grand total	249, 503							
	·	<u></u>	PRODU	CTION.	<del></del>		·	······································
NORTH AMERICA. United States	1,000 bushels. 686,691	1,000 bushels. 891,017	1,000 bushels. 1,025,801	1,000 bushels. 636,318	1,000 bushels. 636,655	1,000 bushels. 921,438	1,000 bushels. 934, 265	1,000 bushels. 787,128
Canada: Quebec Ontario Manitoba Saskatchewan Alberta Other	1, 168 18, 633 53, 174 97, 954 24, 783 1, 407	990 17,658 38,605 73,494 28,859 1,674	1, 411 30, 252 69, 337 224, 312 66, 538 1, 692	960 17,931 29,667 147,559 65,088 1,576	3, 884 16, 318 41, 040 117, 921 52, 992 1, 588	6,308 15,241 48,191 92,493 23,752 3,090	4,206 20,698 40,975 89,994 34,575 2,812	3, 777 22, 977 37, 542 113, 134 83, 461 2, 303
Total	197, 119	161, 280	393, 543	262, 781	233, 743	189, 075	193, 260	263, 189
Mexico	9,995	4, 389	4,000			4 10, 470	4 14, 239	14, 951
Total	893, 805	1, 056, 686	1, 423, 343			1, 120, 988	1, 141, 764	1,065,268
			,		,	1		

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.

2 Includes some native States.

3 Old boundaries.

4 Unofficials.

TABLE 16 .- Wheat: Area and production in undermentioned countries, 1909-1920-Con PRODUCTION-Continued.

		PROI	JUCTION	Continu	iea.			
Country.	A verage, <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
SOUTH AMERICA.  Argentins	1,000 bushels. 157,347	1,000 bushels. 113,904	1,000 bushels. 169, 166	1,000 bushels, 172,620 20,184	1,000 bushels. 80, 115	1,000 bushels. 184,000 23,120	1,000 bushels. 171,591 21,591	1,000 bushels, 214,140 21,845
Chile Uruguay	157, 347 20, 316 7, 314	16, 403 5, 887	19, 000 3, 596	9,867	22, 498 5, 390	13,060	6,890	5, 416
Total	184,977	136, 194	191, 762	202, 671	108,003	220,180	200, 072	241,401
Austria Hungary proper <sup>2</sup> Belgium Bulgaria <sup>2</sup> Czecho-Slovakia Denmark Finland	2 61, 075 156, 523 14, 583 43, 725 4, 916 129	8 38,024 105,237 13,973 23,200 5,785 196	* 28, 286 152, 934 8, 000 36, 940 7, 978 260	4 27, 811 27, 764 6, 044 246	5,993 115,530 68,252 33,294 4,296	5, 159 6, 180 25, 341 6, 331	5,114 9,895 4 34,028 7 14,942 5,923 306	6 29, 139 7, 948 6 41, 189 21, 453 6, 944 272
France 2 Alsace-Lorraine Germany 3 Greece Italy Jugo Slavia Luxemburg	317, 254 8, 009 152, 119 9 7, 200 183, 260	282, 689 6, 700 145, 944 7, 000 169, 581	222,776 5,508 141,676 6,000 170,541	204,908 * 110,207 10 8,106 176,530	134, 575 8 81, 791 11 11, 505 139, 909 388	225,736 2,952 85,865 183,294 512	* 182, 444 4, 589 * 79, 701 9, 693 169, 769 50, 956	8 230, 404 8 78, 924 13, 287 141, 337 64, 712
Norway Portugal Roumania <sup>2</sup> Russia proper <sup>2</sup> Poland Serbia <sup>2</sup> Spain	4,976	5,779 269 10,000 49,270 833,639	7,090 285 6,571 89,241 826,784	4,035 317 7,343 78,520	3,452 432 5,560	5, 431 1, 087 8, 252 13 18, 447	6,015 1,071 10 66,060	6,677 1,035 1441,815
Switzerland	14,775 130,446 7,907 3,314	9,000 116,089 8,472 3,277	10,000 139,298 9,170 3,957	152, 329 8, 979 4, 053	142,674 6,864 4,556	5 4, 126 135, 709 9, 003 7, 905	129,250 9,509 3,524	138,606 11,123 3,586
United Kingdom: England. Wales. Scotland Ireland	56, 411 1, 117 2, 345 1, 608	59, 217 1, 082 2, 642 1, 415	68, 437 1, 421 3, 053 3, 339	54, 941 1, 466 2, 336 2, 916	57,397 1,726 2,510 4,717	83, 957 2, 938 3, 317 5, 867	61, 824 1, 984 3, 064 2, 452	52,184 1,232 2,080 1,402
Total	61, 481	64, 356	76, 250	61, 659	66, 350	96, 079	69,324	56,898
Total Europe	1,806,104						•••••	*****
British India 16	350, 736 2, 286	312, 032 2, 500	376, 731 1, 924	323,008	282, 069	370, 421	280, 485 1, 861	376, 884 5 3, 000
Japan Formosa Chosen (Korea) Persia	25,274 173 4,871 16,000	22,975 195 5,848 14,000	26,778 161 6,146 16,000	30, 047 138 6, 887	34, 739 125 6, 540	32, 923 6, 655	29,800 7,144	28,055
Russia: Central Asia <sup>3</sup> (4 governments). Siberia <sup>3</sup> (4 governments).	29,292	68, 448 104, 088	44, 132 50, 308					
Transcaucasia 2 (1 government).	1	104,088	128					
Total Russia	84,139	172, 568	94, 566					
Turkey (Asiatic)	35,000							
Total Asia	518,479							

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
2 Old boundaries.
3 Excindes Galicia and Bukowina.
4 Includes Galicia and excludes Bukowina, Goritz, and Gradiese.
5 Unofficial.
9 New boundaries.
7 Behemis and Moravia only.
8 Excindes Alsace-Lorraine.

<sup>9 1914.
10</sup> Excludes Macedonia.
11 Excludes Eastern Macedonia.
12 Excludes Dobrudia.
13 Excludes Dobrudia.
14 Former Kingdom, Bessarabia, and Bukowi.a.
15 Former Kingdom and Bessarabia.
15 Includes Congress Poland, Eastern and Western Galicia, and Posen.
16 Includes some native states.

Table 16.—Wheat: Area and production in undermentioned countries, 1909-1920—Con.
PRODUCTION—Continued.

•								
Country.	Average,1 1909–1913.	1914	1915	1916	1917	1918	1919	. 1920
AFRICA. Algeria	1,000 bushels. 33,071 34,000 6,063 4,620	1,000 bushels. 30,000 32,831 2,205 6,034	1,000 bushels. 34,654 39,144 11,023 7,076	1,000 bushels. 29,151 36,543 7,165 4,857	1,000 bushels. 23, 151 29, 834 6, 963 4, 790	1,000 bushels. 49,774 32,555 8,451 8,833	1,000 bushels. 25, 559 30, 137 7, 349 8, 983	1,000 bushels. 13,902 27,246 4,766 6,630
Total	77,754	71,070	91,897	77,716	64,738	99,613	72,028	52, 544
Australasia.								
Australia: Queenland New South Wales Victoria South Australia Western Austra- lia Tasmania Other	1,250 26,717 27,656 22,843 5,671 806	1,825 39,219 33,974 17,470 13,751 361	1, 685 13, 235 4, 065 3, 639 2, 707 396	427 68, 869 60, 366 35, 210 18, 811 1, 025	2, 463 36, 598 51, 162 45, 745 16, 103 348 14	1,035 37,705 37,738 28,693 9,304 252 7	104 18, 325 25, 240 22, 937 8, 845 187	287 4,297 14,858 14,947 12,270 141 1
Total	84,943	106, 600	25, 677	184,709	152, 433	114,734	75, 638	46, 801
New Zealand	7,885	5,559	6,854	7,332	5, 083	6,888	6, 568	4,100
Total Austral- asia	92, 828	112, 159	32, 531	192,041	157, 516	121,622	82, 206	50, 901
Grand total	3, 573, 947							
	<u> </u>	<u> </u>	ł	<u> </u>	}	<u> </u>	<u> </u>	<u> </u>

<sup>&</sup>lt;sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.

Table 17.—Wheat: World production so far as reported, 1891-1916.

						· If	
Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1891 1892 1893 1894 1895 1896	Bushels. 2, 432, 322, 900 2, 481, 805, 900 2, 559, 174, 900 2, 568, 557, 900 2, 593, 312, 900 2, 506, 320, 900 2, 236, 288, 900	1898 1899 1900 1901 1902 1903	Bushels. 2, 948, 305, 000 2, 783, 885, 000 2, 610, 751, 000 2, 955, 975, 000 3, 090, 116, 000 3, 189, 813, 000 3, 163, 542, 000	1905 1906 1907 1908 1909 1910	Bushels. 3, 327, 084, 000 3, 484, 384, 000 3, 183, 965, 000 3, 182, 105, 000 3, 581, 519, 000 3, 581, 519, 500 3, 551, 795, 000	1912 1913 1914 1915	Bushels. 3, 791, 951, 000 4, 127, 437, 000 3, 585, 916, 000 4, 127, 685, 000 3, 701, 333, 000

Table 18.—Wheat: Average yield per acre in undermentioned countries, 1890-1920.

Year.	United States.1	Russia (Euro- pean).1	Ger- many.	Austria.1	Hungary proper.1	France.3	United King- dom.2
Average: 1890-1899 1900-1909 1910-1914.	14.1	Bushels. 8.9 9.7 10.3	Bushels. 24. 5 28. 9 31. 7	Bushels. 16. 2 18. 0 20. 8	Bushels. 17. 5 18. 6	Bushels. 18.6 20.5 19.1	Bushels. 31. 2 33. 1 32. 4
1906 1907 1908 1909 1909 1910 1911 1912 1913 1914 1914 1915 1916 1917 1918	14.0 14.0 15.4 12.9 12.5 16.6 17.0 12.2 14.1	7.7 8.0 8.8 12.5 11.2 7.0 10.3 13.5 9.4 11.6	30, 3 29, 6 29, 7 30, 5 29, 6 33, 6 33, 1 29, 6 28, 0 22, 9 25, 4	20. 3 18. 0 21. 0 19. 9 19. 2 19. 6 22. 3 19. 9 22. 9 17. 8	22. 5 14. 9 17. 5 14. 1 19. 8 20. 9 19. 8 19. 6 13. 1 18. 4	20. 2 23. 2 19. 6 22. 0 15. 9 19. 8 21. 0 19. 9 16. 5 13. 8 20. 8	34.8 35.1 33.4 34.0 30.0 30.7 33.8 32.7 30.0 31.5 33.3

<sup>&</sup>lt;sup>1</sup> Bushels of 60 pounds.

<sup>&</sup>lt;sup>1</sup> Winchester bushels.

Table 19.—Wheat: Acreage, production, value, exports, etc., in the United States, 1849-1920.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

estinio	COS WILDII	GAGT TIC	W Celisus C		avanabie.							
	Acreage har- vested	Aver-	Produc-	Aver- age farm	Farm value	∣ bu	ago ca shel, l a sprin	Vo. 1 n	e per orth-	Domestic exports including	Imports including	Per cent of
Year.	(000 omit- ted).	yield per acre.	tion (000 omitted).	price per bushel Dec. 1.	Dec. 1 (000 omitted).	Dece	mber.	M	owing ay.	flour, fiscal year beginning July 1.	riour, fiscal year beginning July 1.	ex- port- ed.
						Low.	High.	Low.	High.	July 1.		eu.
1849 1859	Acres.	Bush.	Bushels. 100, 486 173, 105	Cents,	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels. 7,535,901 17,213,133	Bushels. 1,565,791	P.ct. 7.5 9.9
1866	15, 424	9.9	159 000	152, 7	232, 110	129	145	185	211	12, 646, 941	3, 092, 400	8.8
1867 1868 1869 1869	15, 424 18, 322 18, 460 19, 181	11.6 12.1 13.6	212, 441 224, 037 260, 147 287, 746	145, 2 108, 5 76, 5	232, 110 308, 387 243, 033 199, 025	126 80 63	140 88 76	134 87 79	161 96 92	12, 646, 941 26, 323, 014 29, 717, 201 53, 900, 780	3, 092, 400 2, 014, 328 1, 830, 393 1, 285, 976	12.4 13.3 20.7
1870	18, 993	12.4	235, 885	94. 4	222, 767	91	98	113	120	52, 574, 111	867, 489 2, 410, 738	22.3
1871 1872	19, 944 20, 858	11.6 12.0 12.7	230, 722 249, 997	114. 5 111. 4	222, 767 264, 076 278, 522 300, 670	107 97	111 108	120 112	143 122	52, 574, 111 38, 995, 755 52, 014, 715 91, 510, 398	1,841,049	16.9 20.8
1873 1874	22, 172 24, 967	12.7 12.3	281, 255 308, 103	106. 9 86. 3	200, ool	96 78	106 83	105 78	114 94	91, 510, 398 72, 912, 817	1,841,049 2,116,777 367,987	32. 5 23. 7
1875	26, 382	11.1	292, 136	89. 5	261, 397 280, 743 385, 089	82 104	91 117	89 130	100 172	74 750 689	1 664 139	25.6 19.7
1876 1877	27, 627 26, 278	10.5 13.9	289, 356 364, 194	97. 0 105. 7	385, 089	103	108	98	113	92, 141, 626	1,390,713	25.3
1878 1879	26, 278 32, 109 32, 546	13. 1 13. 8	420, 122 448, 757 459, 488	77. 6 110. 8	325, 814 497, 030	81 122	84 1331	91 1123	119	57, 043, 936 92, 141, 626 150, 502, 506 180, 304, 181	366, 061 1, 390, 713 2, 074, 321 488, 687	35.8 40.2
1879 1880	35,430 37,987	13.0	498, 550	95.1	474, 202	931	1092	101	1125	186 321 514	212 600	37. 4
1881	37,987 37,709	10. 2 13. 6	383, 280 504, 185	119. 2 88. 4	474, 202 456, 880 445, 602	1247	129	123 108	140	121, 892, 389 147, 811, 316 111, 534, 182	865, 467	31. 8 29. 3
1883	37,067 36,456 39,476	11.6 13.0	421, 086 512, 765	91.1	445, 602 383, 649 330, 862	911 945 691	943 991 768	85 853	113 94 90 90	111, 534, 182 132, 570, 366	865, 467 1, 087, 011 32, 474 212, 312	26.5 25.9
1885	34, 189	10.4	357, 112	77.1	075 300	827	20	721	79	94, 565, 793	388, 415	26.5
1886. 1887.	37.642	12. 4 12. 1	457, 218 456, 329	68.7 68.1	314, 226 310, 613	751 751 961	791	811	883 897	153, 804, 969 119, 625, 344 88, 600, 743	282, 400 594, 860	33.6 26.2
1888. 1889.	37,336	11. 1 12. 9	415, 868 490, 560 468, 374	92. 6 69. 8	385, 248 342, 492	965 765	791 791 1051 801	721 802 811 771 892	95½ 100	88, 600, 743 109, 430, 467	135, 851 162, 546	21.3 22.3
1889 1890	38,580 36,087	13. 9 11. 1	200 262	83. 8	334, 774	971	923	987	1081	106, 181, 316	583, 826	26.6
1891.	39,917	15. 3	1 611 721	83.9	513, 473	871 891	931 73	180	853	225, 665, 811	2, 462, 365	36.9 37.2
1892. 1893.	34,629	13. 4 11. 4	515, 947 396, 132 460, 267	62. 4 53. 8	322, 112 213, 171 225, 902	691 591 522	641 632	681 521 601	1081 851 761 601 858	191, 912, 635 164, 283, 129	2, 462, 365 968, 125 1, 182, 864 1, 438, 399	41.5
1894.	34,882	13. 2 13. 7	467, 103	49. 1 50. 9	237, 939		649	571	675	144, 812, 718 126, 443, 968	2,116,303	31. 5 27. 1
1896. 1897.	34.619	12. 4 13. 4	427, 684 530, 149	72. 6 80. 8	310, 598 428, 547	533 748 92	93½ 109	571 682 117	977 185	145, 124, 972 217, 306, 005	1,544,242 2,058,938	33.9 41.0
1898. 1899.	. 44.055	15. 3	1 675, 149	58, 2 58, 4	392, 770 319, 545	621	70 691	688	791 671	222, 618, 420 186, 096, 762	1,875,173 320,194	33.0 34.0
1899.	52,589	12.3 12.5	547, 304 658, 534									
1900. 1901.	. 49,896	12.3 15.0	522, 230 748, 460	61. 9 62. 4	323, 515 467, 360 422, 224	69 <del>1</del> 73	748 791 775	70 723 743 874	751 761	215, 990, 973 234, 772, 516	603, 101 120, 502	41.4 31.4
1902. 1903.	. 49, 465	14. 5 12. 9	670, 063 637, 822	63. 0 69. 5	443, 025	717 774	87	742 872	80 101 113	202, 905, 598 120, 727, 613 44, 112, 910	1,080,128 217,682	30.3 18.9
1904.	44,075	12.5	552, 400 692, 979	92. 4 74. 8	510, 490 518, 373	115 82½	122 90	89 <del>1</del> 801	113 <del>1</del> 87 <del>1</del>	97, 609, 007	3, 286, 189 261, 908	8.0 14.1
1906.	47, 306	15. 5 14. 0	735, 261	66. 7 87. 4	490, 383 554, 437			84	106	146, 700, 425 163, 043, 669	590, 092 519, 785	20.0 25.7
1907. 1908.	47, 557	14.0	634, 087 664, 602	92. 8	616, 826	1063	112	1261	137	114, 268, 468	456, 940	17.2
1909 . 1909 .	44,202	10.4	737, 189 683, 379	98. 6	668, 680	106	1192	100	1191	87, 364, 318	815, 617	12.8
1910 I 1911 -	45, 681	13.9 12.5	635, 121 621, 338	88. 3 87. 4	561, 051 543, 063	104 105	110 110	98 115	106 122	69, 311, 760 79, 689, 404	1,146,558 3,413,626 1,282,039 2,383,537	10.9 12.8
1912. 1913.	45, 814	15. 9 15. 2	730, 267 763, 380	78. 0 79. 9	543, 063 555, 280 610, 122	85 89}	902	90 <u>1</u> 96	96	142, 879, 596 145, 590, 349	1,282,039	19.6 19.1
1914.	. 53, 541	16.6	891,017	98.6	010,000	115	131	141	1643	332, 464, 975	110,000	37.3
1915. 1916.	52, 316		1,025,801 636,318	91. 9 160. 3	942, 303	106 1551	1281 190	116 258	126 340 220	243, 117, 026 208, 573, 928	7,187,650 24,924,985	23.7 32.0
1917. 1918.	. 45, 089 59, 181	14.1 15.6	921 438	200.8	1,278,112	220	220 220	220 245	220 280	208, 573, 928 132, 578, 633 287, 401, 579	31, 215, 213 11, 288, 591	20. 8 31, 2
1919 1920	. 72,308 57,192	12.9 13.8	934, 265 787, 128	215. 1 144. 3	2, 009, 407 1, 135, 806	280 164	325 187	295	345	219, 861, 398	5, 495, 516	23. 5
	. 0.,102	1 200	1, 220	1	1 -, 200, 300	1	1 200	1	1	1	1	1

<sup>&</sup>lt;sup>1</sup> Figures adjusted to census basis.

Table 20.—Wheat: Revised acreage, production, and farm value, 1879, and 1889-1909.

[See head note of Table 5.]

Year.	Acreage harvested.	Average yield per acre.	Production.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
1879. 1889. 1890. 1891.	38, 580,000 34, 048, 000	Bushels. 14.1 12.9 11.1 15.5 13.3	Bushels. 496, 435, 000 434, 383, 000 378, 097, 000 584, 504, 000 527, 986, 000	Cents. 110, 6 69, 5 83, 3 83, 4 62, 2	Dollars. 549, 219, 000 301, 869, 000 315, 112, 000 487, 463, 000 328, 329, 000
1893 1894 1895 1896 1897	37, 934, 900 39, 425, 000 40, 848, 000 43, 916, 900 46, 046, 000	11.3 13.1 13.9 12.4 13.3	427, 553,000 516, 485,000 569, 456,000 544, 193,000 610, 254,000	53. 5 48. 9 50. 3 71. 7 80. 9	228,599,000 252,709,000 286,539,000 390,346,000 493,683,000
1898 1899 1890 1900 1901	52, 589, 000 51, 387, 000 52, 473, 000 49, 649, 000	15. 1 12. 1 11. 7 15. 0 14. 6	772, 163, 000 636, 051, 000 602, 708, 000 789, 538, 000 724, 528, 000	58. 2 58. 6 62. 0 62. 6 63. 0	449,022,000 372,982,000 373,578,000 494,096,000 456,530,000
1903 1904 1905 1906 1908 1907 1908	51, 632, 000 47, 825, 000 49, 389, 000 47, 800, 000 45, 116, 000 45, 970, 000 44, 262, 000	12.9 12.5 14.7 15.8 14.1 14.0 15.8	664,543,000 596,375,000 726,384,000 757,195,000 637,981,000 644,656,000 700,434,000	69. 5 92. 4 74. 6 66. 2 86. 5 92. 2 98. 4	461,605,000 551,128,000 542,119,000 501,355,000 552,074,000 594,092,000 689,108,000

Table 21.—Winter and spring wheat: Acreage (sown and harvested), production, and farm value Dec. 1, by States in 1920, and United States totals, 1890–1919.

### [000 omitted, except in yield and price columns.]

•			Winte	r wheat.				s	ring whe	at.	
State.	Acre- age sown in pre- ceding fall.	Acre- age har- vested.	Aver- age yield per acre.	Produc- tion.	Aver- age farm price Dec. 1.	Total farm value Dec. 1.	Acre- age.	Aver- age yield per acre.	Produc-	Aver- age farm price Dec. 1.	Total farm value Dec. 1.
MeVt.	Acres.	Acres.	Bush.	Bush.	Cts.	Dollars.	A cres.	Bush. 22.7	Bush. 159	Cts.	Dollars.
N.Y	467 105	460 95	22.3 16.0	10, 258	175 205	17,952 3,116	11 40	19.0 18.5	209 740	200 175	418 1,295
Pa	1,555	1,500	16.6	1,520 24,900	170	42,330	24	16.0	384	170	653
Del Md	125 700	120 670	17.0 17.0	2,040 11,390	171	3,488					
370	942	914	12.5	11.425	165 180	18,794 20,565 8,075					
W. Va N. C	354 730	840 724	12.5 11.7	4,250 8,471	190 210	8,075 17,789					
S. C Ga	165 222	160 211	11.0 10.0 12.7	1,760 2,110 28,308 23,400	255 240	4,488 5,064 46,708		ļ		ļ	
Ohio	2, 476	2, 229	12.7	28,308	165	46,708	30	13.0	390	165	644
Ohio Ind Ill.	2,170 2,600	1,950 2,350	12.0 15.2	23,400 35,720	167 161	39,078 57,509	300	14.0 16.5	140 4,950	167 161	7,970
Mich	922	890	15.5	13,795	168	23, 176	48	10.0	480	168	806 4,851
Wis Minn	94 70	91 60	22.0 19.6	13,795 2,002 1,176	154 130	3,083 1,529 11,972 52,000	250 2,941	12.6 9.5	3,150 27,940	154 130	4,851 36,322
Idwa Mo	458 2,820	2,600	19.7 12.5	8,491 32,500	141	11,972	400 17	11.3	1. 4.520	135 160	6,102 354

Table 21.—Winter and spring wheat: Acreage (sown and harvested), production, and farm value Dec. 1, by States in 1920, and United States totals, 1890–1919—Continued.

			Winter	wheat.				Sp	ring whee	ıt.	
State.	Acre- age sown in pre- ceding fall.	Acre- age har- vested.	Average yield per acre.	Production.	Aver- age farm price Dec. 1.	Total farm value Dec. 1.	Acre- age.	Average yield per acre.	Produc- tion.	Average farm price Dec.1.	Total farm value Dec. 1.
N. Dak S. Dak Nebr Kans	A cres. 66 3,368 10,554 625	A cres. 56 3,335 8,886 550	Bush. 14.5 17.4 15.4 10.2	Bush. 812 58,029 136,844 5,610	Cts. 115 131 130 191	934 76,018 177,897 10,715	A cres. 7,600 2,830 258 17	Bush. 9.0 9.0 9.5 12.5	Bush 68, 400 25, 470 2, 451 212	Cts. 130 115 131 130	Dollars. 88, 920 29, 290 3, 211 276
Tenn Ala. Miss. Tex. Okla.	470 70 15 1,310 3,100	424 68 10 1,225 2,890	9. 5 9. 6 10. 0 13. 0 16. 0	4,028 653 100 15,925 46,240	195 230 213 172 135						
Ark Mont Wyo Colo	132 450 73 1,000	126 300 69 950	9. 5 13. 0 20. 0 18. 1	1,197 3,900 1,380 17,195	190 128 135 135	2, 274 4, 992 1, 863 23, 213	1,450 185 290	11. 0 20. 0 19. 4	15, 950 3, 700 5, 626	128 135 135	20,416 4,995 7,595
N. Mex. Ariz Utah Nev.	258 45 168 3	225 36 156 3	19. 0 24. 0 15. 0 25. 0	4,275 864 2,340 75	140 262 153 180	5, 985 2, 264 3, 580 135	105 124 15	20. 0 24. 4 23. 0	2, 100 3, 026 345	140 153 180	2,940 4,630 621
Idaho Wash Oreg Calif.	445	400 828 791 650	20. 0 24. 3 22. 2 14. 0	8,000 20,120 17,560 9,100	125 135 130 180	10,000 27,162 22,828 16,380	650 1,501 316	24. 0 11. 9 16. 9	15,600 17,862 5,340	125 135 130	19,500 24,114 6,942
υ. s	41,757	37,773	15. 3	577, 763	149.3	862,341	19,419	10.8	209, 365	130. 6	273,465
1919 1918 1917 1916 1915	50, 489 42, 301 40, 584 39, 203 42, 881	49, 105 37, 130 27, 257 34, 709 41, 308	14.9 15.2 15.1 13.8 16.3	729, 503 565, 099 412, 901 480, 553 673, 947	210. 9 206. 3 202. 8 162. 7 94. 7	1,538,292 1,165,995 837,237 781,906 638,149	23, 203 22, 051 17, 832 17, 607 19, 161	8.8 16.2 12.5 8.8 18.4	204, 762 356, 339 223, 754 155, 765 351, 854	230.1 200.9 197.0 152.8 86.4	471, 115 715, 831 440, 875 238, 062 304, 154
1914 1913 1912 1911 1910		36, 008 31, 699 26, 571 29, 162 27, 329	19.0 16.5 15.1 14.8 15.9	684, 990 523, 561 399, 919 430, 656 484, 142	98.6 82.9 80.9 88.0 88.1	675, 623 433, 995 323, 572 379, 151 382, 318	17, 533 18, 485 19, 243 20, 381 18, 352	11.8 13.0 17.2 9.4 11.0	206, 027 239, 819 330, 348 190, 682 200, 979	98.6 73.4 70.1 86.0 88.9	203, 057 176, 127 231, 708 163, 912 178, 783
1909 1 1908 1907 1906 1905		27, 151 30, 349 28, 132 29, 600 29, 864	15.6 14.4 14.6 16.7 14.3	419, 755 437, 908 409, 442 492, 888 428, 463	102,4 93.7 88.2 68.3 78.2	426, 184 410, 330 361, 217 336, 435 334, 987	17, 111 17, 208 17, 079 17, 706 17, 990	15. 4 13. 2 13. 2 13. 7 14. 7	263, 646 226, 694 224, 645 242, 373 264, 517	92, 5 91, 1 86, 0 63, 5 69, 3	242, 496 206, 496 193, 220 153, 898 183, 386
1904 1903 1902 1901			13.8	332, 935 399, 867 411, 789 458, 835 350, 025	97.8 71.6 64.8 66.1 63.3	325, 611 286, 243 266, 727 303, 227 221, 668	17, 209 16, 954 17, 621 19, 656 16, 259	12.8 14.0 14.7 14.7 10.6	219, 464 237, 955 258, 274 289, 626 172, 204	84.2 65.9 60.2 56.7 59.1	184, 879 156, 782 155, 497 164, 133 101, 847
1899 1898 1897 1896 1895	29, 954 27, 642 24, 765 23, 383 24, 224	25, 358 25, 745 22, 926 22, 794 22, 609	11.5 14.9 14.1 11.8 11.6	291, 706 382, 492 323, 616 267, 934 261, 242	63.0 62.2 85.1 77.0 57.8	275, 323		13.3 16.0 12.5 13.5 18.0	255, 598 292, 657 206, 533 159, 750 205, 861	53.1 53.0 74.2 65.3 42.3	135, 778 155, 034 153, 224 104, 328 86, 995
1894 1893 1892 1891 1890		23, 118 26, 209 27, 524	14.0 12.0 13.7 14.7 10.9	329, 290 278, 469 359, 416 405, 116	49. 8 56. 3 65. 1 88. 0 87. 5	156, 720 234, 037 356, 415	11, 364 11, 511 12, 845 12, 393 12, 567	11.5 10.2 12.7 16.7 11.4	130, 977 117, 662 156, 531 206, 665 143, 890	47. 2 48. 0 56. 3 76. 0 77. 4	61, 880 58, 451 88, 075 157, 058 111, 411

<sup>1</sup> Census acreage (harvested) and production.

Table 22.—Winter and spring wheat: Yield per acre, in States producing both, for 10 years.

#### WINTER WHEAT.

			WIIN	TER W	HEAT	•									
	Yield per acre (bushels).  State. 10-year Ryer, and 100 100 100 100 100 100 100 100 100 10														
State.	10-year aver., 1911- 1920.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920				
New York								21,0 22,0 18,5 18,5	18.0 17.0 19.0 21.0 21.5	22.0 17.5 19.0 15.0 17.0	22,3 16.6 12.7 12.0 15.2				
Michigan Wisconsin Minnesota Iowa Missouri	20.7 17.5	17. 5 19. 7		20.1 16.2 23.4	21.5 19.5 21.6	23. 0 19. 5 21. 5	19.0 14.0 18.5	18.0 24.0 18.0 17.5 15.3	14.0 21.2 18.0 20.5 17.2	20.3 19.6 15.0 17.4 13.5	15.5 22.0 19.6 19.7 12.5				
South Dakota Nebraska Kansas Montana	16.4	13.8 10.8 31.7	18. 0 15. 5 24. 5	9.0 18.6 13.0 25.6	14.0 19.3 20.5 23.0	20.5 18.5 12.5 27.0	18.5 20.0 12.0 21.5	14.0 12.0 12.2 13.0	17.0 11.1 14.1 12.7	13.0 14.8 13.8 5.2	14.5 17.4 15.4 13.0				
Wyoming Colorado New Mexico Utah	19.7 18.6	26.0 18.0 25.0 20.0	28. 0 24. 5 20. 0 24. 0	25.0 21.1 18.6 23.0	24.0 25.0 25.0 25.0	26. 0 26. 0 22. 0 25. 0	21.0 20.0 16.5 20.0	20.0 23.0 10.0 14.0	24.0 10.5 10.0 16.6	12.0 11.2 20.0 10.5	20.0 18.1 19.0 15.0				
Nevada	24.7	23.0 31.5 27.3 22.2	27.5 28.7 27.6 26.8	23.0 27.4 27.0 21.4	29.0 27.5 26.5 22.0	26.0 29.0 27.6 24.0	24.5 24.0 26.5 23.0	26.0 18.0 21.5 17.5	29.0 22.0 23.5 17.0	20.0 18.5 19.4 21.2	25.0 20.0 24.3 22.2				
United States	15.6	14.8	15.1	16, 5	19.0	16.3	13.8	15.,1	15.2	14.9	15.3				
			SPR	ING W	/EEA1	۲.		•							
New York								21.0 20.0 25.0	20.0 17.0 21.5 23.0 26.9	15. 0 15. 0 16. 0 9. 5 10. 5	18.5 16.0 13.0 14.0 16.5				
Michigan Wisconsin Minnesota Iowa Missouri	17.9 13.4	14.5 10.1 13.8		18.6 16.2 17.0	17.0 10.5 13.5	22.5 17.0 16.7	16.6 7.5 13.0	17.7 21.2 17.5 21.5 9.0	18.0 24.7 21.0 18.0 15.6	11.2 12.4 9.3 9.5 8.5	10.6 12.5 9,3 11.0 13.0				
South Dakota Nebraska Kansas Montana	12.2	4.0 10.0 4.2 25.2	14.2 14.1 15.0 23.5	9.0 12.0 8.5 21.5	9.0 11.5 15.0 17.0	17.0 16.0 12.0 26.0	6.3 12.5 10.5 18.0	14.0 16.5 6.0 9.0	19.0 11.9 8.0 12,5	8.0 8.5 9.3 4.6	9.0 9.5 12.5 11.0				
Wyoming Colorado New Mexico Utah	23.4 20.1 21.4 24.9	26.0 19.5 20.5 27.0	29. 2 24. 0 22. 0 29. 2	25.0 21.0 19.0 28.0	22.0 22.5 23.0 25.0	27.0 21.0 22.5 28.0	22.0 19.5 21.5 25.0	22.0 22.0 18.0 25.0	26.0 17.5 24.0 23.8	15.0 14.5 24.0 14.0	20.0 19.4 20.0 24.4				
Nevada	24.4 17.1	32.5 29.0 19.5 17.7	30. 2 28. 3 20. 4 19. 5	31.0 28.0 19.0 19.5	30.0 24.0 20.0 16.5	32.0 26.5 22.2 17.0	31.5 23.5 21.5 23.0	28.0 22.0 13.6 11.0	25.0 21.0 9.5 11.0	23.5 18.0 13.6 12.9	28.0 24.0 11.9 16.9				

17.2

13.0 11.8

18.4

United States.....

Table 23 .- Wheat: Acreage, production, and total farm value, by States, 1919 and 1920.

State.	Thousands	of acres.	Production of busi	(thousands hels).	Total value 1 price (ti dollars).	, basis Dec. housands of
	1920	1919	1920	1919	1920	1919
Maine. Vermont. New York. New Jersey. Pennsylvania.	7	8	159	150	366	330
	11	11	209	176	418	400
	500	524	10, 998	11,178	19, 247	24, 032
	95	109	1, 520	1,962	3, 116	4, 316
	1,524	1,664	25, 284	29,055	42, 983	62, 758
Delaware	120	130	2,040	1, 560	3, 488	3, 323
	670	785	11,390	10, 598	18, 794	22, 786
	914	1,060	11,425	12, 508	20, 565	28, 018
	340	400	4,250	5, 400	8, 075	11, 880
	724	768	8,471	6, 067	17, 789	14, 136
South Carolina	160	185	1, 760	1, 942	4, 488	5, 010
Georgia	211	240	2, 110	2, 520	5, 064	6, 628
Ohio	2, 259	2, 848	28, 698	53, 932	47, 352	114, 336
Indiana	1, 960	2, 835	23, 540	42, 332	39, 312	88, 897
Illinois	2, 650	4, 075	40, 670	64, 562	65, 479	135, 580
Michigan. Wisconsin. Minnesota. Iowa. Missouri.	938	1, 035	14, 275	20, 237	23, 982	42, 497
	341	552	5, 152	7, 392	7, 934	15, 893
	3,001	3, 865	29, 116	36, 315	37, 851	90, 788
	831	1, 580	13, 011	22, 515	18, 074	45, 030
	2,617	4, 445	32, 721	59, 833	52, 354	125, 051
North Dakota	7,600	8,000	68, 400	55, 200	88, 920	183,032
South Dakota	2,886	3,725	26, 282	30, 175	30, 224	72,420
Nebraska	3,593	4,384	60, 480	60, 675	79, 229	122,564
Kansas	8,903	11,080	187, 056	152, 079	178, 173	826,970
Kentucky	550	900	5, 610	10, 350	10, 715	21,838
Tennessee.	424	700	4, 028	6, 650	7, 855	14, 763
Alabama.	68	138	653	1, 242	1, 502	3, 043
Mississippi	10	36	100	504	213	1, 260
Texas.	1,225	2,045	15, 925	33, 742	27, 391	67, 484
Oklahoma.	2,890	3,860	46, 240	54, 040	62, 424	110, 782
Arkansas	1,750	280	1, 197	2,660	2,274	5,373
Montana		2,250	19, 850	10,650	25,408	25,028
Wyoming		250	5, 080	3,540	6,858	7,505
Colorado		1,388	22, 821	16,615	30,808	33,562
New Mexico	330	251	6,375	5,344	8, 925	10,688
	36	38	864	950	2, 264	2,138
	280	294	5,366	3,542	8, 210	7,438
	18	24	420	550	758	1,177
Idaho	1,050	1,050	23,600	19, 075	29, 500	39, 104
	2,329	2,441	37,982	39, 305	51, 276	84, 113
	1,107	1,115	22,900	20, 808	29, 770	44, 113
	650	990	9,100	16, 335	16, 380	33, 323
United States	57, 192	72,308	787, 128	934, 265	1, 135, 806	2,009,407

## Statistics of Wheat.

Table 24.—Wheat: Production and distribution in the United States, 1897-1920.
[000 omitted, except in weight and quality columns.]

			Crop.			Stock on	Shipped
Year	Old stock on farms July 1.	Quantity.	Weight per bushel.	Quality.	Total supplies.	farms Mar. 1. following	out of county where grown.
	Bushels.	Bushels.	Pounds.	Per cent.	Bushels.	Bushels.	Bushels.
1897	23, 347	530, 149	57. 1 57. 7	87.9	553, 496	121,320 198,056	269, 126 398, 882
1898	17, 839 64, 061	675, 149 547, 304	56. 9	83.7	692, 988 611, 365	158, 746	305, 020
1900 1901	50, 900	522, 230	56.3	87.8	573, 130	128,098	281, 372
1901	30, 552	748, 460	57. 5	88, 8	779, 012	173, 353	372, 717
1902	52, 437	670,063	57.6		722, 500	164,047	388,554
1903	42,540	637, 822	57.3		680, 362	132,608	369, 582
1904	36, 634	552, 400 692, 979	57.4		589, 034 717, 236	111,055 158,403	302,771 404,092
1905 1906	24, 257 46, 053	735, 261	58.8		781, 314	206, 642	427, 253
	1 '	1	1			1	1
1907 1908	54, 853 33, 797	634, 087 664, 602	58. 2 58. 3	89. 9 89. 4	688,940	148,721 143,692	367,607 393,435
1909	15, 062	683, 379	57.9	90.4	698, 399 698, 441	159, 100	414, 166
1910	35,680	635, 121	58. 5	93.1	670, 801	162,705	352,906
1911:	34,071	621, 338	57, 8	88.3	655, 409	122,041	348, 739
1912	23, 876	730, 267	58.3	90.0	754, 143	156, 471	449, 881
1913	35, 515	763, 380	58.7	93. 2	798, 895	151.795	411,733
1914	32, 236 28, 972	891, 017	58. 0 57. 9	89. 7 88. 4	923, 253 1, 054, 773	152, 903 244, 448	541, 193 633, 380
1915 1916	74,731	1,025,801 636,318	57.1	87.0	711,049	100,650	361,088
	1 '	1	1		,	,	1 ' '
1917 1918	15,611 8,063	636,655 921,438	58. 5 58. 8	92. 4 93. 1	652, 266 929, 501	107,745 128,703	325, 500 541, 666
1919		934,265	56.3	82.1	953.526	164,624	563,687
1920	47,620	787,128	57.4	88.9	834,748		
	1	1	I	1	1	ı	}

TABLE 25 .- Wheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

						_										-			
		Yield per acre (bushels.)										Farm price per bushel (cents).						per	lue acre ars).1
State.	10-year aver- age, 1911-1920.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	10-year aver- age, 1911–1920.	1916	1917	1918	1919	1920	5-year average, 1915-1919.	1920
MeVtN. YN. JPa	23. 8 20. 6 18. 2	27. 8 19. 8 17. 4	25. 16. 18.	0 24. ( 0 20. ( 5 17. (	29. 22. 318.	0 30. ( 5 25. ( 0 20. (	25. ( ) 21. ( ) 20. (	020. ( 021. ( 019. (	22. (22. (22. (22. (22. (22. (22. (22.	16. (21. 3 18. (	19. 0 3.22. 0 16. 0	156 148 152	164	235 236 210 213 205	237 231 215 215 214	220	200 175 205	37. 91 34. 12	52. 21 38. 06 38. 50 32. 80 28. 22
Del	113. 2	911. 2	114.	5/13. (	) 15.	0115.	014.	5114.	5 13. 0 15. 2 0 12. 0 14. 3 0 7. 0	21131.	17. (5 17. (5 12. ) 5 12. (6 12. ) 5 12. (7 12. )	153	165 160	217	221	224 220	165 180 190	25, 88 28, 48 23, 38 26, 17 17, 89	28.05 22,50 23,75
S. C Ga Ohio Ind. Ill.	10. 7 16. 7 15. 4	11. 12. 16. 14. 16.	9. 3 8. 4 7 8.	3 12. 2 0 18. 0 18. 0	2 12. 0 18. 5 17.	1 11. 5 20. 4 17.	0 11. 3 13. 2 12.	4 8. 5 22. 0 18.	5 11 5 10. 5 19. 6 21. 7 22.	10. 18. 14.	5 10. ( 9 12. 7 9 12. (	186 145 143	169	204 208	260 266 212 208 208	258 263 212 210 210	255 240 165 167 161	22, 96 33, 83 30, 07	28, 05 24, 00 20, 96 20, 04 24, 63
Mich Wis Minn Iowa Mo	۱ ۱۵۰۱.	116.	119.	8 2U, I	118.	6 2U. I	J/10.	5 19.	14. 3 24. 5 20. 9 18. 9 17.	114, 7	415.	132	160 162	202 199	209 205 204 200 205	210 215 250 200 209	154 130 139	34. 64 25. 82 29. 73	25, 54 23, 25 12, 61 21, 82 20, 00

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 25.—Wheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States—Continued.

			•	Yield	l per	acre	(bus	hels)	•				Farm	price (cen	per b (s).	ushel		per	ilue acre lars).
State.	10-year aver- age, 1911-1920.	11611	1912	1913	1914	1915	9161	1017	1918	1919	1920	10-year aver- age, 1911-1920.	1916	1917	1018	1919	1920	5-year average, 1915-1919.	1920
N. Dak S. Dak Nebr Kans Ky	10. 9 11. 0 16. 1 14. 0 12. 0	. 8. 0 4. 0 13. 4 10. 7 12. 7	18. 0 14. 2 17. 6 15. 5	10. 5 9. 0 17. 9 13. 0	11. 2 9. 1 18. 6 20. 5 16. 5	18. 2 17. 1 18. 3 12. 5 11. 0	5.5 6.8 19.4 12.0 9.0	8. 0 14. 0 13. 8 12. 2 12. 0	13.6 19.0 11.2 14.1 13.0	6.9 8.1 13.8 13.8 11.5	9. 0 9. 1 16. 8 15. 4 10. 2	134 131 129 133 149	152 150 160 164 166	200 196 195 198 212	203 199 197 199 214	241 240 202 215 211	115 131 130	21. 92 24. 65 22. 54	11.70 10.46 22.01 20.02 19.48
						10. 5 12. 0 20. 0 15. 5							169 185 175 173 167	222 270 300 210 194	214 245 250 215 210	222 245 250 200 205	230 213 172	20. 74 33. 76 23. 06	18. 52 22. 08 21. 30 22. 36 21. 60
			ł		1	12. 5 26. 5 26. 5 24. 2	ł	ł	1	1	ł		163 161 145 150	201 192 200 193	207 194 189 195	202 235 212 202	128 135	21. 4 34. 5	18. 05 14. 46 27. 00 24. 84
			1	,	1	222. 2 28. 0 25. 7 3 29. 6	1	1	1	1	•	1	150 150 152 140	210 178 180	210 240 188 206	200 225 210 214	262 153	49, 3° 30, 3°	7 27, 02 7 62, 88 9 29, 38 3 41, 94
Idaho Wash Oreg Calif	24. 7 20. 4 20. 2 16. 3	30. 7 22. 7 21. 0 18. 0	28. 6 23. 8 25. 0 17. 0	27. 6 23. 3 21. 6 14. 6	226. 1 223. 1 020. 1 017. 0	228. 0 25. 7 3 22. 2 16. 0	23. 8 23. 7 23. 0 16. 0	20. 8 15. 8 14. 8 19. 8	21. 3 13. 1 14. 7 15. (	18. 2 16. 1 18. 7 16. 5	22. 5 16. 3 20. 7 14. 0	121 128 128 128 143	146 143 145 152	182 193 182 200	192 196 201 216	205 214 212 204	135 130	29. 1 29. 5	3 28, 12 2 22, 00 2 26, 91 4 25, 20
v. s	14.6	12. 5	15. 9	15.	2 16. (	17. 0	12. 2	14. 1	15. 6	12. 9	13. 8	135. 8	160. 3	200. 8	204. 2	215, 1	144.3	24, 6	19. 86

Table 26.—Winter and spring wheat: Condition of crop, United States, on first of months named, 1899-1920.

		Turn	eu, 109	9-13ZU.				, ,	
		Wi	nter whe	at.		Spring	wheat.	•	
Year.	December of pre- vious year.	April.	May.	June.	When har- vested.	June.	July.	August.	When har- vested.
1900 1901 1902 1908	97, 1 86, 7 99, 7	P. ct. 82. 1 91. 7 78. 7 97. 3 76. 5	P. ct. 88, 9 94, 1 76, 4 92, 6 76, 5	P. ct. 82, 7 87, 8 76, 1 82, 2 77, 7	P. ct. 80. 8 88. 3 77. 0 78. 8 78. 7	P. ct. 87. 3 92. 0 95. 4 95. 9 93. 4	P. ct. 55. 2 05. 6 92. 4 82. 5 93. 7	P. ct. 56. 4 80. 3 89. 7 77. 1 87. 5	P. ct. 56. 1 78. 4 87. 2 78. 1 66. 2
1905	82. 9 94. 1 94. 1 91. 1	91. 6 89. 1 89. 9 91. 3 82. 2	92, 5 90, 9 82, 9 89, 0 83, 5	85. 5 82. 7 77. 4 86. 0 80. 7	82. 7 85. 6 78. 3 80. 6 82. 4	93, 7 93, 4 88, 7 95, 0 95, 2	91. 0 91. 4 87. 2 89. 4 92. 7	89. 2 86. 9 79. 4 80. 7 91. 6	87.3 83.4 77.1 77.6 88.6
1910. 1911. 1912. 1913.	82. 5 86. 6	80. 8 83. 3 80. 6 91. 6 95. 6	82. 1 86. 1 79. 7 91. 9 95. 9	80. 0 80. 4 74. 3 83. 5 92. 7	81. 5 76. 8 73. 3 81. 6 94. 1	92. 8 94. 6 95. 8 93. 5 95. 5	61. 6 73. 8 89. 3 73. 8 92. 1	61.0 59.8 90.4 74.1 75,5	63. 1 56. 7 90. 8 75. 3 68. 0
1915	88. 3 87. 7 85. 7	88. 8 78. 3 63. 4 78. 6	92. 9 82. 4 73. 2 86. 4	85. 8 73. 2 70. 9 83. 8	84. 4 75. 7 75. 9 79. 5	94, 9 88, 2 91, 6 95, 2	93. 3 89. 0 83. 6 86. 1	93. 4 63. 4 68. 7 79. 6	94.6 48.6 71.2 82.1
1919	85. 2	99. 8 75. 6	100. 5 79. 1	94. 9 78. 2	89. 0 79. 7	91. 2 89. 1	80. 9 88. 0	53. 9 73. 4	48.5 64.1

Table 27.—Winter wheat: Per cent of area sown which was abandoned (not harvested).

Year.	Per cent.	Year.	Per cent.	Year.	Per cent.
1903 1904 1905 1906 1907 1908	2.8 15.4 4.6 5.5 11.2 4.2	1909. 1910. 1911. 1912. 1913. 1914.	7. 5 13. 7 10. 7 20. 1 4. 7 3. 1	1915. 1916. 1917. 1918. 1910. 1920.	11.4 31.0 13.7 1.1

TABLE 28.—Wheat: Extent and causes of yearly crop losses, 1909-1919.

Year.	Deficient moisture.	Excessive moisture.	Floods.	Frost or freeze.	Hall.	Hot winds.	Storms.	Total cli- matic.	Plant dis- ease.	Insect pests.	Animal pests.	Defective seed.	Total.
1919 1918 1917	P. ct. 12.3 14.6 19.1 6.9	P. ct. 6.2 .3 .4 3.8	P. ct. 0.4 .1 .1 .6	P. ct. 1.3 3.8 11.8 5.1	P. ct. 0.8 1.1 1.0 1.3	P. ct. 2.9 2.0 1.6 2.7	P. ct. 0.3 .2 .2	P. ct. 24.3 22.4 34.4 21.2	P. ct. 10.2 1.5 .7 12.6	P. ct. 2.5 1.1 .7 4.0	P. ct. 0.1 .3 .1 .1	P. ct. (1) .1 .1 .1	P. ct. 37. 6 25. 7 36. 3 38. 7
1915. 1914. 1913. 1912.	1.3 6.7 14.2 8.1	7.3 1.4 .4 1.8	1.0 .1 .2 .3	1. 2 1. 1 1. 9 9. 5	1.6 1.0 .7 1.5	2.7 1.7 1.8	.4 .2 .3 .4	13. 0 13. 4 20. 0 24. 0	2. 4 3. 0 . 3 1. 8	3, 6 2, 6 2, 2 2, 3	.1 .1 .1	.1 .1 .1 .2	19.7 19.8 23.5 29.5
1911 1910 1909	25. 5 18. 9 8. 5	.8 .9 3.2	(1) :2 :7	1.5 6.6 2.4	.4 .5 2.0	3. 8 2. 6 1. 2	.1 .2 .6	32, 3 30, 0 18, 9	1.9 .9 1.6	1.9 1.9 1.1	.2 .4 .2	.2 .4 .3	37. 8 33. 8 22, 8
Average	12. 4	2,0	. 3	4. 5	1.1	2.0	.3	22. 9	2.7	2.1	.2	.2	28.8

<sup>1</sup> Less than 0.05 per cent.

TABLE 29 .- Wheat: Farm price, cents per bushel on first of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1	231. 8	204. 8	201. 9	150. 3	102. 8	107. 8	81. 0	76. 2	88. 0	88.6	133. 3
Feb. 1	235. 7	207. 5	201. 2	164. 8	113. 9	129. 9	81. 6	79. 9	90. 4	89.8	139. 5
Mar. 1	226. 6	208. 0	202. 7	164. 4	102. 9	133. 6	83. 1	80. 6	90. 7	85.4	137. 8
Apr. 1	234. 0	214. 2	202. 6	180. 0	98. 6	131. 7	84. 2	79. 1	92. 5	83.8	140. 1
May 1	251. 3	231. 1	203. 6	245. 9	102. 5	139. 6	83. 9	80. 9	99. 7	84. 6	152.3
June 1	258. 3	228. 4	202. 5	248. 5	100. 0	131. 5	84. 4	82. 7	102. 8	86. 3	152.5
July 1	253. 6	222. 0	203. 2	220. 1	93. 0	102. 8	76. 9	81. 4	99. 0	84. 3	143.6
Aug. 1	232. 2	217. 2	204. 5	228. 9	107. 1	106. 5	76. 5	77. 1	89. 7	82. 7	142.2
Sept. 1	218.7	205. 7	205. 6	209. 7	131. 2	95, 0	93. 3	77. 1	85. 8	84. 8	140.7
	214.3	209. 6	205. 8	200. 6	136. 3	90, 9	93. 5	77. 9	83. 4	88. 4	140.1
	188.0	213. 2	206. 0	200. 0	158. 4	93, 1	97. 2	77. 0	83. 8	91. 5	140.8
	144.3	215. 1	204. 2	200. 8	160. 3	91, 9	98. 6	79. 9	76. 0	87. 4	135.8
Average	217. 2	212. 8	204. 3	200.8	125. 9	105. 2	88.4	78.4	87. 4	86. 9	140.7

Table 30 .- Wheat: Monthly marketings by farmers, 1914-1920.

Month.		ated a ters of nels).	mount United	sold States	monthl (millio	y by ons of		Per	cent of	year's s	ales.	
	1919-20	1918-19	1917–18	1916–17	1915-16	1914-15	1919–20	1918-19	1917–18	1916–17	1915–16	1914–15
July	137 186 125 89	136 154 139 107	41 69 108 101	83 111 104 87	60 94 122 123	141 106 125 100	17.1 23.2 15.6 11.1	17.6 19.9 18.0 13.8	7.4 12.4 19.3 18.0	13.3 17.9 16.8 14.1	7.1 11.0 14.4 14.5	17. 5 13. 2 15. 5 12. 5
November December January February	60 45 34 24	67 56 36 24	77 43 26 22	60 35 45 20	105 94 58 58	83 60 41 46	7.5 5.7 4.2 3.0	8.7 7.3 4.6 3.1	13.7 7.6 4.7 3.9	9.7 5.6 7.2 3.3	12.4 11.0 6.8 6.8	10.3 7.5 5.1 5.7
MarchApril MayJune	25	16 13 15 12	21 23 17 12	24 19 19 13	32 33 40 31	26 37 22 17	2.9 3.1 3.4 3.2	2.0 1.6 1.9 1.5	3.7 4.1 3.1 2.1	3.9 3.1 3.0 2.1	3.8 3.9 4.7 3.6	3 3 4.6 2.7 2.1
Season	800	775	560	620	851	804	100.0	100.0	100.0	100.0	100.0	100.0

Table 31.—Durum wheat production: Receipts at primary markets, and exports, 1905—1918.

Year.	Production in 4 States. <sup>1</sup>	Receipts at 7 primary markets.2	Exports, year begin- ning July 1.	Year.	Production in 4 States.1	Receipts at 7 primary markets. <sup>2</sup>	Exports, year begin- ning July 1.
1905	Bushels.  38, 115, 000 3 24, 131, 000 3 16, 024, 900	Bushels. 31, 600, 604 32, 600, 569 34, 762, 000 19, 764, 000 5, 830, 000	Bushels. 7,015,225 22,638,565 27,053,478 20,777,435 18,344,972 3,273,703 1,851,988	1912	Bushels. 3 34, 561, 000 3 21, 529, 000 3 18, 103, 000 40, 365, 000 3 10, 887, 000 25, 945, 000 49, 414, 000	Bushels. 22, 539, 000 20, 625, 000 21, 356, 600 43, 867, 120 22, 503, 511 16, 087, 974 33, 311, 793	Bushcls. 15,461,129 11,785,000 15,229,401 24,780,169 17,385,073 6,587,795 18,329,257

<sup>&</sup>lt;sup>1</sup> These <sup>4</sup> States are: Minnesota, North Dakota, South Dakota, Montana.
<sup>8</sup> These <sup>7</sup> markets are: Chicago, Duluth, Kansas City, Milwaukee, Minneapolis, Omaha, St. Louis.
<sup>8</sup> Does not include Montana.

Other.

Fife.

Durum.

#### WHEAT-Continued.

### Table 32.—Spring wheat varieties: Production in principal States, 1914-1920.

The bulk of the spring wheat crop is produced in the four States of Minnesota, North and South Dakota, and Montana. The five leading varieties of spring wheat in these States have made interesting shifts in relative importance in the past seven years. Marquis was least important in 1914, but by 1916 it had jumped into first place, which it has held since, although its peak of popularity sens to have been reached in 1919, when it comprised 58.3 per cent of all the spring wheat raised in these four States, as compared with 57 per cent in 1920. Durum wheat is the only one of the leading varieties that gained, relatively, in 1920. This variety has been galning, relatively, steadily since 1914. It is the heaviest yielder in bushels per acre. Velvet chaft, blue stem, and fife have each lost in relative importance each year since 1916. Comparative figures are given below.

Marquis.

Velvet

chaff.

Blue

stem.

State and year.	!					
		1	er cent of	State total	•	
Minnesota:	Per cent.	Per cent.	Per cent.	Per cent.	Per cent.	Per cent.
1920	72.3	14.4	6.0	5. 2	1.2	0.9
1919	67. 8 59. 7	17.8	7.9	4.3 3.3	1.4	.8 1.2
1918. 1917.	59. 7 47. 4	22, 4 26. 8	11.8 18.6	3.1	1.6 3.1	1.2
1916	31.7	29.9	31.9	2.3	3.9	.3
1914	3.1	30.6	53.1	2.0	7.1	4.1
North Dakota:	احمد			20.4		
1920. 1919. 1918.	46.7 47.5	8.1 8.0	8.9 5.0	36. 4 34. 6	3.3 4.3	1.6
1919	47.2	9.1	7.0	29. 2	6.0	.6 1.5
1917	43.4	10.1	12.1	25.3	8.1	1.0
1916	38.5	12.2	14.2	18.6	16.0	4.6
1914.	5.0	11.6	44.6	12,7	21.5	4.6
South Dakota: 1920.	61.9	6.3	1.9	28.0	. 6	1.2
1919.	63. 8	8,4	3.1	22.7	.6 1.0	1.0
1919	59.6	12.5	5. 5	20.4	1.0	.4
1917	44.3	20.6	11.4	20.6	3.1	
1917 1916 1914	25. 4 3. 1	32. 1 32. 0	25. 8 30. 9	13. 6 21. 7	2.9 11.3	1.0
Montana:	0.1	32.0	30. 9	41.1	11.0	ł
1920	66.8	2.5	5.0	17.8	3.1	4.7 2.5 1.4 1.7
1919	71.4	4.3	4.6	13.3	3.9	2.5
1918	66. 2 75. 0	2.8 1.7	5.6 5.0	21, 2 13, 3	2.8 3.3	1.4
1917. Four States:	75.0	1.7	9.0	10.0	5.3	1
1920	57.0	8.4	4.1	26.4	2.4 2.7	1.7
1919	5%, 3	10.6	5.3	22, 2	2.7	.9
1918	55. 2 47. 0	13.1 17.6	7.9 13.6	19. 2 16. 2	3.5 4.9	1.1
1917	47.0	17.0	10.0	10. 2	4.8	
State and year.	j	:	Production	in bushels	s.	
<u> </u>	Ruchelo	,				Rushale
Minnesota:	Bushels. 20, 189	Bushela.	Rushels	Bushels.	Bushels.	Bushels.
Minnesota:	20, 189 23, 960	Bushela.	Rushels	Bushels. 1,446 1,520	Bushels. 347 495	260 283
Minnesota: 1920. 1919.	20, 189 23, 960 44, 506	Bushels. 4, 020 6, 290 16, 699	Bushcls. 1,678 2,792 8,797	Bushels. 1,446 1,520 2,460	Bushels. 347 495 1,198	260 283 895
Minnesota: 1920. 1919. 1918. 1917.	20, 189 23, 960 44, 506 23, 807	Bushels. 4, 020 6, 290 16, 699 13, 460	Bushcls. 1,678 2,792 8,797 9,342	Bushels. 1, 446 1, 520 2, 460 1, 557	Bushels. 347 495 1,198 1,557	260 283 895 502
Minnesota: 1920. 1919. 1918. 1917.	20, 189 23, 960 44, 506 23, 807	Bushels. 4, 020 6, 290 16, 699 13, 460	Bushcls. 1,678 2,792 8,797 9,342	Bushels. 1, 446 1, 520 2, 460 1, 557 586	Bushels. 347 495 1, 198 1, 557 994	260 283 895 502 76
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dekote:	20, 189 23, 960 44, 506 23, 807 8, 084 1, 302	Bushels. 4, 020 6, 290 16, 699 13, 460 7, 625 12, 852	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302	Bushels. 1, 446 1, 520 2, 460 1, 557 586 840	Bushels. 347 495 1, 198 1, 557 994 2, 982	260 283 895 502 76 1,722
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dekote:	20, 189 23, 960 44, 506 23, 807 8, 084 1, 302	Bushels. 4, 020 6, 290 16, 699 13, 460 7, 625 12, 852	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302	Bushels. 1, 446 1, 520 2, 460 1, 557 586 840 24, 898	Bushels. 347 495 1, 198 1, 557 994 2, 982	260 283 895 502 76 1,722
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dekote:	20, 189 23, 960 44, 506 23, 807 8, 084 1, 302	Bushels. 4, 020 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302	Bushcls. 1, 446 1, 520 2, 460 1, 557 586 840 24, 898 19, 099	Bushels. 347 495 1, 198 1, 557 994 2, 982	260 283 895 502 76 1, 722 1, 094
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919.	20, 189 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304	Bushels. 4, U20 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416 9, 616	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387	Bushels. 1, 446 1, 520 2, 460 1, 557 586 840 24, 898 19, 099 30, 856	Bushels. 347 495 1, 193 1, 557 994 2, 982 2, 257 2, 374 6, 341	260 283 895 502 76 1, 722 1, 094 331 1, 585
Minnesota: 1920. 1919. 1918. 1917. 1918. 1914. North Dakota: 1920. 1919. 1918. 1919.	20, 189 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304	Bushels. 4, U20 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416 9, 616 5, 656 4, 798	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 397 6, 776 5, 584	Bushels. 1, 446 1, 520 2, 450 1, 557 556 840 24, 898 19, 099 30, 856 14, 168 7, 314	Bushels. 347 495 1, 193 1, 557 994 2, 982 2, 257 2, 374 6, 341 4, 536	260 283 895 502 76 1,722 1,094 331 1,585 500 197
Minnesota: 1920. 1919. 1918. 1917. 1918. 1914. North Dakota: 1920. 1919. 1918. 1919.	20, 189 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877	Bushels. 4, 020 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 307	Bushels. 1, 446 1, 520 2, 460 1, 557 586 840 24, 898 19, 099 30, 856	Bushels. 347 495 1, 193 1, 557 994 2, 982 2, 257 2, 374 6, 341	260 283 895 502 76 1,722 1,094 331 1,585 500 197
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1918. 1917. 1918. South Dakota:	20, 159 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 15, 140 4, 111	Bushels. 4, U20 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416 9, 616 5, 656 4, 798 9, 425	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387 6, 776 5, 584 36, 395	Bushcls. 1, 446 1, 520 2, 460 1, 557 586 840 24, 898 19, 099 30, 856 14, 168 7, 314 10, 389	Bushels. 347 495 1, 193 1, 557 2, 982 2, 257 2, 374 6, 341 4, 536 6, 292 17, 549	260 283 895 502 76 1, 722 1, 094 331 1, 585 500 197 3, 723
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1916. 1914. South Dakota: 1920. 1919.	20, 159 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 15, 140 4, 111 15, 760	Bushels. 4, 120 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416 9, 616 5, 656 4, 798 9, 425	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 397 6, 776 5, 584 36, 395	Bushels. 1, 446 1, 520 2, 460 1, 557 556 840 24, 898 19, 099 30, 856 14, 168 7, 314 10, 389 7, 140	Bushels. 347 495 1, 193 1, 557 994 2, 982 2, 257 2, 374 6, 341 4, 536 6, 292 17, 549	260 283 895 502 76 1, 722 1, 094 331 1, 585 500 197 3, 723
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1916. 1914. South Dakota: 1920. 1919.	20, 159 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 15, 140 4, 111 15, 760	Bushels. 4, 120 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416 9, 616 5, 656 4, 798 9, 425	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 397 6, 778 36, 395 493 903 3, 344	Bushcls. 1, 446 1, 520 2, 460 1, 557 586 840 24, 898 19, 099 30, 856 14, 168 7, 314 10, 389 7, 140 6, 623	Bushels. 347 495 1, 193 1, 557 2, 982 2, 257 2, 374 6, 341 4, 536 6, 292 17, 549	260 283 895 502 76 1, 722 1, 094 331 1, 585 500 197 3, 723
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1916. 1914. South Dakota: 1920. 1919.	20, 159 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 15, 140 4, 111 15, 760	Bushels. 4, U20 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416 9, 616 5, 656 4, 798 9, 425	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387 6, 776 5, 584 36, 395 493 903 3, 344 4, 948	Bushels. 1, 446 1, 520 2, 460 2, 480 840 24, 898 19, 099 30, 856 14, 168 7, 314 10, 389 7, 140 6, 628 12, 403 8, 941	Bushels. 347 495 1,193 1,557 994 2,982 2,274 6,341 4,536 6,292 17,549 186 287 37 1,345 1,3	260 283 895 502 76 1, 722 1, 094 331 1, 585 860 197 3, 723 248
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1916. 1914. South Dakota: 1920. 1919.	20, 159 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 15, 140 4, 111 15, 760	Bushels. 4, U20 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416 9, 616 5, 656 4, 798 9, 425	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387 6, 776 5, 584 36, 395 493 903 3, 344 4, 948	Bushels. 1, 446 1, 520 2, 460 2, 480 840 24, 898 19, 099 30, 856 14, 168 7, 314 10, 389 7, 140 6, 628 12, 403 8, 941	Bushels. 347 495 1,193 1,557 994 2,982 2,257 6,341 4,586 6,282 17,549 186 2973 1,345	260 283 895 502 76 1, 722 1, 094 331 1, 585 860 197 3, 723 248
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1916. South Dakote: 1920. 1919. 1918. 1917. 1919. 1919. 1919. 1918. 1917. 1919.	20, 159 23, 960 44, 506 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 15, 140 4, 111 15, 760	Bushels. 4, U20 6, 290 16, 699 13, 460 7, 625 12, 852 5, 540 4, 416 9, 616 5, 656 4, 798 9, 425	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 397 6, 778 36, 395 493 903 3, 344	Bushcls. 1, 446 1, 520 2, 460 1, 557 556 840 24, 898 19, 099 30, 856 14, 168 7, 314 10, 389 7, 140 6, 628 12, 403	Bushels. 347 495 1,193 1,557 994 2,982 2,274 6,341 4,536 6,292 17,549 186 287 37 1,345 1,3	260 283 895 502 76 1, 722 1, 094 331 1, 585 860 197 3, 723 248
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1918. 1917. 1918. South Dakote: 1920. 1919. 1919. 1919. 1919. 1919. 1918. 1917. 1916. 1917. 1916. 1914. Montana:	20, 159 23, 960 24, 508 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 4, 111 15, 760 18, 630 36, 237 19, 226 5, 601 5, 000	Bushels. 4, 120 6, 290 13, 460 7, 625 112, 852 5, 540 4, 416 9, 616 6, 686 4, 798 9, 425 1, 610 2, 453 7, 7, 707 8, 888	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387 6, 776 5, 584 36, 395 493 9034 4, 948 5, 589 9, 388	Bushcls. 1, 446 1, 520 2, 480 1, 557 586 840 24, 898 19, 999 30, 556 14, 168 7, 314 10, 389 7, 140 6, 623 8, 941 2, 999 6, 724	Bushels. 347 495 1,193 1,557 994 2,982 2,257 2,374 6,331 4,536 6,292 17,549 186 2,982 3,501	280 283 895 502 76 1, 722 1, 094 331 1, 585 1, 595 3, 722 249 444 199 785
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1918. 1917. 1918. South Dakote: 1920. 1919. 1919. 1919. 1919. 1919. 1918. 1917. 1916. 1917. 1916. 1914. Montana:	20, 159 23, 960 24, 508 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 4, 111 15, 760 18, 630 36, 237 19, 226 5, 601 5, 000	Bushels. 4, 120 6, 290 16, 699 13, 460 7, 6252 12, 852 15, 540 4, 416 5, 656 4, 798 9, 425 1, 610 2, 437 9, 888 347	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387 6, 776 5, 554 36, 395 493 903 3, 344 4, 948 5, 589 9, 388	Bushcls. 1, 446 1, 520 2, 460 2, 557 586 840 24, 898 19, 099 30, 556 14, 168 7, 314 10, 389 7, 140 8, 941 2, 999 6, 724 2, 643 1, 071	Bushels. 347 495 1,193 1,557 994 2,982 2,257 2,374 6,341 4,536 6,292 17,549 186 2923 3,501 5314 186 2923 1,545 2923 3,501 5314 186 2923 1,545 2923 3,501 5314 186 2923 3,501 5314 5314 5314 5314 5314 5314 5314 531	280 283 895 502 76 1, 722 1, 094 331 1, 585 1, 595 3, 722 249 444 199 785
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1916. South Dakota: 1929. 1919. 1919. 1919. 1919. 1911. 1917. 1916. 1917. 1916. 1917. 1918. 1917. 1918. 1917. 1918. Montana: 1920. 1918.	20, 159 23, 960 24, 508 23, 807 8, 084 1, 302 31, 943 26, 220 49, 877 24, 304 4, 111 15, 760 18, 630 36, 237 19, 226 5, 601 5, 000	Bushcls. 4, 120 6, 200 16, 699 13, 460 7, 625 7, 552 12, 852 5, 460 4, 416 8, 685 8, 798 9, 425 1, 798 9, 325 7, 900 7, 773 9, 388 397 346 5566	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387 6, 768 493 903 3, 344 5, 689 9, 388 794 870 1, 193	Bushcls. 1, 446 1, 520 2, 480 1, 557 586 840 24, 888 19, 999 30, 856 14, 10, 389 7, 140 6, 622 12, 403 8, 941 2, 999 6, 724 2, 643 1, 671 4, 516	### Brushels.  347 495 1,193 1,557 9,94 2,982 2,257 2,377 2,374 6,341 4,582 17,649 186 292 973 1,345 639 8,501 502 314 5986	280 283 895 502 76 1, 722 1, 094 331 1, 585 1, 595 3, 722 249 444 199 785
Minnesota: 1920. 1919. 1918. 1917. 1916. 1914. North Dakota: 1920. 1919. 1918. 1917. 1916. 1914. South Dakota: 1920. 1919. 1918. 1917. 1916. 1918. 1917.	20, 1199 23, 980 24, 506 23, 807 8, 084 1, 302 31, 982 26, 220 46, 577 24, 304 16, 114 11, 760 118, 630 119, 227 5, 501 10, 661 5, 748	Bushels. 4, 120 6, 290 16, 699 13, 460 7, 6252 12, 585 14, 166 5, 656 4, 798 9, 425 1, 610 2, 437 9, 888 347	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387 6, 776 5, 554 36, 395 493 903 3, 344 4, 948 5, 589 9, 388	Bushcls. 1, 446 1, 520 2, 460 2, 557 586 840 24, 898 19, 099 30, 556 14, 168 7, 314 10, 389 7, 140 8, 941 2, 999 6, 724 2, 643 1, 071	Bushels. 347 495 1,193 1,557 994 2,982 2,257 2,374 6,341 4,536 6,292 17,549 186 2923 3,501 5314 186 2923 1,545 2923 3,501 5314 186 2923 1,545 2923 3,501 5314 186 2923 3,501 5314 5314 5314 5314 5314 5314 5314 531	280 283 895 502 76 1, 722 1, 094 331 1, 585 1, 595 3, 722 249 444 199 785
Minnesota: 1920. 1919. 1918. 1917. 1916. 1918. North Dakota: 1920. 1919. 1919. 1917. 1918. South Dakota: 1929. 1919. 1919. 1919. 1918. 1917. 1918. 1917. 1918. Montana: 1920. 1919. 1918. 1920. 1919. 1918. 1920. 1918. 1917. Foor States:	20, 1199 23, 990 44, 506 23, 507 8, 084 1, 302 31, 932 26, 220 49, 507 24, 507 4, 111 15, 760 18, 630 36, 237 19, 226 5, 601 10, 661 5, 748 14, 101 8, 235	Bushcls. 4, 120 6, 200 16, 699 13, 460 7, 625 6, 540 4, 416 8, 656 8, 798 9, 425 1, 798 9, 425 1, 798 9, 328 9, 388 9, 389 7, 978 9, 388 9, 389 7, 978 9, 388 9, 389 7, 978 9, 388 9, 389 187	Bushcls. 1, 678 2, 792 8, 797 9, 342 2, 688 2, 760 7, 387 6, 784 36, 385 493 903 3, 344 5, 689 9, 388 794 1, 183	Bushcls. 1, 446 1, 520 2, 460 1, 557 586 840 24, 888 19, 989 30, 856 14, 16, 389 7, 140 6, 628 12, 403 8, 941 2, 989 6, 724 4, 516 1, 450 1, 450 1, 450	### Brushels.  347 495 1,193 1,557 9,94 2,982 2,257 2,374 6,341 4,582 17,649 1862 973 1,345 639 3,501 502 314 6986 362	200 283 895 5026 1, 722 1, 094 3, 723 1, 585 197 3, 723 242 243 444 199 763 201 202 208 208 2187
Minnesota: 1920. 1919. 1918. 1917. 1916. 1918. North Dakota: 1920. 1919. 1919. 1917. 1918. South Dakota: 1929. 1919. 1919. 1918. 1917. 1918. Montana: 1920. 1918. 1920. 1918. 1919. 1918. 1919. 1918. 1917. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1917. Four States: 1920. 1919.	20, 1199 22, 980 44, 506 8, 884 1, 302 31, 943 26, 220 11, 140 26, 220 115, 140 115, 760 116, 630 116, 630 116, 630 116, 631 116, 630 116, 631 116,	Bushcls. 4, 120 6, 200 16, 699 13, 460 7, 625 12, 852 5, 40 4, 416 5, 685 7, 798 9, 425 1, 610 3, 707 3, 89, 80 7, 707 3, 89, 80 187 11, 567 13, 565 13, 565 13, 566 117 11, 567 13, 5	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 135 22, 302 2, 668 2, 760 7, 387 6, 776 5, 554 36, 395 433 903 3, 344 4, 948 5, 689 9, 388	Bushcls. 1, 446 1, 520 2, 460 2, 557 586 840 24, 898 19, 999 30, 556 14, 168 7, 314 10, 389 7, 314 2, 999 6, 724 2, 433 1, 071 4, 516 1, 460 38, 327	### Brushels.  347 495 1,193 1,557 9,94 2,982 2,257 2,374 6,341 4,536 1,345 1,345 1,345 3,401 502 3,401 3,402 3,402 3,402 3,402	200 283 895 5026 1, 722 1, 094 3, 723 1, 585 197 3, 723 242 243 444 199 763 201 202 208 208 2187
Minnesota: 1920. 1918. 1918. 1917. 1916. 1914. North Dakota: 1920. 1918. 1917. 1916. 1918. 1917. 1918. South Dakota: 1929. 1919. 1918. 1917. 1914. Montana: 1920. 1919. 1914. Montana: 1920. 1919. 1918. 1917. 1916. 1917. 1918. 1917. 1918. 1917. 1918. 1917. 1918. 1917. 1918. 1917. 1918. 1917. 1918. 1917. Four States: 1920. 1918.	20, 119 22, 980 44, 506 23, 807 8, 884 1, 302 31, 943 32, 220 44, 572 24, 304 15, 140 115, 760 115, 760 116, 561 5, 761 15, 763 16, 101 17, 101 18, 225 17, 553 17, 553 174, 753 144, 753	Bushcls. 4, 120 6, 200 16, 699 13, 460 7, 625 12, 852 5, 40 4, 416 5, 685 7, 798 9, 425 1, 610 3, 707 3, 89, 80 7, 707 3, 89, 80 187 11, 567 13, 565 13, 565 13, 566 117 11, 567 13, 5	Bushcls. 1, 678 2, 792 8, 797 9, 342 8, 132 2, 668 2, 780 7, 887 6, 776 5, 584 36, 395 493 993 3, 344 4, 948 794 4, 193 5, 689 794 1, 193 5, 683 6, 827 20, 731	Bushcls. 1, 446 1, 520 2, 460 2, 480 840 24, 888 19, 989 30, 536 14, 168 7, 314 10, 389 7, 314 12, 493 8, 941 1, 473 1, 473 1, 475 1, 460 88, 327 28, 318 50, 235 50, 235	### Brushels.    347	200 283 895 5022 76 1, 722 1, 004 331 1, 585 197 3, 722 311 222 311 222 311 222 311 222 311 222 311 222 311 222 311 222 311 222 311 222 323 311 222 323 311 222 323 321 321
Minnesota: 1920. 1919. 1918. 1917. 1916. 1918. North Dakota: 1920. 1919. 1919. 1917. 1918. South Dakota: 1929. 1919. 1919. 1918. 1917. 1918. Montana: 1920. 1918. 1920. 1918. 1919. 1918. 1919. 1918. 1917. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1919. 1918. 1917. Four States: 1920. 1919.	20, 1199 23, 990 44, 506 23, 507 8, 084 1, 302 31, 932 26, 220 49, 507 24, 507 4, 111 15, 760 18, 630 36, 237 19, 226 5, 601 10, 661 5, 748 14, 101 8, 235	Bushcls. 4, 120 6, 290 16, 689 13, 460 7, 625 12, 852 12, 852 4, 416 5, 566 4, 798 9, 425 1, 610 2, 453 9, 616 18, 77, 073 9, 888 396 1877 1, 17, 667	Bushcls. 1, 678 2, 792 8, 797 9, 342 2, 688 2, 760 7, 387 6, 784 36, 385 493 903 3, 344 5, 689 9, 388 794 1, 183	Bushcls. 1, 446 1, 520 2, 460 2, 557 586 840 24, 898 19, 999 30, 556 14, 168 7, 314 10, 389 7, 314 2, 999 6, 724 2, 433 1, 071 4, 516 1, 460 38, 327	### Brushels.  347 495 1,193 1,557 9,94 2,982 2,257 2,374 6,341 4,536 1,345 1,345 1,345 3,401 502 3,401 3,402 3,402 3,402 3,402	280 283 895 502 76 1, 722 1, 094 331 1, 585 1, 500 197 3, 723 311 222 248 444 199

Table 32.—Spring wheat varieties: Production in principal States, 1914-1920—Con.

State and year.	Marquis.	Velvet chaff.	Blue stem.	Durum.	Fife,	Other.
State mad your		***************************************	Yield p	er acre.		
Minnesota: 1920 1919 1918 1918 1918 1918 1918 1918 191	8.5 6.6 13.2 8.0 6.0 14.9 8.2 7.6 19.3 15.3	Bushels. 8.13 19.0 16.0 7.4 11.6 7.4 6.8 12.0 7.5 5.2 12.1 7.3 7.4 17.0 13.1 6.2 9.3	Bushels. 7.8 17.0 14.0 5.5 9.8 7.2 3.8 11.0 7.2 3.8 10.3 8.1 6.7 15.4 11.1 5.0 7.5	Bushele. 12.0 11.19 20.0 15.5 8.5 12.3 10.5 7.9 14.0 9.0 7.3 13.9 12.4 9.8 8.2 11.2	Rushels. 9.6 8.8 17.6 15.0 6.9 10.3 8.8 11.0 7.0 4.5 10.9 9.2 7.1 16.0 10.0 9.3	Bushels. 10. 9, 18. 14. 11. 7, 12. 65. 10. 11. 8. 16.
Montana: 1920. 1919. 1918. 1917.	10.8 4.8 13.0 9.3	10. 4 5. 4 12. 7 7. 5	10.7 5.8 10.5 6.5	11. 5 4. 5 12. 9 9. 0	10.7 4.3 10.8 7.5	12. 4. 13. 7.

Table 33.--Wheat: Wholesale price per bushel, 1913-1920.

							<u>5</u>	npilled i	Compiled from commercial papers.	nmerda	r paper	S-									
	Ž	New York.	نر	Ä	Baltimore.	÷	٦	Chicago.		I	Detroit.		ca	St. Louds.		K	Minneapolis.	is.	San	San Francisco.	89
Date.	No.	No. 1 northern spring. <sup>1</sup>	T.	Z	No. 2 red	نے	No.	No. 1 northern spring.*	ern	ŭ	No. 2 red.		No. 2	No. 2 red winter	nter.	No.	No. 1 northern.	Ü.	White	White (per 100 lbs.).	lbs.).4
	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.
1913. January-June. July-December.	육절육	Cts. 1144	8.11.2 88.0	855g	95. 169.	20.08 20.08 4.0	Cts. 85.	388	6.58 91.9 90.8	Cts. 1024.	Cts. 1164. 1024	SB.	### ## ## ## ## ## ## ## ## ## ## ## ##	C#.	C#8. 106.3	85.85. 80.85.	Cfs. 953	888.3	55. 1474 1454	G8. 1724 1724	Cts. 157.7 150.0
1914. January-June July-December	25.55 10.55	1114	101.4	88	108	98.1 106.6	88	98	112.9	\$8	127		15. 15.	1273	94.0 105.2	865	129	91.5	151	25 S	172.7 173.1
1916. January-June July-December	85 108 108	178	157.1	1100	1684	148.0 112.6	ន្ទន	167	150.7	106	55 28 28 28	147.3	921	<b>3</b> 53	146.2	1147	165	146.5	165	240 185	213, 1 162, 1
1916. January-June July-December	188	1561	136.6	1001	141	118.8	1064	1803	122, 1 162, 0	<b>55 26</b>	137 1894	119.8	200	27.00	123, 6 162, 2	1063	138	120.6	190	280 280	166. 2 219. 5
January-June July-December	197	88	229.4	168 <u>1</u>	28.98	22.7	1624	38	236.3	171 215	25.26	233.7	258	222	238.1	166 <del>8</del> 215	302	229.0	88	300	329. 5 351. 8
January-June July-December	88	828 840 <del>1</del>	228.2	88	227	236.0	ន្តន	88	220.0	217	88	223.5	22	215	224.2	216	217	216.5 225.1	350	889 890 890	350.0 350.0
1919. January-June July-December	2373	2403	240 <del>1</del> 238.7	233	248 235	238.1 235.8	ន្តន	326	240.8 268.9	ន្តន	255	223.7 229.8	88	257	252. 2 228. 7	2213	320	240.9 271.0	320	380	350.0
Jamary Jebrusry March April May	######################################	2344 2344 2344 315 315	234.8 234.5 305.6 313.5	25 25 25 25 25 25 25 25 25 25 25 25 25 2	264 235 307 325	248.7 235.8 235.8 278.9	883888	25.55 25.55	317. 7 249. 9 262. 4 203. 3	232888	288 288 288 288 288 288 288 288 288 288	260.1 253.6 249.8 278.7 308.7	88888	25 28 25 25 25 25 25 25 25 25 25 25 25 25 25	271. 6 255. 1 258. 8 282. 2 297. 2	250 250 275 280 280	325 300 315 330	294.8 271.9 301.4 309.0	555555	5555555	<b>55555</b>
January-June.	24	888	273.8	1_	325	269.2		350	290.8	245	320	275.4	240	812	275.1	2213	Τİ	288.3	(9)	<b>©</b>	(e)
July August Sentember	888	2734 2734 2811	292.3 263.8	888	307 275 <del>1</del> 2774	300.5 270.3 267.3	2840	300 274 274	280.6 281.7 254.7	282	58 58 58 58 58 58	284.1 250.7 253.7	200	262 262 263 263	274. 5 252. 8 257. 5	888	008 88 88 88 88	282. 6 258. 3 250. 8	350 350 350	<b>488</b>	268. 6 368. 6 368. 8
October November December	178	8 <del>1</del> 2	233.1 206.5 195.7	**************************************	**************************************	25.05 196.0 196.0 196.0	96. 158. 164. 164. 164. 164. 164. 164. 164. 164	15 kg 15	215, 7 185, 6 175, 5	1269		218.8 201.5 199.4	218 188 188	222	288.9 198.9 8	154		212, 9 175, 5 167, 5	8888	353	282 282 282 283 283 283 283 283 283 283
July-December.	178	302	243.2	180	307	244.9	158	300	229.0	193	295	234.7	183	291	235.9	1463	300	224.6	285	440	364.0
1 No. 2 red winter, 1913-1915; No. 2 hard winter, Mar. 20 to December, 1920,	1913-19	15; No.	2 hard	winter,	Mar. A	) to Dec	ember,	1920,	2 No. 2	8 No. 2 northern, 1919.	rn, 1916		No. 1 re	* No. 1 red winter, 1920.	т, 1920.	Ý	4 Northern club in 1913,	club in	1913.	b Basic.	9

## TABLE 34 .- Wheat flour: Wholesale price per barrel, 1913-1920.

### [Compiled from commercial papers.]

•			Chic	ago.			Cir	icinii	ati.	Ne	w Yo	rk.	St	. Lou	is.
Date.	Win	ter pa	tents.	Spri	ngpat	ents.	Win	ter pa	tents.	Spri	ngpat	ents.	Win	ter pa	tents
	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Атвгаде.	Low.	High.	Average.	Low.	High.	Average.
1913. January-June July-December	30	Ďols. 5. 10 4. 35		I 4. IU	5.60	Dols.	Dols. 3. 25 2. 90	Dols. 4. 15 3. 50	4	4,40	Dols. 5. 00 5. 00	1	Dols. 4. 30 3. 70	1 5.15	ł
1914. January-June July-December	3. 50 3. 45	4. 40 5. 50		4. 00 4. 00	5. 50 6. 90		3. 20 3. 05	3. 50 4. 90		4, 50 4, 35	5. 10 7. 00		3. 35 3. 35	4, 35 5, 70	
1915. January-June July-December	5. 10 4. 50	7. 80 5. 75		5. 50 4. 50	6. 75 6. 90		4. 75 4. 65	6, 65 5, 65		5, 50 4, 90	8. 25 7. 25		5. 10 4. 60	7. 50 5. 90	
1916. January-June July-December	5. 00 5. 10	6, 80 8, 65		5. 00 5. 20	6. 85 9. 75		4. 50 4. 50	5. 50 8. 75		5. 45 5. 50	7. 25 10. 00	:::::	4. 75 4. 75	6, 10 9, 00	•
I917. January-June July-December	8. 10 9. 85	17. 00 12. 50		8. 20 10. 20	17. 80 14. 00		7. 25 9. 50	15. 25 11. 50		8. 65 10. 45	16. 75 13. 75			15, 25 11, 75	
1918. January-June July-December	10. 10 9. 80	11, 25 10, 90	10. 65 10. 60	10. 10 9. 80	11.75 11.72	10. 96 11. 10	10. 70 10. 35	11. 35 11. 25	10. 98 10. 89	10. 55 10. 50	11. 25 11. 95	10. 87 11. 06	10. 00 8. 89	12, 50 11, 65	10. 74 9. 70
1919. January–June July–December				ŀ	1	1	1								Ì
1920.									_				_	_	
January February March April May Juno	10. 85 11. 00 11. 00 11. 00 12. 75 12. 25	14, 25 13, 75 14, 00 14, 00 14, 00 13, 00	12.61 11.84 12.11 13.40 13.57 12.76	12. 75 12. 70 12. 75 13. 25 14. 25 14. 50	15. 60 14. 75 13. 85 14. 75 15. 50 15. 00	14. 08 13. 59 13. 26 14. 22 14. 74 14. 80	11. 75 11. 75 11. 75 11. 75 12. 00 13. 25	12.75 12.75 12.25 12.50 15.00 13.75	12, 34 12, 38 12, 00 12, 12 13, 50 13, 50	13, 50 12, 25 12, 50 12, 75 13, 75 13, 25	15. 50 14. 75 13. 50 15. 00 15. 75 15. 50	14. 50 18. 19 18. 67 13. 86 14. 76 14. 33	11.25 10.75 10.00 9.60 11.00	13.00 12.25 12.50 14.50 15.60 14.90	12,08 11,56 11,56 12,31 13,85 13,14
January-June	10. 85	14. 25	12, 72	12, 70	15.60	14, 12	11, 75	15.00	12.64	12, 25	15.75	13. 95	9.60	15. 60	12, 40
July. August. September October November December	12. 25 10. 75 11. 50 10. 75 7. 30 7. 30	13.00 12.75 18.00 11.75 11.00 8.25	12, 74 11, 54 11, 90 10, 92 9, 31 8, 20	12. 25 10. 75 12. 75 10. 50 7. 90 8. 50	13.00 12.78 18.50 13.00 11.00 8.78	12. 74 12. 47 13. 26 11. 35 9. 46 8. 69	13. 25 12. 75 12. 75 12. 25 11. 25 10. 75	13. 75 13. 00 13. 00 12. 50 12. 25 11. 25	13. 50 12. 88 12. 88 12. 34 11. 88 10. 98	12, 50 12, 00 11, 75 10, 75 8, 25 8, 25	14. 75 14. 00 13. 50 12. 50 11. 25 9. 75	13. 93 13. 03 12. 81 11. 33 9. 82 9. 15	10. 25 10. 25 10. 50 9. 75 8. 50 8. 75	13. 75 13. 20 13. 50 13. 50 12. 50 10. 00	12. 11 11. 83 12. 09 11. 02 10. 29 9. 46
July-December.	7. 30	13.00	10. 77	7.90	13. 50	11. 33	10.75	13. 75	12. 41	8. 25	14.75	11.68	8. 50	13. 75	11.14

## Statistics of Wheat.

#### WHEAT-Continued.

### Table 35.—Wheat, including flour: International trade, calendar years, 1909-1919.1

["Temporary" imports into Italy of wheat to be used for manufacturing products for export are included in the total imports as given in the official Italian return. In the trade returns of Chile the item trigo mote (prepared corn) which might easily be confused with trigo (wheat) is omitted. See "General note," Table 15.]

EXPORTS.

Country.	Average, 1909–1913.	1914	1915	1916	1917	1918	1919
From— Argentina	1,000 bushels. 95,243 49,732	1,009 bushels. 39,435 6,668	1,000 bushels. 98, 155 35, 369	1,000 bushels. 91,625 68,780	1,000 bushels. 40,078 40,159	1,000 bushels. 119,029 66,760	1,000 bushels. 137,356
Austria-Hungary Belgium British India Bulgaria	906 22,694 51,510 11,244	29, 204	29, 207	27, 323	57, 822	24, 144	847 2, 524
Canada Chile Germany Netherlands	90, 871 2, 593 21, 149 54, 394	91, 322 301 37, 583	176, 959 16 1, 830	226, 862 535 44	186, 342 1, 098 776	93, 247 4, 370 21	113, 586 264
Roumania. Russia. United States. Other countries.	52, 370 161, 766 100, 310 30, 412	37, 583 28, 535 94, 342 231, 323 33, 387	11, 885 27, 40 23, 275	15, 134 218, 755 112, 138	168, 864 18, 380	208, 857 35, 533	267, 111
Total	745, 194	587, 100	653,102	761, 196	513, 519	551,961	

#### IMPORTS.

Into-		[					
Belgium	73,967						4, 256
Brazil	20, 495	20, 808	20, 142	21.553	12,618 3,898 1,649	18,499 1,824 853	4, 256 22, 404 2, 030
British South Africa	6 207	6, 767	5 168	5, 822	3, 898	1.824	2,030
Denmark	6 711	5 424	4 226	3 648	1,649	253	
Finland	4 912	4 548	4 460	6 984	,		
France	38, 608	20, 808 6, 767 5, 424 4, 548 65, 598	5, 168 4, 226 4, 460 76, 776	21,553 5,822 3,648 6,984 106,446	87,517	72,627	86,630
Germany	6, 711 4, 912 38, 698 89, 755 7, 034 52, 866	00,000		100,110	0.,02.	,,	, 00,000
Greece	7 024	8 704	6,772 83,159 910 28,766 4,827 13,691 9,934 18,109 191,044	0 999	9 185		
Italy	E0 000	27 200	00,114	8,323 74,088 687	3, 165 77, 249 301	70 071	95, 508
Town	02,000	01,599	80,109	79,000	11,290	78, 671 2, 874 2, 245	20,000
Japan	8,490	3,870	870	087	301	2,012	
Netherlands	76,658	57,951	28,766	30,242	12,575	2,240	18,259
Portugal	3, 228	5,439	4,827	6,789	2, 321	*******	
Spain	4,471	15,575	13,691	11,648	1,861	4,664	13,426
Sweden	7,140	5,346	9,934	9,862	3,673	4,664 2,402	4,073
Switzerland	3, 495 76, 658 3, 228 4, 471 7, 140 18, 885	6, 704 37, 399 4, 976 57, 951 5, 439 15, 575 5, 346 17, 272	18,109	30, 242 6, 789 11, 648 9, 862 .22, 177 211, 830 9, 407 37, 786	12,575 2,321 1,861 3,673 9,957 206,255 36,474 29,112	7,406	13, 426 4, 073 13, 148 178, 543 7, 988
United Kingdom	219, 156 1, 537 65, 126	1 218.023	191.064	211, 830	206, 255	175, 460	178, 543
United States	1.537	2,069	5,149 46,978	9.407	36,474	17,788	7,988
Other countries	65, 126	61,717	46, 978	30 786	29,112	133,149	.,,
		,,					
Total	700, 526	535.618	520, 131	560,292	488,625	517,962	
		1 555,626	J-0, 101		,020	02.,002	1

Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

### OATS.

TABLE 36.—Oats: Area and production in undermentioned countries, 1909-1920. AREA.

he automorphist someone the example of			·					-
Country.	Average <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
NORTH AMERICA. United States	1,000 acres. 37,357	1,000 acres. 38,442	1,000 acres. 40,996	1,000 acres. 41,527	1,000 acres. 43,553	1,000 acres. 44,349	1,000 acres. 41,885	1,000 acres. 43,328
Canada: New Brunswick. Quebec. Ontarlo. Manitoba Saskatchewan. Alberta Other	204 1,451 2,964 1,379 2,293 1,223 326	200 1, 327 2, 840 1, 331 2, 520 1, 502 341	201 1,400 3,095 1,317 3,336 1,827 380	198 1,073 1,991 1,444 3,792 2,124 374	190 1, 493 2, 687 1, 500 4, 522 2, 538 383	224 1,933 2,924 1,715 4,988 2,652 354	305 2, 141 2, 674 1, 847 4, 838 2, 767 380	309 2, 206 2, 880 1, 874 5, 107 3, 090 384
Total Canada	9, 840	10,061	11, 556	10, 996	13, 313	14,790	14, 952	15, 850
Mexico								
Total	47, 197	48, 503	52, 552	52, 523	56, 866	59, 139	56, 787	59, 173
SOUTH AMERICA.								
Argentina. Chile. Uruguay.	1,999 68 46	3,087 122 97	2, 869 152 82	2,565 161 105	2,525 126 142	3, 200 79 165	3, 080 79 85	2, 301 85
Total	2, 113	3, 306	3, 103	2,831	2,793	3, 444	3, 244	
EUROPE.								
Austria Hungary proper <sup>2</sup> Croatia Slavonia <sup>3</sup> Bosnia Herzegovina <sup>2</sup>	<sup>2</sup> 4, 613 2, 669 246 225	\$ 2,835 2,603	* 2,663 2,664	43,630	700	651	606	836
Bulgaria 2 Czecho-Slovakia	644 455	686 379	395		343	345	550 6 302 6 1, 302	537 5 319 1, 947
Denmark. Finland. France. Alsace Lorraine.	1,028 7 987 2 9,801 284	2 8, 873 278	1,024 8,062 275	1,042 7,777	981 7,308	937 6,721	961 1,013 87,055	1,001 1,018 8 8,065
Greece	10,750 1,253	10, 843 89 1, 213	11, 404 100 1, 208	8 8,759 145 1,103	8 8, 625 10 165 1, 107	8 8, 071 1, 211	8 7, 240 155 1, 129	8 8, 006 1, 150
Italy Jugo-Slavia Luxemburg Netherlands Norway Roumania 2 Russia proper 2	77 346 266 1, 105 38, 013	77 346 270 1,056 39,195	72 858 306 1,065 38,945 985	69 343 307 1,068 84,706	56 371 356	48 392 343 11 1, 084	368 348 13 952	1, 189 1, 086 392 343 18 2, 053
Russia proper <sup>1</sup> Poland <sup>3</sup> Northern Caucasia <sup>3</sup> Serbia <sup>2</sup> Spain	2,858 1,190 266 1,278 1,969	1,099 1,804	1,408	1,398			14 2,886	14 3, 791
Sweden. Switzerland	1, 969 81	1, 960 83	1, 970 92	1,954 68	1,425 1,983 71	1,507 1,811 86	1,595 1,760 57	1,574 1,758 56
United Kingdom: England Wales. Scotland Ireland	1,835 204 952 1,049	1,730 200 920 1,029	1,888 199 983 1,089	1,862 222 991 1,072	2,013 246 1,041 1,464	2,415 366 1,244 1,580	2, 252 312 1, 111 1, 442	2,015 249 1,032 1,331
Total	4, 040	3, 879	4,159	4, 147	4,764	5, 605	5, 117	4,627
Total Europe	84, 158							
	-							

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
2 Old boundaries.
3 Galicia and Bukowina not included.
4 Includes Galicia, excludes Bukowina.
5 New boundaries.
6 Bohemia and Moravia.
7 Census of 1910.

<sup>8</sup> Excludes Alsace-Lorraine.
9 Excludes Macedonia.
10 Excludes Eastern Macedonia.
11 Includes Bessarabia but excludes Dobrudia.
12 Former Kingdom, Bessarabia and Bukowina.
13 Former Kingdom, Bessarabia, Bukowina and Transylvania.
14 Unofficial.

Table 36.—Oats: Area and production in undermentioned countries, 1909-1920—Contd. AREA-Continued.

								ı
Country.	Average <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	191 <b>9</b>	1920
ASIA.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1.000 acres.	1,000 acres.	1,000 acres.
Cyprus								
Russia: Central Asia (4 governments) <sup>2</sup> .	938	1, 127	986					
Siberia (4 gov- ernments)2	3,972	5, 148	5, 161					
Transcaucasia (1 government) 2	2	2	2					
Total Russia	4,912	6, 277	6, 149					
AFRICA.								
AlgeriaTunis	456 141	573 99	590 148	586 164	682 124	588 151	533 127	576 124
Africa					250	257	558	564
Total					1,056	996	. 1,218	1,264
AUSTRALASIA.								
Australia: Queensland. New South Wales Victoria. South Australia. Western Austra- lla. Tasmania.	2 75 388 101 81 61	103 442 117 134 59	3 43 435 141 96 57	(3) 58 354 127 104 78	7 67 442 152 122 55	2 83 293 107 96 35	(8) 86 343 161 142 36	
Total	708	859	775	721	845	616	768	
New Zealand	376	362	288	213	177	156	173	410
	3/0	302	288	213	1//	100	1/3	410
Total Austra- lasia	1,084	1, 221	1,063	934	1, 022	772	941	
Grand total	140,061							

#### PRODUCTION.

NORTH AMERICA.	i,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.
United States	1, 131, 175	1, 141, 060	1, 549, 030	1, 251, 837	1, 592, 740	1, 538, 124	1, 231, 754	1, 526, 055
Canada:	F 000	4.490	5 500	2 000	4 000	F 051	0.001	0.110
New Brunswick Quebec	5, 933 40, 294	6, 488 42, 119	5, 560 42, 182	6,039 24,411	4, 275 32, 466 98, 078	7, 051 52, 667	9, 201 57, 275	9,118
Ontario	105, 036	99, 400	122, 810	50, 771	02,400	131, 753	78, 388	66,729 129,171
Manitoba	54, 192	31, 951	50, 750	48, 439	45, 375	54, 474	57, 698	57,657
Saskatchewan	98, 481	61, 816	145, 066	163, 278	123, 214	107, 253	112, 157	141, 549
Alberta	52, 045	57, 076	83, 876	102, 199	86, 289	60, 323	65, 725	115,091
Other	11,697	14, 228	14,710	15, 074	13, 315	12, 791	13, 883	11,395
			, \	,		,	20,000	
Total Canada	367, 678	313, 078	464, 954	410, 211	403, 012	426, 312	394, 387	530,710
Mexico	17	17	17	17				
Total	1, 498, 870	1, 454, 155	2,014,001	1, 662, 065				
SOUTH AMERICA.							,	
Argentins	52, 122	50, 981	49, 397	75, 280	32,009	68, 685	33, 762	57, 118
Chile	2,934	4, 437	7,104	6, 350 2, 283	5,564	8, 177	3, 250	+ 2,479
Uruguay	830	1,850	933	2, 283	1,926	3,697	1,288	1,728
Total	55, 886	57, 268	57, 434	83, 913	39, 499	75, 509	38, 300	61,320
1 Five-year a 2 Old bound 25 Less than a 4 Unofficial.	aries.	cept in a f	ew cases v	vhere five-	year statis	tics were u	navailable	

Table 36.—Oats: Area and production in undermentioned countries, 1909-1920—Contd. PRODUCTION-Continued.

Country.	Average <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
EUROPE.	1,000 bushels.	1,000 bushels. 8 132, 114	1,000 bushels, \$ 57, 625	1,000 bushels. 495,593	1,000 bushels. 10,901	1,000 bushels. 12,933	1,000 bushels. 13,581	1,000 bushel <b>s</b>
Hungary proper <sup>2</sup> Croatia Slavonia <sup>2</sup> Bosnia Herzegovina <sup>3</sup> .	<sup>2</sup> 143, 392 85, 840 5, 216	86, 537 4, 000 3, 000	80, 925					6 23, 120
Bosnia Herzegovina 3.	4,9/3	3,000	5, 000 4, 000					
Belgium Bulgaria <sup>2</sup> Czecho-Slovakia	40, 905 9, 880	49, 742 8, 080	40, 000 9, 545	7,372	6, 558	3, 613	26, 920 5 7, 387 6 43, 951	27, 876 6 9, 731
Denmark	43, 115	38, 653 19, 572	42, 859	51,656	37, 653	41, 571	47 585	55, 859 47, 275
FinlandFrance 2	43, 115 21, 989 310, 020	274, 458	42, 859 22, 905 238, 551	51, 656 22, 067 277, 179	214, 259	41, 571 7 22, 649 176, 504	24, 133 8 168, 303	24, 562 8 290, 925
France 2	13, 184	13, 172 622, 674	6 6117		8 240 084	4, 049 8 322, 475	8.030	7 8 237, 600
Germany 2	001,000	2, 296 26, 827	412, 400 2, 182 31, 443	9 2,742 26,076	10 2, 038 33, 889		2, 749 34, 695	3, 996 24, 223
tialy	36, 945					45, 353	34, 093	28, 598
Luxemburg Netherlands	3, 382 18, 512	3, 784 19, 957	1, 881 20, 692	2, 720 22, 240	2, 015 18, 594	1, 459 18, 617	20, 512	24, 285
Norway	10, 245	9, 325 25, 015 692, 197	10, 318	13,502	18, 594 17, 004	16, 582 11 5, 890	15, 106 12 22, 824	15, 153 18 37, 206
Russia proper 2	27, 545 874, 945 2 76, 590	692, 197	29, 054 757, 308	28, 935 843, 249				
Russia proper 2 Poland. Northern Caucasia 2	29,602	30, 291	25, 267				791,629	7 128, 142
Serbia 2	5, 443 29, 110	5,000 31,227	4,000 36,949	32, 163	33, 048	30, 474	32, 915	37, 772
Sweden		52, 557 5, 181	91, 311	32, 163 93, 089 4, 127	61, 400 4, 209	30, 474 57, 880	32, 915 76, 591	37, 772 66, 207
United Kingdom:	4,784		5, 601			5, 188	2, 811	3, 114
Switzerland United Kingdom: England Wales	74, 750 7, 274 37, 670	71, 408 7, 431	78, 409 7, 305	77, 676 8, 237	80, 981 8, 678	104, 480 13, 847	82, 950 11, 264	78, 768 7, 312
Scotland Ireland	37,670 63,083	7, 431 38, 115 63, 287	40, 313 58, 065	8, 237 37, 362 52, 774	8, 678 44, 949 80, 119	104, 480 13, 847 53, 284 85, 822	42,440 85,540	41,256 65,388
	00,000	00, 20)	00,000	02,772	00, 110	00, 022	00,040	
Total United Kingdom	182, 777	180, 241	184, 092	176, 049	214, 727	257, 433	222, 194	192,724
Total	2, 636, 321							
ASIA.								
Cyprus	429	400	405				7 187	
Russia: Central Asia (4 Governments) <sup>2</sup> .	15, 044	27, 887	16, 422					
Siberia (4 Gov- ernments)2	72, 305	133, 275	68, 381			-		
Transcaucasia (1 government):	1	31	36					
•	54							
Total Russia	87,403	161, 193	84, 839					
AFRICA.	<u> </u>					l	l	
Algeria. Tunis Union of South	12, 950 4, 333	10,000 689	15, 082 3, 445	13, 140 2, 067	16, 125 3, 996	22, 914 3, 817	13, 557 3, 445	5, 890 1, 518
Africa	7, 197		9,661		6, 927	10, 775	9, 520	7, 519
Total	24, 480		28, 188		27, 048	37, 506	26, 522	14, 925

7 Unofficial.

Five-year average except in a few cases where five-year statistics were unavailable.
 Old boundaries.
 Excludes Galicia and Bukowina.
 Includes Galicia, excludes Bukowina, Goritz and Gradisca.

New boundaries.
 Bohemia and Moravia.

Unofficial.
 Excludes Alsace-Lorraine.
 Excludes Macedonia.
 Excludes Eastern Macedonia.
 Includes Bessarabia, excludes Dobrudja.
 Former Kingdom, Bessarabia and Bukowina,
 Former Kingdom and Bessarabia.

## Statistics of Oats.

Table 36.—Oats: Area and production in undermentioned countries, 1909-1920—Contd. PRODUCTION-Continued.

Country.	Average 1 1909-1913.	1914	1915	1916	1917	1918	1919	1920
AUSTRALASIA.  Australia: Queensland New South Wales Victoria. South Australia. WesternAustralia Tasmania	8, 592 1, 371	1000 bushels. 58 1,893 9,170 1,239 1,708 1,644	1000 bushels. 44 512 1,608 368 465 1,342	1000 bushels. 2 1, 344 9, 329 2, 134 1, 538 2, 189	1000 bushels. 109 1, 083 8, 289 1, 840 1, 689 1, 006	1000 bushels. 45 1, 455 6, 141 1, 249 909 589	1000 bushels. 4 1, 273 5, 275 1, 541 1, 500 848	1000 bushels.
Total	14, 851	15, 712	4, 339	16, 536	14, 016	10, 388	10, 441	
New Zealand	13, 664	15, 206	11, 436	7, 653	5, 371	4, 943	6, 885	
Total Austra- lasia	28, 515	30, 918	15, 775	24, 189	19, 387	15, 331	17, 326	
Grand total	4, 331, 904							

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.

Table 37 .- Oats: World production so far as reported, 1895-1916.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	Bushels. 3, 008, 154, 000 2, 847, 115, 000 2, 633, 971, 000 2, 903, 974, 000 3, 256, 256, 000 3, 166, 002, 000	1901 1902 1903 1904 1905	Bushels. 2, 862, 615, 000 3, 626, 303, 000 3, 378, 034, 000 3, 611, 302, 000 3, 510, 167, 000 3, 544, 961, 000	1907 1908 1909 1910 1911	Bushels. 3, 603, 896, 000 3, 591, 012, 000 4, 312, 882, 000 4, 182, 410, 000 3, 808, 561, 000 4, 617, 394, 000	1913 1914 1915 1916	Bushels. 4,697,437,000 4,034,857,000 4,362,713,000 4,138,050,000

TABLE 38.—Oats: Average yield per acre in undermentioned countries, 1890-1920.

Year.	United States.	Russia (Euro- pean). <sup>1</sup>	Ger- many,1	Austria.	Hungary proper.	France.2	United King- dom. <sup>3</sup>
Average: 1890-1899. 1900-1909. 1910-1914.	Bushels. 26. 1 29. 3 30. 5	Bushels. 17.8 20.0 21.8	Bushels. 40.0 50.7 54.7	Bushels. 25.3 29.8 37.5	Bushels. 30.7 31.9	Bushels. 29.8 31.6 31.0	Bushela. 43. 44. 42.
1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915. 1916. 1916. 1917. 1918. 1918. 1919.	23. 7 25. 0 28. 6 31. 6 24. 4 37. 4 29. 7 37. 8	15.1 19.7 20.1 25.7 22.5 18.6 23.6 24.3			34. 2 30. 0 26. 8 33. 8 26. 8 33. 8 31. 1 34. 6 33. 2 30. 4		43, 45, 45, 44, 41, 41, 42, 42, 42, 44, 44,

Bushels of 32 pounds. Winchester bushels.

<sup>\*</sup> Excluding Alsace-Lorraine.

Table 39.—Oats: Acreage, production, value, exports, etc., in the United States, 1849-1920.

Note.—Figures in *Malics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new consus data are available.

	,	Aver- age		Aver- age farm	· Farm	Chic bi	ago cas ishel, c	h prie ontrac	e per t.i	Domestic exports, including	Imports, during fiscal
Year.	Acreage.	yield per acre.	Produc- tion.	price per bushel	value, Dec. 1.	Dece	mber.	Follo Ma	wing y.	oatmeal, fiscal year be-	year begin-
				Dac. 1.		Low.	High.	Low.	High.	ginning July 1.	ning July 1,2
1849 1859	Acres.	Bush.	Bushels. 146, 584, 000 172, 643, 000	Cts.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels.	Bushels.
1866 1867 1868 1869	8, 864, 000 10, 082, 000 9, 666, 000 9, 461, 000	30. 2 27. 6 26. 4 30. 5	268, 141, 000 278, 698, 000 254, 961, 000 288, 334, 000 882, 107, 000	35. 1 44. 5 41. 7 38. 0	106, 356, 000	36 52 43 40	43 571 491 441	59 563 463	78 621 531	825, 895 122, 554 481, 871 121, 517	778, 198 780, 798 326, 659 2, 266, 785
1869 1870 1871 1872 1873	8, 792, 000 8, 366, 000 9, 001, 000 9, 752, 000 10, 897, 000	28. 1 30. 6 30. 2 27. 7 22. 1	247, 277, 000	39.0 36.2	96, 444, 000 92, 591, 000 81, 304, 000 93, 474, 000	373 303 231 34 513	41 33 253 408 543	471 343 30 44 571	51 42½ 34 48¼ 64¾	147, 572 262, 975 714, 072 812, 873 504, 770	599, 514 535, 250 225, 555 191, 802 1, 500, 040
1875 1876 1877 1878 1879	11, 915, 000 13, 359, 000 12, 826, 000 13, 176, 000 12, 684, 000 16, 145, 000	29.7 24.0 31.7 31.4 28.7 25.5	354, 318, 000 320, 884, 000 406, 394, 000 413, 579, 000 363, 761, 000 407, 859, 000	32.0 32.4 28.4 24.0 33.1	113, 441, 000 108, 845, 000 115, 546, 000 101, 752, 000 120, 533, 000	291 312 241 192 322	30½ 34½ 27 20% 36%	288 371 23 248 291	313 452 27 303 348	1, 466, 228 2, 854, 128 3, 715, 479 5, 452, 136 766, 368	121, 547 41, 597 21, 391 13, 395 439, 576
1880 1881 1882 1883 1884	16, 188, 000 16, 832, 000 18, 495, 000 20, 325, 000 21, 301, 000	25. 8 24. 7 26. 4 28. 1 27. 4	417, 885, 000 416, 481, 000 488, 251, 000 571, 302, 000 583, 628, 000	32. 7 27. 7	150, 244, 000 193, 199, 000 182, 978, 000 187, 040, 000 161, 528, 000	223	331 469 413 361 251	361 483 383 301 341	39) 568 428 341 37	402, 904 625, 690 461, 496 3, 274, 622 6, 203, 104	64,412 1,850,983 815,017 121,069 94,310
1885 1886 1887 1888 1889	22, 784, 000 28, 658, 000 25, 921, 000 26, 998, 000 27, 462, 000 28, 321, 000	27.6 26.4 25.4 26.0 27.4 28.6	629, 409, 000 624, 134, 000 659, 618, 000 701, 735, 000 751, 515, 000 809, 261, 000	28. 5 29. 8 30. 4 27. 8 22. 9	179, 632, 000 186, 138, 000 200, 700, 000 195, 424, 000 171, 781, 000	27 25½ 28½ 25 20	29 271 307 267 21	261 251 321 211 242	29# 27½ 38 23# 30	7, 311, 306 1, 374, 635 573, 080 1, 191, 471 15, 107, 238	149, 480 139, 575 123, 817 131, 501 153, 232
1890 1891 1892 1893 1894	26, 431, 000 25, 582, 000 27, 064, 000 27, 273, 000 27, 024, 000	19.8 28.9 24.4 23.4 24.5	523, 621, 000 738, 394, 000 661, 035, 000 638, 855, 000 662, 037, 000	42, 4 31, 5 31, 7 29, 4 32, 4	222, 048, 000 232, 312, 000 209, 254, 000 187, 576, 000 214, 817, 000	397 311 251 271 281	437 331 311 291 291	451 281 281 321 271	54 334 324 36 301	1, 382, 836 10, 586, 644 2, 700, 798 6, 290, 229 1, 708, 824	41, 848 47, 782 49, 483 31, 759 880, 818
1895 1896 1897 1898 1899	27, 878, 000 27, 566, 000 25, 730, 000 25, 777, 000 26, 341, 000 29, 540, 000	29.6 25.7 27.2 28.4 30.2 51.9	824, 444, 000 707, 346, 000 698, 768, 000 730, 907, 000 796, 178, 000 943, 589, 000	19. 9 18. 7 21. 2 25. 5 24. 9	163, 655, 000 132, 485, 000 147, 975, 000 186, 405, 000 198, 168, 000	16# 16# 21 26 24#	171 181 237 272 28	18 167 26 24 211	193 183 32 273 232	15, 158, 618 87, 725, 088 73, 880, 307 33, 534, 362 45, 048, 857	66, 602 131, 204 25, 093 28, 098 54, 576
1900 1901 1902 1903 1904	27, 365, 000 28, 541, 000 28, 653, 000 27, 638, 000 27, 843, 000	29. 6 25. 8 34. 5 28. 4 32. 1	809, 126, 000 736, 809, 000 987, 843, 000 784, 094, 000 894, 596, 000	25.8 39.9 30.7 34.1 31.3	303, 585, 000 267, 662, 000	28	224 481 32 38 32	277 41 338 399 289	31 491 381 441 32	42, 268, 931 13, 277, 612 8, 381, 805 1, 960, 740 8, 394, 692	32, 107 38, 978 150, 065 183, 983 55, 699
1905 1906 1907 1908 1909	28, 047, 000 30, 959, 000 31, 837, 000 32, 344, 000 33, 204, 000 36, 159, 000	34.0 31.2 23.7 25.0 30.3	953, 216, 000 964, 905, 000 754, 443, 000 807, 156, 000 1, 007, 353, 000 1, 007, 148, 000	29.1 31.7 44.3 47.2	277, 048, 000 306, 293, 000 334, 568, 000 381, 171, 000 405, 121, 000	29 <u>1</u> 33 46 <u>1</u> 48¶	32½ 35¾ 50¼ 50¼ 45	321 441 524 562	341 481 561 622	48, 434, 541 6, 386, 384 2, 518, 855 2, 383, 817	40, 025 91, 289 383, 418 6, 691, 700
1910 ° . 1911 1912 1913 1914	37, 548, 000 37, 763, 000 37, 917, 000 38, 399, 000 38, 442, 000	31.6 24.4 37.4 29.2 29.7	1, 186, 341, 000 922, 298, 000 1, 418, 337, 000 1, 121, 768, 000 1, 141, 060, 000	34.4 45.0	408, 388, 000 414, 663, 000 452, 469, 000 439, 596, 000	31	321	36½ 31¾ 50¼ 35Å 37 50⅓	431 36 58 43 421 56	2, 548, 726 3, 845, 850 2, 677, 749 36, 455, 474 2, 748, 743 100, 609, 272	1, 034, 511 107, 318 2, 622, 357 723, 899 22, 273, 624 630, 722
1915 1916 1917 1918 1919 1920	40, 996, 000 41, 527, 000 43, 553, 000 44, 349, 000 41, 835, 000 48, 828, 000	37 8	1, 549, 030, 000 1, 251, 837, 000 1, 592, 740, 000 1, 538, 124, 000 1, 231, 754, 000 1, 526, 055, 000	26 1	559, 506, 000 655, 928, 000 1,061,474,000 1,090,322,000 880, 296, 000 719, 782, 000	407 469 702 68 77 47	44 54 801 741 89 52	39½ 59½ 72 67¼ 100½	491 74	98, 960, 481 95, 105, 698 125, 090, 611 109, 004, 784 43, 430, 744	665, 314 761, 644 2, 591, 077 551, 355 6, 043, 835

<sup>&</sup>lt;sup>1</sup> Quotations are for No. 2 to 1905. <sup>2</sup> Oatmeal not included 1866 to 1882, inclusive.

Oatmeal not included 1867 to 1882, inclusive, and 1909.
 Figures adjusted to census basis.

## Statistics of Oats.

Table 40.—Oats: Revised acreage, production, and farm value, 1879 and 1889-1909.
[See head note of Table 5.]

		,		,	
Year.	Acreage.	A verage yield per acre.	Production.	A vorage farm price per bushel Dec. 1.	Farm value Dec. 1.
1879	28, 321,000	Bushels. 27. 9 28. 3 20. 4	Bushels. 450, 745, 000 801, 586, 000 572, 665, 000	Cents. 33.3 21.9 41.6	Dollars. 150, 178, 000 175, 801, 000 238, 345, 000
1891 1892 1883 1884 1895	28, 023, 00 28, 452, 000	30. 4 24. 8 23. 8 25. 2 30. 2	838, 876, 000 695, 267, 000 676, 154, 000 115, 559, 000 885, 900, 000	30. 6 31. 5 29. 1 32. 1 19. 4	256, 814, 000 218, 954, 000 196, 505, 000 229, 538, 000 172, 188, 000
1896	28, 353, 000 28, 769, 000	26. 3 27. 9 29. 3 31. 3 29. 9	780, 563, 000 791, 591, 000 842, 747, 000 925, 555, 000 904, 566, 000	18.3 20.8 25.2 24.5 25.4	143, 192, 000 164, 886, 000 212, 482, 000 226, 588, 000 230, 160, 000
1901 1902 1903 1904 1905	30,578,000 30,866,000 31,353,000	26. 0 34. 5 27. 5 32. 1 33. 3	778,531,000 1,055,441,000 848,824,000 1,007,183,000 1,068,780,000	40. 0 30. 6 33. 8 31. 0 28. 8	311,374,000 322,944,000 286,879,000 312,467,000 308,086,000
1906	33,641,000 34,006,000	31. 0 24. 0 24. 9 30. 4	1,034,623,000 807,308,000 847,109,000 1,068,289,000	31. 8 44. 3 47. 3 40. 6	329, 142, 000 357, 340, 000 400, 363, 000 433, 869, 000

TABLE 41.—Oats: Acreage, production, and total farm value, by States, 1919 and 1920.

State.	Thousands	of acres.	Produ (thousands o		Total value, basis Dec. 1 price (thousands of dollars).			
, l	1920	1919	1920	1919	1920	1919		
Maine. New Hampshire Vermont Massachusetts. Rhode Island	119 14 81 14 1	115 15 85 16	4,974 546 2,835 518 28	3,910 510 2,550 608 30	4,228 410 2,126 414 22	3,597 434 2,295 547 28		
Connecticut	1,150 85 1,175 6	25 1,120 88 1,189 6	744 44,275 2,720 45,825 198	775 28,560 2,640 36,859 138	29,664 2,040 30,244 139	682 23, 705 2, 112 29, 487 124		
Maryland. Virginia. West Virginia. North Carolina. South Carolina.	220 200	65 240 190 198 • 510	2,112 4,818 5,400 3,960 10,416	1,820 5,280 4,750 3,307 11,730	1,478 3,903 4,266 3,802 10,728	1,492 5,280 4,325 8,505 12,908		
Georgia. Florida. Ohio. Indiana. Illinois.	550 60 1,614 1,875 4,100	500 54 1,523 1,750 4,180	11,550 1,020 71,839 76,875 161,950	10,000 1,026 51,020 56,000 125,400	12,474 612 35,670 35,362 69,628	11,506 1,281 86,784 38,640 87,780		
Michigan. Wisconsin. Minnesota. Towe. Missouri.	1,425 2,408 3,373 5,894 1,775	1,425 2,348 3,275 5,670 1,675	56, 480 107, 878 128, 488 229, 866 54, 188	35, 625 78, 423 91, 700 196, 182 45, 225	27,086 52,860 45,536 82,752 26,528	25, 294 54, 396 58, 658 125, 556 32, 110		
North Dakota South Dakota Nebraska Kansas Kentucky.	2,219 2,400	2,280 1,850 2,133 1,574 350	59,640 75,446 83,040 68,799 8,225	35, 340 53, 650 69, 962 44, 229 7, 875	20,874 24,897 30,725 26,832 6,004	23, 678 33, 800 45, 475 32, 287 7, 166		

Table 41.—Oats: Acreage, production, and total farm value, by States, 1919 and 1920—Continued.

State.	Thousand	s of acres.	Produ (thousands	etion of bushels).	Total value, basis Dec. 1 price (thousands of dollars).			
	1920	1919	1920	1919	1920	1919		
Tennessee. Alabama. Mississippi. Louisiana Texas	350	300	8, 225	6,600	6, 416	6, 138		
	· 366	372	6, 551	6,696	5, 765	7, 031		
	236	278	4, 012	4,448	3, 490	4, 670		
	60	75	1, 380	1,650	1, 132	1, 650		
	1,575	2,250	44, 100	94,500	29, 106	60, 480		
Oklahoma	1,500	1,425	48,000	47,025	21, 120	32,918		
Arkansas	352	320	8,800	7,040	6, 864	6,195		
Montana	600	650	16,800	6,110	8, 568	5,560		
Wyoming	300	285	11,400	5,130	7, 068	5,746		
Colorado	255	249	8,058	6,524	4, 835	5,872		
New Mexico.	67	61	2,278	2,196	1,822	2,086		
Arizona	13	13	481	494	462	494		
Utah.	78	72	3,143	2,448	2,514	2,399		
Nevada	6	8	252	256	302	256		
Idaho	200	210	8,000	7,350	5,440	7, 203		
	323	324	15,052	12,960	10,837	12, 053		
	330	318	12,045	9,953	7,829	9, 157		
	175	175	5,425	5,250	4,340	5, 040		
United States	43,323	41,835	1,526,055	1,231,754	719,782	880, 296		

Table 42.—Oats: Production and distribution in the United States, 1897-1920.

[000 omitted, except in weight and quality columns.]

	Old stock		Crop.			Stock on	Shipped
Year.	on farms Aug. 1.	Quantity.	Weight per bushel.	Quality.	Total supplies.	farms Mar. 1 following.	county where grown.
1897 1898 1899 1900	44, 554 50, 537 54, 214	Bushels. 698, 768 730, 907 796, 178 809, 128 736, 809	Pounds. 28.6 30.5 29.7 31.3 31.1	Per cent. 87.6 84.5 89.5 89.2 83.7	Bushels. 769, 907 775, 461 846, 715 868, 340 784, 522	Bushels. 271, 729 283, 209 290, 937 292, 803 226, 393	Bushels. 204, 147 193, 527 223, 014 242, 850 143, 398
1902	73, 352 42, 194	987, 848 784, 094 894, 596 958, 216 964, 905	80.7 31.0 29.7 31.5 32.0	86.7 79.9 91.4 92.4 88.2	1,018,413 857,446 936,790 1,009,052 1,032,593	364, 926 273, 708 347, 166 379, 805 384, 461	258, 438 223, 959 261, 989 277, 133 266, 182
1907. 1908. 1909. 1910.	37, 797 26, 323 64, 200	754, 443 807, 156 1, 007, 143 1, 186, 341 922, 298	29.4 29.8 32.7 32.7 31.1	77.0 81.3 91.4 93.8 84.6	822,701 844,953 1,033,466 1,250,541 990,099	267, 476 278, 847 365, 438 442, 665 289, 989	210, 923 244, 444 329, 255 353, 103 265, 944
1912. 1913. 1914. 1915.	62, 467 55, 607	1,418,337 1,121,768 1,141,060 1,549,030 1,251,837	33.0 32.1 31.5 33.0 31.2	91. 0 89. 1 86. 5 87, 5 88. 2	1,453,212 1,225,684 1,203,527 1,604,637 1,365,565	604, 249 419, 481 379, 369 598, 148 394, 211	438, 130 297, 365 335, 539 465, 823 355, 092
1917. 1918. 1919. 1920.	81, 424	1,592,740 1,538,124 1,231,754 1,526,055	33. 4 33. 2 31. 1 33. 1	95. 1 93. 6 84. 7 93. 3	1,640,574 1,619,548 1,324,799 1,582,183	599, 208 590, 251 418, 983	514,117 421,568 320,318

TABLE 43.—Oats: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

	,											-							
, ·			3	ield	per	acre	(bu	shels	).			F	arm ;	price (ce	per nts)	busl •	rel	per	aluo acre lars).¹
State.	10-year aver- age, 1911-1920.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	10-year aver- age, 1911-1920.	1916	1917	1918	1919	1920	5-year average, 1915-1919.	1920
Me													67 69 65 66 08	85 84 85 81 75	90 87 90 91 90	92 85 90 90 95	75	27 62	35.53 29.25 26.25 29.60 22.40
Conn. N. Y. N. J. Pa. Del.													69 62 61 57 62	79 75 70 73 78	90 84 79 80 87	88 83 80 80 90	67 75 66	23, 24 22, 66 23, 19	23, 25 25, 80 24, 00 25, 74 23, 10
Md. Va. W. Va. N. C. S. C.													61 63 64 74 80	75 84 79 93 100	96 100 91 108 118	82 100 91 106 110	79 96	19. 63 15. 63	22,75 17,74 21,83 21,12 24,72
Ga. Fla. Ohio. Ind. Ill													79 71 53 51 51	117 98 64 63 65	119 115 70 67 67	115 120 72 69 70	60 50 46	16. 37 22. 54 21. 12	22.68 10.20 22.10 18.86 16.98
Mich Wis Minn Iowa Mo													53 51 47 48 53	64 66 63 63	69 67 63 64 70	71 70 64 64 71	49 36 36	23.85 18.66 21.84	19.01 21.95 13.50 14.04 14.94
N. Dak. S. Dak. Nebr. Kans. Ky													44 46 47 55 60	62 61 61 64 76	61 59 65 73 90	67 68 65 73 91	35 33 37 39 73	10.86 17.56 17.11 15.83 17.38	8.40 11.22 12.80 11.97 17.16
Tenn													62 75 74 68 61	83 102 94 94 82	93 107 107 99 92	93 105 105 100 64	88 87 82 66	16.54 16.46 18.88 18.80	18. 33 15. 75 14. 79 18. 86 18. 48
OklaArk													57 68 47 60 60	75 75 81 80 76	84 88 80 80	70 88 91 112 90	78 51 62 60	18. 22 16. 65 24. 16 22. 45	14.08 19.50 14.28 23.56 18.96
N. Mex													67 80 61 75	84 96 85 96	89 120 97 118	95 100 98 100	1220	34.40	27. 20 35, 52 32. 24 50. 40
Idaho	_		_	-		-	-	-	-				51 49 72	81 75 85	98 96 94	93 92 96			27. 20 83. 55 28. 72 24. 80 16. 61
		<u> </u>		<u> </u>	1	<u> </u>		<u> </u>		<u> </u>	1	1					!		

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 44.—Oats: Farm price, cents per bushel on first of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver-
Jan. 1.	78. 2	70. 8	73. 9	51. 4	39. 1	45. 0	39. 1	32. 2	45. 1	33. 2	50, 8
Feb. 1.	82. 7	64. 3	78. 7	55. 2	44. 6	50. 1	39. 3	32. 4	47. 5	33. 1	52, 8
Mar. 1.	84. 5	62. 6	86. 2	56. 9	42. 7	52. 1	38. 9	33. 1	49. 8	32. 8	51, 0
Apr. 1.	90. 7	65. 8	88. 9	61. 5	42. 0	53. 4	30. 5	33. 1	52. 0	32. 3	55, 9
May 1. June 1. July 1. Aug. 1.	98. 3	70. 9	86. 0	71. 0	42.6	53. 4	39. 5	34. 2	56. 0	33. 2	58. 5
	102. 9	71. 2	78. 1	69. 9	42.1	51. 3	40. 0	36. 0	55. 3	34. 7	58. 2
	104. 5	70. 9	76. 3	68. 9	40.4	46. 7	38. 8	37. 7	52. 5	37. 5	57. 4
	81. 9	75. 3	78. 0	73. 7	40.1	45. 4	36. 7	37. 6	44. 3	40. 2	54. 8
Sept. 1	70. 2	71. 7	70. 3	61. 7	43.1	38. 5	42. 3	39. 3	35. 0	40. 4	51. 2
	60. 7	68. 4	71. 0	62. 3	44.5	34. 5	43. 3	39. 6	33. 6	42. 5	50. 0
	54. 5	68. 7	68. 2	61. 7	49.0	34. 9	42. 9	37. 9	33. 6	43. 8	49. 5
	47. 2	71. 5	70. 9	66. 6	52.4	36. 1	43. 8	39. 2	31. 9	45. 0	50. 5
Average	74.1	69. 5	74.6	62. 7	44.0	42, 5	40. 9	36.8	41.4	38.7	52. 5

## Table 45 .- Oats: Condition of crop, United States, on first of months named, 1900-1920.

Year.	June.	July.	August.	When har- vested.	Year.	June.	July.	August.	When har- vested.	Year.	June.	July.	August.	When har- vested.
1900	91. 7	85. 5	85. 0	82. 9	1907	81. 6	81. 0	75. 6	65. 5	1914	89. 5	84. 7	79. 4	75. 8
	85. 3	83. 7	73. 6	72. 1	1908	92. 9	85. 7	76. 8	69. 7	1915	92. 2	93. 9	91. 6	91. 1
	90. 6	92. 1	89. 4	87. 2	1909	88. 7	88. 3	85. 5	83. 8	1916	86. 9	86. 3	81. 5	78. 0
	85. 5	84. 3	79. 5	75. 7	1910	91. 0	82. 2	81. 5	83. 3	1917	88. 8	89. 4	87. 2	90. 4
	89. 2	89. 8	86. 6	85. 6	1911	85. 7	68. 8	65. 7	64. 5	1918	93. 2	85. 5	82. 8	84. 4
	92. 9	92. 1	90. 8	90. 3	1912	91. 1	89. 2	90. 3	92. 3	1919	93. 2	87. 0	76. 5	73. 1
	85. 9	84. 0	82. 8	81. 9	1913	87. 0	76. 3	78. 8	74. 0	1920	87. 8	84. 7	87. 2	88. 3

Table 46.—Oats: Monthly marketings by farmers, 1914-1920.

Month.	Estim of U	ated am nited S	ount so tates (n	ld mont pillions	hly by i of bush	Per cent of year's sales.						
	1919-20	1918-19	1917–18	1916-17	191516	1914-15	1919-20	1918-19	1917–18	1916–17	1915–16	1914-15
July August September October	47 60 33 80	34 82 50 42	24 82 67 56	31 87 51 40	23 53 59 57	35 64 55 40	14. 4 18. 4 10. 1 9. 2	8.0 19.6 11.9 9.9	4. 7 16. 4 13. 5 11. 1	8.3 23.3 13.5 10.7	5. 1 11. 8 13. 0 12. 7	10. 4 18. 7 16. 8 11. 7
November December January February	19 27 26 21	30 28 28 19	38 39 42 40	30 21 28 20	48 47 33 36	27 23 26 19	5. 8 8. 3 8. 2 6. 6	7. 2 6. 7 6. 7 4. 5	7. 7 7. 8 8. 3 8. 0	8. 0 5. 7 7. 5 5. 3	10. 6 10. 5 7. 4 8. 0	7. 9 6. 9 5. 6 7. 6
MarchApril May June	16 14 17 15	28 27 29 28	35 33 20 24	20 14 17 16	23 21 28 22	15 13 10 13	4.9 4.3 5.2 4.6	5. 5 6. 3 7. 0 6. 7	7.1 6.5 4.0 4.9	5. 2 3. 8 4. 4 4. 8	5. 0 4. 6 6. 3 5. 0	4. 4 3. 7 3. 1 3. 7
Season	325	420	500	375	450	340	100.0	100.0	100.0	100.0	100.0	100,0

# Statistics of Oats.

Table 47.—Oats: Extent and causes of yearly crop losses, 1909-1919.

Year.	Deficient mois- ture.	Excessive mols- ture.	Floods.	Frost and freeze.	Hail.	Hot winds.	Storms.	Total climatic.	Plant disease.	Insect pests.	Animal pests.	Defective seed.	Total
1919 1918 1917	P. ct. 11. 5 12. 9 11. 8 10. 1	P. ct. 5. 7 . 5 1. 2 4. 0	P. ct. 0. 4 . 2 . 2 . 4	P. ct. 0. 4 1. 3 2. 7	P. ct. 0. 7 . 9 . 8 . 8	P. ct. 2. 8 1. 8 1. 0 2. 8	P. ct. 0. 4 .3 .3 .5	P. ct. 22.3 18.1 18.2 19.7	P. ct. 4. 9 1. 1 . 8 5. 1	P. ct. 2. 2 .9 .4 1. 3	P. ct.	P. ct. 0. 1 . 2 (1) . 1	P. ct. 29. 9 20. 7 19. 8 27. 2
1915	1. 4 15. 7 22. 7 7. 2	8.5 2.2 .7 3.1	.9 .2 .2 .3	.4 .3 .2 .5	1.0 .8 .6 1.0	2.6 1.8 1.1	.8 .4 .2 .5	13.2 22.7 27.2 14.1	2.1 2.0 .5 1.6	1.7 1.1 .7	(1) .1 .1 .1	.2 .1 .1	16.3 27.6 30.3 17.7
1911 1910 1909	27. 6 17. 0 7. 9	1.0 .8 5.2	(¹) :2 :6	.5 .7 .8	.3 .4 1.1	5.1 1.7 .9	.1 .3 .8	35.4 21.4 17.7	.7 .9 2.4	1.5 .6 .5	.1 .2 .1	.2 .2 .4	39. 5 24. 0 22. 2
Average	13. 4	2, 7	.3	. 8	.8	1, 9	.4	20.8	1.7	.9	. 1	. 2	24.5

<sup>&</sup>lt;sup>1</sup>Less than .05 per cent.

OATS—Continued.
Table 48.—Oas: Wholesale price per bushel, 1913-1920.

TABLE 49.—Oats (including oatmeal): International trade, calendar years, 1911-1919.1

### [See "General note," Table 15.]

#### EXPORTS.

Country.	Average 1911-1913.	1914	1915	1916	1917	1918	1919
From— Algeria	1,000 bushels. 1,296 52,754	1,000 bushels. 4,554 24,368	1,000 bushels. 4,122 40,840	1,000 bushels. 7,740 55,421	1,000 bushels. 2,153 18,719	1,000 bushels. 6,900 37,347	1,000 bushels, 5,428 22,958
Bulgaria. Canada Chile China Denmark Finland	278 16, 583 2, 499 412 151 433	20, 174 3, 372 324 168 350	18, 496 7, 312 324 2 237	72, 058 4, 413 70 4 9	59, 791 3, 460 229 2	24, 024 496 70 1	16,346
Germany	30, 844 33, 814 10, 012	14, 441 7, 030 19, 235	34	18	(3)	(2)	127
Russia. Sweden. United Kingdom. United States. Other countries.	65, 279 2, 342 1, 411 12, 592 3, 727	19, 235 2, 310 1, 321 36, 656 3, 866	364 (2) 717 108, 195 4, 436	27 478 1,271 105,838 4,148	(2) 147 113,614 6,504	(2) 107 131,085 8,633	36 67,570
Total	234, 427	138,169	185,079	251,495	204,619	208,663	

#### TMPORTS.

Into-							
Austria-Hungary	3, 426						
Belgium	8,845 1,361						3,948
Cuba	1,361	1,534	1,004	1,149	1,491	1,649	
Denmark	4, 126	3,740	217	8	67	(2)	
Finland	1, 187 30, 746 41, 320	1,037	148	72, 324			
France	30,746	35, 473	56,610	72, 324	42,819	33, 353	31,632
Germany	41,320			********	*********	*********	********
Italy	9,040	4,549 20,008	27,647	38, 308 4, 902	19,802	19, 258	12,046
Netherlands	41, 901 698	20,000	4, 332	4,902	2,712 25		2,870
Norway Philippine Islands	098	517 74	594	18 165	200	11 53	
Russia	486 1,643 6,055	1 500	- 441 599	100	200	93	
	2,043	1,899 4,922	2,086	12	8	365	1,571
Sweden Switzerland	19,000	10, 235	2,000	7 220	3,372	9 149	1,011
United Kingdom	12, 484 64, 755	52, 905	6, 913 59, 165	7,320 48,986	59 014	2, 142 55, 595	20,007
United States	5, 557	9,429	364	. 585	58, 014 1, 983	1 444	6,384 32,041 609
Other countries	2,417	5,102	7,603	2,882	2,213	1, 444 4, 219	000
~ MANUAL OF COMMISSION OF COMI	,	5,102	.,000	2,002	-,210	-,210	
Total	236, 047	151,422	167,723	176,681	132,706	118,090	
		,	,	-110,002	,,,,,,,	,	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

\*\*Less than 500 bushels.\*\*

### BARLEY.

Table 50 .- Barley: Area and production in undermentioned countries, 1909-1920.

Chile			. w androuente a me on dead						
United States. 7, 619 7, 619 7, 655 7, 148 acres. acres. acres. 9, 740 7, 188 8, 683  Canada: New Brunswick. 3 2 2 2 2 2 7 7 111 8  Quabbec. 99 85 85 73 105 189 225 194  Ontario. 587 408 449 328 318 000 894 384 895  Saskarchewan. 234 280 357 868 708 1, 160 894 484 895  Saskarchewan. 124 280 357 868 708 1, 160 894 448 895  Abberts. 145 173 31 337 472 402 403 30 27  Total Canada 1, 683 1, 496 1, 718 1, 803 2, 392 3, 154 2, 646 2, 552  Mexico. 292  Total. 9, 302  SOUTH AMERICA. 4 117 113 147 153 147 117 88 08 615  Chile. 117 17 153 147 431 298  615  Chile. 217 27, 770 2, 770 2, 780 68 68 68 68 68 68 68 68 68 68 68 68 68	Country.	Average <sup>1</sup> 1909-1913	1914	1915	1916	1917	1918	1919	1920
Canada:   New Brunswick   3	NORTH AMERICA.	1,000 acres.	acres.	1,000 acres.	1,000 acres.	acres.	1,000 acres.	acres.	acres.
New Brunswick   3	United States	7,619	7, 565	7,148	7,757	8,933	9,740	7, 198	8, 083
Mexico   292	New Brunswick. Quebec. Ontario Manitoba Saskatchewan Alberta	99 587 561 234 185	85 461 468 290 178	449 567 300 304	73 326 688 367 - 337	165 361 708 670 472	189 660 1,103 699 470	235 569 894 493 414	194 484 839 519 481
Total	Total Canada	1,683	1,496	1,718	1,803	2,392	3, 154	2,646	2, 552
SOUTH AMERICA.   Argentina	Mexico		292	• • • • • • • • • • • • • • • • • • • •					
Argentina	Total	9,302							
Chile	SOUTH AMERICA.								
EUROPE.  Austria	Chile	117	153	147	121	117		98	615 5
Austria 2, 712 \$1,729 \$1,578 268 255 238 4,201 Hungary proper 2, 760 2,765 2,830	Total	389	585	549	562	398			
Sosma Herzegovina   214   Sosma Herzegovina   214   Sosma Herzegovina   215   Sosma   21	EUROPE.								
Belgium         85         84         590         560         593         604         4 474         4 572         2 75         2 75         2 75         2 75         2 75         2 75         2 75         3 75         3 75         3 75         3 75         3 75         3 75         3 75         3 75         3 75         3 728         4 78         4 80         4 44         5 7         7 7         8 70         4 78         4 80         4 44         5 7         7 7	Austria Hungary proper s Croatia Slavonia s Bosnia Herzegovina s	2,760 158	* 1,729 2,705	<sup>3</sup> 1, 578 2, 83 0		268	255	233	41,201
Finland France 1, 866 1,780 1,575 1,538 1,699 1,371 \$1,194 \$1,497 Alsace-Lorraine 121 117 1,15	Belgium Bulgaria <sup>2</sup> Czecho-Slovakia	85 616	84 587					4 474 5 857	4 502 1,695
Germany 2	Finland France 2	1,866	1,780	1,575				203	293 61,497
Notherlands. 68 67 63 60 52 60 59 56 Norway. 80 1.319 1.405 1.371 1.464 1.870 1.523 1.652 1.706 1.839 1.871 2.056	Greece	3,976 195	3,909 186	4,002 198		8 380		6 3, 081 800 480	
1,436   1,435   1,43	Netherlands Norway	68 89 1,319 28,075	1,405	63 97 1,371	60 98	52	156	156 10 1, 942	56 156 11 3, 308
Spain         3,509         3,404         3,786         3,888         4,086         4,209         4,254         4,265           Sweden         451         436         431         421         438         452         412         402           United Kingdom:         England         1,400         1,420         1,152         1,245         1,365         1,395         1,400         1,538           Wales         88         84         80         87         95         106         104         98           Scotland         191         194         149         170         159         133         174         208           Treland         165         172         142         150         177         185         187         208           Total United Kingdom         1,844         1,870         1,523         1,652         1,796         1,839         1,871         2,060	Northern Caucasia	1,249 3,735	4, 495	4,400				A2 1, 413	13 2,078
England     1, 400     1, 420     1, 152     1, 245     1, 385     1, 395     1, 406     1, 538       Wales     84     84     87     95     106     104     99       Scotland     191     194     149     170     159     183     174     208       Ireland     165     172     142     150     177     185     187     208       Total United Kingdom     1,844     1,870     1,523     1,652     1,796     1,839     1,871     2,050	Spain	3,509	3, 404 436	3,786 431	3,886 421	4,086 438	4, 209 452	4, 254 412	4, 265 402
Kingdom 1,844 1,870 1,523 1,652 1,796 1,839 1,871 2,050	England Wales Scotland	88	84 194	80 149	87 170	95 159	106	104 174	1,538 99 205 208
Total Europe. 49,370	Total United Kingdom	1,844	1,870	1,523	1,652	1,796	1,839	1,871	2,050
	Total Europe	49,370							

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable. 2 Old boundaries. 2 Excludes Galicia and Bukowina.

New boundaries.

Bohemis and Moravis.

Excludes Alsace-Lorraine.

Excludes Macedonia.

<sup>&</sup>lt;sup>8</sup> Excludes Eastern Macedonia.

<sup>9</sup> Includes Bessarabia but excludes Dobrudia.

<sup>10</sup> Former Kingdom, Bessarabia, and Bukowina.

<sup>11</sup> Former Kingdom, Bessarabia, Bukowina, and Transylvania.

<sup>12</sup> Includes Congress Poland, Western Galicia Bastern Galicia, and Posen.

<sup>13</sup> Unofficial.

## Statistics of Barley.

## BARLEY-Continued.

Table 50.—Barley: Area and production in undermentioned countries, 1909-1920.—Con.

AREA—Continued.

AREA—Continued.											
Country.	A verage <sup>1</sup> 1909–1913	1914	1915	1916	1917	1918	1919	1920			
ASIA. British India Cyprus	1,000 acres. 7,836	1,000 acres. 7,098	1,000 acres. 7,821	1,000 acres. 7,924	1,000 acres. 7,883	1,000 acres. 8,323	1,000 acres.	1,000 acres.			
Japanese Empire: Japan Formosa Korea	3, 183 5 843	3,294 5 1,107	3, 213 5 1, 182	3,075 5 1,233	2,888 5 1,322	2,862	2, 931	2, 691			
Total Japanese Empire Russia:	4,031	4, 406	4,400	4, 313	4,215						
Central Asia (4 governments) <sup>2</sup> Siberia (4 govern- ments) <sup>2</sup> Transcaucasia (1	368 459	485 630	350 651								
government)	2	2	2								
Total Russia, Asiatic	829	1, 117	1,003								
Total Asia	12,696	12, 621	13, 224								
AlgeriaEgyptTunis.Unionof South Africa.	3,353 394 1,145	3, 131 795	2,703 463 1,038	3,009 439 1,233 64	2,839 445 1,038 57	2,794 336 1,197 58	2, 639 357 977 55	2, 444 340 989 99			
Total Africa	4,892			4,745	4,379	4,385	4,028	3, 822			
AUSTRALASIA.  Australia: Queensland. New South Wales. Victoria. South Australia. Western Australia. Tasmania.	7 12 60 46 6	9 21 83 91	7 5 62 66 7 6	1 6 61 85 10 5	13 5 93 104	8 6 85 96 5	0 * 100 * 136 * 8				
Total	137	223	153	168	231	205					
New Zealand	39	32	18	30	30	19	19				
Total Austral- asia	176 76,825	255	171	198	261	224					
Grand Might	10,020	• • • • • • • • • • •	1	1		1		1			

#### PRODUCTION.

NORTH AMERICA. United States	1,000 bushels. 181,881	1,000 bushels. 194,953	1,000 bushels. 228, 851	1,000 bushels. 182, 309	1,000 bushels. 211,759	1,000 bushcls: 256, 225	1,000 bushels. 161,345	1,000 bushels. 202,024
Canada: New Brunswick Quebec. Ontario Manitoba. Saskatchewan Alberta Other	79 2, 382 17, 017 15, 954 7, 350 5, 364 386	64 2, 261 13, 987 9, 828 4, 901 4, 806 354	48 2, 255 15, 369 16, 058 9, 523 9, 822 342	45 1, 456 7, 498 13, 729 9, 916 9, 774 352	3, 064 11, 191 15, 930 14, 068 10, 386	163 4,551 24,248 27,963 11,888 7,756 718	285 5, 344 13, 184 17, 149 8, 971 10, 562 944	194 4, 910 16, 660 17, 520 10, 502 12, 739 786
Total	48, 532	36, 201	54, 017	42,770	55, 058	77, 287	56, 389	63, 811
Mexico	6,666	10, 839	10,000			17, 711		
Total	237, 079	241, 993	292, 868			351, 223		

<sup>1</sup> Five-year average except where five-year statistics were unavailable.
2 Old boundaries.

<sup>8</sup> Unofficial.

Table 50 .—Barley: Area and production in undermentioned countries, 1909-1926—Con. PRODUCTION-Continued.

- 1								
Country.	A verage 1 1909–1913	1914	1915	1916	1917	1918	1919	1920
south America. Argentina	1,000 bushels. 3,626 3,924 61	1,000 bushels. 8,037 5,567 165	1,000 bushels. 5,144 3,827 40	1,000 bushcls. 5,430 4,358 115	1,000 bushels. 2,165 4,840 110	1,000 bushels. 8,304 108	1,000 bushels. 3,977	1,000 bushels. 10,279 24,080
Total	7,611	13, 769	9, 011	9, 903	7, 115			
EUROPE.								
Austria. Hungary proper <sup>8</sup> Croatia Slavonia <sup>8</sup> . Bosnia-Herzegovina <sup>8</sup> Belgium. Bulgaria <sup>3</sup> .	* 71, 988 69, 812 2, 540 3, 455 4, 247 12, 425	4 58, 458 65, 265 1, 940 3, 000 4, 232	\$29,783 56,186 1,938 3,000 4,000		3, 291	4, 283	3,822 3,617	5 20, 045 3, 693
Bugana Czecho-Slovakia Denmark Finland France <sup>‡</sup> Alsace-Lorraine Germany <sup>3</sup> Greece	22, 589 5, 737 46, 489 4, 615 153, 529	9, 278 20, 780 4, 316 42, 719 4, 059 144, 125 3, 094	25, 890 5, 021 31, 787 3, 127 114, 077	10, 037 24, 477 4, 885 38, 268	11, 980 17, 881 37, 205 7 89, 886	7, 094 21, 465 25, 635 27, 475 1, 762 7 103, 720 2, 500 9, 686	3,617 10,538 20,648 24,600 5,295 23,626 3,249 2783,000	3, 693 5 14, 066 38, 617 23, 548 4, 983 7 35, 399 7 87, 741
Italy Jugo-Slavia Luxemburg Netherlands Norway	3,692 10,104 82 3,270 2,867 24,821	3,094 6,917 108 3,019 2,591 25,505	114, 077 2, 891 11, 051 83 3, 380 2, 682 28, 688 316, 904	125 2, 498 3, 415 30, 038 350, 223	7 89, 886 9 5, 798 7, 422 154 2, 573 4, 021	2,500 9,686 138 2,176 5,622 10 4,993	5, 020 8, 327 2, 688 5, 275 11 31, 641	7, 183 5, 870 20, 654 2, 846 5, 427 12 48, 184
Russia proper <sup>3</sup>	24, 821 372, 856 27, 150 67, 191 5, 072 74, 689 14, 592	310, 249 73, 323 3, 000 72, 272 12, 195	2, 250 82, 763 14, 254	350, 223 86, 863 14, 621	76, 747 12, 263	90, 496 12, 947	31, 808 12, 892	90, 462 11, 121
United Kingdom: England Wales Scotland Ireland	47, 352 2, 812 7, 103 7, 493	48, 205 2, 743 7, 616 8, 073	34, 898 2, 467 5, 183 5, 828	40, 022 2, 731 5, 340 6, 474	42, 897 2, 781 5, 816 7, 796	45, 328 3, 312 5, 416 8, 024	40, 592 3, 200 6, 112 8, 125	47, 864 2, 824 7, 784 7, 527
Total	64,760	66, 637	48, 376	54, 567	59, 290	62, 080	58, 029	65,999
Total Europe	1,063,957							
ARIA.							-	
British India Cyprus	40, 973 2, 151	125, 113 2, 000	142, 847 2, 000	147,653	155, 447 1, 954	155, 307	12,393	2 3, 500
Japanese Empire: Japan Formosa Korea	89, 528 53 19, 436	85, 775 60 23, 708	94, 959 61 26, 527	89, 366 50 24, 577	88, 896 50 25, 988	82, 650 27, 751	91, 500 26, 480	95, 808
Total Japan	109,017	109, 543	121, 547	113, 993	114,934			
Russia: Central Asia (4 governments) <sup>3</sup> Si beria (4 govern- ments) <sup>3</sup>	6,027	7, 929 11, 498	3, 278 5, 753					
Transcaucasia (1 government) <sup>2</sup> .	25	24	38					
Total Russia (Asiatic)		19, 451	9, 069					
• •								

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
2 Unofficial
2 Old boundaries.
4 Excludes Galicia and Bukowina.
5 New boundaries.
6 Bohemia and Moravia.
7 Excludes Alsace-Lorraine,

Excludes Macedonia.
 Excludes Eastern Macedonia.
 Includes Bessarabia, but excludes Dobrudja.
 Former Kingdom, Bessarabia, and Bukowina.
 Former Kingdom and Bessarabia.
 Includes Congress Poland, Western Galicia, Eastern Galicia, and Posen.

Table 50.—Barley: Area and production in undermentioned countries, 1909-1920—Con.

PRODUCTION—Continued.

Country.	Average.1 1909—1913	1914	1915	1916	1917	1918	1919	. 1920
AFRICA. Algeria	1,000 bush els. 41,961 7,900 2,015	1,000 bushels. 35,785 11,294 3,215	1,000 bushels. 39,866 14,013 11,482	1,000 bushels. 35,969 13,417 4,914	1,000 bushels. 28,529 13,863 8,267 1,000	1,000 bushels. 60,742 10,063 10,426 2,054	1,000 bushels. 33,667 10,283 5,512 1,623	1,000 bushels. 14,085 7,475 3,169 1,160
Total Africa	51, 876				51, 659	83, 285	51, 085	25, 839
Australasia.								
Australia: Queensland New South Wales. Victoria. South Australia Western Australia Tasmania.	119 204 1, 400 842 70	120 313 1,870 1,375	106 47 601 447 24 105	8 115 1,735 1,698 131	250 73 1,800 1,734	143 98 1,971 1,651	98 2,029 2,498 281	**********
Total	2, 819	4,044	1,330	3, 803	4, 080	3,997		
New Zealand	1, 402	1,234	597	820	738	569	711	
Total Austral-	4, 221	5, 278	1, 927	4, 623	4, 818			
Grand total	1,528,056							

 $<sup>^1</sup>$  Five-year average, except in a few cases where five-year statistics were unavailable.  $^2$  Unofficial.

Table 51.—Barley: World production, so far as reported, 1895-1916.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1895 1896 1897 1898 1899	Bushels. 915,504,000 932,100,000 864,605,000 1,030,581,000 965,720,000 959,622,000	1901 1902 1903 1904 1905	Bushels. 1,072,195,000 1,229,132,000 1,235,786,000 1,175,784,000 1,180,053,000 1,296,579,000	1907 1908 1909 1910 1911 1912	Bushels. 1, 271, 237, 000 1, 274, 897, 000 1, 458, 263, 000 1, 388, 734, 000 1, 373, 286, 000 1, 466, 977, 000	1913 1914 1915 1916	Buskels. 1, 650, 265, 000 1, 463, 289, 000 1, 522, 732, 000 1, 529, 031, 000

TABLE 52 .- Barley: Average yield per acre in undermentioned countries, 1890-1920.

Year.	United States.1	Russia (Euro- pean).1	Ger- many.1	Austria.1	Hungary proper.i	France.2	United King- dom.
A verage: 1890-1899 1900-1909 1910-1914	Bushels. 23.4 25.5 24.6	Bushels. 13. 3 14. 3 15. 7	Bushels. 29.4 35.3 38.0	Bushels. 21.1 26.3 29.1	Bushels. 23. 4 25. 0	Bushels. 22. 6 23. 6 24. 6	Bushels. 39, 8 35, 0 34, 4
1906	28. 3 23. 8 35. 1 22. 5 21. 0 29. 7 23. 8 25. 8 32. 6 23. 7 26. 3 25. 7	13. 0 14. 2 14. 2 17. 9 16. 3 14. 4 16. 2 18. 5 12. 9 14. 7 16. 0	35. 2 38. 2 34. 9 39. 4 37. 0 40. 7 41. 3 36. 8 28. 4 24. 2 23. 8 28. 1		26. 8 23. 1 21. 3 25. 1 19. 7 26. 9 27. 6 24. 1 19. 7	20. 8 24. 4 22. 6 25. 5 26. 0 28. 1 24. 5 24. 0 19. 7 23. 8 1 26. 8 20. 8	36.1 36.8 34.9 36.9 34.0 35.1 35.6 31.8 33.9 33.9

<sup>1</sup> Bus hels 0148 pounds.

<sup>2</sup> Winchester bushels.

Table 53.—Barley: Acreage, production, value, exports, etc., in the United States, 1849-1920.

Nore.—Figures in *italies* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

mates v	vnenever n	ew cen	sus data are	avanad	10.						
		Av- erage		Aver- age farm	Farm	bus	go cas shel, l ancy.	sh pric	e per alting	Domestie exports,	Imports,
Year.	Acreage.	yield per acre.	Produc- tion.	price per bushel Dec. 1.	value Dec. 1.	Dece	mber.		wing ay.	fiscal year beginning July 1.	bogin- ning July 1.
						Low.	High.	Low.	High.		
1849	Acres.	Bush.	Bushels. 5, 167, 000	Cents.	Dollars.	Cents.	Cents.	Cents.	Cents.	Bushels.	Bushels.
1859	400.000		15, 826, 000		# 014 000	*****			****	•••••	0.04m.org
1866 1867 1868 1869	1,121,000	22. 9 22. 7 24. 4 27. 9	11, 284, 000 25, 727, 000 22, 896, 000 28, 652, 000 29, 761, 000	70. 2 70. 1 109. 0 70. 8	18, 028, 000 24, 948, 000	59 150 140 74	70 180 170 85	85 227 149 50	100 250 175 62	9, 810 9, 077 255, 490	3, 247, 250 3, 783, 966 5, 069, 880 6, 727, 597
1870 1871 1872 1873	1,109,000 1,114,000 1,397,000 1,387,000 1,581,000	23. 7 24. 0 19. 2 23. 1 20. 6	26, 295, 000 26, 718, 000	79. 1 75. 8 68. 6 86. 7 86. 0	20, 792, 000 20, 264, 000 18, 416, 000 27, 794, 000 27, 998, 000	68 55½ 60 132 120	80 64 70 158 1291	72 55 71 130 115	95 71 85 155 137	340, 093 86, 891 482, 410 320, 399 91, 118	4, 806, 700 5, 565, 591 4, 244, 751 4, 891, 189 6, 255, 063
1875 1876 1877 1878 1879 1879	1,790,000 1,767,000 1,669,000 1,790,000 1,681,000 1,998,000	20.6	36, 909, 000 38, 710, 000 35, 638, 000 42, 246, 000 40, 283, 000 43, 997, 000	74. 1 63. 0 62. 5 57. 9 58. 9	27, 368, 000	81 634 564 91 86	88 681 64 100 92	624 80 464 64 · . 75	72½ 85 52½ 73 80	317, 781 1, 180, 129 3, 921, 501 715, 536 1, 128, 928	10, 285, 957 6, 702, 965
1880 1881 1882 1883	1,843,000 1,968,000 2,272,000 2,379,000 2,609,000	24. 5 20. 9 21. 5 21. 1 23. 5	45, 165, 000 41, 161, 000 48, 954, 000 50, 136, 000 61, 203, 000	66. 6 82. 3 62. 9 58. 7 48. 7	29, 779, 000	100 101 79 62 53	120 107 82 67 58	95 100 80 65 65	105 100 80 74 65	885, 246 205, 930 433, 005 724, 955 629, 130	9, 528, 616 2, 182, 722 10, 050, 687 8, 596, 122 9, 986, 507
1885 1886 1887 1888 1889	2,729,000 2,653,000 2,902,000 2,996,000 3,221,000 8,881,000	21. 4 22. 4 19. 6 21. 3 24. 3	58, 360, 000 59, 428, 000 56, 812, 000 63, 884, 000 78, 333, 000 78, 553, 000	56.3 53.6 51.9 59.0 41.6	32, 868, 000 31, 841, 000 29, 464, 000 37, 672, 000 32, 614, 000	62 51 80 58	65 54 80 58	58 57 69	60 57 77	252, 183 1, 305, 300 550, 884 1, 440, 321 1, 408, 311	10, 197, 115 10, 355, 594 10, 831, 461 11, 368, 414 11, 332, 545
1890 1891 1892 1893 1894	3, 135, 000 3, 353, 000 3, 400, 000 3, 220, 000 3, 171, 000	21, 4 25, 9 23, 6 21, 7 19, 4	67, 168, 000 86, 839, 000 80, 097, 000 69, 869, 000 61, 400, 000	62.7 52.4 47.5 41.1 44.2	28, 729, 000	65 52 534	67 54 55 <u>1</u>	65 55 51	65 60 52	973, 062 2, 800, 075 3, 035, 267 5, 219, 405 1, 568, 754	5, 078, 783 3, 146, 328 1, 970, 129 791, 051 2, 116, 816
1895 1896 1897 1898 1899	3,300,000 2,951,000 2,719,000 2,583,000 2,878,000 4,470,000	26. 4 23. 6 24. 5 21. 6 25. 5	87, 073, 000 69, 695, 000 66, 685, 000 55, 792, 000 73, 382, 000	33.7	29, 312, 000 22, 491, 000 25, 142, 000 28, 064, 000	33 22 25 <u>1</u> 40 85	40 37 42 504 45	25 244 36 36 36 36	36 35 53 42 44	7, 680, 381 20, 030, 301 11, 287, 077 2, 267, 403 23, 661, 662	837,384
1900 1901 1902 1903 1904	2,894,000 4,296,000 4,661,000 4,993,000 5,146,000	20. 4 25. 6 29. 0 26. 4 27. 2	58, 926, 000 109, 933, 000 134, 954, 000 131, 861, 000 139, 749, 000	40.9 45.2 45.9 45.6 42.0	49, 705, 000 61, 899, 000 60, 166, 000 58, 652, 000	37 56 36 42 38	61 63 70 61 52	87 64 48 38 40	57 72 56 59 50	6, 293, 207 8, 714, 268 8, 429, 141 10, 881, 627 10, 661, 655	57, 406 56, 462 90, 708
1905 1906 1907 1908	5,096,000 6,324,000 6,448,000 6,646,000 7,011,000 7,699,000	28.3 23.8 25.1	178, 916, 000 153, 597, 000 166, 756, 000 170, 284, 000	40. 5 41. 5 66. 0 55. 4	74, 236, 000 102, 290, 000 92, 442, 000	57	53 56 102 643		55) 85 75 75	17, 729, 360 8, 238, 842 4, 349, 078 6, 580, 393	38, 319 199, 741 2, 644
1909 1910 °	7,743,000	22.5 22.5	1 200,044,000	1 02.0		55 72	72 90	50 75	68 115	4,311,566	
1911 1912 1913 1914	7,743,000 7,627,000 7,530,000 7,499,000 7,565,000	25.8	160, 240, 000 223, 824, 000 178, 189, 000	86. 9 50. 5 53. 7 54. 3	139, 182, 000 112, 957, 000 95, 731, 000	102 43 50 60	130 77 79 75	68 45 51 743	132 68 66	9, 399, 346 1, 585, 242 17, 536, 703 6, 644, 747 26, 754, 522	
1915 1916 1917 1918 1919	7, 148, 000 7, 757, 000 8, 933, 000 9, 740, 000 7, 198, 000	32. 0 23. 5 23. 7 26. 3 22. 4 25. 0	228, 851, 000 182, 309, 000 211, 759, 000 256, 225, 000 161, 345, 000	51. 6 88. 1 113. 7 91. 7	118, 172, 000 160, 648, 000 240, 758, 000 234, 942, 000 195, 299, 000	62 95 125 88 125	77 125 163 105 168 98	70 128 105 110 140	83 165 176 130 190	27 473 160	

<sup>&</sup>lt;sup>1</sup> Prices 1895 to 1908 for No. 3 grade.

<sup>&</sup>lt;sup>2</sup> Figures adjusted to census basis.

Table 54.—Barley: Revised acreage, production, and farm value, 1879 and 1889-1909.

[See headnote of Table 5.]

Year.	Acreage.	Average yield per acre.	Production.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
1879 1889 1890 1891 1891	A cres. 1,998,000 5,221,000 3,406,000 3,705,000 3,892,000	Bushels. 24.4 24.3 21.4 26.1 23.6	Bushels. 48, 721, 000 78, 213, 000 73, 017, 000 96, 589, 000 92, 037, 000	Cents. 59. 4 41. 6 62. 6 51. 8 46. 5	Dollars. 28, 928, 000 32, 574, 000 45, 719, 000 50, 051, 000 42, 790, 000
1893 1894 1895 1896 1897	4,005,000 4,263,000	21. 7 19. 5 26. 9 23. 8 24. 9	83,700,000 78,051,000 114,732,000 99,394,000 108,279,000	40. 5 43. 5 32. 0 30. 0 35. 2	33, 922, 000 33, 924, 000 36, 678, 000 29, 814, 000 36, 346, 000
1898 1899 1900 1901 1901	4, 237, 000 4, 470, 000 4, 545, 000 4, 742, 000 5, 126, 000	23. 5 26. 1 21. 1 25. 7 29. 1	99, 490, 000 116, 552, 000 96, 041, 000 121, 784, 000 149, 389, 000	38. 9 39. 0 40. 5 45. 2 45. 5	38, 701, 000 45, 479, 000 38, 896, 000 55, 068, 000 67, 944, 000
1903 1904 1905 1906 1907 1908	5,912,000 6,250,000	26. 4 27. 4 27. 2 28. 6 24. 5 25. 3 21. 4	146, 864, 000 162, 105, 000 170, 174, 000 192, 270, 000 170, 008, 000 184, 857, 000 187, 973, 000	45. 4 41. 6 39. 4 41. 6 66. 3 55. 2 54. 8	68, 700, 000 67, 427, 000 67, 005, 000 80, 060, 000 112, 675, 000 102, 037, 000 102, 917, 000

Table 55.—Barley: Acreage, production, and total farm value, by States, 1920.
[000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine New Hampshire Vermont New York Pennsylvania	A cres. 4 1 12 120 20	Bushels. 104 27 336 3,480 480	Dollars. 144 39 403 3,445 432	Kansas Kentucky Tennessee Texas Oklahoma	Acres. 838 4 9 11 130	Bushels. 21, 285 112 225 253 3, 120	Dollars. 9,578 129 248 190 2,246
Maryland Virginia Ohio Indiana Illinois	6 15 102 75 200	165 405 2,825 2,025 6,080	182 405 2,316 1,762 4,986	Montana. Wyoming. Colorado New Mexico. Arizona.	77 28 190 21 20	1,540 1,008 4,674 630 680	1,001 1,109 3,508 472 952
Michigan	240 502 1,000 284	6,240 15,913 25,000 7,810	5,429 13,367 15,500 4,920 220 12,701	Utah Nevada Idaho Washington Oregon California	17 8 112 110 80 1,250	685 304 4,256 3,883 2,576 28,750	685 502 3,192 3,883 2,576 28,750
North Dakota South Dakota Nebraska	1,260 1,073 256	22,680 26,825 7,424	12,701 13,949 3,712	United States	8, 088	202,024	142,931

TABLE 56 .- Barley: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

			Yield per acre (bushels).										arm	price (cen	per l ts).	bushe	1	per	luo acre ars).1
State.	10-year aver- age, 1911-1920.	1911	1912	1913	1014	1915	1916	1917	1918	1919	1920	10-year aver- age, 1911-1920.	1916	1917	1918	1919	1920	5-year average, 1915-1919.	1920
Me N. H. Vt. N. Y Pa													101	130 175 140 130 140	149 150 153 126 120	170 188 150 136 128	120	35, 86 30, 71	35. 88 39. 42 33. 60 28. 71 21. 60
MdVaOhioIndIII	21.2	28.0	31.5	26. U	28.0	34.0	32. U	37.5	30. U	27.0	30.4	84	80 75 103	130 139 118 104 121	120 160 93 104 90	123 130 125 118 121	100 82 87 82	32.51 27.74 27.63 32.56	30. 25 27. 00 22. 71 23. 49 24. 93
Mich													i	119 124 111 117 94	100 92 80 85 115	118 121 116 112 130	84 62 63 98	31, 19 21, 89 27, 66 25, 12	22. 62 26. 63 15. 50 17. 32 27. 44
N. Dak. S. Dak. Nebr. Kans Ky	1		1		1	,				1	1		77 90	100 110 98 115 115		108 115 100 100 157	52 50 45 115	22. 31 19. 94 14. 21 31. 43	10. 08 13. 00 14. 50 11. 43 32. 20
Tenn Texas Okla Mont Wyo	32. 4	34. 0	36. 5 34. 0	31.0	33.0	34. 0 36. 0	33. 0	36. 0	37.0	15.0	36.0	75 95	100 76 87	144 137 148 103 130	130 124 100 130		75 72 65 110	24.27 22.01 16.69 33.93	27, 50 17, 25 17, 28 13, 00 39, 60
Colo	40.0	40.0	45.0 41.0	41.0	47. (	48.0	41.0	35. 0	34.0	30. ( 35. (	38.0	108	100 108 76 95	120 119	110 130 140 154	110 140 141 150	75 140 100 165	31.64 40.84 87.04 43.8	18. 45 22. 50 47. 60 40. 30 62. 70
Idaho	27.9	34. 0 28. 0	36. 0 30. 0	35. ( 26. (	30.0	36.0 29.0	38. 6 28. 0	29. ( 29. (	25.0 26.0	23. 1 30. (	32. 2 23. (	92	84 80 95	115 120	136 115	135 150 141	100	31.0	28. 50 35. 30 32. 20 23. 00

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 57.—Barley: Condition of crop, United States, on first of months named, 1899-1920.

Year.	June.	July.	August.	When har- vested.	Year.	June.	July.	August.	When har- vested.
1899 1900 1801 1902 1902 1903 1904 1905 1906 1908 1909	P. ct. 91.4 86.2 91.0 93.6 91.5 90.5 93.7 93.5 84.9 90.6	P. ct. 92.0 76.3 91.3 93.7 86.8 88.5 91.5 92.5 84.4 86.2	P. ct. 93.6 71.6 86.9 90.2 83.4 88.5 90.3 84.5 83.1 85.4	P. ct. 86.7 70.7 83.8 89.7 82.1 87.4 87.4 89.4 78.5 81.2 80.5	1910 1911. 1912. 1913. 1914. 1915. 1916. 1917. 1918. 1919. 1920.	P. ct. 89. 6 90. 2 91. 1 87. 1 95. 5 94. 6 86. 3 90. 5 91. 7	P. ct. 73.7 72.1 88.3 76.6 92.6 94.1 87.9 85.4 84.7 87.6	P. ct. 70.0 66.2 89.1 74.9 85.3 93.0 77.9 82.0 73.6 84.9	P. ct. 69. 8 65. 5 88. 9 73. 4 82. 4 94. 2 76. 3 81. 5 69. 2 82. 5

TABLE 58.—Barley: Extent and causes of yearly crop losses, 1909-1919.

Year.	Deficient moisture.	Excessive moisture.	Floods.	Frost or freeze.	Hail.	Hot winds.	Storms.	Total climatic.	Plant disease.	Insect pests.	Animal pests.	Defective seed.	Total.
1919	P. et. 18. 0 20. 7 26. 6 8. 0	P. ct. 3.4 .4 .8 3.4	P. ct. .5 .1 (1)	P. ct. .2 .7 1.0	P. ct. 1. 8 1. 1 1. 1 1. 5	P. ct. 3. 8 2. 3 2. 3 5. 0	P. ct. .3 .3 .2 .5	P. ct. 28. 2 25. 9 32. 1 20. 2	P. ct. 5. 3 . 6 . 5 8. 5	P.ct. 4.3 1.6 .4 .7	P. ct. .1 .2 .1 .1	P. ct. (1) (1) 11	P. ct. 38. 5 28. 8 33. 6 30. 6
1915	1.3 8.2 24.5 8.4	3. 2 2. 3 . 7 1. 8	.3 .2 .1	.7 .6, .4	1.7 1.5 1.0 1.9	.3 4.6 3.2 1.7	.5 .4 .3 .5	8.0 18.4 31.1 15.9	.9 2.3 .2 .9	.2 .6 1.2 .5	.2 .2 .2	.1 .1 .2 .3	10. 0 22. 7 34. 3 19. 6
1911 1910 1909	30. 0 34. 0 8. 9	1.2 .2 3.6	 .1 .3	.8 .9 1.0	.4 .9 2.1	5.7 4.3 2.3	.1 .1 .8	38. 1 40. 7 19. 0	.9 .4 1.4	.9 .8 .4	.3 .5 .5	.2 .1 .2	41.3 43.1 22.8
Average	17. 1	1.8	.1	.8	1.3	3. 2	.4	24. 9	1. 7	.7	.3	.1	28.7

1 Less than 0.05 per cent.

TABLE 59.—Barley: Farm price, cents per bushel on first of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. I. Feb. 1. Mar. I. Apr. 1. May 1. June 1. July 1. Aug. 1. Sept. 1. Oct. 1. Nov. 1. Dec. 1. Average.	130. 2 137. 1 129. 3 140. 0 146. 4 148. 3 142. 0 121. 0 105. 0 91. 2 81. 7 70. 7	91. 3 86. 8 85. 4 92. 7 103. 9 109. 2 118. 7 115. 6 115. 3 117. 1 121. 0	126. 5 131. 9 161. 1 170. 2 158. 5 135. 4 118. 4 110. 9 95. 5 94. 9 91. 7	87. 1 92. 9 96. 9 102. 3 120. 1 119. 3 106. 6 114. 5 110. 0 113. 9 111. 3 113. 7	54. 9 61. 7 59. 6 57. 2 59. 6 59. 3 72. 9 76. 5 83. 2 88. 1	54. 3 62. 9 67. 7 64. 7 63. 8 62. 0 55. 8 56. 7 51. 9 48. 8 50. 1 51. 6	52. 2 52. 4 51. 1 51. 7 49. 3 49. 1 47. 5 45. 1 52. 5 51. 8 51. 7 54. 3	49. 9 51. 4 49. 0 48. 5 48. 3 52. 7 58. 7 50. 2 56. 8 54. 7 53. 7	86. 4 91. 2 91. 0 92. 3 96. 2 91. 1 81. 9 66. 8 53. 5 54. 8 50. 5	59. 8 64. 1 63. 0 69. 1 74. 0 73. 8 70. 1 69. 3 77. 0 81. 7 84. 9 86. 9	79. 3 83. 2 85. 4 88. 9 92. 0 90. 0 84. 4 81. 4 78. 4 78. 4 78. 3 78. 2

Table 60.—Barley: Wholesale price per bushel, 1913-1920.

[Compiled from commercial papers.]

	Cir	cinna	ati.	Cl	nicago	٠.	Mil	wank	:00.	Mir	111081)	olis.	San .	Franc	cisco.
Date.	Spr	ing m	alt.1	Low	inal fanci	ing	N	To. 3.8		Aľ	l grad	les.	Fee	l (per lbs.)	100
	Low.	High.	Average.	Low.	High.	Атегаде.	Low.	High.	Average.	Low.	High.	Average:	Low.	High.	Average.
1913. January-Juna. July-December	Cts. 70 87	Cts. 86 92	Cts. 79. 1 89. 5	Cts. 42 43	Cts. 71 85	Cts. 57. 0 66. 2	Cts. 53 58	Cts. 73 60	Cts. 61. 8 68. 4	Cts. 39 42	Cts. 63 73	Cts. 50. 9 56. 9	Cts. 128 123 <del>2</del>	Cts. 150 142½	Cts. 137. 0 132. 0
1914. anuary–June July–December	60 70	70 80	64. 5 75. 3	49 50	79 82	60. 6 65. 6	53 51 <u>1</u>	68 82	61. 0 67. 9	41 40	65 76	51. 1 56. 6	90 95	132 <u>1</u> 130	109. 2 110. 0
1915. January–June July–December	72 70	102 102	83. 9 83. 0	66 51	91 85	78. 1 65. 6	70 <u>1</u> 54	93 81	78. 9 66. 9	58 42	86 78	70. 7 58. 9	100 100	162 <u>1</u> 132 <u>1</u>	131. 6 121. 7
1916. January-June July-December	83 93	102 145	93. 8 124, 2	64 68	86 128	74, 6 99, 4	68 70	82 128	75. 7 106. 3	50 57	76 <u>1</u> 112	67. 4 82. 4	127 <u>1</u> 127 <u>1</u>	136 <del>1</del> 225	131. <b>7</b> 17. <b>3</b>
1917. January-June July-December	135 147	182 185	161. 3 168. 3	102 112	165 163	130. 4 136. 2	120 <u>1</u> 120	166 162	139. 2 139. 5	85 88	-155 160	114. 6 132, 1	215 205	305 285	236.3 241.3
1918. January-June July-December	172 108	256 208	205. 8 153. 2	100 80	243 128	163. 0 99. 9	115 93	239 125	171. 2 105. 8	85 80	237 130	154. 3 94. 4	280 210	350 2223	315. 5 215. 7
1919. January-June July-December	108 130	139 165	119. 6 145. 2	70 100	130 168	106, 7 136, 3	88 119	133 167	11. 5 142. 6	70 100	119 162	97. 0 123. 9	185 280	290 350	229. 6 315. 2
January. February. March April May June.	158 150 150 167 175 175	185 193	161. 5 154. 1 158. 6 176. 8 182. 9 179. 7	132 120 131 150 140 141	153 167 182 190	149, 0 138, 9 152, 0 166, 9 169, 3 153, 7	147 132 143 161 160 146	151 164 176 184	153. 6 143. 8 157. 6 167. 6 174. 4 157. 9	118 111 118 128 125 118	158 172 180	135. 5 126. 9 141. 0 148. 6 155. 1 136. 4	315 290 820	355	354. 7 345. 7 338. 5 307. 5 340. 1 333. 3
January-June	150	193	168. 9	120	190	155.0	132	184	159, 2	111	180	140, 6	290	865	336.6
July	177 124 96 95 95	130 100 115	175. 0 126. 7 97. 4 105. 0 100. 0	93 80 77 57	119 118 109 112	121. 6 109. 1 101. 5 94. 1 89. 1 78. 5	93	119 121	123. 7 113. 0 109. 3 104. 4 106. 8 96. 5	i ao	198	109. 0 96. 2 90. 0 83. 0 75. 2 64. 2	215 205 195	305 270 240 220	271. 0 234. 0 222. 2 206. 3 217. 3 153. 7
July-December	95	184	120, 8	50	150	99.0	87	148	109.0	50	143	86.3	130	305	217. 4

No. 2 spring January-July, 1919 No. 3 spring September, 1919, to December, 1920, inclusive.
 All grades, September to December, 1919.
 No. 4, September to December, 1919.

Table 61.—Barley (including malt): International trade, calendar years, 1911-1919.

[See "General note," Table 15.]

#### EXPORTS.

Country.	A verage, 1911–1913.	1914	1915	1916	1917	1918	1919
From— AlgeriaArgentina.	1,000 bushels. 4,720 917	1,000 bushels. 3,530 1,152	1,000 bushels. 1,302 3,440	1,000 bushels. 5,992 3,104	1,000 bushels. 1,758 566	1,000 bushels. 3,743 218	1,000 bushels. 15,696 1,871
Austria-Hungary Belgium British India	18, 271 8, 853 17, 129	1,290	7,441	7,705	14, 531	14,848	320 598
Bulgaria. Canada Chile.	1,700 6,670 631 660	6, 843 3, 051 524	4,677 1,557 191	9, 980 1, 149 45	7,218 1,054 61	4,556 1,450 97	18, 172
Denmark. France. Germany	3,561 639 1,225	3, 582 357	167 1,173	642 627	32 590	437 96	. 354
Netherlands Roumania Russia	29,611 16,692 168,461	13, 784 9, 284 90, 930	151 . 643	(2) 488	23	(3)	44
United Kingdom United States Other countries	932 8,400 15,569	902 18,870 1,281	3,699 28,578 2,683	.1, 593 27, 152 3, 782	478 21,644 1,639	19,620 3,518	154 46, 745
Total	299, 641	155, 380	55,702	62, 259	49,594	47,198	

#### IMPORTS.

Into-							
Argentina	1,310 839	1,032	656	988	764	885	1,123
Austria-HungaryBelgium.	20, 236						2, 264
Brazil	978	639 265	865	655	691	309	622
British South Africa	351	265	216 82	264	691 138 36	34	60 75
Canada	166 278 2,098	136 285	82	10	36	8	75
Cuba Denmark	2/8	2,413	343 4,995	347	437 466	273 12	
Egypt	889	2, ±13 512	452	1,104 224	73	! <del>`</del> 1	107
France	7.155	4,938 292	4,374	10.442	9,440	11,022	107 15, 247
Finland	7, 155 526	292	530	486	23		
Germany	153, 54						
Italy	815 41, 184	1,050	633 6,569	513 5,846	1,530 2,360	7,604 136	1,306 7,325
Netherlands Norway	4,333	23,994	1,368	2,465	2, 255	557	7,040
Russia	974	4, 007 781	271	2, 200	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	00,	
Switzerland	4,440	3,556	2,641	2,268	1,479 21,462	616	1,370 38,824
United Kingdom	51.727	36, 547	27, 976	36,957	21,462	11,725	38, 824
Other countries	2, 253	2,264	1,405	978	1,542	823	
Total	294, 096	82,711	53,376	63,548	42,696	34,005	

Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1913. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

\*\*Less than 500 bushels.\*\*

Table 62.—Rye: Area and production in undermentioned countries, 1909-1920. AREA.

Country.	Average <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
NOBTH AMERICA. United States	1,000 acres. 2,236	1,000 acres. 2,541	1,000 acres. 3,129	1,000 acres. 3,213	1,000 acres. 4,317	1,000 acres. 6,391	1,000 acres. 7,103	1,000 acres. 5,043
Canada: Quebec Quisario Manitoba Saskatchewan Alberta Other	. 14 77 5 3 12 1	9 78 5 3 16 (²)	9 78 12 7 6	8 69 30 23 18 (²)	22 68 37 53 . 31	29 113 240 - 124 48 1	33 140 299 190 84 7	28 133 149 172 161
Total Canada	112	111	112	148	212	555	758	650
Mexico								
Total	2,348							
SOUTH AMERICA.								
Argentina Chile. Uruguay.	68 6 (2)	228 6 (²)	229 4 (²)	212 11 (²)	180 6 (²)	8 (²)	(²)	
Total	74	234	233	223	186			
EUROPE.								
Austria	3 5,019 2,601 185 39	4 3, 138 2, 638 163	43,120 2,625	5 3, 866	820	773	717	61,248
Belgium Bulgaria <sup>3</sup> Czecho-Slovakia	644 530	645 527	507 521	465	442	475 1,922	496 8 446 7 1, 816	506 6 417 2, 184
Denmark Finland. France <sup>3</sup> . Alsace-Lorraine. Germany <sup>3</sup> . Greece.	8592 2,960 135	2,614 139	2, 309 116	481 2, 149	1,834 913,650	1,746 67	559 602 91,907 130	519 602 9 2, 001
Italy Jugo-Slavia	15,387 10 13 303	15,565 12 303	15, 843 13 294	9 4, 737 11 16 285	12 56 279	9 14, 200 270 682	9 10, 842 58 272 682	910,703 281 948
Luxemburg Netherlands Norway Roumania <sup>8</sup>	26 557 37 317	26 563 208	24 546 48 187	23 499 48 200	17 463 58	17 472 37 18 624	26 481 37 14 748	489 37 18 680
Russia proper <sup>3</sup>	64,575 8 5,261 547 114	65,967 161,676 439 74	59, 766 328	55,687			17 8, 424	17 8, 162
Spain Sweden Switzerland United Kingdom	1,987 977 60 61	1,887 981 61 67	1,820 965 66 62	1,846 913 44 60	1,805 819 49 64	1,818 948 49 116	1,809 919 54 122	1, 920 914 50 108
Total	103,424		-					200
ASIA.								
Russia: Central Asia (4	176	133	340					
Central Asia (4 governments) <sup>3</sup> Siberia (4 gov- ernments) <sup>3</sup>	2,273	2,676	2,452					
Transcaucasia (1 government)	2,210	2,070	2,402					
Total Russia	2,451	2,810	2,793	-				

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
2 Less than 500 acres.
2 Old boundaries.
3 Excludes Galicia and Bukowina.
5 Includes Galicia, but excludes Bukowina, Goritz, and Gradisca.
4 New boundaries.
7 Bohemia and Moravia.
8 Census of 1910.

<sup>9</sup> Excludes Alsace-Lorraine.

<sup>Excludes Alsace-Lorraine.
1914.
Excludes Macedonia.
Excludes Eastern Macedonia.
Includes Eastern Macedonia.
Former Kingdom, Bessarabia, and Bukowina.
Former Kingdom, Bessarabia, Bukowina, and Transylvania.
Winter rye in 5 governments only.
Unofficial.</sup> 

Table 62.—Rye: Area and production in undermentioned countries, 1909-1920—Contd. AREA-Continued.

. Country.	Average. <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
AUSTRALASIA.  Australia: Queensland New South Wales Victoria. South Australia Western Australia Tasmania	2 1	1,000 acres. (2) 5 2 1 1	1,000 acres. (2) 3 2 1 1 1	1,000 acres. (2) 3 3 3 1	1,000 acres. (2) 2 3 2 1	1,000 acres. (2) (2) (2) (2) (2)	1,000 acres. (2) 1 1 1 1 (2) (2)	1,000 acres.
Total	9	10	8	11	9	5	4	
New Zealand	5	······				( <sup>2</sup> )	( <sup>2</sup> )	
Total Austral- asia	14							:
Grand total	108, 311							

#### PRODUCTION.

			,				<del>,</del>	
NORTH AMERICA. United States	1,000 .bushels. 34, 916	1,000 bushels. 42,799	1,000 bushels. 54,050	1,000 bushels. 48,862	1,000 bushels. 62,933	1,000 bushels. 91,041	1,000 bushels. 88,909	1,000 bushels. 69,318
Canada: Quebec Ontario Manitoba Saskatchewan Alberta Other	234 1,405 96 55 297	156 1,341 100 54 360 6	145 1,551 208 203 375 4	118 1,208 557 548 440 5	376 1, 207 638 998 633 5	472 1,813 3,936 1,420 826 37	578 2, 219 4, 089 2, 000 1, 173 148	534 2, 350 2, 319 2, 535 3, 420 148
Total	2,096	2, 017	2, 486	2, 876	3, 857	8, 504	10, 207	11, 306
Mexico	. 70	70	70	70				
Total	37, 082	44, 886	56,606	51, 808				
SOUTH AMERICA.								
Argentina. Chile. Uruguay	949 144 1	3,346 151 5	1,811 185 1	2,008 187 1	858 92 1	176 1	192 1	**********
Total	1,094	3,502	1, 997	2, 196	951			
EUROPE.								
Austria. Hungary proper <sup>3</sup> . Croatia-Slavonia <sup>3</sup> . Bosnia-Herzegovina <sup>3</sup> . Belgium. Bulgaria <sup>2</sup> .	3 112, 752 48, 716 2, 231 444 22, 675 8, 553	4 74, 555 42, 410 2, 082 500 23, 137 6, 200	4 51, 211 45, 975 2, 500 600 18, 000 7, 107	50, 233 5, 356	10, 922 5, 008 5, 901	10,604 5,132 4,427	9,035 13,681 6,490	6 16,520 13,701 6 8,931
Czecho-Slovakia Denmark. Finland. France s. Alsace-Lorraine Germany s.	18,098 11,174 48,647 3,476 445,222	10, 905 11, 291 32, 002 3, 041 410, 478	13, 001 11, 270 33, 148 2, 286 360, 310	10, 569 9, 899 33, 351	8, 870 24, 788 8 274, 677	12, 726 7 11, 031 28, 935 1, 165	32,734 14,909 10,505 \$ 28,736 1,841	33, 439 12, 613 9, 178 8 33, 174
Greece	5,328 5,328	138 5,260	4, 362	* 350, 486 10 157 5, 342 436	11 695 4, 460	* 315, 301 * 5, 232 422	8 240, 161 1, 081 4, 571 9, 816	* 189, 556 1, 807 4, 589 18, 125
Netherlands	16, 422	13.471	497 13. 726	12.391	292 11. 958	13.022	14.057	14.222

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
2 Less than 500 acres.
2 Old houndaries.
4 Excludes Galicia and Bukowina.
5 Includes Galicia, excludes Bukowina, Goritz, and Gradisca.

New boundaries.
Unofficial.
Excludes Alsace-Lorraine.
1914.
Excludes Macedonia.
Excludes eastern Macedonia.

Table 62.—Rye: Area and production in undermentioned countries, 1909-1920-Contd. PRODUCTION-Continued.

Country.	Average, <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
EUROPE—continued.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.
Norway	974 4,652 791,333	1, 046 1, 959 787, 625	829 2, 911 875, 422	943 843,740	1, 159	1, 012 8 1, 694	984 4 10, 046	990 5 5, 750
Poland	2 90, 494	2 6 27, 984	010, 422	2, 761	7 2, 894		7 134, 717	7 82, 082
Portugal Northern Caucasia <sup>2</sup> Serbia <sup>2</sup>	7,409 1,533	5, 469 1, 000	4, 615 800					
Spain Sweden Switzerland	27,635 23,859 1,783	23, 950 27, 599 1, 724	26, 102 23, 133 2, 059 1, 700	28, 782 22, 929 1, 279	24, 365 14, 080 1, 468	30, 445 19, 794 1, 850	23, 296 23, 074 1, 748	27, 830 24, 959 1, 622
United Kingdom	1,751	1,800	1,700		1, 200	1, 600		
'Total Europe	1,692,554							
ASIA. Russia:				'				
Central Asia (4 governments) <sup>2</sup> . Siberia (4 gov-	1,001	1, 206	2, 785					
ernments)2 Transcaucasia (1	23,647	35, 887	20, 143					
government) 2	15	11	17					
Total Russia, Asiatic	24,663	37,104	22, 945					
Australasia.								
Australia: Queensland New South Wales Victoria. South Australia. Western Australia Tasmania	24 10	1 70 20 13 4 9	1 36 13 6 3 9	1 32 43 31 4 17	2 31 43 11 4 7	17 4 1	(8) 12 7 6 2 6	
Total	108	117	68	128	98	46	33	
New Zealand	97							
Total Austral- asia	205							
Grand total	1, 755, 598							

Five year average except in a few cases where five year statistics were unavailable.
 Old boundaries.
 Includes Bessarabia, but excludes Dobrudja.
 Former Kingdom, Bessarabia, and Bukowina.

Table 63.—Rye: World production so far as reported, 1895-1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production,
1895 1896 1897 1898 1899	Bushels. 1, 468, 212, 000 1, 499, 250, 000 1, 300, 645, 000 1, 461, 171, 000 1, 583, 179, 000 1, 557, 634, 000	1901 1902 1903 1904 1905	Bushels. 1,416,022,000 1,647,845,000 1,659,961,000 1,742,112,000 1,495,751,000 1,433,395,000	1907 1908 1909 1910 1911 1912	Bushels. 1,538,778,000 1,590,057,000 1,747,123,000 1,678,478,000 1,783,933,000 1,886,517,000	1913 1914 1915	Bushels. 1, 880, 387, 000 1, 596, 882, 000 1, 577, 490, 000

<sup>Former Kingdom and Bessarabia.
Winter rye in five governments only.
Unofficial.</sup> 

<sup>8</sup> Less than 500 bushels.

TABLE 64.—Rye: Average yield per acre in undermentioned countries, 1890-1920.

Year.	United States.1	Russia (Euro- pean). <sup>1</sup>	Ger- many.1	Austria,1	Hungary proper.1	France. <sup>2</sup>	Ireland.
Average: 1390-1899. 1900-1909. 1910-1914.		Bushels. 10. 4 11. 5 12. 5	Bushels. 20. 9 25. 6 28. 3	Bushels. 16. 1 19. 0 22. 2	Bushels. 17. 6 18. 5	Bushels. 17.6 17.1 16.1	Bushels. 25. 2 27. 5 29. 9
1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1915 1916 1917 1918	16. 4 16. 4 13. 4 16. 6 16. 8 16. 8 17. 3 14. 6	8.8 10.8 11.0 12.3 10.5 14.5 14.5 15.1	25. 1 25. 8 28. 0 28. 2 27. 1 28. 2 29. 4 26. 4 22. 8 23. 7 20. 1		19. 8 16. 0 17. 5 17. 8 18. 9 18. 7 19. 4 19. 6 16. 1 17. 5		27. 6 27. 0 29. 2 30. 3 30. 3 29. 0 30. 6 30. 0 29. 4 29. 2 29. 2 27. 1

<sup>1</sup> Bushels of 56 pounds.

Table 65.—Rye: Acreage, production, value, exports., etc., in the United States, 1849-1920.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

		<del></del>		7	<del></del>					
		Aver-		Aver-		Chic	ago ca bushel	sh pric , No. 2	e per	Domestic exports, in-
Year.	Acreage harvested.	yield per acre.	Production.	farm price per bushel	Farm value Dec. 1.	Dece	mber.	Follo M	owing ay.	cluding rye flour, fiscal year beginning
				Dec. 1.		Low.	High.	Low.	High.	July 1.
1849 1859	Acres.	Bush.	Bushels. 14, 189, 000 21, 101, 000	Cents.	Dollars.	C'8.	Cts.	Cts.	Cts.	Bushels.
1866 1867 1868 1869	1,548,000 1,689,000 1,651,000 1,658,000	13. 5 13. 7 13. 6 13. 6	20, 865, 000 23, 184, 000 22, 505, 000 22, 528, 000 16, 919, 000	82. 2 100. 4 94. 9 77. 0	17, 150, 000 23, 281, 000 21, 349, 000 17, 342, 000	132 106 <u>1</u> 66	157 118 77½	142 173 100 78	150 185 1151 831	234, 971 564, 901 92, 869 199, 450
1870 1871 1872 1873 1874	1,176,000 1,070,000 1,049,000 1,150,000 1,117,000	13. 2 14. 4 14. 2 13. 2 13. 4	15, 474, 000 15, 366, 000 14, 889, 000 15, 142, 000 14, 991, 000	73. 2 71. 1 67. 6 70. 3 77. 4	11, 327, 000 10, 928, 000 10, 071, 000 10, 638, 000 11, 610, 000	67 62 57½ 70 93	74 63 <del>2</del> 70 81 99½	81 75 68½ 91 103	91 93 70 102 107½	87, 174 832, 689 611, 749 1, 928, 404 267, 058
1875 1876 1877 1878 1879	1,360,000 1,468,000 1,413,000 1,623,000 1,625,000 1,842,000	13. 0 13. 9 15. 0 15. 9 14. 5 10. 8	17, 722, 000 20, 375, 000 21, 170, 000 25, 843, 000 23, 639, 000 19, 858, 000	67. 1 61. 4 57. 6 52, 5 65. 6	11, 894, 000 12, 505, 000 12, 202, 000 13, 566, 000 16, 507, 000	67 65½ 55½ 44 73½	688 73 561 441 81	61½ 70 54 47 73½	70½ 92½ 60 52 85	589, 159 2, 234, 856 4, 249, 684 4, 377, 821 2, 943, 894
1880 1881 1882 1883 1884	1, 768, 000 1, 789, 000 2, 228, 000 2, 315, 000 2, 344, 000	13.9 11.6 13.4 12.1 12.2	24, 541, 000 20, 705, 000 29, 960, 000 28, 059, 000 28, 640, 000	75. 6 93. 3 61. 5 58. 1 51. 9	18,565,000 19,827,000 18,439,000 16,301,000 14,857,000	82 96½ 57 56½ 51	91½ 98 58½ 60 52	115 77 62 60 <del>1</del> 68	118 83 67 62½ 78	1, 955, 155 1, 008, 609 2, 206, 212 6, 247, 590 2, 974, 390
1885 1886 1887 1888 1889	2, 129, 000 2, 130, 000 2, 053, 000 2, 365, 000 2, 171, 000 8, 178, 000	10. 2 11. 5 10. 1 12. 0 13. 1 18. 1	21, 756, 000 24, 489, 000 20, 693, 000 28, 415, 000 28, 420, 000 88, 421, 000	57. 9 53. 8 54. 5 58. 8 42, 3	12,595,000 13,181,000 11,283,000 16,722,000 12,010,000	58½ 53 55½ 50 44	61 541 611 52 451	58 541 63 39 491	61 56½ 68 41½ 54	216, 699 377, 302 94, 827 309, 266 2, 280, 975
1890 1891 1892 1893 1894	2, 142, 000 2, 176, 000 2, 164, 000 2, 088, 000 1, 945, 000	12.0 14.6 12.9 13.0 13.7	25, 807, 000 81, 752, 000 27, 979, 000 26, 555, 000	62.9 77.4 54.2 51.3 50.1	16, 230, 000 24, 589, 000 15, 160, 000 13, 612, 000 13, 395, 000	64½ 86 45 45 47½	681 92 51 471 49	83 701 501 441 621	92 79 62 48 67	358, 263 12, 068, 628 1, 493, 924 249, 152 32, 045

<sup>&</sup>lt;sup>2</sup> Winchester bushels.

Table 65.—Rye: Acreage, production, value, exports, etc., in the United States, 1849-1920—Continued.

		Aver-		Aver-		Chic	ago ca: bushel	sh pric , No. 2	e per	Domestie exports, in-
Year.	Acreage harvested.	age yield per acre.	Production.	farm price per bushel	price per Dec. 1.		mber.		owing ay.	cluding rye flour, fiscal year beginning
				Dec. 1.		Low.	High.	Low.	High.	July 1.
1895 1896 1897 1998 1899	Acres. 1,890,000 1,831,000 1,704,000 1,643,000 1,659,000 2,054,000	Bush. 14. 4 13. 3 16. 1 15. 6 14. 4 12. 4	Bushels. 27, 210, 000 24, 369, 000 27, 363, 000 25, 658, 000 23, 962, 000 26, 569, 000	Cents. 44. 0 40. 9 44. 7 46. 3 51. 0	Dollars. 11, 965, 090 9, 961, 000 12, 240, 000 11, 875, 000 12, 214, 000	Cts. 32 37 452 522 49	Cts. 353 423 47 551 52	Cts. 33 322 48 561 53	Cts. 361 351 75 62 561	Bushels. 1, 011, 128 8, 575, 663 15, 562, 035 10, 169, 822 2, 382, 012
1900 1901 1902 1903 1904	1,591,000 1,988,000 1,979,000 1,907,000 1,793,000	15. 1 15. 3 17. 0 15. 4 15. 2	23, 996, 000 30, 345, 000 33, 631, 000 29, 363, 000 27, 242, 000	51. 2 55. 7 50. 8 54. 5 68. 8	12, 295, 000 16, 910, 000 17, 081, 000 15, 994, 000 18, 748, 000	452 59 48 501 73	493 653 493 524 75	51½ 54½ 48 69¾ 70	54 58 50½ 78 84	2, 345, 512 2, 712, 077 5, 445, 273 784, 068 29, 749
1905 1906 1907 1908 1909	1,730,000 2,002,000 1,926,000 1,948,000 2,006,000	16. 5 16. 7 16. 4 16. 4 16. 1	28, 486, 000 33, 375, 000 31, 566, 000 31, 851, 000 32, 239, 000	61. 1 58. 9 73. 1 73. 6	17, 414, 000 19, 671, 000 23, 068, 000 23, 455, 000	64 61 75 75	68 65 82 77½	58 69 79 83	62 87½ 86 90	1,387,826 769,717 2,444,588 1,295,701
1909 1910 <sup>1</sup> 1911 1912 1913	2, 196, 000 2, 185, 000 2, 127, 000 2, 117, 000 2, 557, 000 2, 541, 000	18.4 16.0 15.6 16.8 16.2 16.8	29, 520, 000 34, 897, 000 33, 119, 000 35, 664, 000 41, 381, 000 42, 779, 000	71.8 71.5 83.2 66.3 63.4 86.5	21, 163, 000 24, 953, 000 27, 557, 000 23, 636, 000 26, 220, 000 37, 018, 000	72 80 91 58 61 107½	80 82 94 64 65 112½	74 90 90 60 62 115	80 113 95½ 64 67 122	242, 262 40, 123 31, 384 1, 854, 738 2, 272, 492 13, 026, 778
1915 1916 1917 1918 1919 1920	3, 129, 000 3, 213, 000 4, 317, 000 6, 391, 000 7, 103, 000 5, 043, 000	17. 3 15. 2 14. 6 14. 2 12. 5 13. 7	54, 050, 000 48, 862, 000 62, 933, 000 91, 041, 000 88, 909, 000 69, 318, 000	83. 4 122. 1 166. 0 151. 6 134. 5 127. 8	45, 083, 000 59, 676, 000 104, 447, 000 138, 038, 000 119, 596, 000 88, 609, 000	94½ 130 176 154 149 144	98½ 151 184 164 182 167	961 200 180 1451 198	991 240 260 173 229	15, 250, 151 13, 703, 499 17, 186, 417 36, 467, 450 41, 230, 961

<sup>&</sup>lt;sup>1</sup> Figures adjusted to census basis.

Table 66.—Rye: Revised acreage, production, and farm value, 1879 and 1889-1909.
[See head note of Table 5.]

	200 Heart Horo	OL TADIO O.	1		
Year.	Acreagé.	Average yield per acre.	Production.	A verage farm price per bushel Dec. 1.	Farm value Dec. 1.
1879	2, 178, 000 2, 184, 000 2, 234, 000	Bushels. 13. 7 13. 1 12. 1 14. 7 13. 0	Bushels. 25, 201, 000 28, 378, 000 26, 414, 000 32, 761, 000 29, 253, 000	Cents. 67.6 42.3 62.6 77.1 53.6	Dollars. 17, 040, 000 11, 991, 000 16, 536, 000 25, 264, 000 15, 674, 000
1893 1894 1895 1896 1897	2, 178, 000 2, 164, 000 2, 153, 000 2, 126, 000	13. 1 13. 7 14. 5 13. 6 16. 1	28, 592, 000 29, 613, 000 31, 139, 000 28, 913, 000 33, 433, 000	50. 2 49. 4 42. 2 38. 8 43. 2	14, 360, 000 14, 622, 000 13, 151, 000 11, 231, 000 14, 454, 000
1898 1899 1900 1901 1901	2,042,000 2,042,000 2,033,000 2,051,000	15. 9 14. 8 15. 1 15. 3 17. 2	32, 888, 000 30, 334, 000 30, 791, 000 31, 103, 000 35, 255, 000	44. 5 49. 6 49. 8 55. 4 50. 5	14, 640, 000 15, 046, 000 15, 341, 000 17, 220, 000 17, 798, 000
1908 1904 1905 1908	2, 085, 000 2, 141, 000 2, 186, 000	15. 4 15. 3 16. 4 16. 7	31, 990, 000 31, 805, 060 35, 167, 000 36, 559, 000	54. 0 68. 9 60. 4 58. 5	17, 272, 000 21, 923, 000 21, 241, 000 21, 381, 000
1907 1908 1909	2, 175, 000	16. 4 16. 4 16. 1	35, 455, 000 35, 768, 000 35, 406, 000	72. 5 72. 8 72. 2	25, 709, 000 26, 023, 000 25, 548, 000

Table 67.—Ryc: Acreage (sown and harvested), production, and total farm value, by States, 1920.

#### [000 omitted.]

	Acre	eage.		Farm		Acre	age.		Farm
State.	Sown in fall of 1919.	Har- vested.	Produc- tion.	value, Dec. 1.	State.	Sown in fall of 1919.	Har- vested.	Produc- tion.	value, Dec. 1.
Vermont	A cres. 1 5 7 112 67	A cres. 1 5 7 107 66	Bush. 20 105 140 1,872 1,155	Dolls. 26 205 244 2, 958 1, 964	Missouri North Dakota South Dakota Nebraska Kansas	A cres. 51 960 350 278 125	A cres. 50 934 320 264 124	Bush. 600 9,340 4,320 3,722 1,612	Dolls. 750 11, 115 4, 709 3, 834 1, 612
Pennsylvania Delaware Maryland Virginia West Virginia	170 4 31 75 16	166 4 30 72 15	2, 656 60 462 864 165	3, 718 82 721 1, 339 264	Kentucky Tennessee Alabama Texas. Oklahoma	44 33 4 3 26	40 30 4 3 25	480 300 44 48 375	720 570 110 72 375
North Carolina South Carolina Georgia Ohio Indiana.	98 24 31 85 325	96 24 29 80 310	912 264 290 1, 152 4, 340	1,733 792 609 1,555 5,642	Arkansas	90 32 125	80 30 115	880 540 1,357	88 950 621 1, 425
Illinois	225 690 483 492	210 660 483 480	3, 276 9, 702 7, 728 8, 160	4, 259 12, 613 10, 046 9, 955	Utah	16 19 42 42	15 18 39 40	124 252 370 520	186 252 592 650
Iowa	65	63	1,071	1, 253	United States	5, 250	5, 043	69, 318	88, 609

TABLE 68.—Rye: Acreage sown and harvested, United States, 1906-1920.

Year.	Acreage sown in pre- ceding fall:	Acreage har- vested.	Year.	Acreage sown in pre- ceding fall.	Acreage har- vested.
1906 1907 1908 1909 1909 1910 1911 1911 1912	Acres. 2, 100, 000 2, 061, 000 2, 015, 000 2, 326, 000 2, 413, 000 2, 415, 000 2, 478, 000 2, 731, 000	Acres. 2,002,000 1,926,000 1,948,000 2,196,000 2,185,000 2,127,000 2,117,000 2,557,000	1914. 1915. 1916. 1917. 1918. 1919. 1920. 1921.	Acres. 2, 773, 000 3, 153, 000 3, 474, 000 4, 480, 000 6, 708, 000 7, 232, 000 5, 250, 000 4, 653, 000	A cres. 2, 541, 000 3, 129, 000 3, 213, 000 4, 317, 000 6, 185, 000 7, 103, 000 5, 043, 000

TABLE 69 .- Rye: Condition of crop, United States, on first of months named, 1900-1920.

Year.	De- cem- ber of pre- vious year.	April.	Мау.	June.	When har- vested.	Year.	De- cem- ber of pre- vious year.	April.	Мау.	June.	When har- vested.
1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1909. 1909.	P. ct. 98. 2 99. 1 89. 9 98. 1 92. 7 90. 5 95. 4 96. 2 91. 4 87. 6 94. 1	P. ct. 84. 8 93. 1 85. 4 97. 9 82. 3 92. 1 90. 9 92. 0 89. 1 87. 2 92. 3	P. ct. 88. 5 94. 5 93. 3 81. 2 93. 5 92. 9 88. 0 90. 3 88. 1 91. 3	P. ct. 87. 6 93. 9 88. 1 90. 6 86. 3 94. 0 89. 9 88. 1 91. 6 90. 6	P. ct. 80. 4 93. 0 90. 2 89. 5 88. 9 93. 2 91. 3 89. 7 91. 4 87. 5	1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921	P. ct. 92. 6 93. 3 93. 5 95. 3 93. 6 91. 5 88. 8 84. 1 89. 8 90. 5	P. ct. 89. 3 87. 3 89. 5 89. 5 87. 8 86. 0 85. 8 90. 6	P. ct. 90. 0 87. 5 91. 0 93. 4 93. 3 88. 7 88. 8 85. 8 95. 3	P. ct. 88. 6 97. 7 90. 9 93. 6 92. 0 86. 9 84. 3 83. 6 93. 5	P. ct. 85.0 88.2 88.6 92.9 92.0 87.0 79.4 80.8 85.7 83.5

TABLE 70 .- Rye: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

			3	ield/	per	acre	(bus	hels	).			Farr	u pric	e per	busho	el (cer	ıts).	per	lue acre lars).
State.	10-year aver- age, 1911–1920.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	10-year aver- age, 1911-1920.	1916	1917	1918	. 1918	1920	5-year aver- age, 1915–1919.	1920
Moss	10.4	16.0	18.5	18.5	19.0	20. N	118. 5	19. 0	120. O	18. 0 23. 0 20. 0 16. 1 16. 0	20. 0 21. 0 20. 0 17. 5 17. 5	118 142 139 121 121	120 127 125 128 117	175 200 210 184 175	166 227 205 172 173	150 175 200 150 160	105	22 51	26. 00 40. 95 34. 80 27. 65 29. 75
Pa Del Md Va W. Va	15. 4 12. 7 13. 3	14. 5 11. 5 11. 0	15.5 12.5 13.0	14. 4 12. 3 13. 5	17. 0 13. 0 14, 5	16. 5 14. 5 14. 0	15. 5 12. 5 16. 0	16. 0 15. 0 13. 5	15.0 12.0 13.7	14. 0 11. 5 13. 0	15. 4 12. 0 11. 0	118 122 124	109 123 110 107 119	170 178 168 175 169	165 171 170 175 180	157 160 163 170 165	136 156 155	21, 57 21, 35 18, 73	22. 40 20. 40 24. 03 18. 60 17. 60
ma	14. 9	10. (	14. 0	10, 2	10. 0	10.0	14.0	10.0	10. 0	14.0		109	130 185 160 120 119	200 285 270 161 160	198 295 210 150 152	210 295 272 145 140	300 210 135 130	24. 85 18. 64 22. 12 19. 69	18. 00 33. 00 21. 00 19. 44 18. 20
Ill Mich Wis Minn Iowa													122 130 132 127 115	165 165 169 167 155	150 150 150 150 147	130 128 133 130 132	130 130 130 122 117	22, 62 19, 10 23, 23 23, 00 22, 23	20, 20 19, 11 320, 80 520, 74 19, 80
Mo N. Dak S. Dak Nebr Kans													123 125 118 116 110	155	163 145 141 135 170	150 121 125 115 141	125 119 109 103 100	18. 04 13. 70 20. 50 18. 84 18. 73	15. 00 11. 90 14. 7: 14. 5: 1 18. 00
KyTennAlaTexOkla	12, 0	9. 8	12.0	9. 8	16.	13.	10. (	10. 0	11.0	14.	15. 0	118	129 135 175 120 125	196	161 192 261 235 187	175 200 260 167 150	190 250 150	16. 13 23. 03 18. 04	0 18. 00 3 19. 00 2 27. 2 4 24. 00 9 15. 00
Ark Mont Wyo	ı	1	1	1	1	1	1	1	1	1	i	1	105	165 155 146	140	185 180 130	108 115 105	15. 99 20. 00 14. 3	3 22. 0 9 11. 8 0 20. 7 1 12. 3
Utah Idaho Wash Oreg	18. 2 16. 0 15. 0	22, ( 22, ( 19, (	22. ( 20. ( 16. (	22. ( 21. ( 17. (	20. ( 19. 1 5 16. (	20. ( 18. :	17. (	15. 12. 12.	7 10. 7 11.	0 14. (0 0 12. (0 0 9. 7	-	111 99 120 128	111 115	135 175 170	165 200 205	175 185 190	100 160 125	19. 9 18. 8 19. 6	6 12. 4 6 14. 0 3 15. 2 6 16. 2

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

TABLE 71.—Rye: Farm price, cents per bushel on first of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1 Feb. 1 Mar. 1 Apr. 1 June 1 June 1 July 1 Aug. 1 Sept. 1	152. 3 154. 5 145. 0 156. 1 183. 1 183. 9 189. 0 168. 6 168. 9	150. 7 140. 4 132. 2 145. 8 155. 5 143. 7 138. 6 149. 7 138. 3	170. 3 174. 8 201. 0 235. 1 221. 1 187. 6 169. 9 163. 9 159. 3	118. 5 123. 5 126. 0 135. 6 164. 1 183. 0 177. 1 178. 1 161. 9	85, 3 88, 3 85, 6 83, 6 83, 7 83, 8 83, 3 83, 4	90. 2 100. 6 105. 4 100. 4 101. 9 98. 1 93. 7 89. 0 85. 5	62. 5 61. 7 61. 9 63. 0 62. 9 64. 4 63. 1 61. 0	63. 8 68. 9 63. 2 62. 9 62. 4 64. 1 63. 2 60. 7	82. 7 84. 4 84. 0 85. 1 84. 6 86. 1 83. 6 77. 9	73. 3 73. 1 71. 9 75. 4 75. 8 77. 9 76. 9 75. 5	105.0 107.0 107.6 114.3 119.5 117.3 113.8 110.8
Oct. 1 Nov. 1 Dec. 1	162. 3 142. 1 127. 8	135. 8 129. 8 134. 5	154.0 152.6 151.6	169. 8 168. 8 166. 0	104. 1 115. 3 122. 1	81. 7 85. 7 83. 4	79. 0 80. 1 86. 5	64. 8 63. 2 63. 4	70. 1 68. 8 66. 3	79. 7 83. 1 83. 2	110.1 110.1 109.0 108.5
Average	155. 3	138. 7	167.4	156. 5	99. 7	89. 2	72.8	63. 8	74.9	78.1	109.6

RYE-Continued.

Table 72.—Rye: Wholesale price per bushel, 1918-1920.

[Compiled from commercial papers.]

	Phi	ladely	hia.	Cir	elnn	ati.	C	hicag	o.	I	oulut	h.	San	Fran	cisco.
Date.	No.	2, We	stern.		No. 2		:	No. 2		1	No. 2.		Per	100	bs.
	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	A.ver- age.	Low.	High.	Ауег- аде.
1913. January-June July-December	Cts. 65 65	Cts. 70 77	Cts.	Cts. 60 60	Cts. 70 72	Cts. 65. 8 65. 3	Cts. 58 61	Cts. 651 701	Cts. 62. 5 64. 9	Cts. 52 50	Cts. 59 65	Cts. 55. 6 56. 4	Cts. 132½ 135	Cts. 147 <u>1</u> 165	Cts. 140. 0 145. 0
1914. January-June July-December	65 65	75 125	109.4	62 60	71 115	65. 7 92. 6	58 55	67 112½	62. 8 89. 2	50 57	62 107	56.3 86.6	152½ 130	165 165	159. 1 154. 2
January-June July-December	90	130 112	117.0	107 92	133 112	115.9 102.1	111 <del>1</del> 91	131 119	118.9 100.3	106 87	128 111	114.2 94.4		225 165	186. 6 156. 5
January-June July-December	90 90	118 155	138.3	90 96	106 155	98.9 127.3	90 94	104 <del>2</del> 153	97. 8 125. 5	87 89	98 150	93.4 123.0	150 152 <u>1</u>	160 265	155. 4 197. 6
January-June July-December	140 173		186.9 200.6	140 170		180. 1 191. 4	138 165	245 243	184. 9 189. 1	134 168	240 298	177.7 187.8	230 290	400 400	279.6 339.0
January-June July-December	175 165	188 176}	180. 4 172. 5	175 155	280 170	218. 9 160. 7	160 154	295 185	228. 6 164. 5	182 150	300 186	246. 5 165. 6	390	425 (1)	409.7
January-JuneJuly-December	148 115	176 <u>1</u> 165	169. 2 146. 0	123 136	173 177	152. 8 150. 8	124 133½	181½ 182	155. 7 150. 2	128 <del>]</del> 133 <del>]</del>	1781 1781	151.6 148.2	310	(¹) 375	346.0
1920. January. February. March April May. June.	179 <u>1</u> 160 174 201 211 231	198 182 197 236 239 239	188. 8 171. 0 185. 5 218. 5 225. 0 235. 0	155 190 200	215 229	178. 6 154. 8 174. 3 204. 2 218. 4 216. 4	1822	1853 168 1832 217 229 241	176. 6 156. 0 172. 5 199. 5 216. 1 222. 5	1821 1941	167 179 217 224	179. 6 155. 2 171. 0 198. 3 212. 8 218. 2	310 310 310 310	325 325 325 325	317.5 317.5 317.5 317.5 317.5 317.5
January-June	160	239	204.0	142	229	191.1	144	241	190. 5	1448	2311	189. 1	310	325	317.5
July August September October November December	189 184 189 181 160 162	220	218-0 202-0 206-5 189-5 170-0 172-5	179 166 150	203 175	220.0 194.5 192.4 170.4 165.2 153.8	1873	2001	219. 2 199. 4 196. 5 170. 2 156. 5 157. 2	171 1623 132	179	210. 2 197. 2 188. 0 169. 9 148. 4 147. 1	310 310 310 310 310 310	325 325 325 325	317.5 317.5 317.5 317.5 317.5 317.5
July-December	160	247	193. 1	145	227	182.7	141}	2351	183.2	132	235	176.8	310	325	317.5

<sup>1</sup> Nominal.

Table 73.—Rye (including flour): International trade, calendar years 1911-1919.

# [See "General note," Table 15.]

#### EXPORTS.

Country.	Average, 1911–1913.	1914	1915	1916	1917	1918	1919
From— Argentina Belgium	1,000 bushels. 443 914	1,000 bushels. 451	1,000 bushels. 194	1,000 bushels. 129	1,000 bushels. (2)	1,000 bushels. 2	1,000 bushels. 160
Bulgaria. Canada. Denmark. Germany.	2, 336 69 303 44, 951	146 349	501 371	989 385	833 555	798 641	1, 897
NetherlandsRoumania	18, 870 3, 411	10, 418 1, 241	26	14	(2)	(3)	483
Russia	34, 921 855 514	20, 298 8, 158 104	13, 331 13, 655 82	12, 315 15, 838 64	14,689 1,425	16, 308 252	40, 494
Total	107, 587	41,165	28,160	29,734	17,502	18,001	

#### IMPORTS.

Into-							
Austria-Hungary	1, 224						
Belgium Denmark	6, 157 8, 587				443	41	548
Finland	15.472	5, 701 9, 898	2, 757 13, 425	2,350 12,639			
France	4, 138 16, 900	9,898 1,441	36	14	21	1,346	665
Italy	721	378	4	1	1, 440 356	3, 506 751	379 1,906
Netherlands Norway	31, 023 10, 520	17,539 8 128	2, 232 7, 885	1,156 7,329	5,095	3,095	1,906
Russia Sweden	5, 231 3, 769	5, 453	1,986	1, 168	461	138	
Switzerland	729	2,586 267	16	42	198	452	1,632
United KingdomOther countries	2, 195 677	2,073 546	1,436 77	2,054 29	5, 353 103	5,300 301	
Total	107, 343	54,010	20,855	26, 782	13,470	14,930	
10081	107, 545	94,010	20,000	40,702	10,470	14,950	

¹ Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
² Less than 500 bushels.

#### BUCKWHEAT.

TABLE 74.—Buckwheat: Acreage, production, and value in the United States, 1849-1920,

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

Year. (tl	age hou- ands	Aver- age yield per acre (bush- els).	Pro- duc- tion (thou- sands of bush-	Average farm price Dec. 1 (cents	Farm value Dec. 1 (thou- sands	Year.	Acre- age (thou-	Aver- age yield	Pro- duc- tion (thou-	Aver- age farm price Dec. 1	Farm value Dec. 1	Domes- tic ex- ports, year
			els).	per bush- el).	of dol- lars).		sands of acres).	per acre (bush- els).	sands of bush- els).	Dec. 1 (cents per bush- el).	(thou- sands of dol- lars).	begin- ning July 1 (bush- els).
1849 1869	• • • • •   •	•••••	8,957 17,578			1892 1893 1894	861 816 789	14. 1 14. 9 16. 1	12, 143 12, 132 12, 668	51. 8 58. 3 55. 6	6,296 7,074 7,040	
1866 1, 1867 1, 1868 1, 1869 1,	046 228 114 029	17.8	22,792 21,359 19,864 17,431 9,822	78. 7 78. 0	15, 413 16, 812 15, 490 12, 535	1895 1896 1897 1898	763 755 718 678	18.7 20.9 17.3	15,341 14,090 14,997 11,722	45. 2 39. 2 42. 1 45. 0 55. 7	6,936 5,522 6,319 5,271 6,184	1,677,102 1,370,403 1,533,983
1870	537 414 448	18.3 20.1 18.1 17.3	9, 842 8, 329 8, 134 7, 838	70. 5 74. 5 73. 5 75. 0	6, 937 6, 208 5, 979 5, 879	1899 1899 1900	670 807 638 811	18.9 15.0	11, 094 11, 234 9, 567 15, 126	55. 7 55. 8 56. 3 59. 6	5, 341 8, 523	426, 822 123, 540 719, 615
1875 1876	453 576	17. 7 17. 5 14. 5	8, 017 10, 082 9, 669 10, 177	72. 9 62. 0 66. 6 66. 9	5, 844 6, 255 6, 436 6, 808	1902 1903 1904	805 804 794 760	17. 7 18. 9	14, 530 14, 244 15, 008 14, 585	59. 6 60. 7 62. 2 58. 7	8, 655 8, 651 9, 331	117, 953 31, 006 316, 899 696, 513
1878 1879 1879	673 640 848 823	18. 2 20. 5 13. 9	12, 247 13, 140 11, 817	52. 6 59. 8	6, 441 7, 856 8, 682	1906 1907 1908 1909	789 800 803 834 878	18.6 17.9 19.8	14, 642 14, 290 15, 874 17, 438 14, 849	59. 6 69. 8 75. 6	8, 565 8, 727 9, 975 12, 004	199, 429 116, 127 186, 702
1881 1882 1883	829 847 857 879	11. 4 13. 0 8. 9 12. 6	14,618 9,486 11,019 7,669 11,116	59. 4 86. 5 78. 0 82. 2 58. 9	8, 206 8, 039 6, 304 6, 549	1910 <sup>1</sup> 1911 1912	860 833 841	20. 5 21. 1 22. 9	17,598 17,549 19,249	66. 1 72. 6	11,636 12,735 12,720 10,445	223 180 1,347
1886 1887 1888	914 918 911 913	13.8 12.9 11.9 13.2	12, 626 11, 869 10, 844 12, 050 12, 110 12, 110	55, 9 54, 5 56, 5 63, 3	7,057 6,465 6,122 7,628	1913 1914 1915 1916	792 769 828	21.3 19.6	13, 833 16, 881 15, 056 11, 662	76.4	12, 892	580 413, 643 515, 304 260, 102
1889	837 837 845 849	14.7	12, 110 12, 110 12, 433 12, 761	50. 5 57. 2 57. 0	7, 110 7, 272	1917 1918 1919 1920	924 1,027 739	17. 3 16. 5 20. 6	16, 022 16, 905 15, 244 13, 789	160. 0 166. 5 146. 9 129. 1	11, 843 13, 147 25, 631 28, 142 22, 397 17, 797	5, 567 119, 516 244, 785

<sup>1</sup> Figures adjusted to census basis.

#### BUCKWHEAT-Continued.

Table 75.—Buckwheat: Revised acreage, production, and farm value, 1879 and 1889–1909.

#### [See headnote of Table 5.]

Year.   Acroage.	Average yield per acre.	Produc- tion.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.	Year.	Acreage.	Average yield per nere.	Produc- tion.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
Acres. 1879. 848,000 1889. 847,000 1891. 867,000 1892. 899,000 1893. 87,3000 1893. 87,3000 1894. 804,000 1895. 842,000 1897. 838,000	14.5 14.7 15.0 14.1 14.7 15.9 19.9	Bushels. 17, 530, 000 12, 109, 000 12, 678, 000 13, 013, 000 12, 643, 000 12, 866, 000 13, 721, 000 16, 748, 000 17, 260, 000	Cents. 60. 3 50. 5 57. 3 57. 0 52. 0 58. 3 55. 7 45. 3 39. 3	Dollars. 10, 575, 000 6, 115, 000 7, 264, 000 7, 422, 000 6, 573, 000 7, 638, 000 7, 583, 000 7, 583, 000 7, 583, 000 7, 259, 000	1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909.	Acres. 795, 000 852, 000 856, 000 876, 000 876, 000 840, 000 865, 000 838, 000 853, 000 878, 000	18. 4 17. 9 17. 5 18. 6 18. 8 18. 2 17. 7 19. 4	Bushels. 11, 810, 000 15, 6693, 00 15, 2286, 00 15, 248, 000 16, 327, 000 15, 797, 000 15, 734, 000 14, 858, 000 14, 858, 000 17, 983, 000 17, 983, 000	Cents. 55. 8 56. 4 59. 6 60. 8 62. 5 58. 6 50. 7 70. 0 75. 7 70. 2	Dollars. 6, 588,000 8, 857,000 9, 110,000 9, 277,000 10, 208,000 9, 281,000 9, 386,000 10, 397,000 12, 518,000 12, 528,000
1898. 811,000 1809. 807,000	17. 2 16. 1	13,961,000 13,001,000	45. 0 55, 9	6, 278, 000 7, 263, 000						

TABLE 76.—Buckwheat: Acreage, production, and total farm value, by States, 1920.
[000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine. New Hampshire. Vermont. Massachusetts. Connectient New York New Jersey. Pennsylvania. Delaware. Maryland Virginia. West Virginia. North Carolina.	A cres. 10 1 6 2 5 5 221 10 232 7 15 25 40	Bushels. 270 20 132 38 85 4,420 180 4,176 126 300 540 780 210	Dollars, 413 24 178 53 136 6,188 270 5,011 1,51 399 756 1,992 231	Ohio	Acres. 26 10 42 27 .15 8 6 1 6	Bushels. 543 200 72 609 482 300 136 96 16 108	Dollars. 570 240 98 664 518 318 182 149 16 140

Table 77.—Buckwheat: Condition of crop, United States, on first of months named, 1900-1920.

Year.	Aug.	Sept.	When har- vested.	Year.	Aug.	Sept.	When har- vested.	Year.	Aug.	Sept.	When har- vested.
1900 1901 1902 1903 1904 1905		P. ct. 80. 5 90. 9 86. 4 91. 0 91. 5 91. 8 91. 2	P. ct. 72. 8 90. 5 80. 5 83. 0 83. 7 91. 6 84. 9	1907 1908 1909 1910 1911 1912 1913	82. 9	P. ct. 77. 4 87. 8 81. 0 82. 3 83. 8 91. 6 75. 4	P. ct. 80. 1 81. 6 79. 5 81. 7 81. 4 89. 2 65. 9	1914 1915 1916 1917 1918 1919 1920		P, ct. 87. 1 88. 6 78. 5 90. 2 83. 3 90. 1 91. 1	P. ct. 83.3 81.9 66.9 74.8 75.6 88.0 85.6

# Statistics of Buckwheat.

### BUCKWHEAT-Continued.

Table 78.—Buckwheat: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

			7	ield	per	acre	(bu	shels	3).			נ	?arm	price (cen	per b ts).	ushel		Va per (do	lue acr lars	e.
State.	10-year average, 1911-1920.	1911.	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	10-year average, 1911-1920.	1916.	1917.	1918.	1919.	1920.	5-year average, 1915-1919.	1090	•nzar
Me	23 5	27 3	31.0	31.0	29. 0 25. 0 28. 0 18. 5	130. O	120. O	116. 0	17.0	118.0	27. 0 20. 0 22. 0 19. 0 17. 0	105 113 112 124 136	95 100 105 140 120	150 183 150 166 200	150 200 160 196 210	175 156 170 160 200	122 135 140	29. 0 27. 1 28. 6 25. 8 31. 3	24. 1 29. 1 26.	. 40 . 70 . 60
N. J Pa Del	19. 7 19. 6 18. 5	20.0 21.9 19.0	22.0 24.2 16.0	22. 0 18. 5 17. 0	21.0 20.5 19.0	21. 0 21. 0 18. 5	19. 0 14. 0 19. 0	18. 0 18. 0 20. 0	18. 0 18. 0 20. 5	18. 0 21. 6 18. 0	20. 0 18. 0 18. 0 18. 0 20. 0	112 105 104	122 108 111 118 110	160 158 163 148 165	175 170 160 143 165	145 150 140 160 155	150 120 120	23, 3 24, 8 24, 0 24, 8 27, 7	27. 3 21. 3 21.	. 60 . 60
Va W. Va N. C. Ohio Ind.	21. 1 19. 0	24. 0 19. 0	24.0	21. (	21. 5 19. 0	22, 0 17, 5	18. 3 17. 5	20. 0 20. 0	19. 5 20. 0	21. ( 19. (	21. 6 19. 5 21. 0 20. 9 20, 0	116 102	95 101 85 110 112	150 170 130 153 155	163 173 150 156 160	155 170 140 155 150	140 110 105	25. 9 27. 9 22. 3 24. 9 20. 6	0 27. 7 23. 5 21.	.30 .10 .94
III Mich Wis Minn Iowa	14. 1 15. 6 17. 5	18. 0 17. 5 18. 0	17. ( 17. ( 21. (	) 15. ( ) 16. ( ) 16. (	18. 5 17. 5 17. 0	14. 5 13. 0 17. 5	11. 0 14. 0 15. 0	9. ( 12. 2 14. (	10. 0 15. 9 17. 0	13. 8 16. 2 19. (	18. 0 14. 5 16. 0 20. 0	103 109 100	130 115 116 112 125	174 135	170	137 150 130	109 120 106	26, 8 14, 4 19, 7 20, 4 20, 7	5 15 6 19 8 21	. 80 . 20 . 20
Mo Nebr Tenn	17.2	16. (	18.0	) 20. (	18.8	120. (	17. (	16. (	14. (	16. (	16. 0 16. 0 18. 0	115	183 110 100		180 165 140	180	100	20. 9 22. 7 21. 8	2 16	3.00
U.S	19. 0	21. 7	22,	17.	21.3	19. 6	14, 1	17.	16, 8	20.	18. 9	108. 4	112.7	160. 0	166. 5	146. 9	129. 1	23, 3	5 24	41

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 79.—Buckwheat: Farm price, cents per bushel on first of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1	150. 7	162. 9	162.7	117. 2	81. 5	77.9	76. 6	66. 8	73. 7	65. 8	103. 6
	154. 9	158. 1	161.9	114. 6	80. 7	83.7	75. 6	69. 4	73. 6	64. 4	103. 7
	155. 7	148. 4	168.2	124. 8	83. 2	85.5	75. 1	67. 0	76. 9	64. 1	104. 9
	163. 1	149. 6	170.1	128. 3	83. 1	85.3	76. 9	68. 3	76. 9	65. 3	106. 7
May 1. June 1. July 1. Aug. 1.	168. 8	147. 3	176. 0	150. 6	84. 9	84.6	77.3	71. 4	79. 9	65. 8	110.7
	180. 2	165. 6	191. 0	183. 7	87. 0	86.9	79.0	70. 8	84. 8	70. 1	119.9
	202. 7	160. 8	200. 8	209. 2	93. 1	92.1	85.5	72. 9	86. 2	72. 4	127.6
	181. 3	165. 9	192. 7	189. 3	89. 0	89.2	81.2	72. 4	83. 6	76. 0	122.1
Sept. 1	176.3	159. 8	190.3	164. 8	86. 4	81. 4	79.8	70.0	76. 6	74.0	115.9
	159.4	162. 0	180.0	154. 4	90. 4	73. 7	78.7	74.1	69. 7	69.6	111.2
	131.0	151. 0	173.0	154. 2	102. 9	78. 5	78.0	75.5	65. 5	73.0	108.3
	129.1	146. 9	166.5	160. 0	112. 7	78. 7	76.4	75.5	66. 1	72.6	108.4
Average	152. 2	154. 8	174.7	153. 2	94. 7	81.0	77.9	72.4	72.6	70, 8	110.4

FLAX.

Table 80 .- Flax: Area and production in undermentioned countries, 1909-1919.

								Pro	duction.			
Country.		Ar	ea.			Sec	ed.			Fil	er.	
Country.	Aver- age, <sup>1</sup> 1909- 1913.	1917	1918	1919	Aver- age, <sup>1</sup> 1909- 1913.	1917	1918	1919	Aver- age, <sup>1</sup> 1909- 1913.	1917	1918	1919
NORTH AMERICA.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 bush.	1,000 bush.	1,000 bush.	.1,000 bush.	1,000 lbs.	1,000 lbs.	1,000 lbs.	1,000 lbs.
United States	2, 490	1,984	1,910	1, 572	19, 505	9, 164	13, 369	7,661				
Canada: QuebecOntario. ManitobaSaskatchewanAlberta	1 8 58 893 76	6 4 16 754 140	7 16 108 841 96	11 14 57 930 81	11 128 706 10, 393 830	47 52 147 4,710 979	83 196 1,091 4,205 480	111 130 520 4, 490 222				
Total Canada	1, 036	920	1,068	1, 093	12, 068	5, 935	6, 055	5, 473				
Mexico					150							
Total	3, 526	2,904	2, 978	2, 665	31, 723	15, 099	19, 424	13, 134				
SOUTH AMERICA.												
ArgentinaUruguay	3,683 106	3, 207 36	3, 229 30	3, 419 51	31, 989 793	4, 032 122	19, 588 333	30, 775 498				
Total	3,789	3, 243	3, 259	3, 470	32, 782	4, 154	19, 921	31, 273				
EUROPE.												
Austris-Hungary 2 Croatis-Slavonia 3 Bosnia-Herzegovina 2 Belgium Bulgaria 4 Czecho-Slovakia-France 1 France 1 France 1 France 1 France 1 France 2 France 2 France 3 France 3 France 3 France 3 France 3 France 3 France 3 France 3 France 3 France 3 France 4 British India 6 Japan Russia Cantral Asia (4 governments) Siberia (4 governments) Transcaucasia (1 governments) (1	3 977 244 177 244 177 244 177 244 177 244 177 245 177	48	1 288 143 21 14 5 186	48 3 37 4 38 96 17 24 6 48	7 533 320 374 19, 772 874 679	158 323 222 22 22 21, 040	188 472 145 6 292	407 3 218 4 347 433 7 305	1, 022 42, 450 26, 130 1, 812 1, 208 295, 156	101, 435	15, 110 35, 175 5, 259 6, 569 6, 768	970
· ·									<u> </u>			
Total	4, 118				21, 229		1		126, 589			
AFRICA.	1.			١.		1		_			]	1
Algeria	1		·	<b>-</b>	11		\ <del></del>	-7				
Grand total	15, 261	·			110,180	·····	·¦		421, 745			

<sup>15-</sup>year average except in a few cases where 5-year statistics were unavailable.
2 Old boundaries.
3 Bohemia and Moravia.
4 Does not include Alsace-Lorraine.

Includes Bessarabia; excludes Dobrudja.
 Former Kingdom and Bessarabia.
 Former Kingdom, Bessarabia and Bukowina.
 Includes some native States.

#### FLAX-Continued.

TABLE 81.—Flax (seed and fiber): World production so far as reported.

	Produ	etion.		Produ	ection.
Year.	Seed.	Fiber.	Year.	Seed.	Fiber.
1896 1897 1898 1899 1900 1901 1901 1902 1903 1903 1904	57, 596, 000 72, 938, 000 66, 348, 000 62, 432, 000 72, 314, 000 83, 891, 000 110, 455, 000 107, 743, 000	Pounds. 1, 714, 205, 000 1, 498, 054, 000 1, 498, 054, 000 1, 138, 763, 000 1, 315, 931, 000 1, 564, 840, 000 1, 492, 383, 000 1, 492, 292, 000 1, 494, 229, 000	1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915.	100, 820, 000	Pounds. 1, 871, 723, 000 2, 042, 390, 000 1, 907, 501, 000 1, 384, 524, 000 913, 112, 000 1, 011, 385, 000 1, 429, 967, 000 1, 384, 777, 000 1, 044, 746, 000 975, 685, 000

Table 82.—Flaxseed: Acreage, production, value, exports, etc., in the United States, 1849-1920.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

Year.	Acreage.	Average yield per acre.	Production.	A verage farm price per bushel Dec. 1.	Farm value Dec. 1.	Domestic exports, fiscal year beginning July 1.	Imports, fiscal year beginning July 1.
1849	1.819.000	Bushels. 7.8 9.5	Bushels. 582,000 587,000 1,750,000 7,171,000 10,250,000 19,979,000		Dollars.	35	Bushels. 667, 369 1 3, 000, 000 1 5, 000, 000 1, 464, 195 2, 391, 175 67, 379
1902	3,233,000 2,264,000	7.8 8.4 10.3 11.2 10.2	29, 285, 000 27, 301, 000 23, 401, 000 28, 478, 000 25, 576, 000	105.2 81.7 99.3 84.4 101.3	30, 815, 000 22, 292, 000 23, 229, 000 24, 049, 000 25, 899, 000	4, 128, 130 758, 379 1, 338 5, 988, 519 6, 336, 310	129, 089 213, 270 296, 184 52, 240 90, 356
1907 1908 1909 1909 1910 <sup>2</sup>	2,679,000	9.0 9.6 9.4 9.4 5.2	25, 851, 000 25, 805, 000 25, 856, 000 19, 513, 000 12, 718, 000	95.6 118.4 153.0 231.7	24, 713, 000 30, 577, 000 29, 798, 000 29, 472, 000	4, 277, 313 882, 899 65, 193 976	57, 419 593, 668 5, 002, 496 10, 499, 227
1911	2, 851, 000	7.0 9.8 7.8 8.4 10.1	19, 370, 000 28, 073, 000 17, 853, 000 13, 749, 000 14, 030, 000	182.1 114.7 119.9 126.0 174.0	35, 272, 000 32, 202, 000 21, 399, 000 17, 318, 000 24, 410, 000	4, 323 16, 804 305, 540 4, 145 2, 614	6, 841, 806 5, 294, 296 8, 653, 235 10, 666, 215 14, 679, 233
1916	1, 984, 000	9.7 4.6 7.0 4.9 6.2	14, 296, 000 9, 164, 000 13, 369, 000 7, 661, 000 10, 990, 000	248.6 296.6 340.1 438.3 176.6	35, 541, 000 27, 182, 000 45, 470, 000 33, 581, 000 19, 413, 000	1, 017 21, 481 15, 574 24, 044	12, 393, 988 13, 366, 529 8, 420, 886 23, 891, 984

<sup>&</sup>lt;sup>1</sup> Approximate.

<sup>&</sup>lt;sup>2</sup> Figures adjusted to census basis.

### FLAX-Continued.

Table 83.—Flaxseed: Condition of crop, United States, on first of months named, 1903-1920.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1903. 1904. 1905. 1906. 1907. 1908. 1909. 1910.	P. ct. 86. 2 86. 6 92. 7 93. 2 91. 2 92. 5 95. 1 65. 0 80. 9	P. ct. 80, 3 78. 9 96. 7 92. 2 91. 9 86. 1 92. 7 51. 7 71. 0	P. ct. 80. 5 85. 8 94. 2 89. 0 85. 4 82. 5 48. 9 48. 3 68. 4	P. ct. 74.0 87.0 91.5 87.4 78.0 81.2 84.9 47.2 69.6	1912 1913 1914 1915 1916 1917 1918 1919 1920	P. ct. 88. 9 82. 0 90. 5 88. 5 90. 3 84. 0 79. 8 73. 5 89. 1	P. ct. 87.5 77.4 82.1 91.2 84.0 60.6 52.7 80.1	P. ct. 86.3 74.9 72.9 87.6 84.8 50.2 72.6 50.5 63.8	P. ct. 83.8 74.7 77.4 84.5 86.2 51.3 70.8 52.6 62.8

Table 84 .- Flaxseed: Acreage, production, and total farm value, by States, 1920.

State.	Acreage.	Average yield per acre.	Produc- tion.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
Wisconsin Minnesota Lowa Missouri North Dakota South Dakota Nebraska Kansas Montana Wyoming	6,000 735,000 220,000 5,000	Bushels. 11. 0 9. 5 10. 0 7. 5 5. 3 10. 0 9. 0 6. 9 3. 0 8. 2	Bushels. 99,000 3,040,000 120,000 45,000 3,896,000 2,200,000 45,000 1,353,000	Cents. 212 188 180 200 178 165 155 180 175 135	Dollars. 210,000 5,563,000 216,000 90,000 6,935,000 70,000 286,000 2,368,000 45,000
United States	1,785,000	6. 2	10,990,000	176. 6	19, 413,000

TABLE 85 .- Flaxseed: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

			Y	'ield	per	асте	(bus	hels)	٠.			Farr	n prie	e per	bush	el (ce	nts).	pe	alue acre llars).1
State.	10-year aver- age, 1911–1920.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	10-year aver- age, 1911-1920.	1916	1917	1918	1919	1920	5-year average, 1915-1919.	1920
Wis Minn Iowa Mo N. Dak	12. 2 9. 3 9. 9 7. 0 7. 5	8.0 8.0 3.0	6.0	9.0	9.3 9.5 8.0	10. 5 9. 0 8. 0	8. 5 10. 0	9. 5 11. 0 8. 5		8. 5 9. 5 9. 5	9. 5 10. 0 7. 5	223 211 209	240 240 215 212 252	295 275 275 300	330 341 320 300 345	445 420 448	212 183 180 200 178	28. 0 28. 0 23. 1	4 23, 32 4 17, 38 7 18, 00 2 15, 00 9, 43
S. Dak Nebr Kans Mont Wyo	8.3 7.6 5.8 6.7 8.5	5.3 5.0 3.0 7.7	8.6 9.5 6.0 12.0 12.0	7.2 6.0 6.0 9.0 9.9	7. 0 6. 0	10.5	8. 0 5. 8 9. 5	5. 5 7. 0 3. 0	9.5 5.0 3.0	8. 0 5. 0 6. 3 1. 5 4. 0	6.9 3.0	205 212 219	247 230 234 248 225	299 250 290 295 261	330 338	380 440	180 175	19. 9 16. 5 13. 4	3 16, 50 3 13, 95 1 12, 42 0 5, 25 6 11, 07
v. s	7.6	7.0	9.8	7.8	8. 4	10. 1	9.7	4.6	7.0	4. 9	6.2	221,7	248. 6	296. 6	340. 1	438. 3	176. 6	20, 1	2 10. 88

<sup>1</sup> Based upon farm price Dec. 1.

#### FLAX-Continued.

Table 86.—Flaxsed: Farm price, cents per bushel on first of each month, 1911-1920.

Date.	1920	1919	1918	1917	·1916	1915	1914	1913	1912	1911	Aver-
Jan. 1	433. 6	327. 7	310. 8	250. 7	185. 9	134. 8	124. 2	106. 2	187. 1	221. 1	228. 2
	456. 5	310. 1	326. 7	253. 7	210. 9	163. 7	127. 8	109. 3	190. 8	233. 9	238. 3
	472. 7	327. 4	349. 8	253. 1	202. 5	157. 9	132. 5	119. 0	183. 9	240. 7	244. 0
	455. 7	348. 7	379. 7	266. 1	202. 1	167. 7	132. 8	113. 6	191. 3	234. 6	249. 2
May 1June 1July 1Aug. 1	448. 2	361. 4	373.3	300. 6	191. 8	169. 6	134. 7	114.3	181. 0	241. 9	251. 7
	421. 1	389. 3	363.6	298. 8	176. 5	169. 5	136. 8	115.8	205. 0	225. 0	250. 1
	359. 6	444. 1	349.3	278. 0	163. 2	152. 5	136. 0	113.4	198. 4	205. 6	240. 0
	303. 7	540. 6	410.5	271. 6	178. 1	144. 6	150. 7	118.6	175. 2	199. 2	249. 3
Sept. 1	290. 3	517. 5	381. 2	302. 8	190. 2	143. 5	139. 3	127. 8	162.6	203. 6	245. 9
Oct. 1	279. 7	438. 2	380. 9	308. 5	199. 2	148. 1	127. 4	122. 6	147.7	205. 0	235. 7
Nov. 1	240. 1	382. 3	333. 8	295. 9	234. 7	162. 9	118. 7	118. 7	133.4	210. 6	223. 1
Dec. 1	176. 6	438. 3	340. 1	296. 6	248. 6	174. 0	126. 0	119. 9	114.7	182. 1	221. 7
Average	289. 2	398. 5	345. 5	288. 7	218.4	159. 5	125.6	117.7	148.6	207. 8	230. 0

Table 87.—Flaxseed: Monthly marketings by farmers, 1914-1919.

					_							
	Estim ers of	ated an United	nount s States	old mor (million	thly by s of bus	farm- shels).		Pe	r cent o	f year's	sale.	
Month.	1919- 20	1918- 19	1917– 18	1916- 17	1915- 16	1914- 15	1919- 20	1918- 19	1917- 18	1916- 17	1915- 16	1914- 15
July	0.3 .6 1.7 1.8	0.2 .4 1.8 2.7	0.1 .3 1.6 2.1	0.2 .3 1.7 4.7	0.2 .2 1.3 3.8	0.2 .2 2.2 4.1	3. 6 8. 0 20. 6 22, 2	1.8 2.0 14.8 21.5	1. 8 3. 6 21. 5 28. 1	1.2 2.2 12.7 35.6	1.5 1.6 10.1 28.3	1.5 1.4 16.6 31.9
November December January February	.9 .6 .4 .5	1.9 1.4 .6 .6	1.3 .6 .3 .3	3.2 1.5 6 .2	3.6 1.6 .6 .7	3.2 1.2 .5 .4	11.1 7.4 5.0 6.3	15.0 10.9 5.2 4.4	17.6 7.6 4.7 4.0	24.3 11.4 4.4 1.7	27.0 11.9 4.6 5.1	24, 7 9, 3 3, 6 3, 2
March April May June	.2 .2 .6	.7 .5 .6 1.0	.1 .1 .2	.8 .1 .2 .3	.4 .2 .2 .5	.4 .2 .1 .3	3.1 3.1 2.6 7.0	5.8 4.3 5.0 8.4	4.8 1.8 1.6 2.9	2.0 .9 1.6 2.0	3.8 1.6 1.6 3.4	3.0 1.6 1.2 2.0
Season	8.0	12.4	7.4	13. 3	13.3	13.0	100.0	100.0	100, 0	100.0	100.0	100.0

TABLE 88 .- Flaxseed: Extent and causes of yearly crop losses, 1909-1919.

Year.	Deficient moisture.	Excessive moisture.	Floods.	Frost and freeze.	Hail.	Hot winds.	Storms.	Total climatic.	Plant disease.	Insect pests.	Animal pests.	Defective seed.	Total.
1919	P. ct. 38.0 26.2 51.3 3.3	P. ct. 0.7 .2 .3 2.3	P. ct. 0.1 1 (¹) .3	P. ct. 0.5 3.3 2.9 1.4	P. ct. 2.0 2.3 1.2 1.7	P. ct. 4.1 2.5 2.9 2.8	P. ct. (1) 0.2 (1) .3	P. ct. 45. 5 34. 8 59. 3 12. 4	P. ct. 3. 7 1. 0 1. 2 3. 9	P. ct. 10.6 2.6 1.2	P. ct. 0.1 (1) (1) (1)	P. ct. (1) .1 .1	P. ct. 60. 2 39. 3 62. 3 17. 2
1915 1914 1913 1912	2.1 11.4 24.3 5.1	2.0 1.7 2.9	.3 .2 .1 .2	8.5 2.0 1.0 5.9	2.1 1.9 1.7 2.8	6.6 2.2 1.1	.2 .3 .2 .8	16. 1 24. 1 30. 6 19. 0	2.6 2.2 1.6 8.7	.5	(1) .2.	(1) 4 1.4	20, 0 29, 1 34, 5 26, 6
1911 1910 1909	16.4 49.4	1.1 (1)		8.4 2.5	.9 9	2.8 6.2	:1	80. 5 59. 8	2.2 1.3	1.7 1.7	8	.2 .1	36.3 63.1
Average	21.1	1.3	.1	4.0	1.7	8.0	.2	31.8	2, 2	.9	.1	8	86.4

<sup>1</sup> Less than 0.05 per cent.

TABLE 89.—Flanseed. Wholesale price per bushel, 1913-1920.

# [Compiled from commercial papers.]

								Milwaukee.			:	
Date.	`.	Cincinnati.		2	Minneapolis.		No. 1	No. 1 Northwestern.	tern.		Duluth.	
	Low.	High,	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.
1913. January-June. July-Decamber.	31.50 1.50	1.50	1.50	1.31	1. 33 1. 33 1. 33		\$1.254 1.304	\$1. 42 <del>1</del>	\$1.31 1.41	\$1,225 1,343	\$1.39 1.53}	\$1.30 1.42
	1.50	1.50	1.1 8.4	1.474	1.88	1.52	1.45	1.75	1.57	1,48	1.93	1.58
January-June. July-Decamber	1.73	1.80		1.594	2,08 <u>4</u>	1.87	1.514	2.05 2.18	1.86	1.611	2.09 2.30 <u>4</u>	 88
	2,85 1,50	8, 8, 8, 8,	44 88	1.73	2.41	2.38	1.734	2,23 88 89	2,11	1.76	2, 43	2, 12 2, 41
1917. January-June July-December	2, 25 25, 25	3.25 4.25	3. e. 52 63	2,2	3.61	8.8 88	2.75 2.68	3,55 77	3.00	2.78 9.69	3,64	3.04
	3.75 25.75	4.25	8 56 56	3,31	4.34	3.96	3,50	4.32	3.88	3,46	4.36	3.91 3.97
January-June July-December	.3.25 50 50	5,50 5,85	4. 19 5. 02	3.19 3.74	5.41 6.21	3.91 5.15	3.13	5, 41 6, 20 <del>1</del>	3,92 5,18	3,20	5.41 6.73	3, 91 5, 15
January 1920. Rebrnary Abril Abril May May May	444444 88888	7.4.4.6.9.4.4.6.00.00.00.00.00.00.00.00.00.00.00.00.0	400000 2882 288	44444 88488 86488	4568855		444446 525358	ૡૡૡ <u>ૡ</u> ૹૹૹૹૹૹ	5.13 5.00 4.4.4 7.74 1.54 1.8	44444 66 68 88 88 88 88	19.17.14.4.4 8.42.88 8.18.85 8.11	77.74.44.888 88867.78
January-June	4.50	6.00	5, 22	3.734	5.45	4, 72	3.85	5.35	4.79	3.88	5.40	4.73
July Anguste Anguste Ogtober November	4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3, 50 3, 50 3, 50 3, 50	2228 2228	3,003 3,003 2,663 1,89	44444444444444444444444444444444444444	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	23.33.33.33.33.33.33.33.33.33.33.33.33.3	3.85 3.45 3.10 2.76 2.76	228332 228332 228332 238332 238332 238332 238332 238332 238332 238332 238332 238332 238332 238332 238332 238332 238332 238332 238332 2382 2382	3.12 3.20 3.08 2.67 1.93 1.51	3. 3.3. 2.3. 2.73. 2.73.	4444444 8888888
July-December.	3.50	5,00	3.88	1.87	3.87	2.86	1.83	3, 85	2.88	1.512	3,94	2.89

#### RICE.

Table 90.—Rice: Area and production in undermentioned countries, 1909–1913, 1917–19. (expressed in terms of cleaned rice).

		Ar	ea.			Produ	ction.	
Country.	Aver- age <sup>1</sup> 1909- 1913.	1917	1918	1919	A verage <sup>1</sup> 1909–1913.	1917	1918	1919
NORTH AMERICA.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
United States		981	1, 119	1,090	681, 166	964, 972	1, 072, 389	1, 188, 611
HawaiiPorto RicoCentral America:	9 16	4	4		25, 820 4, 298	6, 913	6,913	
Guatemala Costa Rica Honduras	····- <del>-</del>	29	43	14 1	2, 680	20, 733	16, 997	5, 18
Honduras	162		180		8, 100 164, 299		2 24, 787	
SOUTH AMERICA.								
Argentina Brazil, Sao Paula British Gwana	20 228				24, 057 99, 514	204, 327		
British Guana	38	58			69, 078 2, 754		9 44, 300	
Dutch Guiana Peru	138	86			2, 754 100, 976	<sup>3</sup> 11, 237 95, 166	2 17, 649	
EUROPE.					,	,		
Bulgaria <sup>8</sup> France <sup>8</sup>	7	12	14	14	7, 767 2, 017	9, 047	7, 567	4 5, 474
France	361	341	342	325	2, 017 646, 470	716, 359	712, 412	662, 33
Italy Russia (Northern Caucasia)³. Spain	2 95	106	iii	112	1,049 297,468	322, 130	282, 581	
ASIA.					,			Í
India: British India Native States	70, 591	80, 141	79, 508	81, 548	72,949,786	81,197,760	55,218,240	80, 003, 84
Native States	2,498 706	702	679		2, 634, 720 343, 614			
Ceylon Federated Malay States Japanese Empire:	125				80, 398			
	7,357 1,198 2,416 6,021	7,557	7,580	7,622	14,008,517	17,142,858	17,184,044	19, 106, 36
Chosen (Korea)	2,416	1, 152 2, 865 7, 175			2, 455, 522	2, 980, 837	3, 376, 112	2, 915, 06
Japan Formosa Chosen (Korea) Java and Madura Philippine Islands Russia, Transcancasia and Turkestan * Straits Settlements	6,021 2,288	7, 175 3, 029	7, 128 3, 381	2 8, 467	7, 349, 417 1, 123, 805	17,142,858 1, 189,579 2, 980, 837 8, 323, 305 1, 745, 488	8, 464, 575 2, 209, 585	211,481,08 1,976,80
Turkestan 8	614				378, 401			
Straits Settlements Siam	92 5, 286	5, 429			378, 401 123, 204 6, 510, 985			
AFRICA.								
Egypt (Lower)	241	273	385	150	552, 833	487, 163 1,404,592	691, 965 21,545,000	606, 86
Madagascar Nyasaland					953, 000 2, 212	1,404,592	*1,545,000	
					-,	-,		
OCEANIA.		İ	1	1	72			
Australia Fiji	12	18			75 5, 916			

Five-year average except in a few cases where five-year statistics were unavailable.
 Unofficial.
 New boundaries.

Table 91.—Rice (cleaned): World production so far as reported, 1900-1915.

Year.	Production.	Year.	Production.	Year.	Production.
1900	Pounds. 100, 400, 000, 000 94, 400, 000, 000 101, 800, 000, 000 110, 700, 000, 000 102, 400, 000, 000	1906	Pounds. 105, 800, 000, 000 100, 300, 000, 000 102, 900, 000, 000 127, 700, 000, 000 126, 100, 000, 000 102, 100, 000, 000	1912 1913 1914 1915	Pounds, 97,300,000,000 100,700,000,000 102,986,000,000 115,198,190,000

Table 92.—Rice: Acreage, production, value, exports, etc., in the United States, 1904-1920.

Year.	Acreage.	A verage yield per acre.	Production.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.	Domestic exports, year begin- ning July 1.1	Net imports, year begin- ning July 1.1
1901 1905 1906 1907 1908	482,000 575,000	Bushels. 31. 9 28. 2 31. 1 29. 9 33. 4	Bushels. 21,098,000 13,607,000 17,855,000 18,738,000 21,890,000	Cents. 65. 8 95. 2 90. 3 85. 8 81. 2	Dollars. 13,892,000 12,956,000 16,121,000 16,081,000 17,771,000	Bushels. 5,964,814 3,612,289 3,790,080 3,033,788 8,406,070	Bushels. 3,501,337 5,593,750 7,264,859 7,333,910 7,760,164
1909	610,000 723,000 696,000 723,000	33. 8 <i>\$5</i> . <i>8</i> 33. 9 32. 9 34. 7	24,368,000 21,839,000 24,510,000 22,934,000 25,054,000	79. 6 67. 8 79. 7 93. 5	17, 383, 000 16, 624, 000 18, 274, 000 23, 423, 000	4,487,287 5,134,355 5,824,598 5,672,996	7, 820, 643 7, 292, 960 6, 467, 505 7, 539, 206
1913 1914 1915	694,000	31. 1 34. 1 36. 1 47. 0	25,744,000 23,649,000 28,947,000 40,861,000	95. 8 92. 4 90. 6 88. 9	22,090,000 21,849,000 26,212,000 36,311,000	5,871,289 7,334,389 9,506,099 12,315,486	10,166,684 7,848,181 6,931,081 6,180,934
1917	1,119,000	35. 4 34. 5 39. 2 40. 2	34,739,000 38,606,000 42,790,000 53,710,000	189. 6 191. 8 266. 8 118. 9	65,879,000 74,042,000 114,152,000 63,837,000	11,885,265 12,892,196 22,899,774	13,095,243 5,309,014 3,001,146

<sup>&</sup>lt;sup>1</sup> Domestic exports here include also shipments from the United States to Porto Rico and Hawaii; net imports are total imports minus reexports. Bushels are computed from pounds as reported in original by assuming 1 bushel of rough rice to yield 27‡ pounds of cleaned rice.

TABLE 93 .- Rice: Acreage, production, and farm value, by States, 1920.

State.	Acreage.	A verage yield per acre.	Produc-	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
North Carolina South Carolina Georgia Florida Missouri	4,100	Bushels. 25. 0 25. 0 26. 4 24. 0 50. 0	Bushels. 10,000 102,000 29,000 72,000 25,000	Cents. 167 290 225 175 131	Dollars. 17,000 296,000 65,000 126,000 33,000
Alabama .  Mississippi .  Louisiana .  Taxas .  Arkansas .  California .  United States .	3,000 700,000 281,000 181,400 162,000	31. 0 31. 0 38. 0 34. 0 49. 0 60. 0	16,000 93,000 25,200,000 9,554,000 8,889,000 9,720,000 53,710,000	290 200 110 125 131 121	46,000 186,000 27,720,000 11,942,000 11,645,000 11,761,000 63,837,000

TABLE 94.—Rice: Condition of crop, United States, on first of months named, 1904-1920.

Year.	July 1.	Aug. 1.	Sept. 1.	When har- vested.	Year.	July 1.	Aug. 1.	Sept. 1.	When har- vested.
1904 1905 1908 1907 1907 1908 1909 1910 1911	88. 2 88. 0 82. 9 88. 7 92. 9 90. 7 86. 3 87. 7 86. 3	90. 2 92. 9 83. 1 88. 6 94. 1 84, 5 87. 6 88. 3 86. 3	89. 7 92. 2 86. 8 87. 0 93. 5 84. 7 88. 8 87. 2 88. 8	87. 3 89. 3 87. 2 88. 7 87. 7 81. 2 88. 1 85. 4 89. 2	1913 1914 1915 1916 1917 1918 1919 1919 1920	88. 4 86. 5 90. 5 92. 7 85. 1 91. 1 89. 5 90. 0	88. 7 87. 6 90. 0 92. 2 85. 0 85. 7 90. 4 88. 7	88. 9 82. 3 91. 2 78. 4 83. 7 91. 9 88. 3	80, 3 88, 0 80, 9 91, 5 79, 7 85, 4 91, 3 88, 1

TABLE 95 .- Rice: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

		Yield per acre (bushels).						Farm price per bushel (cents).				nts).	Value per acre (dollars).1						
State.	10-year aver- age, 1911-1920.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	10-year aver- age, 1911-1920.	1916	1917	1918	1919	1920	5-year average, 1915-1919.	1920
N.C. S.C. Ga. Fla. Mo.	$\frac{22.8}{27.2}$	$\frac{11.7}{26.8}$	25.0 30.0	30.0 32.0	26.3 26.0 28.0 25.0	24.3 29.3 25.0	14.0 20.0 25.0	25.0 30.0 26.0	23.0 26.0	24.4 24.0 24.0	25.0 26.4 24.0	151 138 122	85 90 87 .75 100	195 195 195 195 190	200 195 175 140 180	275 300 275 263 240	225 175	40.25 42.64 36.98	41. 75 72. 50 59. 40 42. 00 65. 50
Ala. Miss. La. Tex. Ark. Calif.	25.9 29.5 33.7 33.9 42.3 57.0	36.0 31.5 34.3 39.0	35.0 33.5 35.5 37.5	28.0 39.0 32.0 36.0	30.0 32.1	25.0 34.2 30.5 48.4	28.0 46.0 45.0 50.5	30.0 31.0 30.0 41.0	23.0 28.8 32.0 37.9	29.0 35.2 32.1 44.0	31.0 36.0 34.0 49.0	122 130 133 129	75 80 90 86 . 96	190 190 190 200 190 175	150 150 195 197 180 190	270 190 271 280 240 267	290 200 110 125 131 121	38. 20 56. 53 55. 75 69. 24	89.90 62.00 39.60 42.50 64.19 72.60
τ.s	36.5	32.9	34.7	31.1	34.1	36.1	47.0	35.4	34.5	39.2	40.2	129.8	88- 9	189.6	191.8	266. 8	118.9	62. 47	47.75

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

Table 96 .- Rice: Extent and causes of yearly crop losses, 1909-1919.

Year.	Deficient mois- ture.	Excessive moisture.	Floods.	Frost and freeze.	Hail.	Hot winds.	Storms.	Total climatic.	Plant disease.	Insect pests.	Animal pests.	Defective seed.	Total.
1919. 1918. 1917 1916.	P.ct. 1.0 7.2 17.3 4.8	P.ct. 12.8 7.2 .7 .2	P. ct. 1.1 2.5 .1	P.ct. 0.3 .2 1.5	P.ct.	P. ct. 0.1 .4 .1 .3	P. ct. 2.6 1.5 .1	P. ct. 18. 4 18. 8 20. 0 6. 2	P. ct. 0.3 .3 .5 1.1	P.ct. 0.5 1.0 .2 .3	P. ct. 0.7 (1) 5	P. ct. 0.1 .1 .2	P. ct. 20.0 21.7 25.4 9.5
1915. 1914. 1913. 1912.	7.0 5.3 3.9 3.1	.6 2.3 14.3 1.1	.1 .1 5.8 6.2	.3	(1)	.6 (1) .6	8.1 .6	16.7 10.1 24.1 11.6	.1 .1 2.5	1.3 1.7 2.0	(¹) .5	(¹) •3 •6	19.4 17.5 28.5 19.6
1911 1910 1909	6.5 7.2 4.6	3.2 1.7 .1		.2 .1		.7 .1 1.1	1.0 6.6	10.6 10.1 12.4	.7 3.4 2.7	.6 .4 .9	1.2 2	.1 .3 .1	14.5 17.3 17.0
Average	6.7	3.1	1.5	.3	(1)	.4	1.8	14.1	1.2	-8	-3	-1	19.0

<sup>&</sup>lt;sup>1</sup> Less than 0.05 per cent.

### TABLE 97 .- Rice: Wholesale price per pound, 1913-1920.

#### [Compiled from commercial papers.]

<b>.</b>															
	Ne	w Y	ork.	Cia	ncinn	ati.	Lak	e Char	les.	Nev	v Orle	ans.	H	ousto	n.
Date.		Domestic (good).1		]	Prime	٠,	Rou	gh (pe	r 162 )•	II (c	ondur leane	as, d).	Head, rice, (cleaned).		
	Low.	High.	Average.	Low.	High.	Атегаде.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.
1913. January-June July-December	Cts.	Cts. 5 5 <del>1</del>	Cts.	Cts. 51 51	Cts. 61 61	Cts.	Dols. 2.50 2.00	Dols. 3. 82 3. 76	Dols.	Cts. 23 1. 15	Cts. 55 7	Cts.	Cts. 4 41	Cts. 5½ 6	C'ls.
1914. January–June July–December	43 44	5 57		5 <del>1</del> 51	61 61		1.40 2.00	3. 76 4. 55		11 11	6 <u>1</u> 6		33 3	51 51	·:
1915. January-June July-December	5 4 <u>1</u>	5 <u>1</u> 5 <u>1</u>		5 <u>3</u> 5	6 <u>1</u>		2.85 2.80	4. 61½ 3. 65		2 <del>1</del> 2	53 51		41 42	5 5	:
1916. January-June July-December	5	5½ 5½		5 <del>1</del> 51	5 <del>2</del> 5 <del>2</del>		2.65 2.60	4. 25 3. 65		2 21	51 51		83 34	42 42	:
1917. January–Júne July–December	51 78	9 9 <u>‡</u>		5 <del>1</del> 8	81 81		2. 70 5. 34	7.00 7.50		2½ 4½	8 <u>1</u> 8 <u>1</u>	·····	43 7	8 81	
1918. January–June July–December	88 94	10½ 10¾	9. 4 10. 2	8 <u>1</u> 10	10 10½	9.0 10.1	\$ 5.00 \$ 5.00		87.57 47.16	5 <u>1</u> 4½	10 <del>1</del>	7.7 7.6	8 91	88 89	8.6 9.1
1919. January-June July-December	10½ 13	12 14½	10.7 14.0	10 101	11支 14支	10.8 13.1	2, 50	7. 25	6.70	4½ 6	11 <u>1</u> 14 <u>1</u>	7.9 11.5	91 9. 2	13 14	9. 4 11. 9
January February March April May June	14 141 141 141 141 143	15 15 15 15 15 15	14.8 14.8 14.8 14.8 14.8 14.8	131 131 141 15 15 15	141 15 15 15 15 15 15 15 15	13. 7 14. 4 15. 2 15. 2 15. 2 15. 2				1112 112 11 11 11 11	14 14 14 13 13 13 14	1 10 0	114	13 13 13 124 124 125	12.8 12.5 12.8 12.5 12.5 12
January-June	14	15	14.8	131	15½	14.8				11	141	12, 5	112	13	12. 4
JulyAugustSeptember October November December	14 13 13 82 61 82	15 141 131 131 131 8 8	14. 4 14. 0 13. 2 11. 1 7. 4 8. 5	15 15 15 13 10 9	151 151 151 151 151 132 10	15. 2 15. 2 15. 2 13. 8 12. 6 9. 6				11 10 8 6 6 6	14 11 101 91 81 71	12. 5 10. 6 9. 6 7. 9 6. 9 6. 6	102 8 71 61 61 6	113 113 8 74 61 61	11.2 10 7.8 6.9 6.2 6.1
July-Decem- ber	€₹	15	11,4	9	15}	13.6				6	14	9.0	6	112	8. 0

Fancy head, 1919-1920.
 Honduras, 1919-1920.

<sup>Five months, average.
Fancy, subsequent to June, 1918.</sup> 

#### Table 98.—Rice: International trade, calendar years 1909-1919.1

[Mostly cleaned rice. Under rice is included paddy, unhulled, rough, cleaned, polished, broken, and cargo rice, in addition to rice flour and meal. Rice bran is not included. Rough rice or paddy, where specifically reported, has been reduced to terms of cleaned rice at ratio of 162 pounds of cleaned. "Rice, other than whole or cleaned rice," in the returns of United Kingdom is not considered paddy, since the chief sources of supply indicate that it is practically all hulled rice. Cargo rice, a mixture of hulled and unhulled, is included without being reduced to terms of cleaned. Broken rice and rice flour and meal are taken without being reduced to terms of whole cleaned rice. See "General note," Table 15.]

EXPORTS.

Country.	Average, 1909-1913.	1914	1915	1916	1917	1918	1919
From—	1,000 pounds. 99,948	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds. 8,238
British India.  Dutch East Indies  France	5,337,516 132,400 79,087	4,520,152 109,417 123,021	2,879,591 70,841 113,098	3,757,832 29,854 41,874	3,847,321 12,747 9,850	5,488,517 3,840	1,598,220 23,404
French Indo-China Germany. Netherlands	2, 288, 040 396, 628 476, 276 357, 548	3,060,373 533,421 354,835	2,977,728 7,545	9,127	16	8	223
Penang Siam Singapore Other countries	1,928,507 758,875 866,020	2,421,283 908,438 1,186,173	2,474,027 696,377	2,627,550 785,412	2,496,924 713.516	1,893,524 446,118	987,926
Total		13, 217, 113	9,228,207	7,201,149	7,080,374	7,832,002	

#### IMPORTS.

				,			,
Into-							
Austria-Hungary	188,411						
Belgium	180, 830		*********		78		27,527
Brazil British India	24,758	14,407 331,065	15,317 391,607	1,575 416,610	383,198	341,532	285,928
Ceylon	278, 272	866, 892		956, 048	922,530	762, 405	400, 940
China	821,654 704,992	908, 534	842,331 1,130,141	1,504,536	1,311,624	021 002	
Cuba	262, 207	254, 150	319, 894	369, 769	324, 810	931,203 387,892	
Dutch East Indies	1,178,111	1,058,978	1,286,246	1,527,183	1,669,448	401,002	
Egypt	98,690	110,933	54,809	17,368	32,207	10,510	204
France	517,861	761,106	525, 290	451,681	525, 483	377,676	349,761
Germany	913, 772	104,200	020,250	202,002	020, 200	0,0.0	
Japan	655, 676	674, 215	152, 535	103,053	188, 125	1,549,056	
Mauritius	132,543	138, 412	128,890	175,689	106, 739	131,665	
Netherlands	778, 682	776, 891	128, 756	144, 254	35, 406	10,755	39,485
Penang	511.035	537, 749					
Perak	179, 187	207, 764	186, 268				
Philippine Islands	412,781	213,673	481,576	418, 512	324,045	428,807	
Russia	250, 461	268, 513	303, 729	166,779			
Selangor	159, 178	190,084	178, 438				
Singapore	975,095	1,279,688					********
United Kingdom	768,853	756, 144	1,305,701	988, 577	818, 152	849,032	166,626
United States	209,814	232,316	254, 568	215, 712	266, 471	536,089	163,308
Other countries	1,242,092	1,109,116	1,057,976	935, 835	841,700	1,310,611	
Total	11,439,950	10,690,630	0 744 070	8,393,181	7,750,016	7,627,235	
A. O'001	T1) 200, 900	10,000,000	8,744,072	0,000,101	1,100,010	1,041,255	
			<u> </u>	1		<u> </u>	<u> </u>

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

#### CEREALS CONSUMED.

TABLE 99.—Consumption of specified cereals in selected countries, yearly average.

#### 1909-1913.

#### BARLEY (INCLUDING MALT CONVERTED TO BARLEY).

Country.	Average yearly production, 1909–1913.	Average yearly net imports (+) or exports (-), trade years 1909-10 to 1913-14.	Average yearly total consump- tion, 1909-1913.	Mean yearly population, 1909–1913.	Average yearly con- sumption per capita 1909–1913.
Austris-Hungary Belgium France Germany India (British) * Isaly Japan Netherlands United Kingdom United States *	Bushels. 147, 795, 000 4, 247, 000 46, 489, 000 153, 529, 000 40, 193, 237, 000 10, 104, 000 89, 528, 000 64, 760, 000 181, 881, 000	Bushels.  - 7, 399, 000 +115, 056, 000 + 6, 663, 000 + 149, 072, 000 - 10, 227, 000 + 818, 000 + 11, 064, 000 + 48, 060, 000 - 13, 022, 000	19, 303, 000 52, 552, 000 302, 601, 000 33, 010, 000 10, 922, 000 89, 542, 000 14, 334, 000 112, 820, 000	Number. 51, 783, 777 7, 497, 119 39, 561, 600 65, 781, 875 244, 267, 542 34, 681, 653 51, 775, 737 6, 030, 634 45, 175, 723 93, 638, 478	Bushels. 2.71 2.57 1.33 4.60 .14 .31 1.73 2.38 2.50 1.80
CORN (	INCLUDING CO	ORN MEAL CO	NVERTED TO	CORN).	
Austria-Hungary Belgium France Germany India (British) Italy Japan 1 Netherlands United Kingdom United States 8	No data.	+117, 267, 000 + 19, 806, 000 + 31, 967, 000 No data. + 14, 503, 000 + 87, 000 + 21, 735, 000 + 80, 602, 000	42, 035, 000 31, 967, 000 87, 240, 000 114, 852, 000 3, 391, 000 21, 735, 000 80, 602, 000	51, 783, 777 7, 497, 119 39, 561, 600 65, 781, 876 244, 267, 542 34, 681, 653 51, 775, 737 6, 030, 634 45, 175, 723 93, 638, 478	4. 47 2. 30 1. 06 . 49 . 36 3. 31 . 07 3. 60 1. 78 . 28. 50
		OATS.			•*
Austria-Hungary Belgium France Germany India (British) Italy Japan Netherlands United Kingdom United States 4		+ 18, 185, 000 + 29, 845, 000	241, 584, 000 49, 090, 000 339, 885, 000 595, 227, 000 No data. 45, 095, 000 No data. 26, 607, 000 249, 129, 000	7, 497, 119 39, 561, 600 65, 781, 875 244, 267, 542 34, 681, 653 51, 775, 737 6, 030, 634	8, 59 9, 05 1, 30
RICE (MOSTLY CLEAD	ED, AND INC	LUDING RICE RICE).4	FLOUR, RICE	MEAL, AND	BROKEN

Italy	Pounds. No data. No data. 2,017,000 No data. 2,949,786,000 646,470,000 4,008,517,000 No data. No data. 681,166,000	Pounds, + 182, 921, 000 + 80, 882, 000 + 438, 774, 000 - 5, 593, 244, 000 - 128, 162, 000 + 593, 675, 000 + 302, 407, 000 + 193, 596, 000 + 193, 596, 000	Pounds. 182, 921, 000 80, 882, 000 440, 791, 000 517, 145, 000 67, 890, 542, 000 14, 602, 192, 000 302, 407, 000 678, 890, 000 874, 765, 000	Number. 51, 783, 777 7, 497, 119 39, 561, 600 65, 781, 875 244, 267, 542 34, 681, 663 51, 775, 737 6, 030, 634 45, 176, 723 93, 638, 478	Pounds. 3, 53 10, 79 11, 14 7, 85 277, 94 14, 94 282, 03 50, 15 15, 01 9, 34
-------	--	--	--	--	--

<sup>&</sup>lt;sup>1</sup> July, 1914, not included in average. <sup>2</sup> Two-year average, 1912-1913.

<sup>&</sup>lt;sup>8</sup> Excluding insular possessions. ! Trade figures for rice are for calendar years.

#### CEREALS CONSUMED-Continued.

Table 99:—Consumption of specified cereals in selected countries, yearly average—Con. 1909-1913-Continued.

#### RYE (INCLUDING RYE FLOUR CONVERTED TO RYE).

Country.	Average yearly production, 1909–1913.	Average yearly net imports (+) or exports (-), trade years 1962 10 to 1913-14.	Average yearly total consump- tion, 1909-1913.	Mean yearly population. 1909–1913.	Average yearly con- sumption per capita, 1909–1913.
Austria-Hungary Belgium France Germany India (British) Italy Japan Netherlands United Kingdom United States	48, 647, 000 445, 222, 000 No data. 5, 328, 000 No data. 16, 422, 000	Bushels. — 1, 255, 000 +14, 889, 000 +3, 197, 000 — 26, 424, 000 — No data. + 618, 000 — No data. +11, 539, 000 — 2, 336, 000	Bushels. 162, 887, 000 27, 564, 000 51, 844, 000 418, 798, 000 No data. 5, 943, 000 No data. 27, 961, 000 3, 873, 000 31, 580, 000	Number. 51, 783, 777 7, 497, 119 39, 561, 600 65, 781, 875 244, 267, 542 34, 681, 653 51, 775, 787 6, 030, 634 45, 175, 723 93, 638, 478	6. 37 . 17 4. 64 . 09
WHEAT (II	NCLUDING WE	EAT FLOUR (	CONVERTED T	O WHEAT).	
Austria-Hungary Belgium France Germany India (British) Italy Japan Netherlands United Kingdom United States	152, 119, 000 350, 736, 000 183, 260, 000 25, 274, 000 4, 976, 000 61, 481, 000	+ 10, 512, 000 +149, 390, 000 + 43, 673, 000 + 483, 330, 000 - 49, 589, 000 + 53, 219, 000 + 21, 976, 000 + 21, 976, 000 - 154, 878, 000	228, 110, 000 63, 973, 000 380, 927, 000 220, 458, 000 301, 147, 000 236, 479, 000 26, 952, 000 277, 535, 000 531, 813, 000	51, 783, 777 7, 497, 119 39, 561, 600 65, 781, 872 244, 267, 542 34, 681, 653 51, 775, 737 6, 030, 634 45, 175, 723 93, 638, 478	. 57

<sup>&</sup>lt;sup>1</sup> July, 1914, not included. <sup>2</sup> Calendar year.

#### 1914-1918.

BARLE	A (INCĻŪDIN	G MALT CONV	ERTED TO BA	RLEY).		
Country.	Average yearly production, 1914-1918.	Average yearly net imports (+) or exports (-), trade years 1914-15 to 1918-19.	Average yearly total consumption, 1914–1918.	Mean yearly population, 1914–1918.	Average yearly con- sumption per capita, 1914–1918.	
Austria-Hungary 1 Belgium 1 France Germany 2 India (British) Italy Japan Nétherlands United Kingdom United States 4	Bushels. 109, 760, 000 4, 116, 000 35, 503, 000 113, 222, 000 145, 273, 000 9, 123, 000 88, 323, 000 2, 728, 000 58, 244, 000 214, 819, 000	Bushels. No data. No data. No data. No data. No data 8, 293, 000 No data 2, 965, 000 + 24, 000 + 3, 734, 000 + 28, 800, 000 - 26, 303, 000	Bushels. No data. No data. No data. 43, 796, 000 No data. 136, 325, 000 11, 179, 000 88, 407, 000 97, 443, 000 87, 044, 000 188, 516, 000	Number. 53, 279, 370 7, 752, 390 37, 769, 600 69, 149, 378 250, 598, 343 36, 407, 653 55, 527, 016 6, 448, 547 43, 582, 551 100, 740, 142	Bushels.  1. 16 54 .31 1. 59 1. 00 2. 00 1. 87	
CORN	INCLUDING C	ORN MEAL CO	NVERTED TO	corn).		
Austria-Hungary <sup>1</sup> Belgium <sup>1</sup> France Germany <sup>2</sup>	217, 839, 000 No data. 16, 187, 000 No data.	No data. No data. +12,170,000 No data.	No data. No data. 28, 357, 000 No data.	53, 279, 370 7, 861, 926 37, 769, 600 69, 149, 378	0.75	

95,000 17,445,000 58,287,000 41,106,000

Japan
Netherlands
United Kingdom
United States

<sup>\*</sup> Including Luxemburg.

<sup>&</sup>lt;sup>1</sup> Two-year average, 1914-15. No further data available.

Excludes Alsace-Lorraine.
Excluding insular possessions.

#### CEREALS CONSUMED-Continued.

Table 99.—Consumption of specified cereals in selected countries, yearly average—Con.

#### 1914-1918-Continued. · OATS.

Country.	Average yearly production, 1914–1918.	Averago yearly net imports (+) or exports (-), trade years 1914-15 to 1918-19.	Average yearly total consumption, 1914–1918.	Mean yearly population, 1914-1918.	Average yearly con- sumption per capita, 1914-1918.
Anstria-Hungary 1 Belgium 1 France Germany 2 India (British) Italy Japan Netherlands United Kingdom United States 3	238, 190, 000 403, 983, 000 No data. 32, 718, 000	Bushels. No data. No data. No data. + 43,642,000 No data 80,000 + 23,713,000 - 287,000 + 44,371,000 - 104,714,000	Bushels. No data. No data. No data. 279, 832, 000 No data. No data. No data. 22, 765, 000 246, 879, 000 1, 309, 844, 000	Number: 53, 279, 370 7, 752, 390 37, 769, 600 69, 149, 373 250, 598, 343 36, 407, 653 55, 527, 016 6, 448, 547 43, 582, 551 100, 740, 142	7, 41 1, 55 3, 53 5, 66 13, 00

# RICE (MOSTLY CLEANED, AND INCLUDING RICE FLOUR, RICE MEAL, AND BROKEN RICE).4

Austria-Hungary Belgium France Germany **. India (British) Italy Japan Netherlands United Kingdom United States **.	No data. No data. No data. 69, 779, 136, 000 728, 198, 000 17, 632, 967, 000 No data. No data.	Pounds. No data. No data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data. Ho data.	Pounds. No data. No data. No data. 469, 910, 000 No data. 66, 053, 356, 000 18, 040, 238, 000 19, 190, 190, 000 883, 137, 000 1, 102, 844, 000	Number. 53, 920, 339 7, 861, 928 37, 769, 600 69, 149, 378 250, 598, 343 36, 407, 653 55, 527, 016 6, 521, 217 43, 582, 551 100, 740, 142	Pounds.  12. 44  263. 58 23. 50 324. 89 16. 74 20. 28 10. 95
---	---	---	--	---	--

#### RYE (INCLUDING RYE FLOUR CONVERTED TO RYE).

Austria-Hungary 5.       109, 916, 000         Belgium 5.       20, 568, 000         France.       30, 441, 000         Germany 7.       341, 185, 000         India (British)       No data.         Italy       4, 931, 000         Japan       No data.         Netherlands       12, 914, 000         United Kingdom 5.       1, 750, 000         United States 8.       59, 937, 000	No data. No data. + 390,000 No data. No data. + 1,035,000 No data. + 1,232,000 + 1,723,000 - 18,602,000	Bushels. No data. No data. No data. 30, 831, 000 No data. No data. 5, 968, 000 No data. 14, 146, 000 3, 478, 000 41, 335, 000	53, 279, 370 7, 752, 390 37, 769, 600 60, 140, 378 250, 598, 343 36, 407, 653 55, 527, 016 6, 521, 217 45, 285, 376 100, 740, 142	0.82 .16 .2.17 .08
---	--	---	--	-----------------------------

#### WHEAT (INCLUDING WHEAT FLOUR CONVERTED TO WHEAT).

Austria-Hungary 5. Belgium 5. France Germany 7. India (British). Italy Japan. Nétherlands United Kingdom United States 5.	10, 986, 000 214, 137, 000 110, 655, 000 332, 852, 000 167, 989, 000 29, 492, 000 5, 157, 000 72, 939, 000	No data. No data. + 80,813,000 No data. - 28,796,000 + 74,041,000 + 206,000 + 17,674,000 - 191,929,000 - 224,761,000	No data. No data. 294, 950, 000 No data. 304, 056, 000 242, 030, 000 29, 698, 000 22, 831, 000 284, 868, 000 597, 475, 000	7, 752, 390 37, 769, 600	7. 81 1, 21 6. 65 . 53 3. 54 6. 08 5, 93
---	---	---	---	-----------------------------	--

Two-year average, 1914-15. No further data available.
 Excludes Alsace-Lorrame.
 Excluding insular possessions.

<sup>&</sup>lt;sup>4</sup> Trade years for rice arc calendar years.
<sup>5</sup> Two-year average, 1914-15.
<sup>6</sup> Calendar year.

#### STATISTICS OF CROPS OTHER THAN GRAIN CROPS.

#### POTATOES.

Table 100.—Potatoes: Area and production in undermentioned countries, 1909-1920. AREA.

Country.	Average <sup>1</sup> 1909-1913.	1914	1915	1916	1917	1918	1919	1920
NORTH AMERICA.	1,000 acres. 3,680	1,000 acres. 3,711	1,000 acres. 3,734	1,000 acres. 3,565	1,000 acres. 4,384	1,000 acres. 4,295	1,000 acres. 3,952	1,000 acres. 3,929
Oimed states	3,000	0, 111	0,102	3,000	1,001	4, 200	3,802	0, 828
Canada; Prince Edward Island. Nova Scotia. New Brunsv.ick. Quebec Ontario. Manitoba. Saskatchewan. Alberta. British Columbia.	32 32 42 120 156 28 29 24 14	32 32 44 115 154 27 31 28	31 34 40 117 155 30 35 28 16	31 34 39 112 133 32 47 29	35 41 46 227 142 31 68 49 15	32 51 57 285 166 45 60 44 15	36 62 76 316 157 42 66 40 18	36 50 78 311 158 37 54 43 18
Total	475	476	486	472	657	735	819	785
Mexico. Newloundland								
Total	4,155							
SOUTH AMERICA.								
Argentina. Chile	235 66	293 81	306 78	322 79	331 70	333 78	78	
Total	301	374	384	401	401	411		
EUROFE.								
Austria. Hungary proper 2 Croatia Slavonia 3	2 3, 105 1, 521 193	* 1,774 1,513	8 1,757 1,577	42,460	287	323	16 239	622
Bosnia Herzegovina.  Belgium. Bulgaria, <sup>3</sup> . Czecho-Slovakia	390 8	411					319 5 19 6 549	331 5 15 1, 512
Finland	145 184 229	151 228	160 219	159	143	186	226 204	216 208
France 3. Germany 3. Italy Jugo-Slavia	3,841 8,260 658	3,676 8,367 727	3, 223 8, 827 725	3, 163 7 6, 782 729	3,482 76,186 732	2,884 76,740 739	7 3,041 7 5,387 763	73,332 76,054 741 319
Luxemburg	36	37	36 3	34 3	27	25		
Malta Netherlands Norwa? Roumania <sup>28</sup> Do. <sup>212</sup>	414 102 28 58	4 424 164 26 56	438 113 28 52	413 114 35	419 145	405 133 9 78 13 38	426 182 10 142 14 38	421 132 11 248
Russia proper 2 Poland 3. Northern Caucasia 2	8,302 2,628 197	8,652 204	6,815	5,879			15 3, 042	164,129

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
2 Old boundaries.
2 Excludes Galicis and Bukowina.
4 Includes Galicis, but excludes Bukowina, Goritz, and Gradisea.
3 New boundaries.
5 Bohemia and Moravia only.
7 Excludes Alsace-Lorraine.
8 Grown alone.

<sup>9</sup> Former Kingdom and Bassarabia.
19 Former Kingdom, Bessarabia, and Bukowina.
11 Former Kingdom, Bessarabia, Bukowina, and Transylvania.
12 Grown with corn.
12 Excludes Dobrudja.
14 Former Kingdom only.
15 Includes Congress Poland, Eastern and Wastern Galida, and Gradisca.
16 Unofficial.

#### POTATOES-Continued.

Table 100.—Potatoes: Area and production in undermentioned countries, 1909-1920—Continued.

#### AREA-Continued.

Country.	Average 1 1909–1913.	1914	1915	1916	1917	1918	1919	1920
EUROPE—continued.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.
Serbia 2	30							******
Spain Sweden Switzerland	687	688	734	744	839 397	728	805	80
Switzerland	379 186	375 137	382 159	373 200	140	398 168	417 136	36 12
	100	101	100	200		100	1.00	
United Kingdom; England Scotland	ا ا				•		·	
England	409 145	436 152	437 144	400 130	473 148	597 169	446 155	51 1.6
Wales	26	152 25	26	130 28	35	37	29	1.0
Ireland	590	593	594	586	709	702	589	. 58
Toțal	1,169	1, 196	1,201	1, 144	1,365	1,505	1,219	1,29
Total Europe	32, 594							
asia.								
Japan. ^ Rūssia:	174	205	225	254	299	324	343	33
Central Asia (4 gov- ernments) 2. Siberia (4 govern-	99	104	106				İ	
Siberia (4 govern-	298		296					
ments) 2 Transcaucasia (1 gov- ernment) 2		441						
	2	2	2					
Total Asia	573	. 752	629					
AFRICA.								
Algeria	45			1	27	l	41	
Union of South Africa	. 62				110			
Total	107				137			
australasia.			ļ	ŀ			ĺ	1.
Australia;		l			}	ľ		l
Queensland	8 39	10	8	6	9	11 23 67	0.0	
New South Wales Victoria	. 39	39 75	30 65	20 57	22 74	33	21 52	
South Australia	- 00	11	05	1 07	1 13	1 %	3	
Western Australia	. 8	75	8 5	5	6	4	4	
Tasmania	. 21	31	32	29	34	27	25	
Total	. 137	171	1+8	121	150	136	111	
New Zealand	. 28	29	. 22	30	26	23		
Total Australasia	. 165	200	170	150	176	159		
Grand total	. 37, 895							*********
	-,,500	1	1	1	1	1	1	

<sup>&</sup>lt;sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable. Old boundaries.

#### POTATOES—Continued.

Table 100.—Potatoes: Area and production in undermentioned countries, 1919-1920-Continued.

#### PRODUCTION.

Country.	Average <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918.	1919	1920
NORTH AMERICA.	1,000 bushels. 356, 627	1,000 bushels. 409, 921	1,000 bushels. 359, 721	1,000 bushels. 286, 953	1,000 bushels. 412, 108	1,000 bushels. 411, 860	1,000 bushels. 355, 773	1,000 bushels. 430, 458
Canada: Prince Edward Island. Nova Scotia. New Brunswick. Quebec. Ontario. Manitoba Saskatchewan. Alberta British Columbia.	5, 901 6, 627 8, 898 19, 723 20, 720 4, 755 4, 812 3, 934 3, 128	6, 806 7, 165 10, 534 21, 811 25, 772 3, 172 4, 085 3, 652 2, 675	3, 558 4, 759 5, 772 17, 510 14, 362 2, 565 3, 847 4, 024 3, 956	6, 386 6, 935 7, 488 14, 672 8, 113 4, 709 7, 319 4, 783 2, 892	6, 125 7, 173 6, 891 18, 158 18, 981 3, 643 9, 010 7, 409 2, 502	5, 362 9, 776 9, 078 38, 936 19, 376 8, 325 6, 951 3, 423	4, 529 9, 992 10, 790 57, 280 15, 145 5, 288 11, 250 8, 241 3, 060	6, 175 10, 209 15, 510 57, 633 23, 962 3, 410 6, 861 7, 138 2, 934
Total							125, 575	
Mexico Newfoundland				540		328	452	
Total	437, 544					••••••		
OUTH AMERICA.								
Argentina	40, 216 8, 023	28, 366 9, 169	29, 597 9, 546	31, 138 11, 598	9, 091	9, 768	78,700	7 10,944
Total	48, 239	37, 535	39, 143	42, 736				
EUROPE.								
Austria. Hungary proper <sup>2</sup> . Croatia-Slavonia <sup>3</sup> . Bosnia-Herzegovina <sup>2</sup> . Belgium.	2 456, 485 180, 103 22, 254	<sup>8</sup> 285, 070 195, 266	<sup>8</sup> 232, 203 209, 356		32, 890			6 71, 568
	* 40*						6 70 586	57, 094 2, 023
Czecho-Slovakia.  Denmark Finland France <sup>2</sup>	32, 440 20, 975 489, 377	37, 331 18, 736 440, 652	42, 349 20, 531 332, 788	26, 629 19, 666 332, 647	31,882 401,336	40, 605 7 22, 569 228, 433	53.027	17,865 8379,029
Alsace-Lorraine Germany <sup>2</sup> Jugo-Slavia	37, 417 1, 681, 959	32, 082 1, 674, 377	1, 983, 161		401, 336 81,264,374	12, 044 81,082,816	27, 598 8 788, 115	750, 885
Italy Luxemburg Malta	60, 813 6, 439 672	61, 104 5, 288 1, 080	56, 768 6, 422 568	54,277 2,971 356	48, 112 5, 925	51, 808 4, 731	50, 981	
Frauce <sup>2</sup> Alsace-Lorraine Germany <sup>2</sup> Jugo-Slavia Italy Luxemburg Malta. Netherlands Norway Roumania <sup>2 10</sup> Do <sup>2 13</sup> Russia proper <sup>2</sup> Poland <sup>2</sup> Northern Caucasia <sup>3</sup> Serbia <sup>3</sup> Spain	110, 153 24, 821 3, 634	1, 080 120, 780 27, 542 2, 654 1, 083 801, 579	126, 741 19, 957 3, 765 865	105, 040 31, 310	130, 288 42, 584	109, 655 28, 954 2, 431 1( 250	98, 225 37, 912 11 10, 442 16 401	91, 303 30, 811 <sup>19</sup> 3, 226
Russia proper <sup>2</sup>	862, 798 373, 917 15, 663 2, 201 93, 413 60, 327	891, 579 17, 907	770, 709 15, 798	662, 169			14390,325	703,194
Spain Sweden Switzerland	93, 413 60, 327 40, 537	76, 657 63, 209 22, 046	101, 037 71, 756 30, 681	108, 991 54, 972 18, 372	113,477 83,700 88,580	95, 562 71, 129 43, 355	102, 418 77, 573 27, 925	104, 761 60, 259 28, 256
	<b></b>	·			<u> </u>		سنب	سينيد ا

<sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
2 Old boundaries.
3 Excludes Galicia and Bukowina.
4 Includes Galicia, but excludes Bukowina, Gorits, and Gradisca.
4 Includes Galicia, but excludes Bukowina, Gorits.
4 Excludes Dobrudja.
4 Excludes Dobrudja.

and Gradisca.

New boundaries.

Bohemia and Moravia only.

Unofficial.

<sup>8</sup> Excludes Alsace-Lorraine.

<sup>15</sup> Former Kingdom only.
16 Includes Congress Poland, Eastern and Western Galicia, and Posen.

Table 100.—Potatoes: Area and production in undermentioned countries, 1919-1920—Continued.

#### PRODUCTION-Continued.

	,,							
Country.	A verage <sup>1</sup> 1909–1913.	1914	1915	1916	1917	1918	1919	1920
EUROPE—continued. United Kingdom: England Scotland Wales. Ireland	1,000 bushels. 91,487 34,674 5,403 119,874	1,000 bushels. 104, 804 40, 230 5, 445 128, 642	1,000 bushels. 100, 881 36, 291 5, 821 138, 509	1,000 bushels. 88, 481 19, 825 5, 018 90, 845	1,000 bushels. 117, 351 41, 443 7, 380 155, 036	1,000 bushels. 148, 848 42, 971 8, 288 144, 231	1,000 bushels. 95, 984 31, 061 6, 048 102, 539	1,000 bushels. 113, 419 46,181 3,696 74,141
Total United King- dom	254, 438	279, 121	281, 502	204, 172	321, 210	344, 338	235, 632	237,437
Total	4, 905, 397							
Japan	24, 738	32, 312	35, 103	38, 613	36, 924	41, 275	67, 236	47, 278
Russia: Central Asia (4 governments) 3. Siberia (4 governments) 3. Transcaucasia (1 government) 3.	5, 230 27, 773 148	7, 560 47, 075	7; 974 24, 307					
Total Russia	33, 151	54, 725	32, 381			***********		
Total Asia	57, 889	87,037	67.484					
AFRICA.								
Algeria Union of South Africa	1, 783 3, 269				2, 758	3, 909	3, 649	985
Total	5, 052							
Australasia.								
Australia: Queensland New South Wales. Victoria. South Australia Western Australia. Tasmania	524 3,378 5,983 894 309 2,989	618 3, 989 6, 593 1, 230 665 3, 001	598 1, 520 7, 064 673 550 2, 946	278 1,658 6,489 485 527 2,983	726 1, 691 7, 018 759 629 2, 503	827 1, 865 6, 802 422 423 2, 630	413 1, 133 5, 136 493 437 2, 110	
Total	14,077	16, 096	13, 351	12, 420	13, 326	12, 969	9, 722	
New Zealand	6, 047	5, 869	4, 952	4, 809	4, 992	3, 756		
Total Australasia.	20, 124	21, 965	18, 303	17, 229	18, 318	16, 725		
Grand total	5, 474, 245							

<sup>&</sup>lt;sup>1</sup> Five-year average, except in a few cases where five-year statistics were unavailable.
<sup>2</sup> Excludes Galicia and Bukowina.

Table 101 .- Potatoes: World production so far as reported, 1900-1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903	Bushels. 4, 382, 031, 000 4, 669, 958, 000 4, 674, 000, 000 4, 409, 793, 000	1904 1905 1906 1907	Bushels. 4, 298, 049, 000 5, 254, 598, 000 4, 789, 112, 000 5, 122, 078, 000	1908 1909 1910 1911	Bushels. 5, 295, 043, 000 5, 595, 567, 000 5, 242, 278, 000 4, 842, 109, 000	1912 1913 1914 1915	Bushels. 5, 872, 953, 000 5, 802, 910, 000 5, 016, 291, 000 5, 361, 898, 000

TABLE 102.—Potatoes: Average yield per acre in undermentioned countries, 1900-1920.

Year.	United States. <sup>1</sup>	Russia (Euro- pean). <sup>1</sup>	Ger- many.1	Austria. <sup>1</sup>	Hungary proper.i	France.1	United King- dom. <sup>1</sup>
Average: 1900-1909		Bushels. 99. 9 107. 9	Bushels. 200. 0 205. 7	Bushels. 151. 1 145. 6	Bushels. 118.7 122.2	Bushcls. 133. 8 116. 3	Bushels. 193. 8 222. 8
1906	95. 4 85. 7 106. 8 80. 9 113. 4 90. 4 110. 5 96. 3 90. 4 100. 8	94. 9 102. 4 102. 9 111. 5 121. 1 104. 2 121. 5 110. 6 102. 8 87. 1	2 146. 3	1		66.8	192.2 171.0 231.1 222.1 209.1 241.5 1242.0 233.3 234.1 178.5 234.2 227.7

Bushels of 60 pounds. \* Excludes Alsace-Lorraine. \* England and Wales.

Table 103.—Potatoes: Acreage, production, value, exports, etc., in the United States, 1849-1920.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

		Aver-		age		Chic	ago cas nel, fai	h price r to far	e per	Domestic exports,	Imports during
Ýear.	Acreage.	age yield per acre.	Production.	farm price per bushel	Farm value Dec. 1.	Dece	mber.	Follo Ma	wing y.	fiscal year be- ginning July 1.	fiscal year be- ginning
		20201		Dec. 1.		Low.	High.	Low.	High.	July 1.	July 1.
1849 1859	A cres.	Bush.	Bushels. 65,798,000 111,149,000	Cts.	Dollars.	Cts.	Cts.	Cts.	Cts.	Bushels. 155, 595 380, 372	Bushels.
1866 1867 1868 1869 1869	1, 069, 000 1, 192, 000 1, 132, 000 1, 222, 000	100. 2 82. 0 93. 8 109. 5	107, 201, 000 97, 783, 000 106, 090, 000 133, 886, 000 143, 337, 000	47. 3 65. 9 59. 3 42. 9	50, 723, 000 64, 462, 000 62, 919, 000 57, 481, 000					512, 380 378, 605 508, 249 596, 968	198, 265 209, 555 138, 470 75, 336
1870 1871 1872 1873 1874	1,221,000 1,331,000 1,295,000 1,310,000	86. 6 98. 7 85. 3 81. 9 80. 9	114, 775, 000 120, 462, 000 113, 516, 000 106, 089, 000 105, 981, 000	65. 0 53. 9 53. 5 65. 2 61. 5	74, 621, 000 64, 905, 000 69, 692, 000 69, 154, 000 65, 223, 000					553, 070 621, 537 515, 306 497, 413 609, 642	458, 758 96, 259 346, 840 549, 073 188, 757
1875 1876 1877 1878 1879	1,510,000 1,742,000 1,792,000 1,777,000 1,837,000	110, 5 71, 7 94, 9 69, 9 98, 9	166, 877, 000 124, 827, 000 170, 092, 000 124, 127, 000 181, 626, 000 169, 459, 000	34. 4 61. 9 43. 7 58. 7 43. 6	57, 358, 000 77, 320, 000 74, 272, 000 72, 924, 000 79, 154, 000					704, 379 529, 650 744, 409 625, 342 696, 080	92, 148 3, 205, 555 528, 584 2, 624, 149 721, 868
1880 1881 1882 1883 1884 1885 1886 1887	2,042,000 2,172,000 2,289,000 2,221,000 2,266,000 2,287,000	91. 0 53. 5 78. 7 90. 9 85. 8 77. 2 73. 5 56. 9 79. 9	167, 660, 000 109, 145, 000 170, 973, 000 208, 164, 000 190, 642, 000 175, 029, 000 188, 051, 000 202, 385, 000 204, 881, 000	48. 3 91. 0 55. 7 42. 2 39. 6 44. 7 68. 2 40. 2	81, 062, 000 99, 201, 000 95, 305, 000 87, 849, 000 78, 153, 000 78, 442, 000 91, 507, 000 81, 414, 000	44 70 30	47 83 37	33 65 65 24	50 90 85 45	638, 840 408, 286 439, 443 554, 613 380, 868 494, 948 434, 864 403, 880 471, 955	2, 170, 372 8, 789, 860 2, 362, 362 425, 408 658, 633 1, 937, 416 1, 432, 490 8, 259, 538 883, 380
1889 1889 1891 1892 1893	2,652,000 2,715,000 2,548,000 2,605,000	55. 9 93. 7 61. 5 70. 3 62. 4	204, 881, 000 217, 546, 000 148, 290, 000 254, 424, 000 156, 655, 000 183, 084, 000 170, 787, 000	75. 8 35. 8 66. 1 59. 4 53. 6	72,611,000 112,342,000 91,013,000 103,568,000 108,662,000 91,527,000	82 80 60 51 43	93 40 72 60 58	95 30 70 64 40	110 50 98 88 70	841, 189 557, 022 845, 720 803, 111 572, 957	5,401,912 186,871 4,317,021 3,002,578 1,341,533
1895 1896 1897 1898 1899	2,955,000 2,767,000 2,535,000 2,558,000 2,581,000	100.6 91.1 64.7 75.2 88.6 95.0	297, 237, 000 252, 235, 000 164, 016, 000 192, 306, 000 228, 783, 000 275, 518, 000	26. 6 28. 6 54. 7 41. 4 39. 0	78, 985, 000 72, 182, 000 89, 643, 000 79, 575, 000 89, 329, 000	18 18 50 30 35	24 26 62 36 46	10 19 60 33 27	23 26 87 52 39	680, 049 926, 646 605, 187 579, 833 809, 472	175, 240 246, 178 1, 171, 378 530, 420 155, 861
1900 1901 1902 1903 1904	2,611,000 2,864,000 2,966,000 2,917,000 3,016,000	1110.4	210, 927, 000 187, 598, 000 284, 633, 000 247, 128, 000 332, 830, 000	43.1 76.7 47.1 61.4 45.3	90, 811, 000 143, 979, 000 134, 111, 000 151, 638, 000 150, 673, 000	40 75 42 60 32	48 82 48 66 38	35 58 42 95 20	60 100 60 116 25	741, 483 528, 484 843, 075 484, 042 1, 163, 270	371,911 7,656,162 358,505 3,161,581 186,199
1905 1906 1907 1908 1909	3,128,000 3,257,000 3,525,000	87. 0 102. 2 95. 4 85. 7 106. 8	260,741,000 308,038,000 298,262,000 278,985,000 376,537,000 589,195,000	61.7 51.1 61.8 70.6	160, 821, 600 157, 547, 000 184, 184, 000 197, 039, 000 210, 662, 000	55 40 46 60	66 43 58 77	48 55 50 70	73 75 80 157	1,000,326 1,530,461 1,203,894 763,651	1,948,160 176,917 403,952 8,383,966
1910 2 1911 1912 1913 1914	3,720,000 3,619,000 3,711,000 3,668,000	93.8	349, 032, 000 292, 737, 000 420, 647, 000 331, 525, 000 409, 921, 000	55. 7 79. 9 50. 5 68. 7 48. 7	194, 566, 000 233, 778, 000	30 70 40 50	48 100 65 70 66	35 90 33 60 34	75 200 70 90 150	2, 383, 887 1, 287, 276 2, 028, 261 1, 794, 073 3, 185, 474	218, 984 13, 734, 695 337, 230 3, 645, 993 270, 942
1915	3,734,000 3,565,000	96.3 80.5	359, 721, 000 286, 953, 000	61. 7 146. 1 122. 8 119. 3 160. 6 116. 4	221, 992, 000 419, 333, 000 542, 774, 000 491, 527, 000 571, 368, 000	53 125 93 8 90 8 280 8 120	95 190 135 225 360 225	80 200 8 80 3 125 8 685	110 375 250 250 3 250 3 925	4, 017, 760 2, 489, 001 3, 453, 307 3, 688, 840 3, 724, 234	209, 532 3, 079, 025 1, 180, 480 3, 534, 076 6, 940, 930

<sup>&</sup>lt;sup>1</sup> Burbank to 1910.

<sup>&</sup>lt;sup>2</sup> Figures adjusted to census basis.

<sup>&</sup>lt;sup>8</sup> Per 100 pounds.

Table 104.—Potatoes: Revised acreage, production, and farm value, 1889-1909.

Note.—This revision for 1879 and 1889-1909 consists (1) in using the Department of Agriculture's estimate of average yield per acre to compute, from census acreage, the total production, (2) in adjusting the department's estimate of acreage for each year so as to be consistent with the following as well as the preceding census acreage, and (3) in recomputing total farm value from these revised production figures.

<b>Уеаг</b> .	Acreage.	Average yield per acre.	Production.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
1890 .890 .1891 .1891 .1892 .1893	Acres. 2,601,000 2,653,000 2,732,000 2,650,000 2,722,000	Bushels. 77. 4 56. 7 93. 7 62. 1 71. 7	Bushels. 201, 200, 000 150, 494, 000 256, 122, 000 164, 516, 000 195, 040, 000	Cents. 35. 4 75. 3 35. 6 65. 5 58. 4	Dollars. 71, 294, 000 113, 291, 000 91, 229, 000 107, 835, 000 113, 886, 000
1894 1895 1896 1897	2,891,600 3,101,000 2,975,000 2,813,000 2,841,000	63. 6 102. 3 91. 4 67, 9 77. 0	183, 841, 000 317, 114, 000 271, 769, 000 191, 025, 000 218, 772, 000	52. 8 26. 2 29. 0 54. 2 41. 5	97, 030, 000 83, 151, 000 78, 783, 000 103, 442, 000 90, 897, 000
1899 1900 1901 1902	2,939,000 2,987,000 2,996,000 3,078,000 3,080,000	88. 6 82. 9 66. 3 95. 5 85. 1	260, 257, 000 247, 759, 000 198, 626, 000 293, 918, 000 262, 053, 000	39. 7 42. 3 76, 3 46. 9 60. 9	103, 365, 00 104, 764, 00 151, 602, 00 137, 730, 00 159, 620, 00
1904 905 906 907 907 999 999	3, 172, 000 3, 195, 000 3, 244, 000 3, 375, 000 3, 503, 000 5, 669, 000	111. 1 87. 3 102. 2 95. 7 86. 2 107. 5	352, 268, 000 278, 885, 000 331, 685, 000 322, 954, 000 302, 000, 000 394, 553, 000	44. 8 61. 1 50. 6 61. 3 69. 7 54. 2	157, 646, 00 170, 340, 00 167, 795, 00 197, 863, 00 210, 618, 00 213, 679, 00

Table 105.—Potatoes: Acreage, production, and total farm value, by States, 1920.

[000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine	27 32	Bushels. 22, 140 1, 950 3, 510 4, 000 345	Dollars. 27, 675 2, 022 4, 388 6, 000 552	North Dakota South Dakota Nebraska. Kansas. Kentucky	· 85	Bushels. 7,110 8,904 8,415 5,780 6,435	Dollars. 6, 968 8, 637 10, 098 8, 670 9, 652
Connecticut New York New Jersey Pennsylvania Delaware	370	2,760 46,250 14,820 36,455 1,166	4, 140 54, 575 18, 525 45, 204 1, 166	Tennessee	48 16	3, 569 3, 216 1, 392 1, 755 2, 340	5,710 6,432 2,784 3,563 5,148
Maryland Virginia West Virginia North Carolina South Carolina	126 57	6, 120 13, 608 6, 940 5, 040 3, 100	5, 814 12, 928 9, 234 7, 157 5, 580	Oklahoma	31 46 27	3,318 2,418 5,000 3,375 10,920	5, 972 4, 232 5, 313 4, 050 8, 738
Georgia Florida Ohio Indiana Illinois	25 115 80	1,628 2,625 11,500 7,680 8,775	3, 380 5, 250 15, 525 10, 214 12, 724	New Mexico Arizona Utah Nevado	17	475 450 3,298 1,032	998 855 2,638 1,610
Michigan Wisconsin Minnesota	340 308 295	35, 700 33, 264 28, 025 11, 440	32, 844 28, 607 22, 420 13, 957	Idaho. Washington Oregon California	56 43	7,380 8,680 5,590 13,015	5, 018 8, 246 4, 472 19, 522
Missouri	95	7,790	11,763	United States.	3, 929	430, 458	500, 974

Table 106.—Potatoes: Condition of crop, United States, on 1st of months named, 1899–1920.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1899	P. ct. 93. 8 91. 3 87. 4 92. 9 88. 1 93. 9 91. 2 91. 5 90. 6 93. 0	P. ct. 93.0 88.2 62.3 94.8 87.2 94.1 87.2 89.0 88.5 88.5 85.8	P. ct. 86.3 80.0 52.2 89.1 84.3 91.6 80.9 85.3 80.9	P. ct. 81. 7 74. 4 54. 0 82. 5 74. 6 89. 5 74. 3 82. 2 77. 0 68. 7 78. 8	1910. 1911. 1912. 1913. 1914. 1916. 1916. 1917. 1918. 1919.	P. ct. 86.3 76.0 88.9 86.2 83.6 91.1 87.8 90.1 87.6 89.3	P. ct. 75.8 62.3 87.8 78.0 79.0 92.0 80.8 87.9 75.1 87.0	P. ct. 70.5 59.8 87.2 69.9 75.8 82.7 67.4 82.7 74.5 84.3	P. ct. 71.8 62.3 85.11 67.7 78.3 74.2 62.6 79.0 73.7 67.9 82.7

Table 107.—Potatoes: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

State.   100	180 198 125 140 105 140 93 130	1918	9				Yield per acre (bushels).							Farm price per bushel (cents).				
N. H. 124 125 Vt. 122 105 Masss 116 98 K. J. 118 110 Comm. 100 85 N. Y. 96 74 Fa. 89 56 Del. 88 60 Md. 89 45 Vv. 2 91 45 Vv. 2 91 45 Vv. 2 91 45 Vv. 3 94 45 Vv. 3 94 45 Vv. 4 91 100 S. C. 85 70 Ga. 71 70 Ga. 71 70 Mich. 90 94 Wis. 103 116 Minn. 104 115 Mich. 90 94 Wis. 103 116 Minn. 104 115 Mich. 90 94 Mi	125 140 105 140 93 130		1915	1916	1917	1918	1919	1920	10-year average, 1911-1920.	1916	1917	1918	1919	1920	5-year average, 1915-1919.	1920		
N.Y. 96 74 N.J. 109 73 Pa. 89 56 Pa. 89 56 Wd. 89 45 Va. 94 45 Va. 94 45 N.C. 80 48 S.C. 35 70 Ga. 71 72 Fla. 86 90 Ohio 79 65 Ind. 76 58 Ind. 76 58 Ind. 76 58 Ind. 76 58 Ind. 76 58 Ind. 76 58 Ind. 77 50 Wis. 103 116 Minn. 104 115 Iowa 78 74 Mo. 66 27 N.Dak 91 120 N.Dak 91 120 N.Dak 91 120 N.Dak 91 120 N.Dak 96 72 N.Dak 97 78 74 Mo. 76 52 Kans 63 27 N.Dak 91 120 N.Dak 91 120 N.Dak 98 72 N.Dak 98 72 N.Dak 98 72 N.Dak 98 72 N.Dak 98 72 N.Dak 91 120 N.Dak 98 72 N.Dak 98 72 N.Dak 98 72 N.Dak 98 72 N.Dak 98 72 N.Dak 91 120 N.Dak 98 72 N.Dak 98 72 N.Dak 91 120 N.Dak 98 72 N.Dak 91 120 N.Dak 98 72 N.Dak 91 120 N.Dak		122 1 127 1 105 1	30 179 59 95 38 108 55 120 55 110	112 91	125 107 100 115 135	200 140 130 133 130	240 105 100 90 100	180 130 130 125 115	94 119 103 128 131	142 166 139 175 185	130 167 140 175 175	120 145 138 170 173	140 175 157 190 180	155 125 150	230. 70 170. 98 143. 91 174. 08 175. 85	201. 162. 187.		
Va 94 45 W.Va. 91 45 W.C. 80 48 N.C. 80 48 N.C. 85 70 Ga 71 72 Fla 86 90 Ohio. 78 58 III. 70 50 Mich. 90 Wis. 103 116 Minn. 104 115 Iowa. 78 78 Mo 66 27 N.Dak 91 120 N.Dak 92 Ky 78 52 Kans. 63 22 Ky 78 39 Tenn. 72 41 Ala. 79 78 Jak. 79 52 Kans. 63 22 Ky 78 39 Tenn. 72 41 Ala. 79 78 Tex. 59 57 Okla. 61 18 Ark. 70 55	74 106 73 108 56 109	74 1 95 1 88 1	5  62  8  130	122	110 95 114 92 95	95 98 92 80 87	70 109 96 100 83	115 125 156 115 106	128 103 115 108 101	175 158 155 148 125	164 130 141 135 130	165 122 170 151 140	195 145 169 154 125	118 125 124	146. 22 112. 51 153. 20 111. 32 106. 56	147. ( 195. ( 142. (		
Fis	45 87 45 112 48 85	83 80	8 97 5 125 4 117 62 90 70 80	95 130 88 95 75	100 99 115 90 96	80 94 87 95 102	94 95 90 79 85	102 108 120 90 100	94 101 116 115 156	133 137 158 140 175	119 125 132 143 210	120 120 160 135 198	130 157 175 163 200	95 135 142	104. 74 128. 01 132. 72 116. 88 158. 34	102. 0 162. 0 127. 8		
Wis. 103 116 Minn. 104 115 Iowa 78 78 74 Mo. 6 78 78 79 78 78 79 78 78 79 78 Miss. 22 83 La. 67 72 41 17 Text. 59 57 Okla 61 18 Ark. 70 52 150 Mont. 123 150	90 93 65 112 58 114	76 64 53	65 80 80 80 80 95 80 95 80		84 91 100 92 90	70 100 69 80 72	70 76 61 44 52	74 105 100 96 65	149 162 115 111 118	175 200 182 177 179	195 205 143 139 152	185 200 150 135 148	217 210 192 195 196	200 135 133	122. 91 157. 23 100. 58 90. 55 102. 80	210. ( 135. ( 127. (		
Nebr. 76 52 Kans. 63 22 Ky. 78 39 Tenn. 79 41 Ala. 79 78 Miss. 82 83 La. 67 69 Tex. 59 57 Okla 61 18 Ark. 70 58 Mont. 128 150	116 120 115 135 74 109	109 1 110 1 48	4 87	48 47 60 42 60	95 114 112 95 87	84 110 105 72 61	90 94 87 43 75	105 108 95 110 82	83 77 74 107 120	160 147 130 175 180	105 90 91 131 137	89 80 75 133 153	135 140 153 192 184	92 86 80 122 151	81. 16 86. 09 86. 62 86. 59 103. 46	92. 8 76. 0 134. 2		
Ala 79 78 Miss 82 83 La 67 69 Tex 59 57 Okla 61 18 Ark 70 55 Mont 128 150	72 105 52 80 22 82	78 48 40	9 90 0 115 0 105 2 83 5 126	93 66 73 71 84	43 90 85 57 96	99 91 86 53 75	63 50 55 76 70	79 106 99 85 99	80 88 100 122 122	115 137 150 165 142	130 111 107 152 140	73 93 118 1 <u>44</u> 165	160 190 190 190 210	98 97 120 .150 150	74. 56 82. 04 90. 11 97. 19 118. 75	102. 8 118. 8 127. 8		
Ark 70 55 Mont 128 150	78 81 83 89 69 73	70 7	3 88 9 80 9 90 0 51 1 65	65	94 72 78 64 60	70 80 80 79 55	66 80 85 64 73	83 67 87 65 52	120 145 136 140 158	149 169 160 167 190	128 182 168 184 210	165 181 165 150 200	172 215 185 220 210	200 200 203	105. 02 134. 39 119. 98 106. 81 110. 51	134. 0 174. 0 131. 9		
Wyo 122 42 Colo 122 35	55 70 150 165 42 140	72 140 1 140 1	8 150	53 65 125 130 138	69 80 95 155 160	34 50 135 150 160	80 81 60 80 120	79 78 110 125 140	145 139 86 102 88	195 190 120 128 135	180 157 102 104 91	195 184 80 85 99	205 205 160 190 170	175 105 120	105. 85 115. 11 105. 68 139. 42 153. 71	136. 5 115. 5 150. 0		
N. Mex 91 80 Ariz 96 95 Utah 165 140 Nev 169 160	95 125	75 1: 180 1: 160 1:	0 95 0 125 0 172	102 115 180 190	116 105 189 207	100 85 180 171	45 70 141 150	95 90 194 172	140 154 84 104	175 180 130 130	165 150 78 120	160 205 97 123	190 195 137 150	190 80	142.08 154.05 165.59 210.23	171.0 155.2		
Idaho. 164 180 Wash. 142 160 Oreg. 122 130 Calif. 135 135 U. S. 96.8 80.9	160 178	170 12 123 13 135 ( 119 12	8 135 7 115	150 165 150 141	156 125 108 145	185 132 110 143	155 125 94 130	180 155 130 137	75 80 78 110	127 98 90 140	79 92 80 150	81 101 100 120	151 145 150 171	95 80	153. 53 132. 56 108. 28 181. 26	147. 2 104. 0		

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

# Table 108.—Potatoes: Stocks on Jan. 1.

	m-4-7		Stocks J	an. 1.			
State and year.	Total pro- duction (000	Per	Bushels	Per corop he	ent of d by—	Price bus	per hel.
	omitted).	of crop.	(000 omitted).	Grow- ers.	Deal- ers.	Dec. 1.	Mar.
otal United States:	Bushels.					Cents.	Cents
1920-21 1919-20	430, 458 355, 773 411, 860	33.8	145, 286 127, 400 174, 973	85. 3 76. 9	14.7 23.1 17.4	116. 4 160. 6	243.
1918-19	411, 860	35. 7 42. 5	174, 973	82.6	17.4	119.3	109.
1918-19, otal (21 Northern States): 1920-21	1	l		•			
1920-21 1919-20 1918-19 otal (11 Far West States): 1920-21 1919-20	306, 613 249, 270 281, 060	34. 7 36. 4	106, 425 90, 600 122, 261	86.3 70.5	13. 7 20. 5	113 157	236
1919-20 1918-19	281, 060	43.5	122, 261	79. 5 82. 4	17.6	115	102
otal (11 Far West States):		41.0	1	82.6	17.4	104	
1919–20	59, 275 48, 752 66, 630	41.8 43.1 48.0	24,765 21,000 31,982	71.6	28. 4 14. 7	162	266
1918-19	66, 630	48.0	31,982	85.3	14.7	101	89
otal (16 Southern States):	64 570	21.8	14,096	82.1	17.9	.146	1
1919-20	57, 751	27. 5 32. 3	15, 800	69. 1	30. 9	181	262
1920-21, 1919-20, 1918-19, 0641 (16 Southern States): 1920-21, 1919-20, 1919-10, 1918-10,	64, 570 57, 751 64, 170	32.3	15,800 20,730	79.5	20. 5	157	161
aine: 1990_21	22 140	55.0	12 177	88 n	12.0	125	
1920-21 1919-20 1918-19	22, 140 25, 440 22, 400	55.0	12, 177 13, 992 12, 096	88. 0 78. 0	22.0	140 120	200
1918-19	22, 400	54.0	12,096	81,0	19. 0	120	85
1918-19: •w York: 1920-21: 1919-20: 1918-19: ennsylvania: 1920-21:	46 250	47.0		91.0	9.0	118	
1919-20	46, 250 39, 567 37, 240	48.0	21, 738 18, 992 18, 620	90.0	9. 0 10. 0	.145	220 105
1918-19	37, 240	50.0	18,620	92, 0	8.0	122	105
ennsylvania: 1920–21	36, 455	33.0	12,030	91.0	9.0	118	
1920-21 1919-20 1918-19	36, 455 30, 800 22, 000	33.0 30.0	12, 030 9, 240 9, 240	90.0	10.0	145	220
1918–19	22,000	42.0	9, 240	92.0	8.0	122	10
hio: 1920–21	11, 500	21.0	2.415	86.0	14.0	135	
1920–21 1919–20 1918–19	11,500 7,625	34.0	2,415 2,593 4,306	71.0	29.0	192	276
1918-19 adiana:	11,040	39.0	4,306	74.0	26.0	150	139
1020-21	7,680	12.0	922	72.0	28.0	133	
1919-20 1918-19	3,740 8,640	27.0	1,010 4,147	70.0	30.0	195	27 129
1918–19 linois:	8,640	48.0		81.0	19.0	135	12
1920-21 1919-20 1918-19	8,775 7,280 11,520	12.0	1,058 2,111 3,917	75.0	25.0	145	
1919-20	7, 280	29.0 34.0	2,111	76. 0 74. 0	24. 0 26. 0	196 148	280 138
Gobinan:	i	34.0		1	20.0		100
1920-21 1919-20 1918-19	35,700 27,900 28,560	45.0	16, 088 9, 765 14, 566	83.0 77.0 82.0	17.0	92	
1919-20	27,900	35.0 51.0	9,765	77.0	23.0 18.0	135 89	228 77
	1	1		i	10.0		١
1920-21	33, 264 28, 388	48.0	15,967	88.0	12.0	86	
1920-21 1919-20 1918-19	28,388 33,440	36.0 51.0	15, 967 10, 220 17, 054	78. 0 80. 0	22. 0 20. 0	140 80	227
		1				1	٠.
1920-21 1919-20	28, 025	37.0	10,369	80.0	20.0	60	
1919-20	28, 925 26, 970 32, 760	33.0 42,0	10, 369 8, 900 13, 759	76. 0 76. 0	24.0 24.0	153 75	23
1918-19 Jorth Dakota:	1	1	1			1	
1920-21 1919-20 1918-19	7,110	20.0	1,422	62.0 86.0	38.0 14.0	98 160	24
1918-19	5,985 9,108	21.0 42.0	1, 257 3, 825	86.0	14.0	73	8
ohreeko.	3	i	1	į.	1	100	i i
1920-21 1919-20 1918-19	8,415 5,720	28. 0 36. 0	2, 356 2, 059 3, 850	85. 0 78. 0	15.0 22.0	120 190	27
1918-19	10,406	36. 0 37. 0	3,850	76.0	22.0 24.0	118	13
Centucky: 1920-21 1919-20 1918-19	0 40=	29.0	1	66.0	94.0	150	l
1919-20	6,435 4,900	41.0	1, 866 2, 009	61.0	34. 0 39. 0	210	26
1918-19	4,900 5,625	41.0 52.0	2, 009 2, 925	75.0	25.0	165	15
		41.0	4 477	92.0	8.0	an .	
1920-21 1919-20 1918-19	11.040	38. 0 56. 0	4. 195	1 -89.0	11.0	80 170	24
1918-19	10, 920 11, 040 15, 840	56.0	4, 477 4, 195 8, 870	89.0	11.0	99	6
				90.0	10.0	68	
1920-21 1919-20 1918-19	7,380 6,045 6,290	41.0	3, 542 2, 478 3, 648	68.0	37.0	151	25 5
1918-19	6, 290	58.0	3,648	63.0 86.0	14.0	81	54
				89.0	11.0	95	1
1919-20.	- 8,680 - 7,250 - 8,316	55.0	4, 253 3, 988 5, 156	75.0	25.0	145	25
1918-19	. 8 316	62.0	5, 156	89.0	11.0	101	7

Table 109 .- Potatoes: Extent and causes of yearly losses, 1909-1919.

Year.	Deficient mois- ture.	Excessive moisture.	Floods.	Frost or freeze.	Hail.	Hot winds.	Storms.	Total climatic.	Plant disease.	Insect pests.	Animal pests.	Defective seed.	Total.
1919 1918 1917	P. ct. 16. 3 14. 7 8. 8 19. 7	P.ct. 5.0 1.0 3.5 6.5	P.ci. 0.4 .2 .2 .2	P.ct. 0.7 1.5 3.0 1.9	P.ct. 0.1 .1 .2 .2	P. ct. 0. 7 . 6 . 3 1. 4	P.ct. 0.1 (1) (1) .1	P.ct. 23.6 18.4 16.3 31.5	P.ct. 8.8 5.3 4.1 5.6	P.ct. 4.7 3.3 2.4 4.5	P. ct. (1) (1) (1) (1) (1)	P.ci. 0.3 .2 .1 .2	P. ct. 38.1 28.3 23.8 43.6
1915 1914 1913 1912	2. 2 10. 2 20. 8 5. 3	8.7 2.1 1.6 3.3	.5 .1 .2 .4	2.2 .8 2.0 .6	.1 .1 .1	.1 .4 .7 .2		14.0 14.0 26.0 10.5	13.0 1.7 1.7 5.8	2.4 3.3 3.9 3.9	(1) (1) 0.1 .2	.1 .3 .5 .3	30. 4 21. 2 34. 5 21. 7
1911 1910 1909	25. 8 15. 4 11. 3	2.0 1.7 2.8	(¹) .2 .3	1.9 1.1 1.8	.1 .1 .2	3. 2 .3 .2	633	33.5 19.2 16.7	2.7 3.9 1.7	2.6 5.0 1.7	.1 .1 .1	.6 .4 .2	42. 4 29. 8 21. 3
Average	14. 4	3.1	.2	1.6	.1	.7	.1	20.7	4.4	3. 2	.1	.3	30. 0

1 Less than 0.05 per cent.

TABLE 110 .- Potatoes: Farm price, cents per bushel on 1st of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1	178. 6	116. 1	121. 0	147. 3	70.6	49. 7	68. 4	50. 6	84. 5	54. 1	94, 1
Feb. 1	217. 6	114. 4	122. 9	172. 4	88.0	50. 4	69. 7	53. 1	94. 4	55. 1	103, 8
Mar. 1	243. 5	109. 4	120. 3	240. 7	94.4	50. 4	70. 7	52. 0	102. 0	55. 3	113, 9
Apr. 1	295. 6	105. 4	92. 6	234. 7	97.6	47. 8	70. 0	50. 3	117. 1	55. 5	116, 7
May 1June 1July 1Aug. 1	393. 6	118.9	80. 1	279.6	94. 8	50. 5	71. 4	48. 2	127.3	62. 5	133, 7
	421. 3	121.4	75. 5	274.0	98. 8	50. 8	71. 3	55. 2	119.7	63. 3	135, 1
	386. 0	128.4	94. 9	247.9	102. 3	52. 1	81. 5	49. 8	103.6	96. 3	134, 3
	302. 9	192.8	141. 6	170.8	95. 4	56. 3	87. 1	69. 2	86.2	136. 0	133, 9
Sept. 1.	184. 9	187. 5	148. 8	139. 1	109.3	50. 5	74. 9	75. 3	65. 0	113. 7	114. 9
Oct. 1.	134. 8	164. 2	143. 6	122. 1	112.0	48. 8	64. 7	73. 9	51. 1	88. 3	100. 4
Nov. 1.	118. 3	152. 8	127. 2	127. 8	135.7	60. 8	52. 8	69. 6	45. 5	76. 3	96. 7.
Dec. 1.	116. 4	160. 6	119. 3	122. 5	146.1	61. 7	48. 7	68. 7	50. 5	79. 9	97. 5
Average	202. 5	148. 3	121.8	164. 9	114.1	54. 4	64. 4	64.3	72.5	80.6	108.8

POTATOES—Continued. Table 111.—Potatoes: Wholesale price, 1913-1920.

papers.]	
commercial	
from	
Compiled	

						ĺ	3	Computer more			4.4	.						-			
	New and	New York State and Western (per 180 nounds).	State (per	CBt.	Chicago, fai fancy (pe bushel).	fair to	Minu	Minneapolls bushel).	Cher	Bag	St. Louis Burbank (per bushel).	per	Cine	Cincinnati (per bushel).	per	Denv pc	Denver (per 1 pounds).	100	San (per 10	San Francisco (per 100 pounds)	ds).
Date.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.
1913. January-June.	11.70	\$2.87 0.97		80.15	\$0.70		<b>50.</b> 33	99		\$0.30	\$0.87 93		<b>\$</b> 0.30	1.00		8.9	24.4 88	i	20.20	14. 28.	
July-December 1914. January-June.	. 41 5 88			88	1.75		38.88	11.		88	88		84	1.15		1.90	2,50		88	1.88	
January-June. July-December				.18	1.55 86.		88	3.5		88	18.8		88	88		8.8	88 88		٠. 8%	 5.55 	
1916. January-June. July-December	24.6. 28.64	5.30 25.20		88	 88		28.5	1.35		ಜಕ	1.4 83		ææ	1.38		1.66	35.00 25.00		88	44 %%	
1917. January-June. July-December	3.75	井호		88	4.4 3.8		38.	4.4 57.5		2.20	್ಷ-1		825	25.28		88	6.50 25.50		1.198	2.00	
January-June. July-December	1.00 1.65	20.20 20.33 30.33 40.33	nds. \$2.02 2.15	2.88	90 e. e. 90 e. e. 90 e. e.	7148. 21.69	1.50	90 20 20 20 20 20 20 20 20 20 20 20 20 20	2.08	8.5.	5 48 5 8	\$1.57 1.41	4	5 : :		1.00	88 88	88 88	11.	25 26	\$1.37 2.00
1919. January-June. July-December.	8.6 8.8	7.0 2.8	4.8. 24.83	1,50	5.25 5.50	3.06	1.40	4.4 83	1.81 2.91	1.28	83 83	44 88	1,25 2,65	3,50	52 50 38 38	1.50	5.00	2, 2, 28 88 88	1.35	8.4 8.8	2.37
1920. January February	2.90	8.6 9.50			6.00		8.00	4.35	3.70	8.65 5.95		44, 83,	6.25 6.75	8.00 7.25	.7.7.09 2.00	288		4.13	888	7.55 8.50 8.50 8.50 8.50 8.50 8.50 8.50 8	8.67 8.67 85
March April May	66.11 8888	1444 8888	92,22,2 28.28,2 28.28,2	4464 8888	9.7.9.7 88%8	6.6 7.48 8.85 7.48	4.4.4.4. 8888	34.7.2 34.88 8.88	.0.7.0 1888	4.0.7.0 81.88	:0:41 3888	.7.8.7. 82.88		* i i i i i i i i i i i i i i i i i i i	88% 88%	2.20	9888 8888	9.53 9.53 88	9.00 9.00 9.00 9.00	7.75 10.00	8.72 8.62 8.62
January-June.	5.00	15.00			12,00		3,00	12.00	6.09	3.50	14.00	6, 52	6.25	13.00	99.6	3, 10	13.00	6.92	2, 25	10.00	5.63
July. August September October	Pa Pa Pa Pa Pa Pa Pa Pa Pa Pa Pa Pa Pa P	3.75 2.4.50 3.4.	7. 89 3. 53	28283 28283	57.89 25.29 25.29 25.29 25.29	7.02.1.0 7.02.20	44444 85888	9.8.9.9.9 9.8.5.8.8	7.8.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	84411 9430 9430	84888 85688	42988	rin4444 288858	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	4.31 2.4.35 3.94 3.84 3.84	82828 -	014.2.2.8 02.2.2.3 03.5.2.3 03.5.3 03.5.3 03.5.3 03.5.3 03.5.3 03.5.3 03.5.3 03.5 03.5	7.8.2.1.9.38.88.83.83.83.83.83.83.83.83.83.83.83.	44441 58888	88489 78585	444444 27444 27444
December	ું લું	4 4 8 8	8 64 8 64	118		3, 18	8 8		3,20	1.25	8 8 8 8	2,91	2 25	9.00	8, 42	20 20				6.00	2,57
						_		-	-												

### Table 112.—Potatoes: International trade, calendar years 1911-1919.1

GENERAL NOTE.—Substantially the international trade of the world. It should not be expected that the world export and import totals for any year will agree. Among sources of disagreement are these:

(1) Different periods of time covered in the "year" of the various countries; (2) imports received in year subsequent to year of export; (3) want of uniformity in classification of goods among countries; (4) different practices and varying degrees of failure in recording countries of origin and ultimate destination; (5) differents practices of recording reexported goods; (6) opposite methods of treating free ports; (7) clerical errors, which, it may be assumed, are not infrequent.

The exports given are domestic exports, and the imports given are imports for consumption as far as it is feasible and consistents so to express the facts: While there are some inertiable omissions, on the other hand there are some duplications because of resdipments that do not appear as such in official reports. For the United Kingdom, import figures refer to imports for consumption, when available, otherwise total imports, less exports, of "foreign and colonial merchandise." Figures for the United States include Alaska, Porto Rico, and Hawaii.

#### EXPORTS.

Country.	Average, 1911-1913.	1914.	1915.	1916.	1917.	1918.	1919.
From— Argentina Austria-Hungary	1,000 bushels. 548 1,451	1,000 bushels. 544	1,000 bushels. 224	1,000 bushels. 1,014	1,000 bushels. 542	1,000 bushels. 572	1,000 bushels. 1,024
Belgium. Canada China Denmark France Germany	8,692 1,207 288 928 8,683 12,412	1, 116 272 769 3, 976	885 375 117 3,865	1,558 334 692 1,819	4,039 242 31 1,099	2,126 128 1,703 611	3, 832 6, 151 1, 327
Japan. Netherlands. Portugal. Russia.	3, 975 440 16, 451 500 7, 762	6,303 396 15,234 672 1,007	391 383 8,819 90 319	2,066 454 8,040 35 45	583 385 2, 273 28	148 326 465	505 13,549
Spain. United Kingdom. United States. Other countries.	1,835 6,246 1,814 1,924	1,743 1,893 2,715 870	2,101 1,231 3,900 1,541	1,957 1,346 3,280 1,520	1, 185 339 2, 423 1, 434	363 2,532 3,853 772	275 3, 642
Total	75, 151	37,510	24,241	24,110	14,598	13,599	

#### IMPORTS.

Into— Algeria Argentina Austria-Hungary	1,218 1,387 4,070 4,921 939	1,079 421	979 1, 533	680 235	573 249	373 35	538 81
Belgium. Brazil. Canada. Cuba. Egypt. Finland.	4,921 939 525 2,001 599 479	697 664 2,298 351 409	322 848 2,751 400 412	167 573 2, 896 353 109	43 463 2,467 359	16 728 3,378 5	135 43 616 163
France. Germany Netherlands. Norway.	7,143 29,180 1,952 215	8,745 1,312 174	1,330 79 64	2,577 2 488	970 1 (²)	1,069 1 412	11,691 108
Philippine Islands. Portugal. Russia. Sweden.	334 273 309 700	1,291 493 452	317 127 287 9	305 131 2 (2)	287 35	289 1,256	782
Switzerland	3, 172 11, 382 5, 707 2, 311	4,873 6,184 800 1,425	1,117 4,011 286 2,061	2,857 3,331 886 1,907	1,259 2,985 3,182 1,389	140 1,896 1,201 678	94 1,846 5,544
Total	78, 767	31,979	16,383	17,499	14,874	11,422	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

2 Less than 500 bushels.

# SWEET POTATOES.

Table 113.—Sweet potatoes: Acreage, production, and value, in the United States, 1849-1920.

Norg.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

Year.	Acreage.	Average yield per acre.	Production.	Average farm price per bushel Dec. 1.	Farm value Dec. 1.
	Acres.	Bushels.	Bushels.	Cents.	Dollars.
1849 1859			38,268,000		
1859			42,095,000		
1869			21,710,000 38,379,000		
1879			88,879,000		
1889.			48, 950,000		
			40,000,000		
1899	587,000	79.1	42,517,000	52.9	99 178 000
1900	544,000	88.9	48,346,000	50.6	22,476,000 24,478,000
1901	547,000	81.7	44, 697, 000	57. 5	25,720,000
1901	532,000	85.2	45, 344, 000	58.1	20,720,000
1902			40,044,000		26, 358, 000
1903	548,000	89. 2	48, 870, 000	58. 3	28, 478, 000
1904	548,000 551,000 554,000 565,000 599,000	- 88.9 92.6 90.2 88.2 92.4	48,705,000 51,034,000 49,948,000 49,813,000 55,352,000	60. 4 58. 3 62. 2 70. 0 66. 1	29 424,090 29,734,000 31,063,000 34,858,000 36,564,000
1000	641,000	92.4	59,232,000	69.4	41,052,000
1909 1910	641,000	93.5	59,938,000	67.1	40, 216, 000
1911	602,000	90.1	E4 590,000	75.5	41, 202, 000
1010	605,000	95.2	54,538,000	72.6	40, 264, 000
1912	583,000	95.2	55, 479, 000	72.0	40, 204, 000
1013	625,000 603,000 731,000 774,000	94.5 93.8 103.5 91.7	59,057,000 56,574,000 75,639,000 70,955,000	72.6 73.0 62.1 84.8	42, 884, 000 41, 294, 000 46, 980, 000 60, 141, 000
1917 1918 1919 1920	919,000 940,000 1,042,000 1,085,000	91. 2 93. 5 101. 2 103. 6	83, 822, 000 87, 924, 000 105, 405, 000 112, 368, 000	110.8 135.2 133.5 112.7	92, 916, 000 118, 863, 000 140, 706, 000 126, 629, 000

Table 114.—Sweet potatoes: Acreage, production, and total farm value, by States, 1920.
[000 omitted.]

State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
New Jersey Pennsylvania Delaware Maryland Virginia West Virginia Worth Carolina. South Carolina. Georgia Florida Ohio Indiana Illinois Ilowa Missouri Missouri	Acres. 14 2 8 11 36 2 101 88 148 45 1 3 9 4 13	Bushels. 2,002 280 1,024 1,386 4,032 238 10.605 9,240 13,764 4,275 103 360 360 361 1,430	Dollars. 3, 103 434 1, 024 1, 594 3, 830 357 12, 090 10, 811 13, 351 5, 130 - 180 576 1, 179 1, 028 2, 216	Kansas Kentucky Temessee Alabama Mississippi Louisiana Texas Oklahoma Arkansas New Mexico Artiona California United States	A cres.  4 18 42 180 103 80 89 24 49 21 8 1,085	Bushels. 540 1,890 4,284 17,460 11,330 8,080 9,345 2,760 5,145 300 1,056	Dollars. 864 2,835 5,239 17,460 11,896 7,514 12,148 3,643 5,402 660 345 1,690

# SWEET POTATOES—Continued.

Table 115.—Sweet potatoes: Condition of crop, United States, on 1st of months named, 1900-1920.

Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.	Year.	July.	Aug.	Sept.	Oct.
1900 1901 1902 1903 1904 1905	P. ct. 93.7 93.1 83.6 90.2 87.3 90.6 90.9	P. ct. 92.2 80.7 78.3 88.7 88.5 90.1 91.2	P. ct. 83. 6 78. 7 77. 2 91. 1 89. 9 89. 5 88. 7	P.ct. 80.0 79.0 79.7 83.7 86.1 88.6 86.0	1907 1908 1909 1910 1911 1912 1913	P. ct. 85. 9 89. 8 89. 7 87. 3 78. 4 86. 9 86. 5	P. ct. 85. 7 88. 8 86. 9 85. 4 77. 7 85. 0 85. 8	P.ct. 85.7 88.7 81.3 83.9 79.1 84.1 81.4	P.ct. 82.7 85.5 77.8 80.2 78.1 82.0 80.1	1914 1915 1916 1917 1918 1919	P. ct. 77. 1 88. 7 90. 4 81. 9 86. 4 90. 1	P. et. 75. 5 85. 5 85. 9 84. 8 78. 3 87. 1 86. 9	P.ct. 81.8 87.5 82.7 85.7 74.5 86.0 86.8	P.ct. 80.7 85.0 79.2 83.2 77.4 83.9 87.1

Table 116.—Sweet potatoes: Yield per acre, price per bushel Dec. 1, and value per acre, by States.

				Yiel	id pe	r acre	(bu	shels	).				Fari	n pric	e per	bush	el	8	e per ere lars).
State.	10-year average, 1911-1920,	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	10-year average, 1911-1920.	1916	1917	1918	1910	1920	5-year average, 1915-1919.	1920
N. J Pa Del Md Va	125 117 127 128 108	130 121 140 115 90	120 120 120 125 90	138 110 135 141 108	100 105 120 125 92	155 105 135 130 110	100 100 125 126 130	120 110 112 118 104	115 120 120 130 120	138 140	143 140 128 126 112	123	120 135 81 88 90	160 140 120 100 110	190 185 125 150 145	220 180 110 133 155	155 100 115	182. 80 167. 63 124. 23 140. 22 134. 13	217.0 128.0 144.0
W. Va N. C S. C Ga Fla	114 98 94 88 106	110 86 84 81 108	115 90 105 90 112	91 100 92 87 110	92 90 85 85 120	110 105 105 85 112	140 107 86 80 100	95 95 93 95	106 110 95 92 110	95 90 92	119 105 105 93 95	87 95 86	126 75 85 81 86	140 105 104 105 115	204 132 142 125 125	210 138 148 110 140	114 117 97	186. 27 103. 02 101. 65 86. 10 109. 78	119.7 122.8 90.2
Ohio Ind Ill Iowa Mo	103 105 91 93 91	113 114 89 105 91	118 116 98 90 88	90 78 70 80 56	110 100 84 100 84	95 104 110 95 100	99 100 90 91 70	95 106 97 . 90 112	96 108 82 93 91	115 105 95 80 104	103 120 97 104 110	138 135 125 171 130	125 192	175 165 150 210 141	175 195 175 210 186	215 215 175 250 187	160 135 247	164. 62 170. 97 131. 59 172. 32 141. 73	192.0 130.9 256.8
Kans Ky Tenn Ala	95 96 96 93	75 96 85 97	99 90 90 100	50 75 80 95	100	110 105 105 90	92 90 100 74	92 95 95 90	80 95 98 96	109 105 110 94	135 105 102 97	112	100 87	160 125 105 92	222 175 136 115	185 160 117 113	150 123	154. 89 123. 30 102. 14 81. 10	157.5 125.4
Miss La Tex Okia	94 87 86 92	85 90 71 75	97 84 75 92	98 85 80 64	90 87 101 102	110 92 98 115	82 90 89 74	65 79 78 90	95 75 58 65	105 90 110 130	110 101 105 117	79 82 114 133	67 66 90 135	97 104 140 160	104 128 175 220	112 115 150 180	93 130	78. 98 77. 41 104. 88 140. 97	136. 5
Ark N. Mex Ariz Calif	99 139 157 153	92 150 200 140	88 141 140 156	90 125 135 170	200	130 160 150 135	91 125 160 160	110 118 150 167	90 125 135 170	100 150 150 135	105 150 150 132	191	90 180 185 100	96 205 227 150	138 250 238 150	115 225 250 179	220 230	101. 20 261. 78 311. 56 203. 03	330. 0 345. 0
U.S.	95.8	90. 1	95. 2	94. 5	93.8	103. 5	91.7	91. 2	93. 5	101.2	103.6	93. 3	84.8	110.8	135. 2	133. 5	112.7	100. 91	116.7

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

### SWEET POTATOES-Continued.

Table 117.—Sweet potatoes: Farm price, cents per bushel on 1st of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1	138. 2	142.1	117.2	90.1	64.9	79.0	79. 2	80. 4	83.0	75.0	94.9
Feb. 1	156. 6	143.1	123.1	95.8	71.2	82.0	84. 3	85. 4	90.2	80.4	101.2
Mar. 1	172. 2	153.7	142.7	110.7	77.3	84.7	86. 7	88. 9	98.0	84.4	109.9
Apr. 1	185. 8	160.7	151.6	124.0	78.0	90.7	89. 6	92. 6	109.9	91.2	117.4
May 1	205.2	174.6	155.0	141.8	80.5	95. 6	94.5	93.8	118.0	99.3	125,8
June 1	216.6	173.7	148.8	149.4	83.4	96. 7	94.2	92.0	115.0	98.7	126,8
July 1	213.6	159.8	134.3	140.5	.79.4	88. 9	82.6	90.1	112.2	99.0	120,0
Aug. 1	223.5	167.9	144.7	129.3	87.1	85. 8	97.5	94.1	107.8	105.8	124,3
Sep 1.1	200. 7	175.4	156.2	132.6	89.9	84.6	92.8	94.3	95.7	102.6	122.5
Oct. 1	160. 8	154.7	160.6	116.1	83.7	72.7	87.3	83.9	84.4	91.8	109.6
Nov. 1	122. 1	143.9	146.0	111.2	80.6	63.7	76.3	75.7	76.8	80.9	97.7
Dec. 1	112. 7	133.5	135.2	110.8	84.8	62.1	73.0	72.6	72.6	75.5	98.3

Table 118.—Sweet potatoes: Wholesale price per barrel, 1913-1920.
[Compiled from commercial papers.]

	В	altimor	e	8	t. Loui	s.	Ne	w Orle	ens.	N	ew Yor	k.
Date.	A	.ll grade	<b>8.</b>	All	grades bushe	(per	A	ll grade	es.	Je s	rsey an outher	đ
· ·	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High,	Average.	Low.	High.	Aver-
1913. January-June July-December	\$2.00 .75	\$3.50 7.00		\$1.63 .88	\$3.75 6.25		\$2.00 2.00	\$2.00 2.00		\$1.75 .40	\$3.00 5.50	
January–June. July–December	1.00 1.00	2.50 5.50	ļ	1.50 1.75	2.50 4.50		1.00	3.20 3.50		.75 .75	2.00 5.00	
January-June July-December	1.50 .75	5. 50 6. 50		2.50 1.50	4.50 3.40		1.00 .70	3.00 3.00		2.00 .50	3.50 5.00	
1918. January-June. July-December	1.00 1.25	3.00 5.50		1.50 2.00	2.65 3.25		.50 .80	1.70 2.50		1.00 1.00	2.50 5.50	
1917. January-June July-December	2.75 .50	6.00 12.00		.75 .40	2.75 2.50		.65 .80	2.25 1.60		2.50 .50	5. 25 9. 00	
1918. January-June. July-December	1.00 2.50	8. 00 10. 00	\$5.02 5.88	.80 .65	2.25 3.25	\$1.79 1.67	2.00 1.00	7.00 4.80	\$3.44 2.85	1.50 1.25	2.50 10.00	\$2.00 4.22
January-June July-December	4.00 2.25	11.00 12.00	7.85 4.27	1.25 .90	4.25 3.25	2.40 1.58	1.00 .75	5.50 3.25	3.08 1.80	5.00 1.50	8.50 5.25	6.02 2.97
January. February March April. May June	13.00	7.50 7.00 8.00 8.00 10.00	5. 75 5. 55 5. 47 5. 79 8. 34 7. 33	1.35 1.25 1.50 1.50 2.75 2.00	2.00 2.10 2.40 3.25 4.00 3.75	1.72 1.67 1.93 2.32 3.32 2.97	1.00 .75 .75 1.50 1.75 2.00	3.00 3.25 3.25 3.25 4.25 4.50	1.82 1.93 2.10 2.28 2.74 3.01	1.00 2.00 4.00 3.00 3.00	6.00 6.00 6.00 6.00 6.00	3.50 3.83 4.89 4.73 4.68
January-June	3.00	10-00	6.37	1.25	4.00	2.32	.75	4.50	2.31	1.00	6.00	4.33
July	2.50	14.00 7.00 4.09 4.25 4.75	7.92 4.02 3.01 3.04 3.18	1.00 1.00 1.00 1.00 1.00	4.00 3.00 1.50 2.00 2.00	2.60 1.73 1.14 1.45 1.64	2. 25 1. 50 1. 25 . 75 . 75 . 75	7.00 7.00 3.00 2.50 2.25 2.00	4.07 3.12 2.03 1.38 1.43 1.33	6.00 1.25 2.00 2.00 1.00	10.50 9.50 5.50 3.50 3.25	8.14 4.84 3.76 2.15 2.43
July-December	2.00	14.00	4.23	1.00	4.00	1.71	. 75	7.00	2.23	1.00	10.50	8.92

HAY.

Table 119.—Hay: Acreage, production, value, exports, etc., in the United States, 1849–1980.

Note.—Figures in *italics* are causus returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

esama	res Anone		, comments tra	VA 610 4	Vallabio.						·
	Acreage	Aver-	Produc-	Aver- age farm	Farm válue	ner	o prices ton, by			Domestic exports,	fiscal
Year.	(000 omitted).	age yield per scre.	tion (000 omitted).	price per ton	Dec. 1 (000 omitted).	Dece	mber.		owing ay.	fiscal year be- ginning July 1.	year begin- ning July 1.
		acto.		Dec. 1.		Low.	High.	Low.	High.	July 1.	July 1.
1849	Acres.	Tons.1	Tons.1	Dolls.	Dollars.	Dolls.	Dolls.	Dolls.	Dolls.	Tons.2	Tons.2
1859			13, 839 19, 084								
1866 1867	17, 669 20, 021	1.23 1.31	21, 779 26, 277 26, 142	10.14 10.21	220, 836 268, 301					5, 028 5, 645	
1868 1869	21, 542 18, 591	1.21 1.42	26, 142 26, 420 27, 316	10. 08 10. 18	263, 589 268, 933					. 6, 723	
1870	19,862	1, 23	24, 525	12.47	305, 743					4,581	
1871 1872	19,009 20,319	1.17	22, 239 23, 813	14.30 12.94	317, 940 308, 025						
1873 1874	21, 894 21, 770	1.17 1.15 1.15	25, 085 25, 134	12.53 11.94	314, 241 300, 222					4, 557 4, 889 7, 183	
1875	23, 508	1.19	97 974	10.78	300, 378			•••••		7. 528	
1876 1877	25, 368	1. 25	30, 867 31, 629 39, 608	8. 97 8. 37 7. 20	276, 991 264, 880	9. 50	10. 50	9.00 9.75 9.00	10.00 10.75	7, 287 9, 514	18, 861 10, 320
1878 1879 1879	26, 931 27, 485 30, 631	1.47 1.29 1.15	35, 493 35, 151	9. 32	285, 016 330, 804	8. 00 14. 00	8. 50 14. 50	14.00	11. 50 15. 00	8, 127 13, 739	10, 320 66, 008
1880 1881	25, 864 30, 889	1.23 1.14	31, 925 35, 135	11.65 11.82	371, 811 415 121	15. 00 16, 00	15. 50 16. 50	17.00 15.00	19.00 16.50	12,662 10,570	174, 281 86, 029 97, 574 118, 955
1882	32, 340 35, 516	1.18 1.32	35, 135 38, 138 46, 864	9.73 8.19	415, 131 371, 170 383, 834	11.50	16. 50 12. 25 10. 00	12. 00 12. 50	13.00	13, 309 16, 908	97, 574
1884	88, 572	1.26	48, 470	8.17	290, 129	10.00	11.50	15. 50	17. 50	11, 142	. roo' 250
1885 1886	39, 850 36, 502	1.12 1.15 1.10	44,732 41,796	8.71 8.46	389, 753 353, 438	11, 00 9, 50	12.00 10.50	10.00 11.00	12.00 12.50	13, 390 13, 873 18, 198	92, 118 78, 368
1887 1888	37, 665 38, 592 52, 949	1.21	41, 454 46, 648 66, 831 66, 831	9. 97 8. 76	353, 438 413, 440 408, 500 470, 394	13, 50 11, 00	10.50 14.50 11.50	17.00 10.50	21.00 21.00	18, 198 21, 928 36, 274	78, 368 100, 269 105, 395 124, 544
1889 1889	52, 949	1.26 1.26		7.04		9.00	10.00	9. 00	14.00		124, 544
1890 1891	50, 713 51, 044	1.19 1.19	60, 198 60, 818	7. 87 8. 12 8. 20	473, 570 494, 114	9.00 12.50	10.50 15.00	12.50 13.50 12.00	15.50 14.00	28, 066 35, 201 33, 084 54, 446	58, 242 79, 715
1892 1893	50, 853 49, 613	1.18 1.33	59, 824 65, 766	8.68	494, 114 490, 428 570, 883 468, 578	11.00 10.00	11.50 10.50	10.00	14.00 13.50 10.50	33, 084 54, 446	79, 715 104, 257 86, 784
1894	48, 321 44, 206	1.14	37,070	8. 54 8. 35	468, 578 393, 186	10.00 12.00	11.00 12.50	10.00 11.50	10. 25 12. 00	47, 117 59, 052	201, 900 302, 652
1896 1897	43, 560	1.37	59, 282 60, 665	6. 55 6. 62		8.00	8.50 8.50	8. 50 9. 50	9.00 10.50	61, 658 81, 827	119, 942 3, 887
1898 1899	42, 427 42, 781 41, 328	1. 55 1. 37	66, 377 56, 656	6.00	401, 391 398, 061 411, 926	8.00 8.00 10.50	8.25 11.50	9. 50 10. 50	10.50 12.50	64,916 72,716	19, 872 143, 890
1899	43, 127	1.25	<i>53,828</i>								
1900 1901	39, 133 39, 391	1.28 1.28	50, 111 50, 591	8. 89 10. 01	445, 539 506, 192	11.50 13.00	14.00 13.50 12.50 12.00	12.50 12.50	13. 50 13. 50	89, 364 153, 431	142, 620 48, 415 293, 112
1902 1908 1904.	89, 825 89, 934 89, 999	1,50 1,54 1,52	59, 858 61, 306 60, 696	9. 06 9. 07 8. 72	542, 036 556, 276 529, 108	12.00 10.00 10.50	12.00 11.50	12. 50 13. 50 12. 00 11. 00	15.00 15.00 12.00	50, 974 60, 730 66, 557	293, 112 114, 388 46, 214
1905	39, 362	1.54	60, 532	8.52	515, 960	10.00	12.00	11.50	12, 50	70.172	68, 540
1906 1907	42, 476 44, 028	1.35 1.45	57, 146 63, 677	10.37 11.68	592, 540 743, 507	15. 50 13. 00	18.00 17.50	15, 50 13, 00	20.50 14.00	58, 602 77, 281	61, 116 10, 063
1908 1909	45,970 45,744	1.52 1.42	70, 050 64, 938 68, 855	9.02	631, 683	11.50	12.00	12,00	13.00	64,641	6, 712 96, 829
1909 1910 *.	51,041 51,015	1.55	68,833	10.49 12.14	722, 385 842, 252	16.00	17.00 19.00	12.50 18.50	16.00 23.50	55,007 55,223	338, 757
1911 1912	48, 240 49, 530	1.14	69, 378 54, 916 72, 691	14, 29	784, 926 856, 695	20.00	22.00 18.00	24.00 14.00	28.00 16.50	55, 223 59, 730 60, 720	699, 004 156, 323
1913 1914	48, 954 49, 145	1.31 1.43	70,071	12, 43 11, 12	797, 077 779, 068	14.50 15.00	18.00 16.00	15.00 16.50	17.50 17.50	105,508	170, 786 20, 187
1915 1916	51, 108 55, 721	1.68 1.64	85, 920 91, 192 83, 308	10.63 11.22	913, 644 1, 022, 930 1, 423, 766	14.50 15.00	16.50 17.50	17.50 19.00	20.00 22.00	178, 336 85, 529	43, 184 58, 147
1917 1918	55, 755	1.51	76.660	11. 22 17. 09 20. 13	1.543.494	26.00 .29.00	28.00 31.00	19.00 20.00 34.00	22,00 26,00 37,00	85, 529 30, 145 28, 898	58, 147 410, 738 277, 448
1919 1920	56, 552 57, 915	1.62 1.57	91, 883 91, 193	20.09 17.70	1, 846, 083 1, 613, 896	28.00 26.00	32.00 32.00	35.00	50.00	60,802	324, 952
	1			1	,,						

<sup>12,000</sup> pounds.

Table 120.—Hay: Revised acreage, production, and farm value, 1879 and 1889-1909.

[See headnote to Table 104.]

Acres.   Toms.   Toms.   Dollars.   Dollars.	Year.	Acreage.	Average yield per acre.	Production.	Average farm price per ton Dec. 1.	Farm value Dec. 1.
	1889 1891 1892 1893 1894 1895 1896 1897 1898 1990 1900 1901 1902 1903 1904 1905	50, 631,000 30,004,033,000 40,033,000 41,235,000 42,111,000 42,772,000 40,973,000 41,330,000 43,127,000 42,000,000 43,127,000 42,000,000 43,400,000 44,981,000 45,991,000 46,998,000	1.30 1.23 1.13 1.13 1.13 1.13 1.02 1.33 1.42 1.53 1.53 1.52 1.53 1.53 1.53 1.53 1.53	38, 852, 000 49, 181, 000 49, 187, 000 48, 752, 000 48, 752, 000 55, 875, 000 54, 835, 000 54, 836, 000 55, 878, 000 56, 878, 000 57, 450, 000 55, 878, 000 66, 154, 000 72, 978, 000 72, 978, 000 66, 124, 000 72, 978, 000	9.81 7.76 8.18 8.895 9.48 8.96 9.46 7.48 7.28 6.63 9.72 9.19 9.35 8.91 9.35 8.91 9.43 8.91 9.43	371, 045, 000 381, 481, 000 401, 111, 000 438, 276, 000 440, 730, 000 527, 044, 000 452, 079, 000 406, 957, 000 428, 919, 000 427, 9844, 000 517, 399, 000 553, 328, 000 559, 781, 000 637, 485, 000 637, 485, 000 637, 232, 000 637, 232, 000 637, 232, 000 637, 232, 000 637, 232, 000 637, 165, 000 637, 931, 000

Table 121.—Hay: Acreage, production, and total farm value, by States, 1920.

# [000 omitted.]

				,			
State.	Acreage.	Produc- tion.	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine	Acres. 1, 168 450 910 436 46	Tons. 1, 191 540 1, 320 610 51	Dollars. 29, 299 13, 500 30, 360 17, 080 1, 693	North Dakota South Dakota Nebraska. Kansas. Kentucky.	Acres. 715 1,000 1,619 1,780 1,093	Tons. 894 1, 750 4, 209 8, 702 1, 497	Dollars. 8, 851 14, 875 37, 881 37, 760 32, 934
Connecticut New York New Jersey Pennsylvania Delaware	355 4, 386 330 2, 822 86	462 5, 482 544 3, 951 120	13, 860 129, 375 14, 960 92, 848 2, 580	Tennessee	1, 430 1, 445 417 280 662	2,002 1,329 709 490 1,092	41, 041 25, 916 12, 195 7, 840 14, 633
Maryland	472 950 800 897 450	732 1,235 1,000 1,310 450	18, 300 29, 922 24, 200 30, 130 11, 250	Oklahoma Arkansas. Montana Wyoming Colorado	660 842	1, 752 957 1, 516 1, 850 2, 966	18, 396 15, 312 18, 192 22, 200 35, 592
Georgia	660 115 3, 150 2, 205 3, 264	759 132 4, 252 2, 844 4, 080	17, 836 2, 508 82, 914 54, 889 84, 048	New Mexico	240 123 472 200	600 381 1, 265 486	10, 200 11, 049 16, 445 7, 776
Michigan Wisconsin Minnesota	2,624 2,832 2,020 3,021	3, 149 4, 814 3, 434 4, 350	66, 129 98, 206 38, 461 70, 644	Idaho Washington Oregon California	750 810 900 2,175	2, 250 1, 620 2, 160 5, 002	28, 125 29, 970 31, 320 100, 040
Iowa. Missouri	3, 147	3, 902	61, 261	United States	57, 915	91, 193	1, 613, 896

TABLE 122.—Hay: Yield per acre, price per ton Dec. 1, and value per acre, by States.

÷			Αv	erag	yie.	ld pe	r acr	e (to	ns).			F	ırm pı	rice pe	er ton	(dolla	rs).	per	due acre lars).
State.	10-year average 1911-1920.	1911.	1912.	1913.	1914,	1915.	1916.	1917.	1918.	1919.	1920.	10-year average 1911-1920.	1916.	1917.	1018.	1919.	1920.	5-year average 1915-1919.	1920.
Me N. H Vt Mass R. I	11 10	1.05	1.25	1 00	1.15	1.00	1 45	1 25	1 15	1 20	1 20	17 21	1114 K	112 00	13.90 18.80 16.30 26.00 25.50	94 00	POR DO	21 40	וח חפו
Conn N. Y N. J Pa Del.	1.31 1.30 1.43 1.87 1.24	1.10 1.02 1.05 1.00	1.15 1.25 1.44 1.43 1.33	1.14 1.14 1.30 1.32 1.30	1.25 1.20 1.35 1.28 1.10	1.35 1.30 1.45 1.40 1.20	1.55 1.62 1.60 1.60 1.45	1.50 1.46 1.45 1.41 1.26	1.30 1.25 1.50 1.41 1.25	1.50 1.50 1.50 1.45 1.28	1.30 1.25 1.65 1.40 1.40	22. 78 16. 99 22. 17 18. 31 19. 91	18.50 11.90 17.60 13.80 15.90	19.50 15.10 20.00 17.50 20.50	24.00 20.40 28.00 23.70 28.00	30. 20 20. 50 29. 10 24. 00 26. 00	30.00 23.60 27.50 23.50 21.50	32.29 23.60 34.07 27.36 27.51	39.00 29.50 45.38 32.90 30.10
Va W. Va N. C S. C	1.26 1.32 1.11	. 64 . 66 1. 05 1. 08	1.20 1.38 1.30 1.15	1.27 1.25 1.31 1.16	. 72 . 92 1. 15 1. 15	1.35 1.50 1.85 1.30	1.35 1.54 1.30 1.30	1.16 1.27 1.13 1.08	1.35 1.30 1.20 1.10	1.50 1.50 1.40 .75	1.30 1.25 1.46 1.00	19.06 19.10 18.92 20.57	15.00 14.50 17.50 16.70	21.30 21.10 19.70 20.60	26.80 23.00 23.50 21.00 26.10	23. 70 25. 60 24. 20 31. 00	23.50 24.20 23.00 25.00	26. 55 28. 12 26. 92 23. 24	30.55 30.25 33.58 25.00
GaFlaOhioIndIll.	1.23 1.23 1.33 1.27 1.23	1.35 1.30 .98 .94 .82	1.35 1.25 1.36 1.37 1.30	1.40 1.35 1.30 1.00 .98	1.35 1.35 1.13 1.00 .85	1.15 1.20 1.44 1.50 1.54	1.15 1.25 1.57 1.44 1.45	1.03 1.10 1.42 1.45 1.25	1.24 1.14 1.40 1.45 1.35	1.10 1.25 1.38 1.22 1.48	1.15 1.15 1.35 1.29 1.25	19.17 18.27 16.39 15.77 16.32	16.20 16.00 10.60 10.90 11.30	20.00 18.20 19.00 18.70 20.00	23.50 18.50 22.20 19.80 21.00	25.30 28.00 21.80 21.60 21.40	23.50 19.00 19.50 19.30 20.60	22.71 21.81 24.61 22.88 23.61	27.02 21.85 26.32 24.90 25.75
Mich Wis Minn Iowa Mo													t	17.20 17.30 12.10 16.80 17.50	23.50 21.60 14.10 18.20 20.50	23.40 20.30 14.50 17.40 19.50	21.00 20.40 11.20 16.24 15.70	22. 45 26. 52 18. 24 20. 62 17. 98	25. 20 34. 68 19. 04 23. 39 19. 47
N. Dak S. Dak Nebr Kans Ky	1.80 1.71 1.22	.85 .95	1.35 1.50 1.23	.90 .87	1.69 1.41 .95	2.60 2.30 1.40	2.10 1.55 1.40	1.50 2.18 1.30	1.40 1.73 1.30	2.43 2.46 1.40	2.60 2.08 1.37	10.20 11.26 18.00	7.10 7.60 12.60	10.60 15.20 16.60 20.30	14.60 10.00 17.20 19.40 23.70	13.50 14.00 15.80 25.40	8.50 9.00 10.20 22.00	15. 28 22. 48 26. 66 25. 58	14.88 23.40 21.22 30.14
Tenn Ala Miss La Tex	1.28 1.14 1.45 1.62 1.38	1.00 1.40 1.50 1.30 1.00	1.30 1.25 1.48 1.65 1.40	1.21 1.36 1.33 1.50 1.16	1.20 1.31 1.45 1.90 1.75	1.47 1.45 1.40 1.75 1.70	1.38 1.10 1.40 1.70 1.20	1.20 .80 1.45 1.60 1.00	1.35 .81 1.20 1.30 1.00	1.33 1.00 1.60 1.80 1.90	1.40 .92 1.70 1.75 1.65	18.54 15.91 14.25 14.50 13.86	15.00 13.00 11.00 11.00 10.50	19.30 16.20 15.30 14.30 20.00	24.00 20.30 18.50 21.20 24.90	27.00 22.30 20.50 23.00 18.00	20.50 19.50 17.20 16.00 13.40	26.52 16.80 21.60 25.71 21.03	28. 70 17. 94 29. 24 28. 00 22. 11
Okla Ark Mont Wyo Colo	1.31 1.77 1.99 2.22	1.15 2.00 2.10 2.00	1.90 1.90 2.19	1.20 1.80 1.90 2.05	1.05 2.50 2.30 2.40	1.60 2.00 2.20 2.20 2.20	1.25 1.70 1.80 2.05	1.47 1.40 1.70 2.45	1.30 1.60 2.10 2.22	1.40 1.00 1.40 2.25	1.45 1.80 2.50 2.40	14.56 12.83 11.89 11.66	12.50 11.00 12.00 11.00	15.40 18.60 17.00 16.00	19.60 14.00 15.50	20.50 23.00 23.00 18.50	16.00 12.00 12.00 12.00	21.76 22.82 25.85 31.19	23.20 21.60 30.00 28.80
N. Mex Ariz Utah Nev Idaho	2.82	3.10	2.80	2.90	2.65	2. 70	2.50	3.00	8.00	2.50	3:00	11.63	12, 10	16.00	17.60	22.00	12.50	41 . 37	37. KA
Wash Oreg	2.22 2.10 1.81	2.40 2.10 1.75	2.20 2.20 1.53	2.30 2.10 1.50	2.20 2.00 1.95	2.30 2.20 1.80	2.40 2.30 1.75	2.20 1.95 2.00	1.80 1.80 1.25	2.40 1.90 2.25	2.40 2.40 2.30	15.55 12.76 14.65	13.80 10.90 12.60	20.00 17.50 19.20	25.40 20.00 20.00	23.00 19.10 17.20	18.50 14.50 20.00	40.58 30.48 28.86	37, 00 34, 80 46, 90

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

# TABLE 123 .- Hay: Stocks on farms May 1.

Year.	Production of all hay preceding year (tons).	Per cent on farms May 1.	Tons on farms May 1.	Price per ton May 1.
1910	87, 216, 000	11. 5	10, 053, 000	\$11. 08
	82, 529, 000	12. 4	10, 222, 000	11. 69
	67, 071, 000	8. 5	5, 732, 000	16. 31
	90, 734, 000	14. 9	13, 523, 000	10. 42
	79, 179, 000	12. 2	9, 631, 000	11. 63
	88, 686, 000	12. 2	10, 797, 000	11. 03
	107, 263, 000	13. 5	14, 452, 000	11. 27
	110, 992, 000	11. 4	12, 659, 000	13. 94
	98, 439, 000	11. 7	11, 476, 000	17. 97
	91, 139, 000	9. 4	8, 559, 000	22. 31
	109, 152, 000	10. 4	11, 345, 000	24. 22

# TABLE 124.—Hay: Farm price per ton on 1st of each month, 1911-1920.

. Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1. Feb. 1 Mar. 1 Apr. 1 June 1 July 1 Aug. 1 Aug. 1 June 1 July 1 Aug. 1 June 1 July 1 Aug. 1 Aug. 1 A	\$20. 55 21. 76 22. 31 22. 94 24. 22 24. 85 23. 62 20. 89	\$19.92 19.79 19.82 20.52 22.31 23.30 21.73 20.16	\$18.09 18.88 19.14 18.68 17.97 17.13 16.07 15.92	\$10.86 11.34 11.54 12.53 13.94 14.68 13.96 12.90	\$10.07 10.55 10.75 10.85 11.27 11.47 11.10 9.89	\$10.47 10.83 10.89 10.98 11.03 11.16 10.85 10.19	\$11.70 11.67 11.69 11.52 11.63 11.64 11.29 10.76	\$11.11 10.86 10.61 10.43 10.42 10.55 10.47 10.43	\$13.75 14.39 14.66 15.64 16.31 16.22 14.32 12.03	\$11. 69 11. 80 11. 57 11. 36 11. 69 12. 38 13. 19 13. 83	\$13.82 14.19 15.30 14.54 15.08 15.34 14.66 13.70
Sept. 1	19. 88 18. 94 17. 45 17. 70 20. 85	20. 52 19. 79 19. 36 20. 09	17. 42 18. 45 19. 27 20. 13	13. 26 13. 83 15. 16 17. 09	9. 72 9. 65 9. 99 11. 22	9. 95 9. 83 9. 98 10. 63	11.10 10.96 10.78 11.12	11. 04 11. 45 11. 51 12. 43	11. 21 11. 02 11. 08 11. 79	11. 63 13. 53 13. 61 14. 29	13.77 13.74 13.82 14.65

# TABLE 125 .- Hay: Extent and causes of yearly crop losses, 1909-1919.

Year.	Deficient moisture.	Excessive moisture.	Floods.	Frost or freeze.	Hail.	Hot winds.	Storms.	Total cli- matic.	Plant dis- ease.	Insect pests.	Animal pests.	Defective seed.	Total
1919	P. ct. 9.9 17.5 11.5 5.5	P.ct. 1.9 .7 1.3 1.0	P. ct. 0.3 .2 .2 .3	P.ct. 1.0 2.7 2.9 1.1 1.8	P. ct. 0.1 .1 .2 .1	P.ct. 0.4 .8 .3 .2	P.ct. 0.1 .1 .1 .1	P. ct. 13. 9 22. 7 16. 8 8. 6 11. 9	P. ct. 0.1 .1 .1 (¹)	P.ct. 1.0 .9 .4 .3	P. ct. (1) 0.1 (1) (1)	P. ct. 0.1 (1) (1) (1) (1)	P. ct. 15.5 24.9 18.3 9.6
1913 1912													<u>*</u> -
1911 1910 1909	27. 7 17. 4 10. 7	.8 1.2 2.2	(¹) .3 .6	.9 1.2 1.2	.1 .1 .1	1.9 .5 .3	(¹) :1 :3	31. 9 21. 2 15. 7	:1 :1 :1	.6 .5	.1 .2 .1	.1 .1 .1	34.7 23.6 17.6
Average	13.4	1.7	.3	1.7	.1	.6	.2	18. 4	,1	.5	.1	.1	20.4

<sup>1</sup>Less than 0.05 per cent.

Table 126.—Timothy and clover hay: Farm price per ton, 15th of each month, 1916–1920.

. — ·			Timothy	•				Clover.		
Date.	1920	1919	1918	1917	1916	1920	1919	1918	1917	1916
Jan. 15 Feb. 15 Mar. 16 Apr. 15 May 15 June 15 July 15	\$24, 59 25, 49 26, 75 27, 99 29, 92 30, 05 26, 59 24, 35	\$23. 48 22. 69 22. 68 24. 74 27. 27 27. 50 24. 22 23. 89	\$21, 37 22, 25 22, 53 21, 47 20, 40 18, 55 17, 61 18, 98	\$12.61 12.91 13.20 14.26 15.31 15.76 14.68 14.11	\$18.11 13.39 13.61 14.00 14.50 14.71 12.97 11.74	\$23. 78 24. 94 26. 13 26. 93 28. 31 27. 80 24. 62 22. 82	\$21. 69 21. 11 21. 25 23. 36 25. 33 25. 48 22. 02 21. 58	\$19. 82 21. 11 21. 37 - 19. 68 18. 30 16. 54 15. 73 17. 18	\$11. 38 11. 65 11. 90 13. 06 13. 94 14. 22 12. 95 12. 76	\$11. 24 11. 41 11. 70 11. 87 12. 52 12. 46 10. 84 9. 93
Sept. 15 Oct. 15 Nov. 15 Dcc. 15	24. 15 22. 74 22. 09 21. 22	23, 65 23, 04 22, 90 23, 71	20, 85 22, 60 22, 93 22, 94	14. 89 16. 23 18. 33 20. 31	11. 57 11. 54 12. 03 12. 29	22, 57 21, 29 20, 60 19, 96	21. 74 21. 17 21. 61 22. 60	19. 27 20. 60 21. 13 21. 26	13. 79 15. 01 17. 14 18. 67	10. 01 10. 08 10. 46 10. 86

Table 127.—Alfalfa and prairie hay: Farm price per ton, 15th of each month, 1916-1920.

			Alfalfa.					Prairie.		
Date.	1920	1919	1918	1917	1916	1920	1919	1918	1917	1916
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 16. July 16. July 15. Aug. 15. Sept. 15.	\$24. 13 24. 41 24. 68 24. 57 25. 68 24. 20 21. 70 20. 43 19. 12	\$20, 42 20, 91 21, 40 22, 28 20, 89 20, 15 20, 72 20, 89	\$21. 27 21. 38 20. 82 18. 97 17. 84 16. 74 16. 58 18. 22	\$12.79 13.63 14.68 17.68 17.92 16.77 14.13 15.28	\$9. 89 10. 35 10. 74 10. 73 10. 56 10. 49 9. 87 9. 80	\$17. 54 17. 36 16. 52 16. 66 18. 06 17. 59 15. 38 13. 74	\$16. 33 16. 55 17. 38 18. 85 20. 22 18. 71 16. 10 16. 10	\$15.39 15.74 15.47 14.47 12.75 12.78 12.51 13.26	\$8, 58 8, 60 9, 32 10, 94 12, 02 11, 84 10, 11 10, 82 11, 40	\$7. 38 7. 34 7. 39 7. 50 7. 71 7. 97 7. 25 6. 96
Oct. 15 Nov. 15 Dec. 15	18. 03 12. 88 16. 59	20. 56 21. 63 22. 95	20, 23 20, 42 20, 74	17. 59 19. 19 20. 39	10. 25 11. 37 12. 31	11. 88 11. 47 10. 80	15. 88 16. 91 17. 19	15. 06 15. 47 16. 30	12, 29 13, 32 14, 91	7. 26 7. 84 8. 14

Table 128.—Hay: Wholesale price (baled) per ton, 1913-1920.

[Compiled from commercial papers.]

	,c	hicag	0.	Ciı	cinn	ati.	81	. Lou	is.	Ne	w Yo	rk.	San	Fran	cisco.
Date.	No.	l time	othy.	No.	l time	othy.	No.	l timo	thy.1	No.	1 time	othy.	No. ligi	1 wh at bal	eat;
	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.
1913. January-June July-December	13, 00	18.00	15. 15	13. 50	19.00	16. 42	12.00	Dols. 17. 50 22. 50	17.57	19. 50	23.00	20.93		Dols.	Dols.
1914. January-June July-December	13. 50 13. 00	17. 50 18. 50	15. 62 15. 79	17. 50 17. 50	21.00 21.50	18. 91 19. 06	15. 00 14. 50	23. 00 22. 50	19. 24 18. 53	19. 50 18. 50	23. 00 25. 00	21. 34 21. 61	13. 00 11. 00	21.00 14.00	
1915. January-June July-December	14. 50 12. 00	18.00 21.00	16. 30 16. 36	18. 00 13. 00	22.00 23.00	19. 24 19. 02	16. 00 12. 00	22.00 24.00	18. 81 16. 16	18. 00 24. 00	25.00 31.50	22, 20 26, 07	11. 00 13. 00	14. 00 18. 00	11, 90 15, 64
1916. January-June July-December	14. 50 9. 50	20.00 18.00	17. 27 14. 98	1800 1425	24. 00 18. 50	20. 76 16. 31	14. 00 11. 00	21. 00 19. 50	17. 95 15. 40	24. 00 18. 00	31.00 28.00	27. 19 22. 37	14. 50 14. 50	19. 00 20. 00	17.03 17.30
1917. January-June July-December	15. 00 16. 50	22, 00 28, 50	17. 34 23. 06	15. 00 16. 50	21. 50 30. 00	17. 57 23. 40	14. 50 15. 00	25. 00 32. 00	18. 85 25. 15	18. 00 20. 00	24. 00 34. 00	21. 80 25. 61	19.00 19.00	35. 00 34. 00	26. 55 25. 20
January-June July-December	16. 00 17. 00	33. 00 35. 00	25. 47 29. 32	19.00 21.50	34. 25 34. 50	27. 71 29. 14	19. 00 23. 00	34. 50 35. 00	27. 98 30. 15	20.00 27.00	40.00 48.00	32. 93 34. 10	27. 00 24. 00	31. 00 30. 00	28.56 27.35
January-June July-December	24. 00 26. 00	37. 00 44. 00	31. 49 30. 9	28. 00 26. 00	42. 2 39. 2	35. 02 31. 6	22.00 22.00	39. 00 34. 00	31. 93 27. 72	28. 00 32. 00	48. 00 48. 00	37. 92 36. 77	19. 00 17. 50	26. 00 27. 00	22. 98 20. 13
January February March April May June	28. 00 32. 50 31. 00 36. 00 35. 00	33. 00 34. 00 37. 00 46. 00 46. 00	31, 30 33, 33 33, 90 40, 00 42, 13 38, 4	32, 73 36, 00 35, 50 239, 75 42, 25 236, 00	35. 00 36, 50 39, 21 42, 50 44, 70	33. 56 36. 25 5 37. 34 41. 22 5 43. 75 40. 85	31. 00 231. 00 533. 00 339. 00 245. 00 238. 00	33. 00 37. 00 40. 00 55. 00 50. 00 46. 00	32. 6? 34. 07 35. 76 46. 42 47. 04	35. 00 52. 00 43. 00 40. 00 42. 00 38. 00	39. 00 56. 00 55. 00 62. 00 65. 00	36. 86 54. 00 49. 65 46. 35 56. 30	25. 00 29. 00 38. 00 38. 00 26. 00	31. 00 36. 00 41. 00 41. 00 41. 00	27. 90 31. 50 39. 50 39. 50 40. 00 38. 50
January-June.															
JulyAugustSeptemberOctoberNovembetDecember	35. 00 35. 00 29. 00 28. 00 28. 00 26. 0	42. 0 46. 0 39. 0 36. 0 35. 0 32. 0	38. 3 0 40. 5 0 32. 5 0 31. 1 0 31. 4 0 28. 8	0 35. 0 8 29. 5 4 29. 0 0 29. 0 8 28. 0 8 25. 5	38. 0 36. 0 34. 5 31. 5 32. 0 30. 2	0 36. 9 0 33. 8 0 32. 3 0 30. 3 0 30. 1 5 27. 7	7 36. 0 8 32. 0 5 26. 0 4 26. 0 2 29. 0 8 28. 0	045, 0 042, 0 040, 0 035, 0 034, 0	0 41. 00 0 37. 25 0 34. 5 0 32. 8 0 31. 6 0 30. 4	38. 00 38. 00 41. 00 238. 00 537. 00 734. 00	50. 00 46. 00 50. 00 41. 00 41. 00	44. 60 42. 3: 46. 60 39. 30 40. 60 38. 34	26. 00 26. 00 26. 00 26. 00 28. 00 21. 00	28. 00 28. 00 28. 00 29. 00 29. 00 29. 00	27. 00 27. 00 27. 00 27. 29 28. 50 26. 14
July-December.															

<sup>&</sup>lt;sup>1</sup> No. 2 timothy for 1919.

<sup>&</sup>lt;sup>2</sup> Fancy wheat, 1913. Fancy large, July-December, 1920.

Table 129.—Wild, salt, and prairie hay: Acreage, production, and total farm value, by States, 1920.

# [000 omitted.]

State.	Acreage.	Produc-	Farm value Dec. 1.	State.	Acreage.	Produc- tion.	Farm value Dec. 1.
Maine New Hampshire Vermont. Massachusetts Rhode Island	Acres. 24 20 13 21	Tons.  24 20 13 23	Dollars. 480 400 260 460 25	North Dakota South Dakota Nebraska. Kansas. Kentucky	Acres. 2,052 3,500 2,315 1,016 10	Tons. 2, 052 3, 920 2, 361 986 11	Dollars. 23, 598 37, 632 25, 027 9, 860 165
Connecticut New York New Jersey Pennsylvania Delaware.	13 55 40 15 5	13 65 54 19 8	260 1,170 810 342 120	Tennessee	40 35 50 40 203	48 35 70 52 223	874 665 1,309 988 8,345
Maryland Virginia West Virginia North Carolina South Carolina	6 25 8 21 10	9 31 10 23 12	153 496 160 428 216	Oklahoma Arkansas Montana Wyoming Colorado	617 192 500 360 367	740 221 475 360 426	8, 880 3, 492 4, 275 5, 148 5, 964
GeorgiaFloridaOhioIndianaIllinois	12 20 2 25 72	· 12 20 3 30 86	216 500 45 390 2,399	New Mexico	14 116 145	18 11 151 145	216 121 1,510 1,450
Michigan	357 1,663 510	64 457 2,328 648	800 5,256 28,751 8,813 1,812	Idaho	125 34 202 180	150 39 242 180	1, 620 390 1, 815 2, 160
Missouri	135	151	1,812	United States	15 <b>, 266</b>	17, 040	195, 266

Table 130.—Wild, salt, and prairie hay: Acreage, production, and value, United States, 1909-1920.

Year.	Acreage.	Yield per acre.	Production.	Farm price per ton.	Farm value.
19091	Acres. 17, 186, 000	Tons. 1. 07	Tons. 18, 383, 000	Dollars.	
1910	17, 187, 000 17, 187, 000	:77	13, 151, 000 12, 155, 000		
1912 1913	16,341,000	1.04 92	18,043,000 15,063,000		·
1914 1915	16, 752, 000 16, 796, 000	1.11	18,615,000 21,343,000		
1916 1917	16, 212, 000	1.19 .93	19,800,000 15,131,000	13.49	204, 086, 000
1918. 1919.	15, 365, 000 15, 708, 000	1. 10	14,479,000 17,269,000	15. 23 16. 68	220, 487, 000 288, 087, 000
1920	15, 266, 000	1.12	17,040,000	11.46	195, 266, 000

<sup>1</sup> Census figures.

# CLOVER AND TIMOTHY SEED.

Table 131.—Clover seed: Acreage, production, and value, by States, 1920, and totals, 1916–1919.

State and year.	Acreage.	Average yield per acre.	Production,	Average farm price per bushel Nov. 15.	Farm value Nov. 15.
New York. Pennsylvania. Ohio. Indiana. Illinois.	Acres. 15,000 9,000 150,000 95,000 196,000	Bushels. 2.4 1.6 1.3 1.5	Bushels. 36,000 14,000 195,000 142,000 333,000	Dollars. 13.00 12.90 12.30 10.90 10.95	Dollars. 468,000 181,000 2,398,000 1,548,000 3,646,000
Michigan Wisconsin Minnesota Lowa Missouri	89,000 169,000 20,000 134,000 35,000	1.5 2.0 2.2 2.0 2.2	120,000 338,000 44,000 268,000 77,000	10.60 11.50 12.90 12.25 10.80	1, 272, 000 3, 887, 000 568, 000 3, 283, 000 832, 000
Nebraska. Kansas Kentucky. Tennessee Idaho. Oregon	5,000 16,000	2.3 2.2 2.1 1.6 5.5 3.6	12,000 15,000 52,000 8,000 88,000 18,000	16.00 9.80 15.00 15.00 11.25 12.00	192,000 147,000 780,000 120,000 990,000 216,000
Total	966, 000	1.8	1,760,000	11.66	20, 528, 000
1919. 1918. 1917. 1916.	843, 000 820, 000 821, 000 939, 000	1.6 1.5 1.8 1.8	1,341,000 1,197,000 1,488,000 1,706,000	26. 50 19. 80 12. 84 9. 18	35, 541, 000 23, 705, 000 19, 107, 000 15, 661, 000

# Table 132 .- Clover seed: Farm price per bushel, 15th of each month, 1911-1920.

	_										
Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15	\$28.06	\$21.55	\$14.48	\$9.60	\$10.27	\$8.51	\$7.99	\$9.41	\$10.89	\$8.27	\$12.90
Feb. 15	31.21	21.79	16.46	9.87	10.47	9.60	8.07	10.28	12.22	8.37	13.73
Mar. 15	31.88	22.61	17.49	-10.32	10.76	8.55	8.17	10.42	12.89	8.56	14.16
Apr. 15	32.23	24.81	17.86	10.41	10.58	8.36	8.06	11.00	12.91	8.79	14.50
May 15	29.84	24.48	16.56	10.40	9. 98	8.14	7.87	10.74	12.53	8.74	13. 93
June 15	26.21	23.37	15.88	10.29	9. 47	7.90	7.96	9.77	11.69	8.80	13. 13
July 15	25.52	23.25	14.71	10.50	9. 15	7.96	8.12	9.78	10.64	8.83	12. 85
Aug. 15	19.97	24.33	15.20	10.53	9. 12	7.94	8.76	9.37	9.80	9.65	12. 47
Sept. 15	17.77	25. 38	16.61	10. 89	8.65	8. 49	9.10	7.31	9.39	10.19	12.38
Oct. 15	13.18	26. 47	19.01	11. 92	8.54	9. 70	8.24	7.00	9.37	10.33	12.38
Nov. 15	11.64	26. 53	20.03	12. 91	9.20	9. 67	8.02	7.33	9.06	10.37	12.48
Dec. 15	10.28	27. 63	20.67	13. 53	9.40	10. 01	8.12	7.70	9.00	10.62	12.70

# TABLE 133 .- Timothy seed: Farm price per bushel, 15th of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15	\$5.35	\$4.34	\$3.57	\$2.44	\$3.05	\$2.63	\$2.07	\$1.79	\$6.99	\$4.12	\$3.64
Feb. 15	5.62	4.51	3.78	2.46	3.19	2.66	2.12	1.78	7.26	4.51	3.79
Mar. 15	5.61	4.54	3.84	2.70	3.28	2.78	2.30	1.72	7.33	4.93	3.90
Apr. 15	5.63	4.69	3.74	2.76	3.51	2.69	2.28	1.74	7.27	5.17	3.95
May 15	5. 61	5. 05	3.84	3.09	3.33	2.75	2.38	1.76	7.16	5. 24	4.02
June 15	5. 46	4. 63	3.56	3.09	3.26	2.65	2.23	1.77	6.68	5. 24	3.86
July 15	5. 44	4. 49	3.67	3.04	3.08	2.57	2.32	1.94	5.96	5. 48	3.80
Aug. 15	4. 44	4. 58	3.87	3.23	2.36	2.56	2.43	2.01	3.20	6. 52	3.52
Sept. 15	3.52	4.55	3. 79	3.31	2. 22	2. 62	2.46	2.13	2.09	6. 65	3.33
Oct. 15	3.25	4.78	4. 08	3.61	2. 27	2. 72	2.34	2.02	1.95	6. 91	3.39
Nov. 15	3.09	4.67	4. 26	3.25	2. 25	2. 91	2.34	2.08	1.82	6. 90	3.36
Dec. 15	3.16	4.98	4. 21	3.37	2. 31	2. 86	2.18	2.10	1.79	6. 72	3.37

CLOVER AND TIMOTHY SEED—Continued.

Table 134.—Clover and timothy seed: Wholesale price, 1914-1920.
[Compiled from commercial papers.]

ndo) Timothy	Detroit. Cincinnati. , Cideago.	choice. All grades. Per bushel (of 44 Poor to choice Per 100 pounds). (per 100 pounds). (per 100 pounds).	gh. Aver. Low. High. Aver.	43. Dolla Dolla. Dolla D	. 156 8.18 7.86 9.60 8.62 2.00 3.60 2.84 4.00 7.00 5.68 4.50 7.00 5.68 2.50 7.00 7.50 1.00 10.42 7.70 12.55 10.62 1.90 3.75 2.75 4.50 8.00 6.11 4.50 8.00 6.05 3.00 7.50	.66 10.64 8.75 13.25 10.70 1.80 3.80 2.54 4.00 8.55 6.30 4.00 8.50 6.28 3.75 7.50 6.10	.88 11.05 10.60 11.80 10.80 1.30 3.35 2.17 3.00 8.40 6.06 4.00 8.40 6.02 8.60 7.35 6.00 8.25 7.12	189 18.89 18.00 20.05 18.89 2.50 3.70 3.14 5.00 8.25 6.51 5.00 8.25 6.53 6.50 17.89 7.22 0.00 21.46 18.00 26.75 21.27 2.90 5.00 4.00 5.00 11.00 8.17 5.00 11.00 8.19 6.50 10.50 9.02	.00 28.72 28.28 28.50 28.07 28.06 4.25 5.26 4.68 8.00 12.00 8.22 6.00 12.20 8.28 7.50 11.35 5.98	70 34.46 31.26 35.6 32.56 4.25 6.10 4.77 3.00 14.50 11.70 11.50 14.50 13.07 11.20 13.09 13.50 13	25 28, 41 27, 00 34, 50 30, 08 4, 50 5.50 , 50 28, 31 77 26, 50 28, 50 28, 98 4, 26 5, 00 66 25, 00 26, 50 25, 66 4, 25 5, 00	70 30, 71 25, 00 35, 75 30, 78 4, 25 6, 10 4, 95 8, 00 16.	.66 34.00 30.60 26.00 24.10 4.25 6.00 4.08 9.00 12.00 10.66 10.00 12.00 11.12	95, 12, 38 11, 24 13, 75 12, 30 2, 50 3, 00 2, 75 5, 50 6, 75 6, 63 5, 50 7, 00 6, 16 5, 75 6, 60 22 12, 24 12, 00 12, 80 12, 80 12, 80 2, 50 3, 00 2, 75 5, 50 6, 75 6, 12 5, 50 6, 75 6, 12 5, 50 6, 75 7, 00 6,	.66 16.14 11.25 25.00 16.20 2.50 5.00 3.62 4.00 12.00 7.16 5.00 12.00 7.49 3.00 8.50 6.51
	-	15		00% Doll	44	4.€	88.3	48 44	48 68 8,6	F&18	828	1_	2822	23	18
	inchmsti.	bushel (or pounds).	High.	Do.1s. 2,25	3.75	88	20 CG 20 CG	3.70 5.00	4. 90 5. 25	9.9.9 50.00	588 288	1	74.4.4 08.25 57.57	88 88	5.00
	]5	Per	Low.	1, 100	44	러	-:6	લંલ	eş.4÷	444	चंचं	4	4.0004	લંલ	64
	oft.	sdes.			55 50 10,8	<b>5</b> .00	88 55 55 56 57	25. 21.8. 21.8.	20.28	888	ន្លន់ង់	S	24. 25. 25. 25. 25. 25. 25.	8 2 2 2 2 3	00
	Detr	All gr	_		28	82 23 23	88	88	25 29.	828	888	8	2832	88	188
	-	g			23	22	8%	88	83	<b>\$88</b>	478	ī	8888	88	13
omuda)	Toledo.	Poor to choice.	High.	Dolls. 1 9. 47 11. 15						288				88	<u>.                                    </u>
0000	L	Poor	Low.	Dolls. 7.25 8.20	2.7.	&. &. &.	10.98	13.00 15.50	22.00 27.75	## ## ## ## ## ## ## ## ## ## ## ## ##	888 888	23.00	85.74 85.08		11.08
(spution 0) to aleast the manufacture of All months of the control	é	fme.1	Aver.	Dolls. 11.08	10.81	12,54	20.62 20.62	28.75	32, 75 36, 88	<b>3.27</b>	488 888	40.88	<b>ස්ස්ස්</b> ≅්		22.08
"Own"	Chicago.	Poor to prime.	High.	1. Dolls. 15.00 18.50	0 20.50	00 18.00	00 19.90 28.00	35.00 38.00	85.00 85.00	366	888 888 888	00 28 00	8888 8888 8888 8888		00 35.00
1	_	, Å	Low.	. Dolls. 5 7.00 9.00	7.00	46	58 12.0 12.0	11 15.0	25.0	844	ង្គង្គ	17 25.0	机线线线	44	15
-	ett.	8	1. Aver.	25 7.30	25 85 80 80 80 80	50 8.69 8.57	90 11.7	76 15.4 00 17.1	25.25	82.5	888 883 858	00 26.1	2000 17.50 14.50 15.50 15.50	크림	00 14.85
	Cincinneti.	Prime.	High.	10 c; c;	20 12.9 12.2	50.5	88 E10 E10	88	88	11	ន្តន្តន	00 34.0	8888 8888	22	80.0
_			Low.	Dolle. 5. 00	20 E	20.00	Ø 6	111	0.61	annary 1920. Rebrusry 28.0 March 25.0	883	15.0	July 16.0 August. 16.0 September 12.0 October 17.0	ප්ස්	6

# COTTON.

Table 135 .- Cotton: Area and production in undermentioned countries, 1909-1919. [Bales of 478 pounds net.]

		Ar	eā.	1		Produ	ction.	
Country.	Average <sup>1</sup> 1909–1913	1917	1918	1919	Average 1 1909–1913	1917	1918	1919
St. Croix	A cres. 35, 805, 667	A cres. 33, 841, 000 29	A cres. 36, 008, 000	A cres. 33, 566, 000	Bales. 13, 033, 137 8 396 510	Bales. 11, 302, 000 268 16	Bales. 12, 040, 532 443	Bales. 11, 421, 000
British: Barbados 4. Grenada 4. Jamaica 4. Leeward Islands. St. Lucia 4. St. Vincent. Dominican Rep.	4, 227	981 3, 190 45 3, 457			1, 211 688 66 2, 254 15 4 903 1, 140	124 575 431 6 63, 647	462 768 6 365, 709	
Mexico	245, 474	*,* 74, 130	010425, 939	•••••	201, 541		* 305, 709	•••••
ArgentinaBrazilPeru	5, 356	7,598 141,190			2,646 290,400 4 87,120	449,000	129, 140	644,000
BulgariaMalta	7 1, 829 1, 095	5,377 818	7,334 744	818	7 871 433	332	268	332
British India	22,079,666 558	25, 188, 000 161			6,611 15,121 4 11,689		3, 328, 837 25, 136	~~~~~
Japanese Empire: Japan Korea	6,599 131,10	5,866	6, 562 219, 993	5,68	4, 704 38, 037	4, 186 52, 189	6 20,921	
Russia: Transcaucasia 6 Central Asia 6 Siam AFRICA.	252,633 1,123,43	7 142,300 1,147,000 7,843	70,000		79, 885 658, 089 5, 386			
British Africa: Lagos						6,527	2,510	
Nyasaland East Africa. Gold Coast Nigeria N	23,53	29, 850	28, 04	18, 59	7 4,001 435 34 8,570	5,439 167 83	4, 184 167 83	1, 574 84
Nigeria S Uganda Union of South		124, 99	132, 99	137,99	5 17,613	\$ 20,084	8 19, 247	28, 870
Africa Egypt French Africa:	1,783,91	1,741,00	1,366,00	1,633,00	0, 1, 451, 62	1	1,666 1,304,000	999,000
Dahomey 4 Guinea			-		. 621 - 230			13, 201
Ivory Coast 4 German Africa: 6 East Africa Togo 4 Italian Africa:					* 5, 80° * 2, 35°	,		
Eritrea 4 Sudan (Anglo-Egyp	-	-	-	-	. 94	1	10,042	4 10 909
tian) OCEANIA. British:			1		10,04	10,24	10,042	* 10,298
FijiQueensland Solomon Island French:	5	16 23		-	9			
New Caledonia				-	46	3	-	

Five-year average except in a few cases where five-year statistics were unavailable.
 Linters not included, quantity of linters produced, 1,125,719 bales in 1917, 929,516 bales in 1918.
 Shipments to United States plus exports to foreign countries.
 Experts.
 Includes Rhodesia.
 Undidicated of the plus exports of the plus exports of the plus exports.

Table 136.—Cotton: World production so far as reported, 1900-1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1900	Bales.1 15, 898, 591 15, 926, 048 17, 331, 503 17, 278, 881	1904 1905 1906	Bales.1 21,005,175 18,342,075 22,183,148 18,328,613	1908 1909 1910	Bales .1 23, 688, 292 20, 679, 334 22, 433, 269 21, 754, 810	1912 1913 1914 1915	Bales,1 19, 578, 095 21, 271, 902 23, 804, 422 17, 659, 126

<sup>&</sup>lt;sup>1</sup> Bales of 478 pounds, net weight.

Table 137.—Cotton: Acreage, production, value, exports, etc., in the United States, 1866-1990

					1866 <del>-</del> 19	20.	•	•			
,	Acre-	Aver-	Produc-	Aver- age farm	Farm value	New per uple	York o pound, ind.	closing on mi	prices, ddling	Domestic exports,	Imports fiscal
Year.	age (000 omitted).	yield per acre.	(000 omitted).	price per pound Dec.1.	Dec. 1 (000 omitted).		mber.	lowing	of fol- g year.	fiscal year be- ginning July 1.	year begin- ning July 1.
			<b> </b>			Low.	High.	Low.	High.		
1866 1867 1868 1869	Acres. 7,599 7,828 6,799 7,743	Pounds. 129. 0 189. 8 192. 2 196. 9	Bales. 1,750 2,340 2,380 3,012	Cents.	Dollars.	Cents. 33§ 15§ 24§ 25	Cents. 341 171 251 251 251	Cents. 271 301 288 222	Cents. 281 321 281 281 231	Bales.1 1,322,947 1,569,527 1,288,656 1,917,117	Bales.1 1,852 1,830 3,396
1870 1871 1872 1873 1874	11,764	198. 9 148. 2 188. 7 179. 7 147. 5	3, 800 2, 553 3, 920 3, 683 3, 941			15 191 191 158 148	157 201 201 161 147	147 · 237 191 173 168	175 265 195 187 168	2, 925, 856 1, 867, 075 2, 400, 127 2, 717, 205 2, 520, 838	2,394 5,788 8,851 7,252 4,299
1875 1876 1877 1878 1879	11,677 12,133 12,344	190. 6 167. 8 163. 8 191. 2 181. 0	5, 123 4, 488 4, 370 5, 244 5, 755	9.0 8.2 10.3	174, 724 192, 515 269, 305	13 16 12 16 11 11 8 11 12 18	13 15 12 1 11 1 9 1 13 1 6	1113 1018 105 113 1113	131 112 111 132 117	2, 982, 811 2, 890, 738 3, 215, 067 8, 256, 746 3, 644, 363	4, 903 5, 313 6, 064 5, 987 7, 096
1880 1881 1882 1883 1884	16,711	184. 5 149. 8 185. 7 164. 8 153. 8	6, 343 5, 456 6, 957 5, 701 5, 682	9.8 9.1 9.1 9.2	289, 083 275, 513 250, 977 246, 575	117 117 101 101 107	12 12 10 10 10 11 11	10 7 12 13 10 11 10 11 10 11 10 11 11 10 11 11 11	104 128 114 112 112	4, 382, 909 3, 480, 792 4, 576, 378 3, 725, 145 3, 783, 319	8, 900 8, 680 8, 164 14, 039 10, 231
1885 1886 1887 1888	18,455 18,641 19,059	164. 4 169. 5 182. 7 180. 4 159. 7	6,575 6,446 7,020 6,941 7,478	8.4 8.1 8.5 8.5 8.5	251, 775 251, 856 290, 901 292, 139 275, 249	9 16 9 16 10 9 1 10 10	97. 10. 10. 10. 10.	94 104 945 11 1145	94 114 104 114 12	4, 116, 149 4, 338, 915 4, 528, 883 4, 770, 065 4, 943, 925	10, 145 7, 849 10, 995 15, 946 17, 212
1890 1891 1892 1893	19,059 15,911 19,525	187. 0 179. 4 209. 2 149. 9 195. 3	8,674 9,018 6,664 7,493 9,476	8.6 7.2 8.3 7.0 4.6	313, 360 247, 633 277, 194 204, 983 212, 335	94- 74- 94- 74- 51-	97. 10 51	77 74 74 74 74 74 74 74 74 74 74 74	818 778 718 78 78	5,814,718 5,870,440 4,424,230 5,366,565 7,034,866	41, 818 57, 328 86, 786 55, 412 98, 664
1895 1896 1897 1898	28, 273 24, 820 24, 967 24, 327	155. 6 184. 9 182. 7 220. 6 183. 8	7, 161 8, 533 10, 898 11, 189 9, 345	7.6 6.7 6.7 5.7 7.0	239, 503 296, 169 296, 816 315, 449 326, 215	81 7-1 5-1 5-1 7-1 7-1	874 714 518 52 72	8 7 6 1 6 1 9	83 713 616 61	4,670,453 6,207,510 7;725,572 7,575,488 6,252,451	110, 701 103, 798 105, 321 100, 316 134, 797
1900 1901 1902 1903	26,774 27,175 27,052 31,215	194. 4 170. 0 187. 3 174. 3 205. 9	10, 123 9, 510 10, 631 9, 851 13, 488	9.2 7.0 7.6 10.5 9.0	463, 310 334, 088 403, 718 516, 763 603, 438	93 8 81 11.95 6.85	10 18 81 81 14. 10 9. 00	81 98 10.75 12.75 7.85	85 92 12, 15 13, 90 8, 85	6, 718, 125 7, 057, 949 7, 138, 284 6, 179, 712 8, 678, 644	93, 263 197, 431 149, 749 97, 681 121, 017
1905 1906 1907 1908	27, 110 31, 374 29, 660 32, 444 30, 938	186. 6 202, 5 179. 1 194. 9 154. 3	10, 575 13, 274 11, 107 18, 242 10, 005	10. 8 9. 6 10. 4 8. 7 13. 9	569, 791 635, 534 575, 226 575, 092 697, 681	11.65 10.45 11.70 9.10 14.65	12.60 11.25 12.20 9.35 16.15	11. 25 11. 50 10. 20 10. 85 14. 50	12.00 12.90 11.50 11.80 16.05	7, 268, 090 9, 036, 434 7, 633, 997 8, 896, 970 6, 413, 416	141,927 209,584 142,146 178,086 172,075
1910 1911 1912 1918 1914	32, 403 36, 045 34, 283 37, 089 36, 832	170. 7 207. 7 190. 9 182. 0 209. 2	11,609 15,693 13,703 14,156 16,135	14.1 8.8 11.9 12.2 6.8	820, 407 687, 888 817, 055 862, 708 549, 036	14.80 9.20 12.75 12.50 7.25	15, 25 9, 65 13, 20 13, 50 7, 80	15.35 11.30 11.80 12.90 9.50	16, 15 11, 90 12, 10 14, 50 10, 40	8,067,882 11,070,251 9,124,591 9,521,881 8,807,157	227, 537 219, 560 243, 704 246, 694 370, 409
1915 1916 1917 1918 1919	33,841 36,008 33,566	170. 3 156. 6 159. 7 159. 6 161. 5 170. 8	11, 192 11, 450 11, 302 12, 041 11, 421 12, 987	11.3 19.6 27.7 27.6 35.6 14.0	631, 460 1, 122, 295 1, 566, 198 1, 663, 683 2,034,658 914, 590	11. 95 16. 20 29. 85 27. 50 38. 00 14. 50	12, 75 20, 30 31, 85 33, 00 40, 25 16, 70	12, 30 19, 60 25, 70 25, 90 40, 00	13, 85 22, 10 30, 10 34, 00 43, 00	6,168,140 6,176,162 4,641,023 5,525,394 7,087,487	465, 602 294, 128 206, 651 207, 184 690, 628

<sup>&</sup>lt;sup>1</sup> Bales of 500 pounds, gross weight.

TABLE 138.—Cotton: Acreage harvested, by States, 1911-1920.

#### [Thousands of acres.]

State.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920 .
Virginia North Carolina South Carolina Georgia Florida	43 1,624 2,800 5,504 308	47 1,545 2,695 5,335 224	47 1,576 2,790 5,318 188	45 1,527 2,861 5,433 221	34 1, 282 2, 516 4, 825 193	1,451 2,780 5,277 191	50 1,515 2,837 5,195 183	1,600 3,001 5,341 167	42 1, 490 2, 835 5, 220 103	39 1,518 2,877 4,958 101
Alabama. Mississippi Louisiana Texas Arkansas.	4,017 3,340 1,075 10,943 2,363	3,730 2,889 929 11,338 1,991	3, 760 3, 067 1, 244 12, 597 2, 502	4,007 3,054 1,299 11,931 2,480	3, 340 2, 785 990 10, 510 2, 170	3, 225 3, 110 1, 250 11, 400 2, 600	1,977 2,788 1,454 11,092 2,740	2,570 3,138 1,683 11,233 2,991	2,791 2,848 1,527 10,476 2,725	2,842 3,024 1,442 12,576 2,862
Tennessee. Missouri Oklahoma California Arizona All other	837 129 3,050 12	783 103 2,665 9	865 112 3,009 14	915 145 2,847 47	772 96 1,895 39	887 133 2, 562 52	882 153 2,783 136 41 15	902 148 2,998 1173 95 12	758 125 2,424 1 185 107 10	824 148 2, 765 1 298 237 21
United States.	36, 045	34, 283	37, 089	36, 832	31, 412	34, 985	33, 841	36,008	33, 566	36,383

<sup>&</sup>lt;sup>1</sup> Lower California (149 acres in 1920, 100,000 acres in 1919, and 88,000 acres in 1918) included in California figures but excluded from United States totals.

Table 139.—Cotton: Production of lint (excluding linters) in 500-pound gross weight bales, by States, 1911 to 1920.

#### [Thousands of bales, as finally reported by U. S. Bureau of the Census.]

State.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920
Virginia North Carolina. South Carolina. Georgia. Florida.	30 1,076 1,649 2,769 83	24 866 1, 182 1, 777 53	23 792 1,378 2,317 59	25 931 1,534 2,718 81	16 699 1,134 1,909 48	27 655 932 1,821 41	19 618 1,237 1,884 38	25 898 1, 570 2, 122 29	23 830 1,426 1,660 16	19 840 1,530 1,400
Alabama Mississippi Louisiana Texas Arkansas	1,716 1,204 385 4,256 939	1,342 1,046 376 4,880 792	1,495 1,311 444 3,945 1,073	1, 751 1, 246 449 4, 592 1, 016	1,021 954 341 3,227 816	583 812 443 3,726 1,134	518 905 639 3, 125 974	801 1,226 588 2,697 987	718 961 298 3,099 884	660 885 380 4,200 1,160
Tennessee	450 97 1,022 10	277 56 1,021 8	379 67 840 23	384 82 1, 262 50	303 48 640 29	382 63 823 44	240 61 959 58 22	330 62 577 67 56	310 64 1,016 56 60	310 85 1,300 1 150 110
All other	7	3	10	14	7	14	5	6	Š	110 15
United States.	15,693	13,703	14, 156	16, 135	11,192	11,450	11,302	12,041	11,421	12, 987

<sup>1</sup> Incindes 75,000 bales estimated grown in Lower California, not included in United States totals.

TABLE 140.—Cotton: Extent and causes of yearly crop losses, 1909-1919.

Year,	Deficient mois-	Excessive mois- ture.	Floods.	Frost or freeze.	Hall,	Hot winds.	Storms.	Total climatic.	Plant disease.	Insect pests.	Animal pests.	Defective séed.	Total.
1919	P. ct. 2.7 23.8 15.1 9.2	P. ct. 15.3 .9 1.7 9.1	P. ct. 1.6 .3 .5 3.1	P. ct. 0.3 .6 6.0 .4	P. ct. 0.2 .1 1.0 .7	P. ct. 0.4 2.8 .7 .6	P. ct. 0.5 .3 .2 2.0	P. ct. 21. 2 29. 2 25. 5 25. 2	P. ct. 1.4 2.0 1.3	P. ct. 18. 8 7. 9 12. 3 15. 7	P. ct.	P. ct. 0.2 .1 .1 .1	P. ct. 41. 9 40. 3 39. 9 42. 4
1915	6.8 7.9 15.2 8.1	5.7 2.9 2.0 7.6	1.9 .5 .8 1.2	.6 .9 1.1 1.0	.7 .4 .4	1.1 .6 2.4 1.2	2.0 .1 .5 .2	19.3 13.8 23.1 20.7	1.9 .2 .5 4.3	12.2 9.8 8.9 6.5	8	.1 .2 .4 .3	36. 8 25. 4 33. 7 32. 7
1911 1910 1909	9.8 12.2 14.9	2.6 5.1 6.0	(4) 1,1	.3 2,1 1.0	.1 .3 .6	1.6 1.6 3.0	.3 .1 1,4	15. 4 22. 6 28. 6	.4 4.2	7.9 7.5 7.9	8	.2 .3 .1	26. 1 35. 6 42. 0
Average	12.3	4.3	1.0	1.4	. 5	1.6	.7	22.3	2.0	9.7	(4)	.2	35. 5

<sup>1</sup> Less than 0.05 per cent.

Table 141.—Cotton: Condition of crop, United States, monthly, 1899-1920.

[Prior to 1901 figures of condition relate to first month following dates indicated.]

Year.	Мау 25.	June 25.	July 25.	Aug. 25.	Sept. 25.	Year.	Мау 25.	June 25.	July 25.	Aug. 25.	Sept. 25.
1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909	P. cf. 85.7 82.5 81.5 95.1 74.1 83.0 70.5 79.7 81.1	P. ct. 87.8 75.8 81.1 84.7 77.1 88.0 77.0 83.3 72.0 81.2 74.6	P. ct. 84.0 76.2 81.9 79.7 91.6 74.9 75.0 83.0 71.9	P. ct. 68.5 68.2 71.4 64.0 81.2 84.1 77.3 72.7 76.1 63.7	P. ct. 62.4 67.4 61.4 58.3 65.1 75.2 71.6 67.7 69.7 58.5	1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920	P. ct. 82.0 87.8 78.9 79.1 74.3 80.0 77.5 69.5 82.3 75.6	P. d. 80.7 88.2 80.4 81.8 79.6 80.2 81.1 70.3 85.8 70.0	P. d. 75.5 89.1 76.5 79.6 76.4 75.4 72.3 70.3 73.6 67.1 74.1	P. ct. 72.1 73.2 74.8 68.2 78.0 69.2 61.2 67.8 65.7 61.4 67.5	P. ct. 65.9 71.1 69.6 64.1 73.5 60.8 56.3 4 54.4 59.1

TABLE 142.—Cotton: Yield per acre, price per pound Dec. 1, and value per acre, by States.

			Y	ield p	er acr	e (poi	inds (	of lint	;).			F	arm	price (ce	per its).	pou	nd	per	lue acre lars).1
State.	10-year average, 1911-1920.	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	10-year average, 1911-1920.	1916	1917	1918	1919	1920	5-year average, 1915-1919.	1920
Va N. C S. C Ga Fla	256 258 231 185 114	330 315 280 240 130	250 267 209 159 113	240 239 235 208 150	265 290 255 239 175	225 260 215 189 120	310 215 160 165 105	180 194 208 178 100	270 268 250 190 85	255 266 240 152 74	264 254 135	17. 5 17. 8 18. 0	19. 4 19. 6 19. 9	27. 7 28. 4 28. 8	26. 4 27. 6 27. 8	35. 2 35. 7 35. 8	14. 5 14. 5 15. 3	57. 79 53. 88 42. 18	34, 50 38, 28 36, 83 20, 66 14, 62
Ala Miss La Tex Ark	151 168 163 158 185	204 172 170 186 190	193 206	201	209 195 165 184 196	165 147	125 170 157	125 155 210 135 170	149 187 167 115 158	122 160 93 140 155	140 126 160	18. 2 17. 3 17. 2	20. 5 19. 1 19. 4	28. 26. 26.	27. 8 27. 8 28. 2	37. 5 35. 0 35. 0	15.3 14.2 13.2	40. 20 37. 51 32. 8	16.65 21.42 17.89 21.12 25.80
Tenn Mo Okla Calif Ariz	191 256 168 364 264	160 390	183 450	500	500	240 162 380	225 154 400	190 165 242 285	200 92 270 280	195 268 270	275 225 240 222	17. 0 16. 5 20. 2	19. 0 19. 0 20. 0	27. 26. 28.	27. 25. 30. 48.	34. ( 35. 2 43. ( 51. (	13. 5 10. 5 30. 0	52. 56 36. 68 77. 31	23. 40 37. 12 23. 62 72. 00 66. 60
v. s.	176. 8	207. 7	190. 9	182.0	209. 2	170. 3	156.6	159. 7	159. 6	161. 5	170. 8	17. 6	19. 6	27.	27.	35.6	14.(	41.00	25. 14

<sup>&</sup>lt;sup>1</sup> Based upon farm price Dec. 1.

TABLE 143.—Cotton: Farm price, cents per pound on 1st of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1	35. 9	28. 7	28. 9	17. 1	11.4	6.6	11. 7	12.2	8. 4	14. 4	17. 5
	36. 2	24. 9	29. 7	16. 8	11.5	7.4	11. 9	11.9	9. 0	14. 3	17. 4
	36. 2	24. 0	30. 2	15. 9	11.1	7.4	12. 6	11.8	9. 8	13. 9	17. 3
	37. 3	24. 5	31. 8	18. 0	11.5	8.1	11. 9	11.8	10. 1	13. 9	17. 9
May 1	37. 7	28. 0	28. 5	18. 9	11.5	9.1	12. 2	11.6	10. 9	14. 2	18. 1
June 1	37. 2	29. 5	27. 4	20. 2	12.2	8.6	12. 4	11.5	11. 0	14. 6	18. 5
July 1	37. 4	31. 1	28. 6	24. 7	12.5	8.6	12. 4	11.6	11. 2	14. 4	19. 2
Aug. 1	36. 8	32. 5	27. 8	24. 3	12.6	8.1	12. 4	11.5	12. 0	13. 2	18. 3
Sept. 1	31.1	30. 3	32. 2	23. 4	14, 6	8.5	8.7	11. 8	11.3	11.8	18. 4
	25.5	31. 3	31. 8	23. 3	15. 5	11.2	7.8	13. 3	11.2	10.2	18. 1
	19.4	36. 5	29. 3	27. 3	18. 0	11.6	6.3	13. 0	10.9	8.9	18. 1
	14.0	35. 6	27. 6	27. 7	19. 6	11.3	6.8	12. 2	11.9	8.8	17. 6
· Average	26. 6	31. 4	29, 4	22.7	15.1	9. 7	9.1	12.4	10. 5	11.4	17.8

COTTON—Continued.

Table 144.—Cotton: Closing price of middling upland, per. pound, 1914-1920.

30702°--- үвк 1920--

						Comb	men trom	computed from communicate papers.	ज्या जिल्ल	Te.								
	*	New York.	J	Ne	New Orleans.	ģ	24	Memphis.		Ē	Galveston.		S.	Savannah.		5	Charleston.	
Date.	Low.	High	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.
January–Jund. July–December.	Cents. 12.30 7.25	Cents. 14. 50 13. 25	Cents. 13, 16 9, 46	Cents. 12g 6§	Cents. 1344 1316	Cents. 13.17 8.67	Cents. 13.00 63	Cents. 132 134	Cents. 13.32 8.63	Cents.	Cents. 14.00 13§	Cents. 13. 12 8. 78	Cents. 12# 64	Cents. 137 138	Cents. 13, 13 8, 59	Cents. 121 63	Cents. 134 82	Cents. 12,92 7,25
1915, January-June. July-Docember.	8.90	15.55 75	9.27	7.3 8.50	9.68 13.13	8.64	8.62	9.52 25.53	8, 55 10, 65	8.50	10, 10	8.92 10.74	<b>**</b>	<b>\$</b> 25	8.60 10.54	9.00	96.21 00.21	8.46 10.85
January-JuneJuly-December	12.28	13.45	12,31	11.13 13.00	13.06 20.38	12.08	13.38	25.55 50.55	12.30	11.45	13.75 20.85	12, 52 16, 64	113.00	13.00	12, 10 16, 54	128	25	11. 94 16. 42
January-JuneJuly-December	21.30 21.30	27.40 31.85	19.72	16, 50 20, 13	26.25 30.13	19.36	17.00	86.8 8.8	19.55 26.73	21.20	30.35	19,48	18 <u>1</u> 20.00	30.00	20.22	17 <del>1</del> 20.00	30,	20.04 25.76
January-June. July-December.	25.72	38.20	37.26	27.50 8.50 8.00	25.55 55.55	30.22 30.22	88 88	35.50 35.00	31.47	27.25 26.75	34,75	31, 18	28,25	34.50	31.62	28.50	34.00 35.00	31.58 30.30
January-June	25.00 28.85	34.95 40.50	29.22 35.15	28.28 29.28	33.00 41.75	28.39 35.08	86.55 56.55	25.83 57.00	35.60 35.87	25. 75 29. 50	34, 20 43, 00	29, 22 36, 35	26.25 27.75	33.50 39.75	28, 94 34, 09	25.00 28.00	32.90 39.00	33.21 33.21
January 1920. February March. April. May May	82.41.42 528825 57	8.6.2.2.2.3 5.3.2.2.3 5.3.2.3 5.3.2.3 5.3	884448 252843	%%444% %2%888	25.24.44.4 25.25.25.25	82.85 20.25 20.28 20.28 20.28	68.8.4.6.6 88.8.6.6.6 88.8.6.6.6 88.6.6.6.6	364444 55559 565989	25.62 25.63 25.63 25.63 25.63 25.63	44.14.4% 26.05.03 26.05.03	444444 58888 6888	414448 2022 2023 2023 2023 2023	888444 8888 88888	2.6.25 2.1.1.25 2.25 2.25	%%;9;1;1; %;2;3;2;4;1;4; %;2;3;2;4;4;4;4;4;4;4;4;4;4;4;4;4;4;4;4;4	88.88.98.45 57.89.89.65 57.89.89.65	64.04.04 64.04.04 66.08 66.08 66.08	39.39 39.39 40.59 40.59 50.59
January-June	37.55	43.25	40.32	38.50	41.75	40.42	39.00	42.00	40.56	38.50	43.50	41.76	39.25	42.00	40.75	38.75	41.00	40.04
July. August. Beplember. October. Desember.	8.2.8.2.1.1 25.25.3.1.1 35.35.35.3	<b>448444</b> 588885	48.88.83 88.28 15.88 15.88	%%%%; %%%; %%%; %%%; %%; %%; %%; %%; %%	1288885 1488888	27.28.24 27.29.24 27.59.24 26.54 27.	8888344 888884 888888	688844 88888	22.25.35 22.25.35 24.15 25.35 35 35.35 35 35 35 35 35 35 35 35 35 35 35 35 3	25.25.25.25.25.25.25.25.25.25.25.25.25.2	858844 885585	8888883 8862288	38.45.44 588558	1,88,13,81 16,88,88 26,88,88 26,88	1,88,88,81 8,88,88,83 2,88,88 2,88,88	3.5.5.5.1 3.5.5.5.5.5 5.5.5.5.5 5.5.5.5 5.5 5.5	448888 88888	20.20 20.20 18.20 18.20 19.20 16.72 16.73
July-December	14. 55	43.75	27.41	13.50	40.00	25.65	14.00	40.00	26.92	13, 50	30.50	26.92	14.00	41.50	26.85	14.50	41.25	27.15

#### Table 145.—Cotton: International trade, calendar years 1909-1919.1

[Expressed in bales of 500 pounds gross weight or 478 pounds net. The figures for cotton refer to ginned and unginned cotton and linters, but not to mill waste, cotton batting, scarto (Egyptian and Soudan). Wherever unginned cotton has been separately stated in the original reports it has been reduced to ginned cotton in this statement at the ratio of 3 pounds unginned to 1 pound ginned. See "General note," Table 112.]

#### EXPORTS.

Country.	Average, 1909-1913.	1914	1915	1916	1917	1918	1919
From—	1,000 bales. 159	1,000 bales.	1,000 bales.	1,000 bales.	1,000 bales.	1,000 bales.	1,000 bales.
Brazil British India China Egypt France	1, 966 240 1, 442 316	140 2, 791 188 1, 225 199	24 2,103 202 1,430 38	2, 118 237 1, 122 111	27 1, 663 232 844 85	12 819 360 1,040 29	1, 528 299 1, 390 82
Germany Netherlands Persia <sup>2</sup>	232 145 118	111 105	181	2			4
Peru. United States. Other countries.	9, 008 169	6,873 140	97 9, 126 466	7,626 96	5, 180 69	4, 431 37	183 7,045
Total	13, 965	11,878	13,667	11,429	8,180	6,827	

#### IMPORTS.

Into-							
Austria-Hungary	906						
Belgium	496 137		107			226	289 179
Canada France	1, 435	152 949	197 1, 052	205 1, 178	178 1,260	656	1,007
Germany	2, 258	515	1,002	1,110	1,200	. 000	1,001
Italy	896	879	1, 344	1, 170	828	601	826
Japan	1, 405	1,705	2,015	1,170 2,299	1,947	1,886	
México	23						
Netherlands	277	245	365	177	46	1	114
Russia	886	801	641	57			
Spain	382	389 107	660 558	471	447	277	341
Sweden	93	107	558	130	32	33	80
Switzerland	113	101	147	123	94	38	115
United Kingdom United States	4, 164	3, 447 332	4,820	4, 045	3, 163 290	3, 114 236	3, 846 367
Other countries.	215 319	285	424 49	402 334	290	106	301
Other countries	918	239	49	994	200	100	
Total	14, 005	9,392	12,272	10,591	8,488	7,174	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

<sup>2</sup> Year beginning Mar. 21.

### COTTONSEED.

Table 146.—Cotton seed: Production, by States, 1911-1920.

### [Thousands of tons, 1911-1919, as reported by the United States Bureau of the Census.]

State.	1911	1912 .	1913	1914	1915	1916	1917	1918	1919	19201
Virginia North Carolina South Carolina Georgia Florida	13 476 732 1,246	11 383 526 798 28	10 351 613 1,038	11 412 682 1,217 43	7 310 504 860 27	12 290 414 826 26	8 273 550 847 25	11 398 699 947 17	10 36S 633 736 8	8 373 680 622 8
Alabama. Mississippi. Louisiana. Texas. Arkansas.	762 535 171 1,893 418	596 465 167 2, 171 352	664 583 197 1,755 477	778 553 200 2, 043 451	453 424 151 1,436 363	236 361 197 1,658	230 402 254 1,390 432	356 545 261 1, 199 439	316 427 132 1, 379 393	293 394 169 1,871 516
Tennessee. Missouri Oklahoma All other	200 43 454 8	123 25 454 5	169 30 373 14	171 36 561 28	135 21 285 16	170 28 366 25	107 27 426 39	147 28 256 57	138 28 452 54	138 38 579 89
United States.	6, 997	6, 104	6, 305	7, 186	4, 992	5, 113	5, 040	5, 360	5,074	5,778

<sup>1</sup> Preliminary.

# Table 147 .- Cottonseed: Value, by States, 1911-1920.

### [Thousands of dollars.]

State.	1911	1912	1918	1914	1915	1916	1917	1918	1919	1920 ι
Virginia North Carolina South Carolina Georgia Florida	250 9,140 12,590 21,060 800	240 8, 460 11, 150 16, 360 490	260 9, 130 15, 750 25, 120 650	240 8, 900 14, 190 24, 590 740	260 11,470 18,400 31,730 850	640 15, 580 22, 760 45, 980 1, 240	550 18, 630 38, 200 58, 660 1, 600	740 26, 810 47, 550 64, 170 1, 130	740 27, 349 47, 460 55, 260 530	187 10,138 15,630 16,807
Alabama. Mississippi Louisiana Texas Arkansas	13, 870 9, 360 3, 080 30, 670 6, 980	11,620 10,140 3,290 37,120 7,040	15,600 13,060 3,640 36,150 9,250	14,700 10,340 3,720 31,260 7,670	16, 720 14, 540 4, 830 42, 070 12, 380	12, 880 18, 840 9, 740 75, 940 25, 330	15, 910 26, 900 18, 080 89, 290 28, 420	23, 910 35, 340 16, 650 74, 670 28, 240	23, 020 23, 100 8, 660 82, 640 24, 880	7,333 9,382 4,156 87,427 11,359
Tennessee	3,620 950 7,260 140	2,820 550 7,950 100	4, 140 640 7, 650 310	3, 130 790 8, 190 500	4, 730 660 8, 720 540	8,770 1,460 18,970 940	7,090 1,730 26,310 2,180	9, 440 1, 760 15, 920 3, 160	9, 210 2, 040 27, 130 3, 460	3,435 833 10,271 1,321
United States.	119, 800	117, 330	141, 350	128, 950	167, 900	259, 070	333, 550	349, 490	340, 470	128,455

<sup>1</sup> Preliminary.

# Table 148 .- Cottonseed: Farm price per ton on 15th of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15	\$69.88	\$64.98	\$67. 51	\$52, 53	\$36, 85	\$19. 14	\$22.70	\$21. 98	\$16.57	\$26, 35	\$39, 84
Feb. 15	69.34	64.65	66. 95	51, 43	36, 75	23. 33	23.37	22. 01	16.81	25, 61	40, 02
Mar. 15	67.18	64.00	68. 27	53, 18	36, 56	22. 32	23.60	21. 55	18.21	25, 49	40, 04
Apr. 15	68.71	64.28	68. 08	55, 94	38, 13	22. 69	24.17	21. 89	18.62	26, 12	40, 86
May 15	69. 88	63. 83	68.16	55. 61	37. 91	22. 07	23. 56	21. 88	19. 21	25. 46	40, 76
June 15	66. 16	63. 80	66.03	57. 19	35. 79	20. 82	23. 62	21. 54	19. 24	23. 38	39, 76
July 15	61. 64	64. 24	64.11	56. 90	36. 06	20. 05	22. 78	21. 37	19. 04	22. 76	38, 89
Aug. 15	43. 22	66, 23	61.34	56. 61	35. 22	20. 14	20. 16	20. 24	18. 02	20. 45	36, 16
Sept. 15	29. 96	62. 13	67. 90	57. 58	41, 13	20. 98	13. 88	21. 07	17.61	18.09	35. 03
Oct. 15	28. 94	66. 95	65. 85	65. 02	47, 19	33. 73	15. 28	22. 01	18.04	16.73	37. 97
Nov. 15	26. 00	72. 65	64. 97	69. 38	55, 82	34. 01	14. 01	22. 46	18.57	16.69	39. 46
Dec. 15	19. 83	69. 07	65. 05	68. 29	56, 35	35. 54	17. 73	23. 48	21.42	16.70	39. 55

# COTTONSEED OIL.

Table 149.—Cottonseed oil: International trade, calendar years, 1909-1919.1

# [See "General note," Table 112.]

#### EXPORTS.

Country.	Average, 1909–1913.	1914	1915	1916	1917	1918	1919
From— Belgium.	1,000 gallons. 1,086	1,000 gallons.	1,000 gallons.	1,000 gallons.	1,000 gallons.	1,000 gallons.	1,000 gallons. 316
China Egypt France Netherlands United Kingdom United States	281 476 335 52 7, 189 38, 968	2, 261 491 124 143 8, 213 28, 841 323	2,303 1,253 147 4,265 7,827 46,992	1, 972 418 37 26 770 25, 095 510	1,388 648 15 649 16,627	2,369 127 6 15 15,876 1,527	59 12 1,709 806 25,751
Other countries	48, 431	40,396	63,223	28,828	1,192 20,519	1,527	

#### IMPORTS.

Into-							
11110-							
Algeria	364	94	415	84	24		
Australia	142	189	320	151	119	119	
Austria-Hungary	39						
Belgium	2, 251						446
Brazil	142 39 2, 251 624	383 4,079	377	181	49	7	446 11
Canada	2,817	4,079	4,083	4,745	5, 246	6, 255	5, 515
EgyptFrance	257	74	3		(3)		
France	3,289	1,318	3, 379	1,906	1,903	479	1,384
Germany	6,918 4,600 265 292 3,607 5,352 1,504 633 422 336 696						
Italy Malta <sup>a</sup>	4,600	702	472	145	71	4	1,095
Malta 8	265				<sup>1</sup>		
Martinique	292	285	320		276		
Mexico	3,607			!			
Netherlands	5,352	6,438	19,021	8,071	2, 508 3, 658		5,837
Norway	1,504	1,912	3, 539	8, 157	3,658	101	
Roumania	633						41
Senegal	422						
Serbia	336						
Sweden	696	940	1,702	1, 541 2, 935 6, 188		2	
United Kingdom	5,899 4,191	6, 193	8, 337	2,935	2, 564 5, 020	5,727 4,570	7, 125
Other countries	4, 191	6,420	7,994	6,188	5,020	4,570	
Total	44,498	29,027	49,962	29, 104	21,438	17,264	
•	1	1	1	1	1	1	1

Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period.
 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
 2 Less than 500 gallons.
 3 Year beginning Apr. 1.

### TOBACCO.

Table 150 .- Tobacco: Area and production in undermentioned countries, 1909-1919.

		Ar	ea.	i		Produ	etion.	
Country.	Aver- age <sup>1</sup> 1909- 1913.	1917	1918	1919	Aver- age <sup>1</sup> 1909- 1913.	1917	1918	1919
NORTH AMERICA.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acris.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
United States Porto Rico	1, 148 18	1, 518 13	1,647 24	1,911	996, 176 12, 700	1, 249, 608 9, 409	1, 439, 071 17, 196	1, 454, 725
Canada:								
Quebec Ontario	10 4	5 3	7 6	22 9	6, 262 8, 372	5, 000 3, 495	8, 000 6, 000	17, 000 11, 000
Total Canada	14	8	13	31	14, 634	8, 495	14, 000	28,000
Costa Rica				<sup>2</sup> 2, 700		•••••		• • • • • • • • • • • • • • • • • • • •
Cuba				2 25	57, 490 29, 200 674	28, 750	3 35, 000 1, 049	² 30, 000
lamaica	1	1			418 34, 711		27, 963	
Mexico SOUTH AMERICA.					34, 711		27, 903	
Argentina	24	26	27		28, 568	14, 213 2 56, 789 10, 958 799	2 9, 266	2 8 53, 900
Brazil Chile	2	4	3		3, 377	10, 958	6, 929	00, 500
Uruguay Paraguay	3	2	2 35		25, 568 59, 991 3, 377 2, 371 13, 000	799	949 30, 864	2 35, 274
The comm					20,000		04,001	00,21
Austria 4	9				14, 169 143, 123			
Hungary 4	120							•••••
Bosnia-Herzegovina 4					9, 833			23, 92
Austria 4. Hungaiy 4. Crostia Slavonia 4 Bosnia-Herzegovina 4 Belginm Bulgaria Denmark France 4. Germany 4. Greece Italy Netherlands. Roumania	10 124 1	56 1	15 89	15 5 63	9, 833 20, 741 4 15, 220 219	803		23, 92
France 4	39 39	14	20	6 23	45, 272 66, 536	31, 246	19, 568	6 29, 27
Greece	19	7 99				7 61, 233 11, 684	63, 165 19, 841	57, 19 21, 16
Italy Netherlands	19	16	17	21 1	1, 829	11,684	1	1
Roumania	125	24	8 32	8 36	22, 120 1, 829 4 16, 426 177, 107		8 13, 470	8 26, 47
Russia proper <sup>4</sup> Northern Caucasia	108 64				55, 842			
Serbia Sweden	5				55, 842 3, 988		1,389	
Switzerland	1	1	1	(9)	1,657 1,444	1, 486 882	1,000	66
ASTA.		[		1		ĺ	1	
British India British North Borneo	1,026	1,031	1,015		450,000		ļ	
Cevion	14	13	18		2,891 4,273			
Dutch East Indies: Java and Madeira	432	2 138	ļ		117, 180 46, 699		<sup>2</sup> 61, 480 <sup>2</sup> 51, 801	
Sumatra, East coast of Japanese Empire:	1		64	77	1	01 700	1	į.
Japan Korea (Chosen) Formosa Philippine Islands	46	65 36	0±		93, 717 29, 737 1, 120	91, 766 31, 085 1, 610 107, 868	83, 544	107, 47
Philippine Islands	155	153	194		1 63.907	1,610	135, 705	124, 55
retromes transferences	37		•••••		30, 939			
AFRICA.	: 21	25	27	43	23,974	95 974	33, 069	91 25
Tunis Nyasaland	1	(9)	(9)	(9)	259	35, 274 377	494	31, 65 61 2, 55
Nyasaland Rhodesia	7 5	10 9	109	5	2, 416 901	10 4, 136 11 954	10 4, 701 11 620	2,55
Rhodesia Union of South Africa	19	10	23	ļ	13, 789	7,000	14, 931	1, 46 12, 42
OCEANIA.		_			1 00-			
Australia	. 2	1	1 1		1,837	335	400	1

Five-year average except in a few cases where five-year statistics were unavailable.
 Unofficial.
 State of Bahia.
 Old boundaries.
 New boundaries.
 Excludes eastern Macedonia.
 Former Kingdom and Bessarabia.
 Less than 500 acres.
 Cultivated by the Europeans.
 Southern Rhodesia.

### TOBACCO-Continued.

Table 151.—Tobacco: World production so far as reported, 1900-1915.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1900 1901 1902 1903	Pounds. 2, 201, 193,000 2, 270, 213,000 2, 376,054,000 2, 401, 268,000	1904 1905 1906 1907	Pounds. 2,146,641,000 2,279,728,000 2,270,298,000 2,391,061,000	1908 1909 1910 1911	Pounds. 2,382,601,000 2,742,500,000 2,833,729,000 2,566,202,000	1912 1913 1914 1915	Pounds. 1,274,319,000 2,149,258,000 2,254,087,000 2,153,395,000

Table 152.—Tobacco: Acreuge, production, value, condition, etc., in the United States, 1849-1920.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of acres are obtained by applying estimated percentages of increase or decrease to the published acreage of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available.

				age Produc- farm Dec. 1			Imports of un- manufac-	Cor		of grov	wing
Year.	(000 omit- ted).	yield per acre.	tion (000 omitted).	price per pound Dec. 1.	(000 omit- ted).	factured, fiscal year beginning July 1.	tured, fiscal year beginning July 1.	July 1.	Aug. 1.	Sept.	When har- vested,
1849	A cres.	Lbs.	Pounds. 199,753	Cts.	Dolls.	Pounds.	Pounds.	P. ct.	P. ct.	P. ct.	P. ct.
1859			434, 209			************					
1869 1879	639	789.7	262,735 472,661				•••••				
1889 1899	695	702.5	488,257								
1900	1,101	788.5 778.0	868, 113 814, 345	7.2	62,104 53.661	315,787,782	26,851,253	88.5	82.9	77.5	76.1
1901	1,039	788.0	818, 953	7.1	58, 283	301,007,365	29,428,837	86.5	72.1	78.2	81.5
1902 1903	1,031	797.3 786.3	821,824 815,972	7.0 6.8	57,564 55,515	368, 184, 084 311, 971, 831	34,016,956 31,162,636	85.6 85.1	81.2 82.9	81.5 83.4	84.1 82.3
1904	806	819.0	660, 461	8.1	53, 383	334, 302, 091	33, 288, 378	85.3	83.9	83.7	85.6
1905	776 796	815.6 857.2	633,034	8.5	53,519	312,227,202	41, 125, 970	87.4	84.1 87.2	85.1	85.8
1907	821	850.5	682, 429 698, 126	10.0 10.2	68,233 71,411	340,742,864 330,812,658	40,898,807 35,005,131	86.7 81.3	82.8	86.2 82.5	. 84. 6 84. 8
1908 1909	875 1,180	820.2 804.3	718, 061 949, 357	10.3	74,130	287,900,946	43, 123, 196	86.6	85.8	84.3	84.1
1909	1,295	815.3	1,055,765	10.1	106, 599	357, 196, 074	46, 853, 389	89.8	83.4	80.2	81.3
1910 1	1,366	807.7 893.7	1,103,415	9.3	102, 142	355, 327, 072	48, 203, 288 54, 740, 380	85.3 72.6	78.5 68.0	77.7 71.1	80.2 80.5
1911 1912	1,013	785.5	905, 109 962, 855	9.4	85,210 104,063	379,845,320 418,796,906	67,977,118	87.7	82.8	81.1	81.8
1913 1914	1,216 1,224	784.3 845.7	953, 734 1,034,679	12.8 9.8	122, 481 101, 411	449,749,982 348,346,091	61, 174, 751 45, 764, 728	82.8 66.0	78.3 66.5	74.5	76.6 81.8
1915	1,370	775.4	1,062,237	9.1	96, 281	443, 293, 156	48,013,335	85.5	79.7	80.7	81.9
1916	1,413	816. 0	1,153,278	14.7	169,672	411,598,860	46, 136, 347	87.6	84.4	85.5	85.6
1917	1,518	823. 1 873. 7	1,249,276	24.0 28.0	300, 449 402, 264	289, 170, 686 629, 287, 761	79,367,563 83,951,103	86.8	88.1 83.6	84.5	87.8 87.4
1919	1,911	761.3	1,454,725	39.0	566,709	648,037,655	94,005,182	83.6	75. 1	71.8	73.6
1920	1,894	796.1	1,508,064	21.1	318, 359			84.3	84.1	84.6	83.3

<sup>1</sup> Figures adjusted to census basis.

Table 153.—Tobacco: Acreage, production, and total farm value, by States, 1920.

State.	Acreage.	Production.	Farm value Dec. 1.	State.	Acreage.	Production.	Farm value Dec. 1.
Massachusetts. Connecticut. New York. Pennsylvania. Maryland. Virginia. West Virginia. N. Carolina. S. Carolina. Georgia. Florida.	Acres. 10,200 24,400 2,400 40,000 35,000 243,000 13,000 582,000 103,000 26,700 4,200	Pounds. 15, 810,000 36, 112,000 3,072,000 60,400,000 30,625,000 177,390,000 10,400,000 384,120,000 66,950,000 16,020,000 4,620,000	Dollars. 6, 419,000 12,639,000 82,900 12,080,000 8,881,000 42,574,000 2,600,000 97,182,000 10,042,000 5,227,000 2,218,000	Ohio Indiana Ilinois Wisconsin Missouri Kentucky Tennessee Alabama Louisiana Arkansas U. S	Acres. 63,000 20,000 700 50,000 5,000 117,000 2,500 800 1,894,400	Pounds. 60, 480, 000 18, 000, 000 525, 000 62, 400, 000 467, 500, 000 85, 410, 000 1, 500, 000 480, 000 1, 508, 064, 000	Dollars. 7,862,000 2,520,000 163,000 16,162,000 17,980,000 17,082,000 825,000 100,000 149,000 318,359 000

TOBACCO-Continued.

Tabes 154.—Tobacco: Yield per acre, price per pound Dec. 1, and value per acre, by States.

er acre	1920	629.30 518.00 345.60 302.00 253.75	175.20 200.00 1166.98 97.50	528,00 124,80 125,00 232,50 323,23	330.00 127.50 146.00 330.00 200.00	168.05
Value per acre (dollars).¹	5-year n f o 1915- 1019.	485,02 517,90 212,83 206,74 150,12	106.67 208.70 191.11 133.19 314.47	185.08 100.27 116.54 192.46	206.96 185.40 170.90 147.78	185.82
	1920	68228 60.00 000 000	25.0 25.0 15.0 37.0	25.25.25.25.00.00.00.00.00.00.00.00.00.00.00.00.00	88.28.88.0 86.0 1.0 1.0	21.1
cents).	1019	22.5 22.5 30.0	40682 4068 4068 7	48.88.88 27.20 20 20 20 20 20 20 20 20 20 20 20 20 2	88.8888 621600	39.0
Furn price per pound (cents).	1918	24.0 18.0 30.0 0.0	27.0 36.6 35.1 46.0	20.7 20.7 22.0 22.0	22.22.22 02.4000	28.0
ice per	1917	222233 44000	53.3.5.0 53.1.5.05 57.0	25.0 26.0 19.0 17.5	28558 20000 20000	21.0
arm pr	1016	22.0 22.0 24.0 26.0 26.0	25.0 25.0 27.0 27.0	80.0 13.0 12.0 12.5	8 8 8 8 1 4 0 0 0 0 0 1 4 0	14.7
¥	10-year avernge 1911- 1920.	262 729 60 60 60	23.4 23.4 16.0	37.8 15.0 14.7 15.0	23.51 2.52 2.53 2.53 2.54 3.54 3.54	17.8
	1920	1,550 1,280 1,280 1,280 1,875	858 898 898 898 898	1,100 960 900 750 1,248	1, 850 850 850 850 850 850 850 850 850 850	796.1
	1919	1, 540 1, 260 1, 280 1, 280 1, 280 1, 280	570 700 816 830 830	1,270 200 1,270 1,270	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	761.3
	1918	1,500 1,500 1,280 880 880	82323 82323	38888 588	953535	873.7
	1917	64,1,1,1 64,84,1 64,05	1,000 000 012 000 000 010 000 000 000 000	1, 100 960 950 850 1, 000	2822 2822 2822 2822 2822 2822 2822 282	823.1
ounds)	1916	1,1,1,1 886,1 1,860 1,86	25.55.08.1 1.55.08.08.1	1,210 950 986 750 1,270	200002	816.0
асте (р	1915	1,135 1,286 1,356 1,356	85833 8	98388	935533	775.4
Yield per acre (pounds)	1914	1,730 1,730 1,450 800 800	282255	1,000 900 380 1,180	025 025 025 025 025 025 025 025 025 025	845.7
¥	1013	1,550 1,550 1,020 1,200 740	5887 5887 5887 5887 5887 5887 5887 5887	1,986 250 250 250 1,180	252523	784.3
	1013	1,700 1,300 1,450 860	85858 85858	28 8 5 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	785.5
	1911	1,650 1,625 1,330 1,420 1,420	250 2750 810 810	940 925 910 750	9452558 955555	893.7
	10-year average 1911- 1920.	1,556 1,256 1,388 1,388	25533	1,001 910 871 765 1.192	888 112 112 113 113 113 113 113 113 113 113	815.5
	State.	Massachusetts. Comnecticut. New York. Pennsylvania. Marviend.	Virginia West Virginia North Carolina Bouth Carolina Georgia	Florida Ohio. Indiana. Wiscomin	Missouri Kantudky Tomusseo Alebama Louisiana Artentesa	United States

<sup>1</sup> Based upon farm price Dec. 1.

# TOBACCO-Continued.

TABLE 155 .- Tobacco: Extent and causes of yearly crop losses, 1909-1919.

Year.	Deficient moisture.	Excessive moisture.	Floods.	Frost and freeze.	Hail,	Hot winds,	Storms.	Total climatic.	Plant disease.	Insect pests.	Animal pests.	Defective seed.	Total.
1919 1918 1917 1916	P. ct. 8. 9 8. 6 3. 3 3. 5	P. ct. 7. 9 .4 2. 2 5. 5	P. ct. 0.6 .2 .5 1.3	P. ct. 0.2 .7 3.3 1.3	P. ct. 1.1 1.1 1.2 1.0	P. ct. 0.1 .2 .1	P. ct. 0.2 .2 .2 .8	P. ct. 19. 2 11. 4 11. 1 14. 0	P. ct. 0.6 .3 .2 .3	P. ct. 2.8 2.1 2.1 2.8	P. ct.	P. ct. (1) 11 (1) (1)	P. ct. 23. 0 14. 2 15. 2 18. 4
1915 1914 1913 1912	3. 9 18. 1 15. 3 7. 6	8.2 .2 .7 4.8	.9 .1 .4 .8	1.2 .4 1.2 .5	.8 .6 1.2 1.0	.1 .3 .3 .2	.9 .1 .6 .2	16.3 20.1 20.0 15.8	.1 .1 .7	4.0 2.7 3.0 2.8		.1 (i) .1	23. 5 24. 8 25. 0 21. 2
1911 1910 1909	16.7 4.8 5.5	6.8 6.8	1.2 1.1	.8 .4 .7	.1 .3 .8	(i) .1	 .1 .2	19. 5 14. 4 15. 3	.3 .7 .7	1.0 2.8 2.6		.2 .1 (¹)	22. 6 20. 6 19. 6
Average	8.7	3.7	.6	1.1	.8	.2	.3	15. 8	.4	2.6		.1	20. 5

<sup>1</sup> Less than 0.05 per cent.

TOBACCO—Continued.

Table 156.—Tobaco: Wholesale price per pound, 1914-1920.
[Compiled from commercial papers.]

	٥	Chreinnati	.;i	Ħ	Hopkinsville.	le.		Louisville.	6	ບ	Barksville.	a.	R	Richmond		H	Baltimore,	
Date.	Leaf, p mon	lug stoc 1 to good	Leaf, plug stock,¹ common to good red.	Lesf, c	Lest, common to fine.	to fine.	Leaf (B	Leaf (Burley, dark red), common to good.	rk red), good.	Lení, œ	Leaf, common to fine, <sup>2</sup>		Leaf, smokers', common to fine.	okers', c to fine.	ошшо	Leaf (J	Lesf (Maryland), dium to fine red	l), mo- red.
	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	Aver- age.	I.ow.	High.	Aver- age.	Low.	High.	Aver- age.
Jamary-June July-December	Cents. 5.50 5.50	Cents. 14.00 13.00	Cents.	Cents. 8.00 7.50	Cents. 14.00 14.00	Cents.	Cents. 9.00 9.00	Cents. 16,00 16,00	Cents.	Cents. 9.50 7.50	Cents. 16.00 16.00	Cents.	Cents. 7.00 7.00	Cents. 20.00 20.00	Cents.	Cents. 8, 50 8, 00	Cents. 15,00 15,00	Cents.
January-JuneJuly-December	9.4 9.6	25 E		4.50 5.50	12,50 10,00		10.00	14.00 15.00		6.8	13.00	·	7.00	88		88	13,00	
January-June	7.50	16.00 17.00	·	5.00 7.50	14.00		11.00 11.00	16,00		4.50	12,00		9.00	8.81 8.83		11.00	16,00	: :
January-June., July-December	15.00 15.00	28.00 28.00		10,00 10,00	19.00 20.50		13.00	82.83 8.83		8.3 88	14, 50		9.00	27.88		17.00	25.83 8.83 8.83	
January-June July-December	8181 80 80	46.00 00.00	25. 25. 25.	14.00	88 88	18, 10 19, 96	86 88 88	44.00 64.00	8.8 8.8				16.00	30.08 55.00	32.50	88 88	89.69 89.89	27, 10 40, 03
January-JuneJuly,	32.00 15.00	50.00 45.00	28.00 26.00	15.00	36.50 28.50 28.25	24. 57 19. 23	15,00	84.45 99.39	8.2 8.2 8.5	10.00	35.00	20.39	15.00 15.00	45,00	28. 62 26. 30	36.00 96.00	53.58 59.00	36.00 38.44
1920. January. February March April Agyl	55555	*******		28, 28, 28, 28, 28, 28, 28, 28, 28, 28,	%4444 888833	45.4444 24.4444 24.44444	8444955 888888	442444 88888	%;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	17.00 16.00 16.00	40.00 42.50 42.50	888	222222 200000 200000	37.78 37.88 37.88 37.88 37.88	888888 888888	22222 22222 22222	888888 888888	2442587 888233
January-June	16	20		16.00	53.00	29. 54	15.00	42, 00	29.68				15.00	37.00	26.00	25.00	53.00	40.04
July August. September Orlober	35 25 25	222		15.00 14.00 14.00	25.55 25.55	22.92 22.00 19.00	333 8888	8888 8888	2888 8888	7.00	40.00 24.00	30.00	222 2888	8888 8888	8888 8888	8888 8888	\$555 8883	8444 8888
November December						7							55 88	5.8 8.8	15.00	88 88	8.8 8.8	44
July-December	16	2		14.00	39.50	21.97	13.00	35.00	24.42	7.00	40.00	22.75	10.00	37.00	Si E	8.8 8.8	58.00	42, 33
1 Burlo	W dork o	nod beriod	Burden dock and beight and common to good Pohenser to Docember 1017 inclusive, and all of 1918 and 1919, dark and fine red litts, 1920	mmon fe	T bonn	vaprado	to Door	nhor 101	isuloui 7	bute ov	10 Jo Hz	Sand 101	0 dark a	red fine r	ed hes.	1920.		

<sup>1</sup> Burley, dark and bright red, common to good, February to December, 1917, inclusive, and all of 1918 and 1919, dark and fine red ings, 1920.
<sup>2</sup> No grade given five mouth's average.

### TOBACCO-Continued.

Table 157.—Tobacco (unmanufactured): International trade, calendar years 1909-1919.1 [Tobacco comprises leaf, stems, strippings, and tombac, but not snuff. See "General note," Table 112.] EXPORTS.

Country.	Average, 1909–1913.	1914	1915	1916	1917	1918	1919
From—	1,000 pounds. 7,739	1,000 pounds. 7.047	1,000 pounds. 7,421	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
Algeria Austria-Hungary	11.681	7,374	9,088	6, 871	4, 233	14,835	25, 518
Brazil British India	59,991 28,874	59, 481 23, 349	59, 292 32, 877	46, 344 35, 716	55, 738 28, 488	63, 957 28, 514	93, 862 44, 610
BulgariaCeylonCuba	4,093 38,035	4,821 36,868	3, 118 38, 799	2,734 39,572	3, 445 28, 329	4,754 27,351	
Dominican Republic Dutch East Indies	22, 395 163, 823	8, 169 148, 174	13,747 184,388	17,472 208,060	19,294 28,344	38,510 17,746	44, 758
Greece	1,845 3,786	20,347 3,663	33, 232 10, 948	16, 765 8, 634	28, 199 65, 881	7,270	60,048
Paraguay Persia <sup>8</sup>	11,361 3,874	9,993 1,493	15,782				
Philippine Islands Russia	26,018 23,283	29,583 9,955	24, 663 6, 499	39, 655 16, 106	15, 134	56,705	
United StatesOther countries	381, 127 94, 995	347, 295 53, 500	433,673 44,371	483, 955 56, 026	251, 863 61, 531	406,827 61,600	776, 678
Total	928, 535	771,062	917,898	977,910	590,479	723,069	

#### IMPORTS.

Into							
Aden 2	11, 619 14, 988 18, 740	9,822	8,717 17,644 12,540	l			l
Argentina	14, 988	17,040	17,644	19, 168	27,278	12, 454	18,967
Australia	13,740	10,688	12, 540	16,878	5,707	15, 989	1
Austria-Hungary	49, 984 22, 094						
Beigium	22 (101)					İ	30, 143
British India	6,538	5, 914 16, 934 15, 781	5, 315 18, 245 10, 230 12, 784 15, 472 13, 719	7,321 20,878 19,618 15,632	8, 129 18, 570	5,775	9, 404 24, 891
Canada	17, 891	16, 934	18, 245	20,878	18,570	22, 970	24,891
China	15, 113	15, 781	10, 230	19,618	20.524	24, 145 3, 682	
Denmark	8,774	12,797	12,784	15,632	6,077	3,682	
Egypt Finland	19,005	17, 077 10, 674	15,472	15,000 14,947	14,274	15, 027	17,998
Finland	9,597 63,914	10,674	13, 719	14,947			
France	63, 914	61, 349	51, 425	65, 924	70,915	110, 120	108, 153
Germany	168, 437					' <u></u>	
Italy	47,732	41, 425	36, 693	40,833	55,019	42, 150	63,093
Netherlands	57, 218	59,708	59,627	61,977	66,800	831	232,655
Nigeria	57, 218 6, 050 3, 994 6, 565	59, 708 4, 858 4, 645 7, 662 35, 677	6, 045 4, 591 4, 733	5,239 5,171	66, 800 4, 602 5, 021 4, 587		
Norway	3,994	4,645	4,591	5,171	5,021	3, 416	
Portugal	6, 565	7,682	4,733	8,299	4,587		
Portugal Spain Sweden	51, 026 9, 772 17, 949 117, 956	35, 677	40, 789 7, 595 17, 591	33, 492 10, 160	41,342	49,807	70, 422
Sweden	9,772	9, 383 22, 300	7,595	10,160	10,514	7,484	12,892
Switzerland	17, 919	22, 300	17,591	21,826	17,551	13, 866	21,192
United Kingdom United States Other countries	117,956	154, 437	190, 606	151, 196	44,359	171,428 83,514 24,929	12, 892 27, 742 349, 322 85, 986
United States	52,768	57, 407	41, 304	49,473	57,960	04,000	80,980
Other countries	51, 366	63,142	49,416	37,233	24,628	24,929	
Total.	814, 090	638,720	625,081	620,265	503,857	607,587	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

<sup>2</sup> Year beginning Apr. 1.

<sup>3</sup> Year beginning Mar. 21,

# APPLES.

TABLE 158 .- Apples: Production and prices, Dec. 1, by States, 1917-1920.

State	T	otal crop ((	000 omitted	i).	Pri	ce per bu	ishel Dec	1.
. State.	1920	1919	1918	1917	1920	1919	1918	1917
Maine New Hampshire Vermont Massachusetts Rhode Island	Bushels. 1,930 1,320 1,600 3,680 340	Bushels. 5, 558 1, 510 1, 500 3, 240 294	Buskels. 2,010 1,155 990 2,430 189	Bushcls. 4,275 1,035 1,245 2,163 195	Cents. 120 150 150 120 200	Cents. 117 160 175 200 195	Cents. 95 110 140 160 155	Cents. 95 120 130 155 150
Connecticut New York New Jersey Pennsylvania Delaware	2, 520	1,572	999	1,251	125	170	155	144
	55, 650	16,800	40, 878	16,266	75	200	112	132
	4, 134	2,113	2, 463	2,058	120	200	160	125
	23, 937	7,972	16, 080	11,646	90	225	120	126
	1, 017	750	714	798	95	200	125	110
Maryland Virginia West Virginia North Carolina South Carolina	3,330	1,944	2, 034	2,559	78	200	110	97
	15,210	9,950	10, 068	11,778	90	160	124	101
	7,000	3,478	5, 856	4,320	125	180	117	122
	7,900	2,500	3, 588	4,500	105	187	130	114
	1,482	700	1, 407	1,635	184	280	205	155
Georgia	1,764	636	1,713	1,713	165	245	165	120
Ohio	13,193	2,806	7,005	5,760	115	262	158	150
Indiana	6,097	1,700	1,794	4,836	143	267	150	121
Illinois	6,175	4,943	3,459	7,518	140	230	185	110
Michigan	16,500	6,484	9,792	4,146	77	220	115	140
Wisconsin	3,650	2,700	2,811	3,090	170	220	155	134
	1,462	1,365	996	1,446	200	250	209	155
	4,410	1,815	1,584	3,795	191	275	206	145
	5,082	5,778	4,245	8,070	170	190	164	106
	323	362	278	336	260	300	285	170
Nebraska	750	1, 125	525	1, 854	230	250	230	140
Kansas	1, 144	1, 835	1,503	2, 858	220	210	190	135
Kentucky	5, 780	1, 480	2,799	5, 802	160	250	170	117
Tennessee	5, 304	1, 560	4,050	4, 170	142	225	156	122
Alabama.	1, 260	617	1,662	1, 449	175	250	170	140
Mississippi. Texas. Oklahoma. Arkansas. Montana.	126 351 548 3,620 1,155	144 624 1,512 5,100 1,289	273 660 1,290 792	357 1,298 2,574 1,044	190 200 230 140 180	235 190 175 170 175	160 201 140 210	156 130 135 100
Colorado	2,760	3,418	2,067	2, 190	140	185	170	80
New Mexico	568	1,329	912	879	180	200	118	150
Arizona	100	154	138	129	250	225	240	205
Utah	918	779	786	906	120	170	140	80
Idaho	3,681	4,300	1,200	3,843	145	180	170	95
Washington	13,420	25,348	16,491	19,830	140	155	125	125
Oregon	3,300	5,579	3,384	4,835	125	140	110	105
California	6,003	8,640	6,560	6,804	160	145	130	115
United States	240, 442	153, 238	169, 625	166,749	113. 1	186.0	132. 8	121.7

# APPLES-Continued.

Table 159.—Apples: Total production (bushels) in the United States, 1889-1920.

Year.	Production.	Year.	Production.	Year.	Production.	Year.	Production.
1889 1 1890	143, 105, 000 80, 142, 000 198, 907, 000 120, 536, 000 114, 773, 000 134, 648, 000 219, 600, 000 232, 600, 000	1897 1898 1899 <sup>1</sup> 1900 1901 1902 1903 1904	163, 728, 000 118, 061, 000 175, 897, 000 205, 930, 000 135, 500, 000 212, 330, 000 195, 680, 000 233, 630, 000	1905 1906 1907 1908 1909 1 1910 1911	136, 220, 000 216, 720, 000 119, 560, 000 148, 940, 000 146, 122, 000 141, 640, 000 214, 020, 000 235, 220, 000	1913	145, 410, 000 263, 200, 000 230, 011, 000 193, 905, 000 169, 749, 000 169, 625, 000 153, 238, 000 240, 442, 000

### <sup>1</sup> Census figures.

Table 160 .- Apples: Farm price, cents per bushel, on 1st of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1. Feb. 1. Mar. 1. Apr. 1.	213. 8	147. 7	128. 8	101. 1	79. 7	68.0	107. 1	73. 4	89. 4	108.0	111.7
	214. 7	160. 4	140. 1	110. 0	88. 0	71.2	116. 8	76. 4	95. 8	117.2	119.1
	231. 8	175. 4	145. 3	123. 3	92. 0	73.2	126. 0	80. 4	101. 2	121.6	127.0
	260. 1	201. 6	151. 9	133. 0	94. 9	76.8	133. 0	83. 7	109. 2	131.8	137.6
May 1. June 1. July 1. Aug. 1.	297.0	224, 5 237, 3 197, 7 174, 7	154, 8 158, 2 150, 4 128, 1	149.8 157.2 151.1 127.0	98.0 105.4 108.1 80.4	85. 4 90. 4 84. 4 70. 1	141.8 141.0 113.4 79.9	89. 5 97. 6 93. 6 80. 6	121. 8 118. 4 95. 2 75. 0	139.2 137.5 115.1 83.9	149.0 154.0 139.0 109.8
Sept. 1	137. 4	162. 0	123. 7	107. 8	77.7	59. 9	65. 1	75. 8	64. 8	71. 6	95.6
Oct. 1	132. 8	171. 1	133. 5	106. 8	83.1	62. 0	58. 8	81. 0	61. 8	68. 0	95.9
Nov. 1	130. 0	182. 8	138. 6	117. 5	87.6	69. 2	56. 6	90. 0	62. 4	69. 4	100.4
Dec. 1	113. 1	186. 0	132. 8	121. 7	91.2	69. 0	59. 4	98. 1	66. 3	72. 1	101.0

Table 161.—Apples: Extent and causes of yearly crop losses, 1912-1919.

Year.	Deficient moisture.	Excessive moisture.	Floods.	Frost and freeze.	Hail.	Hot winds.	Storms.	Total climatic.	Plant disease.	Insect pests.	Animal pests.	Total.
1919 1918 1917 1917 1916	P. ct. 4. 3 7. 5 4. 1 5. 4 1. 2	P.ct. 2.9 .7 3.9 3.2 1.9	P.ct. 0.1 .2 .1 .2 .2	P. ct. 29. 1 19. 1 15. 2 9. 9 15. 8	P. ct. 0. 6 . 8 1. 1 . 9	P. ct. 0. 6 1. 0 . 3 . 6	P. ct. 1.0 .7 1.1 1.4 1.2	P. ct. 39. 1 30. 7 27. 0 22. 8 21. 8	P.ct. 5.1 4.2 4.7 5.6 5.2	P. ct. 2.7 2.9 2.8 3.0 3.0	P. ct. 0.1 .2 .1 .1	P. ct. 52.7 44.9 44.2 38.6 35.4
1914. 1913. 1912. Average	6. 5 10. 3 2. 5	.3 .4 .9	(¹) .4 .3	6.4 25.3 10.2	.6 .7 .7	.8	.6	15. 1 39. 9 16. 9	3.7	5.0 5.2 3.1	(1) .1	28.2 53.5 32.4 39.6

<sup>1</sup> Less than 0.05 per cent.

## APPLES-Continued.

Table 162.—Estimated annual production of the commercial apple crop in the United States for the years 1916 to 1920, inclusive.

[Bycommercial crop is meant that portion of the total crop which is sold for consumption asfreshfruit.

One barrel is equivalent to three boxes.]

State.	1920	1919	1918	1917	1916
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island.	Barrels. 265, 000 170, 000 190, 000 375, 000 75, 000	Barrels. 601,000 187,000 203,000 335,000 48,000	Barrels. 226,000 122,000 105,000 300,000 20,000	Barrels. 400,000 120,000 132,000 225,000 19,000	Barrels. 536, 000 198, 000 388, 000 368, 000 27, 000
Connecticut New York New Jersey Pennsylvania Delaware	210,000	119,000	108,000	96,000	146, 000
	9,275,000	175,000	5,950,000	2,058,000	5, 544, 000
	1,075,000	578,000	514,000	408,000	462, 000
	2,000,000	759,000	1,116,000	854,000	1, 225, 000
	271,000	192,000	186,000	191,000	108, 000
Maryland Virginis West Virginia North Carolina South Carolina	511,000 2,636,000 1,167,000 305,000 14,000	226, 000 1, 508, 000 648, 000 92, 000	315,000 1,766,000 1,092,000 184,000	263,000 1,687,000 688,000 200,000	311,000 2,179,000 1,140,000 270,000
Georgia.	118,000	57,000	117,000	120,000	111,000
Ohio.	1,363,000	264,000	902,000	503,000	747,000
Indiana.	773,000	197,000	266,000	456,000	298,000
Illinois.	1,441,000	750,000	837,000	1,554,000	1,040,000
Michigan	3,167,000	1,109,000	1,495,000	515,000	1,414,000
Wisconsin	180,000	126,000	114,000	124,000	105, 600
Minnesota	78,000	61,000	40,000	60,000	42, 000
Iowa	420,000	174,000	101,000	275,000	180, 600
Missouri	1,033,000	1,127,000	735,000	1,128,000	675, 600
South Dakota	5,000	3,000	3,000	4,000	5, 600
Nebraska	127,000	215, 000	72,000	226, 000	142,000
Kansas	286,000	459, 000	333,000	650, 000	560,000
Kentucky	250,000	65, 000	106,000	153, 000	135,000
Tennessee	312,000	87, 000	218,000	192, 000	147,000
Alabama	21,000	10, 000	26,000	24, 000	19,000
Texas.	20,000	40,000	11,000	23,000	20,000
Oklahoma.	29,000	43,000	17,000	54,000	27,000
Arkansas.	724,000	1,020,000	241,000	409,000	245,000
Montana.	115,000	124,000	75,000	74,000	70,000
Colorado	736, 000	828, 000	527, 000	701, 000	677,000
New Mexico	125, 000	224, 000	117, 000	175, 000	108,000
Arizona	10, 000	16, 000	15, 000	16, 000	17,000
Utah	196, 000	121, 000	163, 000	184, 000	24,000
Idaho	781,000	1,058,000	112,000	873,000	170,000
Washington	3,623,000	6,817,000	4,296,000	4,620,000	4,892,000
Oregon	800,000	1,357,000	671,000	713,000	801,000
California	1,000,000	1,400,000	1,127,000	1,174,000	1,174,000
United States	36, 272, 000	26, 223, 000	24,743,000	22,341,000	26,747,000

#### APPLES-Continued.

Table 163 .- Approximate relative production of principal varieties of apples, expressed as percentages of a normal crop of all apples.

Adalasa.  Missouri.  M	California.
	Calife
Arkansas (Mammoth   P. et.   P	0.3 1 1.0 6 3.2
(Prince's Harvest)     2.8     9     9     3.1     4.7     3.9     3.7     1.8     2.2     2.8     6.4     2.0     8       Fall Pippin     1.7     7.7     1.7     3.1     1.8     1.5     1.6     1.6     1.1     .4     2.4     2.4     7.8       Fameuse (Snow)     1.3     3.5     2.4     .6     1.1     .0     .6     3.0     1.5     .4     .0     1.3     .3       Gano     1.6     3.2     .8     .6     1.6     1.3     .3     3.8     6.5     .2     6.6     .8     1       Golden Russet     1.4     1.7     2.0     2.5     3.1     1.3     3.1     1.1     1.1     .0     .4     1.7       Gravenstein     1.1     2.3     9     1.0     1.1     1.3     3.1     1.1     1.1     .0     .4     1.7	6 .1
Horse (Yellow Horse). 9	4 .1 1 4 1.7 2 .3
Maisen Blush	1 .1 2 .4 1 .9
Nortawestern Greening 9 .3 .9 .4 .0 .4 .6 1.9 .8 .3 .4 1.0 Oldenburg (Duchess of Oldenburg) 1.9 2.9 2.2 1.1 .1 .5 1.0 5.0 1.7 .5 .1 1.1	4 .6 1 .2 3 .1 2 3.3
Red June).     1.6     .7     .3     1.8     1.3     .2     .0     1.2     1.9     4.3     2.7     1.3       Rhode Island Greening.     4.7     4.1     1.4     5.5     .3     1.4     5.7     5.4     8     .3     .2     .6     2.2     2       Roms Beauty.     3.1     .1     .3     2.1     1.2     18.7     10.3     .2     3.8     1.7     9.6     1.8     12.2     5       Stayman Winesap.     1.5     .6     .1     1.8     5.3     1.9     1.3     .1     .5     1.8     1.9     1.7     2.7     1       Tolman (Tolman)	3 1.4 6 2.7 6 2.4 8 .9
Sweet)	0 1 1.1 1 .1
Pearmain)     .5.5     .1     .0     .2     .2     .1     .0     .2     .3     .3     .1     .6       Winessp     .5     .5     .1     .5     .1     .8     20.7     1.8     1.8     .4     5.6     6.8     14.0     8.4     7.1     2       Wolf River     .9     1.4     .3     .3     .2     .6     .5     1.5     .4     .7     .3      8.1       Yellow Bellidower     .1     1.7     .3     2.3     .2     1.5     1.3     1.2     .5     1.0     .6     .1     1.9       Yellow Newtown (Al-	5 7.5 9 1.4 7 .1 4 18.6
York Imperial (John-	9 .1
Other varieties 10.4 7.0 8.9 12.8 10.2 13.4 10.1 11.0 7.4 8.2 12.5 8.2 12.3 15	5 8.2 0 100.0

Note.—In important apple-producing States not included in table, the principal varieties and their respective percentages of all apples in a normal crop are:

Indiana.—Ben Davis 22,8, Baldwin 7.2, Grimes Golden 6.7, Winesap 6.7, Maiden Blush 5.8, Rome Beauty 4.4, Northern Spy 4.2. North Carolina.—Limbert wig 14.3, Winesap 12.2, Ben Davis 7.5, Early Harvest 7.2, Horse 6.3, Red June 5.9. Tennessee.—Winesap 14.1, Ben Davis 12.2, Limbertwig 12.1, Early Harvest 7.2, Horse 6.3, Red June 5.4. Ioua.—Ben Davis 15.2, Wealthy 12.4, Donathan 10.3, Oldenburg 8.9, Grimes Golden 4.9, Northwestern Greening 4.3. Kansae.—Ben Davis 19.4, Winesap 15.3, Jonathan 13.8, Missouri Pippin 8.6, Gano 6.0, Maiden Blush 4.3. Colorado.—Ben Davis 23.3, Jonathan 13.3, Gravenstein 5.7, Mointoan Red 5.7, Northern Spy 5.1. Notraske.—Ben Davis 21.3, Winesap 13.6, Jonathan 9.4, Wealthy 5.2, Oldenburg 5.8, Grimes Golden 4.3, Missouri Pippin 4.2, Gano 4.0, Wisconsin.—Oldenburg 14.7, Wealthy 13.7, Northern Spy 5.1. Notraske.—Ben Davis 21.3, Winesap 13.6, Jonathan 9.4, Wealthy 13.7, Northewestern Greening 11.1, Fameuse (Snow) 8.0, Wolf River 7.5, Ben Davis 5.1, Golden Russet 4.2. Maryland.—Ben Davis 17.0, York Imperial 16.2, Baldwin 8.8, Winesap 7.8, Stayman Winesap 7.0, Arkansas Black 4.4, Early Harvest 4.2. New Jersey.—Baldwin 25.2, Ben Davis 14.5, Rome Beauty 5.0, Early Harvest 4.7, Rhode Island Greening 4.3, Northern Spy 4.2. Vermen.—Baldwin 15.1, Rhode Island Greening 12.8, Northern Spy 4.2. Vermen.—Baldwin 15.1, Rhode Island Greening 1.3, Rhode Island Greening 5.9, Northern Spy 4.2. Vermen.—Baldwin 15.1, Rhode Island Winesap 7.8, Winesap 7.8, Stayman Winesap 7.0, Arkansas Black 4.9, Rhode Island Greening 5.9, Northern Spy 5.2, Molentosh 4.4. Idaho.—Jonathan 12.3, Rome Beauty 16.6, Ben Davis 13.1, Gano 7.8, Winesap 4.6. Oklahoma.—Ben Davis 25.8, Missouri Ppin 12.1, Jonathan 8.2, Winesap 8.8, Winesap 7.6, Early Harvest 6.1, Arkansas Black 1.6.

## PEACHES.

Table 164 .- Peaches: Production and prices, by States, 1917-1920.

Q4-4-	T	otal crop (	000 omitted	).	Price	per bus	hel, Sept	, 15.
State.	1920	1919	1918	1917	1920	1919	1918	1917
	Bushels.		Bushels.	Bushels.	Cents.	Cents.	Cents.	Cents.
New Hampshire	0	39	0	46		210	••••••	185
Massachusetts	10	136 188	0	144	425	220 250	•••••	200 170
Connecticut New York	2,307	1,648	700	390 4,823	225	270	310	140
New Jersey	1,056	1,018	832	990	220	270	280	170
Pennsylvania Delaware.	1,744	1,200	720	1,545	250	300	275	170
Delaware	248	277		324	225	190	240	125
Maryland	897	731	. 235	1,038	210	190	240	120
Virginia West Virginia	1,470 992	928 760	510 680	928 900	185 225	200 220	1S0 1S0	160 175
North Carolina	1, 909	713	1,150	1,978	184	210	160	125
South Carolina	1,110	· 520	998	1,030	200	220	167	120
Georgia	3,799	5, 895	6,092	3,668	171	250 330	150	160
OhioIndiana	2,241 957	42S 150	174	341 518	215 258	330 330	300 340	215 210
Illinois	1,350	790	0	461	317	270	350	195
Michigan	1,500	480	85	744	230	310	350	200
Iowa	135	3	0	728	347 254	330 200	330 330	220
Missouri Nebraska	798 5	828 0	ő	725	403	310	330	135 235
Kansas	70	80	ō	; ; ;********	400	260	350	195
Kentucky Tennessee	1,560	726	110	1,100	225	240	275	150
Tennessee	1,000	1,280 1,678	\$33 2,440	595 1, 281	180 175	180 170	170 110	120 145
			2,440	1,201	1		1 .	
Mississippi	425	800			175	150	150	120
Texas Oklahoma	480 61	2,760	2,333 167	1,728 798	310 250	180 140	175 190	170 135
Arkansas	117	1,007 1,280	217	1,824	235	160	190	125
Colorado	585	840	959	1,096	250	250	200	200
New Mexico	6	122	34	124	·	200	235	195
Utah	825	1,500	1,050	1,365	250	160	150	130
Idaho	40	350	51	211	290	180	190	120
Washington	423	2,309	575	1,747	280	170	160	100
Oregon California	100	514	93	273	330	140	200	.110
CaliforniaOther States	13,800 165	17,600	11,920	15, 72 <del>4</del>	190	150	140	100
United States	43,697	49,578	33,094	48, 765				

#### PEACHES-Continued.

Table 165.—Peaches: Total production (bushels) in the United States, 1899-1920.

Year.	Production.	Year.	Production.	Year.	Production.
1899 <sup>1</sup> 1900	15, 433, 000 49, 438, 000 46, 445, 000 37, 831, 000 28, 850, 000 41, 070, 000 36, 634, 000	1906 1907 1908 1909 1 1910 1911 1912	44, 104, 000 22, 527, 000 48, 145, 000 48, 171, 000 34, 880, 000 52, 343, 000	1913 1914 1915 1916 1917 1918 1919 1919	39, 707, 000 54, 109, 000 64, 097, 000 37, 505, 000 48, 765, 000 33, 094, 000 49, 578, 000 43, 697, 000

<sup>&</sup>lt;sup>1</sup> Census figures.

Table 166.—Peaches: Farm price, cents per bushel on 15th of month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Apr. 15 May 15										130. 152.
fune 15 fulv 15	236. 8 226. 9	191. 1 201. 6	134. 0 169. 4	170. 3 144. 8	119. 6 109. 1	99. 5	120. 4	130. 5	119. 2 112. 1	135. 151.
Aug. 15	219. 8 244. 2	199. 6 205. 7 211. 7	178. 9 185. 3 193. 2	143. 3 143. 8 160. 6	114. 9 118. 3 112. 1	85. 4 81. 1 85. 2	105. 0 102. 2 105. 3	126. 2 136. 3 145. 0	108.3 110.0 105.0	138. 129. 131.
Nov. 15 Dec. 15		-:::::::			 					125. 142,

TABLE 167.—Estimated production of the commercial peach crop, 1917 to 1920.

State.	1920	1919	1918	1917	State.	1920	1919	1918	1917
N. H. Mass. Conn. N. Y. N. J. Pa. Del. W. Va. N. C. S. C. Ga Ohio. Ind. Mich Mo Ky. Ky.	Bushels. 1,000 2,000 1,720	2, 964, 000 173, 000 14, 000 261, 000 120, 000 139, 000	0 525, 000 640, 000 258, 000 101, 000 144, 000 90, 000 102, 000 3, 255, 000 87, 000	711, 000 665, 000 166, 000 639, 000 119, 000 675, 000 1, 512, 000 1, 512, 000 1, 512, 000 183, 000 171, 000 336, 000 218, 000			109, 000 880, 009 345, 000 1, 360, 000 75, 000 830, 000 1, 417, 000 171, 000 16, 268, 000	138, 000 767, 000 77, 000 87, 000 27, 000 735, 000 42, 000 402, 000 31, 000 11, 663, 000	69, 000 456, 000 287, 000 849, 000 822, 000 99, 000 956, 000 1, 223, 000 11, 223, 000

 $<sup>^{1}</sup>$  Attention is called to the fact that approximately 90 per cent of the California peach crop is either cannel or dried.

PEARS.

Table 168.—Pears: Production and prices, 1917-1920.

St. A.	T	otal crop (0	000 omitted	I).	Pric	e per bus	shel Nov	. 15.
State.	1920	1919	1918	1917	1920	1919	1918	1917
•	Bushels.	Bushels.	Bushels.	Bushels.	Cents.	Cents.	Cents.	Cents.
daine New Hampshire	30	44	20	24	•••••			
ermont	25 19	25 18	15 13	19 14	225 280	'	• • • • • • • • • • • • • • • • • • • •	•••••
fassachusetts	109	115	77	71	250			
Rhode Island	12	12	10	7			175	
Connecticut	47	47	34	29			175	
New York	2, 375	1, 530	1,352	1,708	105	240	150	14
Vew Jersey	843	500	650	590	110	140	110	7
Pennsylvania Delaware	701	355	518	448	130	230	135	12
Delaware	287	200	238	294	25		80	6
Saryland	616	420	455	525	60	130	100	7
Virginia	296	190	119	194	95	160	120	11
West Vriginia North Carolina	66 184	40 84	33 108	33 150	175 161	230 210	200 150	13 12
South Carolina	98	81	98	100	101	220	140	12
Georgia	148	152	188	140	145	180	150	13
Florida	30	70	132	46	149	100	100	10
Ohio	662	218	304	334	120	260	170	12
ndiana	663	188	260	410	99	180	175	10
llinois	603	381	302	456	125	170	160	9.
Michigan Wisconsin	1, 100	426	704	1,080	90	180	125	12
Wisconsin	26 120				175			
OW8	272	58   280	32 112	82 265	145 150	190 140	190	14 12
Missouri Nebraska	14	16	6	14	275	250		17
Kansas	22	120	38	140	215	170	200	17
Kentucky	308	128	140	204	195	180	175	l î
Fennessee	146	72	112	75	165	200	150	17
Alabama	110	114	152	80	164	160	130	1 1
Mississippi	100	75	136	30	200	160	105	10
Lonisiana	40	50	52	52	175		120	1
rexas	205	385	· 246	280	231	140	150	10
Okiahoma	12	70	38	45		190	240	1
Arkansas Montana	38 14	93 15	64 6	102 11	190 200	170 300	180	1
			_		1			-
Colorado	338	290 67	194 56	320	190 250	220 230	150	21
New Mexico Arizona	32 12	22	19	46 21	200	380	384	
Utab	60	47	51	48	250	000	160	15
Nevada	7	5	6	6	300			
Idaho	83	70	60	70	276		150	14
Washington	2.246	3, 326	1,300	595	130	170	1.15	11
Oregon	560	553	672	600	175	150	125	13
California	3, 600	4, 520	4, 240	3, 523	275	160	140	10
United States	17, 279	15, 472	13, 362	13, 281	i			

## PEARS-Continued.

Table 169.—Pears: Total production (bushels) in the United States, 1909-1920.

Year.	- Production.	Year,	Production.
1909 <sup>1</sup>	10, 108, 000	1915. 1916. 1917. 1918. 1919. 1920.	11, 874, 000 13, 281, 000 13, 362, 000 15, 472, 000

<sup>&</sup>lt;sup>1</sup> Census figures.

Table 170.—Pears: Farm price, cents per bushel on 15th of month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Jan. 15				119.8	92.4	100.4	113.3	108.0		
Mar. 15 Apr. 15			l							108.9 134.0
May 15 June 15									113. 2	138.6 126.0
July 15 Aug. 15	195. 5	188.4	168.4	132. 2	109.0	80.8	98. 8	109.9	122.0 106.3	128. 0 118. 0
Sept. 15	184, 2	183. 0 181. 3 182. 0	157.8 147.5 140.1	125.0 118.2 116.1	102.7 96.9 93.3	83. 8 82. 7 89. 8	92.8 80.4 77.5	119. 3 95. 6 93. 0	100.0 83.1 79.3	103. 8 97. 2 85. 1
Dec. 15	164. 5	219. 5	156.6		105.6	89.7	82, 5	97. 9	92, 8	111.0

### ORANGES.

## TABLE 171.—Oranges: Production and value; 1915-1920.

	United States.				Florida.		California.			
Year.	Produc- tion (000 omitted).	Average price per box Dec. 1.	Farm value Dec. 1 (000 omitted).	Produc- tion (000 omitted).	Average price per box Dec. 1.	Farm value Dec.1 (000 omitted).	Produc- tion (000 omitted).	Average price per box Dec. 1.	Farm value Dec. 1 (000 omitted).	
1915	Boxes. 21, 200 24, 433 10, 593 24, 200 22, 075 27, 200	Dollars. 2, 39 2, 52 2, 60 3, 49 2, 67 2, 58	Dollars. 50, 692 61, 463 27, 556 84, 480 58, 956 70, 125	Boxes. 6, 150 6, 933 3, 500 5, 700 7, 000 8, 500	Dollars. 1. 88 2. 05 2. 30 2. 65 2. 50 2. 20	Dollars. 11, 562 14, 213 8, 050 15, 105 17, 500 18, 700	Boxes. 15, 050 17, 500 7, 093 18, 500 15, 075 18, 700	Dollars. 2.60 2.70 2.75 3.75 2.75 2.75	Dollars. 39, 130 47, 250 19, 506 69, 375 41, 456 51, 425	

#### CRANBERRIES.

Table 172.—Cranberries: Acreage, production, and farm value, by States, 1920, and totals, 1914-1919.

#### [Leading producing States.]

State and year.	Acreage.	Average vield per acre.	Produc- tion.	Average farm price per barrel Dec. 1.	Farm value Dec. 1.
Massachusetts New Jersey. Wisconsin	A cres.	Barrels.	Barrels.	Dollars.	Dollars.
	13, 200	20. 8	275, 000	13. 50	3,712,000
	9, 800	12. 4	122, 000	10. 50	1,281,000
	1, 900	17. 9	34, 000	9. 40	320,000
Total of above	24, 900	17. 3	431,000	12, 32	5, 313, 000
1919.	25, 600	22. 1	566, 000	8. 37	4, 735, 000
1918.	25, 400	13. 9	352, 000	10. 77	3, 791, 000
1917.	18, 200	13. 7	249, 000	10. 24	2, 550, 000
1916.	26, 200	18. 0	471, 000	7. 32	3, 449, 000
1915.	23, 100	19. 1	441, 000	6. 59	2, 908, 000
1914.	22, 000	31. 7	697, 000	3. 97	2, 766, 000

#### HOPS.

TAPLE 173.—Hops: Area and production in undermentioned countries, 1909-1919.

,		Are	ea.		Production.					
Country.	Average 1 1909-1913	1917	1918	1919	Average 1 1909–1913	1917	1918	1919		
NORTH AMERICA. United States <sup>2</sup>	1,000 acres.	1,000 acres. 30	1,000 acres. 26	1,000 acres. 24	1,000 pounds. 53,655 1,208	1,000 pounds. 29, 388	1,000 pounds. 21,481	1,000 pounds. 29,346		
Total					54, 863					
EUBOPE.										
Austria Hungary <sup>8</sup>	* 50 5 1	(4)	(4)	(*)	27, 523 2, 932 263	268	139	<sup>8</sup> 104		
Belgium France 3 Germany 3	6 7 67	4 33	3 27	3 5 3 6 20	7, 096 6, 948 30, 105	4, 354 20, 621	924 1, 833	1, 940 5 1, 854 6 8, 532		
Russia United Kingdom, England	36	17	16	7 17	* 11, 765 * 33, 058	24, 721	14, 560	7 21, 164		
Total Europe	172				119, 690					
Australia	1	1	1		1, 564	1,752	2, 103			
Grand total	174				176, 117					

Five-year average except in a few cases where five-year statistics were unavailable.
 Four States.
 Old boundsries.
 Less than 500 acres.

Table 174.—Hops: World production so far as reported, 1895-1915.

Year.	Production.	Year.	Production.	Year.	Production.
1895	Pounds. 204, 894, 000 168, 509, 000 189, 219, 000 166, 100, 000 231, 563, 000 174, 683, 000 201, 902, 000	1902	Pounds. 170, 063, 000 174, 457, 000 178, 802, 000 277, 260, 000 180, 998, 000 215, 923, 000 230, 220, 000	1909	Pounds. 128, 173, 000 188, 951, 000 163, 810, 000 224, 493, 000 174, 642, 000 224, 179, 000 163, 084, 000

Excludes Alsace-Lorraine
 Excludes Alsace-Lorraine and Posen.
 Includes Wales.
 Unofficial.

### HOPS-Continued.

Table 175.—Hops: Acreage, production, and value by States in 1920, and totals, 1915-1919.

#### [Leading producing States.]

State and year.	Acreage.	Average yield per acre.	Production.	Average farm price per pound Nov. 15.	Farm value Nov. 15.
New York. Washington Oregon. California.	A cres. 2, 200 3, 000 12, 000 12, 000	Pounds. 1,040 1,910 825 1,750	Pounds. 2, 288, 000 5, 730, 000 9, 900, 000 21, 000, 000	Cents. 60 35 35 35	Dollars. 1, 373, 000 2, 006, 000 3, 465, 000 7, 350, 000
Total	29, 200	1,382.8	38, 918, 000	36. 5	14, 194, 000
1919. 1918. 1917. 1916.	25, 900 29, 900	1,133.1 829.4 982.9 1,152.5 1,186.6	29, 346, 000 21, 481, 000 29, 388, 000 50, 595, 000 52, 986, 000	77. 2 19. 3 33. 3 12. 0 11. 7	22, 656, 000 4, 150, 000 9, 795, 000 6, 073, 000 6, 203, 000

### Table 176.—Hops: Farm price, cents per pound on 15th of month, 1911-1920.

						<u> </u>		<del></del>		
Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Jan. 15		31, 0		11.8	13, 0	14.8	26, 6	19.7	44.8	19. 3
Feb. 15		32. 5			12.0	11. 1	19.1	16. 9	38.8	17. 8
Mar. 15		32. 2			13. 5 14. 3	12. 0 12. 4	20.5 20.6	15.0	40.1	19. 2 18. 2
May 15			1	1	12.7	10.9	21, 8	13.4	37. 2	20.9
June 15					10.5	9. 6 10. 5		14.1		22, 6 25, 8
July 15 Aug. 15				25.9	10.1	15.0	14.7 20.0	14.8	28.9 18.8	25. 5 36. 5
Sept. 15	62.8	56.6	l	36.5	16, 4	15.8	24.4	20.9	19.8	40.6
Oct. 15 Nov. 15	50. 6 36. 5	77. 0	12.7 19.7	42, 7 33, 7	21. 0 21. 5	14. 8 13. 8	19. 1 15. 6	29. 5 26. 0	22, 2 19, 7	37. 8 41. 4
Dec. 15	30.8	77. 2	19.3	33. 3	18. 2	12.3	13. 2	29. 4	17.8	42 5
	i	i	I	1	l	1	1	i	1 1	

# Table 177.—Hop consumption and movement, 1910-1920.

[The total hop movement of the United States for the last 11 years is shown. The figures on the quantity consumed by brewers have been compiled from the records of the Treasury Department; exports and imports are as reported by the Department of Commerce.]

Year anding Tune	Oo-mad	Expo	rts.	Total of brewers'		Net domestic	
30—	ear ending June Consumed by brewers.		Foreign.	consump- tion and exports.	Imports.	movement.	
1920 1910 1918 1918 1918 1917 1916 1914 1913 1914 1913 1911 1911 1911	Pounds.  1 6, 440, 894  13, 924, 650  33, 481, 416  41, 949, 225  37, 451, 610  38, 839, 294  43, 987, 623  44, 237, 735  42, 436, 685  45, 068, 811  43, 233, 764	Pounds. 30, 779, 508 7, 466, 952 3, 494, 579 4, 874, 876 22, 409, 818 16, 210, 448 24, 262, 896 17, 591, 195 12, 190, 663 13, 104, 774 10, 589, 254	Pounds. 104, 198 4, 719 37, 523 26, 215 134, 571 16, 947 30, 224 35, 859 35, 869 17, 974 14, 590	Pounds. 37, 324, 600 21, 396, 321 37, 013, 817 46, 850, 316 59, 995, 999 55, 066, 684 68, 280, 743 61, 864, 789 54, 663, 197 58, 191, 559 53, 897, 608	Pounds. 2,696, 264 6 121, 288 236, 849 675, 704 11,651, 332 5,382, 025 8,494, 144 2,991, 125 8,557, 531 3,200, 560	Pounds. 34, 628, 336 21, 396, 315 36, 832, 529 46, 613, 467 59, 320, 295 43, 415, 362 62, 398, 718 53, 370, 645 51, 672, 072 49, 634, 028 50, 697, 048	

<sup>&</sup>lt;sup>1</sup> Including hops used to make cereal beverages.

## HOPS-Continued.

TABLE 178 .- Hops: Wholesale price per pound, 1913-1920.

## [Compiled from commercial papers.]

:	¥*	37					San	Franci	sco.				
Date.	New	York, e State.	noice	Sacra	mento , choic	Val-	al- Willamette Val- ley, choice. 1				Eastern Washing- ton, choice.2		
	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	Aver- age.	
1913.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	Cents.	
January-June July-December	17	32 48		18	20 28		19 18	21		19 19	21 30		
1914. January-June July-December	36 23	48 50		16 10	28 19		16 11	30 20		16 10	30 20		
1915. January-JuneJuly-December	13 13	25 30		09 07 <u>₹</u>	15 14		10 10	16 16		10 10	15 15		
1916. January-June July-December	18 15	27 55	·····	07 <u>1</u> 08	11 14		09 07	12½ 14		09 07	12 <u>1</u> 14		
1917. January–June July–December	34 34			05 05	10½ 37½		07 07	11 40		06 06	111 <u>1</u>		
1918. January-June July-December	40 23	54 42	42.6 33.2	15 15	20 15	16. 1 15. 0	15 19	20 19	19. 0 19. 0	19 19	22½ 19	19. 8 19. 0	
1919. January-JuneJuly-December	37 63	63 85	42. 8 76. 9	30 52	42 90	35. 8 74. 0	35 48	50 85	40. 9 67. 4	34 84	45 84	39. 4 74. 9	
1920. January February March April May June	80 89 80 90 100 95		82. 5 82. 5 83. 5 98. 9 102. 5 98. 8	72 72 73 63	73 78 63	72. 5 72. 5 63. 0	75 75 65	75 75 65	75. 0 75. 0 65. 0	50 50	60 75	55. 0 72. 9	
January-June	80	105	91.4	63	73	69.3	65	75	71.7	50	75	64.0	
JulyAugustSeptemberOctoberNovemberDecember	93 76 65 53 53 41	100 95 80 80 55 55	95. 2 85. 8 70. 9 61. 0 54. 0 46. 6							70 60 60 40 40 33	80 85 85 75 60	75. 0 72. 5 68. 7 64. 1 50. 0 35. 0	
July-December	41	100	68. 9							33	85	60.9	

<sup>&</sup>lt;sup>1</sup> Called "Oregon" hops in 1916; Sonoma hops for 1919. <sup>2</sup> Called "Washington" hops in 1916; Oregon hops for January-March, 1919. "1920 crop," 1920.

### HOPS-Continued.

Table 179 .- Hops: International trade, calendar years 1909-1919.1

[Lupulin and hopfenmehl (hop meal) are not included with hops in the data shown. See "General note," Table 112.]

#### EXPORTS.

Country.	Average 1909- 1913.	1914	1915	1916	1917	1918	1919
From— Austria-Hungary	1,000 pounds. 18,333	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
Belgium France Germany	4,814 335 17,564	212	1, 259	1, 432	491	612	2, 651 1, 620
Netherlands New Zealand Russia	1,405 352 2,348	1,301 389 254	1, 120 486 485	236 488 542	41 314	26 225	1,471
United Kingdom United States Other countries	2, 162 15, 416 212	1,117 11,056 44	928 20, 864 388	1, 206 13, 506 855	1, 453 4, 138 202	775 3,670 221	287 20, 798
Total	62, 941	14,873	25,580	18,265	6,689	5,529	

#### IMPORTS.

Into-							
Australia	1, 106	1,058	994	767	110	598	
Austria-Hungary	938				• • • • • • • • • • • • • • • • • • • •		
Belgium. British India	6, 915 246	118	141	275	336	532	8, 092
British South Africa.	391	443	453	416	442	570	549
Canada	1,396	1,613	955	781	790	849	543 1,780
Denmark.	1,027	1, 633	1,250	1.263	1, 459	2.147	
France	1,027 5,436 7,688 2,988	1,633 2,358	102	709	1,459 1,238	2, 147 888	2,859
Germany	7,688						
Netherlands	2,938	3, 287	3,484	2,257	2,205	4,612	1,178
Russia	1, 258	235	(2)			;-;;;	
SwedenSwitzerland	987	1,428 1,420	1,286 967	1,201 779	1,230 469	4, 151 300	835 166
United Kingdom	1,257 21,028	9, 362	22,327	16,369	955	300	17,258
United States	6, 235	7, 483	6, 767	631	194	77	467
Other countries	4, 123	8, 250	2,792	2,432	3,025	2,407	
Total	62, 969	33,688	41,518	28,910	12,453	17,131	

¹ Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
² Less than 500 pounds.

BEANS.

Table 180.—Beans: Area and production in undermentioned countries, 1909-1919.

		Ar	88.			Produc	etion.	
Country.	Average <sup>1</sup> 1909– 1913.	1917	1918	1919	Average <sup>1</sup> 1909– 1913.	1917	1918	1919
NORTH AMERICA. United States (6 States)	1,000 acres. 788	1,000 acres. 1,821	1,000 acres. 1,744	1,000 acres. 1,018	1,000 bushels. 11,166	1,000 bushels. 16,045	1,000 bushels. 17,397	1,000 bushels. 11,935
Canada: Nova Scotia New Brunswick Quebec Ontario. Other	1 2 6 42	(²) 55 36	9 5 110 100 4	7 7 43 23 4	32 21 125 796	18 6 827 428	143 86 1,867 1,388 80	87 106 853 289 54
Total Canada	51	92	228	84	974	1,274	3,564 34,858	1,389
SOUTH AMERICA.				i I		į		
Argentina. Brazil Chile.	65 79	3 87	3 132		1,398	13, 139 3 950	³ 1,386	31,713
EUROPE.	4 648	17	9	7	49.666	165	82	68
Hungary 4 Do.4 Croatia-Slavonia 4	6 1,471 3 25				4 9,666 5 599 6 6,917 5 265			
D <sub>0.4</sub> Belgium Bulgaria 4	6 472 21 178				6 2,011 604 1,895			
Denmark France 4	554 2,023	11 489 • 1,087	349 1,065	333 8 979	9,518 21,038	209 5,955 12,945	5, 284 15, 362	4,753
Luxemburg Netherlands Roumania 4 Do.4	64 5 93 61,265	92	61	38	1,853 5 1,385 5 3,630	2,526	2,095	
Russia, proper 4. Poland 4. Northern Caucasia 4. Serbia 4.	523 29 4 25				6,027 505 58 1,676			
Spain Sweden	1,132 10	<sup>3</sup> 519 5	3 489 6	6	11, 908 174	<sup>3</sup> 7, 892 91	* 7,371 132	³ 6, 135 110
United Kingdom: England Wales. Scotland Ireland	276 1 9	202 1 6	248 3 77 8 2	2S2 3 7 7 8 2	8,015 33 318 67	3,462 29 237 65	7,032 78 266 75	6,776 62 262
Total	288	'	260	294	8, 133	3,793	7,451	
ASIA.						<del></del>	-	-
British India	13, 156	15,307	16, 255	7,367	143, 360	127,979	165,275	71, 701
Japanese Empire: Japan Formosa Korea (Chosen)	1,598 79 1,229	1,481 83 1,662	1,462		23, 175 9 657 14, 240	25, 564 661 19, 235	23,998	
Total	2,906	3, 226			38,072	45,460		
Russia (9 Governments).	_				4 225			
AFRICA. AlgeriaEgypt	110 544	490	494	434	1,132	12, 176	12,816	10, 283
Australasia.				1				
Australia.	. 40	1	2		794	19	43	

<sup>1</sup> Five-year average except in a few cases where five-year statistics were unavailable.
2 Less than 500 acres.
4 Old boundaries.
6 Grown with corn.
6 Grown alone.
7 Field beans only.
9 Includes other pulse.

## BEANS-Continued.

Table 181.—Beans (dry): Acreage, production, and value by States 1920, and totals, 1914-1919.

### [Leading producing States.]

State and year.	Acreage.	Average yield per acre.	Production.	Average farm price per bushel Nov. 15.	Farm value Nov. 15.
New York. Michigan Colorado. New Mexico. Arizona.	275, 000 63, 000 121, 000	Bushels. 14.0 13.0 8.0 6.7 5.0	Bushels. 1, 260, 000 3, 575, 000 504, 000 811, 000 75, 000 2, 850, 000	Dollars. 3.50 2.50 3.15 3.04 4.10 3.30	Dollars. 4, 410, 000 8, 938, 000 1, 588, 000 2, 465, 000 308, 000 9, 405, 000
Total	849,000	10.7	9, 075, 000	2.99	27, 114, 000
1919 1918 1917 1917 1916 1915	1, 002, 000 1, 744, 000 1, 821, 000 1, 107, 000 928, 000 875, 000	11. 9 10. 0 8. 8 9. 7 11. 1 13. 2	11, 935, 000 17, 397, 000 16, 045, 000 10, 715, 000 10, 321, 000 11, 585, 000	4. 28 5. 28 6. 50 5. 10 2. 59 2. 26	51, 051, 000 91, 863, 000 104, 350, 000 54, 686, 000 26, 771, 000 26, 213, 000

## Table 182.—Beans: Farm price per bushel on 15th of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15	\$4.70	\$4.98	\$7.00	\$5. 71	\$3.47	\$2.63	\$2.17	\$2. 26	\$2.38	\$2.20	\$3.75
Feb. 15	4.47	4.52	7.08	6. 07	3.43	3.02	2.09	2. 19	2.38	2.23	3.75
Mar. 15	4.32	4.40	6.95	6. 49	3.34	2.89	2.05	2. 10	2.42	2.17	3.71
Apr. 15	4.41	4.44	6.95	7.37	3.42	2.81	2.11	2. 11	2.37	2.20	3.82
May 15	4. 36	4. 19	6. 67	8. 94	3. 56	2. 93	2.31	2. 18	2. 52	2. 17	3. 98
June 15	4. 49	4. 39	6. 28	8. 99	3. 72	2. 87	2.23	2. 23	2. 62	2. 19	4. 00
July 15	4. 47	4. 25	5. 88	8. 07	5. 09	2. 75	2.22	2. 22	2. 47	2. 23	3. 96
Aug. 15	4. 17	4. 30	6. 11	7. 29	4. 59	2. 67	2.54	2. 11	2. 40	2. 20	3. 84
Sept. 15	3. 83	4. 36	5. 67	6.69	4. 60	2.70	2. 46	2. 08	2.38	2. 26	3.70
Oct. 15	3. 46	4. 27	5. 52	7.48	4. 47	2.93	2. 17	2. 25	2.34	2. 27	3.72
Nov. 15	3. 27	4. 42	5. 46	7.33	5. 58	3.03	2. 28	2. 20	2.25	2. 34	3.81
Dec. 15	2. 99	4. 41	4. 86	7.00	5. 77	3.30	2. 40	2. 12	2.31	2. 42	3.76

### BEANS-Continued.

# Table 183 .- Beans: Wholesale price per bushel, 1913-1920.

## [Compiled from commercial papers.]

Date.	Во	ston, p	ea.	Chi	cago, p	ю <u>а.</u> 1		troit, p 100 lbs.		SIL	Franciall wh r 100 lb	ite '
	Low.	Righ.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	Righ.	Aver- age.
January–June	2, 25	2.60	2, 45	1.25	2.50	1.86	1.80	2.20	Dolls.	4.50		4. 91
January-June	2. 10 2. 15	2.35 3.10	2. 20 2. 59	1.60 1.95	2.30 3.10	1.99 2.44		2.10 2.90		4.75 4.00	5. 50 6. 00	
1915. January-June July-December	2.95 2.85	3.50 4.10	3. 24 3. 47		3. 50 4. 10		2.15 2.60	3.20 3.60	2.98 3.15	4.50 4.50		5. 40 5. 19
1916. January-June July-December	3.80 4.50	5.85 7.25	4. 08 5. 83	3.00 5.00			3. 50 4. 90	6.00 7.00	3.86 5.77	6.25 7.50	11.50 11.00	6. 70 9. 40
1917. January–June July–December	6. 50 8. 00	10.25 15.00	8. 23 10. 26	6.40 7.25	11. 25 14. 50	8. 47 9. 71	6. 25 7. 25	10.00 13.25	7.97 9.24	10.50 11.75	16.00 15.75	13. 21 13. 20
1918, January-June July-December	12.00 9.00	14.50 12.00	13.37 10.78	10.00 8.25	15.00 12.50	12.61 10.37	9. 50 8. 63	13. 25 10. 25	11.64 9.27	11.75 S.90	12.75 12.25	12.35 10.94
1919. January-June July-December	6. 50 6. 00	10.00 9.00	7.92 7.57	6. 50 7. 25	9. 25 9. 50	7.70 8.13	6. 50 6. 75		7.64 7.43	5. 75 6. 20	8.90 8.00	
1920. January February March April May June	7.00 7.00 7.00 7.00 7.25 7.25	8. 25 8. 25 8. 25 8. 00 8. 00 8. 00	7.62 7.46 7.29 7.62	7.00 6.75 6.75 7.00	8.00 7.25 7.50 9.25	7.40 7.04 7.16 7.58	6. 60 6. 50 6. 60 7. 75	7. 25 6. 75 7. 50 7. 90	6.83 6.59 7.12 7.81	6.40 6.40 5.75 6.00	6.75 6.40 6.50 6.50	6.53 6.40 5.94 6.20
January-June	7.00	8. 25	7.52	6.75	9. 25	7.50	6.50	7.90	7.18	5.75	6.75	6.35
July August. September. October November December.	6.50 6.50 5.20	7.75 7.25 7.25 6.00	6.99 6.88 6.36 5.67	6.50 6.50 4.75 4.50	7.00 7.00 7.00 5.00	6. 75 6. 75 6. 13 4. 82	6.00 5.00 4.40 4.10	6.75 6.00 5.00 4.65	6.27 5.58 4.70 4.42	5. 50 5. 25 4. 25 4. 25	6.00 6.00 5.50 4.50	5.72 5.58 4.56 4.38
July-December	4.75	8.00	6.44	4. 25	7.50	fi. 02	3.90	7. 25	5. 33	3.75	6.40	5. 12

<sup>1</sup> Hand picked, choice to fancy.

### SOY BEANS.

Table 184.—Soy beans: Acreage, production, and value, by States 1920, and totals, 1917-1920.

### [Leading producing States.]

State and year.	Acreage.1	Average yield per acre.	Production.	Average farm price per bushel Nov. 15.	Farm value Nov. 15.
Virginia. Norith Carolina Georgia. Ohio Indiana. Illinois. Wisconsin. Missouri. Kentucky. Tennessee. Alabama. Missisppi.	91, 000 2, 000 8, 000 3, 000 4, 000 7, 000 8, 000 5, 000 23, 000	Bushels. 19.0 18.0 11.0 8.0 14.0 11.5 7.0 19.0 15.0 10.0 9.9 15.0	Bushels. 570,000 1,638,000 22,000 64,000 92,000 22,000 133,000 120,000 228,000 15,000	Dollars. 3.10 2.78 3.35 4.00 5.00 3.92 4.00 2.60 3.50 2.85 4.00 3.00	Dollars: 1, 767, 000 4, 554, 000 256, 000 256, 000 361, 000 112, 000 346, 000 420, 000 412, 000 421, 000 422, 000
Total	190,000	15. 8	3, 002, 000	3.06	9, 199, 000
1919 1918 1917	175, 000 169, 000 154, 000	14. 1 17. 7 14. 8	2, 460, 000 2, 997, 000 2, 283, 000	3. 47 3. 20 2. 86	8, 530, 000 9, 590, 000 6, 529, 000

#### 1 Acres rounded to nearest thousands.

### Table 185 .- Soy beans: Farm price per bushel on 15th of month, 1913-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913
Jan. 15. Feb. 15. Oct. 15. Nov. 15. Dec. 15.	\$3.76 4.05 3.41 3.00 2.28	\$3. 00 3. 00 3. 34 3. 35 3. 44	\$3. 47 3. 82 3. 36 3. 20 3. 29	\$2, 20 2, 45 2, 73 2, 86 - 3, 33	\$2.31 2.39 2.13 2.13 2.18	\$2, 35 2, 26 1, 88 2, 08 2, 23	\$1.96 1.80 2.08 2.15 2.24	\$1.96 1.57 1.72

#### COWPEAS.

TABLE 186.—Cowpeas: Acreage, production, and value, by States 1920, and totals 1917-1919.

[Leading producing States.]

State and year.	Acreage.	Average yield per acre.	Production.	A verage farm price per bushel Nov. 15.	Farm value Nov. 15.
Virginia North Carolina South Carolina Georgia Fiorida Indiana Missouri Kentucky Tennessee Alabama Missisppl Louistana Texas Arkansas	110, 000 23, 000 7, 000 25, 000 21, 000 8, 000 532, 000 300, 000 141, 000	Bushels. 11. 0 11. 6 9. 0 8. 0 16. 0 12. 0 15. 0 9. 6 7. 3 11. 0	Bushels. 693, 000 2, 343, 000 900, 000 990, 000 184, 000 112, 000 252, 000 40, 000 5, 107, 000 1, 029, 000 715, 000 430, 000	Cents. 290 257 225 217 217 275 300 200 375 240 200 212 261 285 245	Dollars. 2, 010, 000 6, 022, 000 2, 025, 000 3, 148, 000 50, 600, 000 945, 000 10, 214, 000 2, 686, 000 2, 688, 000 2, 688, 000 2, 688, 000 1, 1034, 000
Total	1, 683, 000	. 9. 2	15, 495, 000	230. 8	35, 768, 000
1919 1918 1917	1, 453, 000 2, 003, 000 1, 829, 000	6. 5 6. 2 7. 0	9, 423, 000 12, 427, 000 12, 787, 000	274. 5 231. 4 227. 1	25, 865, 000 28, 756, 000 29, 039, 000

### COWPEAS-Continued.

TABLE 187.—Cowpeas: Farm price, cents per bushel, on 15th of month, 1916-1920.

Date.	1920	1919	1918	1917	1916	Date.	1920	1919	1918	1917	1916
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 15. June 15.	312.9 372.4 394.0 421.4 484.4 483.7	238. 9 252. 1 248. 8 267. 6 292. 3 343. 9	262, 2 292, 5 301, 5 292, 8 283, 3 257, 4	192. 2 210. 0 231. 8 253. 4 293. 1 309. 1	156. 3 157. 2 153. 7 150. 2 148. 8 140. 0	Aug. 15 Sept. 15 Oct. 15	470. 8 422. 7 368. 8 273. 7 243. 4 229. 0	342. 8 310. 3 269. 4 260. 9 270. 7 280. 6	248. 4 241. 3 226. 2 233. 9 231. 4 237. 6	303. 2 265. 4 217. 0 219. 5 227. 1 237. 5	135. 1 141. 3 142. 4 148. 1 161. 6 177. 0

PEAS.

TABLE 188 .- Peas: Area and production in undermentioned countries 1909-1919

		Ar	ea.			Produ	ction.	
Country.	A verage <sup>1</sup> 1909–1913	1917	1918	1919	Average <sup>1</sup> 1909–1913	1917	1918	1919
NORTH AMERICA.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 acres.	1,000 bushels.	1,000 bushels.	1,000 bushels.	1,000 bushels.
United States	- 1, 505				2 7,129			
Canada: Prince Edward Island Nova Scotia New Brunswick. Quebec. Ontario	1 1 33 267	(3) (8) (3) 66 126	(8) 2 4 107 114	(3) 2 5 82 127 6	520 4,482	6	7 33 60 1,664 2,381	1,816
Saskatchewan Alberta British Columbia	(8) (3) 1	3 2 1	4 2 2	5 2 2	7 7 42	45 32 32	85 36 47	57 29 52
Total	304	198	235	231	5,097	3,026	4,313	3, 405
SOUTH AMERICA.								\
Chile	4 26	5 37	5 2 <b>8</b>		4 387	5 521	5 544	5 429
EUROPE.					1			ĺ
Austria. Hungary <sup>6 7</sup> Croatia-Slavonia <sup>67</sup> Belgium. France <sup>16</sup>	32 12 12 73	6	33	5 4 8 24	427 159 390 1,308	52 517	50 464	5 59 8 515
Italy Luxemburg <sup>7</sup> Netherlands Roumania <sup>67</sup>	2 65		SS		1,305 34 1,581 675	2,656 2,529	2,932	247
Russia proper 6.  Poland 8.  Northern Caucasia 6.	2,628 383 11	1,070			27,973 5,428 89			
Spain Sweden	1,071 47	<sup>5</sup> 825 25	<sup>5</sup> 941 36	5 9 45	10,402 1,227	<sup>5</sup> S, 962 S43	5 8, 143 1, 885	5 9 2, 490
United Kingdom: England Wales Scotland Ireland	152 1 1	102 1	127 1	132 1 (3) 10 2	3, 974 14 14 8	2, 203 12 1 8	3,496 15 2 12	3,520 11
Total	154		130	135	4,010	2, 224	3, 525	
ASIA.				'		i .		
Japan Russia (9 governments) 6	91 94	222	169		1, 804 794	3, 898	2,736	
Australasia.							1	
Australia	( <sup>11</sup> )	32 12	41 12		( <sup>11</sup> ) 507	- 567 242	701 313	

<sup>1</sup> Five-year average except in a few cases where five-year statistics were unavailable.
2 Census 1909.
3 Less than 500 ecres.
4 Includes chick peas, lentels, and vetches.
5 Uniofficial.
5 Old boundaries.
7 Includes lentils.
8 Excludes Alsace-Loraine.
9 Includes beans and vetches.
10 Includes under beans.
11 Included under beans.

## BROOM CORN.

Table 189.—Broom corn: Acreage, production, and value, by States, 1920, and totals 1915-1919.

#### [Leading producing States.]

State and year.	Acreage.	Average yield per acre.	Production.	Average farm price per ton Nov. 15.	Farm value Nov. 15.
Illinois . Missouri . Kansas . Texas . Oklahoma . Colorado . New Mexico .	20,000	Pounds. 500 465 375 230 324 370 420	Tons. 4,600 1,000 3,800 3,800 17,100 1,300 2,300	Dollars. 175.00 145.00 89.00 118.00 129.00 70.00	Dollars. 805, 000 145, 000 338, 000 448, 000 2, 206, 000 91, 000 230, 000
Total	199, 200	340.4	33,900	125.78	4, 263, 000
1919. 1918. 1917. 1916. 1915.	262,600 366,000 345,000 235,200 230,100	386.9 340.4 332.8 329.3 454.1	50, 800 62, 300 57, 400 38, 726 52, 242	153. 64 233. 87 292. 75 172. 75 91. 67	7, 805, 000 14, 570, 000 16, 804, 000 6, 690, 000 4, 789, 000

### Table 190.—Broom corn: Farm price per ton on 15th of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Jan. 15	129.66	\$169. 41	\$249.39	\$184.08	\$103. 97	\$66. 26	\$94.38	\$48. 89	\$99. 96	\$81, 46
Feb. 15		140. 96	253.70	200.54	103. 52	78. 44	95.16	56. 08	85. 97	79, 70
Mar. 15		173. 73	242.47	212.24	103. 81	68. 42	91.36	56. 97	99. 36	77, 96
Apr. 15		149. 46	222,19	226.82	96. 39	70. 79	89.47	58. 13	100. 54	74, 10
May 15June 15July 15Aug. 15	145.78	151. 72	205. 98	252, 33	100. 94	74. 84	84. 99	53. 40	83. 34	81. 05
	145.14	106. 49	222, 11	222, 66	101. 81	76. 51	88. 04	61, 08	79. 40	69. 36
	112.63	119. 02	235. 02	193, 79	103. 06	78. 94	87. 94	56, 61	84. 68	68. 14
	141.99	123. 64	231. 68	307, 66	119. 79	82. 96	91. 44	90, 58	83. 12	72. 07
Sept. 15. Oct. 15. Nov. 15. Dec. 15.	125.65 122.67	154, 28 161, 86 160, 55 162, 86	300, 28 265, 23 205, 35 171, 63	240, 15 269, 85 295, 50 279, 55	128, 51 167, 52 172, 60 171, 94	75, 24 86, 44 92, 04 101, 19	77. 05 66. 53 65. 82 58. 21	106, 05 101, 85 99, 80 92, 32	76. 52 70. 40 69. 33 57. 07	91. 67 121. 47 124. 00 103. 20

### GRAIN SORGHUMS.

Table 191.—Grain sorghums: Acreage, production, and value, by States, 1920, and totals 1915-1919.

### [Leading producing States.]

State and year.	Acreage.	Average yield per acre.	Production.	Average farm price per bushel Nov. 15.	Farm value Nov. 15.
Kansas. Texas Okiahoma Colorado. New Mexico Arizona. California.	A cres. 1,270,000 1,906,000 1,555,000 255,000 240,000 28,000 150,000	Bushels. 21. 2 32. 0 26. 0 17. 0 27. 0 26. 0 27. 0	Bushels. 25, 924, 000 60, 992, 000 40, 430, 000 4, 335, 000 6, 480, 000 728, 000 4, 050, 000	Cents. 69 121 60 84 99 99 105	Dollars. 18, 578, 000 73, 800, 000 24, 258, 000 3, 641, 000 6, 415, 000 721, 000 4, 252, 000
Total	5, 404, 000	26.6	143, 939, 000	91. 5	131, 665, 000
1919. 1918. 1917. 1916.	5,031,000 6,036,000 5,153,000 3,944,000 4,153,000	25. 4 12. 1 11. 9 13. 7 27. 6	127, 568, 000 73, 241, 000 61, 409, 000 53, 858, 000 114, 460, 000	129. 4 150. 0 161. 9 105. 9 44. 7	165, 080, 000 109, 881, 000 99, 433, 000 57, 027, 000 51, 157, 000

<sup>1</sup> Kafirs, milo maize, feterita.

### GRAIN SORGHUMS-Continued.

Table 192.—Grain sorghums: Farm price, cents per bushel, on 15th of month, 1916-1920.

Date.	1920	1919	1918	1917	1916	Date.	1920	1919	1918	1917	1916
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 15. June 15.	137. 3 138. 7 129. 8 145. 4 154. 5 153. 9	153. 7 156. 9 150. 9 162. 1 173. 6 174. 1	185. 7 193. 5 204. 0 211. 0	119. 1 129. 0 147. 0 152. 0 188. 0 206. 3	58, 6 58, 2 60, 0	Aug. 15 Sept. 15 Oct. 15 Nov. 15	150. 0 124. 8 95. 5 95. 5				62. 8 72. 4 83. 8 80. 8 102. 4 101. 5

### PEANUTS.

Table 193.—Peanuts: Acreage, production, and value, by States, 1920, and totals 1916-1919.

State and year.	Acreage.	A verage yield per acre.	Production.	Average farm price per bushel Nov. 15.	Farm value Nov. 15.
Virginia North Carolina. South Carolina. Georgia. Florida.	Acres. 138,000 113,000 36,000 224,000 115,000	Bushels. 32.0 35.0 45.0 34.0 28.0	Bushels. 4, 416, 000 3, 955, 000 1, 620, 000 7, 616, 000 3, 220, 000	Cents. 136. 0 137. 0 212. 0 123. 0 149. 0	Dollars. 6,006,000 5,418,000 3,434,000 9,368,000 4,798,000
Missouri. Tennessee Alabama Mississippi	7,000 410,000	40. 0 40. 0 22. 0 25. 0	16,000 280,000 9,020,000 75,000	360. 0 155. 0 95. 0 193. 0	58,000 434,000 8,569,000 145,000
Louisiana. Texas Oklahoma. Arkansas.	3,000 184,000 13,000 16,000	29. 0 26. 0 35. 0 26. 0	\$7,000 4,784,000 455,000 416,000	155. 0 179. 0 204. 0 234. 0	135,000 8,563,000 928,000 973,000
Total	1, 262, 400	28. 5	35, 960, 000	135.8	48, 829, 000
1919	1, 256, 400 1, 865, 400 1, 842, 400 1, 043, 350	27. 0 24. 7 28. 5 33. 0	33, 925, 000 46, 010, 000 52, 505, 000 34, 433, 500	240. 9 173. 7 174. 3 120. 1	81,742,000 79,929,000 91,498,000 41,357,000

TABLE 194.—Peanuts: Farm price, cents per pound on 15th of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Jan. 15 Feb. 15 Mar. 15 Apr. 15	9. 9 10. 5 11. 2 10. 9	6. 0 6. 9 7. 0 6. 9	7.0 7.2 7.4 8.3	4.9 5.3 5.5 6.2	4.3 4.4 4.4 4.6	4.5 4.4 4.2 4.5	4.7 4.7 4.7 4.9	4.6 4.5 4.7 4.8	4.3 4.7 5.0 4.9	4.4 5.0 4.8 4.9
May 15. June 15. July 15. Aug. 15.	11.2 11.2 11.0 8.5	7.2 7.7 8.2 8.1	8.2 7.9 7.8 7.9	7. 2 7. 7 7. 6 7. 2	4.6 4.6 4.6	4.8 4.8 4.7 4.5	5.1 5.1 5.2 4.9	4.7 5.0 5.1 4.9	4.9 5.2 4.9 5.0	4.8 5.2 5.0 5.3
Sept. 15. Oct. 15. Nov. 15. Dec. 15.	8.0 5.8 5.3 4.7	8.3 8.1 9.1 9.1	8.3 6.9 6.6 6.1	6.6 6.1 7.1 7.1	4.4 4.4 4.7	4.4 4.3 4.2 4.2	5.0 4.5 4.4 4.3	4.9 4.8 4.4 4.8	4.8 4.7 4.7 4.6	5.1 4.6 4.4 4.4

### TRUCK CROPS.

Table 195.—Commercial acreage and production of truck crops in the United States, 1917-1920.

Crop.	Num Sta repo			Acre	age.			Producti	on.	
	1917–18	1919-20	1917	1918	1919	1920	1917	1918	1919	1920
Aspharagus, tons. Beans (snap), tons. Cabbage, tons. Cantaloupes, l'erts. Cantidiower, erts. Callinower, erts. Corn (sweet), tons. Cucumbers, tons. Lettuce, d'erts. Onions, bu. Petatoes (early Irish), bu. Strawberries, erts. Tomatoes, tons. Watermelons, No.	38 28 16 20 7 28 23 8 22 32 32 16 26 42	26 24 8 24 19	14,500 201,645 50,521 12,500 64,460 180,407 267,850 109,510 300,850	31, 618 92, 715 39, 650 9, 972 14, 750 278, 480 63, 005 15, 350 64, 715 127, 611 258, 650 83, 820 351, 252	28, 378 12, 394 68, 135 65, 547 8, 170 13, 107 223, 408 52, 785 15, 600 47, 635 115, 020 182, 250 63, 700 237, 195	26, 749 11, 456 104, 848 68, 932 9,045 15, 170 285, 554 46, 449 22, 357 63, 809 139, 188 281, 887 67, 500 244, 745	54, 156 603, 962 8, 006, 500 1, 898, 974 6, 597, 750 377, 688 42, 581 6, 348, 300 19, 133, 000 152, 462 18, 552, 300 7, 948, 141 1, 074, 596	56, 859 584, 812 5, 796, 000 2, 084, 148 6, 436, 500 111, 711 7, 476, 900 19, 336, 000 19, 336, 000 27, 471, 750 51, 162, 605 1, 462, 869	23, 676 443, 400 11, 159, 426 2, 123, 475 2, 676, 096 476, 439 74, 832 8, 116, 100 12, 833, 500 96, 510 16, 914, 000 4, 856, 900 855, 782	24,683 940,525 11,652,356 2,422,005 3,660,773 577,464 41,654 12,106,055 21,335,000

### CABBAGE.

TABLE 196.—Cabbage: Farm price, per 100 pounds on 15th of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Jan. 15. Feb. 15. Mar. 15. May 15. June 15. July 15. Aug. 15. Sept. 15. Oct. 15. Nov. 15. Dec. 15.	5. 25 5. 59 6. 75 5. 47 4. 71 3. 28 2. 03	\$2. 19 2. 33 2. 71 3. 79 4. 97 4. 68 4. 23 3. 73 3. 08 2. 88 2. 74 3. 49	\$2, 74 3, 26 2, 86 2, 98 3, 23 3, 55 3, 41 2, 96 2, 45 2, 16 1, 99 2, 05	\$3. 95 5. 65 6. 77 7. 61 7. 53 5. 10 3. 23 2. 19 1. 76 1. 79 2. 66 2. 28	\$1. 17 1. 21 1. 38 1. 50 1. 93 2. 27 2. 15 2. 26 2. 17 2. 40 2. 61 3. 04	\$1. 36 1. 41 1. 38 1. 99 2. 53 2. 34 1. 95 1. 61 1. 24 1. 00	\$1. S7 2. 07 2. 03 2. 24 2. 05 2. 61 2. 66 1. 74 1. 50 1. 31 1. 14 1. 26	\$1. 26 1. 17 1. 03 1. 15 1. 58 2. 18 2. 64 2. 15 1. 79 1. 69 1. 58 1. 75	\$1. 89 2. 24 2. 88 3. 17 2. 98 2. 67 2. 29 1. 88 1. 25 1. 08 1. 15	\$1. 56 1. 48 1. 26 1. 33 1. 38 2. 46 2. 93 2. 47 1. 98 1. 51 1. 54

Crates of 2 dozen heads each, 5 Crates containing 24 quarts.

Standard crates.
 Crates of 1 dozen heads each.
 Crates of 10 bunches of 1 dozen plants each.

CABBAGE-Continued.

TABLE 197.—Commercial acreage, yield per acre, and production of culbuges in the United States, 1915-1920.

ž		<b>.</b>	creage h	Acrenge harvested.					Yield per were	y ivere.			H	Production in cars25,000 pounds.	n in cars	25,000	pounds.	
State.	1915	1916	1917	1918	9161	1920	1915	9161	1917	1918	1919	1920	1915	1916	1917	1918	1919	1920
Barly: Galfornia Florida: Louisiana: Texas	Acras. 3,500 4,1500 4,160	Acres. 3,600 1,500 4,400	Acres. 3,800 1,700 8,900	4, 300 1, 200 6, 650	Acra. 5,160 3,950 1,980 4,430	Acres. 9,000 9,000 10,178	7038. 7.6 7.6 3.3	70ns. 7.6 7.6 5.0	7008. 7.0 2.0 2.0 2.0	Tonk. 5.0 3.0 0.8	7078. . 4.0 6.0 5.0	7078. 7.1 6.8 4.8 8.2	Cars. 2,384 2,064 600 1,080	Cars. 2,448 2,736 1,160	Cars. 2,128 912 256 1,424	Cars. 1,720 3,901 228 425	Cars. 1,661 1,806 1,772	Cars. 4, 714 4, 896 1, 429 6, 298
Late: Alsbans Colorado Idaho	3,700 3,700	3,200 3,200 3,200	3,300 3,300 300 300 300	1,500 4,220 35	3,420	1,518 4,100 38	8.0 9.0 8.0 9.0 9.0	& 5.9. 8 8 2 2 2	8.57. 0.8.3. 0.8.0.0	8.05.8	10.0	20.01 80.01 10.00	87.15 82.19 82.28		3,48	8,08 8,24 1,4	2, 5888	4,502 302 121
Indiana Iowa Kentucky		1,1 368 868	7.1. 888		8528	25.88 88.88	9.00	න් ස්ත්	9.7.5	% K-66	0.4.00 6000	Q & & .	88,88		988 174 174	1,008	######################################	7833 7833
Maryland Michigan Mimesota Miselssliphi		1,2,1,1, 2,6,2,2,1,1,0,0,2,1,1,1,1,1,1,1,1,1,1,1,1,1	. 7,2,2, 100,13	8,1,2, 25,56,5 2,56,56,5	24.1.1. 24.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2	2,955 2,355 1,595	× 0 0 4 0	×.7.9.4.2		65.00.00	න ලංගා ල ඒ ඒ න් ශ්ර	ర్జర్జు ఉం జాబాబ 4 ం	1,832 1,636 416		88.7 88.9 89.8 80.8 80.8 80.8 80.8 80.8 80.8	8,1,1, 12,2,2,2 12,2,2,2	1 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3	2, 257 1, 375 1, 072
Massourt Nebraska New Yersey Now York	3,900 30,900 500 500	17,88,52 52,88,53 53,88,53 53,	1,8 38,0 38,0 38,0 38,0 38,0 38,0 38,0 38	28,138 48,690 490 490 490 490 490 490 490 490 490 4	1,02,1 26,128 26,128 26,128	26,528 908 908	. 2. 8. 9. 9. 8. 9. 9. 9. 8. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.	, x, q, q, q,	.7%7.4 .00%7		97.5%	99847 0-102	2,82 2,03 2,03 2,03 2,03 2,03 2,03 2,03 2,0		1,115 16,527 126	20,08 28,084 160	25.05 25.05	8,58 15,68 1
Ohio Oregon Pennsylvania Bouth Carolina Tennessee Utah	8, 2, 871 80,038 81,000	4, 4, 20,23, 22,20, 22,20, 22,20, 23,20, 23,20, 23,20, 24,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20, 26,20,20, 26,20,		8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8	5, 5, 5,5,5,5,3,3 5,5,5,5,3,3	9, 9, 30, 30, 30, 30, 30, 30, 30, 30, 30, 30,	2.9.0.0.8.8 0.0.0.0.8.8 0.0.0.0.8.8	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	××××××	7.5.9.2.5.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	17.0 17.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0 19	00.00.00.00.00.00.00.00.00.00.00.00.00.	2, 184 126 172 172 172 173	22225 2225 225 2025 20	25, 201 201 201 31 31 31	2, 26, 151, 25, 25, 25, 25, 25, 25, 25, 25, 25, 25	1, 236 201 201 201 201 201 201 201 201 201 201	7. 28. 1. 38. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
virgina— Bastera shore and Norlolk section. Southwestern. Washington.	4,750 1,400 13,600	5,050 1,700 1,85 0,200	4,350 2,150 175 11,800	3,050 1,500 11,500	2,475 1,520 260 8,660	2,722 2,085 286 13,800	8086	37.35	45.00.00 50.00.00	7.%7.% 0.000	6.5 10.0 7.2	7.21 9.80 9.00 8.00 8.00	3,504 1,008 10,692	3, 714 966 127 4, 637	1,620 1,170 1,20 7,741	1,780 1,068 7,360	1, 287 912 268 5, 104	1,568 2,068 204 10,267

1 Mary Outsons gootless

ONIONS.

Table 198.—Commercial acreage, yield per acre, and production of onions in the United States, 1915–1920.

<sup>1</sup> Does not include acreage grown under contract with seedsmen.

i i		
	1913	101.7 105.1 108.9 110.2 114.9
	1914	170.4 137.9 103.3 88.3 84.4 92.3
	1915	8888448 088880
.026	1916	147.3 133.5 122.9 131.4 153.8 175.7
7-116	1917	201.0 154.7 142.9 157.5 176.6
onen, 1	1918	162.6 164.7 163.3 143.2 143.1
acn m	1919	232.0 225.8 195.4 196.4 212.5 245.8
fo and	1920	204.8 176.4 172.9 158.9 143.8
cents per busnet on 15th of each month, 1911-1920	Date.	July 15.  Aug. 16.  Sept. 15.  Oct. 15.  Nov. 15.  Dec. 16.
ents p	1911	101 102 101 101 101 101 101 101 101 101
mee, c	1912	117.0 140.0 167.0 175.0 177.0
rarm price, e	1913	23.77.5 23.0 23.0 25.0 25.0
	1914	121.0 140.7 155.2 159.3 140.8
199.—Ontons:	1915	88.9 97.6 95.3 104.4 102.9
19.6 E	1916	113.05 128.05 12
LABLE	1917	208. 208. 476.2 298. 6.0 208. 6.0 208. 6.0
	1918	178.9 183.2 147.0 134.1 134.7
	1919	133.5 154.7 199.8 202.1 229.9
	1920	280.8 307.3 325.6 337.6 287.6

Date.

122.0 116.0 104.0 103.0 113.0

7.50 0.00 0.00 0.00 0.00 0.00 0.00

1911

1912

## TOMATOES.

Table 200.—Commercial acreage, yield per acre, and production of tomatoes for manufacture and table stock, 1917-1920.

			Acres	age harvest	ed.		
States.	19	17	19	18	19	19	1920
	Table stock.	Manu- facture stock.	Table stock.	Manu- facture stock.	Table stock.	Manu- facture stock.	Table and man- ufacture stock.
labama rkansas alifornia olorado onnecticut elaware lorida eorgia labo lindis ansas entiucky outsiana faryland fassachusetts lichigan filmnesota filssissippi filssouri elew Hampshire iew Jersey ew Mexico lew York orth Carolina blio klahoma legony eansylvania outh Dakota eunsessee evass	7, 130 0 0 0 0 0 0 0 0 11, 230 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	A cres. 1, 824 28, 735 1, 294 29, 148 20, 20 0 0 4, 009 32, 161 1, 883 3, 29 32, 161 10, 943 30 00 8, 584 10, 943 30 00 8, 584 10, 943 30 30 3, 454	4.cres. 0 2,200 0 15,600 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 cres. 7, 138 41, 243 41, 243 41, 656 615, 625 625 625 625 625 625 625 625 625 625	4 cres. 0 2,200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Acres. 15 3,841 29,453 1,470 1,470 1,470 1,470 1,470 1,470 2,5535 44 61 3,243 33,569 2,060 1,990 1,990 1,990 1,990 1,990 1,990 4,166 6,748 4,167	A cres. 4, 165 4, 166 31, 600 2, 500 6, 267 62, 600 4, 500 3, 944 32, 299 2, 057 5, 060 15, 121 19, 13 9, 83 5, 80 1, 65 8, 89 8, 89 8, 89
Itah. Irginia. Vashington. Vest Virginia. Visconsin. Il other.	0 0 0 0	3, 191 22, 354 5 1, 481 288	0 0 0 0 0	5,425 31,381 133 1,342 324	0 0 0 0	3, 897 18, 889 23 922 291	5,30 18,20 1,41
Total	52, 989	247, 861	34, 150	317,102	41, 550	195,645	244.7

30702°--YBK 1920----43

# TOMATOES-Continued.

Table 200.—Commercial acreage, yield per acre, and production of tomatoes for manufacture and table stock, 1917–1920—Continued.

Arkansas         3,3         2,3         2,8         3,6           California         7.5         7.5         5.4         7.9         6.0         7.2           Colorado         11,8         7.6         9,1         7.4           Connecticut         3.0         4.7         5.0         7.5           Delaware         3.2         3.8         1.6         4.3           Florida         2.9         3.0         3.0         2.0         2.8         1.6         4.3           Florida         2.9         3.0         3.0         2.0         2.8         1.6         4.3           Georgia         0.0         4.0         6.0         1.0         6.0         1.1         6.0         1.0 <td< th=""><th></th><th></th><th></th><th>Yie</th><th>eld per acre</th><th><b>.</b></th><th></th><th></th></td<>				Yie	eld per acre	<b>.</b>		
Table   Stock   Stoc	States.	19:	17	19	18	19	19	1920
Alebams		Table stock.	facture		facture		facture	and man- ufacture
South Dakota         3.0         3.5         2.0         3.3         3.6           Tennessee         3.0         3.0         3.5         3.5         2.0         3.3         3.6           Texas         2.6         3.0         4.0         3.0         3.0         3.8         3.5           Virginia         3.3         3.5         2.7         3.1           Washington         8.0         4.4         7.0         3.3           West Virginia         1.8         2.1         4.1         2.0           Wisconsin         3.8         0.9         5.2         3.2	Arkansas. California Colorado. Connecticut Delaware. Florida. Georgia. Idaho. Illinois. Indiana. Iowa Kansas. Kentucky Louisiana Massachusetts. Miohigan. Minnesota. Missispipi Missouri. Nebraska New Hampshire. New Hampshire. New Hampshire. New Hampshire. New Mexico. New York. New Marco. New York. New Horolina. Ohio. Oklahoma. Oregon. Pennsylvania	2.9	8.87.1.0320	5.4 3.0 3.0 4.5	2.3447.467.32.44.66 2.4.67.22.4.22.4.4.66 2.4.66.4.66 2.6.66.67.26.66.7.7.26.7.26.7.26.7.2	2.8	8.0 8.0 9.5 0.	Tons. 3.0 3.0 7.2 7.4 4.3 2.9 3.4 3.1 4.0 3.6 3.5 3.7 8.1 4.9 3.4 3.4 3.1 3.7 3.1
	South Dakota. Tennessee. Texas. Utah. Virginia. Washington. West Virginia. Wisconsin	3.0 2.6	3.0 3.0 3.0 9.0 3.3 8.0	3, 5 4, 0	11.2 3.5 4.4 2.1	2.0 3.0	8.5 2.7 7.0 4.1	3.6 3.8 7.4 3.1 . 2.9

### TOMATOES-Continued.

Table 200.—Commercial acreage, yield per acre, and production of tomatoes for manufacture and table stock, 1917–1920.—Continued.

			Produ	ction.			
States.	19	17	19	18	19	19	1929
	Table stock.	Manu- facture stock.	Table stock.	Manu- facture stock.	Table stock.	Manu- facture stock.	Table and man- ufacture stock.
Alabama Arkansas California Colorado Connecticut Delavare Florida Georgis Idaho Illinois Indiana Ilowa Kansas Kentucky Louisiana Maryland Massachusetts Michigan Minnesota Missouri Missouri Nebraska New Hampshire New Hampshire New Hardoo New Horlor New Hardoo New York North Carolina Ohio Oklahoma Oregon Pennsylvania South Carolina South Dakota Tennessee Texas Urginia	0 0 0 0 0 0 15,680 0 0 48,320 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	70ns 75 -0.019 -178.012 -178.012 -15.254 -15.254 -16.00 -13.230 -13	ŏ	Tons 75 16, 417 222, 712 12, 58, 912 12, 58, 912 13, 250 14, 250 14, 250 15, 117 162, 907 1, 335 293, 151 20, 718 36, 142 20, 718 21, 24, 350 20, 718 36, 142 21, 727 21, 124 61, 136 41, 356 42, 338 4, 306 42, 360 60, 760 60, 760 60, 780 60, 785	Tons. 0 0 17, 380 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Tons. 45 10, 745 176, 748 13, 277 13, 890 8, 856 140, 990 9, 881 10, 645 149, 864 1, 675 1, 625 1, 6	Tons. 1.59 14, 957 227, 527 15, 527 15, 527 26, 948 65, 540 112, 734 6, 200 15, 70 116, 70 117, 734 15, 730 15, 730 15, 730 15, 730 15, 730 15, 730 16, 730 17, 730 18, 730 19, 730 19, 730 39, 237 36, 734
West Virginia Wisconsin All other	0 0 0	2,666 1,094	0	2, \$18 292	. 0	3,780 1,513	4, 089 16, 896
Total	178, 320	896, 276	139, S10	1, 323, 059	130, 870	724, 912	1,022,258

Table 201 .- Tomatoes: Farm price, cents per bushel, 15th of month, 1912-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912
July 15.	324. 4	240. 3	219. 1	194.3	161. 5	141. 4	167. 4	161. 4	127. 0
Aug. 15.	168. 4	177. 0	133. 1	124.3	88. 4	66. 4	92. 5	95. 8	75. 6
Sept. 15.	104. 4	137. 2	103. 0	109.5	75. 6	56. 9	63. 0	68. 0	58. 7
Oct. 15.	98. 9	117. 7	108. 6	117.6	82. 1	67. 9	60. 3	73. 6	62. 3

#### THRNIPS

Table 202.—Turnips: Farm price, cents per bushel, 15th of month, 1912-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912
Jan. 15. Feb. 15. Nov. 15. Dec. 15.	112. 4 124. 1 94. 1 85. 9	82. 1 84. 7 98. 9 101. 8	88. 4 89. 9 79. 6 79. 0	78. 6 91. 1 76. 4 81. 1	48. 6 49. 6 68. 4 73. 3	42.9 51.1 45.9 45.1	56. 8 60. 0 47. 4 48. 4	49. 6 51. 2 56. 1 55. 1	44.6 49.1

#### SUGAR.

TABLE 203 .- Sugar: Production in the United States and its possessions, 1856-57 to 1920-21.1

[Data for 1912-13 and subsequently beet sugar, also Louisiana and Hawaii cane sugar, estimated by United States Department of Agriculture; Porto Rico, by Tressury Department of Porto Rico; Philippine Islands, production estimated by the Philippine Department of Agriculture and exports for years ending June 30. For sources of data for earlier years, see Yearbook for 1912, p. 650. A short ton is 2,000 pounds.

	Beet		Cane s	ugar (chiefly	y raw).		
. Year.	sugar (chiefly refined).	Louisi- ana.	Other States. <sup>2</sup>	Porto Rico.	Hawaii.	Philip- pine Islands. <sup>2</sup>	Total.
Average:  1856-57 to 1860-61  1861-62 to 1865-65.  1866-67 to 1870-71  1871-72 to 1875-76  1878-77 to 1880-81  1881-82 to 1885-86	403	Short tons. 132, 402 74, 036 44, 768 67, 341 104, 920 124, 868	Short tons. 5, 978 1, 945 3, 818 4, 113 5, 327 7, 280	Short tons. 75, 364 71, 765 96, 114 87, 606 76, 579 87, 441	(4) 27, 040 76, 075	Short tons. 46, 446 54, 488 81, 485 119, 557 169, 067 189, 277	Short tons. 260, 190 202, 503 226, 633 279, 020 383, 403 485, 633
1886-87 to 1890-91 1891-92 to 1895-96 1896-97 to 1900-1901 1901-2 to 1905-6 1908-7 to 1910-11	1,922 19,406 58,287 239,730 479,153	163, 049 268, 655 282, 399 352, 053 348, 544	8,439 6,634 4,405 12,126 13,664	70, 112 63, 280 61, 292 141, 478 282, 136	125, 440 162, 538 282, 585 403, 308 516, 041	186, 129 286, 629 134, 722 108, 978 145, 832	555,091 807,142 828,690 1,257,673 1,785,370
1901-2 1902-3 1903-4 1904-5 1905-6	218, 406 240, 604	360, 277 368, 734 255, 894 398, 195 377, 162	4,048 4,169 22,176 16,800 13,440	103, 152 100, 576 138, 096 151, 088 214, 480	355, 611 437, 991 367, 475 426, 248 429, 213	75, 011 123, 108 82, 855 125, 271 138, 645	1, 082, 705 1, 252, 984 1, 107, 100 1, 359, 715 1, 485, 861
1906-7. 1907-8. 1908-9. 1909-10. 1910-11.	463, 628 425, 884 512, 469 510, 172	257, 600 380, 800 397, 600 364, 000 342, 720	14,560 13,440 16,800 11,200 12,320	206, 864 230, 095 277, 093 346, 786 349, 840	440, 017 521, 123 535, 156 517, 090 566, 821	132, 602 167, 242 123, 876 140, 783 164, 658	1, 535, 255 1, 776, 328 1, 776, 409 1, 892, 328 1, 946, 531
1911–12 1912–13 1913–14 1914–15 1915–16	733, 401 722, 054	352, 874 153, 573 292, 698 242, 700 187, 500	8,000 9,000 7,800 3,920 1,120	371, 076 398, 004 351, 666 346, 490 483, 590	595, 038 546, 524 612, 000 646, 000 592, 763	205, 046 6 345, 077 408, 339 421, 192 412, 274	2, 131, 534 2, 144, 734 2, 405, 904 2, 382, 356 2, 501, 467
1916-17. 1917-18. 1918-19. 1919-20. 1920-21 6.	765, 207 760, 950 726, 451	303, 900 243, 600 280, 900 121, 000 186, 000	7,000 2,240 3,500 1,125 7,000	503, 081 453, 796 406, 003 485, 884	644, 663 576, 700 600, 312 556, 343	425, 266 474, 745 458, 346 466, 854	2,704,567 2,516,288 2,505,011 2,357,657

¹ Census returns give production of beet sugar for 1899 as 81,729 short tons; for 1904, 253,221; 1909, 501,682; production of cane sugar in Louisiana for 1839, 59,974 short tons; 1849, 226,001 hogsheads; 1859, 217,726 hogsheads; 1889, 217,726 hogsheads; 1889, 217,726 hogsheads; 1889, 217,726 hogsheads; 1889, 217,726 hogsheads; 1889, 217,726 hogsheads; 1889, 217,726 hogsheads; 188, 21,726 
Table 204.—Sugar beets and beet sugar: Production in the United States, 1913-1920.

[Figures for 1920 are subject to revision.]

•	A	rea of beet	s.	Beets produce	ed (weight a	s delivered to f	actories).
State and year.1		Harv	ested.			ļ	Price to
	Planted.	Amount.	Per cent of planted.	Quantity.	Yield per acre.	Farm value.	growers per ton.
California:	Acres.	Acres.	Per cent.	Short tons.	Short tons.	Dollars.	Dollars.
1920	135,700	123, 500	89. 82	1,037,000	8. 40 7. 61	14, 120, 000	13. 62
1919	129,500	107,174	82, 76 83, 28	810,890	8, 52	11,001,000	14. 17
1919 1918 1917	120, 900 190, 200	123,500 107,174 100,684 161,909	85. 13	1,037,000 815,896 858,028 1,331,548	8, 22	14, 120, 000 11, 561, 000 8, 534, 000 10, 125, 000	9. 95 7. 60
Colorado:			1	,	!	•	
1920	253,600	221,500	87. 34	2, 370, 000 1, 764, 772 1, 443, 846 1, 857, 649	10.70	28, 154, 000 19, 143, 000	11.88
1919	236, 300 142, 000	182,616 125,882	77. 28	1,704,772	9.66 11.47	19, 143, 000	10. 85 10. 02
1919. 1918. 1917.	183,600	161,476	88. 65 87. 95	1, 857, 649	11. 50	14, 474, 000 13, 526, 000	7. 28
Idaho:		i	:				
1920	57,600	55,600 30,331	96. 53	498,000	8.96	6, 022, 000 2, 235, 000	12.09
1919	53,700 37,700	30, 331	56. 48 85. 69	203, 168 344, 334	6. 70 10. 66	2, 235, 000 3, 443, 000	11.00 10.00
1919 1918 1917	46, 500	37,745	81. 17	312,067		2, 203, 000	7.08
Michigan'			,	-	1	3	;
1920 1919 1918 1917	169, 400 166, 100	145, 200 123, 375 114, 976	\$5.71	125, 900 1, 211, 018	8. 67 9. 82	12, 574, 000 15, 158, 000 9, 741, 000	9.99
1919	166, 100	123, 375	74.28	1,211,018	9. 82	15, 158, 000	12, 52
1918	134,500 112,700	\$2, 151	85.48 72.89	966, 676 524, 195	8. 40 6. 38	4, 215, 000	10. 08 8. 04
Nebraska:	112,100	: 32, 101	124.00	024, 100	0.00	1,210,000	0.01
1920	78,900	72,000	91. 25	707, 000	9. 82	8, 445, 000	11.94
1919	64,800	59, 113	91. 22	600, 730	10.16	6, 546, 000	10.90
1918 1917	44,600 55,500	59, 113 42, 746 51, 337	95. 84 92, 50	485, 070 473, 494	11.35 9.22	4, 833, 000 3, 417, 000	9.90 7.2
Ohio:	30,000	01,007	92.00	210, 202	7. 44	0,417,000	1.2
	48,300	46,800	96. 89	451,000	9.64		9. 2 12. 7
1920 1919	37, 100	30,909	83. 29	326, 962	10. 58	4, 168, 000	12.7
1918 1917	36, 100 29, 300	32, 547 24, 234	90. 16 82. 71	315, 371 219, 931	9. 69 9. 08	3, 162, 000	10.0 7.1
Utah:	29,300	24,254	82.71	219,931	9.03	1,580,000	7.1
1920	116, 100	112,700	97. 05	1, 304, 000	11. 57	15, 674, 000	11.6
1919	116, 100 109, 700	112, 700 108, 247	94.12	1 015 873	9, 84	15, 674, 000 11, 148, 000	10.9
1920	90,100	81, 717	90.70	1,003,013 762,028	12. 27	10, 041, 000 5, 368, 000	10.0
Wisconsin:	91, 100	80, 289	88. 13	,	7. 49	3, 303, 000	7.0
1920	29,000	23, 200	80.00	201, 000 117, 443 99, 777 79, 372	8.66	2, 104, 000	10.4
1919 1918 1917	29,000 16,200	23, 200 12, 100	74, 69	117,443	9.71	1, 411, 000	10.4 12.0
1918	14, 900 14, 100	12, 400 9, 800	83. 22	99,777	8. 05 8. 10	998,000	10.0
Other States:	14, 100	9,800	69.50	19,312	8.10	699,000	8.8
1020	89, 900	81,500	90.66	718,000	8.81	8, 143, 000	11.3
1919	77,000 68,900	43, 590	56, 61	365, 616	8.39	4,050,000	11.0
1919 1918 1917	68,900	43, 590 50, 752 55, 856	73.66	365, 616 432, 683 420, 093	8.58 7.52	8,143,000 4,050,000 4,268,000	9. 8 7. 2
United States:	. 83,600	20,806	66.81	420,093	7.52	3,059,000	7. 2
1920	978, 500	582,000	90, 14	8, 545, 000	9.69	99, 396, 000	11.6
1010	1 890 400	582, 000 692, 455	77. 77	1 6 491 478	0.97		11.6 11.7
1918 1917 1916	689, 700	504 010	1 56 12	5,948,798	10.01	59, 494, 000	100
1917	806, 600 768, 500	664, 797	82. 43 86. 57	5,980,377	9.00	44,192,000	7. 3 6. 1 5. 6 5. 4
1916	664, 300	664, 797 665, 308 611, 301	92.02	6,228,200	9.36 10.7	36, 139, 000	6.1
1915 1914	514, 600	483, 400	93. 94	5,948,798 5,980,877 6,228,256 6,511,274 5,585,000	11.6	30, 438, 000	5.4
1913	635, 100			5, 886, 000	10.1	33,491,000	5.6

<sup>&</sup>lt;sup>1</sup> In this table the acreage and production of beets are credited to the respective States in which the beets were made into sugar and not to the States in which the beets were actually produced.

Table 204.—Sugar beets and beet sugar: Production in the United States, 1913-1920-Con. [Figures for 1920 are subject to revision.]

Figures for 1920 are subject to revision.											
	•	cam-	ly re-	Suga	r beets 1	ised.	Analy bee	rsis of ets.		ery of	
State and year.1	Factories operating.	Average length of paign.	Sugar made (chiefly fined).	Ares harvested.	Average yield per acre.	Quantity worked (sliced).	Percentage of sucrose.	Purity coefficient.3	Percentage of weight of beets.	Percentage of total sucrose in beets.	Loss.b
California: 1920	No. 11 10 13 14 11	Days. 76 81 92 108	Short tons. 163, 700 131, 172 122, 795 209, 325 236, 322	Acres. 123,500 107,174 100,684 161,909 141,097	Short tons. 7.51 8.40 8.16 10.37	Short tons. 1,037,000 804,642 845,728 1,321,716 1,462,895	Per cent. 17.90 17.87 17,03 18.48 18.35	Per cent. 82.02 81.50 82.91 84.13	Per cent. 15. 79 16. 30 14. 52 15. 84 16. 15	Per cent. 88. 21 91. 21 85. 26 85. 71 88. 01	Per cent. 2. 11 1. 57 2. 51 2. 64 2. 20
1919 1918 1917 1916	15 14 15 14	87 76 91 102	302,700 193,890 191,880 234,303 252,147	221, 500 182, 616 125, 882 161, 476 188, 568	9. 07 10. 83 10. 84 10. 25	2, 370, 000 1, 656, 113 1, 363, 277 1, 749, 875 1, 933, 591	15. 83 13. 62 16. 10 15. 40 15. 00	83, 85 85, 96 85, 16 85, 79	12. 77 11. 71 14. 07 13. 39 13. 04	80. 67 85. 98 87. 39 86. 95 86. 93	3. 06 1. 91 2. 03 2. 01 1. 96
1920	9 6 7 7 5	50 87 70 86	64,600 26,159 44,632 38,376 45,874	55,600 30,331 32,306 37,745 42,135	6. 49 10. 12 7. 59 7. 87	498, 000 196, 847 326, 979 286, 446 331, 478	16. 08 15. 48 16. 57 16. 74 16. 95	86. 15 86. 46 84. 84 86. 39	12. 97 13. 29 13. 66 13. 40 13. 84	80.65 85.85 82.44 80.05 81.65	3. 11 2. 19 2. 91 3. 34 3. 11
1919 1918 1917 1916	16 16 14 15	84 75 53 49	167, 500 130, 385 127, 979 64, 247 69, 341	145, 200 123, 375 114, 976 82, 151 99, 619	8, 36 7, 74 5, 62 5, 05	1, 259, 000 1, 032, 018 890, 238 461, 721 502, 705	16. 21 14. 57 16. 61 16. 28 16. 37	\$1. 78 85. 49 86, 57 85. 22	13.30 12.63 14.38 13.91 13.79	82, 05 86, 68 86, 51 85, 44 84, 24	2. 91 1. 94 2. 23 2. 37 2. 58
1919. 1918. 1917. 1916.	4 4 4 3	112 99 97 107	87, 500 60, 870 63, 494 53, 893 51, 945	72,000 59,113 42,746 51,337 41,083	9, 37 10, 60 9, 22 10, 34	707, 000 554, 100 453, 266 443, 355 404, 017	15. 70 13. 14 16. 05 14. 91 15. 51	82.80 86.14 80.71 81.12	12.38 10.99 14.01 12.16 12.86	78. 86 83. 64 87. 29 81. 56 82. 91	3. 32 2. 15 2. 04 2. 75 2. 65
1920	5 5 5 4	79 91 70 45	55, 700 31, 864 35, 476 24, 467 18, 234	46, 800 30, 909 32, 547 24, 234 24, 767	9. 43 8. 94 8. 36 5. 56	451,000 291,583 291,064 202,624 137,696	15. 66 14. 15 15. 74 16. 24 15. 89	82, 73 84, 23 86, 25 83, 36	12, 35 10, 93 12, 19 12, 08 13, 24	78. 86 77. 24 77. 45 74. 38 83. 32	3. 31 3. 22 3. 55 4. 16 2. 65
1920	18 18 16 15 11	84 98 82 95	153, 200 101, 025 105, 794 83, 662 90, 277	112,700 103,247 81,717 80,289 68,211	8. 80 11. 08 8. 68 10. 38	1, 304, 000 908, 122 905, 064 696, 522 708, 237	15. 41 13. 87 15. 29 15. 61 16. 05	82, 39 84, 21 82, 27 84, 79	11. 40 11. 12 11. 69 12. 01 12. 75	73. 98 80. 17 76. 46 76. 94 79. <del>14</del>	4. 01 2. 75 3. 60 3. 60 3. 30
1919 1918	4 4	60 61 53 48	25, 100 10, 636 13, 358 8, 032 6, 800	23,200 12,100 12,400 9,800 7,000	8. 73 7. 54 7. 23 8. 39	201, 000 105, 578 93, 467 70, 830 58, 700	15. 92 13. 16 16. 29 15. 03 14. 90	81. 73 82. 40	12. 49 10. 07 14. 29 11. 34 11. 58	78. 45 76. 52 87. 72 75. 45 77. 72	3. 43 3. 09 2. 00 3. 69 3. 32
1920	12 11 10 13 8	52 64 51 57	89,600 40,450 55,492 48,902 49,717	81, 500 43, 590 50, 752 55, 856 52, 828	7. 77 8. 05 7. 03 7. 20	718,000 338,554 408,423 392,456 380,354	15. 72 14. 27 15. 95 15. 17 15. 69	83. 14 84. 31 81. 87 82. 67	12. 48 11. 95 13. 59 12. 46 13. 07	79. 39 83. 74 85. 20 82. 14 83. 30	3. 24 2. 32 2. 36 2. 71 2. 62
1916. Other States: 1920. 1919 4 1918 5 1917 1918 United States: 1920. 1918. 1917 1916. 1916. 1914.	99 89 89 91 74 67 60 71	78 81 74 80 92 85 85	1,109,600 726,451 760,950 765,207 820,657 874,220 722,054 733,401	882,000 692,455 594,010 664,797 665,308 611,301 483,400 580,006	8.50 9.39 8.46 8.90 10.10 10.9 8.76	8, 545, 000 5, 887, 557 5, 577, 506 5, 625, 545 5, 919, 673 6, 150, 293 5, 288, 500 5, 659, 462	16. 06 14. 48 16. 18 16. 28 16. 30 16. 49 16. 38 15. 78	\$2, 84 84, 70 83, 89 84, 74 84, 38 83, 89 83, 22	12. 99 12. 34 13. 64 13. 60 13. 86 14. 21 13. 65 12. 96	80. 88 85. 22 84. 30 83. 54 85. 03 86. 17 83. 33 82. 13	3.07 2.14 2.54 2.68 2.44 2.28 2.73 2.82

<sup>&</sup>lt;sup>1</sup> Acreage and production of beets are credited, as in former reports, to the State in which the beets were made into sugar.

<sup>2</sup> Based upon weight of beets.

<sup>3</sup> Percentage of sucrose (pure sugar) in the total soluble solids of the beets.

<sup>5</sup> Percentage of sucrose (based upon weight of beets) remaining in molasses and pulp. <sup>6</sup> Includes 2 factories in Washington, 3 in Wyo-ming, and 1 each in Illinois, Indiana, Iowa, Kansas, Minnesois, and Montana.

A Percentage of sucrose actually extracted by fac-

tories.

TABLE 205.—Cane-sugar production of Louisiana, 1911-1920.

[Figures for 1920 are from returns made before the end of the season, and are subject to revision.]

Year of	Factories	Sugar	Average sugar	Car	ne used for s	sugar.	Molasses made.1		
cane harvest.	in opera- tion.	made.	made, per ton of cane.	Area.	Average per acre.	Production.	Total.	Per ton of sugar.	
1911	Number. 188 126 153 149 136 150 140 134 121	Short tons. 352, S74 153, 573 292, 698 242, 700 137, 500 303, 900 243, 600 250, 900 121, 000 186, 000	Pounds. 120 142 139 152 135 149 128 129 127	Acres. 310, 000 197, 000 248, 000 213, 000 188, 000 221, 000 231, 200 179, 900 196, 000	Short tons. 19 11 17 15 11 18 15.6 18 10.5	Short tons. 5, \$87, 292 2, 162, 574 4, 214, 000 3, 199, 000 2, 018, 000 4, 072, 000 3, 813, 000 4, 170, 000 1, \$83, 000 2, 935, 000	Gallons. 35,062,525 14,302,169 24,046,320 17,177,430 12,743,000 26,154,000 25,049,000 12,991,000 15,624,000	Gallons. 99 93 82 71 93 56 126 100 107	

<sup>&</sup>lt;sup>1</sup> Figures for molasses, 1911-1914, are as reported by the Louisiana Sugar Planters' Association; figures for later years as reported by Bureau of Crop Estimates, U. S. Department of Agriculture.

TABLE 206.—Area of sugar cane and production of cane sirup in the United States, 1919 and 1920.

#### [Not including sorghum.]

State.	Total ca	ne area.	Area har for si		Sirup n	nade.
	1920	1919	1920	1919	1920	1919
South Carolina	Acres. 9,300 72,000 28,000 73,000 35,000 299,000 16,400 2,900	Acres. 7,700 67,600 21,000 62,500 31,400 275,000 12,600 3,200	A cres. 8, 900 60, 000 24, 000 60, 000 29, 000 23, 000 7, 100 2, 500	Acres. 7,400 56,000 17,000 51,000 26,700 20,800 7,800 2,200	Gallons. 979,000 9,697,000 6,110,000 10,298,000 7,497,000 6,274,000 2,215,000 437,000	Gallons. 1, 369, 000 10, 640, 000 4, 590, 000 8, 490, 000 6, 675, 000 2, 421, 000 336, 000
Total	535,600	481,000	214, 500	188,900	43, 507, 000	38, 183, 00

Table 207.—Total and per capita sugar supply of the United States, 1901-1920.

[The "supply" shown below consists of domestic production, plus imports, minus exports, and is quoted from the Statistical Abstract of the United States for 1913, pp. 560-561, for all years except 1919. Figures for 1919 are based upon the Bureau of Crop Estimates reports on production and the Bureau of Foreign and Domestic Commerce reports on exports and imports. The average per capita supply is computed from the Cansus estimates of population for June 1, each year. No allowance has been made for sugar carried over from one fiscal year to the next.]

77 31 Y 90	Supply ("consumption") of sugar.  Total. Per capita.		77 3im n Town 00	Supply (" tion") o	consump- f sugar.
Year ending June 30—			Year ending June 30—	Total.	Per capita.
1901 1902 1903 1904 1905 A.ve., 1901–1905.	Millions of pounds. 5, 585 5, 019 6, 380 5, 662 6, 026	Pounds. 71. 96 63. 35 78. 92 68. 66 71. 66	1911 1912 1913 1914 1915 Ave., 1911–1915	Millions of pounds. 7, 236 7, 862 8, 324 8, 794 8, 627	Pounds. 77, 34 82, 78 85, 43 89, 91 86, 94
1906. 1907. 1908. 1909. 1910. A.ve., 1906–1910.	6, 491 7, 090 6, 591 7, 283 7, 360 6, 963	75, 74 81, 19 74, 11 80, 43 79, 87	1916. 1917. 1918. 1919. 1920 1. Ave., 1916-1920.	7,960 8,468 8,090 8,727 9,727 8,594	79. 10 82, 97 78. 20 83. 72 91. 51 83. 10

# Table 208.—Cane-sugar production of Hawaii, 1913-1920.

[Figures for 1920 are subject to revision.]

	Average		· Can	e used for	sugar.	M-1-7	Average e	xtraction
Island, and year ending Sept. 30.	length of cam- paign.	Sugar made.	Area harvested.	Average yield per acre.	Production.	Total area in cane.	Per cent of cane.	Per short ton of cane.
Hawaii: 1920. 1919. 1918. 1917. 1915. 1915. 1913. Ksuai: 1920. 1918. 1917. 1916. 1914. 1914. 1918. Maui: 1920. 1919. 1918. 1917. 1918. 1919. 1919. 1919. 1919. 1919. 1919. 1919. 1919. 1919. 1919. 1919. 1919. 1919. 1919.	171 184 179 196 174 170 201 161 162 207 191 203 214 198 169 231 160 168	Short tone. 188, 062 203, 294 182, 290 182, 294 182, 290 237, 140 197, 130 197, 212 194, 388 197, 212 194, 388 119, 218	A cres. 50, 800 53, 500 52, 700 52, 700 52, 600 53, 500 53, 500 53, 500 53, 500 53, 500 52, 21, 300 22, 300 20, 500 19, 900 22, 500 19, 901 19, 901 19, 901	Short tons 1018 1018 131 132 286 336 431 40 411 45 45 50 42 48 47 57 47 55 55 55 57 55 57	Short tons. 1, 595, 000 1, 731, 000 1, 488, 000 1, 733, 759 2, 099, 000 1, 703, 000 1, 037, 000 1, 037, 000 1, 037, 000 1, 038, 000 841, 000 947, 970 941, 000 947, 900 1, 108, 000 1, 108	4.cres. 115, 400 103, 300 130, 300 100, 300 88, 787 100, 200 42, 800 47, 700 48, 700 51, 712 49, 200 50, 300 49, 300 51, 907 44, 400 51, 897 44, 400	Per cent. 11.67. 11.74. 10.87. 12.23. 11.50. 11.45. 11.70. 12.13. 13.29. 11.46. 11.71. 12.30. 11.11. 11.93. 14.35. 14.36. 12.33. 13.36. 14.36.	Pounds. 233 225 227 245 230 230 230 231 243 243 246 222 239 234 246 222 239 237 247 247 267 774
1914 1913 Oahu:	167	145,000 124,820	19,400 19,700	54 47	1,054,000 929,000	44,400	13. 76 13. 44	275 269
Oanu: 1920. 1919. 1918. 1917. 1916. 1913. 1914. 1913. Territory of Hawaii:	204 193 214 179 205	128, 831 155, 085 113, 800 145, 550 136, 690 129, 700 133, 000 124, 152	21, 500 23, 900 22, 600 22, 200 21, 489 21, 600 20, 700 20, 500	48 49 50 53 52 47 44 49	1,034,000 1,176,000 1,005,000 1,174,000 1,119,448 1,019,000 903,000 1,003,000	45, 400 45, 400 47, 100 41, 200 43, 936 46, 000	12. 46 13. 19 11. 32 12. 39 12. 21 12. 73 14. 73 12. 38	249 204 227 248 244 255 296 248
1920 1919 1918 1917 1917 1918 1918 1914 1914	175 178 184 190 180 195	555, 727 000, 312 576, 700 644, 663 592, 763 646, 000 612, 000 546, 524	114, 100 119, 700 119, 800 123, 900 115, 419 113, 200 112, 700 114, 600	39 40 41 42 42 46 43 39	4,473,000 4,744,000 4,855,000 5,220,000 4,859,424 5,185,000 4,900,000 4,476,000	247, 900 239, 900 276, 800 245, 100 246, 332 239, 800	12. 42 12. 65 11. 88 12. 35 12. 20 12. 46 12. 49 12. 21	248 253 238 247 244 249 250 244

Table 209.—Sugar: Wholesale price per pound, on New York market, 1913-1920.

[Compiled from commercial papers.]

							Re	efined.				
Date.	Raw, e	entrifug larizatio	gal, 96°	(	Cut loaf.		Granu	lated, f	ine or	Soft sugar No. 1.		
	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	Aver- age.	Low.	High.	Aver- age.
1913. January-June July-December	Cts. 3.25 3.12	Cts. 3.73 3.80	Cts.	Cts. 5. 05 5. 05	Cts. 5. 70 5. 60	Cts.	Cts. 4.25 4.13	Cts. 4.95 4.85		Cts. 4.00 4.05	Cts. 4.65 4.55	Cts.
1914. January-June July-December		3.48 6.52			.5. 25 8. 40		8. 85 3. 85	4. 85 7. 55		3.60 4.10	4.10 7.30	
1915. January-June July-December	3.95 3.50	5.02 5.20		5. S5 5. S0	7.00 7.05		4.95 4.90	6.15 6.20	•••••	4.70 4.65	5.85 5.90	
1916. January–June July–December	4.33 4.89	6. 52 6. 65		6.65 7.40	8.80 8.80		5.75 6.25	7. 70 7. 70		5. 50 6. 10	7.50 7.50	! 
1917. January-June July-December		6. 52 7. 77		7.90 9.00	9.00 9.90		6.75 7.50	7.55 8.45		6.60 7.35	7.35 8.25	
1918. January-June July-December	6.00 6.00	6.00 7.28	6.05 6.81	8.95 9.00	9.63 10.50	8, 97 9, 95	7.45 7.50	8.20 9.05	7.50 8.41	7.30 7.35	8.00 S. S5	7.32 8.30
1919. January–June July–December	7.28 7.28	7.28 13.04	7.28 7.61	10.50 10.50	10.50 10.50	10.50 10.50	9.00 9.00	9. 05 9. 05	9. 02 9. 02	8. 85 8. 85	8. 85 8. 85	8. 85 8. 85
1920. January February March April May June	9.50 9.50 12.50	15.00 13.04 13.01 20.06 23.57 20.56	13.27 12.98 11.66 17.56 21.05 19.62				14.00	16.00 16.00 16.00 23.00 26.50 26.50	15. 53 15. 47 14. 52 16. 94 21. 39 22. 87			
January-June.	9.50	23.57	16.02				14.00	26. 50	17.79			
July August September October November December	11.00 10.03 8.52 5.76	18.56 16.29 12.04 9.00 8.26 5.76	17.72 14.22 10.88 8.45 6.76 5.24				21.00 17.00 13.50 11.00 8.75 7.90	24.00 22.00 17.10 14.00 12.00 9.00	22.44 20.02 15.18 12.24 10.16 8.44			
July-December	4.63	18. 56	10.54				7.90	24.00	14.75			

Table 210.—Sugar: International trade, calendar years 1909-1919.1

[The following kinds and grades have been included under the head of sugar: Brown, white candied, caramel, chancaca (Peru), crystal cube, maple, muscovado, panels. The following have been excluded: "Candy" (meaning confectionery), confectionery, glucose, grape sugar, jaggery, molasses, and strups. See "General note," Table 112.]

#### EXPORTS.

Country.	Average, 1909–1913.	1914	1915	1916	1917	1918	1919
From-	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
Argentina Austria-Hungary	144 1,697,659	142, 616	118, 658	891	70	21	3,203
Bardados	51,657	66,006	67,052	124, 255	116, 446		50, 222
Belgium Brazil British Guiana	308, 952 76, 568 212, 393	70, 239 239, 989	130, 447 263, 958	120, 014 228, 140	304, 585	254, 926	153, 063
British India China	53, 222 29, 867	43, 207 19, 040	34, 474	53, 383 25, 555	255, 403 36, 350 30, 871	211, 396 71, 221 26, 905 7, 293, 915	52, 864
Cuba Dominican Republic	4,019,798 184,703	5,574,683 223,610	32, 950 5, 731, 998 226, 634	6, 564, 544 270, 378	6, 441, 717	7,293,915 264,624	357, 885
Dutch East Indies	2, 825, 111 16, 171	2, 912, 633 29, 398	2, 658, 470 58, 939	3, 191, 221 63, 533	289, 929 2, 610, 928 57, 296	3,395,304 37,659	27,974
Egypt Fiji France	157, 633 413, 795	206, 331 244, 424	191, 661 223, 520	269, 983 209, 142	218, 030 190, 458	141, 142 136, 672	173, 835
Germany Guadeloupe	1, 746, 322 75, 270	87,340	75, 230	75, 184	68, 056	58, 651	
Martinique	85, 110 452, 510	85, 979 638, 200	85, 814 497, 332	75, 934 508, 581	46, 034 421, 023	45, 661 403, 931	
Netherlands Peru	400, 980 293, 472	333, 000 389, 489	327, 486 485, 580	101, 819 526, 920	69, 427 467, 464	51, 027 436, 485	86,240 599,920
Philippine Islands Reunion.	358, 865 83, 316	521, 383 72, 941	465, 199 77, 710	744, 030 92, 928	453, 946 74, 114	602, 425 83, 246	
Russia Trinidad and Tobago	587, 028 87, 510	281, 218 107, 953	206, 415 132, 710	117, 078 129, 377	140, 382	78, 633	
United Kingdom United States	65, 207 79, 368	33, 975 390, 409	11, 292 963, 575	10, 296 1, 576, 652	2,470 1,010,796	1, 804 402, 296	2,820 1,475,408
Other countries	581, 510	690,943	460,572	572,968	857,361	580,401	
Total	14, 944, 141	13,405,006	13,527.676	15,652,806	14,163,156	14,583,346	

#### IMPORTS.

Into							
Argentina.	103, 380	14,068	79	66, 930	353, 127	73, 371	181,150
Australia	152, 465	29, 428	260, 127	181, 847	35, 408	117, 770	
British India	1, 431, 980	1, 211, 769	1.091.344	992, 855	928, 759	1, 190, 562	941,930
British South Africa	61, 282	50, 098	17, 592	7, 750	28, 337	45, 091	6, 226
Canada	595, 785	691, 166	599, 701	700, 600	794, 118	45, 091 657, 926	1,059,898
Chue	169, 931	185, 425	156, 612	167, 748	199, 106	195,774	
China	607 049	835, 467	636, 877	689, 472	199, 106 826, 277	1, 165, 173	
Denmark	43, 627	49, 794 27, 964 97, 524 383, 243	24, 087 45, 226	15, 354	3, 577		
Egypt Finland	86,041	27, 964	45, 226	16, 477 110, 510	24,076	40,704	27,574
Finland	100, 153	97,524	101 774	110, 510			
France	372, 395	383, 243	1, 188, 078 6, 776 276, 999	1, 254, 416	1, 191, 105	375, 505	1, 254, 263
Italy	18, 499	10,774	6,776	166, 849	123, 964	81,638	175, 224
Japan	353, 885	441, 451	276, 999	213, 485	175, 482	496, 720	
Netherlands	165, 443	226, 266	37, 281	17, 397	1, 480 148, 332	25	105,134
New Zealand		108, 975	141,692	135, 115	148, 332	111,367	
Norway	104, 651 218, 703	130, 787 194, 564	129, 930	136, 824	124, 531	75,635	
Persia	218, 703	194, 564					
Portugal	79, 262	83, 927	71, 843	65, 034	73,515		
Singapore	163, 220 236, 403	153, 361		*********	:		
Switzerland	236, 403	296, 645	267,724	243, 296	235, 560	160, 649	231,322
United Kingdom	3, 707, 211 4, 245, 034	3,668,812	3,574,781	2,985,034	2,413,410	2, 016, 755 5, 170, 976	3, 433, 783
United States 2	4, 245, 034	5, 417, 995	5, 286, 218	5,532,322	4,944,089	5, 170, 976	7,023,620
Other countries	1,027,604	493,098	387,945	388,871	412,653	297,280	
m-4-3	11.000 101	14 000 001	14 000 000	14 000 100	10 000 004	10 070 000	
Total	14, 250, 121	14,802,601	14,302,686	14,088,188	13,030,904	12,2/3,029	
•	<b>{</b>	Į.	t	i .	}	1	1

Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914–1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
 Not including receipts from Hawaii, amounting to an average for 5 years 1909–1918 of 1,089,859,793, in 1916 to 1,180,018,550, and in 1917 to 1,253,562,475 pounds, and from Porto Rico, to an average for the 5 years 1909–1918 of 642,628,576, in 1916 to 907,373,407, and in 1917 to 942,439,175 pounds.

Table 211.—Sugar production of undermentioned countries, campaigns of 1909-10 to 1919-20.

BEET SUGAR (RAW).

			,				_
Country.	Average, 1909-10 to 1913-14.	1914–15	1915–16	1916–17	1917-18	1918–19	1919-20
NORTH AMERICA.							
United States	Short tons.	Short tons.	Short tons.	Short tons.	Short tons.	Short tons. 760, 950 25, 046	Short tons.
Canada	609,620 11,457	722,054 15,657	874, 220 19, 758	820,657 8,612	11 688	25 046	726, 451 18, 920
		10,001				20,010	10,020
Total	621,077	737,711	893,978	829, 269	776, 895	785, 996	745,371
EUROPE.							
Austria.  Belgium. Bulgaria. Czecho-Slovakia. Denmark. Finland. France.	43, 194			'			5.657
Belgium	43, 194 276, 075	214, 557	119, 926	140, 473	135, 809	77,954	5,657 151,515
Bulgaria	7,688	24,097	12,777	9 915	11, 543	3,748	13,074
Denmark	7,688 1,017,237 127,602	24,097 1,004,163 167,803	119, 926 12, 777 812, 052 143, 475	804, 679 123, 623	11,543 584,219 148,700	3,748 699,960 155,755	524,559
Finland	121,002				140,700		176,368 203
Finland France Germany Hungary Italy Jugo Slavia Netherlands Poland Rumania Rumania Russia. Spein Syeden	759, 426	333, 964 2, 720, 635 461, 781 165, 583	149, 802	204, 405 1, 721, 250	225, 752	121,374 1,483,809 44,927	170,426
Germany	2, 296, 131	2,720,635	1,678,402	1,721,250	1,726,483	1,483,809	808 304
Hungary	2,250,131 467,742 208,675 20,948 246,341	165 502	165,781	159,690	102, 100	119,524	8,953
Jugo-Slavia	20,948	100,000	100,101	100,000	102, 100	119, 024	185,001
Netherlands	246, 341	316, 346	263, 826	286, 102	214, 891	181,986	252, 169
Poland	279, 374						496,035
Rumania	59,934	1 507 445	1 692 609	1 456 600	1 122 004	917 709	1,213 85,537
Spain	1, 726, 231 115, 727 153, 581	112 231	117, 334	1,456,800 139,260 140,000	1, 133, 804 154, 317 140, 000	317,793 136,088 140,536	220,460
		169, 880	140, 380	140,000	140,000	140,536	220, 460 159, 867
Switzerland	4,390	1,897,445 112,231 169,880 3,208	1,823,602 117,334 140,380 2,646	1,984	9, 921	12,665	9,730
Total	7, 819, 296	7, 591, 593		5 188 211	4, 587, 539	2 604 114	3, 271,031
10641	1, 310, 200	1,091,090	0, 400, 000	3, 133, 211	4,051,000	3,004,114	3, 211,031
OCEANIA.			!			1	
Australia	719	1,324	627	2,182	1,904		
	<del></del>			<del></del>			
Total beet sugar	8, 441, 092	8,330,628	6,324,608	6, 019, 662	5, 366, 338	4, 390, 110	4,016,402
NORTH AMERICA.		I			!		
United States:	201 -				210 500	000 000	101 000
Louisiana Texas	901,173	242,700	137,500	7,000	243,600	280,900	121,000
Hawaii	301, 173 9, 664 567, 495 363, 474	242, 700 3, 920 646, 000 346, 490	1,120 592,763 483,590	303, 900 7, 000 644, 663 503, 081	2,240 576,700 453,796	3,500 600,312 406,003	1, 125 556, 343 485, 884
Porto Rico	363, 474	346, 490	483, 590	503,081	453,796	406,003	485, 884
Virgin Islands, United	1	I.	į.		1	i	
States	9, 212	4,488	16,503			10,080	13,888
British Honduras	575	840	784				
Costa Rica	2 922	2,926	5,740	6,538 <b>33</b> ,069		4,225	
Guatemala Honduras Nicaragua Salvador	8,284	27,558	13.009	33,069	33,069	25, 142	14,816
Nicarama	5 000	782	2,960 10,000	15,000	12 000	12 000	
Salvador	5,000 13,616 163,030	13,498	18,818		12,000 20,385 38,580	12,000 30,515	
wexico	163,030		18,818 71,650	55, 115	38,580	78,400	103,040
West Indies: British—	1				1		
Antigua	12,919	17, 295	12,218	20, 769	19, 181	14,679	18,667
	12,919 27,788 23,856	17, 295 32, 932 25, 852	12,218 36,790 25,562	20,769 65,471 43,731	19, 181 58, 195 38, 291 329	14,679 84,304 48,160	18,667 56,000 52,500
Jamaica	23,856	25,852	25,562	43,731	38, 291	48, 160	52,500
Montserrat St. Christopher-	222	96	83	468	329		
Nevis	13, 252	10,080	10.244	19,040	16,854		
St. Kitts	1	10,080 6,574 4,255 141	10,244 6,868	19,040 12,982 5,011	10, 194	12,209	16,800 4,928
St. Lucia	5,436 349	4,255	0,184	5,011	10, 194 3, 516	12,209 4,100	4,928
St. Vincent Trinidad and	349	141	253	599	632	688	1,272
Tobago	51,275	62, 147	65,881	71,939	79, 140	50,687	65,426
virgin islands	478	. 36	39		1	1	
Cuba Dominican Republic	2,295,353 106,539	2,967,427 120,366	3,436,649 140,443	3,441,771 149,943	3,957,061 172,800	3,443,145 186,682	4, 183, 676
French—	100,039	120,306	140,443	148,943	172,800	i	225,920
Guadeloupe	40, 917 42, 567	39, 278 42, 908	39, 256 37, 968	35,690 23,017	30,864 22,831	29,796 11,230	84,720 24,340
Martinique 1	42,567	42,908	37,968	23,017	22,831	11,230	24, 340
Total	4, 065, 391	4, 618, 589	5, 191, 930	5, 458, 825	5, 790, 258	5, 336, 707	5, 980, 645
	_, 000, 001	-, 022, 005	-, 202, 000	3, 200, 000	-, 100, 200	-, 400, 101	3,000,000

<sup>1</sup> Exports.

Table 211.—Sugar production of undermentioned countries, campaigns of 1909-10 to 1919-20—Continued.

### CANE SUGAR-Continued.

Country.	Average, 1909–10 to 1913–14.	, 1914 <b>–</b> 15	1915–16	1916–17	1917–18	1918-19	1919-20
SOUTH AMERICA. Argentina. Brazil Colombia. Guiana:	Short tons. 193, 853 1 38, 284	Short tons. 370, 324 343, 653	Short tons. 164,572 486,114	Short tons. 92,669 413,362	Short tons. 97,085 469,580	Short tons. 139, 463 440, 479 4, 712	Short tons. 248,018 579,938 5,655
British Dutch Paraguay Peru Venezuela	106, 194 12, 571 1, 363 210, 608	133, 382 16, 256 1, 693 289, 729	128,007 9,094 2,355 304,236	121, 163 15, 829 869 279, 077	120,467 11,210 808 275,575	90, 350 8, 960 619 336, 000	107, 520 13, 440 2, 745 392, 000 243
Total	562, 873	1,155,037	1,094,378	922, 923	974,725	1,020,583	1,349,559
EUROPE. Spain	17,059	6,168	4,700	5,053	6, 297	7, 295	6,667
ASIA. British India	2,614,326 192,299 75,718 1,513,736 170,447	2,757,440 229,801 78,397 1,054,030 421,192	2, 950, 080 353, 920 99, 914 1, 796, 558 412, 274	3, 057, 600 504, 972 141, 438 2, 008, 521 425, 266	3,708,320 518,089 102,428 1,960,118 474,745	2,617,440 379,323 1,478,103 453,346	3, 361, 086 321, 814 1, 496, 055 466, 854
Total	4, 566, 526	4,540,860	5,612,746	6, 137, 797	6,763,700	4,928,212	5,645,609
Egypt Madeira Islands Mauritius Natal Portuguese East Africa Reunion	67, 128 233, 671 88, 165 27, 800 41, 658	83,486 305,734 102,000 61,600 37,258	109,088 236,463 112,000 44,800 43,320	230, 419 128, 240 61, 600 49, 604	87,620 248,531 119,000 56,000 46,462	83,663 2,786 278,187 164,080 56,000 55,115	100, 800 1, 874 267, 308 168, 000 39, 200 36, 216
Total	458, 422	590,078	545,671	581,943	557,613	639,831	613,398
OCEANIA.							
AustraliaFiji	216, 331 84, 629	275,381 106,794	179, 788 105, 578	216, 201 134, 992	354, 941 109, 014	219, 358 76, 171	170,856 67,200
Total	300,960	382, 175	285, 366	<b>351, 193</b>	463,955	295, 529	238,056
Total cane	9,971,231	11,292,907	12,734,791	13,457,734	14,556,548	12, 228, 157	13,838,934
Total beet and cane	18,412,323	19,523,535	19,059,399	19,477,196	19,922,886	16,618,267	17,850,336

Table 212.—Sugar: Total production of countries mentioned in Table 211, 1895-96 to 1918-19.

Year.		Production.			Production.			
	Cane.3	Beet.	Total.	Year.	Cane.2	Beet.	Total.	
1895-96. 1896-97. 1897-98. 1898-99. 1899-1900. 1900-1 1901-2 1902-3 1902-4 1904-5 1905-6 1906-7 1907-8	Short tons. 3, 259, 000 3, 171, 000 3, 206, 000 3, 355, 000 3, 389, 000 4, 684, 000 6, 818, 000 6, 829, 000 7, 662, 000 7, 682, 000 7, 585, 000 7, 926, 000	Short tons. 4, 832, 000 5, 457, 000 5, 457, 000 6, 262, 000 6, 795, 000 7, 743, 000 6, 435, 000 5, 525, 000 8, 990, 000 7, 587, 000 7, 380, 000	8,091,000 8,720,000 8,720,000 9,681,000 10,879,000 14,561,000 13,245,000 13,187,000 15,641,000 15,932,000 15,832,000	1908-9 1909-10 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16 1916-17 1917-18 1918-19 1919-20	Short tons. 8,654,000 9,423,000 10,275,000 10,908,000 11,270,200 11,282,907 12,734,791 13,457,734 14,556,548 12,228,157 13,838,934	Short lons. 7, 350, 000 6, 991, 000 9, 042, 000 7, 072, 000 9, 509, 769 9, 433, 783 8, 380, 628 6, 224, 608 6, 1019, 662 5, 366, 338 4, 390, 110 4, 016, 402	Short tons. 16, 004, 000 16, 414, 000 18, 582, 000 17, 347, 000 20, 518, 000 20, 703, 983 19, 522, 585 19, 059, 399 19, 477, 396 19, 922, 886 16, 618, 267 17, 850, 336	

<sup>&</sup>lt;sup>1</sup>Exports.
<sup>2</sup> Prior to 1901–2 these figures include exports instead of production for British India.

TABLE 213.—Beet and beet-sugar production of undermentioned countries.

Country and year.			Beets used for sugar.			Average extraction of sugar.	
	Factories in opera- tion.	Sugar made, raw.	Area harvested.	Average yield per acre.	Quantity worked.	Per cent- age of weight of beets used.	Per short ton of beets used.
Austria-Hungary: 1910-11 1911-12 1912-13	Number. 214 210 218	Short tons. 1,549,102 1,180,605 2,093,439	Acres. 918, 201 968, 771 1, 088, 088	Short tons. 11. 95 8. 18 13. 00	Short tons. 11,038,503 8,623,578 13,911,305	Per cent. 17.5 16.6 14.8	Pounds. 281 274 301
Belgium: 1910-11. 1911-12. 1912-13. 1913-14. Denmark:	92 89 88 84	299, 035 258, 780 309, 308 249, 395	Area culti- vated. 148,858 145,119 152,913 129,527	13. 41 11. 45 12. 47 11. 85	Produced. 1,996,977 1,660,872 1,907,358 1,534,311	P. c. of wt. of beets produced. 14. 97 15. 58 16. 22 16. 25	Per ton of beets produced. 299 312 324 325
Denmark: 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16 1916-17 1917-18	8 8 9 9 9 9 9 9	143, 475	79, 986 79, 000 77, 787 76, 020	14.49	\$17,381 \$09,616 1,159,369 1,025,140 910,000 \$11,351 972,965	13. 56 15. 81 12. 80 17. 46	271 316 256 349
France: 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16 1916-17 1917-18 1918-19		Refined. 717, 033 512, 986 967, 440 790, 790 333, 953 149, 801 204, 405 220, 752	Area har- tested. 549, 969 555, 575 566, 539 534, 230 242, 781 156, 189 170, 417 163, 840 148, 020		Worked. 6, 42°, 226 4, 669, 933 7, 960, 926 6, 539, 725 2, 892, 878 1, 263, 414 1, 759, 125 1, 759, 625 1, 051, 582	P. c. of wt. of bects used. 11. \$0 11. 41 13. 15 12. 09 11. 54 11. 80 11. 60 12. 50	Per ton of beets used. 236 228 263 242 231 237
Germany:1 1910-11 1911-12 1912-13 1913-14 1914-15 1516-16 1916-17 1917-18 1913-19	354 342 342 341 333 320 316 312	Raw. 2,770,001 1,551,797 2,901,564 2,885,752 2,720,635 1,678,402 1,721,250 1,726,483 1,483,807	1, 180, 913 1, 247, 213 1, 353, 181 1, 316, 655 1, 350, 985 900, 759 989, 243 950, 275 905, 634	10.71	17, 380, 003 9, 987, 473 18, 344, 738 18, 672, 939 17, 597, 688 10, 609, 756 10, 549, 567 9, 076, 862 9, 599, 942	15. 96 15. 54 15. 82 15. 45 15. 83 16. 32 16. 97 15. 46	319 311 316 309 314 305 326 371 309
Italy: 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16 1910-17 1917-18 Netherlands:	37 37 30 36 33 33	Refined. 190, 901 174, 894 215, 628 336, 823 165, 583 165, 781 159, 690 102, 100	Area culti- vated. 124, 044 131, 260 133, 434 152, 700 100, 570	14. 92 13. 30 14. 40 19. 70	1, 698, 551 1, 621, 760 1, 879, 328 2, 994, 816 1, 422, 235 1, 582, 542 1, 375, 310 924, 361	11. 24 10. 78 11. 63 11. 25	233
Netherlands: 1910-11 1911-12 1912-13 1913-14 1914-15 1916-17 1917-18 1918-19	27 27 27 27 27 27 27 26 28 28	219, 947 265, 401 315, 775 231, 073 316, 346 263, 821 286, 102 214, 891 181, 986	138, 554 137, 388 160, 180 149, 001 156, 251 139, 641 159, 911 112, 937	12. 94 16. 06 14. 99 12. 27 14. 06 13. 52 11. 83	1, 678, 803 1, 896, 187 2, 228, 851 1, 705, 878 2, 193, 577 1, 889, 376 1, 892, 471 1, 607, 443	13. 10 14. 00 14. 17 13. 55 14. 42	280 283 271 288

<sup>&</sup>lt;sup>1</sup> The production of sugar in Germany, including refined from imported raw sugar, was 2,933,085 short tons in 1912-13 and 2,933,704 in 1913-14.

# SUGAR-Continued:

Table 213.—Beet and beet sugar production of undermentioned countries—Continued.

			Beet	s used for s	ugar.	Average e of su	
Country and year.	Factories in opera- tion.	Sugar made, raw.	Average harvested.	Average yield per acre,	Quantity worked.	Per bentage of weight of beets used.	Per short ton of beets used.
Russia: 1910-11. 1911-12. 1912-13. 1913-14. 1914-15. 1915-16. Spain:	287 293 265 235	Raw. 2,074,410 2,036,990 1,361,842 1,680,893 1,958,975 1,697,356	Area culti- vated. 1, 631, 188 1, 923, 539 1, 847, 313 1, 756, 100 1, 941, 122 1, 748, 466	Short tons. 8.9 7.8 6.4 7.7 7.4 7.0	Worked. 14, 437, 305 14, 754, 312 11, 538, 078 13, 436, 058 13, 979, 662 12, 324, 612	P. c. of wt. of beets used. 14. 61 13. 84 11. 73 12. 51 14. 01 18. 77	Per ton of beets used. 292 277 235 250 280 275
1910-11 1911-12 1912-13 1913-14 1914-15 1915-16 1916-17 1917-18	32 33 31 (a) 27 27 27 31	68, 743 102, 859 171, 839 186, 680 112, 231 117, 334 139, 280 154, 317	(1) 90, 787 105, 213 146, 745 78, 642 99, 114 134, 212 146, 456	(1)	532, 882 872, 834 1, 302, 871 1, 478, 114 813, 790 921, 013 1, 108, 355 1, 341, 258	12. 90 11. 78 11. 33 12. 62 12. 08 10. 65 10. 92 10. 81	258 236 264 252
1910-11 1911-12 1912-13 1918-14 1914-15 1915-16	24 24 24 24	191, 713 140, 409 145, 462 151, 132 169, 880 140, 380	86, 816 71, 790 66, 944 71, 264 80, 209 79, 942	13. 56 14. 83 13. 95	1, 218, 166 908, 372 922, 083 975, 840 1, 074, 091 908, 827	15. 53 15. 27 15. 59	315 309 316
United States: 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16 1916-17 1917-18 1918-19 1919-20 1920-21 <sup>2</sup>	66 73 71 60 67 74 91 89	Refined. 510, 172 599, 500 692, 556 733, 401 722, 054 874, 220 820, 657 765, 207 760, 950 726, 451 1, 109, 600	Area harvested. 398, 029 473, 877 555, 300 580, 006 483, 400 611, 301 665, 308 664, 797 594, 010 692, 455 882, 000	10. 17 10. 68 9. 41 9. 76 10. 9 10. 1 8. 90 8. 46 9. 39 8. 50	4, 047, 292 5, 062, 333 5, 224, 37 5, 659, 462 5, 288, 500 6, 150, 298 5, 919, 673 5, 625, 546 5, 577, 566 5, 887, 557 8, 545, 000	12. 61 11. 84 13. 26 12. 96 13. 65 14. 21 13. 86 13. 60 13. 64 12. 34 12. 99	252 237 265 259 273 267 277 272 273 239

<sup>&</sup>lt;sup>1</sup> No data.

<sup>&</sup>lt;sup>2</sup> Preliminary.

# SUGAR-Continued.

Table 214.—Cane and cane-sugar production of undermentioned countries.

Country and year.	Factories in oper-	Sugar	Can	e used for sug	gar.	Average extrac- tion of sugar.
country and year.	ation.	made.	Area harvested.	Average per acre.	Quantity worked.	Per ton of cane used.
Argentina: 1910-11. 1911-12. 1912-13. 1913-14. 1944-15.	Number. (1) (1) (39 38 37	Short tons. 163, 701 198, 515 162, 313 304, 389 370, 324	Acres culti- vated. 178,060 230,866 232,830 263,650 269,833	Short tons. (1) (1) (1) (1) (1) (1)	Short tons. (1) (1) 2,338,594 3,451,321 4,027,067	Pounds. (1) (1) (1) 139 176 184
Australia: 1910-11 1911-12 1912-13 1913-14 1914-15 1915-16	58 53 50 51	144,776 296,832 275,381	Harvested. 100,237 101,010 84,279 109,001 114,025 100,489	22.36 18.65 15.09 23.34 20.66 14.60	Produced. 2,240,849 1,884,129 1,271,358 2,544,145 2,356,748 1,467,496	226 223 228 202 203 208
Cuba: 1910-11 1911-12 1912-13 1913-14 1914-15 1918-16 1918-17	171 172 171 170 177	1,670,151 2,142,420 2,737,264 2,891,281 2,967,427 3,398,385 3,421,897	Cultivated. (2) (2) 1,340,139 1,334,070	(2)	14,736,981 20,679,593 25,137,684 25,614,949	227 207 218 226
Hawaii: 1911-12 1912-13 1913-14 1914-15 1918-16 1918-17 1917-18 1918-19 1919-20	!	593,038 546,524 612,000 646,000 592,763 644,603 576,700 600,312 555,727	Harvested. 113,000 114,600 112,700 113,200 115,419 123,900 119,800 119,700 114,100	42.0	4,774,000 4,476,000 5,994,000 5,185,000 4,859,424 5,220,000 4,555,090 4,744,000 4,473,000	249 244 240 249 244 247 238 253 248
Japan: 1910-11 1911-12 1912-13 1913-14	13 14	72,454 75,797 68,867	Cultivated. 49,166 52,153 51,293 53,300	18.49 18.16 17.15 17.91	892,662 941,550 879,624 954;758	162 161 157 152
Java (factory plantations): 1910–11. 1911–12. 1912–13.	189 193 191	1,424,657	Harvested. 321, 720 336, 021 340, 739	46, 43 40, 71 45, 11	14.936,035 13,679,962 15,370,765	212 208 199
Spain:  1910-11.  1911-12.  1912-13.  1913-14.  1914-15.  1915-16.  1916-17.	27 23 21 21 22 (4) 16	17,831 14,585 8,131 6,168 4,700	Cultirated. 11,666 9,983 9,844 4,581 4,717 2,950 4,621	21.9 16.5	258, 138 167, 092 153, 707 79, 719 70, 410 48, 937 70, 286	173 213 190 204 (1)
United States (Louisiana): 1911-12. 1912-13. 1918-14. 1914-15. 1915-16. 1916-17. 1917-18. 1918-19. 1919-20. 1920-21.	188 126 153 149 136 150 140	292,698 242,700 137,500 303,900	231, 200	11.0 17.0 15.0 11.0	5,887,292 2,162,574 4,214,000 3,199,000 2,018,000 4,072,000 3,813,000 4,170,000 1,765,000 2,935,000	120 142 139 152 135 149 128 135 131

<sup>&</sup>lt;sup>1</sup> No data.

### SUGAR-Continued.

Table 215.—Sugar beets: Area and production in undermentioned countries, 1909-1919.

		Arc	ea.			Produ	etion.	
Country.	Aver- age 1 1909- 1913	1917	1918	1919	Average <sup>1</sup> 1909–1913.	1917	1918	1919
NORTH AMTRICA. United States	1,000 acres. 568 18	1,000 acres. 665 14	1,000 acres. 594 18	1,000 acres. 692 24	1,000 short tons. 5,555 174	1,000 short tons. 5,980 118	1,000 short tons. 5,949 180	1,000 short tons. 6, 421 240
Total	586	679	612	726	5,729	6,098	6, 129	6,661
EUROPE.								
Austria 2. Hungary proper 2. Croatia-Siavonia 2. Bosnia-Herzegovina 2. Belgium Bulgaria 2. Czecho-Slovakia Denmark England Friand Friance 2. Alsace-Lorraine. Germany 2. Italy	642 432 10 3 142 8 80 4 623	30 76 (4) \$ 180 1 6 992 116	33 94 (4) 6 163 1 6 993 106	112 3 431 102 (4) 1 6 165 6, 7 646 106	8,202 5,275 73 12 1,720 81 1,025 7,254	973 5 2, 169 16 4 11, 009	1,041 1,041 1,041 11,059 11,250 1,250	66,413
Netherlands	143 154 34 1,578 170	71,100	95 8 18	7, 10 60	2,465 2,117 316 12,119 1,399	1,166 1,826	1,250 1,372 8 54	1,671 1,709 9 37
ban) Spain Sweden Switzerland	126 69 2	146 78 1	163 75 1	133 90 (4)	2, 130 940 21	923 986 14	742 895 14	1,169 1,031 11
Total	5, 563				63, 742			
Grand total	6,149				69,471			

Five-year average except in a few cases where five-year statistics were unavailable.
 Old boundaries.
 Moravia and Bohemia only.
 Less than 500 acres.
 Excludes invaded territory in which 115,900 acres were under sugar-beets in 1914.

Excludes Alsace-Lorraine.
7 Unofficial.
8 Includes Bessarabia but excludes Dobrudja.
9 Former Kingdom, Bessarabia and Bukowina.
10 New boundarles.

### MAPLE SUGAR AND SIRUP.

Table 216.—Maple sugar and sirup production, 1909, 1918, 1919, and 1920.

[Figures for 1999 are from the United States census; all others are based upon reports from field agents and correspondents of the Bureau of Crop Estimates.]

		_		Average	per tree.
State and year.	Trees tapped.	Sugar made.	Sirup made.	As sugar.	As sirup.
faine:	Number.	Pounds.	Gallons.	Pounds.	Gallon.
1920	320,000 304,000 290,000 252,764	35,840 63,232	59,520	1.6	0.20 .16
1919 1918	200,000	46, 400	41.496 52,200	1.6	.20
1909	252,764	15,388	43,971	1.45	.18
lew Hampshire:	i .				
1920 1919 1918 1918	930,000 870,000	334.800	167,400	1.8	.22
1018	870,000	445,440 556,800	147,900	2.0	.25
1909	792,147	556, 800 558, 811	118,320 147,900 111.500	1.83	.23
rmont:	1	0 002 000	200 000	0.0	0.5
1920. 1919.	5,665,000 5,665,000	3,965,000 4,894,560	900.000 521,180	2.0 1.6	.25 .20
1918	5,500,000	6 236,000	664,100	2.10	.26
1909	5,585,632	6,236,000 7,726,817	409,953	1.98	. 25
1909ssachusetts:		1			
1920	309,500 273,900	158,700 138,045	53,535 44,374	1.9	- 25
1018	273,900 273,900	182,600	50,800	1.8 2.15	. 23
1920 1919 1918 1909	256,501	156,952	53,091	2.27	.28
mecticut.	1	1	1		
1920	15,525	4,600	5.000	2.9	-35
1019	13,500 13,500	5,832 8,900	2.308 3,900	1.8 3.0	.38
1919 1918 1909	12,296	10,207	4,236	3.65	.46
w York:		1	i	1	1
1920	6.122.000	2.204.000	1,255,000	2.0	.25
1919 1918	6,062,000	3.161.000 3.732.000	1,401,000 1,755,000	2.37 2.85	.30
1000	6,236,000 4,948,784	3,160,300	993,242	2.24	.28
1909 ansylvania:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	į ·			}
1920	1,300,000	508,300 686,800	310,200 318,800	2.3	-29
1919	1,244,000	686,800	318,800 440,000	2.6 3.7	.33
19:80 19:19 19:18 19:09	1,220,000	993,000 1,188,049	391,242	3.33	.42
yland;	1,200,000	1,200,020		0.00	
1920	. 76,300	119,000	10,000	2.6	.30
1919	76,300	221,300 179,500	20,000 15,000	5.0 4.0	.62
1918 1909	74,800 79,658	351.908	12,172	5.64	.70
St \ irginia:	1	1	;	i	
1920. 1919.	.: 60,000	\$6,000 160,000	16,000 30,000	3.6	.45
1919. 1918.	100,000	160,000	30,000	4.0 3.5	-50 -44
1909	105.000 97,274	147,000 140,060	27,500 31,176	4.0	,50
in:		1	1	1	1
1920	2,230,000	41.600	427, 400 752, 310	1.6	. 20
1919	2,350,000 2,660,000	110.320	752,310 1,093,900	2.6 3.5	. 35
1918. 1909.	3, 170, 828	558,600 257,592	1,323,431	3.42	.48
liana:	0,110,000	201,1002	i	i	;
1920	. 695,000	6,000	125.000	1.4	.15
1919	700.000	200,000	273.000	3.4	. 48
1918	. 700,000 742,586	238,000 33,419	267, 800 273, 728	2.99	.37
higan;		00,110	!	j	
1920	. 848,000	47, 100	190, 200	1.8	.25 .26 .35
1919 1918	874,000	57,700	233, 100 279, 900	2.2 2.8	.20
1909	930,000 986,737	364,600 293,301	269,093	2.48	.3
sconsin:	i			i	1
1920 1919	460,000	17,700	86,300	1.54	- 19
1919	442,000	24.400	98,600 107,200 124,117	1.84	.22
1918. 1909.	425,000 449,727	26,500 27,199	107,200	2.08 2.26	.26
tal 13 States:	128, 121	21,199	122,111	2.20	
1920	19,081,325	7,528,640	3,605,555	1.91	. 24
1919	18,974,700	10, 168, 629	3,854,488 4,905,200	2.16 2.72	.27
1918	19,298,200 18,672,939	13,270,900	4,905,200	2.72	.35
1909	. 15,072,939	13,920,003	4,040,952	4-48	

Note.—These 13 States produced, in 1909, 99 per cent of the maple-sugar crops of the United States and 98.4 per cent of the maple sirup.

<sup>30702°--</sup> твк 1920----44

### MAPLE SUGAR AND SIRUP-Continued.

Table 217.—Maple sugar and sirup: Farm price, 15th of month, 1914-1920.

		Su	gar (ce	nts pe	r poun	d).			Sir	up (do	llars p	er gallo	n).	
Date.	1920	1919	1918	1917	1916	1915	1914	1920	1919	1918	1917	1916	1915	1914
Feb. 15. Mar. 15. Apr. 15. May 15. June 15.	29. 3 31. 6 37. 0 36. 0 35. 1	22. 0 25. 3 26. 9 26. 3 26. 2	18.8 20.5 22.5 22.6 22.0	14.7 14.7 16.3 16.2 15.9	12.6 13.4 13.9 13.6 13.7	11.6 12.5 12.9 12.3 12.4	12. 4 12. 5 12. 3 12. 2	2, 35 2, 58 2, 92 2, 93 2, 84	1. 86 1. 99 2. 03 2. 02 2, 19	1. 58 1. 76 1. 80 1. 85 1. 85	1. 22 1. 30 1. 33 1. 34 1. 33	1. 08 1. 11 1. 17 1. 15 1. 16	1.06 1.10 1.10 1.07 1.12	1. 10 1. 10 1. 10 1. 12

### SORGHUM FOR SIRUP.

Table 218.—Sorghum for sirup: Acreage, production, and value, by States, 1920, and totals 1917-1919.

State and year.	Acreage.	Average yield per acre.	Production of sirup.	Average farm price per gallon Dec. 1.	Farm value Dec. 1.
Virginia. West Virginia North Carolina South Carolina Georgia.	37,000	Gallons. 100 100 100 100 94	Gallons. 1,100,000 500,000 3,700,000 1,500,000 1,410,000	Cents. 105 135 100 100 104	Dollars. 1, 155, 000 675, 000 3, 700, 000 1, 500, 000 1, 466, 000
Florida. Ohio Indiana Illinois. Wisconsin	5,900 15,000 8,900 4,000	140 91 82 75 75	84,000 537,000 1,230,000 668,000 300,000	100 152 140 145 180	84,000 816,000 1,722,000 969,000 540,000
Minnesota. Iowa. Missouri. Nebraska. Kansas.	3,000 5,100 49,000 2,000 5,000	100 96 83 95 86	300,000 490,000 4,067,000 190,000 430,000	150 143 125 135 125	450, 000 701, 000 5, 084, 000 256, 000 538, 000
Kentucky Tennessee Alabama Mississippi Louisiana	20,000 90,000 72,000	95 90 99 90 110	4, 845, 000 1, 800, 000 8, 910, 000 6, 480, 000 66, 000	107 101 90 90 100	5, 184, 000 1, 818, 000 8, 019, 000 5, 832, 000 66, 000
Texas. Okiahoma Arkansas. Utah	7, 400 42, 000 500	94 94 90 100	743,000 698,000 3,780,000 50,000	105 108 105 125	780,000 752,000 3,969,000 62,000
Total	472, 900	92, 8	43, 876, 000	105. 2	46, 138, 000
1919	429, 500 374, 800 415, 200	82. 4 79. 1 90. 3	35, 409, 000 29, 643, 000 37, 472, 000	110. 3 96. 3 69. 5	39, 054, 000 28, 532, 000 26, 055, 000

#### TEA.

Table 219.—Tea: International trade, calendar years 1909-1919.1

["Tea" includes tea leaves only and excludes dust, sweepings, and yerba maté. See "General note," Table 112.]

### EXPORTS.

Country.	Average, 1909–1913.	1914	1915	1916	1917	1918	1919
From—  British India. Ceylon	197, 997 46, 675	1,000 pounds. 292,607 193,584 197,785 66,425 22,936 35,077 2,717 7,760	1,000 pounds. 319,864 215,633 233,474 100,402 22,816 41,441	1,000 pounds. 299, 811 203, 256 204, 672 96, 929 21, 455 46, 273	1,000 pounds. 299, 180 195, 232 149, 342 76, 710 14, 812 61, 765	1,000 pounds. 378,075 180,813 53,479 66,047 24,848 46,825	1,000 pounds. 375,390
Total	770,604	881,891	5,173 988,808	873,257	797,255	750, 188	

·						,	
Ințo-							
Argentina	3,890 35,442	3,103 41,622	3,012	3,349 40,764	2,381 37,390	4,037 45,615	3,983
Australia	35,442	41,622	3,012 44,295	40,764	37,390	45,615	
Austria-Hungary	3, 424 8, 002 5, 462 37, 927 3, 505 18, 890			!			
British India	8,002	8,816	12,101	10,700	13,247	17,199	15,014
British South Africa	5,462	6,246	6,867	6,597	8,930	10,510	7,584
Canada	37,927	6,246 39,035 2,787 22,778	6,867 42,855 3,017 24,337 7,577	6,597 36,678 4,439 30,944 7,921	52,145 3,659 25,259 7,976	29,964	15,014 7,584 27,026
Chile	3,505	2,787	3,017	4,439	3,659	3,538 6,338 7,528 3,203	
China	18,890	22,778	24,337	30,944	25, 259	6,338	
Dutch East Indies	6,742	9,110	7,577	7,921	7,976	7,528	
France	6,742 2,806 3,295 8,964 11,383 7,542	9,110 4,366 2,634	6,260	5,834	5, 196	3,203	4,626
French Indo-China	3,295	2,634	2,148				
Germany	8,964						
Netherlands	11,383	14,244	15,678	18,075	10,417	1,412	63,710
New Zealand	7,542	9,952 6,302 172,558	9,150	7,982	9,478	9,692	
Persia	9,446 157,704	6,302					
Russia	157,704	172,558	184,708	172,843			
Singapore	6,009	6, 290					
United Kingdom	293,045	317,664	317, 429	302,033	277, 436	310,687	388, 466
United States	98, 897	97,810	106,106	104,767	126, 795	134,418	80, 963
Other countries	34, 294	23,578	21,643	19,855	19, 155	17,547	
Total	756,669	788.895	807, 183	772,781	599, 464	601,688	
+ VVG1	,000		,100	, 101	000, 101	002,000	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914–1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

### TEA-Continued.

Table 220.—Tea: Wholesale price per pound, on New York market, 1913-1930.

### [Compiled from commercial papers.]

	Foot	chow, o fine	fair	Fori to	nosa, choic	fine e.	Jap	an, p fired.	an-	Ind:	ia, ora pekoe	nge		on, or oekoe	
Date.	Low.	High.	А vегаде.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Атегаде.	Low.	High.	Average.
1913. January–June. July–December	Cts. 12 12	Cts. 22 22	Cts.	Cts. 24 24	Cts. 39 39	Cts.	Cts. 131 132	Cts. 35 28	Cts.	Cts. 181 181	Cts. 24 21	Cts.	Cts. 18½ 18½	Cts. 24 24	Cts.
1914. January-June July-December	12 12½	22 22		24 23	39 39		12½ 12½	30 38		18 <u>}</u> 18 <u>}</u>	21 27		18 <u>1</u> 18 <u>1</u>	24 26	
1915. January–June July–December	15 17	22 22		23 23	39 39		18 18	35 40	:::::	24	32	<b>-</b>	21 24	30 31	
January-June July-December	17 <u>1</u> 17 <u>1</u>	21 21		23 23	39 39		16 16	35½ 35		24 28	30 <b>3</b> 0		24 28	30 30	
1917. January-June July-December	17½ 22½	26 27		23 40	60 60		16 21	40 40		28 39	47 45		28 40	53 50	
1918. January–June July–December	26½ 26½	27 30}	.26.8 29.8	35 35	60 60		24 25	40 45	32.1 35.6	35 35	50 50		36 36	50 45	
1919. January–June July–December	29 29	30½ 30½	29.8 29.8	33 23	62 62			50 60	34.6 40.7	30 30	50 45		30 38	45 50	37.4 46.4
1920. January. February. March. April May June.				36 36 36 36 36 36	62 62 62 62	49.0 49.0 49.0 49.0	25 25 25 25 25	60 60 60 65 65	42.5 42.5 42.5 42.5 42.5 42.5 39.0 45.0	40 38 38 38 32	45 45 45 45 45 35	42.5 41.6 41.5 34.5	44 44 44 35	50 45 45 45 55 55	44.5 44.5 44.5 44.9
January-June				36	62	49.0	25	65	42.3	32	45	39.4	30	55	44.7
JulyAugustSeptemberOctoberNovemberDecember.				36 28 28 28 28 28		47.3 44.0 39.8 36.0	21 21 21 20	65 65 65 65 65 65	45.0 44.3 43.0 43.4 40.2 41.8	25 25 20 16	35 35 26 35 45 45	30.8 25.5 24.1 22.7	20 20 20 16	55 55 40 40 45 45	30.0 25.8 21.7
July-December.		- · • · ·		28	62	42.2	18	65	43.0	16	45	27.8	18	55	31.7

### COFFEE.

Table 221.—Coffee: International trade, calendar years 1909-1919.1

[The item of coffee comprises unhulled and hulled, ground or otherwise prepared, but imitation or "surrogate" coffee and chicory are excluded. See "General note," Table 112.]

### EXPORTS.

Country.	Average 1909–1913.	1914	1915	1916	1917	1918	1919
From— Belgium	1,000 pounds. 33,627	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds. 14,979
Brazil British India Colombia Costa Rica Dutch East Indies	1,672,282 27,780 104,398 27,515 54,149	1, 490, 715 39, 973 136, 500 39, 059 67, 076	2, 256, 844 22, 441 149, 423 26, 918 106, 410	1,724,867 17,868 160,174 37,137 68,908	1,402,968 27,682 138,518 27,048 36,870	983, 253 14, 868 151, 935 25, 265 16, 094	1,714,765 36,792 30,784
Guatemala. Haiti Jamaica Mexico. Netherlands	85, 951 61, 943 8, 263 48, 991 189, 288	84, 298 8, 932 244, 270	80, 655 7, 126 371, 777	7,387		1	28,234
Nicaragua Salvador Singapore United States <sup>2</sup>	19, 033 62, 830 4, 700 44, 251	22, 817 76, 425 3, 256 48, 179	20, 134 67, 162 47, 327	23, 044 78, 829 38, 279		44,727	34, 352
Venezuela. Other countries	111, 326 52, 020 2, 608, 347	121, 350 67, 553 2, 450, 403	137, 967 59, 388 3,353, 571	112,024 50,859 2,467,146	97, 236	88, 155 13, 846 1,338,144	

Into-	: 						! !
ArgentinaAustria-Hungary	28, 125 128, 304	30, 925	36, 142	32, 836	37, 438	48, 572	37,541
Belgium	111, 738						86, 805
British South Africa	26, 703 24, 906	25, 143	31, 592	29,790	30, 126	47, 887 26, 050	17, 743
Cuba	24,906	17, 672 31, 991	21, 215	19, 427 38, 765	27, 642	26, 050	
Denmark	33, 102	31, 991	35, 547	38, 765	41,874	7,618	
Egypt	15, 654	13, 116	18, 701	16, 640 15, 388	15, 843	15, 698	16,039
Finland France	28, 624 245, 752	22, 438 256, 658	28, 820 305, 409	337, 215	360, 873	299, 052	457, 450
Germany	399, 965	200,000	000, 400	001,220	000,012	200,002	201, 200
Italy	58, 278	62,176	88, 119	107,948	98, 830	113, 848	80, 405
Netherlands	283, 633	62, 176 275, 466	441, 402	196, 027	33, 927	7, 973	120,606
Norway	29, 309	26, 231 18, 309	53, 219	53, 211	32, 973	18, 028	
Russia	26, 073 6, 000 29, 317	18, 309	21,012	9, 801			
Singapore	6,000	5, 051 30, 280	******	********	*********	**********	70.001
Spain Sweden	29, 317	30, 280	35, 219	36,210 84,568	10 000	36, 097 24, 719	42, 391 86, 037
Switzerland	74, 486 25, 029 28, 581 907, 899	64, 724 28, 864 28, 846	88, 698 29, 092	43, 883	40, 229 18, 893 21, 193	22, 534	22,534
United Kingdom	28, 581	28, 846	1 32, 723	29, 020	45, 299	47, 934	35, 333
United States	907, 899	1,011,072	1, 228, 762	1, 166, 888	1,286,524	47, 934 1, 052, 202	1,333,564
Other countries	103, 376	84,759	91,549	84,692	96,676	61,145	
Total	2, 614, 854	2,028,721	2,587,220	2,302,310	2,188,339	1,829,351	
		,,	, ,		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,	1

¹ Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
² Chiefly from Porto Rico.

COFFEE-Continued.

Table 222.—Coffee: Wholesale price per pound on the New York and New Orleans markets, 1913–1930. [Compiled from commercial papers.]

	_								New York	ork.								-		Ž	New Orleans.	eans.		
Date.	4	Rio No. 7.	7.	Sar	Santos No.	0.7.		Mocha			Padang.		Cuent	Cucuta, washed.		Mexican, Cordova	, Corr	lova.	Bio ]	No. 7.		Santo	Santos No	7.
	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High.	Aver.	Low.	High. Aver.		Low.	High. Aver.		Low. B	High.	Aver. I	Low. H	High. A	Aver.
January-June July-December	3.22	8,4 1,4	33	25.00 25.00	835	Cg:	35 82 18 83 18 18 83 18	ខ្លួនន		25.52	នុងន	25	£12.68	173.68	S. S.	8,55	% 83.88.28.	25	3500	8,4 <u>1,</u>		<u>3</u>	25 25 25 25 25 25 25 25 25 25 25 25 25 2	Cts.
	. <u>ಇ.</u>	20.00		9,32	33		174 194	ដន		22	82		41	S181		<b>4</b> 2	164		20.00	2,01		5	HA H	11
January-June July-December	<b>6</b>	37.2		7.00	<b>6</b> 6		212	88		ដដ	និន		Ħ;	151	ī	# <u>\$</u>	15.2	-	7	20°00		20 F	***************	
January-June July-December	\$ <sup>6</sup>	10.9		2.6	<b>₩</b> 11		18	27 20 <u>1</u>		223	88		124	164		117	45.		00 -1 00 -1	### 10150	Ti	38°56	925	
January-June July-December	************	61		33	50.00		81 61	ដដ		22.22	88		101	147		<b>⊒</b> 2	147		9 C	200		కోం		
1918. January-June. July-December	∞æ	17.	10.9	101 101	27.72	9.5 13.6	2017	26½	25.6 32.1	នន	88	8 3 1 2	#g	132	12.7 15.6	01 121 121	134 234 234	12.6	<b>5</b> 6	61	10.2	102	444	10.8 12.6
January-JuneJuly-December	14.	88	17.4 18.2	<b>19</b>	äe	3.0	88	25 40 40 40 40 40 40 40 40 40 40 40 40 40	30.4 86.8	258	33.20	30.8	84	201 201 201 201	23.4	25.5	318	23.1	15.15	25.25	17.8 18.6	19 <del>1</del>	285	21.6
January February March April May	<u>2.4 2.4.</u> 0.4	250000	25.55.55 26.15.55 26.11.65	SS3335	€£ <b>≅</b> ₽₽₽	S. 93 8 8 1 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	****	<b>288888</b>	**************************************	****	38 4 4 4 4 4	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	ងដង្ហឹងផង	222222	888.2488 22022	នននឹងនន	ន្ទន្ទន្ទន្ទន	25.55.55.55 85.55.50 85.55.50	222224	1122222	16.7 15.5 15.8 15.8	######################################	ននីនីនីនីនី	844448 8440
January-June	1 =	191	15,2	174	1 2	19.0	33	363	34.3	33	355	83.8	22	28	24.4	83	283	26.0	12	17.	15.8	193	R	21.6
July August Soptember October November	28482	3.4 2.2 2.2 2.C	8.00 8.7.7.00 8.00 8.00 7.00	50.000	<u> </u>	11.2 11.2 10.8 10.8 10.0 10.0 10.0	222222	888248	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ន្ទន្ទន្ទន	<u> </u>	288882 2000 2000 2000 2000	221122 221122 221122 221122 221122 221122 221122 221122 221122 221122 221122 221122 221122 221122 221122 22112 221	195 144 135 135 135 135 135 135 135 135 135 135	42.12.12.12.12.12.12.12.12.12.12.12.12.12	648824	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	12.17.17.13.13.13.13.13.13.13.13.13.13.13.13.13.	67.82.75 67.82.75 67.82.75	415° 28.28.25	14.8.7.7.7. 14.8.7.7.7. 5.8	8 9 9 15 15 15 15 15 15 15 15 15 15 15 15 15	<u> </u>	17.2 11.6 10.2 8.7
July-December.		14	8.7	77	ar ar	11.0	92	32	25.8	20	345	26.3	fi	æ	12.1	ŧo:	22	15.3	50	151	9,1	8	18	11.9
The state of the s						-																		i

### OIL CAKE AND OIL-CAKE MEAL.

TABLE 223 .- Oil cake and oil-cake meal: International trade, calendar years 1909-1919.

[The class called here "oil cake and oil-cake meal" includes the edible cake and meal remaining after making oil, from such products as cotton seed, flaxseed, peanuts, corn, etc. See "General note," Table 112.]

### EXPORTS.

Country.	Average, 1909–1913.	191 <del>4</del>	1915	1916	1917	1918	1919
From—	1,000 pounds. 42,587	1,000 pounds. 38,367	1,000 pounds. 46,215	1,000 pounds. 39,912	1,000 pounds. 37,849	1,000 pounds. 19,258	1,000 pounds. 114,024
Austria-Hungary Belgium	124,873 155,373						76, 791
British India Canada	268,648	334, 141 30, 567	335,901 32,730	292, 904 31, 707	204, 267 18, 309	191,307 2,456	305, 134 41, 222
China Denmark	51,370 147,468 15,777	183,581 6,978	164, 212 80	113,830	149, 186 56	167,277	
EgyptFrance.	161, 624 476, 863	176, 339 396, 644	246, 183 244, 888	185, 731 248, 495	181,434 12,076	11 5,323	146,042 19,310
Germany Italy	525, 108 55, 115	120,695	12,660	32,453	22,885	11,129	34, 468
Mexico	33, 764 219, 819	110.882	32,903	8,722	1,080	(2)	13,460
Russia United Kingdom	1,453,413 161,798	948, 526 73, 295	176, 460 25, 829	160,630 3,857	188	157	11,422
United States	1,704,124 83,814	1,579,171 67,011	2,114,132 70,305	1,951,125 64,389	735, 040 56, 613	107,063 24,579	1,087,228
Total	5,681,538	4,066,197	3,502,498		1,418,985	528, 562	
	1	i .			l		1

Into-							
Austria-Hungary	53,673			 			
Belgium	543,648						39,209
Canada	7.752	15,625	22,215	14, 731	23,476	44,249	12,312
Denmark	1,002,329	960,215	1,266,845	1,034,499	339,006	753	,
Dutch East Indies.	2,509	1,560	1,221	201	1,279	1,646	
Finland	25, 333	23,698	88,810	127, 177	2,210	1,020	
France.	288, 968	160,299	8,341	3,381	6,352	33,821	15,604
Germany	1,686,416	100,200	0,042	0,001	0,002	20,021	10,002
Italy	10,550	2,471	5, 998	885	28	4,393	99
		2,411		144,847	186,382	107 110	שפ
Japan	189, 868	256, 968	197,822	199, 897		185, 118	
Netherlands	707, 116	564, 275	598, 236	461,385	181,217	213	223,859
Norway	55, 112	83, 716	71, 160	74,964	69,521	48, 432	
Sweden	346, 755	284, 538	333, 316	157, 241	73,414	14, 160	151,308
Switzerland	69, 352	38, 818	38, 226	58, 447	62,476	24,808	91,795
United Kingdom	790, 865	731, 264	936, 681	636, 126	476, 847	24,232	623,834
Other countries	31,756	22,748	22,762	55,326	54,964	64,938	
m 4-3	F 010 000	0 110 101	0 701 000	0 500 010		140 500	
Total	5,812,002	3,146,195	3,591,636	2,769,210	1,474,962	446,763	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

<sup>2</sup> Less than 500 pounds.

### ROSIN.

Table 224.—Rosin: International trade, calendar years, 1909-1919.1

[For rosin, only the resinous substance known as "rosin" in the exports of the United States is taken See "General note," Table 112.]

### EXPORTS.

Country.	Average, 1909-1913.	1914	1915	1916	1917	1918	1919
From— Austria-Hungary	1,000 pounds. 2,205	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
Belgium France Germany	32, 830 118, 286 50, 110	95, 397	111,547	67,470	56, 496	41,049	9, 126 114, 200
Greece Netherlands Spain	10, 423 59, 366 20, 073	9, 174 62, 583 19, 148	7, 308 4, 324 29, 366 387, 418 8, 602	8,597 345 23,663	6, 194 1 28, 006	(1) 11,787	259 28, 748 338, 696
United StatesOther countries	655, 520 1, 568	489, 580 5, 903		515, 856 6, 913	418, 150 7, 572	218, 128 10, 779	338, 696
Total	950, 381	681,785	548,565	622,844	511,419	281,748	

Into							
Argentina	32, 719	35, 463	45, 487	35, 998	44, 105	31, 106	34,965
Australia	13, 724	8,450	45, 487 20, 709	35, 998 10, 658	44, 105 17, 951	11, 453	
Austria-Hungary	75, 705						
Belgium.	47, 163					}	32, 107
Brazil	36, 905	29,340	40, 682 3, 914	40,714 1,233	36, 196	25, 470	37, 945 2, 582
British India	6.171	3,535	3,914	1,233	4, 403	3,539	2, 582
Canada	25, 506	22, 883	27.314	28, 882	33, 873	34, 255	23, 142
Chile	7,410	4,515 4,239 3,178 15,448	4, 200	28,882 2,167	36, 196 4, 403 33, 873 4, 136	34, 255 2, 703	l
Cuba	4, 123	4, 239	5, 391 5, 052	7,958 4,683	7,851	6,831	
Denmark	3, 236	3,178	5,052	4,683	1,605	764	
Dutch East Indies	15,039	15,448	15, 247	13,787	10, 179	12,944	
Finland	15, 039 6, 027	4, 923	5, 103	9,630	l		
France	2.432	1,181	534	665	50 <del>1</del>	1,158	1,795
Germany	233, 100						
Italy	34, 171	32,978	54, 541	43,915	45, 482	23, 266	33,912
Japan	10,073	10, 669 77, 809	17,809	30,182 9,435	26, 083 1, 563	26, 142 207	
Netherlands	73, 991	77,809	18, 471	9,435	1,563	207	8,303
Norway	6,732	6,602	13, 395	11,074	2,054	3,959	
Roumania	5,004						2,976
Russia	68, 429	64,030	23,628	58,109			
Serbia	1, 162 1, 827						
Spain	1,827	645	422	375	198	198	203 3,197
Switzerland	4, 983 166, 075	4, 236	7,723	7,852	5, 581 188, 881	9,108	3,197
United Kingdom	166,075	154, 655	176,360	184,985	188,881	84, 193	196, 131
Other countries	18,734	9,082	21,770	25,134	13,662	8,930	
Total	900,441	493,861	507,752	527,486	444,307	286,226	
TOPAL	200, 221	200,002	051,702	42.,100	111,001	200,220	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

<sup>2</sup> Less than 500 pounds.

### TURPENTINE.

Table 225.—Turpentine (spirits): International trade, calendar years 1909-1919.1

["Spirits of turpentine' includes only "spirits" or "oil" of turpentine and for Russia skipidar: it excludes crude turpentine, pitch, and for Russia turpentine. See "General note," Table 112.]

Country.	Average, 1909-1913.	1914	1915	1916	1917	1918	1919
Fron-Belgium.	1,000 gallons. 1,144	1,000 gallons.	1,000 gallons.	1,000 gallons.	1,000 gallons.	1,000 gallons.	1,009 gallons.
France. Germany Netherlands. Russia.	2, 594 460 2, 750 2, 322	1,703 2,883 1,337	1,246 38 95	842 20 5	381 2	6, 189 (2)	2,078 50
Spain. United States. Other countries.	1,156 17,868 649	1,052 11,118 293	95 922 10,619 581	1,144 9,544 418	1,260 6,517 267	3,717 11	1,360 10,672
Total	28, 943	18,386	13,501	11,978	8,427	10,627	

Into—							
Argentina Australia Austria-Hungary	554 564 2,581	488 471	524 791	500 677	576 634	254 600	450
Belgium. Canada. Chite.	1,932 1,175 198	1, 152 140	1,113 114	1,135 ( <sup>2</sup> )	1, 247 ( <sup>2</sup> )	1,209 175	1,088 1,139
Germany. Italy Netherlands. New Zealand. Russia.	9, 368 940 3, 998 178 278	874 3,632 81 243	968 1, 155 130 192	754 728 158 160	702 346 91	673 21 95	1,198 971
Sweden Switzeriand United Kingdom Other countries	134 466 7,782 1,057	110 375 5,031 983	110 395 7,446 1,144	99 455 5,937 1,439	4 376 3,097 1,397	(2) 439 960 787	115 473 6,642
Total	31,200	13,580	14,082	12,042	8,470	5,213	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914–191. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
<sup>2</sup> Less than 500 gallons.

# INDIA RUBBER.1

Table 226.—India rubber: International trade, calendar years 1909-1919.

[Figures for india rubber include "india rubber," so called, and caoutchouc, caucho, jebe (Peru), hule (Mexico), borracha, massaranduba, manabeira, manicoba, sorva, and seringa (Brazil), gomelastiek (Dutch East Indies), caura, ser nambi (Venezuela). See "General note," Table 112.]

### EXPORTS.

Country.	A verage, 1909-1913.	1914	1915	1916	1917	1918	1919
From—	1,000 pounds. 5,620	1,000 pounds. 4,066	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
Belgian Kongo Belgium Boli via	7, 755 20, 749 8, 395	13, 415	11,144				3,461
Brazil	84, 938 10, 953 7, 679	73, 924 37, 344 22, 570	77, 525 48, 804 43, 846 561	69, 433 54, 509 74, 106 837	74,952 75,781 100,779 910	49, 960 50, 935 97, 192	73, 306
Ecuador France French Guinea	21, 615 3, 937	325 12, 635 2, 037	4,530	5, 594	6,634	6,046	21,849
French KongoGermanyGold CoastIvory Coast.	9, 844 2, 393	1,328 654 301	648	2, 216	2, 961	1, 391	
Nexico	6,409	11,665	414	275	33	11	7,798
Peru Senegal. Singapore	5, 030 1, 087 5, 843	5, 009 4 28, 474 373	7,498 107	6, 197 163	7, 263	3, 828	7,126
Nigeria Negri Sembilan Perak	3, 054 3, 995 7, 313	11,881 24,782	556 18, 316 37, 325	886	878	353	
Selangor. Venezuela Other countries.	13, 736 772 28, 936	32,041 252 26,603	43,053 310 15,737	309 11,320	404 22,645	81 11, 158	
Total	289, 064	309,633	310,374	225,845	293,240	220,955	

Inio-							
Austria-HungaryBelgium	6,696 25,891						12,384
CanadaFrance	3,945 32,704 42,004	5, 108 22, 439	9, 731 25, 799	9, 868 34, 229	13, 641 43, 848	18, 216 41, 792	12, 384 19, 645 67, 676
Germany Italy Netherlands	5,381 10,822	6, 733 15, 695 25, 086 41, 597	11, 833 6, 909	11, 728 737	13, 508 5	16, 635 3	23, 211 14, 001
Russia. United Kingdom. United States.	19, 131 43, 141 100, 180	25, 086 41, 597 143, 065	11, 833 6, 909 29, 761 33, 760 221, 482 15, 521	17, 804 59, 941 270, 090	58, 122 405, 638	67, 298	95, 245
Other countries	12, 424	31,278	15, 521	21, 191	15,007	325, 959 26, 457	535, 940
Total	302,319	291,001	354, 796	425, 588	549,769	496,360	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914–1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

### SILK.

Table 227.—Production of raw sill: in undermentioned countries, 1909-1919.

[Estimates of the Silk Merchants' Union, Lyon, France.]

Country.	Average, 1909-1913.	1916	1917	1918	1919
Western Europe: Italy. France. Spam Austria. Hungary.		Pounds. 7,963,000 ±85,000 195,000 157,000 143,000	Pounds. 6,217,000 452,000 154,000 185,000	Pounds. 5, 942, 000 529, 000 165, 000 187, 009 143, 000	Pounds. 4,079,000 408,000 154,000 165,000 110,000
Total	10, 424, 000	5, 976, 000	7, 154, 000	6, 966, 000	4,916,000
Levant and Central Asia: Broussa and Anatolia. Syria and Cyprus. Other Provinces of Asiatic Turkey. Turkey in Europe 1. Saloniki and Adrianople. Balkan States (Bulgaria, Serbia, and Roumania. Greece, Saloniki, and Crete Caucasus. Persia (exports). Turkestan (exports).	2 187,000 3 738,000 374,000 182,000 1,023,000	356,000 772,000 143,000 68,000 220,000 243,000 276,000 77,000 110,000			
Total	6, 186, 000	2, 293, 000	2, 293, 000	2, 293, 000	1, 764, 000
Far East: China— Exports from Shanghai. Exports from Canton.  Japan— Exports from Yokohama. British India— Exports from Bengal and Cashmere. Indo-China— Exports from Saigon, Haiphong, etc	21, 898, 000	29, 431, 000 254, 000	- 232,000	10, 739, 000 3, 635, 000 32, 309, 000 242, 000 11, 000	8, 598, 000 5, 071, 000 32, 188, 000 220, 000
Total	40, 079, 000	45, 378, 000	49, 560, 000	46, 939, 000	46, 088, 000
Grand total	56, 689, 000	56, 647, 000	59, 007, 000	56, 198, 000	52, 768, 000

<sup>&</sup>lt;sup>1</sup>Prior to 1913 Turkey in Europe included the vilayet of Salomki, which belonged to Greece in subsequent years.

<sup>2</sup> For 1913 only.

<sup>For four years, 1900–1912.
Including "Central Asia" subsequent to 1911.
For three years, 1911–1913.</sup> 

### WOOD PULP.

Table 228.—Wood pulp: International trade, calendar years 1909-1919.1

[All kinds of pulp from wood have been taken for this item, but no pulp made from other fibrous substances. See "General note," Table 112.]

### EXPORTS.

Country.	Average 1909–1913.	1914	1915	1916	1917	1918	1919
From— Austria-Hungary	1,000 pounds. 205, 364	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
Belgium	80, 647 606, 203 236, 881 384, 709	849, 766 213, 843	728, 341 221, 420	1,117,796 223,139	1,023,607	1,167,822	3,169 1,418,259
Norway Russia Sweden Switzerland	1,437,078 52,735 1,822,023 13,072	1,407,299 6,515 2,054,813 15,573	1,618,363 14 2,185,483 22,877	1,522,991 2,224,800 14,671	890,991 1,534,285 7,056	1,065,837 1,589,576 4,313	1,989,645 20,570
United States. Other countries	24, 309 75, 486	24, 674 112, 315 4, 684, 798	40,589 52,697 4,869,784	80,046 315 5,183,759	78,360 27,066 3,561,366	44,648 56 3,872,252	80,114

Into						I	
Argentina	52, 016	51,441	33,679	49,128	29,636	37, 293	42,856
Austria-Hungary	13, 366						
Belgium	291, 254						121, 207
Denmark	110,866	132, 929	125, 240	169, 589	120, 555	132, 932	
France	836, 899	702, 639	623, 620	799, 633	353, 417	558, 987	590, 549
Germany	112,660						
Italy	179, 267	193,943	135, 084	144, 333	43, 320	39,531	87,257
Japan	79, 260	100,764	119, 307	128, 271	31,854	63,93	
Portugal	18,662	17,129	16,942	16,026	5, 651	'	
Russia	56, 072	62,880	176, 830	231,553			
Spain	92,770	87,233	114, 325	151, 124	73,712	71,462	84,830
Sweden	9,515	10,816	19,043	8,098	2,752	6,521	
Switzerland	21,059	16,115	21, 839	25,704	23, 459	35, 348	29,272
United Kingdom	1,891,006	2,201,302	2, 131, 945	1, 474, 054	866, 784	939, 337	2, 100, 941
United States	1,007,239	1,351,130	1, 145, 717	1,367,529	1,355,682	1,156,418	1, 272, 033
Other countries	85,052	207,956	170, 162	267,014	262,511	388,834	
				<del></del>		<del></del>	
Total	4, 856, 963	5,136,077	4,833,732	4,835,056	3,169,332	3,430,597	
	,	, ,	<b>'</b> '	1 ' '	1 ' '	! ' '	1

¹ Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

# LIVE STOCK, 1920.

# FARM ANIMALS AND THEIR PRODUCTS.

LIVE STOCK, ALL CLASSES.

TABLE 229.—Live stock in principal and other countries.

[Census returns are in italics; other figures are in roman type.]

### PRINCIPAL COUNTRIES.

Cattle Buffa- Swine Sheep Goats Horses Mules Asses

Country.	Date.	Cattle.	loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
		Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-
United States:	1	sands.	sands.	sands.	sands.	sands.	sands.	sands.	sands.
On farms	Jan. 1,1921	66, 191		66,649	45,067		20, 183 20, 785 21, 482	4,999	
	Jan. 1,1920	68, 369		71,727 74,584	47, 114		20,785	5,041	
	Jan. 1,1919	68,560 67,422	• • • • • • • • • • • • • • • • • • • •	74,004	48,866		21,482	4,954	
	Jan. 1, 1918 Jan. 1, 1917	63,617	• • • • • • • • • • • • • • • • • • • •	70,978	48,603 48,483		21,555	4,873 4,639	
	Jan. 1,1916	61,920		67, 453 67, 766 64, 618	48,625		21,126 21,159	4, 593	
	Jan. 1, 1915	58,329		61,618	49, 956		21, 195	4,479	
	Jan. 1, 1914	56, 592		1 58, 933	49, 719		90, 050	1 440	
	Jan. 1,1913	56, 527		61, 178	51, 482		20, 567	4,386	
	Jan. 1,1912	57, 959		65.410	52, 362		20,509	4,362	
	Jan. 1,1911	60,502		65, 620 58, 186	53, 633		20,277	4,323	
	Apr. 15, 1910	61,804	• • • • • • • • • • • • • • • • • • • •	58, 186	52, 448 391	2,915	20,567 20,509 20,277 19,839	4,210	106
Not on farms	do	1,879		1,288	391	115	8,188	270	17
Alaska (on farms and and not on farms)	Jan. 1,1910	. 1	1 22	( <sup>2</sup> )	(3)	(2)	(2)	(2)	(2)
Hawaii (on farms and	Jun. 1,1010	· .	- 22	(-)	(-)	(-)	(-)	(-)	(-)
not on farms)	Apr. 15, 1910	149		31	77	5	28	g	S
Porto Rico (on farms	12777 10,1010	· i				•			
and not on farms)	do	316		106	Û	49	58	5	1
Virgin Islands:	i								_
On farms	Nov. 1,1917	12		2	. 1	2	. 2	2	1
Not on farms	do		( <sup>2</sup> )	(2)	(2)	(2)	(9)	(a)	(2)
Algeria	Sept. —, 1914 Sept. —, 1913 Sept. —, 1912 Sept. —, 1911 Sept. —, 1909 Sept. —, 1909	1,093		108	9, 140	3, 794	203	185	268
	Sept 1913	1,108		112	8, 811 8, 338 8, 529	3, 848 3, 772	216	192	272
	Sept, 1912			114	8, 338	3,772	221	192	271
	Sept, 1911	1,114		110	8, 529	3, 862	227	192	279
	Sept, 1910	1,128		109	9.1142	3, 990	230	192	276
	Sept. —, 1909	1,101	• • • • • • • • • • • • • • • • • • • •	111	9,067	4,007	233	187	278
		1,092 1,082		. 103 9S	9, 632 9, 335	4, 199 4, 253	236 221	188 174	272 266
	Sept. —, 1907 Sept. —, 1906 Sept. —, 1905	1,002		98	8, 200	3, 960	226	172	275
	Sept. —, 1905	1, 067		91	8, 800 9, 063 6, 724	4,030	221	174	278
	Sept. —, 1900	993		S2	6, 724	3,563	202	147	263
	Sept, 1895	1. 121		84	7,892	3, 545	217	142	287
A manusius		27, 392		3, 227	45, 309	4,670	9,061	601	
Argentina	Dec. 31, 1918 Dec. 31, 1915	26, 388		0,221	43, 677	4,070	8,001	001	
	Dec. 31, 1914	25, 867		2 901	43, 225	4. 325	8. 324	565	260
	Dec. 31, 1913	30 706		2, 901 3, 197	43, 225 81, 485	4, <i>825</i> 4, 564	8, <i>824</i> 9, 366	584	345
	Dec. 31, 1912	28, 981 28, 786 28, 828		3,045	76, 279	4, 431 4, 302	9, 239 8, 894	556	329
	Dec. 31, 1911	28, 786		2,900	80, 401 73, 013	4,302	8,894	535	319
	Dec. 31, 1910	28,828			73,013	• • • • • • • • •		• • • • • • • •	
	Dec. 31, 1909	27,825 29,194		3-555	65,082 67,384				
	1908 1895		••••••	1,404 €5S	07, 384	3,947 2,749	7,557	465 285	285 198
		21,702		605	74, 580	2,149	4,447	260	196
Australia	June 30, 1920				2 78,000			******	
	1919	11,040		41,111	* 88, 000				
	Dec. 31, 1918 Dec. 31, 1917 Dec. 31, 1916	12, 739 11, 829		914	87, 086 84, 965	•••••	2, 528 2, 499 2, 437 2, 378	******	
	Dec. 31, 1917	10,459	•••••	1,169 1,007	84, 965 76, 669		2,499		
	Dec. 31, 1915	9, 931		754	69, 257	*******	2 279		
	Dec. 31, 1914	11,052		862	78,600		2, 521		
	Dec. 31, 1913	11,484		801	85 057	262	2 522		
	Dec. 31, 1912	11,577		845	83, 254		2,408		
	Dec. 31, 1911	11 220		1.111	83, 254 93, 004		2, 279		
	Dec. 31, 1910 Dec. 31, 1909	11,745		1,026 765	92.047	314	2, 166		
_	Dec. 31, 1909	11,010		765	91,676		2,023		
•	Dec. 31, 1908	10,548		696	87,043		1,928		
	1907	10, 128		754	87,650		1,872 1,765		
	1906 1905	9, 349 8, 528		814 1,015	83,688 74,541		1, 705		******
	1904	8,528 7,841		1,063	65,824		1,595		
	1903	7,248		837	56, 933		1,546		
	•			•	•				
<sup>1</sup> Reindeer.	Less than 500.	• U:	nofficial (	estimate.	. 4 E	xeluding	norther	n territo	·y.

# Table 229.—Live stock in principal and other countries—Continued PRINCIPAL COUNTRIES—Continued.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
ustralia (continued)	1902	Thou- sands.	Thou- sands.	Thou- sands. 777	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.
rusurana (communea)	1901	7,063 8,471 8,640		947	53, 668 72, 209 70, 603		1, 525 1, 625		
	Dec. 31, 1900	8,640		950 823	70,603		1,610 1,680		
	Dec. 31, 1895 1890	11,767 10,300		823 891	90, 690 97, 881		1,522		
ustria 5						1 057		21	l t
LUSUIN	Dec. 31,1910 Dec. 31,1900	1,159 9,511 8,644		6, 432 4, 683 3, 550	2, 428 2, 621 3, 187	1,257 1,020 1,036	1,808 1,716 1,543	20 17	1
	Dec. 31, 1900 Dec. 31, 1890	8,644		3,550	3,187	1,036	1,543		
•	Dec. 31,1880	8,584		2,722	8,841	1,007	1,463		
ahamas	1917	1			16		1		
	1916 1915	2			14 12		i		
	1914	2			13		ī		
	1913 1912	2			12 11	4	1	• • • • • • • • • • • • • • • • • • • •	
	1911	2			10	4	i		
	1910	1			9	4	1		
	1909	2			13	5	1		í • • • • • • • • • • • • • • • • • • •
Sarbados	1917						2		<u>'</u>
	1916 1915						2		
	1914						2		
	1913						2	;	` <u>-</u>
	1912 1911						3	4	
	1910						2	4	
	1909 1908						2	4	
	1907						2	4	ļ
	1906						2	4	
	1905 1904		·				2 2 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
	1903						2		
	1902 1901						2 3		
	1900						3		
Basutoland	1911 1904	457 213		(2)	1,869		88 65		
Sechuanaland Pro-	1	ł	ì	()			1	•••••	
tectorate	1911	324				58	2		
	1904	139					1		J
Belgium	1920	1, 292		546	126	33		198	
	Oct, 1919	7 1, 152		328	112	37		174	
	Dec. 31, 1913 Dec. 31, 1912	1,849	`;	1, 412 1, 349		• • • • • • • • • • • • • • • • • • • •	267 263		
	Dec. 31, 1911	1,812		1 229			201		
	Dec. 31, 1910 Dec. 31, 1900	1,880		1, 494 1, 117	185	218	317 255	8	
	Dec. 31, 1909 Dec. 31, 1908	1,857		1, 162			253 253		
	Dec. 31, 1907	1,818	3	1,279			250		
	Dec. 31, 1906 Dec. 31, 1905	1,780	{	1,148 1,047			245 245		
	1 Dec. 31.1904	1, 782	2	1, 155			246		
	Dec. 31, 1903 Dec. 31, 1901	1, 720 1, 646		1, 183			249 245		
•	1895	1,421		1,168		241	272		<u>,</u>
	1880	1.388		646			272		
	1866	1,24		632	586		283		
	1856	1, 258	s <sub> </sub>	458	585		277		
Bermuda	1915		.}				1		
эншица	1914 1913						1		
Det muda							İ		
Det militas	1912								, *
	1912 1911						-1	·	1
od muda	1912 1911 1907		2				1	<u></u>	1
od muda	1912 1911		2				1	1 1 1	1

# Table 229.—Live stock in principal and other countries—Continued.

### PRINCIPAL COUNTRIES-Continued.

Country.	Date.	Catile.	Buffa- loss.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
Bosnia-Herzegovina 6.	Oct. 10\1910 Nov. 10\1910 Apr. 28\1895 May 22\1895	Thou- sands. 1,309	Thou- sands. 1	Thou- sands. 527 662	Thou- sands. 2,499 3,231	Thou- sands. 1,398	Thou- sands. 222 231	Thou- sands. (2)	Thou- sands. 6
Brazil	Dec. —, 1918 1916 1912-13	3 37,500 28, 30,	962 7 <i>05</i>	17,329 18,509	7,205 10,658	6,920 10,049	6,065 7,289	3,3 3,	222 208
British Guiana	June 30,1918 1917 1916 1915 1914 1913	77 8 99 93 98 90 81	(2)	13 12 12 14 14 11	21 22 23 22 20 18	1 11	1 1 1 1 1 1	2 2 2 2 2 2 2 2	(
	1912 1911 1910 1909 1908 1907 1906 1905	72 81 72 72 70 70 72 85 77		17 17 17 13 13 13 16 13	18 19 18 17 18 17 14 18		2 3 2 2 2 2 2 2 2		
Bulgaria 11	1903 1912 1911 Dec. \$1,1910 1908 1907 1906 Dec. \$1,1805 Dec. \$1,1805	852 860 1,603 889 902 912 919 1,696	167 416 189 190 206 204 477	527 405	8,632 8,131	1,384	230 238 250 253 538	18	128
Cape Verde Islands	Dec. \$1,1892 1916 1915 1914	1,596 1,426	431 842	462 17 14 14	6	38	1	1	88 17 10 10
Canada	June —, 1920 June 30, 1918 June 30, 1918 June 30, 1918 June 30, 1916 June 30, 1915 June 30, 1913 June 30, 1913 June 31, 1911 June 36, 1900 June 30, 1900 June 30, 1900 June 30, 1907 June 50, 1901 June 50, 1901	7,112 7,234 7,548 7,132 8,576 4,12 3,516		3,517 4,040 3,619 3,473 3,112 3,434 3,447 2,761 2,761 2,734 3,377 1,734 1,734	3,721 3,422 3,053 2,369 2,039 2,039 2,058 2,058 2,082 2,082 2,082 2,705 2,705 2,705 2,705 2,705 2,705 3,705		3,401 3,607 3,403 3,258 2,968 2,948 2,860 2,213 2,112 2,112 1,923 1,577 1,471 1,056	9,055	
Ceylon	1918 1917 1916 1918 1913 1913 Dec. 31,1912 Dec. 31,1911 1909 1908 1907	1,	501 484 484 505 5510 635 559 543	86 86 77 84 86 81 87 90 90	84 63 85 86 90 90 90 90 90 90 90 90 90 90 90 90 90	193 186 186 200 198 171 174	4 4 5 5 5 5 5		

<sup>Less than 500.
Unofficial estimate.
Old boundaries.</sup> 

 $<sup>^{\</sup>rm 8}$  Not including cattle of interior prairies, estimated at 24,000 head.  $^{\rm 11}$  All figures except for census years are for farm animals only.

# Table 229.—Live stock in principal and other countries—Continued.

### PRINCIPAL COUNTRIES-Continued.

Country.	Date.	Cattle.	Buffa-	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
malliand Talandai	· · · · · · · · · · · · · · · · · · ·	Thou-	Thou-	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.
Falkland Islands (British) (contd.)	1909	sands.	sands.	(2)	716	ounces.	3	Gango.	
(2111111) (001101)	1908 1907 1906	5		(2)	689	,	3		
	1907	4		(2)	696		3		
!	1906	4		(2)	· 703 701		3		• • • • • • • • • • • • • • • • • • • •
	- 1905 1904	4		2	702	•••••	3		
ĺ	1903	4		(2)	681		3		
	1902	4		(2)	714		3		
Ì	1901	5		(2) (2) (3) (3) (3) (3) (3) (3) (3) (3) (3)	762		3		
	1900	7		(2)	778		4		
aroe Islands (Den-	•								
mark)	1914	4		(2)	112	(2)	1		
i	1909	4		(2)	100	(2)	1		
j	1903	4 5		2	91 106	2	1		
	. 1898 1893	4		(2) (2) (2) (2) (2)	100	(2) (2) (2) (2) (2)	î		
								· -	
Fiji Islands (British)	1917 1916	4S 50	•••••		. 1			77777665555	
	1915	59						4	
	1914	53		2	3			· †	
	1913	49		2	3			7	
.	1912	45		2	4			6	
.	1911 1910	45 40		2 2 2 2 2 3 3	0	}	l	. 'B	
	1909 1908 1907	34			7			, š	
1	1908	36		4	3			Š	
i	1907	. 30	<b> </b>	4	1				
	1906	35	ļ	4				- 5	
	1905 1904	29 22		1 3	1		4		
	1903	19		1 5	. 1		9		
	1902	20	,	2	î		1 3		
,	1901 1900	24		3 2 2 2 2 2	1		2		
	1900	17		1 2	j 1		2		
inland	May 30, 1918	1,400	! !				309		
	1916	12 1. 111	1				13,276		
	1915	12 1, 150	<u> </u>				18 288		
	1914	12 1, 167					18 294 18 297		
	1913 1912	121, 189					18 298		
-	1911	121, 178 121, 189 121, 189					18 298		
	1910	1,573	1 120	418	1,309	13	361		
	June 25, 1909 June 25, 1908	1,573 19 1,153 19 1,149 1,491					18 284 18 281		
	1907	1, 491	1 134	221	904	6			
	1907 1906	1, 475 1, 481	1 142	910	904 912	6	- 326		
	1905 - 1900	1, 481	1 142	220	938 985	6	324		
	1900 1995	1,428	1 119 1 130	220 211 197	1,067		311 301		
	1890	1,305	1.96	194	1,054	15	293		
	1885	1,163	1 55	166	978	21	282		
	1880	1.031	1 53	155 202	977 1,011	20	276		
	1875	1,120	180	202	1,011 921	27	285 255	· • • • • • • • • • • • • • • • • • • •	
	1870 1865	954	140	190 227	921		262 262		
. ,	i	l .	1	1	I	Į.	Į.		
France	Dec. 31, 1919 Dec. 31, 1918	12,374 12,251	j	4,081 3,080	8,991	1,167 1,197	2,413 2,232 2,303	167	30
	1 1360 XI 1017	12,251		4 185	9,061 9,882 10,845 12,379	1,197		139 144	
•	14 Dec. 31. 1916	12,242 12,342		4.362	10.845	1.177	2.246	148	. 3
	<sup>14</sup> Dec. 31, 1916 <sup>14</sup> Dec. 31, 1915 <sup>14</sup> Dec. 31, 1914 Dec. 31, 1913	12,514		4,165 4.362 4,916	12,379	1,177 1,230	2,303 2,246 2,150 2,100 3,230 3,230 3,230 3,230 3,230	144	32
	Dec. 31, 1914	12 865		5,926 7,048 6,904 6,720 6,900 7,306	14,038 16,213 16,468 16,425	1,317	2,10	152	33
	Dec. 31,1913 1912	14,807	• • • • • • • • • • • • • • • • • • • •	7,048	16,213	1,453	3,23	193	36
	1911	14,807 14,706 14,552		6,720	16,425	1,409 1,424	3, 22	196 194	35 36
	1910	14.532	1	6,900	17, 111 17, 358 17, 456 17, 460	1,418	3, 19	193	37
	1909	14,298	H	7,306	17,358	1,418		194	1 3€
	1908 1907	14,240 13,950		7,202 6,955		1,425 1,421		194	36

<sup>1</sup> Reindeer.
2 Less than 500;
6 Owned by Europeans only.

<sup>Exclusive of animals under 2 years of age.
Exclusive of animals under 3 years of age.
Excludes invaded area.</sup> 

# Statistics of Farm Animals and Their Products. 707

# LIVE STOCK, ALL CLASSES-Continued.

# TABLE 229.—Live stock in principal and other countries.—Continued. PRINCIPAL COUNTRIES-Continued.

		· · · · · · · · · · · · · · · · · · ·						
· Country.	Date.	Cattle. Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
France (continued)	1906 1905 1904 1903 1902 1901 1900 Nov. 30,1893 1883 1883	Thou-sands. 13, 968 14, 316 14, 137 14, 105 14, 929 14, 674 14, 521 13, 709 12, 897 12, 812	Thou-sands. 7,049 7,559 7,522 7,561 7,209 6,758 6,7421 7,147 6,088	Thou-sands. 17,461 17,783 17,801 17,954 18,477 19,670 20,180 21,116 25,809 29,530	Thou-sands. 1,457 1,477 1,462 1,563 1,532 1,529 1,558 1,845 1,851 1,726	Thou-sands. 3, 165 3, 169 3, 139 3, 082 3, 028 2, 926 2, 903 2, 795 2, 838 2, 914	Thou-sands. 195 199 201 208 206 200 205 217 251	Thou- sands, 362 365 363 357 384 355 356 369
Alsace-Lorraine	Dec. 2,1919 Dec. —,1918 Dec. —,1917	415 15 393 15 445	309 247 274	31	114 121	70 67		
French establishments		·				-		
in India	1918	50		18	25			
:	1917	49		17 16	25 25			
	1916 1915	49 50		10				
	1914	64		14	23			
	1913	51		13	24			
•	1912	50		16 14 13 12 9	23 18			
•	1911 1910	39 · 47		10	24			
	1909	47		- 9	24			
		ابده مدا		0.000				
Germany	Sept. 1,1920 Dec. 1,1919 "Dec. 4,1918	16,904 16,524	14,269 11,594 9,227 10,778 17,002	6,630 5,873 4,905 4,918 4,979 5,073	4,875 4,143 4,021	3,503 182,977		
	"Dec. 1.1917	16,446 19,850	10,778	4,918	4,021	183,257 183,304		
•	Dec. 1,1916	20.874	17,002	4,979	4,021 3,940 8,438 8,538	183,304		
	Dec. 1,1915 Dec. 1,1914	20,317	17,287 25,341	5,075	8,438	183,348 183,435		
	Dec. 1,1918	20,994	25,659	5,471 5,521	3,548	8,227		
		20,182	21,924	5,803	3.410	4.523		3
	Dec. 2.1907	20.631	22.147	7 701	3,410 3,584	4,345 4,267	7	1
•	Dec. 1,1904	19,832	18,921	7,907	3,330	4,267		
•	Dec. 1.1900 Dec. 1.1897	18,940 18,491	16,807	7,907 9,693 10,867	5,267	4,195 4.038		8
	Dec. 1,1892	17,556	14,275 12,174	13,590	3,092	3,836	••••	7
	Jan. 10,1888	15,787	9,206	19,190	3,641	3,523	10	
Grenada (British)	1918		2	4	5		1	1
	1914 1911	·····				2		
	1901	2		2		7	********	
~·· ··				ı ~		. 1		
Gibraltar	1916	(2)				(2)		
	1915 1914	(3) (2) (3) (3) (3) (4) (3)	•••••	(2) (2)		00000000000000000000000000000000000000		
	1913	(2)		(2)		(3)		
	1912	(2)		(3)		(2)		
	. 1911 1910	(3)	•••••			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
* '	1909	(2)				(2)		
•	1908	(2)				(2)		
_	1907 1906	(2)				(2)		
	1905					(2)		
	1904		•••••			(2)		
					-	1		
Greece	* 1918	442	30	4,796 5,548 3,547 3,545		212	123	299
	1917 1914	589 300	350 227	0,548	2,575	910 149	120 80	275 133
	• 1911	8	227	3,545	3, 575 2, 638 2, 638	149	. 80	133 133
<u>.</u>	•				1			
Guatemala	1915	620	103	383	57	1		
	1914	655	177	402	59		4	
4	1913	557	188	514	11	64	33	

Less than 500.
 Unofficial estimate.
 Old boundaries.

Exclusive of 221,000 dairy cows in 1918 and 232,000 in 1917.
 Exclusive of Aisace-Lorraine.
 Exclusive of army horses.

# Table 229.—Live stock in principal and other countries—Continued.

### PRINCIPAL COUNTRIES-Continued.

								<del></del>	
Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
		Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-	Thou-
	****	sands.	sands.	sands. 180	sands. 5	sands. 23	sands. 68	sands. 20	sands.
Honduras 26	1913-14 1912-13	489 441		144	3	24	72	18	5
	1912-13 1911-12 1910-11	420		118	5	6	88	15	4
	1910-11	293		102	•••••	14	19 66		4
Hongkong (British)	1916	2			·		(2)		
	1915	1					3		
	1914 1913	1					\2\frac{2}{2}		
	1912	ï				(2)	(2)		•••••
	1911 1910	2				(2)	(2)		
	- 1909	î			(2) (2) (2) (2) (2) (2) (2) (2) (2)	(2)	(25)		
	1908	1			(2)	(2)	(2)		
	· 1907 1906	1			(2)	(2)	(2)		
	1905	i	;		(2)	(2)	(2)		
	1904	1	,		(2)	(2)	(2)		
	1903 1902	1		,	(2)	(2)	(2)	i	
	1901	i			(-)		(2)		
	1 00 1010		100	0 005	0 500		0.00		10
Hungary 5	Apr. 30, 1913 Apr. 30, 1912	6, 045 5, 880	162 157		6,560 7,168	269 314	2,005 1,960	i	16 16
	Apr. 3), 1911	5, 798	149	6, 167	7,510	331	1,967	1	. 18
	Feb 28, 1911		184	6,416	7.698	331	2,001		18
•	Apr. 39, 1910	5, 56	2 161	4, 497	6,913 7,357 7,873	260	1,880	1	16
	Apr. 30, 1909	i 6. Ubi	8 182 0 187	4,790 5,359	7,357	264 277	1,876 1,860	1	15 15
-	Apr. 30, 1907	6, 26 5, 78	7 166	4.869	7,549	2000	1,798	1	14
* *	Apr. 30, 1906	5,46	6 159	4, 337	6,891	230	1,788	4 1	14
	Apr. 30, 1910 Apr. 30, 1909 Apr. 30, 1908 Apr. 30, 1907 Apr. 30, 1906 Apr. 30, 1905 Apr. 30, 1904	5, 37 5, 52	$\begin{array}{ccc} 2 & 162 \\ 2 & 157 \end{array}$	4, 204			1,795 1,893		
	Nov. 20, 1895		830		7,527		1,997		22
	1884	4,	879	6,447 4,80	10,59	270	1,748	) ž	28
Iceland	1917	.26	J	1	60:	1	51		
Acota III	1916	26	,		589	). 1	40		
	1915	2			556		47		
	1914 1913	22 27	;		. 588 638		47	,	·
•	1912	26			. 601	j	4.6		
	1911	26		.	574	1 1	44		ļ
	1910 1909	20			579 557				
	1908	2	31		. 512	: 1	45		
	1907 1906	24	ļ		52t	. /45	47		
	1905	2			.1 549		1		
	1904	25			42	(2)	45		
	1903 1902	. 27			486	(2)	46		
	1901	2			68		43		
India (British)	1017 10	100 07	19, 23		9.00 00	9:00 160	≈1,681	2571	251,534
India (Dimbil)	1917-18 1916-17	129, 870 130, 087	19.266		222, 91	5 2 33, 16 3 2 33, 42 0 2 33, 66	251,68	2572	
	1916-17 1915-16		i 19,180	3	2:22, 96	33, 66	251,67	3: 2570	231,538
	1 1914-15	128, 23, 124, 96	19,004 18,214			o. ≁º 33, 00t	1.00	2372	251,511 251,508
,	1913-14 1912-13 221911-12	120, 420	17,709		19:00 00.		4 251, 559	2581	251,508 251,364
•	231911-12	1 103, 808	17,100	j <sup>i</sup>	23, 29 23, 28 23, 28 20, 18	30, 91	4) 1.574	113	1,341
	231910-11 231909-10	103.58	17.000		23, 28	30, 90 5 30, 60	0 1,564 4 1,555	5 113 3 113	1,342
	231908-09	102, 418 98, 68	16, 951 15, 851		20, 18	31,79	1.55	71 104	1,239
	21 1907-8	1 7X X42	2 13.190	5,	. 18.03	5 20.22	1.31	2 58	1,194
	24 1906-7 24 1905-6	78, 420	13,241 13,130		18,03	25,150 9 25,160	1,30	5 55 2 55	1,194 1,194
•	21 1904-5	78,001 77,111	13, 130 12, 87		18,02 17,56	2 24,80	3 1,27	5.	1.177
	<sup>24</sup> 1903-4	75,66	2, 12,49		. 17,89	0 24,86	1,26	9 54	1,173
•	24 1902-3	13, 10	12,03	3	. 17,64	3. 19,62	2, 1,30	1, 1,	216

Less than 500.
Old boundaries.

<sup>19</sup> Mares only.

\*\* Enumerated from tax returns.

<sup>22</sup> Young buffaloes included in cattle figures and excluded from buffalo figures.
22 Exclusive of Eastern Bengal.
23 Exclusive of Bengal and Eastern Bengal.
25 Exclusive of Bengal.

# Table 229.—Lire stock in principal and other countries—Continued. PRINCIPAL COUNTRIES—Continued.

Thousands. sands.	222 227 227 202 263 661 665 672 272 282 278 278 278 278 278 278 278 2			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	sands. 1, 2 1, 2 1, 1 1, 1 1, 1 1, 1 1, 1 1, 1	sands.   227   227   227   227   227   227   227   227   227   238   247   ndia(NativeStates)	1, 2 1, 2 1, 2 1, 2 1, 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	222 227 227 227 227 227 227 227 227 227
India(NativeStates)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	163 161 162 163 164 172 182 182 182 183 184 185 185 185 185 185 185 185 185		
India(NativeStates)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	163 161 162 163 164 172 182 182 182 183 184 185 185 185 185 185 185 185 185		
India(NativeStates)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	163 161 162 163 164 172 182 182 182 183 184 185 185 185 185 185 185 185 185		
1906-7   7,851   1,190   6,213   89     1905-6   7,829   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,088   1,249   6,455   92     1902-3   1,091   5,742   8, 85     1902-1901   7,966   1,091   5,742   88     1904-1901   7,996   1,228   4,538   85     Italy	497	161		
1906-7   7,851   1,190   6,213   89     1905-6   7,829   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,088   1,249   6,455   92     1902-3   1,091   5,742   8, 85     1902-1901   7,966   1,091   5,742   88     1904-1901   7,996   1,228   4,538   85     Italy	497	161		
1906-7   7,851   1,190   6,213   89     1905-6   7,829   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,088   1,249   6,455   92     1902-3   1,091   5,742   8, 85     1902-1901   7,966   1,091   5,742   88     1904-1901   7,996   1,228   4,538   85     Italy	497	72   172   173   174   175   1		
1908-7   7,851   1,190   6,213   89     1905-6   7,293   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,098   1,249   6,455   92     1902-3   1,091   1,249   6,207   90     1901-2   7,468   1,091   5,742   88     1900-1901   7,996   1,928   4,538   85     Italy	497	182 178 178 166 166 165 155 144 147 124 129 129 129 121 115 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18		
1908-7   7,851   1,190   6,213   89     1905-6   7,293   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,098   1,249   6,455   92     1902-3   1,091   1,249   6,207   90     1901-2   7,468   1,091   5,742   88     1900-1901   7,996   1,928   4,538   85     Italy	497	172 166 155 144 147 124 120 129 122 121 119 115 944 5		
1908-7   7,851   1,190   6,213   89     1905-6   7,293   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,098   1,249   6,455   92     1902-3   1,091   1,249   6,207   90     1901-2   7,468   1,091   5,742   88     1900-1901   7,996   1,928   4,538   85     Italy	497 2, 235	166 155 144 147 124 120 129 122 121 119 115 944 5		
1908-7   7,851   1,190   6,213   89     1905-6   7,293   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,098   1,249   6,455   92     1902-3   1,091   1,249   6,207   90     1901-2   7,468   1,091   5,742   88     1900-1901   7,996   1,928   4,538   85     Italy	1 1 1 1 1 1 1 1 2,235	1.55 444 4.47 1.24 1.20 1.29 1.22 1.22 1.21 1.19 1.15 1.5 8.56 67.		
1908-7   7,851   1,190   6,213   89     1905-6   7,293   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,098   1,249   6,455   92     1902-3   1,091   1,249   6,207   90     1901-2   7,468   1,091   5,742   88     1900-1901   7,996   1,928   4,538   85     Italy	497 2, 235	147 124 129 129 122 121 119 115 944		
1908-7   7,851   1,190   6,213   89     1905-6   7,293   1,172   6,078   81     1904-5   8,178   1,347   6,318   92     1903-4   8,098   1,249   6,455   92     1902-3   1,091   1,249   6,207   90     1901-2   7,468   1,091   5,742   88     1900-1901   7,996   1,928   4,538   85     Italy	497 2, 235	124 129 129 122 121 119 115 944 5		
1992-3   7, 666   1, 159   0, 207   90     1901-2   7, 468   1, 091   5, 742   88     1900-1901   7, 396   1, 228   4, 538   85     Italy	497 2, 235	120 129 122 121 119 115 944 5		
1992-3   7, 666   1, 159   0, 207   90     1901-2   7, 468   1, 091   5, 742   88     1900-1901   7, 396   1, 228   4, 538   85     Italy	497 2, 235	122 121 119 115 944 5 85 67.		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	497 2, 235	121 119 115 944 5 85 67.		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	497 2, 235	944 5 856 67.		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	497 2, 235	944 856 67.		
1914   6,646   2,722   13,824   14,725   13,145   2,715   956   15,168   15,168   17,167   2,715   956   17,167   2,715   956   17,167   2,715   956   17,167   2,715   956   17,167   2,715   956   17,167   2,715   956   17,167   2,715   2,715   2,715   956   2,715   956   2,715   956   2,715   956   2,715   956   2,715   2	2, 235	856 67.		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2, 238 388 294	850 67.		
Jamaica     1918     107     32     12     30        1916     115      11      47       1915     114      31     9      51       1914     115      31     11      55	294			
Jamaica     1918     107     32     12     30        1916     115      11      47       1915     114      31     9      51       1914     115      31     11      55				
1915 114 31 9 51 1914 115 31 11 55		2		
1915 114 31 9 51 1914 115 31 11 55				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				
1912   116   31   12   54   1911   108   31   12   54   1911   108   31   12   59   1910   111   32   12   59   1910   111   32   12   52   1909   110   31   13   53   1908   102   30   14   52   1907   105   30   15   50   1906   110   29   16   68				
1911   108   31   12   59   1910   111   32   12   52   1909   110   31   13   53   1908   102   30   14   52   1907   105   30   15   50   1906   110   29   16   68				
1910   111   52   52   1909   110   31   13   53   1908   102   30   14   52   1907   105   30   15   56   1906   110   29   16   68				
1908   102   30   14   52   1907   105   30   15   50   106   110   29   16   68	· · · · · · · · · · · · · · · · · · ·			
1907 105 30 15 50 50 1906 110 29 16 68				
1900   110   25   10   10				
1905 112 29 17 73				
1904 108 27 20 74				
1903 119 25 18 52 1902 120 20 17 58				
1901 120 20 17 58				
1900 119 18 17 55				
Japan         Dec. 31, 1918         1, 307         398         5         92         1, 511           Dec. 31, 1917         1, 304         360         3         110'         1, 572           Dec. 31, 1916         1, 343         328         3         109'         1, 572           Dec. 31, 1915         1, 388         333         3         97'         1, 589           Dec. 31, 1914         1, 387         382         3         95'         1, 579'           Dec. 31, 1913         1, 389         310'         3         89'         1, 582'           Dec. 31, 1912         1, 389         309'         3         100'         1, 582'           Dec. 31, 1912         1, 389'         309'         3         100'         1, 582'           Dec. 31, 1912         1, 360'         200'         3         100'         1, 582'				
Dec. 31, 1916   1,344   380   3   110   1,560     Dec. 31, 1916   1,343   323   3   109   1,572     Dec. 31, 1915   1,388   333   3   97   1,580     Dec. 31, 1914   1,387   332   3   96   1,579     Dec. 31, 1913   1,389   310   3   89   1,582     Dec. 31, 1912   1,399   309   3   101   1,582     Dec. 31, 1911   1,405   299   3   100   1,576     Dec. 31, 1900   1,350   227   4   92   1,565     Dec. 31, 1908   1,288   285   3   87   1,581     Dec. 31, 1907   1,287   318   4   81   1,495     Dec. 31, 1907   1,237   318   4   81   1,495     Dec. 31, 1906   1,100   285   4   75   1,495     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200   1,200     Dec. 31, 1906   1,200   1,200   1,200   1,20				
Dec. 31, 1915 1,388 333 3 97 1,580				
Dec. 31, 1914 1, 387 332 3 95 1, 579 Dec. 31, 1913 1, 389 310 3 89 1, 582				
Dec. 31, 1913 1,389 310 3 89 1,582 Dec. 31, 1912 1,399 309 3 101 1,582	• • • • • • • • • • • • • • • • • • • •			
Dec. 31, 1911 1,405 299 3 100 1,576 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
Dec. 31, 1910 1, 384 279 4 92 1, 565 Dec. 31, 1909 1, 350 287 3 87 1, 551				
Dec. 31, 1908 1, 298 285 3 83 1, 495				
Dec. 31, 1907 1, 237 318 4 81 1, 495				
Dec. 31 1905   1 168   228   4   72   1 368				
Dec. 31, 1904 1, 200 192 3 68 1, 390				
Dec. 31 1903   1 286   1 158   2   69   1 594				
Dec. 31, 1902 1, 275 159 2 62 1, 515 Dec. 31, 1901 1, 282 155 3 55 1, 533				
, , , , , , , , , , , , , , , , , , ,				
Chosen (Korea) Dec. 31, 1917 1, 385 832 1 15 55 Dec. 31, 1916 1, 353 780 14 53	2	1:		
Dec. 31, 1916 1, 353 780 14 53 Dec. 31, 1915 1, 354 767 14 55	1 1	1		
Dec. 31 1914 1 338 758 758 12 53	i	i		
Dec. 31, 1913 1, 211 761 10 51 1912 1, 041 617 (2) 10 47		1: 1: 1: 1: 1: 1: 1:		
1912 1, 041 617 (2) 10 47 1911 906 573 8 41		1 1		
1911 906 573 8 41 1910 704 566 7 40	(9)			

 $<sup>^2</sup>$  Less than 500.  $^{22}$  Young buffaloes included in cattle figures and excluded from buffalo figures.  $^{23}$  Including 555 in transit, and 186,328 belonging to the Royal Army.

# Table 229.—Live stock in principal and other countries—Continued PRINCIPAL COUNTRIES—Continued.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
•		Thou- sands.	Thou- sands.	sands	* Rands	Thou- sands.	Thou- sands.	Thou- sands.	Thou-
Formosa (Taiwan)	Dec. 31, 1917	1 2	27 376	1, 273 1, 319 1, 313	(2)	100	(2)		
	Dec. 31, 1916 Dec. 31, 1915	2	3\$5 397	1,319	(3) (2)	118 117	(2) (2)		
•	Dec. 31, 1914	2	398		' (-)	125 129	(2)		
	Dec. 31, 1913	1 1 1 1 1 1 1	27 418	1,322	(2)	129	(º)		
	Dec. 31, 1912	1	27 445 27 477	1,277 1,290	(2)	126	(2) (2)		
	Dec. 31, 1911 Dec. 31, 1910 Dec. 31, 1909 Dec. 31, 1908	i	27 479	1.308	(2)	129 137	8		
•	Dec. 31, 1909	1	27 459	1, 268 1, 231	(2)	144	(3)		
•	Dec. 31, 1908	1	27 414	1,231	( <u>1)</u>	144	(2)		
	Dec. 31, 1907	1	27 373	1,146	(4)	129	(2)	!	• • • • • • • • • • • • • • • • • • • •
Carafuto (Japanese)	Dec. 31, 1917	1		1	! ! • • • • • • • • •	l <u> </u>	3		
	Dec. 31, 1916	1		. 1			3		
	Dec. 31, 1915	1		(2) (2)		¦	2		
-	Dec. 31, 1914 Dec. 31, 1913 Dec. 31, 1912	i	•••••	(2) (2) (2) (3)			9		
	Dec. 31, 1912	ī		(2)			ī		
	Dec. 31, 1911	1 1		(2)	` <del>-</del>		2		
	Dec. 31, 1910	1		(2) (2)	[		1		
	Dec. 31, 1908	î	•	(-) 1			i		
	Dec. 31, 1909 Dec. 31, 1908 Dec. 31, 1907	Ĩ					. î		
(Leased Province of	Dec. 31, 1917 Dec. 31, 1916	. 31 31		76 76	1	- 6 6			1
Japan).	Dec. 31, 1915 Dec. 31, 1914 Dec. 31, 1913	31 31		63 71	1	17	3 3 3	13 13 13 13 13 14 13	1
	Dec. 31, 1913	31		66	i	12	3	13	
	Dec. 31, 1912 Dec. 31, 1911	31		64	2	12	Š	13	1
	Dec. 31, 1911	31 31		57		8	4	. 14	1
	Dec. 31, 1910			69	, 2	. 11	. 4	4 13	1 3
• •	Dec 21 1000			R1	. 1		i 4	10	1 4
• •	Dec. 31, 1909 Dec. 31, 1908	28 24		61 65	1 2	8	4	12 12	
	Dec. 31, 1909 Dec. 31, 1908	28		61 69	2		!	12	1
uxemburg	Dec. 31, 1909 Dec. 31, 1908	28 24 89		61 65 89		i	!	12 (2)	( <sup>2</sup> )
uxemburg	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Not. 8, 1918	28		61 69 89		13 15	18 17	( <sup>2</sup> )	1
uxemburg	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Not. 8, 1918	28 24 89 108 114 113		61 65 89 95 114 87	5 6 4 9 S	i	18 17 17 16	(2)	1
aixemburg	Dec. 31, 1908 Dec. 31, 1908 Dec. 4, 1919 Not. 8, 1918 Oct. 18, 1917 Dec. 9, 1916 May 26, 1915	28 24 89 108 114 113 114		61 65 89 95 114 87 94	5 6 4 3	13 15 14 11	18 17 17 16 18	(2)	1
uxemburg	Dec. 31, 1908 Dec. 31, 1908 Dec. 4, 1919 Not. 8, 1918 Oct. 18, 1917 Dec. 9, 1916 May 26, 1915 Dec. 1, 1913	28 24 89 108 114 113 114 102		61 65 89 95 114 87 94 137	. 5 6 4 3	13 15 14 11	18 17 17 16 18	( <sup>2</sup> )	(2)
-	Dec. 31, 1908 Dec. 31, 1908 Dec. 4, 1919 Not. 8, 1918 Oct. 18, 1917 Dec. 9, 1916 May 26, 1915 Dec. 10, 1910	28 24 89 108 114 113 114 102 94		61 65 89 95 114 87 94	. 5 6 4 3	13 15 14 11	18 17 17 16 18	(2)	:
-	Dec. 31, 1909 Dec. 4, 1919 Not. 8, 1918 Oct. 18, 1917 Dec. 9, 1916 May 26, 1915 Dec. 10, 1910 Dec. 10, 1910	28 24 89 108 114 113 114 102 94		61 65 89 95 114 87 94 137 128	5 6 8 8	13 15 14 11 10	18 17 17 16 18 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1909 Dec. 31, 1909 Dec. 4, 1919 Not. 8, 1918 Oct. 18, 1917 Dec. 9, 1916 May 26, 1915 Dec. 10, 1910 Dec. 31, 1916	28 24 24 108 108 114 102 94 6,676 6,912		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10	18 17 17 16 18 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1909 Dec. 31, 1909 Dec. 4, 1919 Not. 8, 1918 Oct. 18, 1917 Dec. 9, 1916 May 26, 1913 Dec. 10, 1910  1917 Dec. 31, 1916	28 24 89 108 114 113 114 102 94 8,676 6,912 6,151		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10	18 17 17 16 18 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1909 Dec. 31, 1909 Dec. 4, 1919 Not. 8, 1918 Oct. 18, 1917 Dec. 9, 1916 May 26, 1915 Dec. 10, 1910 1917 Dec. 31, 1918 1914 1913	28 24 89 108 114 114 114 114 114 6,676 6,912 6,151 5,885 5,540		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10	18 17 17 16 18 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nor. 5, 1918 Oct. 18, 1917 Dec. 9, 1916 May 29, 1915 Dec. 10, 1910 Dec. 31, 1916 1913 1913 1911	28 24 59 108 1114 113 114 102 94 6,676 6,912 6,151 5,885 5,540 5,723		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10	18 17 17 16 18 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1908 Dec. 4, 1919 Not. 5, 1918 Oct. 18, 1917 Dec. 19, 1916 May 26, 1913 Dec. 10, 1910 Dec. 21, 1913 1912 1911 1911	28 24 89 108 114 113 114 102 94 6,676 6,912 5,885 5,728 4,573		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10	18 17 17 16 18 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nor. 5, 1918 Oct. 18, 1917 Dec. 9, 1916 May 29, 1915 Dec. 10, 1910 Dec. 31, 1916 1913 1913 1911	28 24 59 108 1114 113 114 102 94 6,676 6,912 6,151 5,885 5,540 5,723		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10	18 17 17 16 18 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1908 Dec. 4, 1919 Nov. 8, 1918 Out. 18, 1918 May 28, 1916 May	28 24 89 108 114 113 114 114 102 8,676 9,12 6,912 5,580 5,750 4,492 4,120		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10	188 177 177 16 188 199 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Not. 5, 1918 Oct. 18, 1919 Dec. 4, 1919 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 1917 Dec. 10, 1910 1911 1911 1910 1909 1908	28 24 89 108 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 114		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10 200	188 177 177 16 188 199 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1908 Dec. 4, 1919 Nov. 8, 1918 Oct. 18, 1918 Oct. 18, 1916 Dec. 1, 1913 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 1911 1910 1909 1908	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10 200	188 177 177 16 188 199 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1908 Dec. 4, 1919 Nov. 8, 1918 Nov. 8, 1918 Oct. 18, 1916 May 26, 1917 Dec. 9, 1916 Dec. 10, 1910 Dec. 10, 1910 1911 1910 1909 1908 1907 1906 1905	28 24 89 108 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 113 114 114		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10 200	188 177 177 16 188 199 19	( <sup>2</sup> )	(2)
-	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nov. 5, 1918 Oct. 18, 1919 Dec. 4, 1919 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1911 Dec. 10, 1911 1910 1909 1908 1907 1906 1905	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 65 89 95 114 87 94 137 128	5 6 8 8 8	13 15 14 11 10 10 200	188 177 177 16 188 199 19	( <sup>2</sup> )	(2)
ladagascar <sup>38</sup>	Dec. 31, 1908 Dec. 4, 1919 Nov. 8, 1918 Oct. 18, 1918 Oct. 18, 1916 Dec. 1, 1913 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 1911 1910 1909 1908 1907 1906 1905	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 65 89 95 114 87 94 137 128	5 6 4 3 3 5 6 6 3 3 9 9 2 9 5	13 15 14 11 10 10 200	18 17 16 18 19 19 2 3 3 3	( <sup>2</sup> )	(2)
ladagascar <sup>38</sup>	Dec. 31, 1908 Dec. 4, 1919 Nov. 8, 1918 Oct. 18, 1918 Oct. 18, 1916 Dec. 1, 1913 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 1911 1910 1909 1908 1907 1906 1905	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 65 89 95 114 87 94 137 128	5 6 4 3 5 6 6 9 295 5 5 6 9 199 5 19	13 15 14 14 10 10 200	18 17 17 16 18 19 19 2 2	( <sup>2</sup> )	(2)
ladagascar <sup>38</sup>	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nov. 5, 1918 Oct. 18, 1916 May 26, 1915 Dec. 10, 1913 Dec. 10, 1913 Dec. 10, 1913 1912 1911 1910 1909 1908 1907 1906 1907 1906 1907 1906 1908 1907 1906 1908 1907 1906 1908 1907 1908 1907 1908 1908 1907 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1908 1907 1908 1908 1907 1908 1908 1908 1908 1908 1908 1908 1908	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 68 89 99 114 8, 94 137 128 600	309 295 19 19 19	13 15 14 11 10 10 200	18 17 16 18 19 19 2 2	( <sup>2</sup> )	(2)
ladagascar <sup>38</sup>	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nov. 5, 1918 Oct. 18, 1918 Dec. 4, 1919 Dec. 10, 1910 Dec. 11, 1910 Dec. 10, 1910 Dec.	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 6S 89 95 114 87 128 128 544 600	5 6 4 3 3 3 5 6 6 8 3 3 9 5 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	13 15 14 11 10 10 200	18 17 16 18 19 19 2 2	(2)	(2)
ladagascar <sup>38</sup>	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nov. 5, 1918 Oct. 18, 1915 Dec. 9, 1916 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 1911 1910 1909 1908 1907 1906 1907 1906 1907 1906 1907 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1908 1907 1908 1907 1908 1907 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1908 1908 1908 1908 1908 1908	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 65 89 95 114 127 128 54 600	5 6 4 3 3 3 3 9 9 2 9 5 1 9 1 9 1 9 1 8 1 8 1 9 9	13 15 14 11 10 10 200	18 17 16 18 19 19 2 2	(2)	(2)
ladagascar <sup>38</sup>	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nov. 5, 1918 Oct. 18, 1915 Dec. 9, 1916 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 1911 1910 1909 1908 1907 1906 1907 1906 1907 1906 1907 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1908 1907 1908 1907 1908 1907 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1908 1908 1908 1908 1908 1908	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 65 89 95 114 127 128 54 600	5 6 4 3 3 3 3 9 9 2 9 5 1 9 1 9 1 9 1 8 1 8 1 9 9	13 14 14 11 10 10 200	18 17 17 16 18 19 19 3 3 3 1 2	(2)	(2)
uxemburg	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nov. 8, 1918 Oct. 18, 1917 Dec. 9, 1916 Dec. 11, 1913 Dec. 10, 1910 Dec. 31, 1916 1917 Dec. 31, 1916 1911 1910 1909 1908 1907 1906 1905 1907 Mar. 31, 1918	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 6S 89 95 114 87 128 128 544 600	5 6 4 3 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	13 14 14 11 10 10 10 200	18 17 17 16 18 19 19 3 3 3 1 2	(2)	(2)
fadagascar <sup>36</sup>	Dec. 31, 1909 Dec. 31, 1908 Dec. 4, 1919 Nov. 5, 1918 Oct. 18, 1915 Dec. 9, 1916 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 Dec. 10, 1910 1911 1910 1909 1908 1907 1906 1907 1906 1907 1906 1907 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1907 1908 1908 1907 1908 1907 1908 1907 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1907 1908 1908 1908 1908 1908 1908 1908 1908	28 24 108 108 114 102 94 6, 912 6, 912 5, 885 5, 723 4, 420 3, 813 3, 706		61 65 89 95 114 127 128 54 600	5 6 4 3 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	13 14 14 11 10 10 10 200	18 17 17 16 18 19 19 3 3 3 1 2	(2)	(2)

Table 229.—Live stock in principal and other countries—Continued.

PRINCIPAL COUNTRIES—Continued.

Country.	Date.	Cattle.	Buna-	Swine.	Sheep.,	Geats.	Horses.	Mules.	Asses.
	- 1	Thou-	Thou- sands.	sands.	Thou-	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.
Malta (continued)	Mar. 31, 1910	7		<b>4</b> ,	17			9 10	
	Mar. 31, 1909 Mar. 31, 1908	7		4 6	14			11	
	Mar. 31, 1907	Ġ		5	20			. 11	
1	Mar 31, 1906	<u> </u>		5	19			11	
i	Mar. 31, 1907 Mar. 31, 1906 Mar. 31, 1905 Mar. 31, 1904	8		5 5 5 5 5	19' 17'			11 10	
	Mar 31, 1903	S,		5	16			iŏ	
`	Mar. 31, 1902	ě.		4	15			10	
	Mar. 31, 1901 Mar. 31, 1900	8		6	14			10	
I	Mar. 31, 1900	8		. 5	14			11	-
Mauritius (British) 28.	1918	33							
, ,	1917	17		4	2	. 7	1	(2) (2)	(2)
	1916	. 18		4	1	6		(2)	(*)
*	1915 1914	20	•••••	4 16	- 1		Ĭ		•••••
	1913	22		8	1		. 1		
	1912	19		6	1		1,	-	
	1911 1910	17 16		· 6	1		1	•	
	1909	13		4	2		î	-	
	1908	12		4 4 4	1	;	1		
	1907	11		5	1	••••••	1	•	
	1906 1905	10		14			1	•	
	1904	7		4	1		î	:	
	1903	7		4	' 1		. 1		
	1902	S 11		4 5	1		(2)		
	1901 1900	10		4	1		(a) (*)		
Mexico	June 50, 1902	5,142		616	8,424	4, 206	859	204	200
Morocco:	1015 10		l					1	ŧ
Eastern Western	1915-16 May - June,	22 1,173		103	664 4,194	285 1,258	119	46	338
11 05001111111111111	1918.	1	I	100	2,202	٠,٠			
		1,030		51	4,290	1,266	108	43	286
	1916-17.	S56		29	4,054	1,227	,	41	251
1	1915–16.	900		23	2,002	1, 22,		- 22	
• 1	1916-17. May - June, 1915-16. May - June, 1914-15.			16	3,175	1,062	1	.23	226
•		-			1			<del></del>	
Netherlands	Mar, 1919	1,969 2,049 2,304 2,390		450	437	····	362		
	Aug. —, 1918 Apr. 11, 1917	2,049		600 1,185	642 521	311	- 378		
	May - 1915	2,390		1,487	021			*******	
	June 1913	2,097		1,350	842	232	334		
	May 20 1910 June 20 1910	2,027		1,260		224	227		;
	Dec. 31, 1904	1,691		862		166	295		
	1903	1.660	6	882	652	170	296		
	1902	1,647	1	823		176	304 302		
	1901 1900	1,650	j	764 747	752 771	177 180			
	1890	1.533	B	579	819	165	273		
•	1880	1,470	X	335	848	158	278	; 	
	1870 1859	1,411		329 261		137	252 237		
	1851	1,24		270	812		233		
Newfoundland	1911	82	4	15	3	15	15	·	
	1901	55		. 35	78	17	5		
New Zealand	1920 1919	3,059		260			344 363	(3)	(3)
	1919	2,889	3	250		17		1	٠.
	1917	2, 57	5	284	25, 270	N 38	374	1 . (	2)
•	1916	2,417		298	3 24.788	3 18	371	1 (	3)
	1915 1914				24, 901 24, 799				
	1913				24, 192				
	1912	1		.1	23,750	ř	1		

 $<sup>^2</sup>$  Less than 500.  $^2$  Years 1914 and 1918 include all animals. Other years, animals on sugar plantations only.

# Table 229.—Live stock in principal and other countries—Continued. PRINCIPAL COUNTRIES—Continued.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
		Thou- sands.	Thou- sands.	Thou-	sands.	Thou- sands.	sands.	Thou-	Thou-
New Zealand (con.)	Apr, 1911 1910	2,030	·	sands. 349	23, 996 24, 270	6	404	(	2)
	1909				23, 481				
. 1	1908-9 1907-8	1,773 1,816		245	22, 449		363		1
	1907-8	1,816 1,852		241 242	20, 984 20, 108	•	353 343	5	2)
	1906-7 1905-6	1,811		250	19, 131	• • • • • • • • • • • • • • • • • • • •	327	}	2)
	1904-5	1,737		250 255	18, 281		314	(	as
	1903-4	1,594		227	18, 955		299 287	·	2)
	1902-3 1901-2	1,461	·	194 224	20, 343 20, 233		280	}	21
	1901-2 1900-1	1,362 1,257		251	19, 355		266	(	25
				250	10 340		262	(	3)
	1895 1891	1,048		240 309 278	19, S27 16, 754 15, 174	ġ	237 211	; }	2
	1886	853		278	15, 174	10	187	}	25
	1881	699		200 201 124 151	12,190	11	162	(	2)
·	• 1878 1874	578 495		297	13,069 11,705	14	138 100	}	2) 2)
	1871	137		151	9,701	12	81	} }	25
. 1	1867	313		110.	8,419	14 14 12 12 12	66	. (	2)
1	1861 1861	250 193		61	8,419 4,937 2,761	12	49 98	, ,	2)
. ,	1858	137		43 41	2,761 1,523	12	15		3
				i					<del>,</del>
Norway	<sup>29</sup> June 20,1918 Sept. 30, 1916 Sept. 30, 1915	1,038		209	1, 185	199	210		¦
	Sept. 30, 1916	1,119 1,121		221 209	1,281 1,330	230	189 186		
	Sept. 30, 1914	1,146		228.	1.327	237	182		
•	Sept. 30, 1914 Sept. 30, 1910	1.134		334	1.300	: 288	168		
	Sept. 30, 1907 Dec. 3, 1900	1,089 950	1 148 1 109	307 165	1,391	296	164 173	i	·
. !	1890	1,006	1 170	121	1,418	272	151		
Classic (Calouse)	1500			2			79.5	ļ	į
Nigeria (Colony)	1902 1901	1 2		2	9		(2) (2) (2) (2)	! :	·
	1900 1899	ĺi		2	2		. (2)		
Nyasaland Protector-		1	,	3			(°2)	·	
ate	Mar. 31, 1918 Mar. 31, 1917 Mar. 31, 1916 Mar. 31, 1915 Mar. 31, 1913 Mar. 31, 1912 Mar. 31, 1912 Mar. 31, 1911	93	! 	20 23 24 22 23 23	40		} 	(2)	
	Mar. 31, 1917	91		23	35	171		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	;
	Mar. 31, 1916	82		21	30	131 139		(2)	•••••
	Mar. 31, 1914	76		23	35 30 28 28 28 22	137		(2) (2)	
•	Mar. 31, 1913	63		22	23	138		(2) (2) (2)	
	Mar. 31, 1912	60 55	j	19 11	15	112 112	``·····	(2)	
•	Mar. 31, 1910	58		14	18	102		(2)	
	Mar. 31, 1909	55	}	30 37	. 19	ļ	ļ	(2)	!
	Mar. 31, 1908	52 49		20	17			(2)	
	Mar. 31, 1910 Mar. 31, 1909 Mar. 31, 1908 Mar. 31, 1907 Mar. 31, 1905 Mar. 31, 1905	29			12			(2) (2) (3) (2) (2)	
	Mar. 31, 1905	27			12			(2)	
	Mar. 31, 1904 Mar. 31, 1903	19		·	4			(2)	
	Mar, 31, 1902	6			Ğ			(2)	
Papau, territory of		ì	1	!		:	1		
(British)	1917	. 1	i	(4)	(2)	1	(2)		· 
,	1916	ī		(2)			, (²)		,
	1915	2		(2) (2)	(2) (2)	;i	(2)		ļ
	1914 1913	9		(2)	(2)		(2)		
	1912	î		(25 .	(2) (2) (2)		(2)		
	1911	1		(2)	(2)		(3)		
	1910	1			(2)	j	(2)		
						1	1 (7)		
	1909 1908	î		(2)	(2)		(2)		1
• •	1908 1907	i		(2)	(2)	<u> </u>		.:	
• •	, 1908			(2)	(2)		(2) (2) (2) (2) (2)	::	

Reindeer.
 Less than 500.
 Incomplete.
 There was a large increase in the estimated number of pigs in the Upper Shire District in 1908.

# TABLE 229.—Live stock in principal and other countries—Continued. PRINCIPAL COUNTRIES-Continued.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
Paraguay	Dec. 31,1918	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.
- araguay	1915 1914	5,500 5,249 4,952		61	600	87	478	17	18
	1913 1912	4,672 4,407		,					
	1911	4,158 3,922							
	1910 1909	3,700			:::::::				
	1908 1907	3,491							
	1906 1905	3,107 2,931							
	1904 1903	2,765 2,609							•••••
į	1902 1899	2,461 2,283		37 24 12	222 214	50 59		. 2.	
	1886 1877	730 201	١	12 3	32	11			1
Philippine Islands 31					·		198	1	^
- mappine manus	Dec. 31, 1917 Dec. 31, 1916 Dec. 31, 1915 Dec. 31, 1914 Dec. 31, 1913	566 534	1,229	2,735 2,521 2,256 2,087	130 129	604 644	203		
	Dec. 31, 1914	478	1.14.	2,256	118	592	216		
			957	. 1.555	104 99	528 476	171		
	Dec. 31,1911 Dec. 31,1910	315 270	757	1,703 1,682	93 94	455 441	152 143		
	1903	128	6.21					44	
Portugal	Mar, 1920 Oct, 1906	741		921 1,111	3,851 3,075	1,493 1,034	88	58	;;
	1870	625		971	2,977	957	87	51	14. 18
Poland	(1914 1913	2,014 2,011	(2)	452 491	565 683	9	1,098	(2)	(2)
	In sum- 1910 mer. 1900	2,301 2,823	13	612 1,402	1,050 2,823 3,755	9 11		(2) (2) . (3)	(2) (2)
	1890 1881	3,013 5,055	(2)	1,499 706	3,755 3,375	10	1,207 1,037	(2)	
Rhodesia: Southern	Dec. 31,1918	1,211	1	6 15	T I	4 21	62		61
	Dec. 31,1917	1,200		631	368	766		22.6	
•	Dec. 31,1917 Dec. 31,1916 Dec. 31,1915 Dec. 31,1914	960 841		60 46	312	723 698		23 5 21 4	
	1919	749 600		6 13	32 266	675		22 g 23 g	
	1912 1911	600 464			<sup>22</sup> 255 £9£	602	ļ	22 Š	
·	1910 as 1909	371 233			32 232 216	628	i i	32 2	
	32 1Q0S	204	I		203			·	
	22 1907 22 1906 24 1906	180 143	.,		167 141				; ,
37 - 47	1904 1901	144	ł	! !	49				;
Northern	1912 1911	255 6 37		` {					
	1910 19 <b>0</b> 9	6 34 6 39							
Roumania	* 1919	1, 12	5	84			149		
	Feb. 15, 1917 Apr. —, 1916	2	938	371 1,382					1:
	1911 1907	2,	667 585	1, 021 1, 124	5, 269	187	825		<u> </u>
	Dec 1900	2. 545	5 44	1,709	5,655	235	864	1	
						3 000	نسم ا		
	1896	2,	138 520	- 1, 079 926	6, 848 5, 002	287 210	671		9 /
		2, 2, 2, 2	138 520 406 376	1, 079 926 797 886	5,002 4,973	210 165	595 563		) 3

<sup>Less than 500
Unofficial estimate.
Owned by Europeans only.</sup> 

Figures in buffalo column are for carabac only.
 Animals owned by natives only.
 Bessarabia excluded.

# Table 229.—Live stock in principal and other countries—Continued. PRINCIPAL COUNTRIES-Continued.

Country.	Da	ate.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
	<del></del>		Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou- sands.	Thou-
		(35 1916	38, 373 32, 886		16, 603 12, 301	63.	S33 553	23, 476 22, 375		
,		36 1915 1914	32, 880		12, 301	37, 240		22, 529		
		1913	31, 974	<sup>1</sup> 605	13, 458	41, 426	873	22, 771	6	
		1912 1911	31, 017 31, 023	1 464 1 461	12, 636 12, 654	39, 622 40, 157	766 854	22, 131 21, 820 21, 868	6 5	
		1910 1909	31, 315	1 462 1 480	12, 049 11, 330	40, 734	857 782	21, 868 21, 321	4 5	٠.
		1908	30, 492 29, 687	1 430	11, 389	40, 157 40, 734 39, 931 40, 222	749	20, 958	6	
Russia (European)**	{ In {sum-	1907	29, 675		11, 575	40, 149	203	20, 478	(3)	
·	mer	1906	30, 514 31, 194		11, 858 11, 471	42, 167		20, 468 20, 783	(2)	
į		1904	31,870		11,994	47,	939	20,746	2	
_ 1		1903 1902	31,844	1 409	11, 438	46, 926 47, S16	1,006 1,129	20,348	( <sup>3</sup> )	
•		1901	32, 184 31, 903	1 365 1 357	11, 649 12, 117			20, 478 20, 160	(2)	
ļ		1900 1895	31, 661	1 350	11, 761	47, 628	1,017 916	19.744	(2)	(2)
-		1890.	24, 521 25, 528	- 500	9, 554	47, 628 38, 212 46, 052	310	17, 042 19, 779		
	,	1881	22, 122		9, 265	44, 171	1, 157	15, 534	(2)	( <sup>2</sup> )
	•	1915	37 14, 772 18, 817		2,962 3,184	34, 468 49, 181	4 408	11,346 12,041		
lussia (Asiatic) (33	1	1913	18, 404		2, 895 2, 447	38,696	4, 498 4, 791	11.959		
tussia (Asiatic) (33 governments of the Caucasus, Central		# 1912 # 1911	17, 535 17, 628			37, 876 39, 774	1 4 USZ	11,666 11,913		
Asia, and Siberia)	j	# 1910 # 1909	17.788		2, 709 2, 499 2, 305	39, 774 38, 716	4,179 4,162	11,822		
		<b>№ 1908</b> .	17, 359 16, 833		2, 305	40, 212 40, 560	3,852	11, 190 10, 826		
		(#9 1907	16, 595		2, 210	40, 106	4,005	10,312		
t. Helena (British)		191 t 1901	1		(3)	2	1 1	(2)		
t. Lucia (British)		1916 1915						1		
į		1914					; ;	i		
erbia		-3 1914	1.	251	1,300	4,		174	- 3	
-	Dec.	81, 1910 81, 1905	957 963	7	866 908	8, 819 3, 160	631 510	153 174	1	
eychelles Islands		1917	1	:		(2)		(2)		
(British)		1916 1915	1		5 6			(3) (3)		
		1914	i					(2)		
		1913 1912	1		66665554	(2)		(3)	•••••	
		1911	i	'	6	(2)		(2)		
		1910 1909	1		. 6	(2)		(3)		
		1908 1907	1		.6	(2)		(2)		
		1906	1	ļ <b>-</b>	6	(2)		(2)		
		1905 1904	1		6	. (3)	ļ	(2)		¦
		1903	i		5	(6)		(2)		
		1902 1901	1		5	(2)		(2)		
		1900	î		1	(3)		(2)		
ierra Leone (British)		1910 1909	. 2	ŗ	(2)	/m 1	ļ	(2)		
Į		1908	(²) <sub>1</sub>		(2) (3)	(2)		(3)		
		1907 1906	2	ļ	(2)	(°)		(1)		
		1905	- i		(2)	] ]		(1) (2) (3)		
pain	Dec.	3 1918 21 1017	3,712		4,997	18,601 17,22	4,476 4,182		J	
	3700.	31, 1917 1916	3,233 3,071		4,997 3,930 2,814 2,885	16,012 15,996	4, 182 3, 207	489	913	8
l Reindeer.		. 1915	2,926		· 2,000	1 10,990		512	951	. 8
Less than 500. Unofficial estimate					# 27 gov	ernmen ernmen	ts and pr	ovinces.		
						ernmen	er here be			

Less than 500, Unofficial estimate, 51 governments, Poland excluded, Total for 48 governments.

Table 229.—Live stock in principal and other countries—Continued.

PRINCIPAL COUNTRIES—Continued.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
		Thou- sands.	Thou- sands.	Thou-	Thou-	sands.	Thou-	Thou- sands.	Thou-
Spain (continued)	Dec. 31,1914	2,743	<b></b>	2,810	16, 128	3,265 3,594 3,116 3,370	525	984	841
1	1913 1912		• • • • • • •	2,710	15, 441 15, 830 15, 726	3, 116	542 526	948 929	849 829
	1911	2,541		2, 472	15,726	3,370	546 520	905	837
	Dec. 31, 1910 Dec. 31, 1906	2,369 2,497		2,810: 2,710 2,571 2,472 2,424 2,080	15,117 13,481	3, 216 2, 440	520 440		
j	1891	2,218		1,928	13,359	2,534	397	763	754
Straits Settlements	1914	40	:	113	35	18	2		· • • • • • • • • • • •
	1913 1912	16 39		158 145	• • • • • • • •		2	<sup>!</sup>	
	1911	44	, <del></del>	141			. 3		
	1910	44 40		138			3		;
1	1909 1908	41		113 79			2		
	1907	31					ā		
- '	1906 · 1905	1 29	,				-4		j
	1904	27					4		
	1903 1902	22	(				5		
	1901	23					3		
	1900	25					3		
Swaziland (British)	1917	150		9	2	50	. 1	ľ	1
~ · · · · · · · · · · · · · · · · · · ·	1916	135	1	. 9	. 2	30	. ]		
	1915 1914	100		9		30 00			
-	1913	73		. 9		rõ	1		
	1912	58		, , ,	16	34 84	, ]	ļ	:
	<i>1911</i> 1910	58 59		g	10		,		·i
	1909	- 50		i	10			i	
	1908	50	·		10		! :	Ų	-
Sweden	June 1, 1919	2, 551	di	717	1,564	133	710	3 <sup>!</sup>	
	June 1, 1918	2,584		634	1,409	133	714		
	June 1, 1917 June 1, 1916	3,020 2,913	) 	1,030 1,065	1,344	136 132	718		
	June 1, 1915	2,881		891	1,146	102	673	2	
	Dec. 31, 1914 Dec. 31, 1913	2,761 2,721		1,015	993 988		603 596	Ş	·{i
	Dec. 31, 1910	2,748	1 1 1 1 1 1	025	1,004	69	587	7	
	Dec. 31, 1905	2,550		830	1,074	67 80 74 87	55 53		
	Dec. 31, 1900 Dec. 31, 1895	2,583 2,540			1,261 1,313	74	500		1
	Dec. 31, 1890	2,399	1 296	645	1,301	S7	48	7	
	Dec. 31, 1885 Dec. 31, 1880	2,366		516 419	1,442	97	48 46		-}
	Dec. 31, 1875	2, 186	š	1 413	1,609	126	459		-,
	Dec. 31, 1870 Dec. 31, 1865	1,96		354 350	1,595 1,590				-;
Świtzerland	Dec. 31, 1865 Apr. —, 1920	960	1	372					3
DWITZERIBUU	Apr, 1919	1,00	5'	. 304	E 209	) 284	1 7	ŏ	3
T.	Apr. 19, 1918	1,530	)	36		35	12	9:	3
	Apr. 19, 1916 Apr. 21, 1911	1,616		570	161	- 354 34 581	13	i.	5) 5:
•	Apr. 20, 1906	1,490	3	541 550	,910	381	14	<i>t</i> .	5
	Apr. 19, 1901 Apr. 20, 1896	1,34		56	5 819 1 <b>2</b> 71	350	18	0	
•	4 pr. 21, 1886	1.21	3	. 59	5. 541	116	. 9	9	<b>3</b> 1
:	Apr. 21, 1876	1,03		33		396 577	. 10. 5 10.	1	캸
	Apr. 21, 1866	39	1	30.	441	916		A	
Trinidad and Tobago.		1	l)		: 1	f	-	12	
	1915 1914	1,	3,	. 1			i	Ď	
•	1913	i	3				1 .	5	
	1912 1911	1	4	.'				5	
	1911	1	2	. 1			1	5	
	1909	Ĩ	0	.' 1	8			4	.,

Table 229.—Live stock in principal and other countries—Continued. PRINCIPAL COUNTRIES-Continued.

Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
		Thou- sands.	Thou- sands.	Thou- sands.	Thou-	Thou- sands.	Thou-	Thou- sands.	Thou-
Tunis	Feb. 28, 1919 Apr. 30, 1918	635		18	sands. 2, 662 1, 125 1, 033	1.661	· 79	31	199
	Apr. 30, 1918 Apr. 30, 1917	251 225		15 10	1, 125	549 460	36 33	16 15	85 77
	Apr. 30, 1916 July 31, 1915	240		10 7	1, 148 1, 119	460 522	33 31 32	15 17	84
	Apr. 30, 1917 Apr. 30, 1916 July 31, 1915 Dec. 31, 1914	269 189		12 20	1,119 642	499 394	32 35	17 20	84 82 90
		217		20 17	729	505	35 37 37	20 23 22 13 20	95
	Dec. 31, 1912	225 191		19 18	767 687	492 469	37 39	22	95 92 87
	Dec. 31, 1911 Dec. 31, 1910	171		8	616	333	37	20	80
Turkey (European	Dec. 31, 1909	173		10	724	399	32	9	
and Asiatic)	1919	41 3, 740 41 3, 835	42 378		11,200	2, 065 16, 463 420, 269 43 18, 730 42 21, 283 43 18, 003 43 17, 091 43 16, 896 44 17, 645 45 16, 411	630	85	825 1, 374
	1913 1912	41 3, 835	42 2, 697	73	18,722	16, 463	711	145	1, 374
i	1911			164 175	25, 435	48 18, 730			
	1910 1909			175 180	27,662	48 21, 288			• • • • • • • • • • • • • • • • • • • •
	1908			180 172	26, 779	48 17, 091			
	1907 1906			172 187	24, 248	48 16, 896			• • • • • • • • • • • • • • • • • • • •
Turk and Caicos	1905			196	23, 614	48 16, 411			
Turk and Caicos	1917	1		(2)	(2)		(*)		
	1916	1		(2)			SEESESSES		
	1915 1914	ì		(2)	(2)		(2)		
	1913	Ī		(2) (2) (2) (2) (3)	(2)		(2)		
	1912 1911	1 1		(2)	(2)		(3)	• • • • • • • •	•••••
	1910	î		1	(2)		(2).		
	1909 1908	1 1			(2)		(2)		
	1907	î			(3)		(3)		
	1906 1905	1			(2)		(2)		•••••
	1904	i			(2)		(a) (a) (a)		
	1903	1		[			(2)		
Union of South Africa.	44 1919 May 5, 1918	5,575 6,852		724 1,043	28,492 29,914	5,842	695 781	81 85	499 554
	1916	0,002	,	1,040	31.981	8.962	101		
	Dec. 31, 1915				31,434 35,711	8,918			
	Dec. 31, 1913 1912				35,889	11,691			
	1911	5,797		1,082	35,889 30,657	11,768	719	94	337
,	4º 1910 1909				22, 198 30, 508 29, 082				
, ,	. 1908				29,082				
•	46 1907 47 1906				19,915 15,649				
	1905				19,596	š!			******
** ** * ***	1904	3,500	1	679	16,325		450 1,885		149
United Kingdom	June 4,1920 June 4,1919	11,770 12,491	í)	3, 113 2, 925 2, 809 3, 008 3, 616	23,407 25,119		1.915		
	June -, 1918	12, 311	L	2,809	25, 119 27, 063	277	1.916	26 25	232 228
	1917 1916	12,382 12,451	11	3, 616	27, 867 28, 850	293	1.834	20	230
	1915	12, 171	i]	• 3, 790	20.2/0	. 243	1,712	28 29 31	227 245
	1914 1913	12, 171 12, 181 11, 93		3,953 3,306	27, 909	242	1,851 1,874	31	245
	1912	11.915	5'	3,993	28.967	}	1.995		
	1911 1910	11,860 11,76	5	4,250 3,561	30,480 31,165		2,033 2,095	• • • • • • • • • • • • • • • • • • • •	
	1909	11.76	<b>.</b> i	3,543	31.840	);	2,092		
•	1908 1907 1906	11,739	3	4,056 3,967	31,332 30,012		2,089 2,089		<b> </b>
	1906	11,692	2'	3,581	. 29, 210	)	2.110		
	1905 1904	11,674	4	3,602 4,192	29.077	//	2.117		
	1903	11,570	9	4.086	29.659		2,101 2,070		1
	1902	11,37	7	3,640	30,057	1	2,023 2,012	!	
•	. 1801	11,478	»·····	3,411	30,830		1 2,012		,

a Less than 500.
a Excludes territories of Mesopotamia, Palestine,
Syria, and Arabia.
a Includes oxen.
s Includes Angora goats.

<sup>44</sup> Excluding native locations, reserves, etc. 45 Cape of Good Hope and Transvaal only. 46 Orange Free State excluded. 47 Natal and Cape of Good Hope.

# Table 229.—Live stock in principal and other countries.—Continued. PRINCIPAL COUNTRIES—Continued.

	1 10121	· · · · · · · · · · · · · · · · · · ·	COOMI	101100	OM HEAR	· · · · · · · · · · · · · · · · · · ·			•
Country.	Date.	Cattle.	Buffa- loes.	Swine.	Sheep.	Goats.	Horses.	Mules.	Asses.
	-	Thou- sands.	Thou-	Thou-	Thou- sands.	Thou-	Thou- sands.	Thou- sands.	Thou- sands.
United Kingdom(con.)	1900 1895 1890	11, 455 10, 758 10, 789		3, 664 4, 239 4, 362	81, 055 29, 773 31, 667		2,000 2,112 1,965 1,909		
Uganda Protecto-	1885 1917 1916	10, 869 665 683		3,687	30, 086 245 263		(2) - (2)		
	1915 1914 1913 1912	700 845 775 739			262 578 537 579		(2) (2) (2) (2)		
	1911 1910 1909	759 516 336		i	86± 522 533		(2) (2) (2)		
	1908 1907 1906	428 379		1	560 458		(25)		
Uruguay	1905 Apr. 20, 1916 1908	7,803 8,198		304 180	11,473 26,286	12 20	555 556	14 18	
	1900 1860	6,827 3,632		94 6	18,609 1,990	20 5	561 518		8
		отн	R COU	NTRIE	8.				
Azores, and Madeira	1900	89	-	93	87	38	2	3	· ·
Islands Bolivia	³ 1912	734		114	1,499	468	99	45	178
Colombia	1915 1908	3, 035 200 1		711	50 1	550	526 80 1		139
Dutch Guiana Esthonia French Equatorial	³ 1920	363		213	436		155	1	
Africa. French Guiana. French Indo-China: Annam.	1918 1914 1914	400 400		150	1,000 150	1,500 140	20 3		10
Cochin China	1914	109	242	709		3			,
GambiaGuam	1907 1913		3 6						
Ivory Coast (French) Jugo-Slavia	1918 (*)	5, 497		4,849	126 9,772	168 2, 448		1,458	(*)
LabradorLithuania	1911 2 1913	(*) 1,481		2,000	1,	055	762		
Monserrat (British) Nicaragua New Caledonia Palestine	1915 1908 (*) 3,50 1920	(2) 252 130		12 25	( <sup>2</sup> ) 25 250		(2) 25	6	
Panama St. Croix St. Pierreet Miquelon	1916 1918 1918	200 9 (2)		30 ( <sup>3</sup> )		5	(2)		(4)
Salvador	1906 * 1919 1919	(2) 284 417 14		(2)	21 141		74		
Siam. Southwest Africa Pro- tectorate (former German Southwest	Jan. 1,1916	2,337	2, 120				108		
Africa). Tanganijika Territory (former German	<b>*</b> 1914	239				<u> </u>	17		
East Africa) Upper Senegal and	• 1912	3,994	·····			440			
Niger (French) Venezuela	July -, 1918 1912	1,299 2,004		1,618	2, 161 177	2,368 1,667	191		134 313

<sup>&</sup>lt;sup>2</sup>Less than 500. <sup>3</sup>Unofficial estimate.

 $<sup>^{49}</sup>$  Exclusive of horned cattle and sheep in certain provinces and districts.  $^{60}$  In occupied territory.

### HIDES AND SKINS.

TABLE 230.—Hides and skins: International trade, calendar years 1909-1919.1

CREEAL NOTE.—Substantially the international trade, calendar years 1909–1919.

General Note.—Substantially the international trade of the world. It should not be expected that the world export and import totals for any year will agree. Among sources of disagreement are these:

(1) Different periods of time covered in the "year" of various countries; (2) imports received in year subsequent to year of exports; (3) want of uniformity in classification of goods among countries; (4) different practices and varying degrees of allure in recording countries of origin and ultimate destination; (5) different practices of recording reexported goods; (6) opposite methods of treating free ports; (7) clerical errors, which, it may be assumed, are not infrequent.

The exports given are domestic exports and the imports given are imports for consumption as far as it is feasible and consistents ot oe express the facts. While there are some inevitable omissions, on the other hand there are some duplications because of reshipments that do not appear as such in official reports. For the United Kingdom import figures refer to imports for consumption, when available; otherwise total imports, less exports, of "foreign and colonial merchandise." Figures for the United States include Alaska, Porto Rico, and Hawaii.

EXPORTS.

EXPORTS.

		,					,
Country.	Average, 1909-1913.	1914	1915	1916	1917	1918	1919
	1,000	1,000	1.000	1,000	1,000	1,000	1,000
From-	nounds.	pounds.	pounds.	pounds.	pounds.	nounds.	pounds.
Argentina Austria-Hungary	293 950	212, 106	259, 906	271,817	257,655	poù nds. 241, 381	pounds.
Austria-Hungary	pounds. 293, 950 79, 265					,	
Belgium Brazil British India British South Africa Sanada	117, 213						11,29
Brazil	83, 252	74, 782	109, 163	124,631	93,863	104, 995	134, 96
British India	169, 857	150, 247	137, 417	158, 963	130, 497	102, 550	196, 28
British South Africa	51, 159	53,609	61, 614	59,790	48, 462	80, 524 45, 578	73,47
lanada	45, 469	52, 537	61, 814 42, 000	36,000	36,000	40,070	(3,4
		70,007	42,000	00,000	30,000	19,000	46,00 94,70
Chosen (Korea)	72, 751	78, 272	84, 147	98,692	107,710	85, 893	94,70
Innia Inosen (Korea) Juba Denmark Dutch East Indies	4, 944	5,628	*******		*******		
Denmark	14, 293	14, 458	16, 539	17, 151	30, 183 5, 333	28,454	
Intoh East Indias	21, 998	.20, 897	11,466	8,202	5,333	7,409	
Count	16, 708 10, 754	11,609	15, 577	20,711	17,059	9,360	,
Egypt	10, 754	9.094	7,673	8,202 20,711 7,554	8,664	6,386	8,55
Jermany		95, 739	59,030	25,599	20,312	4,379	53,88
Telmany	152, 373						
taly	48, 428	43, 691	18,580	7,010	928	308	6,21
Mexico	41.012			l		1	
Netherlands New Zealand	41, 012 67, 636	46, 458 5, 130 5, 928	14, 480	25,599 6,359	3,472	1,625	48,51
New Zealand		5, 130	6,010	6.359	22,629	31,742	
PeruRussia	6, 195	5, 928	6,010 6,302	6,884	22,629 7,083	31,742 3,824	7,77
ZUSS18	96, 351	65 233	14,695	10,086			1
ingapore	6, 435	65, 233 5, 184	11,000	20,000			
ingapore	17, 457	12, 294	8, 187	11 110	11,001	4, 843	14,80
weden	24, 130	27 256	12 856	11,119 11,621	74	7, 40	13,00
witzerland		27, 356 16, 196	12, 856 14, 671	8,028	1 7/0	21	4,20
United KingdomUnited States	22, 866 38, 100	20, 150	20,600	6,076 33,570	1,740 11,239 11,392	2 364	3,30 4,32 7,39
Inited States		21 520	90,421	15,032	11 200	2,364 5,105	1,09
Triping		32, 227 21, 528 49, 668	22, 431 73, 429 9, 715	67,256	80 117	1 0,100	24, 92
Venezijela	A 807	27,000	13,420	07,200	69, 117	E 000	
Other countries	9, 704	8, 990	9,715	9,830	10, 521	0,032	
-	225, 840	229,823	160,764	139,261	129,673	50,026	
Total	1 901 355	1 248 684	1 187 452	1 172 943	1,034,607	738 280	
-	1,991,300	1,348,684	1,187,402	1,178,248	1,034,607	738, 289	

#### TMPORTS

Into				1		l	
Austria-Hungary	87, 566	<b></b>		l	1	l	
Belgium	87, 566 180, 930						31,765
British India	20.376	20, 557	14.021	17, 144	14, 439	12, 944	14, 610
Сапада	46, 820	50, 782	60, 297	47, 135	31, 872	17,640	14,610 37,543
Denmark	46, 820 9, 842	9, 221	6,556	5,312	14, 439 31, 872 3, 554	332	,0.,010
Finland	10, 717	5,617	6,556 11,800	47,135 5,312 8,254 77,933	0,001		
France.	155 508	113, 592	51,029	77, 933	116, 921	44, 433	152, 323
Germany		220,000	02,020	,,	220,022	12, 100	200,000
Greece.	5, 770	4 086	2, 151	2,300	2,339		
Italy	53 594	4, 086 39, 828	82, 500	78,006 19,454 14,007 9,849 9,242	39, 866	68 465	92,821
Japan	53, 524 6, 321	6, 520	82, 290 15, 536	10,454	12 535	68, 465 21, 789 852	Da, 021.
Netherlands	73, 691	54 744	23, 381	14,007	12, 535 5, 514 5, 687	252	31,483
Norway		11, 107	11 350	0 840	5 687	1, 165	51,700
Portugal	6,804	4, 208	11,359 7,817	0, 242	7,335	1,100	
Rumania	6, 804 7, 223	1,241	1,01.	0,22	4,000		
Russia	110 143	11, 107 4, 508 1, 241 84, 623 8, 942 11, 977	13,644	430			************
Singapore	110, 143 9, 332 19, 119 25, 662 107, 350	8,042	10,052	200	*********		
Spain	10, 110	11,077	28, 192	21,736	25, 490	25, 191	35,077
Sweden.	25, 882	21, 358	25, 387	11,860	2, 221	5, 391	26, 701
United Kingdom	107 350	127, 571	181, 688	11, 860 132, 916	185, 840	189, 052	149, 519
United States	514, 249	556, 195	646, 271	726, 310	. 631,066	361, 891	744, 836
Other countries.	54, 395	31, 179	24, 122	11,832	9,949	13,513	722,000
Omer compression	01,000	01,170	42, 124	11,002	8,545	10,010	********
Total	1,959,521	1,163,648	1,205,541	1.193.720	1,094,628	762,658	
	.,	1,2,3,2,2	, , , , , ,	1-,,	(-,)	,,	

<sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 414-918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

# MEAT AND MEAT PRODUCTS.

Table 231.—Meat and meat products: International trade, calendar years 1911-1919.

EXPORTS.

Country.	Avorage, 1911–1913.	1914	1915	1916	1917	1918	1919
From— Argentina: Beef. Mutton Pork. Other	1,000 pounds. 940, 300 148, 457 9 84, 695	1,000 pounds. 939, 809 129, 384 779 80, 284	1,000 pounds. 915,072 77,250 2,304 111,030	1,000 pounds. 1,059,051 113,136 3,381 150,535	1,000 pounds. 1,067,680 87,787 4,034 266,054	1,000 pounds. 1,361,499 111,145 3,669 484,186	1,000 pounds. 1,115,391 125,131 15,797 340,385
Total	1, 173, 461	1, 150, 256	1, 105, 656	1, 326, 103	1, 425, 555	1, 960, 499	1,596,704
Australia: Beef. Mutton. Pork Other	301, 882 149, 958 6, 294 49, 009	419, 326 193, 264 2, 755 71, 266	146, 863 38, 344 902 18, 431	307, 545 66, 813 2, 720 33, 472	222, 814 19, 175 6, 796 51, 808	221, 384 59, 687 12, 493 76, 722	
Total	507, 143	686, 611	204, 540	410, 550	300, 593	370, 286	
Belgium: Beef Pork Other	1, 577 16, 254 109, 226						14, 906 45, 164 53, 177
Total	127, 057						113, 247
Brazil: BeefPorkOther	171 278 1,071	683 3 1, 181	23, 764 11 1, 635	91, 077 8 3, 299	191, 163 22, 667 16, 125	145, 231 29, 606 40, 103	146, 326 46, 345 58, 521
Total	1,520	1,867	25, 410	94, 384	229, 955	214, 940	251, 192
British South Africa: Beef	315 75 30 117	899 112 26 38	6, 605 323 49 139 7, 116	17, 891 1 88 161	47, 459 2 134 185 47, 780	18, 703 (1) 250 190	44, 656 46 1, 566 213 46, 481
		-,					20, 202
Canada: Beef. Mutton: Pork. Other	6, 448 48 47, 694 6, 052	19, 039 1, 056 80, 168 9, 819	30, 695 83 156, 556 16, 361	46, 129 188 211, 616 10, 785	84, 387 844 233, 742 18, 886	126, 695 731 158, 488 16, 450	120, 495 4, 939 263, 277 21, 770
Total	60, 242	110, 082	203, 695	268, 718	337, 859	302, 364	* 410, 481
China: Beef Pork. Other	8, 787 7, 679 48, 218	18, 538 11, 308 25, 255	15, 151 12, 785 31, 302	40, 800 14, 066 46, 227	36, 961 23, 778 62, 437	18, 763 20, 036 50, 396	16, 716 45, 509 85, 863
Total	64, 684	55, 101	59, 238	101, 093	123, 176	89, 195	148, 088
Denmark: Beef	43, 485 344 298, 086 26, 273	43, 400 209 363, 955 41, 774	72, 509 810 322, 983 56, 845	41, 800 365 245, 354 62, 335	40, 352 (1) 187, 739 51, 258	31, 069 1 6, 245 23, 501	
Total	· 368, 188	449, 338	453, 147	349, 854	279, 349	60, 816	
France: Beef	62, 361 334 24, 668 10, 918	42, 781 247 16, 437 9, 287	22, 290 232 3, 243 7, 018	20, 373 229 2, 291 8, 540	7, 726 132 2, 216 5, 346	2, 274 114 963 5, 297	8, 699 134 42, 241 21, 445
Total	98, 281	68, 752	32, 783	31, 433	15, 420	8, 648	72, 519
•					-		

<sup>1</sup> Less than 500.

# MEAT AND MEAT PRODUCTS-Continued.

 $\begin{array}{lll} {\bf TABLE~231.-Meat~and~meat~products.~International~trade,~calendar~years.1911-1919--.} \\ & {\bf Continued.} \end{array}$ 

### EXPORTS-Continued.

Country.	Average, 1911-1913.	1914	1915	1916	1917	1918	1919
From—  Netherlands: Beef. Mutton. Pork. Other.	1,000 pounds. 326, 176 17, 212 139, 916 14, 098	1,000 pounds. 348,718 19,894 198,420 16,212	1,000 pounds. 446,395 25,150 144,550 18,049	1,000 pounds. 403,414 4,857 96,015 22,762	1,000 pounds. 6, 202 4, 125 34, 747 14, 670	1,000 pounds. 440 2 176 1,830	1,000 pounds. 42,364 5,286 37,663 14,451
Total	497,402	583, 244	634, 144	527,048	59,744	·2, 448	99,764
New Zealand: Beef	80,543 235,509 1,049 9,438	125, 530 280, 324 605 10, 739	146,851 302,218 1,363 15,019	162,720 251,245 1,179 12,833	128, 640 169, 644 2, 123 10, 928	119,640 139,575 608 12,706	
Total	326, 539	417, 198	465, 451	427,977	311,335	272, 529	
Russia: 2 Beef	32 365 28,871 23,907	72 105 19,515 13,326	1,047 125 5,704 3,206	1,011 4,408			
Total	53,175	33,018	10,082	5,417			
Sweden: Beef	17, 285 100 19, 445 2, 938	18,377 152 33,618 5,590	35,035 54 42,518 11,625	10, 952 2 32, 190 4, 646	10, 967 5 10, 507 2, 684	56 1 8 437	3, 861 9, 146 5, 028
Total	39,768	57,78/	89,232	47,790	24,163	502	18,035
United Kingdom: Reef. Pork. Other.	27, 595 15, 827 73, 811	22, 415 12, 759 101, 917	19, 551 13, 842 89, 917	10,790 10,886 59,330	2,837 1,607 84,312	1, 983 202 11, 402	1,114 73,929
Total	117, 226	137,091	123, 310	81,006	88,756	13, 587	75, 043
United States:  Beef	213,722 4,146 1,019,561 40,095	186, 593 3, 847 828, 290 30, 526	534,766 4,231 1,371,100 41,829	391,442 5,258 1,453,966 19,490	402,430 2,862 1,299,556 25,753	792, 793 1, 631 2, 251, 033 16, 416	429, 432 3, 009 2, 638, 721 47, 566
Total	1,277,524	1,049,256	1,951,926	1,870,156	1,730,601	3,061,873	3, 118, 728
Uruguay; Beef. Mutton Pork. Other.	119,675 3,262 3 73,971	200, 977 5, 356 2 30, 437	248, 795 7, 806 1 49, 537	179, 197 8, 088 (1) 60, 448	210,766 4,589 63 105,675		
Total	196,911	236,772	306, 139	247,733	321,093		
Other countries:  Beef. Mutton Pork. Other	11,982 474 12,488 90,054	8,041 18 5,379 71,377	6, 380 7, 433 154, 092	6,642 1 6,671 97,123	4,174 23 4,758 99,716	2,549 1 4,970 42,490	
' Total	114,998	. 84,815	167, 905	110, 437	108,671	50,010	
All countries: Beef Mutton Pork Other	2,162,336 560,284 1,638,145 663,891	2,395,198 633,968 1,574,019 519,028	2,671,769 456,625 2,085,344 626,036	2,789,823 450,183 2,081,442 596,392	2,464,558 289,188 1,834,467 815,837	2,843,079 312,888 2,488,747 782,126	
Total	5, 024, 656	5, 122, 213	5,839,774	5,917,840	5,404,050	6, 426, 840	

<sup>1</sup> Less than 500.

<sup>&</sup>lt;sup>2</sup>For 1916, exports over European frontier only.

# MEAT AND MEAT PRODUCTS-Continued.

Table 231.—Meat and meat products: International trade, calendar years 1911-1919—Continued.

Country.	Average, 1911-1913.	1914	1915	1916	1917	1918	1919
Into							
Austria-Hungary:	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
BeefPork	12,983 14,338	··········		Pountaor			
Other	21,947						
Total	49,268						
Belgium:							
Beef Pork Other	6,034 22,232						20,560 19,767
	150, 854						116,106
Tota1	179,120						156, 433
Brazil:	48 989	11 823	17.117	3,541	4,190	7,781	2,979
Pork	48, 989 3, 767 1, 256	11,823 2,148 610	17,117 1,477 214	3,541 1,101 124	347 51	63 75	101 114
Other							
Total	54,012	14,581	18,808	4,766	4,588	7,919	3,194
British South Africa: Beef	17,683	11,366	8,667	5,405	1,655	4,717	3,298
Mutton Pork	1,914 8,249	162 7,034	6,384	10	20 978	203	175 119
Other	4,633	3,425	2,455	4,886 2,381	2,418	2,254	2,835
Total	32,479	21,987	17,530	12, 682	5,071	7,175	6,427
Canada:	0.000			0.500	40.404		
Beef	3,091 4,717 29,189 6,330	3,532 4,194 13,001 4,212	5,623 2,906 25,279 3,869	9,783 2,786 94,113	19,434 2,008 128,093 28,101	9,540 5,311	7,246 4,746 59,260 3,590
PorkOther	29,189	13,001	25,279	94,113 42,492	128,093	5,311 16,170 2,155	59,260
	43,327		37,677	149,174	177,636		74,842
Total	20,021	24,939	01,011	140,117	177,000	33,176	74,042
Cuba: Beef	37,822	27,760	22,655	42,271	39,800	24,347	
Mutton Pork	85,973	52 89,195	56 96, 805	13 104, 444	22 86,454	98,866	
Other	4, 526	3,981	96,805 4,862	6, 439	6,898	7,812	
Total	128,362	120,988	124,378	153,167	133,174	131,106	
France:			104 700	105 051		100 500	***
BeefMutton	41,318 930	71,796 6,346	404,780 20,409 86,986 41,045	497, 251 29, 309	457,969 35,172 159,919	492,760 29,944 165,846 74,009	632,379 63,448
PorkOther	59,824 9,424	6,346 33,994 11,225	86,986 41 045	111,448 65,048	159,919 51,823	165,846	63,448 457,709 129,852
Total	111,496	123,361	553, 220	703,056	704, 883	762,559	1,283,389
Germany:					<del></del>		
Beef	212,150						
Mutton Pork	1,046 265,609						
Other Total	80,887						
	559,752						
Italy: Beef	131	108	215	. 262	97	(1)	1,316
BeefPorkOther	74,861 29,627	10,381 63,036	215 15,238 143,075	8, 894 272, 425	29, 883 259, 663	(1) 89,889 401,992	1,316 143,921 380,203
Total	104,619	73,525	158,528	281,581	289,643	491,881	525,440
Netherlands:							
Beef and veal	256,296 76	203,057 49	187,097 10	81,379 40	23,750	776	77,972
Mutton Pork	\$8,143 15,349	41,904 14,043	51,255 S,697	31,217 3,067	23,750 2,985 3,286	13 60	77,972 1,224 78,723 11,780
Other	15,349 359,864		8,697 247,059		62	935	
Total	309, 504	259,053	241,009	115,703	30,083	392	169,699

<sup>1</sup> Less than 500,

### · MEAT AND MEAT PRODUCTS-Continued.

TABLE 231.—Meat and meat products: International trade; calendar years 1911-1919— Continued.

### IMPORTS-Continued.

Country.	Average, 1911–1913.	1914	1915	1916	1917	1918	1919
Into— Norway: Beef. Pork Other.	1,000 pounds. 20, 203 9, 751 12, 462	1,000 pounds. 21,098 11,173 14,219	1,000 pounds. 26, 601 11, 349 5, 047	1,000 pounds. 30, 797 18, 522 7, 223	1,000 pounds. 26, 374 16, 427 27, 738	1,000 pounds. 1,530 4,456 21,668	1,000 pounds.
Total	42, 416	46, 490	42, 997	56, 542	70, 539	27,654	
Russia: <sup>1</sup> BeefOther	2,216 128,681	693 97, 557	78 32, 634	347 3, 582			
Total	130, 897	98, 250	32, 712	3, 929			
Spain: Beef Pork Other	966 553 36, 455	24 368 34, 527	80 1,760 29,478	160 5, 881 24, 457	167 1,050 24,917	81 56 12, 459	19 737 17, 839
Total	37,974	34, 919	31, 318	30, 498	26, 134	12, 596	18, 595
Sweden: Beef. Mutton. Pork Other.	12, 912 1, 218 6, 736 3, 349	17, 312 521 6, 069 3, 619	19, 202 116 9, 833 6, 787	15, 877 26 6, 572 2, 542	1,621 3 14,683 1,392	12, 260 87 1, 738 4, 845	14, 294 67, 929 22, 946
Total	24, 215	27, 521	35, 938	25, 017	17,699	18, 880	105, 169
Switzerland: Beef Pork. Other	9,052 21,976 29,146	4, 544 11, 034 14, 579	9, 264 8, 765 9, 264	6,354 6,647 10,258	4, 326 8, 928 6, 319	5, 978 14, 379 6, 632	7,957 27,959 11,209
Total	60, 174	30, 157	24, 019	23, 259	19, 573	26, 989	47,125
United Kingdom: Beef Mutton Pork Other	1, 252, 292 596, 899 875, 929 118, 485	1,302,570 577,339 957,327 126,131	1, 523, 908 527, 517 1, 139, 805 130, 122	1,391,017 406,814 1,225,134 111,131	1, 180, 013 292, 922 1, 047, 118 110, 293	1, 296, 341 237, 862 1, 656, 084 110, 267	1,222,101 478,987 1,259,829 134,304
Total	2,843,605	2,963,367	3, 321, 352	3, 134, 096	2, 630, 346	3, 300, 554	3, 095, 221
United States:  Beef. Mutton. Pork Other.	17,668 185 171 695	258, 349 19, 876 26, 835 490	120, 308 11, 879 5, 496 98	40, 421 17, 235 1, 171 4	27, 627 5, 624 2, 821 13	30, 291 608 3, 585 6	52, 916 8, 209 5, 426 41, 092
Total	18,719	305, 559	137,781	58, 831	36, 085	34, 490	107,643
Other countries:  Beef	92, 366 4, 718 65, 021 47, 966	79, 786 3, 558 37, 474 34, 356	84, 822 1, 632 58, 837 50, 108	56, 684 635 36, 652 90, 201	52, 589 128 25, 059 64, 956	43, 808 136 15, 602 60, 475	
Total	210,071	155, 174	195, 399	184, 172	142,732	120, 021	
All countries: 2 Beef	2,044,172 611,744 1,632,382 702,072 4,990,370	2,013,818 612,097 1,247,937 426,019 4,299,871	2,427,143 564,549 1,519,269 467,755 4,978,716	2, 181, 549 456, 868 1, 656, 682 641, 374 4, 936, 473	1,839,612 338,884 1,525,046 584,644 4,288,186	1, 930, 210 273, 993 2, 066, 997 704, 735 4, 975, 935	
•	1	1	)	1	1	1	1

<sup>&</sup>lt;sup>1</sup> 1816 figures are for over European frontier only.
<sup>2</sup> Does not include imports into Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

### HORSES AND MULES.

Table 232.—Horses and mules: Number and value on farms in the United States,. 1867-1991.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

	Horses.			Mules.	
Number.	Price per head Jan. 1.	Farm value Jan. 1.	Number.	Price per head Jan. 1.	Farm value Jan. 1.
5,401,000 5,757,000 6,333,000 8,249,000 7,145,370	\$59.05 54.27 62.57 67.43	\$318,924,000 312,416,000 396,222,000 556,251,000	822,000 856,000 922,000 1,180,000 1,125,415	\$66. 94 56. 04 79. 23 90. 42	\$55,048,000 47,954,000 73,027,000 106,654,000
8,702,000 8,991,000 9,222,000 9,334,000 9,504,000	71. 14 67. 41 66. 39 65. 15 61. 10	619,039,000 606,111,000 612,273,000 608,073,000 580,708,000	1,242,000 1,276,000 1,310,000 1,339,000 1,394,000	91. 98 87. 14 85. 15 81. 35 71. 89	114, 272, 000 111, 222, 000 111, 546, 000 108, 953, 000 100, 197, 000
9,935,000 10,155,000 10,330,000 10,939,000 11,202,000 10,357,488	57. 29 55. 83 56. 63 52. 36 54. 75		1,414,000 1,444,000 1,638,000 1,713,000 1,730,000 1,812,808	66-46 64-07 62-03 56-00 61-26	94,001,000 92,482,000 101,579,000 95,942,000 105,948,000
11, 430, 000 10, 522, 000 10, 838, 000 11, 170, 000 11, 565, 000	58. 44 58. 53 70. 59 74. 64 73. 70	667, 954, 000 615, 825, 000 765, 041, 000 833, 734, 000 852, 283, 000	1,721,000 1,835,000 1,871,000 1,914,000 1,978,000	69. 79 71. 35 79. 49 84. 22 82. 38	120,096,000 130,945,000 148,732,000 161,215,000 162,497,000
12,078,000 12,497,000 13,173,000 13,663,000	71. 27 72. 15 71. 82 71. 89 68. 84	860,823,000 901,686,000 946,096,000 982,195,000 978,517,000	2,053,000 2,117,000 2,192,000 2,258,000 2,331,000 2,295,532	79.60 78.91 79.78 79.49 78.25	163,381,000 167,058,000 174,854,000 179,444,000 182,394,000
14,057,000 15,498,000 16,207,000 16,081,000 15,893,000	67.00 65.01 61.22 47.83 36.29	941,823,000 1,007,594,000 992,225,000 769,225,000 576,731,000	2,297,000 2,315,000 2,331,000 2,352,000 2,333,000	77. 88 75. 55 70. 68 62. 17 47. 55	178, 847, 000 174, 882, 000 164, 764, 000 146, 233, 000 110, 928, 000
15, 124, 000 14, 365, 000 13, 961, 000 13, 665, 000 13, 538, 000 18, 267, 020	33. 07 31. 51 34. 26 37. 40 44. 61	500, 140, 000 452, 649, 000 478, 362, 000 511, 075, 000 603, 969, 000	2,279,000 2,216,000 2,190,000 2,134,000 2,086,000 3,264,615	45. 29 41. 66 43. 88 44. 96 53. 55	103,204,000 92,302,000 96,110,000 95,963,000 111,717,000
16, 745, 000 16, 531, 000 16, 557, 000 16, 736, 000 17, 058, 000	52. 86 58. 61 62. 25 67. 93 70. 37	885, 200, 000 968, 935, 000 1, 030, 706, 000 1, 136, 940, 000 1, 200, 310, 000	2,864,000 2,757,000 2,728,000 2,758,000 2,889,000	63. 97 67. 61 72. 49 78. 88 87. 18	183, 232, 000 186, 412, 000 197, 753, 000 217, 533, 000 251, 840, 000
18, 719, C00 19, 747, 000 19, 992, 000 20, 640, 000 21, 040, 000	80. 72 93. 51 93. 41 95. 64	1,510,890,000 1,846,578,000 1,867,530,000 1,974,052,000	3 404 000	98. 31 112. 16 107. 76 107. 84	334,681,000 428,064,000 416,939,000 437,082,000
20, 277, 000 20, 509, 000 20, 567, 000 20, 962, 000 21, 195, 000	111, 46 105, 94 110, 77 109, 32 103, 38	2,259,981,000 2,172,694,000 2,278,222,000 2,291,638,000 2,190,102,000	4,323,000 4,362,000 4,386,000 4,449,000 4,479,000	125. 92 120. 51 124. 31 123. 85 112. 36	506, 049, 00 544, 359, 00 525, 657, 00 545, 245, 00 551, 017, 00 503, 271, 00
21 159 000	101. 60 102. 89 104. 24 98. 45 94. 42	2,149,786,000 2,182,307,000 2,246,970,000 2,114,897,000 1,962,503,000 1,664,166,000	4,593,000 4,723,000 4,873,000 4,954,000 5,041,000 4,999,000	113. 83 118. 15 128. 81 135. 83 147. 07 115. 72	522, 834, 000 558, 006, 000 627, 679, 000 672, 922, 000 741, 400, 000 578, 473, 000
	5, 401, 000 5, 757, 000 6, 333, 000 8, 249, 000 7, 144, 577 8, 702, 000 8, 991, 000 9, 322, 000 10, 155, 000 10, 330, 000 10, 330, 000 10, 330, 000 10, 522, 000 10, 522, 000 10, 522, 000 11, 202, 000 10, 522, 000 11, 202, 000 12, 202, 000	Number. Price per head Jan. 1.  5, 401, 000 \$59. 05 5, 757, 000 \$4. 27 6, 333, 000 62. 75 8, 249, 000 67. 43 7, 144, 370 8, 702, 000 71. 14 8, 991, 000 87. 41 9, 222, 000 63. 93 9, 334, 000 85. 15 10, 330, 000 55. 83 10, 330, 000 55. 83 10, 330, 000 55. 83 10, 330, 000 55. 83 10, 330, 000 55. 83 10, 330, 000 55. 83 10, 330, 000 55. 83 11, 202, 000 54. 75 12, 778, 000 71. 82 11, 368, 000 72. 15 11, 170, 000 72. 15 13, 173, 000 71. 82 13, 683, 000 72. 15 14, 207, 000 67. 00 15, 498, 497 14, 000 68. 06. 01 16, 207, 000 61. 22 18, 173, 000 71. 82 18, 184, 000 68. 01 18, 207, 000 61. 22 19, 147, 000 71. 82 11, 365, 000 65. 01 16, 207, 000 61. 22 18, 178, 000 71. 83 14, 288, 000 65. 01 16, 207, 000 61. 22 18, 287, 020 18, 124, 000 33. 07 11, 385, 000 31. 51 13, 981, 000 47. 83 15, 583, 000 34. 46 18, 587, 020 18, 745, 000 67. 93 18, 719, 000 47. 37 18, 719, 000 93. 71 19, 747, 000 93. 71 19, 747, 000 93. 71 19, 747, 000 93. 71 19, 747, 000 93. 71 19, 992, 000 93. 71 19, 992, 000 93. 71 19, 992, 000 93. 71 19, 992, 000 93. 71 19, 992, 000 93. 71 19, 992, 000 105. 94 20, 586, 000 105. 94 20, 586, 000 109. 32 21, 195, 000 109. 32 21, 195, 000 109. 32 21, 195, 000 109. 32	Number. Price per head Jan. 1.  5, 401, 000 \$59.05 \$318, 924, 000 \$5, 757, 000 \$4.27 312, 416, 000 \$6.257 336, 222, 000 \$7.445, 370 \$70, 000 \$7.41 \$69, 100, 100, 100, 100, 100, 100, 100, 10	Number.   Price per head Jan. 1.   Number.   S, 401, 000   \$59.05   \$313, 924, 000   \$55, 000   \$5, 757, 500   \$54.27   \$312, 416, 000   \$56, 000   \$8, 224, 000   \$6, 333, 000   \$62.57   396, 292, 000   \$92, 200   \$8, 249, 000   \$7.445, 370   \$7.445, 370   \$7.445, 370   \$7.445, 370   \$7.445, 370   \$7.445, 370   \$7.455, 300   \$7.45, 370   \$7.455, 300   \$7.45, 370   \$7.455, 300   \$1, 227, 000   \$7.45   \$608, 073, 000   \$1, 227, 000   \$9.322, 000   \$65.15   \$608, 073, 000   \$1, 339, 000   \$9.324, 000   \$65.15   \$608, 073, 000   \$1, 339, 000   \$9.504, 000   \$61.10   \$890, 703, 000   \$1, 394, 000   \$9.504, 000   \$55.83   \$677, 071, 000   \$1, 444, 000   \$10, 155, 000   \$55.83   \$677, 071, 000   \$1, 144, 000   \$10, 155, 000   \$55.83   \$677, 071, 000   \$1, 144, 000   \$10, 200, 200   \$54.75   \$135, 297, 000   \$1, 212, 000   \$1, 202, 000   \$55.83   \$615, 825, 000   \$1, 235, 000   \$10, 393, 000   \$55.83   \$615, 825, 000   \$1, 235, 000   \$10, 300, 000   \$58.53   \$615, 825, 000   \$1, 335, 000   \$10, 300, 000   \$58.53   \$615, 825, 000   \$1, 335, 000   \$10, 300, 000   \$58.53   \$615, 825, 000   \$1, 335, 000   \$10, 330, 000   \$58.53   \$615, 825, 000   \$1, 835, 000   \$11, 202, 000   \$58.53   \$615, 825, 000   \$1, 835, 000   \$11, 202, 000   \$58.53   \$615, 825, 000   \$1, 835, 000   \$11, 300, 000   \$71.89   \$982, 195, 000   \$2, 535, 000   \$12, 497, 000   \$71.27   \$800, 822, 000   \$2, 535, 000   \$13, 1736, 000   \$71.89   982, 195, 000   \$2, 535, 000   \$14, 282, 000   \$2, 935, 000   \$14, 282, 000   \$2, 935, 000   \$14, 282, 000   \$2, 285, 000   \$15, 835, 000   \$31.51   \$452, 649, 000   \$2, 275, 000   \$2, 381, 000   \$16, 831, 000   \$34, 825, 649, 000   \$2, 285, 000   \$16, 831, 000   \$34, 825, 649, 000   \$2, 285, 000   \$16, 831, 000   \$34, 825, 649, 000   \$2, 285, 000   \$16, 835, 000   \$30, 967, 000   \$31.68, 800, 000   \$30, 967, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000   \$30, 969, 000	Number   Price per head Jan. 1.

<sup>&</sup>lt;sup>1</sup> Estimates of numbers revised, based on census data.

Table 233.—Horses and mules: Number and value on farms, Jan. 1, 1920 and 1921, by States.

			_ · -	Horses.						Mules.		
State.	Nun (thous Jan.		A verag per l Jan.	e price lead 1—	Farm (thous of dol Jan.	sands lars)	Nun (th san Jan	on- ds)	A verag per l Jan.	e price nead . 1	Farm (thous of dol Jan.	sands lars)
	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920
Maine New Hampshire. Vermont Massachusetts Rhode Island	104 39 84 47 7	40 81	\$144,00 132,00 122,00 150,00 149,00	144.00 141.00	\$14,976 5,148 10,248 7,050 1,043	\$16,170 5,760 11,844 7,750 1,120						
Connecticut New York New Jersey Pennsylvania Delaware	39 543 87 549 33	560 \$8 560 34	127.00 141.00 118.00	141.00 150.00	5, 694 68, 961 12, 267 64, 782 2, 541	6, 765 78, 960 13, 200 68, 880 2, 822	7 5 45 6	5 46	\$135.00 160.00 141.00 110.00	171.00 141.00	800	\$1,036 855 6,486 666
Maryland	158 351 184 179 79	165 362 190 183 80	96.00 98.00 122.00	108.00 104.00	15, 010 33, 696 18, 032 21, 838 10, 586	16, 830 39, 096 19, 760 27, 999 14, 400	25 65 13 231 217	13	124, 00 126, 00 114, 00 154, 00 186, 00	121.00 190.00	1,482 35,574	3,350 8,840 1,573 44,840 49,665
GeorgiaFloridaOhioIndianaIllinois	132 58 795 788 1,324	132 60 811 804 1,394	123.00 104.00 91.00	140.00 109.00 101.00	14, 784 7, 134 82, 680 71, 708 108, 568	20, 988 8, 400 88, 399 81, 204 131, 036	1 93	28 95	167. 00 113. 00 112. 00	196, 00 120, 00 128, 00	3, 164 10, 416	75,816 7,840 3,360 12,160 18,375
Michigan Wisconsin Minnesota Iowa Missouri	614 674 920 1,328 1,030	640 680 940 1,398 1,040	103.00 83.00 81.00	109.00 91.00 89.00	69, 422 76, 360 107, 568	60, 800 74, 120 85, 540 124, 422 86, 320	1 6	3 6	99.00 93.00 108.00	112.00 99.00 121.00	558 7,668	396 336 594 8,591 45,360
North Dakota South Dakota Nebraska Kansas Kentucky	965	825 819 995 1,153 429	61.00 69.00 66.00	71.00 75.00 79.00	47, 946 66, 585 73, 128 35, 280		9 14 99 250 250	15 106 260	82. 00 92. 00 90. 00	94.00 109.00 117.00	765 1,148 9,108 22,500 26,750	882 1,410 11,554 30,420 31,500
TennesseeAlabamaMississippiLouisianaTexas	338 158 256 211 1,187	215	89.00 87.00 84.00	128.00 113.00 107.00	14,062 22,272 17,724	38, 985 20, 224 29, 493 23, 005 115, 104	277 322 312 166 792	316 322 166	112.00 119.00 140.00	171.00 152.00 164.00	29, 916 36, 064 37, 128 23, 240 84, 744	38, 920 54, 036 48, 944 27, 224 109, 760
OklahomaArkansas Montana Wyoming Colorado	958	520 210	75.00 49.00 46.00	97.00 60.00 53.00	19, 350 25, 480 8, 694	59, 930 25, 802 31, 200 11, 130 33, 259	327	324 5	105.00 76.00 77.00	132.00 80.00 90.00	34, 335 380 308	42,768 400 360
New Mexico	120 145	14	85.00 75.00	70.00 78.00	10, 200 10, 875 4, 218	8, 400 11, 310 4, 500	12	20 12 3	124.00 71.00	106.00 73.00	1,488 213	1,272 219
Idaho	284	290 279	80.00 81.00	92.00 85.00	22,720 22,356	20, 790 26, 680 23, 715 37, 600	20	21 10	90.00 91.00	106.00 91.00	1,800 910	2,226 910
United States	20, 183	20, 78	82.45	94.42	1,664,166	1, 962, 503	4,999	5, 041	115. 72	147. 07	578, 473	741,400

TABLE 234.—Prices of horses and mules at St. Louis, 1900-1920.

[Compiled from commercial papers.]

Year and month.	choice,	good to draft.	Mules I	16 to 16} ads.	Year and month.	choice	good to draft.	Mules 1 han	6 to 16½ ds.
	Low.	High.	Low.	High.		Low.	High.	Low.	High.
1900 1901 1902 1903 1904 1904 1905 1906 1907 1908 1908	150.00 160.00 160.00 175.00 175.00 175.00 175.00 175.00	\$190.00 175.00 185.00 185.00 200.00 225.00 225.00 225.00 250.00	\$90.00 110.00 120.00 120.00 135.00 125.00 125.00 125.00 130.00	\$150.00 165.00 160.00 175.00 200.00 215.00 250.00 200.00	1919. June	150.00 150.00 145.00 145.00 145.00 140.00	\$325.00 300.00 300.00 300.00 300.00 255.00 250.00	\$200.00 200.00 200.00 200.00 200.00 200.00 190.00	\$350,00 350,00 350,00 350,00 350,00 350,00
1910 1911 1912 1913 1913 1914 1915 1916 1917	165.00 165.00 165.00 200.00 175.00 160.00 150.00	240. 00 235. 00 240. 00 250. 00 220. 00 225. 00 225. 00 245. 00 242. 00	150.00 150.00 160.00 160.00 120.00 120.00 120.00 172.00 201.00	275.00 275.00 285.00 280.00 250.00 275.00 275.00 275.00 275.00	1920. January. February. March. April. May. June. July.	140.00 150.00 150.00 150.00 140.00 115.00	255.00 255.00 275.00 275.00 275.00 265.00 265.00	150.00 190.00 200.00 200.00 200.00 175.00 165.00	400.00 400.00 400.00 400.00 400.00 370.00
1919. January February March April May	150.00 150.00 150.00 150.00		200.00 200.00 200.00 150.00 150.00	1	August September October November December Year 1920	175.00 150.00 150.00 110.00 110.00	265.00 240.00 200.00 200.00 200.00	155.00 150.00 140.00	370.00 360.00 350.00

Table 235 .- Horses: Farm price per head, 15th of each month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
fan, 15	\$118	\$120	\$130	\$129	\$128	\$130	\$137	\$140	\$184	\$143	\$131
Feb. 15	123	121	133	131	129	132	139	146	187	144	134
Mar, 15	127	124	137	133	131	132	138	146	140	145	138
Apr. 15	131	127	137	136	133	132	138	148	142	147	137
May 15	132	129	136	138	134	133	139	145	144	146	138
June 15	130	127	135	137	132	132	136	146	145	145	136
July 15	127	127	132	135	133	134	137	143	142	139	131
Aug, 15	124	127	131	132	131	131	135	141	142	141	133
Sept. 15	119	119	128	132	131	131	132	141	141	139	13
Oct. 15	112	114	126	130	130	129	131	138	140	137	12
Nov. 15	103	113	122	129	129	127	130	136	139	136	12
Dec. 15	97	113	121	129	129	126	130	135	139	134	12

TABLE 236.—Average price per head for horses on the Chicago market, 1902-1920. [Compiled from commercial papers.]

Year and month.	Drafters.	Carriage teams.	Drivers.	General.	Bussers, tram- mers.	Cavalry horses.1	Southern chunks.
1902.	\$166,00	\$450, 00	\$145.00	\$117.00	\$135.00	\$151,00	\$57,00
1903	171.00	455, 00	150, 00	122, 00	140.00	156, 00	62,00
1904	177.00	475, 00	150.00	140.00	140.00	160.00	64.00
1905	186, 00	486.00	156.00	132.00	145.00	. 172.00	70,00
1906	188.00	486.00	158.00	154.00	147.00	174.00	72, 50
1907	194.00	482.00	165.00	137.00	152.00	172.00	77.50
1908	180.00	450.00	156.00	129.00	138.00	164.00	69.00
1909	194.00	482.00	165.00	137.00	152.00	172.00	77.00
1910	200.00	473.00	172.00	144.00	161.00	177.00	87.00
1911	205.00	483.00	182.00	155.00	170.00	190.00	92.00
1912	210.00	473.00	177.00	160.00	175.00	195.00	97.00
1913	213. 00	493.00	174.00	165.00	176.00	189.00	98.00
1914	208.00	483.00	169.00	160.00	171.00	184. 00	93.00
1915	205.00	473.00	164.00	155.00	166.00	179.00	88.00
1916	252. 00		166.00	160.00	167.00	124.00	109.00
1917	212. 00	470.00	162.00	148.00	170.00	188.00	93.00
1918	220.00					•••••	
1919.		(3)			(8)		
January							
February							
March							
April	250.00				162.00		105.00
May	218.00	170.00		130.00	135.00		75.00
June	200.00	172.00		120.00	118.00		65.00
July	218.00	170, 00		118.00	118.00		65.00
August	205.00	158. 00		105.00	112.00		65.00
September	230.00	158. 00	:		112, 00		65.00
October	250.00	158.00		105.00	112.00		75.00
November	250.00	158.00		105.00	112, 00		75.00
December	250. 00	158. 00		105.00	112.00		65.00
Year 1919	230. 11	167. 11		116.11	121.44		72.78
_ 1920.			195. 00	177.50			
January	282. 50	180.00	195.00	177.50	127. 50		
February	279. 24	177. 83	192. 28	177.50	127. 50		90.00
March	275. 74	166, 67	178.00	169.00	123. 67		
April	271. 43	173. 93	172.14	170.00	122, 14		
May	275.00	177. 50	175.00	180.00	112. 50		
June	226. 83 224. 09	155. 57	138. 86	140.45	92, 50		
July		166. 59	136. 82	144. 32	92. 27		
August September.	223. 35	165, 69 157, 50	136, 25 130, 00	143, 75 137, 50	91. 94 90. 00		
October.		157. 50	130.00	137. 50	90.00	********	
November	210. 23	157. 50	130.00	137. 96	90.00	*******	
December	212. 50	101.00	130, 00	137. 96	90.00		
AVVICANCE	212. 00		190,00	101.90	90.00	• • • • • • • • • • • • • • • • • • • •	********
Year 1920	242, 37	166, 94	153, 70	154, 45	104, 17		87.78
							510
	•	•	•				

<sup>&</sup>lt;sup>1</sup> Saddlers prior to 1916. <sup>2</sup> Expressers 1919–20. <sup>3</sup> Farm chunks 1919–20.

<sup>Drafters, plain to medium, 1920.
Wagon horses, 1920.</sup> 

Table 237.—Number of horses and mules received at principal live-stock markets, 1900–1920.

### [From reports of stockyards companies.]

	Hors	ses.			Horses an	nd mules	•		
Year and month.	Chicago.	'St. Paul.	Den- ver.	Fort Worth.	Kansas City.	Omaha.	St. Joseph.	St. Louis National Stock Yards, Ill.	Total, 3 cities.
1900 1901 1901 1902 1903 1904 1908 1908 1909 1910 1911 1911 1911 1914 1915 1916	102, 100 100, 603 105, 949 127, 250 126, 979 102, 055 92, 138 91, 411 83, 439	26, 778 15, 123 18, 162 7, 823 5, 561 9, 299 14, 557 7, 125 5, 632 7, 709 5, 314 10, 991 11, 777 9, 959 6, 511	22, 691 16, 545 24, 428 19, 440 16, 546 16, 57 11, 158 15, 348 16, 957 14, 918 16, 957 77, 870 52, 800 19, 758 14, 599	4, 872 10, 092 117, 895 18, 083 21, 303 12, 435 20, 732 34, 445 37, 361 49, 025 47, 712 53, 640 79, 209 115, 233 78, 881	103, 308 96, 657 76, 844 67, 274 65, 582 69, 629 62, 345 56, 335 67, 796 84, 861 73, 445 87, 155 102, 153 123, 141 127, 823 84, 628	59, 645 36, 391 42, 079 52, 829 52, 824 45, 422 42, 269 38, 998 31, 711 32, 550 30, 683 41, 679 27, 486 22, 781 22, 212	13, 497 122, 521 19, 909 20, 483 28, 704 31, 565 28, 480 22, 875 22, 132 22, 875 22, 132 42, 023 33, 661 32, 418 25, 424 41, 254 27, 206 33, 584 39, 260	144, 921 128, 880 109, 295 128, 615 181, 341 178, 257 109, 393 117, 379 109, 393 117, 379 163, 973 156, 825 148, 128 270, 612 266, 813 241, 751	469, 850 425, 470 387, 689 406, 761 468, 171 487, 716 487, 716 487, 716 487, 716 496, 671 471, 749 488, 029 471, 749 488, 729 756, 552 728, 286 728, 286 728, 286 726, 286 727, 286
1919. January February March April May June July August September October November December Total, 1919	3, 855 3, 738 5, 174 4, 246 3, 720 3, 636 3, 048 2, 787 4, 504 4, 732 45, 762	194 257 449 281 147 878 1,071 1,539 2,822 1,300 1,728 11,228	1, 379 1, 396 1, 459 850 932 604 1, 420 1, 399 1, 996 3, 570 4, 370 22, 936	6, 329 5, 367 3, 397 3, 031 1, 930 1, 916 1, 208 4, 575 6, 283 7, 916 11, 144 60, 363	7, 858 7, 274 5, 727 4, 854 3, 261 2, 686 4, 062 7, 923 11, 323 9, 349 11, 656 82, 852	719 700 948 619 393 2, 485 3, 828 4, 354 6, 087 2, 811 1, 497 25, 201	4, 611 3, 944 2, 673 1, 407 342 1, 984 4, 030 3, 958 5, 940 6, 649 4, 620 43, 380	25, 471 20, 316 15, 395 11, 066 6, 697 11, 328 15, 535 22, 487 38, 418 33, 433 31, 204 250, 211	50, 416 42, 992 35, 722 26, 354 17, 422 25, 517 34, 202 49, 022 77, 378 67, 977 70, 951 541, 933
Total, 1919  1920.  January  February  March  April  May  June  July  August  Segmenter  October  November  December	3, 870 5, 526 7, 410 2, 865 5, 468 3, 993 2, 296 3, 625 2, 639 2, 019 2, 309	685 781 1, 204 430 271 370 1, 936 1, 730 1, 765 704 340 272	3, 400 1, 842 2, 267 1, 511 1, 369 1, 311 1, 054 1, 278 1, 624 916 656 363	113,959 11,492 9,461 6,087 1,309 1,027 407 568 5,206 4,280 2,610 1,909 1,006	14, 075 15, 381 8, 082 2, 962 3, 447 3, 345 3, 134 9, 537 5, 855 4, 063 1, 284 682	2, 522 2, 292 2, 472 1, 773 764 1, 052 1, 253 2, 712 2, 159 1, 116 399 237	6, 064 4, 407 3, 326 2, 869 1, 339 1, 228 2, 256 3, 106 1, 292 319 132	481, 561 32, 712 23, 625 17, 215 8, 524 5, 596 6, 368 8, 893 14, 880 10, 466 7, 075 2, 782 3, 096	74, 820 68, 265 48, 063 22, 243 19, 281 17, 172 21, 390 42, 398 31, 894 19, 795 9, 998 7, 688
Total 1920		10, 488	17, 591	45, 362	71, 797	18,751	29, 768	141, 230	378,007

Table 238.—Horses and mules: Imports, exports, and prices, 1896-1920.

	In	ports of hor	ses.	Ex	ports of hors	es.	Ex	ports of mul	es.
Year ending June 30—	Num- ber.	Value.	Average import price.	Number.	Value.	Average export price.	Number.	Value.	Average export price.
1893 1897 1898 1899	9,991 6,998 3,085 3,042 3,102	\$662, 591 464, 808 414, 899 551, 050 596, 592	\$66. 32 66. 42 134. 49 181. 15 192. 32	25, 126 39, 532 51, 150 45, 778 64, 722	\$3,530,703 4,769,265 6,176,569 5,444,342 7,612,616	\$140.52 120.64 120.75 118.93 117.62	5, 918 7, 473 8, 098 6, 755 43, 369	\$406, 161 545, 331 664, 789 516, 908 3, 919, 478	\$68. 63 72. 97 82. 09 76. 52 90. 33
1901 1902 1903 1904 1905	3,785 4,832 4,999 4,726 5,180	985,738 1,577,234 1,536,296 1,460,287 1,591,083	260. 43 326. 41 307. 32 308. 99 307. 16	\$2,250 103,020 34,007 42,001 34,822	8, 873, 845 10, 048, 046 3, 152, 159 3, 189, 100 3, 175, 259	107.89 97.53 92.69 75.93 91.19	34, 405 27, 586 4, 294 3, 658 5, 826	3, 210, 267 2, 692, 298 521, 725 412, 971 645, 464	93.30 97.61 121.47 112.90 110.79
1906 1907 1908 1909	5,487 7,084	1,716,675 1,978,105 1,604,392 2,007,276 3,296,022	285. 11 325. 35 292. 40 283. 35 283. 65	40,087 33,882 19,000 21,616 28,910	4,365,981 4,359,957 2,612,587 3,386,617 4,081,157	108. 91 131. 99 137. 50 156. 67 141. 17	7, 167 6, 781 6, 609 3, 432 4, 512	989, 639 850, 901 990, 667 472, 017 614, 094	138. 08 125. 48 149. 90 137. 53 136. 18
1911 1912 1913 1914 1915	9,593 6,607 10,008 38,019 12,652	2,692,074 1,923,025 2,125,875 2,605,029 977,380	280. 63 291. 06 212. 42 78. 89 77. 25	25,145 34,828 28,707 22,776 289,340	3,845,253 4,764,815 3,960,102 3,388,819 64,046,534	152. 92 136. 81 137. 95 148. 79 221. 35	6, 585 4, 901 4, 744 4, 883 65, 788	1,070,051 732,095 733,795 690,974 12,726,143	162.50 149.30 154.68 141.51 193.44
1916 1917 1918 1919 1920	12,584 5,111	1,618 245 1,888,303 1,187,443 750,264 799,012	104. 03 150. 06 232. 33 187. 43 162. 86	357, 553 278, 674 84, 765 27, 975 18, 952	73, 531, 146 59, 525, 329 14, 923, 663 5, 206, 251 3, 285, 066	205.65 213.60 176.06 186.10 173.34	111, 915 136, 689 28, 879 12, 452 8, 991	22, 946, 312 27, 800, 854 4, 885, 406 2, 333, 929 1, 815, 888	205. 03 203. 39 169. 17 187. 43 201. 97

CATTLE.

TABLE 239.—Cattle (live): Imports, exports, and prices, 1896-1920.

•	:	Imports.			Exports.	
Year ending June 30—	Number.	Value.	Average import price.	Number.	Value.	Average export price.
77. 98. 99.	328, 977 291, 589 190, 752	\$1,509,856 2,589,857 2,913,223 2,320,362 2,257,694	\$6. 93 7. 87 9. 99 11. 62 12. 47	372, 401 392, 190 439, 255 389, 490 397, 280	\$34,560,672 36,357,451 37,827,500 30,516,833 30,635,153	\$92. 92. 86. 78.
01 02 03 03 04	96 027 66, 175 16, 056	1, 931, 483 1, 608, 722 1, 161, 548 310, 737 458, 572	13. 23 16. 75 17. 55 19. 35 16. 46	459, 218 392, 884 402, 178 593, 409 567, 806	37,560,980 29,902,212 29,848,936 42,256,291 40,598,048	81. 76. 74. 71. 71.
00. 07. 08. 09.	32, 402 92 356 139, 184	548, 430 565, 122 1, 507, 310 1, 989, 422 2, 999, 824	18. 90 17. 44 16. 32 14. 37 15. 37	584, 239 423, 051 349, 210 207, 542 139, 430	42, 081, 170 34, 577, 392 29, 339, 134 18, 046, 976 12, 200, 154	72. 81. 84. 86. 87.
11 12 13 14 14	318, 372 421, 649 868, 368	2,953,077 4,805,574 6,640,668 18,696,718 17,513,175	16. 14 15. 09 15. 75 21. 53 82. 54	150, 100 105, 506 24, 714 18, 376 5, 484	13, 163, 920 8, 870, 075 1, 177, 199 647, 288 702, 847	87. 84. 47. 35. 128.
16	374, 826 293, 719 440, 399	15, 187, 593 13, 021, 259 17, 852, 176 36, 995, 921 45, 081, 179	34. 58 34. 74 60. 78 84. 01 78. 36	21,666 13,387 18,213 42,345 93,039	2,383,765 949,503 1,247,800 2,092,816 11,921,518	110. 70. 68 49. 128

Table 240.—Cattle: Number and value on farms in the United States, 1867-1921.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

		THE GOAR	•	U	mer carne.	
Jan. 1—	Number.	Price per head Jan. 1.	Farm value Jan. 1.	Number.	Price per head Jan. 1.	Farm value Jan. 1.
1867. 1868. 1869. 1870. 1870, census June 1	8, 349, 000 8, 692, 000 9, 248, 000 10, 096, 000 8, 935, 332	\$28. 74 26. 56 29. 15 32. 70	\$239, 947, 000 230, 817, 000 269, 610, 000 330, 175, 000	11, 731, 000 11, 942, 000 12, 185, 000 15, 388, 000 13, 566, 005	\$15. 79 15. 06 18. 73 18. 87	\$185, 254, 000 179, 888, 000 228, 183, 000 290, 401, 000
1871 1872 1873 1874 1874	10, 023, 000 10, 304, 000 10, 576, 000 10, 705, 000 10, 907, 000	33. 89 29. 45 26. 72 25. 63 25. 74	339, 701, 000 303, 438, 000 282, 559, 000 274, 326, 000 280, 701, 000	16, 212, 000 16, 390, 000 16, 414, 000 16, 218, 000 16, 313, 000	20, 78 18, 12 18, 06 17, 55 16, 91	336, 860, 000 296, 932, 000 296, 448, 000 284, 706, 000 275, 872, 000
1876. 1877. 1878. 1879. 1880. 1880, census June 1	11, 085, 000 11, 261, 000 11, 300, 000 11, 826, 000	25. 61 25. 47 25. 74 21. 71 23. 27	283, 879, 000 286, 778, 000 290, 898, 000 256, 721, 000 279, 899, 000	16, 785, 000 17, 956, 000 19, 223, 000 21, 408, 000 21, 231, 000 22, 488, 550	17. 00 15. 99 16. 72 15. 38 16. 10	285, 387, 000 287, 156, 000 321, 346, 000 329, 254, 000 341, 761, 000
1881 1882 1883 1884 1885	12, 369, 000 12, 612, 000 13, 126, 000 13, 501, 000 13, 905, 000	23. 95 25. 89 30. 21 31. 37 29. 70	296, 277, 000 326, 489, 000 396, 575, 000 423, 487, 000 412, 903, 000	20, 939, 000 23, 280, 000 28, 046, 000 29, 046, 000 29, 867, 000	17. 33 19. 80 21. 81 23. 52 23. 25	362, 862, 000 463, 070, 000 611, 549, 000 683, 229, 000 694, 383, 000
1886. 1887. 1888. 1889. 1890. 1890, census June i	15, 953, 000 16, 511, 950	27. 40 26. 08 24. 65 23. 94 22. 14	389, 986, 000 378, 790, 000 366, 252, 000 366, 226, 000 353, 152, 000	31, 275, 000 33, 512, 000 34, 378, 000 35, 032, 000 36, 849, 000 33, 734, 128	21. 17 19. 79 17. 79 17. 05 15. 21	661, 956, 000 663, 138, 000 611, 751, 000 597, 237, 000 560, 625, 000
1891 1892 1893 1804 1895	16, 020, 000 16, 416, 000 16, 424, 000 16, 487, 000 16, 505, 000	21. 62 21. 40 21. 75 21. 77 21. 97	346, 398, 000 351, 378, 000 357, 300, 000 358, 999, 000 362, 602, 000	36, 876, 000 37, 051, 000 35, 054, 000 36, 608, 000 34, 364, 000	14.76 15.16 15.24 14.66 14.06	544, 128, 000 570, 749, 000 547, 882, 000 536, 790, 000 482, 999, 000
1896. 1897. 1898. 1899. 1900. 1900, census June 1	16, 138, 000 15, 942, 000 15, 841, 000 15, 990, 000 16, 292, 000 17, 135, 633	22. 55 23. 16 27. 45 29. 66 31. 60	363, 956, 000 369, 240, 000 434, 814, 000 474, 234, 000 514, 812, 000	32, 085, 000 30, 508, 000 29, 264, 000 27, 994, 000 27, 610, 000 50, 585, 777	15.86 16.65 20.92 22.79 24.97	508, 928, 000 507, 929, 000 612, 297, 000 637, 931, 000 689, 486, 000
1901 <sup>1</sup>	16, 834, 000 16, 697, 000 17, 105, 000 17, 420, 000 17, 572, 000	30, 00 29, 23 30, 21 29, 21 27, 44	505, 093, 000 488, 130, 000 516, 712, 000 508, 841, 000 482, 272, 000	45, 500, 000 44, 728, 000 44, 650, 000 43, 629, 000 43, 669, 000	19, 93 18, 76 18, 45 16, 32 15, 15	906, 644, 000 839, 126, 000 824, 055, 000 712, 178, 000 661, 571, 000
1906 1907 1908 1909 1910 1910, census Apr. 15	21, 194, 000 21, 720, 000	29. 44 31. 00 30. 67 32. 36	582, 789, 000 645, 497, 000 650, 057, 000 702, 945, 000 727, 802, 000	47, 068, 000 51, 566, 000 50, 073, 000 49, 379, 000 47, 279, 000 41, 178, 484	15. 85 17. 10 16. 89 17. 49	748, 172, 000 881, 557, 000 845, 938, 000 863, 754, 000 785, 261, 000
1911 <sup>1</sup> 1912 1913 1914 1914 1915	20, 823, 000 20, 699, 000 20, 497, 000 20, 737, 000 21, 262, 000	39. 97 39. 39 45. 02 53. 94 55. 33	832, 209, 000 815, 414, 000 922, 783, 000 1, 118, 487, 000 1, 176, 338, 000	39, 679, 000 37, 260, 000 36, 030, 000 35, 855, 000 37, 067, 000	20, 54 21, 20 26, 86 31, 13 33, 38	815, 184, 000 790, 064, 000 949, 645, 000 1, 116, 333, 000 1, 237, 376, 000
1916 1917 1918 1919 1920 1921	22, 894, 000 23, 310, 000 23, 475 000	53. 92 59. 63 70. 54 78. 20 85. 11 63. 97	1, 191, 955, 000 1, 365, 251, 000 1, 644, 231, 000 1, 835, 770, 000 2, 010, 128, 000 1, 491, 900, 000	39, 812, 000 41, 689, 000 44, 112, 000 45, 085, 000 44, 750, 000 42, 870, 000	33. 53 35. 88 40. 88 44. 22 43. 22 31. 41	1, 334, 928, 000 1, 497, 621, 000 1, 803, 482, 000 1, 993, 442, 000 1, 934, 185, 000 1, 346, 665, 000

<sup>&</sup>lt;sup>1</sup> Estimates of numbers revised, based on census data.

Table 241.—Cattle: Number and value on farms Jan. 1, 1920 and 1921, by States.

			Mi	lk cow	S.				Oth	er catt	ile.		
State.	Num (thous Jan.	ands)	Ave price he Jan	per ad	Farm (thousa dolla Jan.	nds of l	Num (thous Jan.	ands)	Aver price he Jan	per ad	Farm value (thousands of dollars) Jan. 1—		
	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	1921	1920	
Me N. H Vt Mass R. I.	171 101 275 157 18	176 103 275 159 19	\$60.00 74,00 65.00 94.00 100.00	\$79.00 86.00 89.00 105.00 110.00	\$10,260 7,474 17,875 14,758 1,800	\$13,904 8,858 24,475 16,695 2,090	129 70 186 100 12	140 70 190 100 13	\$27, 30 31, 90 24, 50 37, 30 36, 00	\$35. 90 41. 70 37. 20 44. 80 46. 90	\$3, 522 2, 233 4, 557 3, 730 432	\$5,026 2,919 7,068 4,480 610	
Conn N. Y N. J Pa Del	117 1,448 151 951 45	118 1,493 151	90. 00 73. 00 110. 00 77. 00	105.00 107.00 128.00 98.00 85.00	10,530 105,704 16,610 73,227 3,645	12,390 159,751 19,328 95,060 3,825		80 909 75 720 23	49.00 35.40	47. 70 48. 30 57. 00 46. 00 46. 80	3, 344 29, 106 3, 577 24, 461 893	3, 816 43, 905 4, 275 33, 120 1, 076	
Md Va W. Va N. C S. C		180 428 245 328 213	59. 00 66. 00 58. 00	76.00 76.00 78.00	14,220 25,252 16,170 19,198 12,470	16, 020 32, 528 18, 620 25, 584 18, 105		136 573 373 394 254	42, 50 26, 60	49. 20 51. 70 35. 30	' '	6, 854 28, 192 19, 284 13, 908 9, 271	
GaFlaOhioIndIl	470 156 1,009 727 1,028	461 156 1,030 734 1,060	71.50 65.00	65. 00 72. 00 92. 00 88. 00 96. 00	21, 150 11, 544 72, 144 47, 255 64, 764	29, 965 11, 232 94, 760 64, 592 101, 760		772	37. 50 38. 10	51.60	37, 350 27, 051 45, 033	20, 971 25, 798 51, 622 39, 838 74, 638	
Mich			70, 00 65, 00 58, 00 62, 00 57, 50	96.00 97.00 82.00 88.00 79.00	59, 920 118, 820 80, 910 77, 624 50, 198			773 1,493 1,730 3,192 1,746	30. 00 26. 90 20. 60 33. 80 34. 50	42, 80 40, 20 32, 60 49, 00 48, 90	34, 217 100, 352 57, 236	33, 084 60, 019 56, 398 156, 408 85, 379	
N. Dak S. Dak Nebr- Kans Ky	464 539 560 898 466	577 935	56.00 63.00 62.00	75.00 83.00				623 1, 526 2, 850 2, 161 592	20 QO	44.30 45.30 48.00	38, 780 88, 510 68, 890 16, 916	25, 792 67, 602 129, 100 103, 72 24, 39	
TennAla MissLa Tex	386 507 571 382 1,184	390 502 571 378 1,138	47. 00 52. 00	57.00	18, 914 20, 280 26, 837 19, 864 74, 592	27, 300 28, 614 35, 402 25, 326 87, 626	570 791 680 725 4,547	842 716 725 4, 458	13, 60 14, 10 22, 10 30, 50	22.90 23.50 29.30	10, 758 9, 588 16, 022 138, 684	19,68 19,28 16,82 21,24 186,34	
OklaArk	549 429 185 80 272	560 452 185 80	43.00 75.00 75.00	93.00	18, 447 13, 875 6, 000	38, 080 25, 312 15, 355 7, 440 23, 664	1,118 643 918 720 1,220	1,020	38.30 40.80	41.70 24.40 50.60 50.50 48.10	9, 002 35, 159 29, 376 42, 456	54, 216 16, 86 51, 61 40, 40 65, 17	
N. Mex Ariz Utah Nev		109	105. 00 70. 00	95.00 78.00	4,725 7,560		1,406 1,100 473 540	490	31 29, 20	44.00 39.30	41,800 13,812		
Idaho	137 216 216 577	225 220	75.00	88.00	16.200	11, 560 19, 800 18, 260 55, 387	505 290 675 1,683	300 71	DI 37.50	44. 10 43. 80 46. 20 51. 40	17,018 9,947 25,312 74,052	23,68 13,35 32,80 83,98	
v.s	23, 321	23,619	63.9	85. 11	1, 491, 900	2, 010, 12	42,870	44, 75	31.41	43, 22	1,346,665	1, 934, 18	

Table 242.—Cattle: Percentage of the different breeds in the United States, by States.

Estimates below are based upon the following inquiry of live-stock reporters: "Letting 100 represent the total number in your locality, what proportion of the total belong to the breeds named? Grades and scrubs should be included in the breed in which the type predominates."

scrubs should be include	30.111	ше ы	eed II	ı wın	cu the	type	pred	)IIIIII 8	ives.						
State and division.	Aberdeen Angus.	Ayrshire.	Brown Swiss.	Devon.	D u t c h Belted.	Galloway.	Guernsey.	Hereford.	Holstein.	Jersey.	Polled Dur- ham.	Red Polled.	Short Horn (Durham).	Other.	Nondescript.
Maine. New Hampshire. Vermont. Massachusetts Rhode Island.	0.1	4. 1 4. 3 8. 5 8. 9 20. 4	0.2 .2 .7 .1	0.4 2.2 .5 .1	1.6 .4 .2 .4	0. 3	8.8 6.4 8.9 11.5 7.0	7.3 5.2 .9 1.2	30. 9 52. 6 45. 0 56. 3 58. 2	34. 9 12. 1 22. 9 10. 3 6. 7	0.1	0.1 .1 .1	4.6 6.0 4.9 3.2	1.0 1.5 3.4 2.0	5.6 8.9 4.0 5.6 6.8
Connecticut	.2 .2 .8 1.9	3.0	.1	2.9 .1 .3 .3	.3 .2 .7 .5	.1 .7 .1	10. 7 7. 4 8. 4 10. 5 15. 5	.6 2.4 2.7 1.7	55. 2 65. 2 60. 0 43. 8 41. 0	13. 0 10. 5 9. 0 15. 3 10. 4	.8 .1 .1 .2	.1	1.6 2.2 2.6 11.5 5.1	2.5 1.8 1.8 2.8 9.3	4. 1 5. 9 10. 9 9. 2 11. 6
Maryland		.9	.4	.7 3.0 1.8		. 2 . 1 1. 0	15.6 2.9 1.7 6.9 5.5	3.7 12.4 33.0 3.9 4.6	23. 7 13. 8 6. 0 8. 0 8. 3	17.0 19.0 16.0 39.4 44.7	.3 .7 .8 .2 .9	3.8 1.0 .9 2.7	7. 2 25. 4 17. 7 7. 2 1. 8	5.8 2.9 2.2 6.3 6.7	22. 0 14. 4 9. 2 21. 6 21, 1
Georgia. Florida. Ohio. Indiana. Illinois.	.9 1.1 3.0 6.0 7.6	.3	.2	.1	 .i .i	.1 .4 .7 1.2	1.3 3.9 1.8 1.8	6.3 2.9 6.5 12.3 16.0	6. 4 3. 7 20. 9 11. 5 16. 4	26.6	1. 4 3. 1	1.7 .3 1.9 1.0 1.9		8.7 11.5 1.6 3.2 1.4	33. 2 46. 6 8. 0 6. 2 6. 3
Michigan Wisconsin Minnesota Iowa Missouri		.4 .2 .1	.2	2	.1	.7 .4 1.3 1.2 1.9	6. 1 13. 2 5. 9 1. 7 1. 1	4.1 2.7 8.5 20.6 22.7	40. 0 46. 5 19. 3 6. 9 5. 2	11.1 6.7 3.7 4.1 13.4	1.3 1.3 1.3	I	23. 9 15. 2 33. 2 43. 9 32. 2	1.8 2.7 3.2 1.8 2.1	6. 2 7. 0 13. 8 4. 3 6. 7
North Dakota South Dakota Nebraska Kansas. Kentucky	6.0	5	.3	.2	.1	1. 0 1. 1 2. 2 3. 6	.7 .8 .5 1,4	33.1 29.8	8. 0 6. 3 4. 9 9. 3 8. 0	2.2 1.3 2.3 5.8 26.6	3.3 2.0	4.0 3.5 3.9 3.5 3.6	33. 7 35. 8 32. 0	2.9 1.6 2.1 2.5 4.4	10, 8 8, 0 5, 4 5, 5 12, 2
TennesseeAlabama Mississippi Louisiana Texas				.3 1.4 1.1		7	.3 .4 .5	10.8	3. 5	41.1 36.2	.6 1.8 4.6	6.1	9.0	5, 2 10, 3 6, 6 7, 2 2, 9	10. 8 16. 9 17. 0 36. 9 9. 3
Oklahoma Arkansas Montana Wyoming Colorado	1.5 2.7 1.7 .4	.2	.1			.2	.8 .7	9. 9 46. 9 62. 3	5. 7 7. 4	14.1 23.1 2.2 1.9 3.7	2.0 2.8	1.1	30.0	4.7 4.8 .8 3.9 1.9	7. 6 3. 3 2, 2
New Mexico	.4	<u>-</u> i		1.5		.3	1 4		15. 2 10. 9	9.1			3.4	1.1	3. 7 62. 7
Idaho	_	1. 4 . 6	.1	1,4	<u> </u>	. i . i . i	7. 7 1. 6 1. 7	15.0	29. 6 7. 6 37. 6	27. 1 21. 5	.8	.4	32, 7 24, 2	3.3 1.6 1.9	8.5 6.3 4.0
United States	3.6	.6	.3	:	.:	.8	2.9	21.0	16. 2	14.0	1.5	2.6	22, 6	3.1	10.3
North Atlantic South Atlantic N. C., east Miss. R. N. C., west Miss. R. South Cantral Far Western.	2.9 3.6 6.9 3.1	.4	. 1			1.8	8.8 3.6 6.3 1.9	7.8	54. ( 9. ( 29. : 8. : 5. : 14. !	20	1.8	1.6 1.7 3.3 5.4	23.3 36.2 15.9	6.8 2.1 2.3 4.9	26.3 6.8 7.3

Table 243.—Beef cuttle: Farm price per 100 pounds, 15th of month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 15. June 15. July 15. Aug. 15. Sept. 15. Oct. 15. Nov. 15. Dec. 15.	\$8. 99 8. 98 9. 08 9. 20 8. 97 9. 32 8. 93 8. 56 8. 29 7. 71 6. 36	\$9. 65 10. 02 10. 34 10. 81 10. 20 9. 96 9. 82 9. 02 8. 65 8. 63	\$8. 33 8. 55 8. 85 9. 73 10. 38 10. 40 10. 07 9. 71 9. 63 9. 33 9. 33 9. 28	\$6. 86 7. 36 7. 91 8. 57 8. 65 8. 30 8. 17 8. 40 8. 35 8. 21 8. 24	\$5. 85 5. 99 6. 37 6. 66 6. 73 6. 91 6. 55 6. 55 6. 37 6. 56	\$5. 99 5. 93 5. 92 5. 96 6. 13 6. 20 6. 07 6. 18 6. 04 5. 85 5. 75	\$6. 04 6. 16 6. 28 6. 29 6. 33 6. 32 6. 38 6. 47 6. 38 6. 23 6. 02 6. 01	\$5, 40 5, 55 5, 58 6, 01 6, 02 5, 91 5, 92 6, 09 5, 96	\$4. 46 4. 61 4. 75 5. 36 5. 23 5. 17 5. 35 5. 35 5. 32 5. 33	\$4. 58 4. 57 4. 60 4. 69 4. 43 4. 28 4. 39 4. 43 4. 36 4. 37	\$6. 62 6. 77 7. 00 7. 31 7. 40 7. 37 7. 19 7. 11 7. 00 6. 85 6. 70 6. 65

# Table 244.—Milk cows: Farm price per head, 15th of month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	3911	Aver- age.
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 15. June 15. July 15. Sept. 15. Sept. 15. Nov. 15. Dec. 15.	\$94. 42 95. 27 94. 94 95. 36 94. 56 94. 56 91. 23 90. 89. 40 85. 90 77. 56 70. 42	\$86. 10 86. 15 88. 15 90. 91 93. 43 93. 84 94. 51 94. 72 93. 42 93. 43 93. 27 95. 54	\$76. 54 78. 36 80. 71 82. 45 84. 11 84. 74 84. 97 84. 06 85. 21 85. 41 84. 51 85. 78	\$63. 92 65. 93 68. 46 72. 09 72. 78 72. 81 72. 53 73. 93 75. 79 75. 00 76. 16	\$57. 79 57. 99 59. 51 60. 68 60. 98 61. 63 62. 04 61. 32 61. 41 62. 19 62. 67 63. 18	\$58, 47 57, 99 58, 00 57, 78 58, 29 58, 59 60, 31 58, 34 58, 38 58, 76 57, 35 56, 79	\$57. 99 59. 09 59. 85 59. 82 59. 67 60. 72 59. 58 59. 53 58. 77 58. 23	\$49. 51 51. 42 54. 02 55. 34 54. 80 55. 20 54. 78 55. 78 56. 47 57. 71 57. 19	\$42, 89 43, 40 44, 09 45, 63 45, 84 45, 41 46, 11 46, 79 47, 30 47, 38 48, 62	\$41. 70 44. 48 45. 42 44. 81 44. 54 43. 80 42. 44 42. 26 42. 22 42. 69 42. 70 42. 72	\$63. 23 64. 01 65. 25 66. 42 66. 90 67. 10 66. 82 66. 61 66. 75 65. 69 65. 46

## Table 245 .- Veal calves: Farm price per 100 pounds, 15th of month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age,
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 15. June 15. July 16. Aug. 15. Sept. 15. Oct. 15. Nov. 15. Dec. 15.	12. 72 11. 69 11. 68 11. 44 11. 64 11. 88 11. 64 10. 77	\$12.39 12.18 12.65 12.78 12.11 12.40 13.38 13.39 12.57 12.65	\$11. 16 11. 17 11. 33 11. 71 11. 62 11. 88 12. 33 12. 22 12. 57 12. 35 11. 94	\$9. 15 9. 88 9. 94 10. 49 10. 60 10. 77 10. 56 11. 08 11. 10 10. 68	\$7. 67 7. 87 8. 11 8. 00 8. 39 8. 54 8. 59 8. 77 8. 59 8. 79	\$7. 66 7. 62 7. 50 7. 31 7. 35 7. 53 7. 87 7. 75 7. 80 7. 91 7. 69	\$7. 89 7. 90 7. 92 7. 68 7. 69 7. 80 8. 06 7. 97 7. 78 7. 61	\$7. 06 7. 23 7. 49 7. 38 7. 17 7. 53 7. 46 7. 73 7. 72 7. 70 7. 74	\$6. 06 6. 07 6. 22 6. 23 6. 33 6. 33 6. 62 6. 83 6. 87 6. 88	\$6, 50 6, 38 6, 48 5, 96 5, 68 5, 72 5, 74 5, 93 6, 11 6, 15 6, 10 5, 98	\$8. 84 8. 94 9. 05 9. 02 8. 80 8. 93 9. 17 9. 42 9. 32 9. 07 8. 98

# Table 246.—Cattle: Wholesale price per 100 pounds, 1913-1920.

[Compiled from commercial papers.]

Date.	in	hicag ferior prime	ťo	heav	cinn dium y bu	to tcher	good	. Lou I to cl ive ste	ioice	COL	nsas C mmon prime	ιto	1 :	mah nativ	e e
	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.
1913. January-June July-December	\$5.65 5.00	\$9.85 10,25	\$7. 81 8, 14	\$4.65 4.50	\$7.65 7.00	\$5. 92 6. 02	\$8. 00 8. 50	\$9. 25 10. 00	\$9. 05 9. 07	\$4. 75 4. 50	\$9.00 10.00		\$7.00 7.70	\$9, 50 9, 25	\$8. 22 8. 64
1914. January-June July-December	6.60 5.40	9. 75 11. 75	8. 24 8. 99	5. 35 4. 65	7. 25 7. 25	6. 16 5. 27	8. 65 9. 30	9. 50 11. 10	9. 02 10. 24	5. 20 4. 50	9. 40 11. 35		6. 50 6. 00	10. 50 10. 75	8. 23 9. 04
1915. January-June July-December	5. 30 5. 75	10. 15 11. 50	7.96 8.44	4. 85 4. 00	7.00 7.00	5. 90 5. 32	7.00 8.60	10. 00 10. 50	8. 06 9. 56	6.00 5.50	9. 75 10. 35	\$7. 51 8. 21	6. 50 8. 90	9. 35 10. 10	8. 05 9. 05
1916. January-June July-December	6. 90 6. 50	11. 50 13. 25	9.04 9.43	5. 25 5. 50	9. 50 9. 00	6.96	6. 50 8. 00	10. 50 11. 50	8. 20 9. 59	6.90 6.00	11. 50 12. 00	8. 84 9. 51	7. 20 8. 25	11.00 11.50	8. 97 9. 88
1917. January-June July-December	5. 78 6. 18	13.90 17.90	10. 16 11. 42	6. 00 5. 00	12. 85 14. 50	9. 14 9. 62	10. 00 10. 00	12, 25 16, 50	10. 86 13. 10	6. 50 9. 25	13. 75 17. 00	9. 95 13. 21	10.00 11.50	13. 85 17. 00	11. 85 14. 27
1918. January-June July-December	8. 26 15. 00	18. 60 20. 50	13. 59 17. 90	6. 50 6. 00	17. 00 17. 00	11.17	10. 50 9. 00	16.00 20.50	13. 05 14. 27	7. 78 18. 00	18. 25 19. 60	12. 08 15. 92	10.00 14.75	18. 25 19. 00	14. 36 17. 00
1919. January-June July-December	10.00		16. 0: 15. 9:	6. 50 5. 50	17. 2: 17. 2:	11.6	13. 50 5 13. 50	17. 7. 19. 2	14. 50 15. 16	10. 2! 8. 00	19. 50 19. 00	14. 8 13. 4	9.00 8.00	18. 78 18. 8	15. 00 12. 56
1920. January. February. March April May. June.	9. 00 9. 00 8. 50 8. 50 10. 00 9. 70	19. 50 17. 00 15. 75 16. 00 14. 40 5 17. 20	13. 5 12. 8 12. 2 12. 1 12. 0 14. 0	6. 50 6. 00 7. 00 2 7. 00 2 7. 00 2 11. 50	15. 00 18. 50 14. 00 14. 00 13. 22 17. 00	0 10. 3 9. 5 0 10. 5 0 10. 2 5 12. 3 0 13. 5	1 11. 50 10. 50 8. 50 5 10. 00 5 10. 00 5 11. 7	19. 00 16. 00 15. 50 14. 70 14. 20 16. 50	14. 64 13. 44 12. 06 12. 35 12. 05 14. 86	8. 7 8. 0 8. 0 9. 0 10. 0	18.00 17.00 15.00 15.00 14.21 17.20	13. 14 12. 00 11. 61 12. 00 11. 84 13. 33	9.00 8.00 8.00 8.00 8.00 8.00	16. 50 14. 20 14. 00 13. 50 16. 50	12. 29 10. 62 5 11. 38 11. 38 10. 44 13. 11
January-June											18.00	12. 34	8.00	16. 50	11. 53
JulyAugust SeptemberOctober NovemberDecember	9. 00 8. 64 9. 24 10. 50 7. 00 6. 10	0 17. 2 5 17. 7 5 18. 0 6 17. 7 0 18. 1 0 15. 5	13. 2 5 13. 1 5 14. 8 5 14. 0 0 12. 5 0 10. 0	7 11. 00 8 10. 00 2 10. 00 8 10. 00 9 4. 50	16. 00 14. 50 14. 00 14. 00 13. 50	0 13. 2 0 12. 3 0 12. 2 0 11. 7 0 11. 0 0 7. 9	0 10. 10 1 14. 00 2 15. 00 5 15. 00 0 12. 00 0 4. 5	17. 0 16. 6 16. 5 17. 7 0 16. 0 13. 0	15. 30 15. 50 15. 90 16. 20 13. 30 8. 30	9.00 8.00 7.00 7.00 7.00 6.00	016. 80 017. 69 017. 70 017. 70	12.69 12.7 12.10 11.1	7.00 1 8.00 9.00 7 6.50	17. 00 17. 50 17. 50 17. 50	0 12, 44 0 11, 80 0 13, 36 0 12, 94 0 9, 93 5 8, 92
July-December.	-	-						_	-	_	17.70	11.9	6.00	17. 50	11. 56

## BUTTER AND EGGS.

Table 247.—Butter: Average price received by farmers on 1st of each month, by States, 1920, and United States, 1909-1919.

				*******	Butte	r, cent	s pe <b>r</b> p	ound.				
State and year.	Jan.	Feb.	Mar.	Apr.	Мау.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Maine	68 66 74 69 70	68 68 67 70 68	68 66 67 70 64	65 68 69 69 72	64 69 68 73 70	60 64 66 72 72	55 64 65 68 69	64 65 62 66 69	61 64 65 71 70	65 65 68 71	67 65 64 70 70	64 63 65 67 55
Connecticut New York New Jersey Pennsylvania Delaware	70	69	71	66	68	68	69	70	65	66	67	65
	70	67	66	64	66	64	61	62	62	63	62	(3
	75	71	70	70	74	73	68	69	65	66	70	7)
	70	68	66	64	66	63	59	59	60	63	64	64
	67	65	65	62	62	66	63	60	65	62	65	64
Maryland Vırginia. West Virginia. North Carolina. South Carolina.	60 55 59 51 58	59 53 57 52 52	58 54 55 52 56	61 53 55 50 56	62 53 54 49 53	56 50 53 46 57	58 46 45 47 55	52 47 46 46 54	51 47 47 47 47 52	56 51 50 49 54	54 49 56 47 54	58 49 53 50 53
Georgia	54	49	48	48	48	49	49	48	49	51	50	49
Florida	61	68	62	61	62	62	66	62	64	66	64	63
Obio	62	59	56	58	58	54	52	50	52	53	53	56
Indiana	60	55	52	53	55	50	49	49	50	51	51	51
Illinois	59	58	53	56	55	53	52	53	54	55	53	53
Michigan	65	61	59	57	59	53	52	52	54	55	54	56
	67	63	60	63	63	58	57	56	56	57	57	58
	67	61	59	58	62	57	54	56	54	56	56	57
	64	59	58	57	57	54	52	53	52	54	54	55
	54	48	48	50	49	46	48	46	47	48	48	48
North Dakota.	65	61	53	55	56	54	49	50	49	52	52	58
South Dakota.	65	60	57	57	59	54	51	53	53	53	56	54
Nebraska	63	56	50	54	52	53	50	51	50	52	56	53
Kansa	59	54	52	53	53	51	48	49	49	53	52	52
Kentucky.	49	48	46	46	45	43	42	40	41	45	47	45
Tennessee	44	42	43	42	42	38	38	37	38	39	41	42
Alabama	45	44	44	44	45	43	43	42	43	45	43	43
Missis-ippi	51	48	45	48	48	46	43	47	45	43	45	47
Louislana	57	50	49	53	48	48	47	50	47	53	50	52
Texas	54	48	48	46	48	43	41	44	43	44	46	48
Oklahoma	56	52	48	48	51	47	49	49	49	50	53	53
Arkansas	50	49	47	42	47	46	45	47	45	46	49	46
Montana	58	61	55	55	56	58	45	48	51	55	48	53
Wyoming	69	68	62	59	62	56	49	51	54	53	57	61
Colorado	68	58	55	59	59	54	51	55	54	57	57	58
New Mexico	70 72 63	68 60 59 60	58 65 55 60	62 68 58 64	64 75 58 63	64 63 59 62	54 66 58 62	61 65 59 60	54 68 55 60	67 80 . 59 66	60 65 61 60	64 65 59 65
Idaho	69	62	58	61	62	59	56	58	57	60	60	60
Washington	67	61	60	64	62	56	57	58	61	65	64	59
Oregon	67	65	63	64	63	58	57	57	58	64	57	58
California	65	65	64	64	61	60	59	58	61	65	64	64
United States		57.8	55. 9	56. 1	57. 6	53. 5	51. 6	52. 0	52. 3	54. 1	54.3	54, 7
1919. 1918. 1917. 1916. 1918. 1918. 1918. 1918. 1919. 1913. 1912. 1911. 1910.	54. 9 43. 1 34. 0 28. 3 28. 7 29. 2 28. 4 28. 1 27. 8 28. 7	49. 6 43. 7 33. 5 27. 6 27. 9 27. 4 27. 6 29. 0 24. 1 27. 9	43. 8 43. 4 34. 1 27. 1 26. 8 26. 0 27. 5 27. 2 22. 7 26. 3 24. 5	47. 6 40. 7 33. 5 27. 6 25. 8 24. 9 27. 6 26. 1 22. 6 25. 8 24. 2	50. 3 39. 9 36. 1 27. 9 25. 7 23. 8 27. 0 26. 0 21. 4 25. 5 24. 0	49. 1 38. 6 35. 0 26. 5 24. 8 22. 8 25. 5 24. 8 20. 3 21. 1 22. 5	23. 4 20. 4	48. 2 39. 7 34. 0 26. 1 24. 2 23. 7 24. 9 23. 7 21. 7 23. 8 22. 4	49. 7 41. 4 36. 1 27. 4 24. 5 25. 3 25. 9 24. 2 23. 1 25. 2	51. 5 47. 2 38. 9 29. 0 25. 3 26. 0 27. 5 25. 6 23. 8 26. 2	56. 0 49. 7 40. 9 31. 1 26. 4 26. 3 28. 2 26. 9 25. 2 27. 1 26. 2	60. 0 52. 7 41. 9 34. 4 27. 6 28. 4 29. 2 28. 8 27. 4 27. 8

Table 248.—Butter: Wholesale price per pound, 1913-1920.

[Compiled from commercial papers.]

		hicag nery,	o, extra.		ncinn nery,	ati, extra.		lwaul nery,	kee, extra.		w Yo mery,	ork, extra.	crear	Bosto nery,	n, extra.
Date.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.
1913. January-June July-December	Cts. 25 24	Cts. 36 36	Cts.	Cts. 31 30	Cts. 40 39½	Cts.	Cts. 27 26	Cts. 35 35½	Cts.	Cts. 26½ 26	Cts. 42 37½	Cts.	Cts. 28 27	Cts. 36½ 35	Cts.
1914. January-June July-December	24 26	35 <u>1</u> 31		27 <del>1</del> 30	39 <u>1</u> 38		23½ 26	35½ 34		24 <u>1</u> 26 <u>1</u>	50 36½		25 27 <del>1</del>	34 <u>1</u> 33 <u>1</u>	
1915. January–June July–December	26 24	34 34		29 <del>1</del> 28	38 38		25½ 24	34 34		24 25	36 36 <del>1</del>		27 26	33½ 32	
1916. January-June July-December	27 <del>1</del> 27 <del>1</del>	36½ 42		32 31½	40 46	::::::	28 27½	36 42		29 28½	38 42 <del>1</del>		29½ 29	35 <u>1</u> 39	
1917. January-June July-December	36 36½	46 49		39 39	50 53		36 38 <u>3</u>	46 48		37 <u>1</u> 37 <u>1</u>	462 51½		38 39 <u>1</u>	47 48	
1918. January-June July-December	40 42 <del>1</del>	49½ 67½	44.4 54.0	44 <del>1</del> 46	54 71	49.0 57.2	40 42 <del>1</del>	49 65½	44.3 53.6	401 441	54 <u>1</u> 70	47.1 56.2	42 443	49 67	44.3 55.4
1919. January-June July-December	42 <u>1</u> 48	68 72	56. 4 60. 4	47	71	60.4	41	66	51.9	46 49½	71 74	58. 5 63. 1	47 50½	69 73½	58. 8
1920. January February March April May June	59½ 55 56 60 52½ 52	65 65½ 68½ 67½ 62 56½	62.5 61.8 64.3 63.9 56.8 54.6	64 65 67 67 581 55	67 67 721 691 652 60	66.1 66.0 69.3 67.8 61.8 58.0	57 50 60 61 52 52	62 61 65 65 61 56	60.9 54.1 63.0 63.3 56.5 54.1	61½ 63½ 63 66½ 59	691 671 681 76 66 66	64.7 66.5 66.4 71.2 61.5 57.4	62 64 64 66 57 55	68 66 69 71 65 59	64.3 64.9 66.7 68.5 61.1 56.8
January-June	52	681	60.6	55	721	64.8	50	65	58.6	55	76	64.6	55	71	63.7
July August September October November December	53 52 54 54 53 47	561 56 59 60 62 58	54.5 53.8 56.5 57.0 59.7 51.1	58 57 58½ 57 62 57	60 60 64 63 <del>1</del> 63 58	59. 1 58. 5 60. 4 60. 2 62. 5 54. 4	50 49 50 48 49 44	55 54 561 58 52 50	53.5 50.5 52.6 53.2 50.8 45.6	55 532 56 562 57 52	59 57 62 62 65 58	56.8 55.4 59.2 60.0 63.5 55.3	56 55 57 56 57 52	59 58 62½ 62 61 54	58. 1 57. 1 59. 7 59. 7 59. 8 53. 4
July-December.	47	62	55.4	57	64	59. 2	44	58	51.0	52	65	58.4	52	621	58. 0

### Table 249.—Butter: International trade, calendar years 1909-1919.1

[Butter includes all butter made from milk, melted and renovated butter, but does not include margarine, coco butter, or ghee. See "General note," Table 230.]

#### EXPORTS.

Country.	Average 1909–1913.	1914	1915	1916	1917	1918	1919
From— Argentina. Australia. Austria-Hungary	1,000 pounds. 6,934 77,859 4,267	1,000 pounds. 7,676 54,022	1,000 pounds. 10, 192 16, 722	1,000 pounds. 12, 502 75, 840	1,000 pounds. 21,672 72,278	1,000 pounds. 41,821 41,115	
Belgium. Canada. Denmark. Finland. France.	4,267 3,125 3,973 195,530 26,337 40,769 498	2,500 210,084 24,567 39,616	3,593 223,964 20,015 44,566	7, 787 211, 090 8, 960 18, 937	4,345 135,502 6,728	10, 919 32, 306 2, 620	16, 509 1, 119
Germany Italy Netherlands New Zealand Norway Russia	7,870 75,133 38,761 3,137 150,294	9,310 84,407 48,616 1,575 118,997	7,488 93,352 47,056 3,607 119,359	792 78, 910 40, 167 1, 027	172 54,215 28,492 ( <sup>2</sup> )	109 5,415 48,275 ( <sup>2</sup> )	51 30,242
Sweden United States Other countries	45, 870 4, 125 4, 811	41, 941 3, 688 3, 142	41, 532 17, 943 2, 198	28, 704 26, 561 3, 860	7,193 6,313	26,194 3,899	76 34,556
Total	689, 293	650, 141	651,587	515, 159	336,913	212,676	

#### IMPORTS.

Into-				<u>:</u> !	! ! !		
Austria-Hungary	6,281						
BelgiumBrazil	14,024 4,551	2,364	732	140	14		11,177 42
British South Africa.	4,025	3,990	1 876	290	50	2 448	385
Canada	3,388	7,250	1,876 5,661 687	2,092	466	2,446 864	1,464
Denmark	6, 241	3,054	687	191	1	(2)	
Dutch East Indies	4,152 2,350	4,873 1,945 2,959	4.257	4,840	4,308	4,322 302	
Egypt. Finland	2,350	1,945	1,194	705	533	302	602
Finland	2,370	2,959	4,916 1,711	3			
France	13, 713	13, 655	1,711	625	742	984	12,7-2
Germany	111, 441		905		52	43	
Netherlands Russia	4,987 2,202	3,880 2,969	2,615	991 5, 922	52	40	615
Russia Sweden	330	189	2,013	61	15,756	11,426	13.846
Switzerland	11, 106	8,900	5,700	946	369	54	13, 250
United Kingdom	455, 489	436,019	426, 355	240,270	201,605	176, 692	174,340
Other countries	27,364	29,416	21,026	14,300	13,214	9,778	
Total	674, 014	521,463	477,665	271,376	237, 110	206,915	
	_	}				1	l

¹ Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
² Less than 500 pounds.

Table 250.—Butter: Receipts at seven leading markets in the United States, 1891-1920.

[From Board of Trade, Chamber of Commerce, and Merchants' Exchange reports; for 1917 and subsequently from Bureau of Markets.]

Year.	Boston.	Chicago.	Mil- waukee.	St. Louis.	San Fran- cisco.	Total 5 cities.	Cincin- nati.	New York.
Averages: 1891–1895. 1896–1900. 1901–1905. 1908–1910.	1,000 pounds. 40, 955 50, 790 57, 716 66, 612	1,000 pounds. 145, 225 232, 289 245, 203 286, 518	1,000 pounds. 3,996 5,096 7,164 8,001	1,000 pounds. 13, 944 14, 582 14, 685 17, 903	1,000 pounds. 15, 240 14, 476 15, 026 13, 581	1,000 pounds. 219, 360 317, 233 339, 794 392, 615	1,000 packages. 88 157 177 169	1,000 packages. 1,741 2,010 2,122 2,207
1901	57, 500 54, 574 54, 347 55, 435 66, 725	253, 809 219, 233 232, 032 249, 024 271, 915	5, 590 7, 290 6, 857 7, 993 8, 091	13, 477 14, 573 14, 080 15, 727 15, 566	14, 972 14, 801 13, 570 14, 336 17, 450	345, 348 310, 471 320, 886 342, 515 379, 747	238 223 121 147 155	2, 040 1, 933 2, 113 2, 170 2, 355
1906	65, 152 63, 589 69, 843 65, 054 69, 421	248, 648 263, 715 316, 695 284, 547 318, 986	8, 209 8, 219 8, 798 7, 458 7, 319	13, 198 13, 453 18, 614 21, 086 23, 163	9, 282 17, 359 13, 833 14, 486 13, 994	344, 489 366, 335 427, 783 392, 631 432, 883	205 187 166 150 135	2, 242 2, 113 2, 175 2, 250 2, 257
1911 1912. 1913. 1914.	63, 874 71, 609 71, 703 73, 028 82, 082	334, 932 287, 799 286, 220 311, 557 344, 879	8, 632 6, 927 9, 415 9, 716 8, 679	24, 839 20, 399 24, 686 24, 614 21, 264	21, 118 24, 887 23, 027 22, 421 28, 349	453, 395 411, 621 415, 051 441, 336 485, 253	162 120 102 72 129	2, 405 2, 433 2, 522 2, 505 2, 741
1916 1917 1918	79, 305 69, 168 71, 440	359, 195 328, 100 277, 661	7, 976 6, 116 5, 094	16, 445 16, 996 14, 164	28, 029 25, 032 22, 908	490, 950 440, 412 391, 267	151 63 68 Philadel- phia.	2, 918 2, 575 2, 804
1919 1920	73, 223 72, 992	185, 779 176, 745	6, 114 4, 859	18, 111 16, 273	22, 031 23, 567	305, 528 294, 436	683 648	2, 980 2, 195
January February March April May June July August September October November December	5,368 3,709 6,322 12,060 14,406 8,749 6,762 4,372	10, 065 9, 447 11, 398 10, 343 17, 118 25, 344 27, 633 20, 200 15, 455 11, 417 9, 528 8, 797	303 246 338 265 265 607 748 661 470 382 312 261	909 940 1, 035 537 809 2, 191 2, 275 2, 068 1, 383 1, 304 1, 151 1, 216	1, 488 1, 665 2, 178 3, 141 2, 767 2, 197 1, 749 1, 789 1, 789 1, 565 1, 572	15, 981 15, 478 20, 317 17, 996 27, 281 42, 399 46, 805 33, 468 26, 247 19, 214 14, 934 14, 321	43 47 45 40 53 83 78 64 63 50 40 42	157 149 173 105 179 289 287 243 199 161 139

30702°--YBK 1920----47

Table 251.—Eggs: Average price received by farmers on 1st of each month, by States, 1920, and United States, 1909-1920.

					Eggs	, cents	per do	ozen.				
State and year.	Jan.	Feb.	Mar.	Apr.	Мау.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Maine New Hampshire Vermont Massachusetts Rhode Island	78	65	62	52	50	48	51	59	62	71	75	86
	77	78	64	55	55	57	60	64	71	74	81	86
	77	64	62	57	46	48	51	53	58	63	70	83
	90	89	72	63	64	63	65	68	75	78	93	101
	100	85	82	67	52	60	67	62	70	78	90	100
Connecticut	91	84	70	54	51	55	62	68	70	82	83	95
New York	79	72	62	49	46	47	48	54	59	65	72	81
New Jersey	84	70	68	53	49	51	56	63	64	67	86	95
Pennsylvania	75	70	61	45	40	42	45	49	52	59	69	75
Delaware	64	60	60	43	40	45	47	44	48	54	78	80
Maryland Virginia West Virginia North Carolina South Carolina	66	60	54	40	39	39	40	44	49	55	57	75
	65	57	49	39	37	38	40	40	44	53	56	65
	68	64	49	43	39	38	42	44	43	51	61	65
	59	54	47	35	36	37	41	39	44	51	52	58
	60	55	52	44	42	41	44	43	44	52	53	57
Georgia	61	51	44	38	36	37	38	39	42	49	52	55
Florida	66	51	51	41	36	38	41	- 45	47	55	64	69
Ohio	67	61	49	39	38	38	38	42	47	53	64	71
Indiana	64	58	45	38	37	36	35	40	45	51	58	67
Illinois	62	58	44	38	37	36	35	38	42	48	55	65
Michigan. Wisconsin. Minnesota. Lowa. Missouri	69	62	51	40	38	39	38	42	46	49	57	65
	64	58	47	39	37	36	35	39	44	48	53	61
	61	53	45	36	37	35	33	37	41	45	53	60
	63	53	42	37	37	36	34	38	41	46	53	61
	59	50	43	37	36	34	32	35	41	46	51	61
North Dakota South Dakota Nebraska Kansas Kentucky	64 64 60 59 60	60 56 51 48 54	48 40 41 40 44	40 35 35 35 36	35 36 35 34	34 34 33 33 35	31 32 32 30 34	34 35 33 33 36	36 40 37 37 39	40 45 42 45 47	44 46 48 49 51	52 59 56 60 61
Tennessee	56	50	42	34	33	32	31	32	37	46	49	58
Alabama	56	49	41	34	33	33	32	35	40	45	47	51
Mississippi	57	48	41	36	34	32	31	34	40	44	48	52
Louisiana	60	51	42	40	35	34	35	38	40	45	48	53
Texas	58	44	32	31	29	27	27	30	33	39	48	56
Oklahoma	63	51	37	34	32	28	29	30	36	40	50	56
Arkansas	56	47	39	33	32	33	31	34	37	43	47	52
Montana	72	59	57	47	38	38	41	38	45	50	50	58
Wyoming	74	67	51	44	42	39	42	47	49	51	59	70
Colorado	73	58	45	40	38	38	38	42	49	56	59	67
New Mexico. Arizona Utah. Nevada.	70 83 71	61 72 58 52	44 47 38 50	39 45 35 51	41 50 37 47	41 46 36 46	38 45 38 51	43 54 39 50	42 60 43 59	49 80 45 58	57 78 52 65	57 78 64 75
Idaho	78	63	46	37	38	39	41	43	48	55	60	70
	. 71	56	43	36	38	40	39	42	49	57	66	70
	. 71	60	41	34	39	39	40	43	50	57	64	70
	. 70	55	41	37	36	38	38	45	50	58	70	74
United States	64.8	56.9	46.6	38.8	37. 4	37.0	36,7	40.0	44.2	50.1	56.9	65.0
1919. 1918. 1917. 1916. 1915. 1918. 1918. 1919. 1919. 1911. 1910.	46.3 37.7 30.6 31.6 30.7	48. 3 49. 4 35. 8 26. 8 29. 2 28. 4 22. 8 29. 1 22. 1 28. 9 25. 8	33. 1 40. 4 33. 8 21. 2 21. 3 24. 2 19. 4 24. 5 16. 5 22. 9 20. 1	34. 3 31. 2 25. 9 17. 9 16. 6 17. 6 16. 4 17. 8 14. 9 18. 6 16. 8	36.8 31.0 30.0 18.1 17.1 16.8 16.1 17.1 14.7 18.6 17.8	38.6 29.8 31.1 19.0 16.6 17.3 16.9 16.7 14.5 18.3	36.8 30.7 28.3 19.7 16.8 17.6 17.0 16.7 14.2 18.2	39. 3 34. 4 29. 8 20. 7 17. 0 18. 2 17. 2 17. 4 15. 5 17. 6 19. 2	41.0 36.4 33.2 23.3 18.7 21.0 19.5 19.1 17.4 19.4 20.2	44.7 41.6 37.4 28.1 22.3 23.5 23.4 22.0 20.0 22.4 22.1	54. 0 47. 2 39. 4 32. 2 26. 3 25. 3 27. 4 25. 9 23. 5 24. 8	61.9 55.0 43.3 38.1 30.6 29.7 33.0 29.7 28.7 29.0 28.4

Table 252.—Eggs: Wholesale price per dozen, 1913-1920.

[Compiled from commercial papers.]

	Chi	cago, firsts	fresh	Cir	cinn	ati.1		ouis, firsts	fresh		lwaul sh fir		Ne fre	w Yo sh fir	rk, sts.
Date.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.
1913. January–June July–December	Cts. 16½ 16	Cts. 27½ 37	Cts.	Cts. 15½ 18½	Cts. 27½ 42	Cts.	Cts. 141 12	Cts. 25 35	Cts.	Cts. 14 13	Cts. 25 35	Cts.	Cts. 20 25	Cts. 40 65	Cts.
1914. January–June July–December	17 18	32½ 36		16 <del>1</del> 18 <del>1</del>	36 38½		14 18	31 35		15 16	30 32		20 24	50 62	
1915. January–June July–December	16 16	38 30½		12½ 10	40½ 36		15 <del>1</del> 14 <u>1</u>	37½ 30		15 <del>1</del> 15 <del>1</del>	34 32		18 18	44 40	
1916. January-June July-December	18 <u>1</u> 21 <u>1</u>	32 <u>1</u> 41		17 17 <u>1</u>	34½ 47		17 22	31 39		17 19	31 38		201 231	35 47	
1917. January-June July-December	26 30½	49 57		22 20	53 57		25½ 26	44 51		25½ 30½	44 55		28 <u>1</u> 34	53 62	
1918. January-June July-December	29 34	63 65	40. 1 48. 3	26 33	66 65	38. 6 46. 4	26 30	59 63	38. 0 45. 6	30 34	58 63	47. 4 46. 8	31½ 36	70 72	44. 5 52. 7
1919. January-June July-December	35 39	63½ 80	42. 8 53. 6	32½ 42	52 78	41. 7 55. 7	33 36½	62 72	40. 7 50. 2	35 39	60 74	42. 0 50. 9	36½ 51	68 94	46.9 64.4
January. February. March April May. June.	541 50 41 40 39 37	71 571 491 451 421 421	64.3 52.2 44.1 41.7 41.2 38.9	65 50 40 38 40 37	77 59 53 40 41 43	71. 2 55. 1 44. 5 38. 3 40. 8 39. 3	56 48½ 40 37½ 36½ 33	66 56 471 391 40 371	60. 7 50. 0 42. 2 38. 2 38. 2 35. 1	54 47 40 38 40 35	62 58 48 41 42 40	59. 3 51. 1 42. 2 39. 5 40. 7 38. 7	60 56 421 401 41 41	85 64 60 461 461 461	73.6 61.2 49.1 43.8 44.4 43.1
January-June	37	71	47.1	37	77	48. 2	33	66	44.1	35	62	45. 2	401	85	52. 5
July August September October November December	39 44½ 50 56 60 59½	441 501 551 59 73 78	42. 2 46. 7 52. 6 57. 8 68. 1 70. 2	41 43 49 58 63 62	45 45 58 62 77 80	43. 5 45. 8 54. 0 60. 5 69. 5 73. 2	37 42 47½ 51 58 57	41 47½ 51 58 71 73	38. 7 44. 9 50. 0 54. 6 65. 2 66. 0	38 42 49 54 55 68	43 50 55 58 68 77	40. 8 45. 8 52. 4 56. 4 63. 4 71. 9	42 47 53 57 68 71	50 57 61 71 81 89	46. 7 50. 8 56. 5 65. 6 76. 5 79. 2
July-December.	39	78	56. 3	41	80	57.8	37	73	53. 2	38	77	55. 1	42	89	62.6

<sup>11918,</sup> fresh firsts; previous years include seconds.

Table 253.—Eggs: Receipts at seven leading markets in the United States, 1891-1920.

[From Board of Trade, Chamber of Commerce, and Merchants' Exchange reports; for 1917 and subsequently from Bureau of Markets.]

Year.	Boston.	Chicago.	Cincin- nati.	Milwau- kee.	New York.	St. Louis.	San Fran- cisco.	Total.
A verages: 1891-1895 1896-1900 1901-1905 1906-1910	Cases. 722, 363 912, 807 1, 155, 340 1, 517, 995	Cases. 1,879,065 2,196,631 2,990,675 4,467,040	Cases. 288, 548 362, 262 418, 842 509, 017	Cases. 90, 943 113, 327 139, 718 180, 362	Cases. 2, 113, 946 2, 664, 074 3, 057, 298 4, 046, 360	Cases. 557, 320 852, 457 1, 000, 935 1, 304, 719	Cases. 166, 059 194, 087 304, 933 334, 766	Cases. 5, 818, 244 7, 295, 645 9, 067, 741 12, 360, 259
1901 1902 1903 1904 1905		2, 783, 709 2, 659, 340 3, 279, 248 3, 113, 858 3, 117, 221	493, 218 464, 799 338, 327 377, 263 420, 604	128, 179 114, 732 129, 278 166, 409 159, 990	2, 909, 194 2, 743, 642 2, 940, 091 3, 215, 924 3, 477, 638	1,022,646 825,999 959,648 1,216,124 980,257	277, 500 285, 058 335, 228 319, 637 307, 243	8,655,001 8,146,735 9,146,597 9,532,034 9,858,338
1906. 1907. 1908. 1909.	1,709,531 1,594,576 1,436,786 1,417,397 1,431,686	3, 583, 878 4, 780, 356 4, 569, 014 4, 557, 906 4, 844, 045	484,208 588,636 441,072 519,652 511,519	187, 561 176, 826 207, 558 160, 418 179, 448	3, 981, 013 4, 262, 153 3, 703, 990 3, 903, 867 4, 380, 777	1,023,125 1,288,977 1,439,868 1,395,987 1,375,638	137,074 379,439 347,436 340,185 469,698	11, 106, 390 13, 070, 968 12, 145, 724 12, 295, 412 13, 192, 811
1911 1912 1913 1914	1,441,768 1,580,106 1,589,400 1,531,329 1,757,594	4,707,335 4,556,643 4,593,800 4,083,163 4,896,246	605, 131 668, 942 594, 954 461, 927 812, 371	175, 270 136, 896 191, 059 224, 797 192, 743	5, 021, 757 4, 723, 520 4, 713, 555 4, 882, 222 5, 585, 329	1,736,915 1,394,534 1,398,065 1,474,212 1,492,729	587, 687 638, 890 573, 042 619, 500 629, 577	14, 275, 863 13, 699, 531 13, 653, 878 13, 277, 150 15, 366, 580
1916 1917 1918	1,649,828 1,501,956 1,604,289	5, 452, 737 5, 678, 679 5, 049, 743	853, 910 184, 022 176, 733 Phila- delphia.	208, 924 134, 625 180, 616	4, 858, 274 4, 357, 061 5, 026, 548	1, 521, 506 1, 373, 120 934, 668	575,014 715,768 666,845	15, 120, 193 13, 945, 231 13, 639, 442
1919 1920	1,658,990 1,647,648	4,616,652 4,153,584	1, 704, 377 1, 395, 909	262, 583 219, 465	6,007,641 5,157,535	1, 873, 584 1, 906, 153	697, 921 757, 058	16, 821, 748 15, 237, 35
January February March April May June July August September October November December	252, 858 384, 322 204, 280 118, 811 110, 081 95, 170 65, 442 48, 988	108, 599 251, 320 457, 673 839, 602 800, 186 620, 198 379, 828 259, 850 217, 100 131, 812 47, 233 40, 183	76, 346 81, 111 120, 156 164, 010 242, 466 180, 152 106, 634 115, 775 117, 955 80, 924 56, 629 53, 751	9, 152 14, 782 21, 963 29, 218 45, 953 30, 904 18, 672 13, 644 8, 808 10, 812 7, 685 7, 872	209, 757 315, 410 618, 396 562, 530 882, 953 672, 873 469, 638 384, 878 350, 484 271, 724 208, 674 210, 536	40, 506 100, 038 271, 618 243, 215 282, 453 200, 01 145, 719 145, 390 144, 993 69, 777	43,943 55,233 102,240 113,461 80,436 75,642 67,349 54,952 42,220 43,415 35,496 42,671	560, 375 931,007 1, 740, 836 2, 204, 894 2, 718, 451 1, 936, 655 1, 366, 655 1, 084, 576 976, 722 741, 756 529, 508

### CHEESE.

Table 254.—Cheese: International trade, calendar years 1909-1919.1

[Cheese includes all cheese made from milk; "cottage cheese," of course, is included. See "General note," Table 230. ]

#### EXPORTS.

('ountry.	Average 1909–1913.	1914	1915	1916	1917	1918	1919
From— Bulgaria	1,000 pounds. 5,584	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.	1,000 pounds.
Canada France Germany	167, 260 26, 880 1, 967	138, 265 22, 324	160,660 16,242	170, 248 11, 704	176, 380 7, 403	164, 163 5, 213	107, 633 7, 336
ItalyNetherlandsNew Zealand	60,560 127,379 55,561	66, 004 149, 574 96, 743 3, 827	65, 762 190, 334 91, 533 995	39,323 199,599 106,335 105	4, 337 123, 634 99, 203	938 32, 893 98, 944	1, 821 27, 372
Russia. Switzerland United States Other countries	7, 011 70, 075 5, 142 10, 705	77,573 3,797 12,175	74,775 62,953 18,937	47, 215 54, 093 26, 204	12,861 53,372 28,664	2,680 48,405 24,440	1,369 14,160
Total	538, 124	570,282	682,191	654,828	505,854	377,676	

#### IMPORTS.

Into-							
Algeria	6, 592	6,738	4,658	4,275	2,802	2,475	2,692
ArgentinaAustralia.	10, 447 360	8,453 230	7,306 1,532	3, 133 86	089 46	82 14	
Austria-Hungary	12, 298 31, 771						
Belgium	31,771						16, 555
Brazil. British South Africa	4, 178 5, 169	3,288 5,044	2,300 3,955	1,423 2,109	337 530	159 252	210 36
Cuba	4.520	1,229	2,839	2,715	1,835	3,318	
Denmark	1,414 8,182	1,048 5,953	847	318	39	(2)	
Egypt France	40,058	45,521	5,785 46,744	1,865 24,139	148 12,047	2,794 11,206	179 15, 232
Germany	49, 056 48, 687 13, 308	l		27, 200	12,027		
Italy	13, 308	9,838	3,472	252	9	746	11, 151
Russia	3,911 5,032	4,190 5,150	3,738 3,202	2,066 1,465	410	238	557
Switzerland.	7, 150 257, 407	4,717	3,410	427	214	87	996
United Kingdom	257, 407	266,591	299,920	287, 115	327,981	263, 132	237,086
United StatesOther countries	46, 346 19, 589	55,477 12,380	38,919 9,598	28,516 6,812	6,333 5,791	7,562 3,457	11,332
•	18,000	12,000	0,000	0,012	3, 191	0,401	
Total	535, 417	438,847	438, 225	366,716	359,211	295, 522	
	ı	Į.	1			ı	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914-1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.
<sup>2</sup> Less than 500 pounds.

# CHICKENS AND TURKEYS.

Table 255.—Chickens: Average price received by farmers on 1st of each month, by States, 1920, and United States, 1909-1920.

### Chickens, cents per pound.

State.												
	Jan.	Feb.	Mar.	Apr.	Мау.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Maine	31. 9 30. 0 30. 0 38. 1 36. 0	31. 0 28. 3 31. 7 37. 5 38. 5	32. 0 35. 0 33. 4 38. 0 40. 0	29. 9 34. 2 34. 6 38. 9 43. 0	35. 7 35. 8 35. 6 40. 0 41. 5	35.7 33.3 39.6 42.0 41.0	32. 0 33. 5 36. 5 41. 5 45. 0	35. 8 37. 0 35. 1 38. 8 43. 3	32.9 32.7 35.4 47.0 40.0	35. 6 40. 0 34. 7 44. 0 45. 3	35. 0 32. 0 34. 0 41. 0 30. 0	33.0 33.0 31.5 36.0 39.5
Connecticut. New York. New Jersey. Pennsylvania. Delaware.	35. 4 30. 2 33. 8 27. 0 25. 0	37. 0 31. 4 30. 8 28. 9 29. 0	36. 2 32. 9 35. 0 30. 2 30. 0	36. 1 33. 9 38. 3 30. 8 41. 0	40. 0 35. 9 39. 9 32. 5 40. 0	41. 0 34. 7 38. 2 33. 3 36. 7	41. 0 34. 4 39. 2 33. 4 40. 0	39. 3 36. 4 35. 6 32. 5 25. 0	38. 0 34. 7 36. 1 31. 5 28. 0	36. 5 33. 3 36. 0 33. 8 31. 7	37. 0 31. 5 37. 0 30. 5 42. 5	35. 0 30. 0 36. 0 28. 5 29. 5
Maryland Virginia. West Virginia. North Carolina. South Carolina.	28.7 25.5 23.7	30. 8 29. 5 23. 4 24. 4 30. 5	32. 5 31. 2 23. 0 26. 5 29. 1	35.3 31.8 26.1 26.8 28.5	36.3 32.8 27.1 27.4 29.3	34. 3 35. 8 26. 7 28. 0 32. 2	34.3 36.3 27.7 31.8 28.0	40. 1 36. 4 29. 6 30. 7 36. 0	33. 8 32. 8 29. 4 30. 4 31. 9	33. 4 33. 5 27. 0 29. 0 30. 6	30. 9 30. 0 26. 6 26. 2 31. 7	28. 7 28. 5 24. 5 26. 0 29. 0
Georgia Florida Ohio Indiana Illinois	26.8 30.8 23.5 21.6 21.0	21.8 31.8 24.6 24.5 23.9	24. 6 31. 7 26. 5 25. 3 25. 5	26.1 30.7 28.7 27.8 27.0	27. 2 28. 8 29. 1 27. 6 27. 6	30.0 31.5 29.1 27.1 26.5	32.0 31.7 28.1 27.2 26.8	30.7 32.0 27.2 28.6 26.1	32. 0 32. 5 28. 1 27. 0 26. 2	29. 0 32. 0 27. 4 27. 0 26. 2	26.6 28.3 23.0 20.9 21.3	26. 0 32. 6 22. 5 30. 3 20. 0
Michigan	17.4	23.6 21.9 18.9 20.5 23.1	25. 0 23. 3 20. 4 21. 8 25. 3	26. 5 24. 7 21. 7 23. 4 28. 1	28.1 25.6 21.1 23.0 27.4	27. 4 25. 3 21. 2 22. 8 26. 0	25. 6 24. 1 20. 7 23. 0 27. 5	26. 8 25. 5 19. 9 23. 7 27. 9	26.7 24.0 20.5 23.6 25.7	25. 0 23. 7 21. 1 23. 4 24. 4	21.9 18.7 18.3 19.3 20.2	20.0 19.3 16.2 18.0 19.0
North Dakota South Dakota Nebraska Kansas Kentucky	17.5 18.5 18.2 19.4 20.5	16.5 17.8 21.0 22.0 22.6	18. 9 18. 8 23. 5 23. 8 24. 9	18. 5 19. 1 24. 0 25. 3 26. 5	20. 4 21. 6 24. 4 25. 1 26. 7	17.2 20.1 22.9 24.7 26.0	18, 5 20, 6 22, 5 24, 1 27, 2	18. 4 20. 2 23. 9 24. 5 27. 6	18.8 21.7 22.7 24.4 24.1	19. 9 23. 2 22. 6 22. 7 25. 1	16. 4 17. 8 19. 9 19. 2 22. 2	15.5 17.0 17.0 18.0 20.8
Tennessee. Alabama. Mississippi Louisiana Texas.	20. 1 25. 0 23. 5 25. 6 21. 4	22.1 25.1 23.5 27.0 20.9	25. 1 24. 2 24. 6 25. 7 21. 4	26. 8 25. 3 25. 5 26. 5 22. 9	27. 8 26. 2 27. 1 25. 1 22. 7	26. 9 26. 6 27. 6 27. 4 23. 3	25. 7 26. 9 29. 0 26. 3 22. 0	26. 6 28. 3 27. 0 29. 4 22. 8	24. 2 26. 7 26. 5 28. 3 23. 0	23. 8 26. 1 26. 0 27. 3 22. 3	21. 4 25. 9 22. 6 27. 8 21. 3	20.5 23.5 23.1 28.0 20.3
Oklahoma Arkansas Montana Wyoming Colorado	19.2 18.9 20.0 24.4 21.3	20.9 20.9 16.1 15.0 20.9	22.1 21.3 21.9 24.5 22.3	24.1 19.8 21.0 24.9 23.4	23. 2 23. 2 22. 6 24. 3 25. 0	23. 9 23. 8 24. 3 27. 2 25. 8	23. 1 23. 3 21. 6 28. 7 27. 8	23. 2 24. 5 21. 9 26. 2 24. 8	23. 0 22. 2 24. 8 26. 8 29. 0	22. 3 21. 5 25. 4 26. 7 27. 1	20. 6 23. 2 21. 0 26. 0 22. 5	19.2 19.0 19.0 23.0 23.0
New Mexico	24. 7 36. 0 23. 3	23. 6 40. 0 20. 2 27. 5	22. 7 32. 5 21. 8 35. 0	23.8 36.7 21.4 34.2	24.0	22.9	19. 2	33. 5 36. 7 19. 2 38. 3	25. 9 37. 5 21. 8 35. 4	36. 4 40. 0 22. 2 34. 0	27. 0 30. 0 22. 0 34. 0	29.0 33.0 22.1 35.0
Idaho. Washington. Oregon. California	21.3 24.6 27.5 30.1	20. 5 25. 3 26. 2 32. 3	21.1 26.6 27.5 32.0	23.6 27.6 28.8 31.6	29.8	30.9	26. 4 26. 2	24.0	22. 6 26. 3 24. 4 31. 1	22. 5 25. 8 24. 5 30. 0	19.1 23.2 23.7 32.0	19.0 23.0 23.2 32.7
United States	29.6	24.1	25. 4	26.8	27.4	27. 2	27. 0	27.4	26.7	26. 4	23.4	22,1
1919. 1918. 1917. 1916. 1915. 1914. 1913. 1912. 1911. 1910.	13.9	21.6 18.8 14.7 11.9 11.5 11.7 10.9 10.3 10.6 11.1	22. 2 19. 9 15. 5 12. 2 11. 7 12. 1 11. 1 10. 5 10. 6 11. 6	23. 5 19. 8 16. 1 12. 6 11. 9 12. 3 11. 6 10. 8 11. 9 10. 2	19. 8 17. 5 13. 2 12. 1 12. 5 11. 8 11. 1 11. 0 12. 4	20. 0 17. 5 13. 5 12. 2 12. 5 12. 0 11. 1 11. 0 12. 4	17. 3 13. 8 12. 2 12. 7 12. 1 11. 0 11. 2 12. 3	22. 6 17. 1 13. 8 12. 2 12. 8 12. 4 11. 3 11. 2 12. 2	25. 7 22. 8 17. 2 13. 9 12. 1 12. 7 12. 4 11. 3 11. 1 11. 9 11. 1	24. 2 23. 1 18. 1 14. 3 12. 0 12. 5 11. 5 10. 9 11. 6 11. 3		22.3 21.8 17.5 14.2 11.5 11.3 11.5 10.8 9.6 10.6
	1	1	1	1	}	1	1	1	1	1	i	1

#### CHICKENS AND TURKEYS-Continued.

TABLE 256.—Turkeys: Farm price, cents per pound, 15th of month, 1912-1920.

Date.	1920-21	1919-20	1918-19	1917-18	1916–17	1915-16	1914-15	1913-14	1912-13
Oct. 15	30. 0	26. 6	23. 9	20. 0	17.0	13. 7	14.1	14.6	13. 6
	31. 8	28. 3	25. 7	21. 0	18.6	14. 8	14.1	15.2	14. 4
	33. 0	31. 1	27. 0	23. 0	19.6	15. 5	14.5	15.5	14. 8
	33. 0	32. 0	27. 3	22. 9	19.5	15. 6	14.5	15.5	14. 9

### SHEEP AND WOOL.

Table 257.—Sheep: Number and value on farms in the United States, 1867-1921.

Note.—Figures in *italics* are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying percentage estimates whenever new census data are available. It should also be observed that the census of 1910 giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

Jan. 1—	Number.	Price per head Jan. 1.	Farm value Jan. 1.	Jan. 1—	Number.	Price per head Jan. 1.	Farm value Jan. 1.
1867	40, 883, 000  28, 477, 951 31, 879, 000 33, 002, 000 33, 784, 000 35, 784, 000 35, 740, 000 35, 740, 000 36, 740, 000 40, 766, 000  55, 192, 074 43, 570, 000 45, 016, 000 44, 237, 000 50, 360, 000 44, 751, 000 44, 755, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000 44, 336, 000	2. 14 2. 61 2. 71 2. 43 2. 25 2. 27 2. 21 2. 27 2. 21 2. 27 2. 23 2. 37 2. 27 2. 53 2. 37 2. 13 2. 27 2. 13 2. 27 2. 13 2. 27 2. 13 2. 27 2. br>27 27 27 27 27 27 27 27 27 27 27 2	\$98, 644, 000 71, 033, 000 62, 037, 000 79, 876, 000 68, 310, 000 82, 785, 000 83, 127, 000 85, 121, 000 86, 278, 000 86, 278, 000 97, 388, 000 76, 302, 303, 000 104, 071, 000 104, 586, 000 119, 903, 000 107, 941, 000 108, 289, 000 90, 231, 000 109, 600, 000 100, 600, 000 100, 600, 000 100, 600, 000 100, 600, 000 116, 121, 000 125, 909, 000	1894 1895 1896 1897 1998 1900 1900, census, June 1 1901 1902 1903 1904 1905 1906 1907 1908 1910 1910 1910 1910 1910 1910 1911 1912	38, 299, 000 36, 617, 000 38, 114, 000 38, 114, 000 38, 114, 000 41, 883, 000 62, 93, 000 62, 93, 000 63, 965, 000 65, 632, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 634, 000 65, 635, 000 65, 636, 000 648, 636, 000 648, 636, 000 648, 636, 000 648, 636, 000 648, 636, 000 648, 636, 000	4. 12 3. 91 3. 46 3. 94 4. 02 4. 50 5. 17 7. 13	\$89, 188, 000 66, 685, 000 67, 021, 000 92, 721, 000 107, 698, 000 107, 698, 000 122, 666, 000 133, 589, 000 127, 332, 000 127, 332, 000 127, 332, 000 128, 335, 000 192, 632, 000 204, 210, 000 204, 210, 000 204, 210, 000 204, 210, 000 204, 210, 000 204, 210, 000 204, 210, 000 204, 210, 000 205, 335, 000 206, 235, 000 207, 335, 000 208, 335, 000 209, 335, 000 509, 335, 000

<sup>&</sup>lt;sup>1</sup> Estimates of numbers revised, based on census data.

Table 258.—Sheep: Number and value on farms Jan. 1, 1919 and 1920, by States.

State.	Number sands) J	(thou- an. 1—	Average head J	price per	Farm values of Jan. 1—	lue (thou- of dollars)
	1921	1920	1921	1920	1921	1920
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island	140	165	\$5.60	\$9.50	\$784	\$1,568
	31	37	7.30	9.80	226	363
	91	100	6.70	11.50	610	1,150
	28	28	9.50	12.70	266	356
	5	5	10.00	12.20	50	61
Connecticut New York New Jersey Pennsylvania Delaware	22 745 29 856 8	24 810 30 930 9	9.60 7.60 10.70 7.60 7.40	12.80 12.40 11.00 11.60 10.40	5,662 310 6,506 59	307 10, 044 330 10, 788 94
Maryland Virginia West Virginia North Carolina. South Carolina.	220	245	8. 10	10. 90	1,782	2,670
	714	714	7. 50	11. 50	5,355	8,211
	728	766	6. 40	10. 60	4,659	8,120
	138	144	6. 60	9. 50	911	1,368
	26	27	3. 80	7. 10	99	192
Georgia	119	125	4.10	4. 90	488	612
Florida	89	95	3.60	5. 20	320	494
Ohio	2,773	2,950	5.80	10. 10	,16,083	29, 795
Indiana	960	1,067	6.70	11. 80	6,432	12, 591
Illinois	889	1,010	7.00	12. 60	6,223	12, 726
Michigan. Wisconsin. Minnesota. Iowa. Missouri.	2,135	2, 224	6. 90	11. 80	14,732	26, 243
	632	687	6. 40	10. 80	4,045	7, 420
	598	650	6. 20	11. 00	3,708	7, 150
	948	1, 019	6. 90	12. 00	6,541	12, 228
	1,388	1, 525	6. 00	11. 90	8,328	18, 148
North Dakota	272	286	6.00	11.00	1,632	3, 146
	680	850	5.70	10.00	3,876	8, 500
	290	315	6.30	11.10	1,827	3, 496
	405	506	6.10	11.60	2,470	5, 870
	1,137	1, 236	6.30	10.90	7,163	13, 472
Tennessee	526	560	5.60	10. 50	2, 946	5, 880
Alabama.	123	137	4.30	5. 60	529	767
Mississippi	149	175	3.30	6. 30	492	1, 102
Louisiana	209	220	3.80	5. 40	794	1, 188
Texas.	3,069	2, 790	6.30	9. 90	19, 335	27, 621
Oklahoma	110	110	6.30	11. 10	693	1, 221
Arkansas.	191	201	4.10	7. 40	783	1, 487
Montana	2,450	2, 330	5.80	10. 30	14,210	23, 999
Wyoming	3,040	3, 200	6.30	10. 20	19,152	32, 640
Colorado.	1,973	2, 121	5.60	9. 80	11,049	20, 786
New Mexico.	2,666	2, 539	6. 00	9.30	15,996	23, 613
Arizona	1,200	1, 200	6. 60	9.60	7,920	11, 520
Utah.	2,245	2, 245	6. 80	9.80	15,266	22, 001
Nevada	1,532	1, 596	7. 60	10.30	11,643	16, 439
Idaho.	2,623	2, 914	6. 20	10. 40	16, 263	30, 306
Washington	645	725	7. 10	11. 00	4, 580	7, 975
Oregon.	2,270	2, 522	6. 90	11. 00	15, 663	27, 742
California	2,950	2, 950	6. 80	10. 80	20, 060	31, 860
United States	45,067	47, 114	6. 41	10. 52	288, 732	495,660

Table 259 .- Sheep: Farm price per 100 pounds, 15th of month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 15. June 15. July 15. Sept. 15. Oct. 15. Nov. 15. Dec. 15.	7.54 7.24 6.62	\$9. 68 9. 95 10. 45 11. 33 10. 93 10. 34 9. 25 9. 06 8. 69 8. 46 8. 35 8. 53	\$10. 55 10. 75 11. 41 11. 98 12. 32 11. 56 11. 04 10. 99 10. 79 10. 35 10. 11 9. 46	\$7.33 8.17 9.21 9.69 10.15 9.84 9.32 9.32 10.05 10.24 10.20	\$5.52 5.90 6.35 6.61 6.54 6.33 6.22 6.25 6.20 6.41 6.77	\$4. 95 5, 14 5. 36 5. 60 5. 54 5. 43 5. 35 5. 16 5. 16 5. 18 5. 18	\$4.67 4.67 4.77 4.79 4.87 4.70 4.75 4.80 4.81 4.68 4.95	\$4.35 4.63 4.97 5.16 4.91 4.84 4.20 4.32 4.32 4.16 4.27 4.46	\$3.89 4.01 4.12 4.57 4.74 4.52 4.21 4.26 4.11 4.19 4.05 4.21	\$4. 47 4. 34 4. 45 5. 55 4. 51 4. 24 4. 19 3. 98 3. 68 3. 65 3. 71	\$6. 48 6. 75 7. 13 7. 51 7. 50 7. 11 6. 68 6. 57 6. 51 6. 39 6. 31 6. 34

### Table 260.—Lambs: Farm price per 100 pounds, 15th of month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 15. June 15. July 15. Aug. 15. Sept. 15. Oct. 15. Nov. 15. Dec. 15.	10.84 10.31 9.65	\$12.71 13.17 14.03 14.61 14.34 13.89 12.91 12.91 12.91 11.47 11.45 11.85	\$13. 83 13. 77 14. 11 15. 34 15. 39 14. 98 14. 20 13. 73 13. 20 12. 54 12. 44	\$9.59 10.51 11.46 12.03 12.51 12.64 11.19 12.08 13.06 14.09 13.79 13.81	\$7.29 7.78 8.10 8.58 8.49 8.36 8.16 8.15 8.22 8.02 8.41 8.72	\$6.47 6.67 6.06 7.35 7.32 7.26 7.21 6.70 6.71 6.76 7.02	\$6. 16 6. 18 6. 31 6. 47 6. 49 6. 47 0. 55 6. 26 6. 27 6. 09 6. 14 6. 33	\$6. 03 6. 34 6. 56 6. 59 6. 66 6. 36 6. 05 5. 51 5. 51 5. 64 5. 85	\$5. 22 5. 15 5. 38 5. 98 6. 16 6. 02 5. 74 5. 49 5. 42 5. 37 5. 70	\$5.71 5.44 5.77 5.74 5.51 5.42 5.25 5.02 4.68 4.98	\$8. 59 8. 91 9. 17 9. 74 9. 73 9. 43 8. 94 8. 76 8. 48 8. 42 8. 52

TABLE 261.—Sheep: Imports, exports, and prices, 1893-1920.

		Imports.			Exports.	
Year ending June 30—	Number.	Value.	Average import price.	Number.	Value.	Average export price.
1893. 1894. 1895. 1896.	459, 484 242, 568 291, 461 322, 692 405, 633	\$1,682,977 788,181 682,618 853,530 1,019,668	\$3,66 3,25 2,34 2,65 2,51	37, 260 132, 370 405, 748 491, 565 244, 120	\$126,394 832,763 2,630,686 3,076,384 1,531,645	\$3, 39 6, 29 6, 48 6, 26 6, 27
1898.	392, 314	1, 106, 322	2.82	199, 690	1,213,886	6. 08
1899.	345, 911	1, 200, 081	3.47	143, 286	853,555	5. 96
1900.	381, 792	1, 365, 026	3.58	125, 772	733,477	5. 83
1901.	331, 488	1, 236, 277	3.73	297, 925	1,933,000	6. 49
1902.	266, 953	956, 710	3.58	358, 720	1,940,060	5. 41
1903.	301, 623	1,036,934	3. 44	176, 961	1,067,860	6. 03
1904.	238, 094	815,289	3. 42	301, 313	1,954,604	6. 49
1905.	186, 942	704,721	3. 77	268, 365	1,687,321	6. 29
1906.	240, 747	1,020,359	4. 24	142, 690	804,090	5. 64
1907.	224, 798	1,120,425	4. 98	135, 344	750,242	5. 54
1908.	224, 765	1,082,606	4. 82	101,000	589, 285	5. 83
1909.	102, 663	502,640	4. 90	67,656	365, 155	5. 40
1910.	126, 152	696,879	5. 52	44,517	209, 000	4. 69
1911.	53, 455	377,625	7. 06	121,491	636, 272	5. 24
1912.	23, 588	157,257	6. 67	157,263	626, 985	3. 99
1913.	15, 428	90, 021	5, 83	187, 132	605, 725	3. 24
1914.	223, 719	532, 404	2, 38	152, 600	534, 543	3. 50
1915.	153, 317	533, 967	3, 48	47, 213	182, 278	8. 86
1916.	235, 659	917, 502	3, 89	52, 278	231, 535	4. 43
1917. 1918. 1919. 1920.	177,681 163, 283	856,645 1,979,746 1,914,473 2,279,949	5.34 11.14 11.72 11.43	58, 811 7, 959 16, 117 59, 155	367, 935 97, 028 187, 347 711, 549	6, 26 12, 19 11, 62 12, <b>0</b> 8

Table 262.—Sheep: Wholesale price per 100 pounds, 1913-1920.

[Compiled from commercial papers.]

	Chi	cago, tive.	na-		cinna i to ex		toc	ouis, hoice tives.	na-		nsas C native	· ·	Oma	aha, v ern.	rest-
Date.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.
1913. January-June July-December	Dols. 3.00 2.25	8.60	6.28	3.75	7.00	4.90	4.75	7.25	5, 87	4.85	7.85	6.52	3.75	8.25	6.05
1914. January-June July-December	4.00 4.25	7.75 8.10	5.96 6.08	4.10 4.00	6. 15 5. 25	5.08 4.81	5.00 4.50	6.50 5.75	5.82 5.20	4.25 3.40	7.25 7.00	6.00 5.52	4.25 4.25	7.50 8.00	6.41 5.65
1915. January-June July-December	2.50 2.00	10.65 8.75	6.08 5.18	4.00 4.50	8.75 8.75	5.70 5.38	5.00 5.25	8.50 6.00	6.78 5.55	4.50 4.00	10.00 8.25	7.04 6.09	4.00 4.00	9.75 8.00	7.09 5.71
1916. January-June July-December	4.25 3.00	10. 90 10. 25	7. 71 5. 80	3.75 5.25	8. 75 8. 50	6.90 5.33	6.50 7.25	8.85 9.00	7.96 7.44	5.00 6.00	11.50 11.75	8.40 7.96	4.50 5.50	11.00 11.75	8. 13 7. 46
1917. January-June July-December	7.00 7.75	19.00 14.75	11.96 11.26	7.50 6.50	12.00 10.50	9.36 9.19	9.00 8.50	14.00 12.00	11. 49 10. 44	7.75 8.00	18.00 15.50	11.71 11.14	7.50 8.00	16.00 14.25	11. 76 11. 53
1918. January-June July-December	6.00 6.00	19.75 16.60	12. 91 10. 61	9.00 6.00	15. 50 12. 50	11.46 9.67	10.00 7.00	18.00 13.50	13.40 9.74	10.50 7.00	19.00 17.00	14. 21 11. 23	10.00 7.00	18. 75 14. 50	13.94 11.00
1919. January-June July-December	5.00 4.00	19.00 15.60	11. 74 9. 01	7.00 5.50	13.00 9.50	9.72 7.29	6.00 5.00	16.65 15.50	10.79 7.50	6.00 5.75	18.50 14.75	13.82 9.41	6.00 4.50	16.50 15.75	11.45 8.20
January	10.00	14.50	12.41	12.00	14.00	12.75	9.00	13.00	10.97	8.00	17.50	11.98	8.00	17.50	12.03 12.32 13.20 15.43 12.02 8.55
January-June	6.00	17.75	12. 23	6.50	14.00	10.56	6.50	19.50	12. 42	6.50	18.25	13.05	5.00	18.50	12.26
July August September October November December	7.00 5.50 4.50 4.00	9.50 8.25 8.60 9.00	7.73 6.59 6.26	5.50 6.00 4.50	8.75 6.50 6.50	6.84 6.25 5.19	6.00 5.00 5.00 4.00	9.00 7.00 6.00	7.79 6.07 5.52	6.00 5.00 4.50	10.00 10.00 10.00	7.92 7.68 6.91	4.00 4.25 4.00	10.25 9.25 10.50	7.42 6.71 6.78 6.72 6.85 6.01
July-December.	3.50	10.25	6.40	3.50	9.00	5.84	3.25	10.00	6.02	1.00	12.00	7.09	3.25	11. 25	6.75

Table 263.—Sheep: Percentage of the different breeds in the United States, by States.

Estimates below are based upon the following inquiry of live-stock reporters: "Letting 100 represent the total number in your locality, what proportion of the total belongs to the breeds named? Grades and scrubs should be included in the breed in which the type predominates."

State.	Cheviot.	Cotswold.	Dorset.	Hampshire.	Leicester.	Lincoln.	Merino.	Oxford Down.	Rambouillet.	Shropshire.	Southdown.	Tunis.	Other.	Nondescript.
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island	2.5 3.0 2.9 3.0	4.0 2.2 8.5 2.4	8.5 1.5 6.0 2.9	11.6 5.6 4.0 4.0	2.0 1.8 1.4 1.2	0.2 1.0 .6 1.0	2. 8 3. 4 6. 3 6. 2	15.0 2.6 .6 .7	0.5 .9 1.5 1.8	24. 8 40. 2 48. 0 46. 0 60. 0	16. 1 13. 3 11. 1 29. 3 3. 3	0.1 .1 .1	3.5 3.5 2.4 .7 5.0	3.4 20.9 6.6 .8 31.7
Connecticut New York New Jersey Pennsylvania Delaware	2. 1 . 3 . 2	2.0 3.4 1.4 3.3 .6	3.6 13.1 2.0 .4	2.0 8.8 3.6 4.6	1.1 .4 .9	1.2 .4 1.0	1.2 8.2 10.8 27.5 1.0	3. 2 1. 6 2. 4	.3 4.4 .3 .2	26. 6 44. 2 12. 7 22. 6	38. 8 7. 6 34. 7 17. 8 82. 3	.8	1.9 5.0 2.4 11.3	19, 1 10, 0 16, 0 15, 0 2, 1
Maryland Virginia. West Virginia North Carolina. South Carolina.	.9 2.0 2.1	3.5 4.0 3.0 4.0	3.4 5.2 5.1 .1 4.7	3.4 10.4 6.7 8.1 6.7	.3	.7 .3 1.3 .1	3.3 2.6 11.5 4.4 8.4	.8 .7 1.4 .4	.1 .2 .3 .7 1.9	26. 1 35. 6 29. 0 30. 2 7. 2	27. 9 25. 2 25. 9 22. 3 27. 4	i	7.0 4.6 2.5 5.4 2.9	22.6 11.0 10.8 24.2 40.8
Georgia	. 1 1. 4 . 5	2. 2 8. 3 12. 4	1. 8 1. 4 . 6	.1 2.9 4.0 4.8 6.7	3	1. 2 . 9 2. 1	3.4 .6 35.7 8.0 7.0	6 2.3 5.1 4.4	2.8 1.1 1.3	9.5 .6 30.2 49.7 44.6	41.0 1.7 7.2 10.7 8.0	 .i .i .i	22.3 4.8 3.3 5.7	8.5 93.6 7.3 5.2 6.3
Michigan Wisconsin Minnesota Iowa Missouri	1.1 .4 .2 .3	2.0 3.5 3.5 9.1 9.6	.4 .2 .1 .4 .5	8.6 3.6 7.8 4.7 7.7	2.3 .2 .2 .3 .3	3.8 3.1 1.0 1.8 .6	11.1 4.4 3.7 7.7 8.7	6.9 7.4 3.4 3.2 4.2	6.0 1.0 .2 1.3 2.4	46. 8 57. 1 65. 1 59. 8 48. 2	2.8 5.1 4.0 4.2 7.1	.1 .1 .2	4.0 5.5 4.0 3.0 3.5	4.1 8.4 6.6 4.2 6.8
North Dakota	.2 .3 .2	5.9 6.9 10.2 7.8 5.2	1.0 .4 3.1 .2 .7	6. 9 6. 4 7. 5 4. 2 12. 2	.2 .1 1.0 .4 .2	1.6 2.0 3.4 1.2	8, 3 13, 2 8, 7 23, 2 5, 8	2.4 .6 3.0 1.6 1.7	9.5 26.0 5.8 3.3	44.7 29.9 38.6 40.5 14.1	1.5 2.7 4.2 3.6 35.1	.1 .1 .2	2.4 6.9 9.1 7.1 6.3	15.3 4.5 5.0 6.9 17.7
Tennessee. Alabama. Mississippi Louisiana. Texas.	.1	6.8 3.8 .3 .6 1.2	1.3 .2 1.9 .3	7.8 4.1 2.7 .8 5.9	.1	.2 .2 1.6	2.0 13.5 4.2 10.1 29.2	1.1 .5 .5 4.2	3.9 1.6 29,1	14.9 1.8 9.1 4.6 17.3	44. 8 44. 0 34. 3 10. 5 2. 1	2.9	6.3 16.1 17.5 1.9 6.6	14.0 6.5 25.6 65.4 6.6
Oklahoma Arkansas Montana Wyoming Colorado	1.0	1.7 4.9 8.4 13.4 7.6	.8 .3	1.8 5.3 9.7 2.8 8.9	.7 .1	.6 4.1 3.9 6.8	19.1 9.0 21.8 21.6 29.6	.8 1.3 3.5 .9	6.0 .7 24.6 27.2 28.9	46.6 18.8 11.5 11.0 18.2	9.2 17.6 .2 .4 .8	.3	3.4 9.0 2.9 6.5 1.7	9.3 28.1 15.7 5.6 2.6
New Mexico		.8 22.2 7.2	1.0	.3 2.6 3.5		.7 2.6 1.1	66.5 100.0 22.6 61.1	1.1	14.6 34.1 20.8	3.3 2.5 5.8	8		.1 2.9	12.6 8.7 .5
Idaho Washington Oregon California	_	15.0 2.3 12.7 4.4	.4 .4 .7	21.0 9.2 1.1 1.0		7. 4 21. 3 23. 9 2. 2	17. 2 15. 3 22. 4 40. 7	.2	12. 2 24. 7 16. 8 10. 4	18.8 13.8 12.1 25.1	1.0 1.8 4.1 7.3		2.0 2.8 .6 1.2	4.2 5.5 5.8 6.6
United States		7.2	.7	6. 1	.3	3.8	25.4	1.9	13. 3	23, 2	6.1	.1	3.5	8.1
North Atlantic. South Atlantic. N. C. east Miss. R. N. C. west Miss. R. South Central Far Western.	1.4 .9 .6 .3 .1	3.6 3.1 4.4 8.0 2.9 9.5	3.5 4.0 1.1 .6 .4	6.7 7.0 5.7 6.4 7.0 5.8	1.1 .2 .8 .3 .1	1.0 .7 2.1 1.4 1.2 6.0	15.8 6.0 18.8 9.9 18.1 35.0	3.6 .9 4.7 2.9 .8 1.0	1.9 1.1 3.1 6.2 15.4 19.6	32.8 28.0 41.6 48.7 15.9 12.1	14. 0 25. 6 6. 4 4. 5 17. 2 1. 7	.1 .1 .1 .2	2.3 5.0 4.5 4.6 6.9 2.1	12.2 17.5 6.1 6.1 13.8 6.8

Table 264.—Wool: Estimated production, 1919 and 1920.

State.		action nitted).	Weight 1	er fleece.		of fleeces nitted).
ousie.	1920	1919	1920	1919	1920	1919
Maine.  New Hampshire.  Vermont  Massachusetts.  Rhode Island	Pounds. 973 204 676 131 23	Pounds. 936 202 690 125 25	Pounds. 6. 4 6. 5 7. 2 6. 5 6. 1	Pounds. 6. 4 6. 6 7. 2 6. 6 5. 8	Number. 152 31 94 20 4	Number. 146 31 96 19 4
Connecticut	96 4, 083 109 4, 560 32	4, 022 106 4, 863 31	5. 6 6. 9 7. 0 6. 5 5. 8	5. 9 7. 0 7. 0 7. 0 5. 7	17 592 16 702 6	14 575 15 655 5
Maryland Virginia West Virginia North Carolina South Carolina	825 1, 680 3, 200 575 103	1, 715 3, 150 587 103	6. 0 4. 6 5. 0 4. 2 4. 5	6.0 5.0 5.3 4.4 4.3	138 365 640 137 23	135 343 594 133 24
Georgia Florida Ohio Indiana Illinois	418	422	3. 2	3.1	131	180
	391	407	3. 2	3.5	122	116
	12, 449	13, 104	7. 4	7.5	1,682	• 1, 747
	5, 306	5, 337	7. 0	7.4	758	721
	3, 923	4, 129	7. 8	8.0	503	516
Michigan	10, 223	9, 554	7. 6	7.4	1,345	1, 291
Wisconsin	3, 360	3, 310	7. 4	7.6	454	436
Minnesota	3, 536	3, 594	7. 1	7.5	498	479
Owa	4, 908	5, 060	7. 7	8.0	637	632
Missouri	8, 296	8, 492	6. 8	7.1	1,220	1, 196
North Dakota.	1, 737	1,654	7. 5	7.7	232	215
South Dakota.	4, 804	5,222	7. 0	7.5	686	696
Nebraska	1, 886	1,730	8. 0	7.9	236	219
Kansas	2, 087	1,754	7. 5	7.6	278	231
Kentucky.	3, 115	3,211	5. 0	5.2	623	618
l'ennessee.	2,052	2, 052	4. 8	4.8	428	428
Alabama	364	405	4. 0	4.2	91	96
dississippi	550	656	3. 6	4.2	153	156
ouisiana	612	612	3. 9	3.9	157	157
Cexas.	17,600	14, 986	7. 0	7.2	2, 514	2,081
Oklahoma.	526	526	7. 2	7. 0	73	75
Arkansas	443	422	4. 5	4. 9	98	86
Montana.	15, 800	17, 450	7. 9	8. 4	2,000	2, 077
V yoming.	28, 422	31, 580	8. 3	8. 5	3,424	3, 715
Colorado.	8, 184	8, 800	6. 7	6. 6	1,221	1, 333
New Mexico.	15, 528	15, 076	6.3	6.3	2, 465	2, 393
Arizona	5, 970	5, 580	G.5	6.3	918	885
Utah	16, 150	17, 000	7.8	7.4	2, 071	2, <b>297</b>
Nevada	9, 000	10, 500	7.3	7.6	1, 233	1, 382
idaho	21, 702	22, 145	8. 1	8.4	2,679	2, 636
Washington	5, 490	5, 779	8. 7	8.6	631	672
Oregon	14, 040	14, 040	8. 4	8.5	1,671	1, 652
California	13, 165	13, 298	7. 6	7.4	1,732	1, 797
United StatesPulled wool	259, 307 42,900	265, 338 48, 300	7.2	7.4	35, 901	35, 956

Table 265.—Wool (unwashed): Farm price per pound, 15th of month, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15 Feb. 15 Mar. 15 Apr. 15 June 15 July 15 July 15 Sept. 15 Oct. 15 Nov. 15	Cents. 53. 3 52. 5 51. 5 51. 3 50. 3 38. 6 29. 5 28. 0 27. 5 24. 9 21. 9	Cents. 55. 2 51. 1 51. 3 47. 9 48. 0 50. 5 51. 8 52. 2 51. 3 50. 6 51. 0	Cents. 58. 1 57. 1 60. 0 60. 0 58. 2 57. 5 57. 4 57. 7 56. 4 56. 2	Cents. 31. 8 32. 7 36. 7 38. 8 43. 7 49. 8 54. 8 54. 2 55. 5 58. 2	Cents. 23. 3 24. 2 25. 9 26. 3 28. 0 28. 6 29. 0 28. 4 28. 7 29. 4 30. 8	Cents. 18. 6 20. 2 22. 8 22. 7 22. 0 23. 7 24. 2 23. 8 23. 3 22. 7 23. 3	Cents. 15.7 15.7 16.4 16.8 17.2 18.4 18.5 18.7 18.6 18.0 18.1	Cents. 18. 6 18. 7 18. 4 17. 7 16. 3 15. 6 15. 8 15. 8 15. 5 16. 1	Cents. 16. 2 16. 3 16. 9 17. 3 17. 8 18. 9 18. 8 18. 7 18. 5 18. 6	Cents. 17. 3 17. 3 16. 8 15. 7 14. 7 15. 5 16. 0 15. 6 15. 5 15. 6 15. 5	Cents. 30. 8 30. 6 31. 7 31. 4 31. 6 31. 7 31. 5 31. 5 31. 5 31. 5 31. 1

Table 266.—Wool: Wholesale price per pound in Boston, 1913-1920.

[Compiled from commercial papers.]

										,								
,		hio fi wasi		qua	entu ter t wash	olood,	O)	hio 2 vashe	ζΧ, ed.	blo	hio h od co , was	mb-	Ohi W	o Del ashe	aine, d.	fi	ichia ne, u ashe	in-
Date.	Low.	High.	Average.	Low.	High.	Average.	Lów.	High.	Атегаде.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	А унгаде.
1913. January-June July-December	Cts. 20 20	Cts. 24 21	Ct*. 22. 4 20. 5	Cts. 24 23½	Cts. 32 26	Cts. 28. 6 24. 2	Cts. 27 25	Cts. 32 30	Cts. 29. 4 26. 5	Cts. 23 23	Cts. 29 25	Cts. 26. 6 23. 9	Cts. 27 26	Cts. 34 28	Cts. 30. 8 27. 3	Cts. 19 19	Cts. 23 20	Cts. 21. 1 19. 5
1914. January–June July–December	20 23	25 25	·22. 3 24. 3	23 <u>1</u> 26	27 29	24. 5 27. 0	25 <u>1</u> 27	29 31 <u>1</u>	27. 0 29. 6	23 27	28 30	25. 0 28. 3	26 28	32 32	28. 2 30. 9	19 22	23 23	21. 0 22. 8
1915. January-June July-December	23 25	29 27½	26, 7 26, 9	29 36	39 39 <u>3</u>	35. 5 38. 0	29 32	34 32½	32. 0 32. 1	29 32½	38 36	34. 0 34. 4	30 33½	37 36	33. 4 34. 5	22 23	26 27 <u>1</u>	23. 8 23. 8
1916. January-June July-December	26 30	31 38	29. 6 32. 6	38 41	41 50	39. 4 44. 6	32½ 35	35 47	33. 7 37. 5	32 37	38 46	36. I 40. 9	35½ 38	40 52	37.6 41.9	25 27	28 37	26. 9 29. 8
1917. January-June July-December	38 57	58 67	46. 5 63. 5	50 75	76 77	59. 0 76. 7	46 67	68 80	55. 0 75. 0	45 71	71 78	55. 4 75. 3	52 80	82 85	60. 8 82. 6	37 56	57 64	44. 0 60. 3
1918. January-June July-December	61 61	67 67	65. 0 63. 5	76 76	78 78	76. 8 76. 7	76 77	78 78	76. 8 77. 7	75 	79 	77. 4 	83 87	90 90	85. 9 89. 0	61 61	64 64	63. 0 62. 7
1919. January-June July-December	52 61	62 72	55. 4 65. 1	55 66	80 72	63. 4 68. 2	67 70	71 76	68. 0 72. 1	65 73	75 85	68. 0 80. 3	67 85	88 102	73. 6 92. 6	52 59	60 68	54. 7 63. 3
JanuaryFebruary	70 73 73 74 70 60	75 76 76 76	71. 0 74. 0 74. 8 75. 0 72. 5 62. 9	68 67 67 62	70 70 70 68 68 68	67. 8 69. 0 67. 9 67. 5 64. 9 59. 0	75	76 76 (1) (1) (1) (1)	75. 5 75. 5 (1) (1) (1) (1)	85 .83 83 83 75 68	85 85 85 85 72	85. 0 84. 0 84. 0 84. 0 81. 4 70. 5	97 97 88	110		68 68 70 66	68 72 73 73 73 78 60	67. 5 70. 0 71. 1 71. 5 70. 1 59. 8
January-June	60	76	71.7	58	70	66. 0	75	76	75. 5	68	85	81.5	70	110	95. 5	58	73	68.3
July August September October November December.	60 55 50 48 36 30	62 57 57 37	61. 0 59. 2 53. 0 49. 5 38. 6 32. 0	40 30	45 44 37 31	44. 0 44. 1 32. 4 28. 6	(1)	£55555	3333333	68 63 57 50 40 33	70 70 62 58 47 40	69. 0 66. 5 50. 6 54. 5 42. 9 35. 5	68 60 60 50	72 70 65 65 55 50	69. 8 62. 5	52 50 45 35	60 60 52 52 47 36	59. 0 58. 2 51. 0 47. 0 39. 4 31. 0
July-December	30	62	48. 9	26	45	37.3	(1)	(1)	(1)	33	70	54.7	45	72	60. 5	29	60	47.3

<sup>&</sup>lt;sup>1</sup> Unwashed after Mar. 6, 1920.

Table 266.—Wool: Wholesale price per pound in Boston, 1913-1920—Continued.

Date.	tor	nete y,st	aple	te	Fine nediu rrito lothi coure	m ry, ng	12:	rexa mon soure	ths,	'	ine fa Texa coure	s í		illed super source	r-		ulled supe cour	r-
	Low.	High.	Av.	Low.	High.	Av.	Low.	High.	Av.	Low.	High.	Av.	Low.	High.	Av.	Low.	High.	Av.
1913.																		
January-June July-December	Cts. 55 51	Cts. 67 56	59.5		Cts. 59 50	Cts. 53.8 48.3	Cts. 52 50	Cts. 65 53	Cts. 58.4 51.8	Cts. 45 41	Cts. 50 46	Cts. 47. 6 44. 4	Cts. 48 42	Cts. 58 52	Cts. 52.8 48.4	Cts. 43 36	Cts. 54 45	Cts. 47.0 40.7
1914.																		
January-June July-December	51 60							62 62	55. 5 59. 1		50 50			53 55				
1915.																		
January-June July-December	62 70	75 75	70.0 72.6	55 63		63.8 65.0	56 65	75 70	67.7 67.9	42 54	60 57	55. 3 55. 8		68 66	61.5 63.6		74 65	62.8 61.4
1916.																		
January-June July-December	73 82	85 112	79. 8 93. 0	65 75		71.7 78.8	67 77	77 100	72.6 84.9					68 85			66 80	
1917.								1										
January-June July-December	110 172	175 185	135. 9 180. 0	85 185	135 160	107. 5 153. 6	100 165	175 175	127.0 169.3	75 115	120 150	88. 8 135. 0	83 145	150 165	114.5 157.5	75 130		104.0 142.2
1918.																		
January-June July-December	180 180	190 185	183. 5 181. 7	155	160	157.5	168 175	175 175	171.6 175.0	140 150	155 150	147. 9 150. 0	145 155	165 160	160. 9 157. 5	140 145		148.6 147.5
1919.																		
January-June July-December	145 175	180 205	159.8 187.5	130 130	143 170	136. 8 146. 4	135 160	160 190	145. 4 169. 5	110 110	122 155	116.3 122.2	125 155	160 170	142. 2 161. 1	105 110		116. 1 123. 5
1920.																		
January February March April May June	195 205 205 205 190 170	205 215 215 215 215 215 190	200. 0 210. 0 210. 0 210. 0 206. 0 178. 1	165 165 165	175 175 175 175	165. 0 170. 0 170. 0 170. 0 164. 0 148. 1	190 190 190 160	195 195 195 195	191.5 192.5 192.5 192.5 182.5 166.2	150 150 150 135	155 155 155	152, 5 152, 5 152, 5 152, 5 148, 0 135, 5	165 165 145	175 175	168.5 170.0 170.0 170.0 162.5 147.5	120	130 125	126.0 125.0 125.0 124.4 118.5 94.4
January-June	170	215	202, 4	145	175	164.5	160	195	186.3	135	155	149.2	145	175	164.8	85	135	118.9
July August September October November December	165 155 135 105 100 80	165 160 140 110	169, 0 163, 1 145, 6 120, 5 103, 8 85, 6	125 100 75 55	130 110 105 75		150 130 90 90	160 150 130	161.0 153.8 135.6 108.0 93.8 76.2	115 100 70 55	120 115 105 63	131.5 117.5 105.0 79.5 59.1 49.4	95 95	140	63.8	65 50	75	71.2 56.5 46.4
July-December	80	170	131.3	50	150	97.4	75	165	121.4	45	140	90.3	50	140	93.7	35	90	63.6

Table 267.—Wool: Wholesale price per pound, 1913-1920.

[Compiled from commercial papers.]

Date.	Bos	ton, Ohi washed	o XX I.	Philad	elphia, ( washed	Ohio XX	St.	Louis, be washed	st tub
	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.
1913. January–June July–December	Cents. 27 25	Cents. 32 30	Cents. 29. 4 26. 5	Cents. 24 22	Cents. 31 25	Cents.	Cents. 28 28	Cents. 37 35	Cents. 32. 5 28. 7
1914. January–June July–December	25½ 27	29 31½	27. 0 29. 6	22 25	28 29		28 · 31	33 33	29. 6 31. 6
1915. January–June July–December	29 32	34 32 <u>1</u>	32. 0 33. 2	29 28	34 33½	31. 7 33. 1	31 40	41 44	37. 6 40. 6
1916. January–June July–December	32 <u>1</u> 34	35 47	33. 7. 37. 5	32½ 34	37 44	33. 6 36. 9	42 47	48 49	44.3 47.7
1917. January-June July-December	46 67	68 80	55. 0 75. 0	44 73	74 78		48 75	75 85	56. 5 81. 4
1918. January–June July–December	76 77	78 78	76. 8 77. 7	72 (²)	76 (²)	(²)	83 90	90 91	86. 0 90. 9
1919. January–June July–December	67 70	71 76	68. 0 72. 1	61 (²)	85 (²)	( <sup>2</sup> )	60 70	77 80	69. 8 73. 8
1920. January February March April May June.	75 75 (2) (2) (2) (2) (2)	76 76 (2) (2) (2) (2) (2)	75.5 75.5 (2) (2) (3) (3)	100 105 97 97 88 70	102 110 100 100 100 75	101 107 98 98 94 73	70 70 70 65 50 40	70 70 70 70 65 50	70. 0 70. 0 70. 0 65. 2 58. 0 45. 4
January-June	75	76	75.5	70	110	95. 2	40	70	63. 1
July	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	70 68 60 60 50 45	72 70 65 65 55 50	71 69 63 62 53 48	40 40 40 35 30 30	40 40 49 40 35 30	40. 0 40. 0 41. 1 37. 1 34. 2 30. 0
July-December	( <sup>2</sup> )	(2)	(2)	45	72	61.0	30	49	37.1

<sup>1</sup> Delaine, unwashed, 1920.

<sup>&</sup>lt;sup>2</sup> No quotations.

Table 268.—Wool: International trade, calendar years 1909-1919.1

["Wool" on this table includes: Washed, unwashed, scoured, and pulled wool; slipe, sheep's wool on skins (total weight of wool and skins taken); and all other animal fibers included in United States classification of wool. The following items have been considered as not within this classification: Corded, combed, and dyed wool; flocks, goatskins with hair on, mill waste, noils, and tops. See "General notes," Table 230.]

#### EXPORTS.

					·	•	
Country.	Average, 1909-1913.	1914	1915	1916	1917	1918	1919
From—	1,000 pounds. 19.871	1,000 pounds. 18,706	1,000 pounds. 28,336	1,000 pounds. 18,348	1,000 pounds. 9,565	1,000 pounds. 10, 269	1,000 pounds. 16,876
Argentina	19,871 328,204 676,679	258, 588 576, 358	259, 415 530, 258	259,387 406,287	298,773 321,370	256, 613 607, 585	
Belgium British India	196,440 56,496 164,651	44,705	59,694	53.074	44, 479	41,501	30,041 36,104 201,891
British South Africa Chile.	164,651 28,223	152, 867 27, 043 45, 072	186,346 31,315 55,868	143,802 30,825 44,980	121,374 29,734 51,564	135, 296 49, 195	201,891 56,705
China France Germany	28, 223 42, 684 84, 973 42, 817 26, 362	68,040	11,755	22,084	11,118	49,195	8,478
Netherlands New Zealand	194.801	10,807 227,148	97 200, 102	155 188,590	178, 290	108,725	3,783
Persia	10,023 9,333	227, 148 9, 447 10, 665 16, 482	13,007	13,651 7,403	15,248	14,914	11,593
RussiaSpainUnited Kingdom	32, 406 28, 505 42, 027	27,810 38,848	6, 157 12, 220 32, 151	11,669 13,403 67,465	18,361 6,996 87,330	8,444 2,347	19,095 18,463
Uruguay	139, 178 67, 232	98, 298 26, 273	83, 563 28, 398	67,465 25,386	87,330 23,102	18, 223	10, 400
Total			1,538,682			1,254,019	

#### IMPORTS.

Înto-							
Austria-Hungary	63,942						
Belgium	300, 367						101, 159
British India	23,721	22,749	39, 286	31,289	29, 513	29,495	27,344
Canada	7,794	9,518 457,059	16,611	31,289 19,921	11,744	19,396	8,035 347,690
France	601, 628	457,059	144,577	172,753	134, 362	89,661	347, 690
Germany	601, 628 481, 988	<del>-</del>					
Japan.	10, 223	12,736	52,771	40,758	47,305	49,590	
Netherlands	31,991	17,323	15,715	12,696	8,536	274	16,303
Russia	106, 184	97,763	46, 109	12,696 19,609			
Sweden	7, 267	4,669	10,142	14, 124 29, 121	2,951	754	17,816
Switzerland	11, 211	9,152	17,414	29, 121	19, 363	7.959	10, 249
United Kingdom	550, 931	498, 192	889, 133	634, 640	19,363 636,195	444,687	10, 249 987, 411
United States	203, 298	260, 165	412,721	449, 190	420, 995	453,727	445, 893
Other countries	58, 275	50, 269	162,944	167,853	96,805	111,000	
			<u> </u>				<u> </u>
Total	2, 458, 820	1,439,595	1,807,423	1,591,954	1,407,769	1,206,543	
		<u> </u>				1 .	

<sup>&</sup>lt;sup>1</sup> Does not include statistics of trade for Austria-Hungary, Belgium, and Germany during the war period, 1914–1918. Therefore the total trade statistics of imports and exports for all countries are not strictly comparable during that period.

### SWINE.

TABLE 269.—Swine: Number and value on farms in the United States, 1867-1921.

Note.—Figures in tistics are census returns; figures in roman are estimates of the Department of Agriculture. Estimates of numbers are obtained by applying estimated percentages of increase or decrease to the published numbers of the preceding year, except that a revised base is used for applying recreatage estimates whenever new census data are available. It should also be observed that the census of 1910, giving numbers as of Apr. 15, is not strictly comparable with former censuses, which related to numbers June 1.

Jan.1—	Number.	Price per head Jan. 1.	Farm value Jan. 1.	Jan. 1—	Number.	Price per head Jan. 1.	Farm value Jan. 1.
1867. 1868. 1869. 1870. 1870. 1870. 1871. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1876. 1879. 1880. 1880. 1884. 1884. 1885. 1884. 1885. 1886. 1887. 1888. 1889. 1889. 1889.	24, 317, 000 28, 751, 000 28, 751, 000 29, 751, 000 29, 453, 001 31, 796, 000 32, 632, 000 38, 011, 000 28, 062, 000 25, 777, 000 32, 262, 000 34, 034, 000 47, 681, 700 34, 212, 000 48, 2170, 000 48, 2170, 000 48, 2170, 000 48, 2170, 000 41, 000 44, 211, 000 44, 211, 000 44, 211, 000 44, 211, 000 44, 313, 000 50, 302, 000 51, 603, 000	\$4.03 3.29 4.65 5.80 5.61 4.01 8.67 3.98 4.80 6.00 5.66 4.85 4.23 4.70 5.97 5.57 5.57 5.57 5.26 4.43 4.43 4.43 4.49 4.49 4.49 4.49 4.49	\$99, 637, 000 70, 976, 000 105, 431, 000 155, 108, 000 165, 1312, 000 127, 453, 000 129, 682, 000 124, 581, 000 184, 581, 000 185, 873, 000 186, 577, 000 186, 577, 000 186, 577, 000 187, 585, 000 188, 578, 000 189, 579, 000 201, 361, 000 246, 301, 000 246, 301, 000 246, 301, 000 246, 301, 000 246, 301, 000 247, 947, 000 248, 478, 000 241, 361, 000 243, 418, 000 243, 418, 000	1894. 1895. 1895. 1897. 1898. 1899. 1900. 1800. census, June 1. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909. 1910. 1910. 1910. 1910. 1911. 1912. 1913. 1914. 1915. 1916. 1917. 1918.	42, 843, 000 39, 760, 000 39, 760, 000 37, 070, 000 62, 838, 641 56, 982, 000 45, 923, 000 47, 099, 000 47, 321, 000 52, 134, 000 52, 134, 000 54, 147, 000 47, 782, 000 65, 130, 000 65, 130, 000 65, 130, 000 65, 130, 000 65, 130, 000 67, 166, 620, 000 68, 183, 000 61, 178, 000 67, 766, 060 67, 766, 060 67, 503, 000 67, 978, 000		\$270, \$55, 000 219, 501, 000 186, 530, 000 186, 273, 000 174, 531, 000 174, 531, 000 174, 531, 000 342, 121, 000 342, 121, 000 342, 121, 000 344, 974, 000 280, 225, 000 321, 803, 000 334, 974, 000 339, 030, 000 334, 794, 000 605, 170, 000 605, 170, 000 607, 479, 000 674, 791, 000 677, 479, 000 6792, 5985, 077, 200 6792, 5985, 000 677, 479, 000 6792, 5985, 000
1891 1892 1893	52, 398, 000	4, 15 4, 60 6, 41	210, 194, 000 241, 031, 000 295, 426, 000	1920 1921	71, 727, 000	19. 01 12. 99	1, 363, 269, 066 865, 033, 008

<sup>&</sup>lt;sup>1</sup> Estimates of numbers revised, based on census data.

30702°-YBK 1920-48

# SWINE-Continued.

Table 270 .- Swine: Number and value on farms Jan. 1, 1920 and 1921, by States.

State.	Number sands) J		Average head Ja	price per in. 1—	Farm va sands o Jan. 1—	lue (thou- of dollars)
	1921	1920	1921	1920	1921	1920
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island.	97 57 105 130	110 65 115 150 15	\$21. 00 20. 00 14. 80 20. 50 21. 00	\$24. 50 24. 00 22. 50 27. 00 30. 00	2,037 1,140 1,554 2,665 273	2,695 1,560 2,588 4,050 450
Connecticut New York New Jersey Pennsylvania Delaware	78	87	20, 00	27. 50	1,560	2,392
	781	840	17, 50	22. 50	13,668	18,900
	182	200	20, 00	25. 20	3,640	5,040
	1,339	1,395	17, 50	23. 70	23,432	33,065
	68	73	16, 00	19. 00	1,088	1,387
Maryland Virginia West Virginia North Carolina South Caolina	427	450	13. 00	19. 00	5,551	8,550
	1,026	1,115	11. 50	15. 00	11,799	16,725
	425	443	14. 00	18. 00	5,950	7,974
	1,528	1,575	15. 70	20. 00	23,990	31,500
	1,099	1,088	13. 50	21. 50	14 836	23,392
Georgia Florida. Ohio 	3,102 1,493 3,921 4,209 4,585	3, 165 1, 588 4, 309 4, 575 5, 152	11. 50 10. 00 13. 30 13. 00 13. 70	16, 90 13, 00 19, 20 19, 00 20, 50	35, 673 14, 930 52, 149 54, 717 62, 814	53,488 20,644 -82,733 86,925 105,616
Michigan Wisconsin Minnesota Iowa Missouri	1,435	1,450	14. 30	22. 00	20,520	31,906
	2,236	2,236	14. 50	23. 50	32,422	52,540
	2,803	2,951	15. 30	24. 00	42,886	70,824
	9,510	10,010	14. 50	21. 80	137,895	218,218
	4,047	4,305	11. 00	16. 50	44,517	71,932
North Dakota.	402	428	14. 00	21, 00	5,628	8,988
South Dakota.	1,525	1,695	13. 50	21, 50	20,588	36,442
Nebraska	3,063	3,366	13. 50	20, 90	41,350	70,349
Kansas	1,810	1,905	12. 00	17, 50	21,720	33,338
Kentucky.	1,429	1,681	9. 90	13, 00	14,147	21,858
Tennessee	1,636	1, 925	9, 50	15. 00	15,542	28,875
Alabama	1,861	2, 190	10, 00	12. 80	18,610	28,032
Mississippi	1,783	2, 050	9, 50	14. 50	16,938	29,725
Jonisiana	1,250	1, 420	11, 70	14. 30	14,625	20,300
Texas	2,427	2, 356	11, 80	19. 50	28,639	45,942
Oklahoma	836	950	10. 50	15. 10	8,611	14,345
Arkansas	1,459	1,586	8. 30	12. 50	12,839	19,825
Montana	200	175	16. 89	20. 00	3,300	3,506
Wyoming	57	60	14. 00	18. 40	798	1,104
Colorado	325	382	12. 30	18. 00	3,998	6,876
New Mexico	85	83	15. 00	- 21, 80	1,275	1,806
Arizona	40	42	16. 00	18, 00	640	750
Utah	103	114	13. 00	15, 00	1,330	1,710
Nevada	30	32	11. 00	14, 00	330	445
Idaho.	163	190	12. 50	17. 80	2,038	3,382
Washington	267	300	15. 00	23. 30	4,005	6,990
Oregon	272	302	12. 80	19. 50	3,482	5,889
California	930	1,033	14. 50	18. 00	13,485	18,594
United States	66, 640	. 71, 727	12. 99	19. 01	865, 633	1,363,209

Table 271.—Hogs: Farm price per 100 pounds, 1911-1920.

						-					
Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15 Feb. 15 Mar. 15 Apr 15 May 15 June 15 July 15 Aug. 16 Sept. 15 Oct. 15 Nov. 15	13. 44 13. 18 13. 65 13. 59 13. 98 13. 57	\$15.69 15.53 16.13 17,39 18.00 17,80 19.22 19.30 15.81 13.88 13.36 12.66	\$15. 26 15. 03 15. 58 15. 76 15. 84 15. 37 15. 58 16. 89 17. 50 16. 50 15. 92 15. 82	\$9. 16 10. 33 12. 32 13. 61 13. 72 13. 50 13. 35 14. 24 15. 69 16. 15 15. 31 15. 73	\$6: 32 7. 07 7. 86 8. 21 8. 37 8. 21 8. 40 8. 61 9. 22 8. 67 8. 74 8. 76	\$6.57 6.34 6.33 6.48 6.77 6.80 6.61 6.79 7.18 6.35 6.02	\$7. 45 7. 75 7. 80 7. 80 7. 60 7. 43 7. 72 8. 11 7. 43 7. 00 6. 67	\$6.77 7.17 7.62 7.94 7.45 7.61 7.79 7.68 7.60 7.33 7.16	\$5.74 5.79 5.94 6.78 6.65 6.64 7.11 7.47 7.05 6.89	\$7. 44 7. 04 6. 17 5. 72 5. 66 5. 92 6. 53 6. 09 5. 72	\$9. 38 9. 57 9. 99 10. 39 10. 22 10. 51 10. 88 10. 48 9. 86 9. 43

### SWINE-Continued.

Table 272 .- Hogs: Percentage of the different breeds in the United States, by States.

Estimates below are based upon the following inquiry of live-stock reporters: "Letting 100 represent the total number in your locality, what proportion of the total belongs to the breeds named? Grades and scrubs should be included in the breed in which the type predominates."

State and division.	Berkshire.	Cheshire.	Chester White.	Duroc Jer- sey.	Hampshire.	Yorkshire.	Poland China.	Tamworth.	Razorback.	Other.	Nondescript.
Maine New Hampshire Vermont Massachusetts Rhode Island	24.0 23.7 23.1 28.6	8.5 1.9 .9 2.2	46.8 46.3 54.7 39.6	1.8 2.2 3.2 5.1	0.9 .2 .3 .3	2. 1 5. 6 2. 1 5. 1	3.1 3.4 4.4 3.6	0.1 .1 .4 .4		2.9 3.6 2.5 4.4	9.8 13.0 8.4 10.7
Connecticut	24. 9 30. 5 31. 1 27. 1	3. 1 1. 7 1. 1	40.3 25.5 28.1 12.5	7.0 13.9 10.7 9.8	.5 .3 1.2	3.9 1.1 1.3 1.1	6.1 14.3 15.2 21.8	.8 .3 .3		3.4 4.1 2.9 7.8	10. 5 8. 3 8. 1 18. 8
Maryland. Virginia. West Virginia. North Carolina. South Carolina.	25. 4 26. 2 17. 0 17. 0 18. 8	1.7 .4 .7 .1	10.6 5.1 14.8 4.2 4.3	14. 5 26. 6 15. 6 32. 4 29. 3	1. 4 2. 5 . 9 3. 4 2. 4	1.0 1.0 .2 .5	21. 9 24. 6 37. 5 19. 2 13. 1	.7 1.0 .4 1.1 1.8	2.5 1.9 7.3 12.0	5. 4 1. 9 2. 7 4. 4 2. 4	17. 4 8. 2 8. 3 10. 4 15. 8
Georgia. Florida Ohio Indiana Illinois	17.8 12.1 7.1 5.1 5.8	.1 4 .2 .4	1.4 .7 15.0 12.7 14.5	22. 4 38. 5 37. 0 33. 4 33. 6	14. 1 5. 0 2. 9 4. 2 4. 5	.6 .8 .9	11. 5 5. 8 27. 8 34. 8 34. 4	.5 .8 .6 .3	20.5 27.8	5.3 2.1 3.4 3.9 2.2	6. 4 6. 6 5. 0 4. 5 3. 5
Michigan. Wisconsin Minnesota. Lowa. Missouri	8.4 7.6 3.7 2.7	.2 .1 .3 .3	24. 0 17. 6 14. 8 15. 4 7. 2	29. 4 27. 7 40. 1 40. 1 32. 9	.9 .4 5.6 4.5	1.7 1.3 1.4 .6	25. 7 33. 5 28. 8 30. 7 40. 8	.2 1.4 .1 1.0	1.0	4.6 4.7 2.7 1.3 2.5	4.9 5.2 7.7 2.3 3.9
North Dakota	5.5 2.5 2.2 5.5 11.2	.5 .1 .1 .3	15.4 10.9 6.6 5.6 7.2	39. 0 50. 4 48. 2 43. 7 40. 8	1.1 4.8 4.9 3.1 2.3	4.6 .5 .4 .1	24.5 25.3 33.4 34.3 24.0	.1 .4 .3 .4	 2.3	3.0 2.6 1.8 2.6 4.0	6.3 2.5 2.1 4.3 7.0
Tennossee Alabama. Mississippi Louisiana Texas		.8 .2 .3	5.1 2.4 2.2 .6 1.9	34.9 32.2 33.3 28.0 36.2	1.8 7.1 3.6 1.2	.6 4 .2	27.6 19.8 20.2 20.2 34.5	.3 .6 .6 .7	4.8 14.3 11.5 26.7 7.3	2.9 3.2 1.8 .9 2.2	5.0 7.0 11.0 11.6 6.2
Oklahoma. Arkansas. Montana. Wyoning. Colorado.	4.3	.2 .2 .2	2.5 2.9 10.3 3.5 2.4	44.1 29.6 28.7 42.3 46.6	1.5 2.9 1.4 1.1	.8 .1 .3	35. 9 27. 9 36. 4 36. 7 31. 8	1.3 1.0 1.0	3.2 11.5	2.2 2.4 1.7 1.6 1.6	5. 5 11. 8 6. 4 8. 3 3. 5
New Mexico. Arizona. Utah Nevada.	10.6 7.1 29.7 33.1	.2	1. G 3. 5 16. 6 3. 4	44.6 32.0 23.3 26.8	2.5		37. 6 49. 5 14. 4 29. 6	2.0	1.0	7.5 .9	5.0 6.9 6.1 3.7
Idaho. Washington Oregon California.	13. 4 14. 2 12. 7 27. 7	.3	7. 1 20. 2 16. 7 2. 6	34.6 31.2 24.4 26.5	.5 1.5 2.1 4.1	1.4	32.1 22.4 28.9 27.1	.5 .3 .1 1.3	.5 1.0	1.4 2.9 3.7 2.5	8.8 6.6 10.9 6.6
United States	9.2	.3	10.7	34.2	3.9	.6	27.9	.7	4.2	2.7	5.6
North Atlantic South Atlantic N. C. east Miss. River N. C. west Miss. River South Central Far western	28.3 18.2 6.4 3.5 10.6 19.1	2.1 .2 .3 .3 .2 .3	35. 0 3. 7 15. 3 11. 7 3. 1 7. 6	8. 4 27. 2 33. 3 40. 9 34. 4 31. 3	.8 6.8 3.3 4.4 2.8 2.2	2.4 .4 .8 .7 .3	10. 2 15. 3 32. 1 32. 4 26. 7 28. 8	.3 .9 .7 .6	14. 4 .2 .3 10. 3 1. 4	3.2 3.8 3.4 2.0 2.5 2.5	9.1 9.1 4.2 3.2 8.2 5.7

# SWINE-Continued.

Table 273.—Hogs (live): Wholesale price per 100 pounds, 1913-1920.

[Compiled from commercial papers.]

	Cir	cinna	ti.	St	. Lou	is.	C	hicag	0.						
•	Pac	king,	fair	Mis	ed pa	ock-	Mi	xed a	nd	Ke	ısas C	ity.	(	mah	<i>y</i> -
Date.		o good		BALL	ers.			acker							
			ge.			9	-		ee Be			99			89
	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	Average.	Low.	High.	A.verage.	Low.	High.	Average.
	-		<u>-</u>			<u> </u>						<u></u> -			<u> </u>
January-June July-December	7.45	110.00	8.64	7.20	9, 50	8.44	6.95	9.60	8, 31	6.95	9, 25	1	6.70	9.05	Dols. 8. 16 7. 96
1914. January–June July–December	8. 00 6. 40	9. 15 9. 90	8. 61 8. 32	7.75 6.80	8. 95 9. 85	8. 49 8. 31	7.60 6.50	9.00 10.20	8. 37 8. 06	7. 55 6. 65	8. 80 9. 75		7. 35 6. 50	8. 73 9. 35	
1915. January-June July-December	6. 50 6. 25	8.00 8.70	7. 35 7. 41	6.00 6.15	7.97 8.75	7. 25 7. 36	6. 15 5. 80	7.95 8.95	7. 01 7. 07	6. 35 6. 00	7. 90 8. 65	7. 07 7. 19	6. 00 4. 00	7, 95 8, 95	6. 93 6. 79
1916. January-June July-December	6. 40 7. 35	10. 25 11. 40	8. 84 10. 06	6.00 8.90	10. 25 11. 50	9. 01 10. 17	6. 45 8. 50	10.30 11.60	8. 97 9. 94	6. 25 7. 75	10. 05 11. 00	8. 84 9. 71	6. 00 8. 50		8. 65 9. 74
1917. January-June July-December	10. 60 15. 40	16. 25 19. 15	14. 17 17. 00	9.90 15.00	16. 55 19. 80	14. 23 17. 32	9. 75 14. 00	16.60 20.00	14. 10 16. 78	9. 80 14. 50	16. 45 19. 65	13. 93 16. 78	9. 40 14. 00	16. 20 19. 60	13. 74 16. 85
1918. January-June July-December	16. 25 14. 50	18, 25 20, 25	17. 22 17. 90	14.00 14.00	18. 20 20. 75	16, 64 18, 39	15. 00 14. 00	18, 25 20, 40	16. 99 17. 79	15. 00 14. 50	17. 75 20. 65	16. 61 18. 12	15. 00 15. 25	17. 50 20. 40	16. 51 17. 87
January-June July-December Jul	14. 00 11. 50	21. 25 23. 25	18. 26 17. 05	12. 25 12. 25	21. 85 23. 55	19. 14 18. 89	15. 75 11. 50	21. 55 23. 50	19. 13 16. 99	16. 25 11. 00	21. 50 23. 20	18. 78 16. 56	16. 00 11. 7	21. 10 22. 85	18. 88 14. 33
1920. January February March April May June	14. 25 14. 00 13. 50	16. 50 18. 00 16. 25	15. 41 16. 15 14. 50	13. 75 12. 50 13. 25	16. 40 17. 00	15. 09 15. 34	13. 60 12. 75	16. 80 16. 75	14. 82 14. 89	12. 00 12. 00	16. 10 16. 10	14. 35 13. 93	12. 50 11. 7	15. 26 15. 26	14. 27 14. 07
January-June						1									
July August September October November December	15. 00 14. 50 15. 75 13. 00 11. 00 9. 50	16. 25 16. 50 18. 00 18. 75 14. 75 11. 00	16, 28 15, 66 16, 80 15, 44 12, 66 10, 28	14. 75 14. 25 14. 00 12. 00 8. 50 8. 90	16. 65 16. 75 18. 25 16. 40 14. 75 10. 80	15. 93 15. 43 16. 50 14. 64 12. 16 9. 88	12, 50 13, 25 13, 75 11, 50 9, 25 8, 40	16. 65 16. 40 18. 25 16. 10 14. 50	14. 74 14. 77 5 15. 98 14. 20 11. 98 5 9. 50	14. 50 13. 75 14. 00 11. 50 8. 00 7. 25	16. 15 16. 00 17. 80 15. 00 15. 10	15. 30 14. 80 16. 01 13. 85 11. 64	13. 2 13. 2 14. 2 12. 2 9. 2 8. 0	5 15. 50 5 14. 80 17. 20 5 15. 00 5 13. 40	14. 58 14. 20 15. 13 13. 67 11. 66 9. 19
July-December		-				-			-			-	-		

## LIVE STOCK VALUES.

Table 274.—Aggregate live stock value comparisons, 1920, 1921, and average 1915–1919.

[Farm values Jan. 1, in millions of dollars, i. c., 000,000 omitted; States arranged according to 1921 rank in value of all animals.]

		-		O. UI. U		1					
Etate.	Catt	le, hogs, sheep.	, and	Horse	es and n	nules.	sheer	(cattle, , horses mules).	hogs,	Ran aggre val	
	1921	1920	Av., 1915– 1919.	1921	1920	Av., 1915– 1919.	1921	1920	Av., 1915– 1919.	1921	1920
Iowa	322	500	404	115	133	170	437	633	574	1	1
Texas	261	347	274	174	225	175	435	572	449	2	2
Illinois	179	295	221	123	149	168	302	444	389	3	3
Missouri	160	247	194	108	132	134	268	379	328	4	4
Wisconsin	195	299	199	70	74	85	265	373	284	5	5
Ohio. Nebraska. Kantas. Minnesota. New York.	178 149 167 162 154	259 219 251 249 233	185 202 233 166 161	86 96 76 77 70	92 122 86 86 86 80	108 139 108 99 85	264 245 243 239 224	351 341 337 335 313	293 341 341 235 246	6 7 8 9 10	6 7 8 9 10
Indiana.	135	204	148	82	93	101	217	297	249	11	11
California.	162	190	140	43	45	54	205	235	194	12	14
Pennsylvania.	128	172	117	71	75	81	199	247	198	13	12
Michigan	117	175	118	58	61	82	175	236	200	14	13
South Dakota.	93	155	125	49	60	72	142	215	197	15	15
Georgia	73	105	63	68	97	72	141	202	135	16	16
Oklahoma	69	108	101	68	94	93	137	202	194	17	17
Kentucky	65	93	71	62	75	68	127	168	139	18	18
Mississippi	54	83	53	59	78	59	113	161	112	19	19
North Carolina	54	72	42	57	73	57	111	145	99	20	23
Tennessee	49	82	55	60	78	71	109	160	126	21	20
Virginia	63	86	55	42	48	46	105	134	101	22	25
Colorado	77	116	98	28	36	37	105	152	135	23	21
Alahama	50	77	52	50	74	54	100	151	106	24	22
North Dakota	50	74	62	50	68	86	100	142	148	25	24
Arkansas	41	C3	48	54	69	54	95	132	102	26	28
Montana	67	94	96	26	32	43	93	126	139	27	27
Louisiana	51	68	43	41	50	37	92	118	80	28	28
New Mexico	78	95	74	15	18	16	88	113	90	29	30
Oregon	61	85	61	23	25	29	84	110	90	30	31
South Carolina Arizona Wyoming Idaho West Virginia	33 55 55 45 42	51 61 82 69 54	26 54 90 60 40	51 12 9 18 20	64 10 11 21 21	10 16 24 22	84 67 64 63 62	115 71 93 90 75	70 64 106 84 62	31 32 33 34 35	29 37 32 33 35
Florida	47	58	34	14	16	13	61	74	47	36	36
Washington	35	48	36	25	29	32	60	77	68	37	34
Utah	38	52	44	11	12	13	49	64	57	38	38
Maryland	27	34	23	18	20	21	45	54	44	39	39
Novada	34	44	37	4	5	6	38	49	43	40	40
New Jersey	24	29	19	13	14	14	37	43	33	41	42
Vermont	25	35	25	10	12	12	35	47	37	42	41
Maine	17	23	17	15	16	17	32	39	34	43	43
Massachusetts	21	25	18	7	8	9	28	83	27	44	44
Connecticut New Hampshire Delaware Rhode Island	16	19	13	6	7	7	22	26	20	45	45
	11	14	11	5	6	6	16	20	17	46	46
	6	6	4	3	3	4	9	9	8	47	47
	3	3	2	1	1	1	4	4	3	48	48
United States	3,993	5,803	4,414	2,243	2,704	2,754	6,636	8,507	7, 168	•••••	

### LIVE STOCK PRICES.

Table 275 .- Prices of live stock by ages or classes, United States, 1915-1921.

Cattle.	1921	1920	1919	1918	1917	1916	1915
Horses:							
Under 1 year old	\$33.61	\$39.07	\$42.62	\$45.20	\$45.17	\$14.30	\$15 36
1 and under 2 years	52: 33	61.40	65.94	70.21	70.21	69.02	70.62
2 years and over	90.90	104.06	·108.17	114.30	112.64	111, 28	113.10
Mules:	1						
Under 1 year old	47.42	60.58	59.14	57.61	53.98	51.47	51.80
1 and under 2 years	72.55	91.92	89.14	86.32	80.28	76.69	76.46
2 years and over	126. 22	160.51	147.65	139.88	128.17	123.59	121.46
Other cattle (than milk):	3			ì			
Under 1 year	17.47	24.45	24.97	23.44	20.71	19.08	19.06
1 and under 2 years	29.23	41.07	41.74	38,63	33.93	31.48	31, 21
2 years and over	43.65	59.19	60.41	55,62	48.63	45, 81	45.92
Sheep:							
Under 1 year	5.38	8.11	8.82	9.06	5.63	4.13	3, 62
Ewes 1 year and over	6.39	11.09	12.44	12.70	7.48	5.35	4.59
Wethers I year and over	5.96	9.67	11.02	11.26	6.78	5.02	4.48
Rams	14.87	21.52	21.90	20.84	13.62	19.32	9.01
Training	12.01	يدن. الم	21.50	20.04	20.02	1W. 02	0. CI

### LIVE STOCK MARKETINGS.

Table 276.— Yearly marketings of live stock at principal markets, 1900-1920.

The combined receipts and shipments of cattle, hogs, and sheep at Chicago, Kansas City, Omaha, St. Louis, Sioux City, St. Joseph, and St. Paul yearly since 1900 were as follows:

	Cat	tle.	Ho	gs.	She	ep.
Year.	Receipts.	Ship- ments.	Receipts.	Ship- ments.	Receipts.	Ship- ments.
1900 1901 1901 1902 1903 1904 1905 1906 1907 1908 1909 1911 1911 1911 1911 1911 1911	7, 705, 830 8, 875, 789 8, 875, 789 8, 622, 683 8, 373, 825 8, 373, 825 7, 380, 730 8, 827, 380 9, 110, 687 8, 621, 464 7, 182, 531 8, 123, 531 12, 131, 683 12, 131, 683 12, 131, 683	3, 793, 308 3, 888, 470 4, 292, 706 4, 490, 748 4, 552, 554 4, 964, 753 5, 060, 790 4, 986, 731 5, 181, 446 5, 182, 984 4, 506, 688 3, 944, 152 3, 163 3, 164, 165 5, 188, 188 3, 188, 188 3, 188, 188 3, 188, 188 3, 188, 188 3, 188, 188 3, 188, 188 3, 188, 188 3, 188, 188 3, 188, 188 3, 188, 188 4, 188, 188 5, 188, 188 5, 188, 188 5, 188, 188 5, 188, 188 5, 188, 188 5, 188, 188 5, 188, 188 5, 188, 188 5, 188, 188	18, 573, 177 20, 337, 844 17, 285, 427 17, 285, 427 17, 778, 827 17, 778, 823 19, 524, 617 22, 848, 701 14, 553, 472 19, 771, 825 18, 273, 645 18, 273, 273, 273, 273, 273, 273, 273, 273	5, 336, 826 5, 772, 717 4, 130, 675 4, 233, 572 5, 254, 545 5, 254, 545 5, 923, 060 7, 283, 403 6, 381, 667 4, 628, 760 6, 906, 906 6, 214, 815 5, 216, 909 6, 223, 983 6, 211, 935 7, 151, 995 6, 241, 163 8, 244 6, 248 6, 248 6, 248 6, 248 7, 111, 935 7, 111, 935 8, 244, 782 7, 111, 935 8, 244, 782 8, 244 8, 244 8, 248 8, 2	7, 0e1, 468 7, 798, 359 9, 177, 089 9, 680, 692 9, 680, 692 9, 680, 692 9, 857, 877 9, 837, 877 9, 833, 640 10, 281, 858 12, 366, 375 13, 733, 980 14, 037, 830 13, 732, 491 111, 160, 246 111, 160, 246 111, 337, 022 10, 017, 333 114, 037, 130 114, 037, 130 14, 037,	2, 500, 080 2, 712, 886 3, 561, 060 4, 203, 834 4, 725, 872 5, 046, 366 4, 489, 255 4, 549, 000 4, 489, 256 4, 172, 388 4, 018, 216 5, 384, 492 6, 044, 670, 584 4, 870, 504 4, 870, 504 4, 870, 504 4, 870, 514, 885 5, 714, 471 8, 714, 835 5, 714, 471 8, 777, 730

Figures for 1900–1909, inclusive, were taken from the Monthly Summary of Commerce and Finance of the United States; 1910 and subsequently from official reports of the stockyards in the cities mentioned, The receipts of calves (not included in "Cattle") at the stockyards of Chicago, Kansos City, 8t. Joseph. St. Paul, and Sloux City, combined were about 1,645,958 in 1920, 1,589,491 in 1919, 1,381,787 in 1918, 1,180,053 in 1917, 918,778 in 1916, 726,145 in 1915, 044,000 in 1914, 741,000 in 1913, about 910,000 in 1912, 975,000 in 1911, 981,000 in 1910, and S69,000 in 1900.

Table 277.—Receipts and local slaughter at public stockyards in United States, 1916-1920.

/Rureau	nf	Markets.	ŧ

Year.	Cattle ar	d calves.	Hog	gs. ·	Sheep.		
	Receipts.	Local slaughter.	Receipts.	Local slaughter.	Receipts.	Local slaughter.	
1916. 1917. 1918. 1919.	17, 675, 537 28, 065, 721 25, 294, 557 24, 623, 805 22, 196, 429	10, 457, 889 13, 275, 168 14, 874, 199 18, 633, 087 12, 194, 254	43, 265, 224 38, 041, 870 44, 862, 634 44, 467, 394 42, 120, 735	31, 175, 312 25, 440, 363 30, 440, 480 30, 015, 779 26, 700, 979	20, 691, 665 20, 216, 287 22, 485, 038 27, 256, 345 23, 537, 534	11, 498, 477 9, 141, 872 10, 266, 327 12, 646, 272 10, 981, 442	

## THE FEDERAL MEAT INSPECTION.

Some of the principal facts connected with the Federal ment inspection as administered by the Bureau of Animal Industry are shown in the following tables. The figures cover the annual totals beginning with the fiscal year 1907, which was the first year of operations under the meat-inspection law now in force. The data given comprise the number of establishments at which inspection is conducted; the number of animals of each species inspected at slaughter; the number of each species condemned, both wholly and in part, and the percentage condemned of each species and of all animals, the quantity of meat products propared or processed under Federal supervision, and the quantity and percentage of the latter condemned. Further details of the Federal meat inspection are published each year in the annual report of the Chief of the Bureau of Animal Industry.

TABLE 278.—Number of establishments inspected and total number of animals slaughtered under Federal inspection annually, 1907 to 1920,

Year ending June 30—	rending June 30— Estab- lish- ments.		Cattle. Calves.		Sheep.	Goats.	All animals.	
1907	787 876 919 930 940 910 893 896 875 833 884	7, 021, 717 7, 116, 275 7, 225, 337 7, 782, 189 7, 781, 030 7, 582, 005 7, 155, 816 0, 724, 117 6, 904, 402 7, 404, 288 9, 299, 489 10, 338, 287 11, 241, 991 9, 709, 819	1,703,574 1,995,487 2,046,711 2,225,099 2,212,908 2,242,929 2,048,484 1,814,904 1,735,902 2,048,022 2,048,022 2,048,022 3,323,077 4,227,558	31, 815, 900 35, 113, 077 35, 427, 331 27, 656, 021 29, 916, 303 34, 966, 378 32, 227, 538 32, 247, 958 40, 210, 847 44, 348, 389 38, 981, 914	9, 681, 876 9, 702, 545 10, 802, 903 11, 149, 937 13, 005, 502 14, 208, 724 14, 958, 834 12, 999, 689 11, 985, 920 11, 343, 418 8, 709, 498 11, 268, 370 12, 334, 827	52, 149 45, 953 69, 193 115, 811 54, 145 63, 983 56, 556 121, 827 165, 533 180, 356 174, 649 149, 503 125, 660 77, 270	50, 935, 210 53, 978, 337 55, 672, 075 49, 179, 674, 678 52, 976, 148 59, 014, 019 56, 322, 559 56, 902, 387 58, 022, 884 62, 101, 391 63, 708, 148 58, 629, 612 70, 708, 637 1 65, 332, 477	

<sup>1</sup> Includes 1.089 horses slaughtered.

Table 279.—Condemnations of animals at slaughter, 1907-1920.

	Cattle.			Calves.			Swine.		
Year ended June 30—	Whole.	Part.	Per cent.1	Whole.	Part.	Per cent.1	Whole.	Part.	Per cent.1
1907	52,496 57,579	93, 174 67, 482 99, 739 122, 167 123, 969 134, 783 130, 130 138, 085 178, 409 188, 915 249, 637 178, 940 166, 791 194, 058	1. 58 1. 41 1. 84 2. 07 2. 10 2. 46 2. 77 3. 32 2. 77 3. 32 2. 20 3. 33 3. 53 6. 20 6. 20	6, 414 5, 854 8, 213 7, 524 7, 654 8, 927 9, 216 6, 696 5, 941 10, 112 8, 109 9, 202 13, 820	245 396 409 500 781 1,212 1,377 1,284 1,750 1,988 2,927 2,308 2,479 2,866	0.38 -31 -42 -35 -38 -45 -44 -44 -42 -49 -31 -32 -39	105, 879 127, 933 86, 912 52, 439 59, 477 129, 002 173, 905 201, 942 213, 905 195, 480 113, 979 128, 805 133, 476	436, 161 636, 589 709, 300 726, 829 877, 528 323, 992 422, 275 464, 217 546, 290 528, 288 347, 006 433, 433 550, 580	1. 70 2. 18 2. 50 2. 82 8. 13 1. 30 1. 70 1. 88 1. 87 1. 83 1. 71 1. 30 1. 72
Average; 1907–1910 1911–1915 1916–1920	34,670	95,640 141,077 195,668	1. 74 2. 62 2. 68	7,001 7,687 9,585	388 1,271 2,514	.36 .44 .38	93, 291 156, 253 145, 789	649,720 492,401 481,119	2. 29 1. 95 1. 57

Includes both whole and parts. It should be understood that the parts here recorded are primal parts; a much larger number of less important parts, especially in swine, are condemned in addition.

Table 279.—Condemnations of animals at slaughter, 1907-1920—Continued.

	8	Sheep.			Goats.		All animals.			
Year ended June 30—	Whole.	Part.	Per cent.1	Whole.	Part.	Per cent.1	Whole.	Part.	Per cent.1	
1907 1908 1909 1910 1911 1912 1913 1914 1914 1915 1916 1917 1918	9, 524 8, 090 10, 747 11, 127 10, 789 15, 402 16, 657 20, 563 17, 611 15, 057 16, 749 12, 564 14, 371 20, 028	296 198 179 24, 714 7, 394 3, 871 939 1, 564 298 1, 007 437 227 330 627	0. 10 .09 .10 .32 .14 .13 .15 .14 .13 .15 .15	42 33 82 226 61 84 76 746 653 683 1,349 419 318	1 1 1 1 8 14 161 42 1 17	0.08 .07 .12 .19 .11 .13 .14 .62 .40 .46 .80 .28 .27	149, 792 175, 126 141, 057 113, 742 117, 383 203, 778 250, 661 281, 303 290, 606 275, 087 265, 396 202, 327 212, 245 2 226, 125	529, 876 704, 666 899, 628 874, 211 1, 009, 672 463, 850 506, 449 563, 166 644, 688 738, 361 781, 331 528, 482 603, 050 2748, 136	1. 33 1. 63 1. 67 2. 97 2. 13 1. 13 1. 34 1. 48 1. 61 1. 63 1. 64 1. 25 1. 15 1. 49	
Average; 1907-1910 1911-1915 1916-1920	9,872 16,204 15,754	6, 347 2, 813 526	.16 .14 .15	96 324 577	1 6 44	.14 .36 .44	144, 929 228, 746 236, 236	752, 095 637, 567 679, 872	1. 71 1. 53 1. 43	

<sup>&</sup>lt;sup>1</sup> Includes both whole and parts. It should be understood that the parts here recorded are primal parts; a much larger number of less important parts, especially in swine, are condemned in addition.

<sup>1</sup> Includes condemnation of horses; Whole, 64: part, 4.

Table 280.—Quantity of meat and meat food products prepared, and quantity and percentage condemned, under Federal supervision annually, 1907 to 1920.

Year ended June 30—	Prepared or processed.	Con- demned.	Per- centage con- demned.	Year ended June 30—	Prepared or processed.	Con- demned.	Per- centage con- demned.
1907	Pounds. 4, 464, 213, 208 5, 958, 298, 364 0, 791, 437, 032 6, 232, 964, 593 6, 934, 233, 214 7, 279, 558, 956 7, 094, 809, 809 7, 033, 295, 975 7, 533, 070, 077, 474, 242, 192	Pounds. 14,874,587 43,344,206 24,679,754 19,031,808 21,073,577 18,096,587 18,851,930 19,135,469 18,780,122 17,897,367	Per cent. 0.33 .78 .36 .31 .25 .27 .27 .27 .27	1917	Pounds. 7, 663, 633, 957 7, 905, 184, 924 9, 169, 042, 049 7, 755, 158, 142  5, 859, 478, 299 7, 174, 993, 591 7, 993, 452, 253	Pounds. 19, 857, 270 17, 543, 184 30, 323, 320 18, 201, 648 25, 482, 589 19, 187, 537 20, 764, 558	Per cent. 0.26 .22 .33 .23 .43 .27 .26

The principal items in Table 280, in the order of magnitude, are: Cured pork, lard, sausage; canned beaf, lard substitutes, and cleo products. The list includes a large number of less important items. It should be understood that the above products are entirely separate and additional to the carcass inspection at time of sleughter. They are, in fact, reinspections of such portions of the carcass as have subsequently undergone some process of manufacture.

Table 281.—Quantity of meat and meat food products imported, and quantity and percentage condemned or refused entry, 1914 to 1920.

Year ended June 30—	Total imported.	Con- demned.	Refused entry.	Percentage condemned or refused.
1914 (9 months) 1915 1916 1917 1917 1918 1919	245, 023, 437 110, 514, 476 29, 138, 996 59, 025, 484	Pounds. 551, 859 2, 020, 291 298, 276 382, 160 989, 910 340, 358 229, 338	Pounds.  70, 454 113, 907 14, 611 414, 452 501, 802 392, 166	Per cent. 0. 28 . 85 . 37 1. 36 2. 38 . 47 . 80

### IMPORTS AND EXPORTS OF AGRICULTURAL PRODUCTS.1

[Compiled in the Bureau of Crop Estimates from reports of the foreign commerce and navigation of the United States, United States Department of Commerce.]

TABLE 232.—Agricultural imports of the United States during the 3 years ending Dec. 31, 1919.

			Year ending	Dec. 31—			
Article imported.	. 19	17	193	18	1919		
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.	
ANIMAL MATTER.						•	
Animals, live: Cattle 2number Horses—	347, 510	<b>\$</b> 18, 245, 973	352, 601	<b>\$</b> 25, 518, 585	642, 395	\$53, 296, 078	
For breeding purposes,2 number	2,376 7,626	951, 278 679, 391	717 3,152	362, 962 417, 165	942 4,052	306, 464 496, 289	
Total horsesdo	10,002	1,630,669	3,869	780, 127	4,994	802, 753	
Sheep 2do Swinedo All other, including fowls.	202, 861 16, 236	2, 014, 169 396, 961 772, 721	150, 203 7, 467	1,653,717 185,617 493,115	224, 774 20, 657	2, 473, 386 758, 259 706, 885	
Total live animals		23, 060, 493		28, 631, 161		58, 037, 361	
Beeswaxpounds	2, 858, 190	994, 160	1,558,048	584, 194	2, 383, 901	896, 327	
Dairy products: Butterdo Choesedo Milk and cream Freshgallons Condensedpounds	1,307,750 0,332,562	444, 332 2, 566, 489 3, 060, 117	1, 655, 467 7, 562, 044 4 1, 349, 628 4 10, 904, 998	580, 324 3, 059, 078 3 1, 646, 316 4 726, 816 4 927, 668	9, 519, 368 11, 332, 204 3, 684, 817 16, 509, 239	4,860,182 4,073,357 1,850,203 2,080,070	
Total dairy products.		6,070,938		6, 940, 203		12, 863, 812	
Eggs dozen ggg albumen pounds. Egg yolks or frozen eggs,	1,179,017	314, 419	1, 244, 826 1, 386, 947	363,227 503,154	1,247,355 7,978,239	394, 629 6, 061, 114	
pounds	16, 268, 379 (3) (5)	3, 559, 504 415, 883 1, 149, 282	6, 752, 453 (°) (5)	2, 459, 552 675, 791 814, 408	24, 890, 621 309, 669 1, 599, 805	8, 469, 987 2, 698, 146 852, 810	
Fibers, animal:		2, 210, 202		011, 100	-,000,000		
Silk— Cocoonsdo	103,017	99,871	220, 250	297, 296	852, 474	486,636	
Raw, or as reeled from the cocoons pounds Wastedo	36, 502, 831 6, 822, 409	184, 283, 183 5, 369, 856	32, 865, 543 15, 635, 266	180, 209, 537 13, 691, 765	44, 816, 918 9, 852, 980	329, 338, 872 12, 061, 268	
Total silkdo	43, 428, 257	189,752,910	48, 720, 969	194, 198, 598	55, 522, 372	341,886,776	
Wool and hair of the camel, goat, alpaca, and like animals—							
Class 1, clothing, pounds	320, 801, 426	133, 353, 679	373, 910, 875	216, 789, 966	334, 099, 538	171, 288, 562	
Class 2, combing, pounds	22, 333, 306	11, 420, 305	4, 223, 223	2, 646, 651	7, 734, 081	4, 583, 522	
pounds Hair of the Angora	73,002,602	24, 892, 904	69, 291, 858	29, 256, 094	96, 948, 324	36, 898, 361	
goat, alpaca, etc., pounds	4, 857, 213	1,890,564	6,301,416	3,079,905	7, 110, 891	3, 994, 056	
Total, wool.pounds	420, 994, 547	171, 557, 452	453, 727, 372	251, 772, 616	445, 892, 834	216, 764, 501	
Total animal fibers, pounds	464, 422, 804	361, 310, 362	502, 448, 341	445, 971, 214	501, 415, 206	558, 651, 277	

<sup>1</sup> Forest products come within the scope of the Department of Agriculture and are therefore included in alphabetical order in these tables.

3 Including all imported free of duty.
3 Jan. 1 to June 30.
4 July 1 to Dec. 31.
5 Not stated.

Table 232.—Agricultural imports of the United States during the 3 years ending Dec. 31, 1919—Continued.

Article imported.    Quantity.   Value.   Quantity.   Value.   Quantity.   Value.   Quantity.   Value.				Year ending	Dec. 31—		-
ANIMAL MATER—contd.  Gleatin	Article imported.	191	17	191	18	101	19
Glatin		Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
Packing-house products: Blood, dried., pounds. Bristles— Crude, unsorted, pounds. Friedles— Crude, unsorted, pounds.  Bristles— Crude, unsorted, pounds.  Frequed. pounds.  65, 137  79, 357  31, 987  66, 061  77, 400  103, 706  70, 416, 682  4, 119, 070  5, 639, 755  3, 081, 379  5, 981, 579  Total bristles.  60.  61  71, 400  103, 706  70, 707, 816  70, 707, 816  70, 707, 816  70, 708, 816	ANIMAL MATTER—contd.					•	
Blood, dried	Glue and glue sizedo	826, 115 6, 775, 192 533, 229	\$304, 249 1, 048, 328 484, 450	82, 766 732, 324 406, 719	\$32, 353 172, 642 657, 296	449, 336 886, 042 454, 215	\$241, 835 208, 882 565, 525
Dristless	Packing-house products: Blood, dried pounds	(2)	512, 721	. (2)	638, 670	11,004,248	379, 754
Crude, unsorted, Dounds.   65, 137   79, 357   31, 987   65, 061   77, 400   103, 706   70   70   70   70   70   70   70	pounds	(t)	1,602,213	(2)	685, 155	50, 387, 631	840, 562
Prepared. pounds. 4, 161, 755 4, 409, 662 4, 119, 070 5, 639, 755 3, 081, 379 5, 331, 579    Total bristles .do. (2) 1, 614, 190 (1) 3, 558, 509 33, 571, 038 3, 304, 394    Hair—	Crude, unsorted.	65, 137	79, 357	31, 987	65, 061	77, 469	103, 706
Grease	preparedpounds	4, 051, 755	4, 499, 652	4, 119, 070	5, 639, 755	3,081,379	5, 931, 579
Hair—Horse	Total bristlesdo	4, 116, 892	4, 579, 009	4, 151, 057	5, 704, 816	3, 158, 848	6, 035, 375
Horse.	Greasedo	(°)	1,614,198	(3)	3, 558, 509	33, 871, 038	3, 304, 364
Hides and skins, other than furs—  Buffalo hides, dry, pounds.  Calretta pounds.  Dry. do. Green or pickled, pounds.  Green or pi	Horsedo Other animaldo	5,728,594	804, 852	3, 475, 533	997, 704 316, 852	4, 545, 195	1,643,512 542,099
Buffalo hides, d r y, pounds	glue stockpounds	34, 499, 825	1, 560, 673	9, 381, 629	454, 838	13,780,637	978, 514
Calretta. — pounds. — 20, 473, 688	than furs— Buffalo hides, dry,	01 001 080	d 100 H1	F 610 F00	1 547 000	15 410 Fee	0.400.400
Dry	Cabrettapounds		• • • • • • • • • • • • • • • • • • • •	0, 818, 989	•••••	93, 985	3, 403, 457 86, 382
Cattle hides— Drypounds. Green or pickled. pounds	Drydo Green or pickled,	20, 473, 688			2, 236, 592	42, 325, 180	20, 914, 320
Dotter	Cattle hides—	)			717, 367		12, 738, 819
Dotter	Drypounds Green or pickled,		` '	34, 835, 629		96, 190, 263	
Drypounds. Green or pickled, pounds	pounds	229, 019, 800		186, 215, 441	41,872,585	311, 092, 008	91, 223, 542
13, 141, 069   2, 320, 149   4, 125, 014   536, 250   15, 975, 766   103, 571   548, 088   679, 448   733, 133   1, 383, 399   1, 382, 991	Drypounds Green or pickled,			•	· ·		
Green or pickled, pounds	pounds			679, 448			
Solution	Green or pickled,						]
Green or pickled, pounds	Goat skins—						
Otherpounds. 10,043,361 2,963,722 6,933,313 2,167,768 9,150,039 3,030,501  Total hides and skins, pounds. 631,065,683 209,730,440 361,800,890 108,043,703 744,856,035 306,510,023  Meat— Cured— Bacon and hams, pounds. 240,404 69,864 1,863,124 544,296 2,646,235 787,750  Méat prepared or preserved-pounds. (2) 2,228,135 (2) 38,201,131 21,189,854 5,837,546  Sausage, b ol o g n a, pounds. 22,072,147 3,088,759 23,339,081 4,159,188 38,461,758 6,408,081  Presh— Bacef and veal, pounds. 22,072,147 3,088,759 23,339,081 4,159,188 38,461,758 6,408,081  Mutton and lamb, pounds. 2,589,340 559,812 1,721,979 376,604 2,779,361 601,051  Other, including meat extracts. pounds. (2) 10,788,682 (2) 7,337,842 8,596,049 1,887,750	Green or pickled.						1 .
Meat		12, 441, 174 10, 043, 561	3, 308, 000 2, 965, 722	9, 057, 918 6, 933, 313	1,847,105 2,167,768	22, 522, 563 9, 159, 039	9, 729, 448 3, 030, 501
Cured— Bacon and hams, pounds	pounds	631, 065, 683	209, 730, 440	361, 890, 899	108, 043, 703	744, 826, 035	306, 510, 023
pounds	Cured						
Sausage, bologna, pounds	Bacon and hams,	240, 404	69, 864	1,863,124	544, 296	2, 646, 235	787, 700
pounds	presarved pounds	( <sup>2</sup> )	2, 228, 135	(²)	38, 201, 131	21, 189, 854	5, 837, 546
Beef and veal, pounds	pounds	13, 070	4, 958	5, 417	2, 797	71,732	43, 340
pounds. 5, 623, 903 685, 401 607, 886 134, 290 8, 209, 182 1, 547, 338 76, 604 2, 779, 361 601, 051 60	Beef and veal,	22, 072, 147	3, 088, 759	23, 339, 081	4, 159, 186	38 <b>, 4</b> 61, 758	6, 408, 081
Other, including meat extractspounds (2) 10,786,682 (2) 7,337,842 8,596,049 1,837,750	nounds	5, 623, 903 2, 580, 340	685, 401 553, 812	607, 896 1, <b>7</b> 21, 979	134, 290 376, 604	8, 209, 182 2, 779, 361	1,547,338 601,051
Total meat	Other, including meat extracts. pounds	i	-				
	Total meat	(2)	17, 417, 611	(2)	50, 756, 146	81, 954, 171	17, 062, 836

<sup>1</sup> Except sheepskins with the wool on.

<sup>2</sup> Not stated.

Table 282.—Agricultural imports of the United States during the 3 years ending Dec. 31, 1919—Continued.

			Year ending	Dec. 31—		
Article imported.	191	7	191	8	191	9
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
ANIMAL MATTER—contd.						
Packing-house products— Continued. Ment—Continued. Oleo stearinpounds Rennetsdo Gausage casingsdo Tallowda	5, 555, 448 (1) (1)	\$936, 561 21, 884 4, 050, 825	1,556,781 (1) (1) 25,395,405	\$250, 122 78, 590 3, 508, 434 2 702, 075	2, 358, 446 102, 686 11, 234, 028 12, 096, 189	\$475,156 146,542 5,629,412 1,812,903
Total packing-house productspounds	(1)	244, 738, 356	(1)	175, 695, 614	973, 343, 841	345, 361, 052
Total animal matter		643, 450, 433		063, 530, 808		995, 302, 757
VEGETABLE MATTER.  Argols or wine lees. pounds  Breadstuffs. (See Grain	28, 467, 432	4,714,498	27,687,478	4, 824, 504	25,735,599	4, 286, 972
and grain products.) Broom cornlong tons	877	149,892	1,766	364,936	10	1,610
Cocoa and chocolate: Cocoa— Crude, leaves and shells ofpounds Cocoa and chocolate, preparedpounds	<b>390,</b> 0 <b>17,</b> 655 <b>79</b> 0, 650	41, 415, 354 258, 849	359, 959, 761 55, 598	37, 955, 200 17, 169	391, 397, 309 967, 203	57, 999, 464 342, 420
Total cocoa and choc- olatepounds	390, 838, 305	41,674,203	360,015,350	37, 972, 369	392, 364, 512	58, 341, 884
Coffeedo	1, 286, 524, 074		1,052,201,501		1, 333, 564, 067	261, 270, 106
Coffee substitutes: Chicory root— Roasted, ground, or otherwise prepared,		95 740			. 56	28
poundsFibers, vegetable: Cottonpounds	327, 243 138, 615, 455	35,746 41,780,796	112,684,092	41,624,242	175,358,368	71, 886, 290
Flax— Hackled, known as "dressed line," long tons	7,331	5, 276, 777	7,856	7,361,598	2, 129 2, 291	2, 929, 062 1, 007, 528
Hempdo Istle, or Tampico fiber,	9,745	2, 829, 518	3, 875	1, 982, 494	1,698	953, 576
Jute and jute butts,	29, 156		31,744	3,648,815	20,840	2,523,330
long tous. Kapec. long tous. Manila do. New Zealand flax do. Sisal grass do. Other do.	87, 682 7, 565 92, 112 9, 019 143, 871 13, 330	1 955 672	71, 414 9, 576 78, 783 13, 912 151, 876 13, 503	6, 462, 534 2, 820, 474 29, 332, 928 4, 867, 576 54, 937, 104 2, 973, 144	62,332 10,972 68,536 6,720 144,542 7,219	8,384,470 3,673,285 19,255,282 1,640,755 39,553,701 1,797,000
Total vegetable fibers.		137, 568, 823		156,010,909		153, 664, 288
Forest products: Cinchona barkpounds Cork wood or cork bark,	2, 057, 327	574, 160 3, 915, 931	3, 507, 974 (¹)	792,078 3 1,898,193		1,075,74 1,802,506
Dyewoods and extracts	(-)	0,010,001		1, 300, 100	20,200,812	2, 5.2, 500
Dyewoods— Logwoodlong tons Otherdo	61,735 14,335	1, 519, 878 364, 322	29, 841 31, 153	668, 141 796, 297	29,022 1,618	549, 885 38, 377
Total dyewoods.do	78,070	1, 884, 200	60, 994	1,464,438	30,640	588, 262
Extracts and decections ofpounds.	2, 875, 290	170, 789	9, 574, 432	459, 311	7,285,737	477, 976
Total dyewcods and extracts of		2, 054, 988	3	1,923,749		1,066,238

<sup>1</sup> Not stated.

<sup>2</sup> July 1 to Dec. 31.

<sup>3</sup> Includes "Waste, refuse, etc.," prior to July 1, 1918.

Table 282.—Agricultural imports of the United States during the 3 years ending Dec. 31, 1919—Continued.

			Year ending	Dec. 31-		
Article imported.	191	17	191	.s	19	10
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VIGETABLE MATTER—con.						
Forest products—Contd.						
Arabic or Senegal,			1 4, 460, 812	¹ <b>\$</b> 816, 019	5, 943, 021	\$819,452
Camphor—	5.512.807	\$1,849,674				
Crude pounds. Refined do Chicle do Copal, kauri, a n d	5, 512, 807 3, 108, 240 6, 117, 922	\$1,849,674 1,664,105 3,073,484	3,474,282 947,144 7,251,022	1, 547, 180 769, 882 3, 917, 104	2, 693, 822 2, 125, 210 9, 445, 538	2, 505, 566 3, 829, 817 6, 216, 978
damarpounds	39, 891, 803	3, 447, 916	33, 664, 048	3, 249, 783	20, 326, 193	2, 082, 976
Gambier, or terra japonicapounds	11,321,569	1, 145, 031	8,764,020	952, 323	4, 744, 651	432, 499
India rubber, gutta- percha, etc.—						,
Balatapounds Guayule gumdo Gutta joolatong or East Indian gum,	3, 193, 387 4, 852, 531	1,607,343 1,487,978	1,547,338 1,376,085	836, 383 413, 484	1, 623, 134 3, 204, 224	937, 038 760, 690
pounds	24, 774, 867	1, 144, 948	9, 932, 476	683, 551	18, 662, 702	2, 213, 964
Gutta-percha, pounds	1,476,426	289, 802	1,207,986	225, 922	6, 495, 818	1,068,698
Indiarubber, pounds	405, 638, 278	233, 220, 904	325, 959, 308	148, 378, 313	535, 940, 421	215, 820, 113
Total india rub- ber, etc. pounds.	439, 935, 489	237, 750, 975	340, 023, 193	148, 537, 653	565, 931, 299	220, 800, 503
Shellacdo Otherdo	27, 460, 757 ( <sup>2</sup> )	9, 040, 543 2, 234, 229	18,663,717 (²)	9, 029, 139 1, 903, 349	24, 426, 403 11, 291, 131	11, 869, 246 3, 387, 096
Total gumsdo	( <sup>2</sup> )	280, 205, 957	(2)	170, 722, 432	648, 927, 268	251, 944, 196
Ivory, vegetabledo	47, 380, 217	1, 227, 582	41, 142, 099	1, 323, 494	31, 779, 090	1, 172, 080
Tanning materials— Mangrove bark, long tons.	4, 203	107, 844	2, 363	96,867	2, 523	87,869
Quebracho, extracts ofpounds	108,993,077	7, 192, 666	131, 109, 739	5,698,618	144, 496, 648	6, 902, 947
Quebracho wood, long tons	68, 592	1,206,018	22, 802	357, 190	3,962	53,679
Sumac, ground, pounds.	12,906,647		•	-	•	558, 477
Other		419, 692 623, 023		424, 798 · 161, 447		1, 556, 273
Total tanning ma- terials		9, 549, 243	•••••	6, 738, 920		9, 159, 245
Wood, not elsewhere specified— Brier root or brierwood and ivory or laurel						
Chair cane or reed		423, 592 179, 759		831, 371 254, 917		1, 2S7, S31 235, 550
Cabinet woods, un-						
Cedar M feet Mahogany do Other do	14,067 47,700 ( <sup>2</sup> )	892, 248 3, 353, 388 679, 660	9, 109 44, 098 (²)	677, 169 3, 848, 388 713, 186	8,583 42,678 7,599	591, 809 3, 973, 072 705, 722
Total cabinet woodsM feet		4, 925, 298		5, 238, 743	58,860	5, 270, 603
Logs and round tim- ber	103, 154	1,030,368	33,659	566, 837	93, 356	1,690,672

<sup>1</sup> July 1 to Dec. 31.

<sup>2</sup> Not stated.

Table 282.—Agricultural imports of the United States during the 3 years ending Dec. 31, 1919—Continued.

			Year ending	Dec. 31—		
Article imported.	191	.7	191	8	191	.9
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—con.					-	
Forest products—Contd. Wood, not elsewhere specified—Contd. Lumber— Boards, deals, planks, and other sawed lumber M foot. Laths	1, 203, 600 605, 054 1, 936, 809	\$27, 912, 150 1, 905, 482 5, 160, 482 715, 370	282, 302	\$34, 314, 720 966, 448 5, 626, 932 1, 072, 306	1, 149, 320 802, 651 1, 937, 480	\$37, 260, 847 3, 037, 000 8, 720, 032 1, 389, 018
Total lumber	•••••	35, 694, 484		41, 980, 406		50, 406, 897
Pulp wood— Peeled	152, 618 206, 081	5, 423, 566 1, 637, 551 1, 502, 341 1, 557, 352 (1) 911, 850		9, 295, 009 1, 548, 280 2, 519, 277 1, 308, 465 256, 976 928, 187	698, 785 107, 094 2±1, 420	6, 778, 550 1, 365, 144 2, 315, 059 872, 374 297, 205 667, 153
Total wood, n. c. s		53, 286, 159		64, 728, 468		71, 187, 038
Wood pulp— Chemical— Bleached— Sulphate.long tons. Sulphitedo Unbleached— Sulphatedo Sulphitedo	1, 451 36, 640 96, 369 221, 583 249, 172	195, 014 4, 508, 368 9, 993, 170 19, 291, 410 7, 991, 368	106.037	299, 790 1, 512, 742 7, 971, 067 16, 973, 540 4, 720, 036	1	9, 084, 537 17, 979, 170
Mechanicaldo  Total wood pulp long tons	605, 215	41, 979, 330	516, 258	31, 477, 175		5, 117, 316 37, 048, 381
Total forest products.		372, 793, 350		279, 604, 509		374, 455, 432
Fruits: Fresh or dried— Bananas. bunches. Currants. pounds. Dates. do. Figs. do. Grapefruit. Grapes. cubic feet. Lemons. Ouives. gallons. Ornness. Pineapples. Raisins. pounds. Other.		680, 027 1, 877, 093 1, 820, 009 141, 555 943, 115	11, 775, 409 667, 959 2, 665, 781	15, 438, 491 557, 508 480, 589 873, 415 2 156, 524 992, 855 1, 855, 049 1, 327, 812 116, 553 845, 906 20, 897 1, 843, 681	36, 920, 921 25, 358, 946 534, 706 3, 753, 962	4, 518, 103 611, 129 845, 363 2, 437, 802 2, 338, 881 52, 790 1, 045, 882
Total fresh or dried		22, 449, 176		24, 512, 280		37, 023, 636
Prepared or preserved		723, 096		541, 874		1, 290, 510
Total freits		23, 172, 272		25, 054, 154		38, 314, 146
Grain and grain products:						
Grain— Corn bushels Oats do Wheat do	1, 654, 373 1, 982, 840 33, 583, 109	1, 982, 690 1, 282, 902 67, 809, 607	1, 990, 361 1, 443, 700 17, 035, 986	1, 975, 979 1, 244, 493 30, 428, 806	11, 212, 717 609, 128 7, 910, 701	10, 966, 911 469, 638 14, 905, 722
Total graindo	37, 220, 322	71, 075, 199	20, 470, 047	33, 649, 278	19, 732, 546	28, 342, 271

<sup>1</sup> Not stated.

 $\begin{array}{c} {\rm Table~282.} - A gricultural~imports~of~the~United~States~during~the~3~years~ending~Dec.~31,\\ 1919 - {\rm Continued.} \end{array}$ 

#### Year ending Dec. 31-

				•		
Article imported.	191	.7	191	18	191	19
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER-COIL						
Grain and grain products— Continued. Grain products— Bread and biscuit						•
pounds	(1)	<b>\$106, 30</b> 3	(1)	<b>\$</b> 72, 331	993, 194	<b>\$</b> 205, 995
Macaroni, vermicelli, etcpounds Meal and flour—	1, 023, 386	76, 196	402, 010	40, 925	902, 551	101, 859
Wheat flour barrels. Other	642, 435	6, 226, 849 6, 266, 407	167, 124	1, 511, 724 4, 190, 840	16, 623	171, 302 6, 533, 747
Total grain products		12, 675, 755		5, 815, 820		7, 012, 903
Total grain and grain products		83, 750, 954		39, 465, 098		33, 355, 174
Haylong tons Hopspounds Indigo:	230, 535 193, 630	2,348,730 57,077	399,736 76,775	4,860,460 50,862	202,648 467,433	3,081,537 237,909
Natural do do Synthetic do Licorice root do do do do do do do do do do do do do	3,642,490 33,460,490	5,101,668 1,796,576	$\left\{\begin{array}{c} 1,747,074\\ 777,029\\ 27,100,309\end{array}\right.$	2,194,367 416,008 1,997,269	227, 474 823, 878 49, 891, 673	200,115 432,373 3,864,619
Liquors, alcoholic: Distilled spirits— Brandyproofgalls Cordials, liqueurs, etc.,	456, 271	2,022,975	2,423	15,083	224	728
proofgalls	285, 805	703,082 491,069	28, 181 294	112,340 361		
Ginproofgalls Whiskydo Otherdo	241,071 1,643,314 380,492	4,839,366 537,590	6,326 44,561	18,584 44,181	9,615	10,556
Total distilled spirits, proof galls	3,006,953	8,594,082	81,785	190, 549	9,839	11,284
Malt liquors— Bottledgallons Unbottleddo	471,362 1,110,000	598, 104 531, 596	142, 965 208, 268	202, 535 134, 389	8	9
Total malt liquors, gallons	1,581,362	1,124,700	351,233	336,924	8	. 9
Wines— Champagne and other sparklingdoz. qts	170,687	3,011,589	68, 313	1,264,099	9,274	211,162
Still wines Bottleddoz.qts Unbottledgallons	496,791 2,944,812	2, 484, 149 2, 576, 219	224, 525 1, 918, 813	1,335,528 1,919,431	12, 128 215, 481	78,738 223,639
Total still wines		5,060,368		3,254,959		372,427
Total wines		8,071,957		4,519,058		513, 589
Total alcoholic		17,790,739		5,046,531		521,882
Malt, barley. (See grain and grain products.) Maltliquors. (See liquors, alcoholic.) Nursery stock: Plants, trees, shrubs, and						,
vines— Bulbs, bulbous rocts or corms, cultivated for their flowers or foliage	223,564	2,613,710	103,668	1,572,522	147,843	3,465,602
Stocks, cuttings, and seedings M. Other	,	(¹) 507, 891	,	2 12,574 422,227		707,492 247,577
Total nursery stock		3, 121, 601		2,007,323		4,420,671
•					-	

Table 282.—Agricultural imports of the United States during the 3 years ending Dec. 31, 1919—Continued.

			Year ending	Dec. 31—		
Article imported.	191	17	191	8	191	9
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER-con.						
Nuts: Almonds— Shelledpounds Unshelleddo Coconuts, unshelled, number Coconut meat, broken,	18, 326, 914 4, 455, 533 ( <sup>1</sup> )	\$4,608,822 508,619 2,610,494	21, 544,757 6,149,374 (¹)	\$5,731,630 947,761 2,490,368		\$10,582,179 1,305,167 4,053,282
eopra— Not shredded, desic- cated or prepared, pounds	366, 700, 360 9, 702, 785 36, 578, 971	19,167,058 836,796 1,648,530	430,649,332 20,269,909 11,282,088	26, 262, 895 2, 606, 783 662, 936	' '	16,544,613 4,140,689 3,135,628
Filberts— Shelleddo Unshelleddo Marrons, crudedo Palm and palm-nut ker-	2, 280, 787 16, 468, 547	471,731 1,775,361	4,245,868 7,432,524 <sup>2</sup> 66,100	891, 679 926, 159 2 3, 003	3,778,986 16,747,304 5,012,194	1,193,037 3,396,301 393,803
nelspounds Peanuts— Shelleddo Unshelleddo Walnuts—	42,578,009 7,688,669	2,011,976 325,869	\$ 16,905,313 67,746,831 1,970,797	2 199,089 4,275,731 128,623	5,610,056 24,179,687 5,667,354	288, 586 1,933,904 393, 534
Shelled do	12,257,593 17,177,992	3,723,908 1,739,216 1,310,609	9,707,401 3,304,003	3, 785, 679 465, 859 552, 088	10,260,809 21,235,078	5,317,276 3,985,327 846,238
Totalnuts		40,738,989		49,930,283		57, 510, 164
Oil cakepounds	43, 188, 260	539,687	37,780,061	1,764,574	112, 405, 870	2,370,827
Oile, vegetable: Fixed or expressed— Cecce butter or butter- inepounds Coconut oildo Cottonseeddo Flaxseed or linseed, gallons Nut oil, or oil of nuts, n. e. s.— Chinese nut gallons.	81.5 63,091,003 13,826,028 84,403	193 18, 852, 789 1, 211, 878 60, 578	3, 049 356, 088, 738 18, 372, 867 26, 129	. 872 44,290,112 2,215,299 37,246		
Peanutdo Olive, for mechanical	5, 478, 798 3, 653, 938		5, 695, 751 9, 128, 860	6, 386, 576 8, 530, 808		
purposes gallons. Ofive, edible do. Palm oil pounds. Palm kernel do. Rapeseed gallons. Soya bean pounds. Other	596, 815 6, 807, 280 34, 257, 396 306 1, 350, 892 264, 925, 783	311	357 171, 161 20, 993, 085 34, 164 3, 077, 203 335, 984, 148	140 450, 793 1, 651, 241 4, 855 3, 096, 074 38, 454, 730 2, 505, 595		435, 190 18, 013, 801 4, 317, 324 142, 523 1, 306, 315 24, 019, 226 2, 558, 259
Total fixed or ex- pressed		63,415,630		107,624,341		123,017,035
Volatile or essential— Birch and cajeput, pounds	(¹) 569, 936	24, 822 434, 997 3, 915, 905	(1) 587, 969	29, 970 436, 080 2, 818, 391	16,747 607, 286	13,444 612,033 6,357,653
Total volatile or es- sential	·	4, 375, 724		3, 284, 441		6, 983, 130
Total vegetable oils.		67, 791, 354		110, 908, 782		130, 000, 165
Opium, crudepounds	124, 764	1, 538, 803	159, 621	2, 675, 963	730, 272	8, 279, 653

<sup>1</sup> Not stated.

Table 282.—Agricultural imports of the United States during the 3 years ending Dec. 31, 1919—Continued.

### Year ending Dec. 31-

Article imported.	1917 1918		8	1919	) ·	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER-con.					}	
Rice, rice meal, etc.:				l		
Cleaned pounds. Uncleaned, including	194, 305, 903	\$6, 024, 869	424, 692, 417	\$17, 906, 990	144, 090, 499	<b>\$</b> 9, 904, 689
paddypounds Rice flour, rice meal, and	84, 943, 914	2, 783, 399	57, 375, 662	3, 023, 293	29, 495, 448	2, 249, 833
broken ricepounds	19, 730, 385	430, 724	75, 979, 636	2, 558, 185	1, 010, 177	87, 109
Total rice, etcdo	298, 980, 202	9, 238, 992	558, 047, 715	23, 488, 468	174, 596, 124	12, 241, 631
Sago, tapioca, etcdo	(¹)	4, 615, 265	· (1)	3, 903, 221	99, 274, 913	5, 207, 972
Seeds: Castor beans or seeds,					,	
bushels	1,041,017	1,829,481	638, 821	1, 758, 636	1, 209, 099	3, 673, 868
Red pounds. Other do Flaxseed or linseed,	3, 966, 685 7, 914, 323	671,827 1,133,945	931, 307 8, 588, 659	176, 111 1, 908, 173	.7,025,591 18,016,407	2,410,056 4,991,908
bushels	9, 394, 287	25, 445, 704 514, 243	12, 974, 476	32, 993, 739	14,036,184	44, 360, 095
Grassseed, n. e.s. pounds Mustarddo	6, 277, 510		12, 974, 476 6, 076, 098 4, 449, 323 4, 297, 376	278, 600	14, 036, 184 15, 609, 926 14, 226, 213 9, 830, 068	1,259,931
Sugar beetdo Other	15, 422, 076	3,869,811 6,552,887	4,297,310	568, 632 278, 600 1, 341, 068 6, 167, 784	9,830,008	2,605,454 1,259,931 2,137,091 7,756,517
Totalsceds		40, 017, 898		45, 192, 743		69, 194, 920
Spices: Unground—						
Capsicumpounds Cassia, or cassia vera,		• • • • • • • • • • • • • • • • • • • •	<sup>2</sup> 1, 788, 483	2 200, 021	1, 160, 592	153, 900
clovespounds Ginger root, not pre-	8, 951, 396	824,661	12,571,074 21,634,140	1,145,035 2 552,359	8,710,112 6,150,431	878,415 1,522,802
servedpounds Nutmegspounds	3, 793, 293	362, 955	5, 691, 046 2 2, 224, 679	511,808 2 396,132	4, 374, 217 4, 098, 506	520, 949 754, 234
Pepper, black or white, pounds.	35, 829, 674	5, 460, 473	48, 869, 467	8,042,814	22, 826, 245	3,703,443
Total unground,		0,100,110				
pounds	48, 574, 363	6,648,089	72, 778, 889	10,848,169	47,320,103	7,533,743
Ground— Capsicumpounds. Mustarddododo	26, 232, 042	3,785,380	2 1, 443, 578 2 460, 206 16, 167, 745	<sup>2</sup> 415, 434 <sup>2</sup> 210, 354 2, 625, 041	1,561,212 1,500,357 6,060,164	500, 890 797, 118 971, 885
Total ground do	28, 232, 042	3,785,380	18, 071, 529	3,250,829	9, 121, 733	2, 259, 893
Total spicesdo	71, 808, 405	10, 433, 469	90, 850, 418	14,098,998	56, 441, 836	9, 803, 636
Spirits, distilled. (See liquors, alcoholic.) Starchpounds	25,347,966	1,309,169	26, 431, 150	2,108,260	2,612,223	242,909
Sugar and mola. ses: Molassesgallons.	126, 778, 330					4, 176, 974
Sugar— Raw—						
Beetpounds Canedo Maple sugar and	29, 217 4, 940, 603, 461	221, 988, 285	5, 166, 840, 872	241,390,194	1, 180 7, 019, 690, 475	108 393, 170, 660
Maple sugar and siruppounds.	3,456,756	1	1	l .	3, 928, 301	1,109,666
Totalraw.pounds	1, 944, 089, 434	222, 485, 148	5, 170, 976, 319	242, 265, 430	7, 023, 619, 956	394, 280, 434
Total sugar and molasses		232, 667, 591		252, 689, 604		398, 457, 408

<sup>1</sup> Not stated.

· Table 282.—Agricultural imports of the United States during the 3 years ending Dec. 31, 1919—Continued.

		Year ending Dec. 31—							
Article imported.	19	17	19	18	1919				
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.			
VEGETABLE MATTER—con.									
Teapounds	126, 794, 997	\$25,763,075	134, 418, 201	\$29, 539, 740	80, 962, 920	\$20, 145, 864			
Tobacco: Leaf—									
Wrapperpounds Filler and other leaf,	5, 393, 862	7, 096, 788	7, 313, 100	10, 448, 547	7, 775, <del>1</del> 81	10, 158, 480			
pounds	52, 565, 963	26, 374, 966	76, 201, 015	41, 674, 442	78, 210, 136	64, 987, 084			
Total tobaccodo	57, 959, 825	33, 471, 754	83, 514, 115	52, 122, 989	85, 985, 617	75, 145, 564			
Vanilla beausdo	910, 378	1, 669, 541	759, 401	1, 195, 632	1, 150, 079	2, 407, 093			
Vegetables: Fresh and dried— Beans	4, 343, 068 1, 934, 974 1, 723, 874 3, 182, 136 3, 572, 991 154, 389 8, 171, 154	29, 324, 420 1, 242, 375 567, 445 1, 727, 288 3, 537, 108 32, 861, 528	53, 059	8, 895, 959 1, 368, 614 4, 982 2, 025, 872 31, 070, 953 526, 565 336, 858 754, 269 1, 617, 692 32, 688, 645 30, 054	2, 141, 009 5, 543, 686 2, 093, 087	1, 489, 290 5, 907, 064 480, 141 2, 156, 740 35, 912, 276 1, 356, 051 1, 194, 943 2, 181, 986 4, 732, 980 40, 645, 256 58, 614			
Wines. (See liquors, alco- holic).  Total vegetable mat- ter, including for- est products		1,321,468,074		1,285,312,252		1,772,033,057			
Total vegetable mat- ter, excluding for- est products		918, 674, 724							
Total agricultural im- ports, including forest products		1,964,918,507		1,948,843,060		2,767,335,814			
Total agricultural im- ports, excluding forest products		1,592,125,157		1,669,238,551		2,392,880,382			

<sup>1</sup> July 1 to Dec. 31.

١

30702°

Table 233.—Agricultural exports (domestic) of the United States during the 3 years ending Dec. 31, 1919.

	Year ending Dec. 31—						
Article exported.	. 191	7	191	8	191	9	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.	
ANIMAL MATTER.							
Animals, live: Cattlenumber Horsesdo. Mulesdo. Sheepdo. Swinedo. Other (including fowls)	20,009 169,000 72,590 30,359 15,588	\$1, 291, 714 33, 058, 960 13, 716, 063 278, 759 276, 451 383, 903	17, 280 51, 170 17, 319 7, 962 10, 308	\$1,082,758 9,853,475 3,360,653 120,882 333,729 288,645	69, 859 19, 691 7, 122 34, 531 24, 745	\$6, 439, 521 2, 856, 396 1, 189, 180 369, 974 683, 911 464, 702	
Total live animals		49, 005, 850		15, 045, 142		12, 003, 684	
Beeswaxpounds	256, 467	95, 7 <del>44</del>	165, 382	63, 244	210, 046	92, 285	
Dairy products: Butterdo Cheesedo Milk— Condenseddo Other, including cream.	7, 192, 918 53, 371, 527 428, 575, 213	2, 660, 371 13, 295, 706 51, 284, 003 279, 547	26, 194, 415 48, 404, 672 551, 139, 754	10, 868, 953 11, 735, 266 72, 824, 897 528, 607	34, 550, 485 14, 159, 721 852, 865, 414	17, 504, 446 5, 349, 577 121, 893, 337 1, 729, 881	
Total dairy products.		67, 519, 627		95, 577, 723		146, 477, 214	
Eggs dozen. Egg yolks. Feathers Fibers,animal wool.pounds. Clue. do Honey do	19, 886, 079 1, 827, 324 4, 216, 196	7, 270, 543 101, 112 353, 103 1, 308, 698 639, 712 1, 888, 732	20, 938, 278 406, 944 5, 899, 605 11, 598, 857	8, 428, 214 718, 066 252, 903 462, 969 1, 110, 837 2, 223, 396	38, 789, 470 2, 839, 980 8, 486, 167 9, 075, 602		
Packing-house products:			***************************************				
Beef— Canned pounds Cured or pickled do Fresh do Oils, olec oil do Olomargarine do Stearin do Tallow do	65, 471, 232 67, 810, 990 216, 419, 599 33, 399, 548 3, 522, 540 8, 295, 304 7, 510, 376	18, 258, 522 8, 319, 655 31, 427, 132 6, 796, 996 693, 150 1, 386, 126 1, 192, 287	141, 457, 163 44, 206, 020 514, 341, 529 69, 106, 350 8, 909, 108 10, 550, 241 4, 222, 657	51, 498, 010 7, 921, 220 109, 605, 363 15, 493, 321 2, 398, 908 2, 291, 160 745, 977	53, 867, 327 42, 804, 724 174, 426, 969 75, 585, 164 22, 939, 589 20, 854, 724 38, 953, 783	20, 672, 964 8, 739, 141 40, 280, 747 22, 025, 340 6, 576, 760 4, 171, 151 6, 370, 112	
Total beefdo	402, 429, 589	68, 073, 868	792, 798, 068				
Bones, hoofs, and horns, unmanufactured Grease, grease scraps, and all soap stock—				307, 671		370, 634	
Lubricating Soap stock Hair		3, 022, 087 3, 051, 454 1, 583, 387		3, 003, 081 2, 730, 208 680, 766		6, 039, 701 6, 656, 035 1, 551, 276	
Hides and skins other than furs— Caliskins pounds. Cattle do. Horse do. Other do.	1, 728, 250 8, 007, 138 21, 685 1, 635, 160	809, 026 2, 324, 126 6, 108 648, 325	9 213 203	\$66, 512 681, 951 13, 864 215, 493	16, 995, 932 467, 420		
Total	11, 392, 233	3, 787, 585	5, 105, 059	1, 777, 820	24, 923, 651	10, 895, 321	
Lard compounds pounds Meat, canned, n. e. s Muttonpounds Oils, animal, n. e. s.,	49, 300, 143 2, 862, 175 308, 183	8, 582, 320 5, 420, 841 514, 855 320, 364	1,630,815	8, 819, 990 387, 132		31, 605, 885 12, 950, 669 632, 667	
gallons Pork—							
Cannedpounds	5, 377, 226	1, 731, 531	5, 267, 342	1, 776, 392	5, 791, 706	2,422,364	

Table 283.—Agricultural exports (domestic) of the United States during the 3 years ending Dec. 31, 1919.—Continued.

	chang	200. 01, 1	010 COHM.	nava.		
			Year endi	ng Dec. 31—		
Article exported.	191	17	191	.8	191	19
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
ANIMAL MATTER—contd.						
Packing-house products— Continued. Pork—Continued.						
Cured— Bacondo	578, 128, 056	\$123, 115, 384	1, 104, 788, 081	\$315, 968, 064	1, 190, 297, 494	\$373,913,227
Hams and shoulders,	243, 386, 814	54, 047, 798	537, 213, 041	145,674,888	596, 795, 663	189, 428, 837
Salted or pickled, pounds	39, 294, 011	7, 088, 935	36, 671, 660	8, 535, 017	34, 113, 875	8, 632, 518
Total cured	860, 808, 881	184, 252, 117	1,678,672,782	470, 177, 969	1, 821, 207, 032	571, 974, 582
Freshpounds		9, 899, 893	11, 632, 635			
Larddo	49, 372, 780 372, 721, 342 9, 423, 385	75, 355, 138 2, 015, 320	11,632,635 548,817,901 6,307,164	2, 907, 894 144, 933, 151 1, 612, 780	26, 776, 978 760, 901, 611 22, 957, 137	8, 347, 557 237, 983, 449 7, 725, 983
Oils, lard oil 1. {do gallons	9, 423, 385 1, 852, 102 246, 947	272,474	6,307,164 335,010 44,668	75, 109	22, 957, 137 { 1, 086, 915 { 144, 922	220, 029
Total porkpounds	1,299,555,716	273, 520, 463	2, 251, 032, 834		2, 638, 721, 379	828, 673, 964
Sausage and sausage			<del></del>			
meats— Cannedpounds	6 780 577	1 500 643	6 349 602	1 817 199	8, 198, 336	2, 701, 944
Otherdo Sausage casingsdo	6, 730, 577 11, 264, 664 7, 758, 214	1,500,643 3,570,864 2,839,432	6,349,602 6,029,354 4,037,391	1,817,199 2,125,373 2,611,680	8, 198, 336 13, 889, 285 25, 477, 028	2,761,944 5,911,850 6,809,834
All other	1, 100, 414	4, 416, 452	2,001,001	6, 943, 692	20, 11, 023	11,642,612
Total packing-house products		380, 383, 774		853, 782, 220		1,038,294,077
Poultry and game		1, 756, 681		935, 048		4, 560, 278
Total animal matter.		510, 323, 576		978, 979, 762		1,226,901,203
VEGETABLE MATTER.						
Brendstuffs (See grain and			 			
grain products ) Broom cornlong tons.	3, 160	941, 591	4,343	1, 396, 348	4, 316	899,790
Cocoa, ground or prepared and chocolate		5, 102, 813		6, 961, 457		21,380,801
Coffee:						
Reasted or prepared,	46, 035, 832	6,696,780	43, 031, 687	6, 365, 160	28, 289, 105	7, 295, 511
pounds	2, 556, 209	502, 817	1,694,928	296, 642	6, 062, 449	1,521,070
Total coffeedo	48, 592, 041	7, 199, 597	44, 726, 615	6,661,802	34, 351, 554	8, 816, 581
Cotton:	1 541	)	( 9.639		f 6.052	
pounds	1, 841 744, 827	445,085	1,057,147	856,011	6,052 2,492,137	1,543,266
Upland{bales pounds	2,251,187,050	}550, 906, 338	2,047,096,381	664, 386, 262	6, 526, 173 3,352,493,841	11-7
Linters{bales pounds	4, 369, 146 2,251,187,050 447, 856 224, 206, 420	23, 952, 359	2,632 1,057,147 3,964,700 2,047,096,381 145,017 70,021,654	8,880,517	24,962 12,692,007	1,010,712
Total cotton pounds	2,476,138,297	575, 303, 782			3, 367, 677, 985	1,137,371,252
Flavoring extracts and fruit						
juices. Flowers, cut		730, 996 130, 938		967, 421 173, 991		1,341,656 171,407
Forest products:  Barks, and extracts of,						
for tanning— Barklong tons Bark, extracts of	908	26, 033 3, 372, 417		18, 807 3, 125, 842	668	47, 741 5, 598, 134
Total bark, etc		3, 398, 450		3, 144, 649		5, 645, 875
				·	·	

<sup>&</sup>lt;sup>1</sup> One gallon is estimated to weigh 7.5 pounds.

Table 283.—Agricultural exports (domestic) of the United States during the 3 years ending Dec. 31, 1919.—Continued.

			Year ending	Dec. 31		
Article exported.	191	7	1918	3	1919	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value,
VEGETABLE MATTER—CON.						
Forest products—Contd. Logwood extract Moss		<sup>1</sup> \$1, 404, 709 84, 928		\$1,551,380 91,667		\$1,355,986 91,475
Naval stores— Rosinbarrels	1,493,392	10, 338, 578	779, 027	7, 551, 262	1, 209, 627	20, 433, 970
Tar, turpentine, and pitchbarrels	104, 879	677, 683	53, 602	408, 196	67, 258	551,793
Turpentine, spirits of gallons	6, 517, 389	3, 384, 920	3, 717, 093	2, 276, 523	10, 672, 102	10, 448, 234
Total naval stores	0,011,000		0,127,000	10, 235, 981		31, 433, 997
		14, 401, 181		10, 200, 801		01, 201, 881
Wood— Logs and round tim- ber—						
Fir			8, 216 6, 257 1, 153	128, 627 187, 801	4, 924 7, 708 6, 663	114,039 137,348 250,606
Other logs— Hardwooddo	40,705	871,978	1, 153	187, 801 60, 026	6, 663	250, 606
Softwooddo	]		8,385	153, 598	17, 503	461,002
Totaldo	40, 705	871, 978	24, 011	530, 052	36, 798	963, 895
Lumber— Boards, deals, and planks—						
CypressM feet	13, 196	574, 029	19, 906	1, 215, 756	14, 865	924,668
Firdo Gumdo	13, 196 283, 758 23, 839 61, 648	4, 764, 218 771, 794 2, 775, 034	19, 906 272, 401 27, 778 64, 663	1, 215, 756 8, 985, 716 1, 298, 540 3, 710, 479	14, 865 301, 144 72, 330 157, 987	924,668 9,722,180 4,033,766 11,747,120
Oakdo Pine—	61, 648	2,775,034	64, 663	3, 710, 479	157, 937	11,747,120
Whitedo Yellow—	25, 824	1,071,994	21,193	1, 219, 316	24, 236	1,353,392
Pitch pine, Mfeet	328, 430	8, 204, 574	299,922	9, 360, 486	437,773	17, 733, 669
Short-leaf pine, M feet	3,983	101,605		398, 224	19, 884	829, 160
Other pine, Micet	1	1	, ,	•		•
Poplar do do Redwood do	. 88, 951 10, 492 20, 365	2, 268, 490 550, 159 662, 924	92, 571 23, 488 35, 835	3, 033, 629 1, 556, 209 1, 255, 092	69, 865 35, 645 34, 211	2, 694, 694
spruceao	63,655	4, 688, 193	70, 675	7, 943, 976	21,685	2, 572, 989 2, 694, 694 1, 418, 159 1, 919, 407
Other— Hardwood.do Softwooddo	95, 500	7,437,248	68,394 14,681	8,377,247 822,848	102, 145 19, 490	9, 113, 328 798, 274
Totaldo	1, 019, 647	33, 870, 262	1,023,769	49, 177, 518	1, 311, 210	64, 860, 806
Railroad ties,	ended in endance					
numberM.	3, 800, 241 25, 281	2,717,000 102,469	2,681,823 19,892	2,308,171 95,872	4, 699, 902 16, 143	4, 178, 525 89, 480
Shooks—						
, Box		2, 125, 943		2,737,865		2, 820, 541
Cooperage,	.  > 1,411,39	2,997,976	1,542,150 303,426	4, 427, 935 758, 359	2, 856, 771 479, 585	8, 489, 009 545, 707
Othernumber.	-		000, 220	100,000	210,000	010, 101
Total shooks		5, 123, 918	3	7,924,159		11, 855, 257
Staves and heading— Heading————————————————————————————————————	60,005,60	294, 248 2 3, 688, 68	53, 373, 526	563, 561 3, 605, 332	81,657,792	591, 021 13, 160, 377
Total staves and heading		3, 982, 982	2	4, 168, 896		13, 751, 398
Other		2, 126, 62	7	2,318,459		3, 790, 325
Total lumber		47, 923, 21	-	63, 023, 075		98, 525, 791
=		11,020,21		1 30,020,070	1	JO, U-U, 791

<sup>1</sup> July 1 to Dec. 31,

Table 283.—Agricultural exports (domestic) of the United States during the 3 years ending Dec. 31, 1919—Continued.

			Year ending	Dec. 31—		
Article exported.	191	7	191	8	191	9
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—COIL						
Forest products—Contd. Wood—Continued. Timber—						
Hewn— Hardwood M feet Softwooddo	8,697	<b>\$</b> 272,897	{ 1,549 4,537	\$82, 892 120, 756	3,740 4,759	\$268,754 145,759
Sawed— Pitch pinedo Other—	120, 827	3, 147, 663	35, 892	1, 274, 352	154, 186	6, 959, 671
Hardwood.do Softwooddo	<b>28, 55</b> 2	781,703	{ 5,662 27,630	275, 592 745, 367	5, 400 14, 708	330, 455 438, 907
Total timber, M feet	158, 076	4, 202, 263	75, 270	2, 498, 959	182, 793	8, 143, 546
All other, including firewood.		246,634		176, 319		335, 107
Total wood		53, 244, 092		69, 228, 405		107, 998, 339
Wood alcoholgallons Wood pulplong tons	1, 122, 191 34, 982	1, 175, S22 3, 469, 547	2,624,312 19,932	2,035,950 1,733,872	718, 427 35, 765	750, 167 3, 048, 491
Total forest products.		77, 178, 729		88,021,904		150, 324, 280
Fruits: Fresh or dried— Apples, dried. pounds. Apples, fresh. barrels. Apricots, dried. pounds. Berries. Lamons. boxes. Oranges. do. Peaches, dried. pounds. Pears, fresh. Prunes. pounds. Raisins. do. Other—	7, 852, 773 958, 104 6, 728, 910 154, 321 1, 880, 139 6, 523, 700 48, 077, 017 48, 446, 153	691, 111 4, 496, 707 956, 884 849, 764 583, 000 4, 649, 893 616, 782 1, 099, 028 4, 358, 810 4, 401, 824	2, 200, 483 579, 916 5, 262, 206 193, 347 857, 159 4, 339, 598 22, 888, 112 52, 657, 814	311, 350 3, 135, 203 754, 780 887, 561 1, 088, 823 4, 279, 429 544, 455 928, 841 2, 177, 976 4, 668, 021	24, 704, 359 1, 712, 367 37, 143, 824 306, 916 1, 777, 468 9, 022, 334 108, 208, 257 110, 183, 033	4, 109, 828 14, 471, 282 8, 505, 348 1, 181, 74, 248 7, 638, 450 1, 559, 87 1, 764, 671 15, 721, 951 13, 089, 366
Dried. Fresh	}	4, 008, 061	{	752, 868 3, 396, 709		2, 557, 451 4, 713, 008
Tota!, fresh or dried.		23, 771, 864		22, 926, 016		76, 684, 818
Preserved— Canned— Peaches. Other Other preserved.	}	6, 103, 197 756, 301	{	1, 178, 547 4, 134, 272 1, 989, 945		9, 489, 850 31, 985, 772 4, 518, 343
Total preserved		6, 830, 498		7, 302, 764		45, 993, 965
Total fruits		33, 631, 362		30, 228, 780		122, 678, 783
Ginsengpounds Glucose and grape sugar:	203, 684	1, 387, 037	223, 731	1, 372, 586	307, 585	3, 338, 531
Glucosepounds Grape sugardo	152, 076, 927 25, 765, 875	7, 158, 670 961, 908	42, 740, 417 14, 591, 733	2, 552, 637 906, 290	220, 380, 761 35, 236, 948	13, 169, 051 1, 970, 893
Grain and grain products: Grain— Barley bushels Buckwheat 10 Con do Oats do Rye. do	17, 858, 849 121, 636 52, 167, 683 98, 677, 544 13, 411, 490 10d, 198, 318	26, 207, 499 194, 333 72, 936, 631 71, 351, 798 25, 871, 354	18, 805, 219	90 535 377	37, 611, 840 185, 074 11, 192, 533 55, 294, 479 32, 898, 166	53, 832, 319 307, 454 18, 624, 386 46, 435, 294 61, 786, 232 356, 898, 296
Total grain	288, 433, 526	442, 395, 136	291, 977, 404	474, 287, 960	285, 269, 562	537, 883, 981
Grain products— Brain and middlings, long tons.	6, 833	<b>2</b> S0, 859	7,372	327, 285	4,517	233, 114

Table 283.—Agricultural exports (domestic) of the United States during the 3 years ending Dec. 31, 1919—Continued.

			Year ending	Dec. 31-		
Article exported.	191	7	101	8	191	9
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—con.						
Grain and grain products— Continued. Grain—Continued. Breadstuff preparations— Bread and biscuit, pounds. Other.	14, 202, 243	\$1,605,614	8, 585, 891	\$1,277,704 6,854,197	12, 827, 005	\$2, 506, 447 8, 819, 138
Total breadstuff preparations						11, 325, 585
Distillers' and brewers' grains and malt sproutslong tons Maltbushels	961 4, 163, 267	38, 632 6, 800, 085	217 896, 307	13, 394 1, 694, 651	1, 960 10, 045, 941	125, 886 16, 694, 614
Meal and flour— Barley flour barrels Corn mealdo Oatmealpounds Rye flourbarrels Wheat flourdo	. (1) 1, 210, 842 268, 861, 843 212, 890 13, 926, 117	(1) 10,048,683 11,990,386 2,088,150 138,438,813	<sup>2</sup> 360, 073 1, 790, 016 299, 198, 015 1, 446, 075 21, 706, 700	* 3, 877, 852 18, 761, 103 17, 353, 080 15, 449, 780 244, 658, 422		2, 572, 396 10, 920, 487 11, 999, 382 12, 424, 508 293, 452, 748
Total meal and flour		162, 566, 032		300, 095, 187		331, 369, 521
Mill feedlong tons All other	22, 253	966, 045 1, 431, 770	9,652	466, 242 5, 751, 037	12, 124	784, 296 3, 803, 972
Total grain products		184, 016, 771		316, 479, 697		364, 336, 988
Total grain and grain products		626, 411, 907		790, 767, 657		902, 220, 909
Haylong tons Hopspounds	51, 924 4, 138, 254	1, 193, 092 917, 650	28, 342 3, 670, 352	904, 030 970, 598	32, 142 20, 797, 504	962, 975 8, 832, 255
Lard compounds. (See packing-house products.) Liquors, alcoholic: Distilled spirits— Alcohol, including co- logue s p i r i t s, proof gallons Runproof gallons.	20, 237, 500 745, 733	7, 650, 209 772, 680	8, 557, 165 184, 635	4, 704, 743 191, 197	20, 311, 106 120, 519	8, 966, S19 179, 769
Whisky— Bourbondo Ryedo	- 51,520 111,202	96, 806 221, 255	57, 454	160,265	247, 553	
Total whisky.do	162, 722	318, 061	130, 364	400, 565	1, 090, 405	2, 662, 384
Otherdo	418, 240	498, 126	136, 322	452, 034	247, 238	689, 549
Total distilled spirits, proof gallons	21, 564, 195	9, 239, 076	9,008,486	5, 748, 539	21,769,413	12, 498, 521
Malt liquors— Bottled.dozen quarts Unbottledgallons	1, 118, 433 234, 409	1,678,187 57,091	1,077,598 97,160	2, 075, 767 35, 479	1,006,927 36,638	2, 179, 809 16, 474
Total malt liquors		1,735,278		2, 111, 240		2, 196, 283
Winesgallons	2, 210, 049	969, 761	3, 225, 048	2,040,815	4,926,425	4, 754, 768
Total alcoholic		11,944,115		9,900,600		19, 449, 569
Malt. (See Grain and grain products.) Malt liquors. (See Liquors, alcoholic.)						

<sup>1</sup> Not stated.

.Table 283.—Agricultural exports (domestic) of the United States during the 3 years ending Dec. 31, 1919—Continued.

			Year ending	Dec. 31-		
Article exported.	1917	7	1918	3	1919	)
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—con.				-		
Malt sprouts. (See Grain and grain products.) Nursery stock		<b>\$</b> 228,043		<b>\$2</b> 39, 621		\$ <del>19</del> 5, 270
Nuts: Peanutspounds Other	12,891,286	1,093,368 607,564	12, 319, 004	1,602,657 541,641	19, 778, 430	2, 123, 411 1, 462, 408
Total nuts		1, 700, 932		2, 144, 298		3, 585, 819
Oil cake and oil-cake meal: Cornpounds Cottonseed—	5, 536, 886	115, 538	69,370	2,966	963, 980	26, 874
Cake pounds Meal do Flaxseed or linseed—	280, 013, 565 125, 355, 013	5, 477, 479 2, 690, 453	1,384,250 10,283, <b>04</b> 6	32, 412 256, 068	394, 625, 721 233, 507, 445	12, 918, 900 7, 262, 043
Cake pounds Mcal do Other do	311, 899, 061 12, 235, 325	7, 280, 565 215, 653	{ 45,392,709 40,561,673 9.371,706	1, 115, 129 1, 134, 142 244, 733	327, 922, 978 25, 828, 805 194, 379, 153	11,656,844 846,387 3,329,643
Totaldo	735, 039, 850	15, 809, 688	107, 062, 754	2, 785, 450	1,087,227,782	36,040,691
Oils, vogotable:  Fixed or expressed— Cocoa butter pounds. Coconut do. Corn. do. Cottonseed do. Linseed gallons. Pennut pounds. Sova bean do. Other.	4,709,103 124,703,506 1,528,625	(1) 700, 149 17, 303, 256 1, 699, 897 (1) 3, 428, 456	(1)	(1) 36, 540 23, 184, 329 1, 162, 054 (1) 4, 087, 932	2 27, 714, 764	2 3, 031, 748 224,601,142 1,551,253 40,890,268 2,606,885 2 1,013,117 2 6,997,692 18,507,128
Total fixed or ex- pressed		23, 131, 758		28, 470, 855		98, 320, 234
Volatile or essential— Peppermint pounds. Other do	72, 650	190, 841 1, 068, 796	59,600	202, 856 744, 997	97,880	654, 282 1, 367, 388
Total volatile or essential		1,259,637		947,853		2,021,670
Total vegetable oils.		24, 391, 395		29, 187, 705		100, 350, 904
Rice pounds. Roots, herbs, and barks,	207, 588, 404	12, 376, 688	167, 932, 775	12, 424, 710	376, 875, 571	34, 775, 622
'n. e. s		955,235		728,148		1,632,281
Seeds: Cotton seedpounds. Flaxseed or linseed,	870, 282	1		69,707		88, 7433
bushels	5, 196	24,810	25, 508	134,98	16,595	125,14
Grass and clover seed— Clover pounds. Timothy do Other do	. 13,880,725	1, 889, 329 993, 453 807, 379	5, 985, 526 8, 564, 384 2, 952, 193	1, 836, 124 881, 154 542, 70	7, 943, 749 13, 346, 358 4, 440, 490	3, 206, 316 1, 633, 271 717, 102
Total grass and clover seed pounds.		3,690,161	. 17, 502, 103	3, 259, 98	25, 730, 597	5, 556, 689
All other seeds		1, 288, 972		2,031,770	3	2,771,836
Total seeds		5, 034, 419		5, 496, 45		8, 542, 411
Spices		449, 717	1	480, 50	3	588, 462

Not separately stated.

<sup>2</sup> July 1 to Dec. 31.

Table 283.—Agricultural exports (domestic) of the United States during the 3 years ending Dec. 31, 1919.—Continued.

			Year ending	Dec. 31-		
Article exported.	191	7	1918		1913	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
VEGETABLE MATTER—con.						
Starch: Cornstarchpounds Otherdo Stearin, vegetabledo	} 108, 839, 068 1, 261, 504	\$5, 303, 670 202, 799	33,619,821 16,083,388 1,019,560	\$1,758,557 1,020,071 233,909	179, 436, 736 89, 703, 821 4, 158, 736	\$10, 219, 799 5, 342, 366 767, 386
Sugar, molasses, and sirup: Molassesgallons Sirupdo Sugar, refinedpounds	3, 932, 065 12, 314, 270 1, 010, 795, 831	636, 554 6, 574, 837 64, 395, 650	5, 413, 982 3, 184, 290 407, 296, 324	1, 190, 911 2, 012, 121 27, 038,667	6, 685, 784 16, 731, 846 1,475,407,678	1, 311, 217 10, 299, 244 114, 737, 491
Total sugar, molasses, and sirup		71, 607, 041		30, 241, 699		126, 347, 952
Tobacco: Leafpounds	251, 291, 892	45, 542, 000	403, 871, 275	122, 599, 767	765, 913, 164	259, 438, 483
Stems and trimmings, pounds	570, 980	31, 920	2, 955, 443	318, 384	10, 764, 971	547, 28
Totalpounds	251, 862, 872	45, 573, 920	406, 326, 718	122, 918, 151	776, 678, 135	259, 985, 764
Vegetables: Fresh or dried— Beans bushels. Onions do Peas, dried do. Potatoes do.	1 1,833,509 483,302 (2) 2,422,602	<sup>1</sup> 10, 130, 786 878, 852 ( <sup>2</sup> ) 4, 241, 501	2, 398, 854 692, 855 322, 452 3, 853, 187	14, 226, 277 1, 112, 074 1, 689, 457 5, 834, 349	3, 795, 420 816, 959 476, 106 3, 642, 322	19, 965, 737 2, 095, 142 2, 664, 511 6, 475, 203
Total fresh or dried, bushels	4, 739, 413	15, 251, 139	7, 267, 348	22, 862, 157	8, 730, 807	31, 200, 593
Prepared or preserved— Canned— Corn Soups Tomatoes Other Pickles and sauces All other vegetables	}	5, 450, 340 844, 802 2, 215, 438	{	195, 632 1, 085, 173 479, 260 10, 659, 454 1, 129, 918 2, 204, 464		548, 037 1, 980, 624 2, 127, 896 6, 698, 834 2, 039, 641 3, 237, 009
Total prepared or preserved		8, 510, 580		15, 753, 901		16, 632, 041
Total vegetables		23, 761, 719		38, 616, 058		47, 832, 634
Vinegar gallons Wines (See Liquors, alcoholic.)	277, 586	55, 483	318, 975	89, 090	469, 316	135, 869
Yeast		820, 217		1,202,549		1,099,717
Total vegetable mat- ter, including forest products Total vegetable mat- ter, excluding forest		1,558,465,183		1,865,706,863		3,030,581,740
products		1,481,286,454		1,777,094,959		2,880,257,460
Total agricultural exports, including forest products Total agricultural		2,068,788,759		2,844,696,625		4,257,483,033
exports, excluding forest products		1,991,610,030		2,756,664,721		4,107,158,753

<sup>1</sup> Including dried peas.

<sup>2</sup> Included in "Beans."

TABLE 284.—Foreign trade of the United States in agricultural products, 1852-1919.

[Compiled from reports of Foreign Commerce and Navigation of the United States. All values are gold.]

	Agricu	ltural expo	rts.1	Agricultural	imports.1		
Year ending June 30—	Domest	ic.			Percent-	Excess of agricultural exports (+)	
	Total.	Percent- age of all exports.	Foreign.	Total.	age of all imports.	or of imports (—).	
Average:	\$164, 895, 146	80. 9	\$8,059,875	\$77, 847, 158	29. 1	+\$95, 107, 863	
	215, 708, 845	81. 1	10,173,833	121, 018, 143	38. 2	+104, 864, 535	
	148, 865, 540	75. 7	9,287,669	122, 221, 547	43. 0	+ 35, 931, 662	
	250, 713, 058	76. 9	8,538,101	179, 774, 000	42. 3	+ 79, 477, 159	
	396, 666, 397	78. 5	8,853,247	263, 155, 573	46. 5	+142, 364, 071	
	591, 350, 518	80. 4	8,631,780	266, 383, 702	50. 4	+333, 598, 596	
1882-1886	557, 472, 922	76. 3	9,340,463	311, 707, 564	46. 8	+255, 105, 821	
1887-1891	573, 286, 616	74. 7	6,982,328	366, 950, 109	43. 3	+213, 318, 835	
1892-1896	638, 748, 318	73. 0	8,446,491	398, 332, 043	51. 6	+248, 862, 766	
1897-1901	827, 566, 147	65. 9	10,961,539	376, 549, 697	50. 2	+461, 977, 989	
1902-1906	879, 541, 247	59. 5	11,922,292	487, 881, 038	46. 3	+403, 582, 501	
1907-1911	975, 398, 554	53. 9	12,126,228	634, 570, 734	45. 2	+352, 954, 048	
1901		65. 2	11, 293, 045	391, 981, 051	47.6	+570, 990, 325	
1902		63. 2	10, 308, 306	413, 744, 557	45.8	+453, 677, 282	
1903		63. 1	13, 505, 343	456, 199, 325	44.5	+425, 786, 575	
1904		59. 5	12, 625, 036	461, 434, 851	46.6	+410, 350, 439	
1905		55. 4	12, 316, 525	553, 851, 214	49.6	+285, 370, 088	
1906	976, 047, 104	56. 8	10, 856, 259	554, 175, 242	45.2	+432, 728, 121	
	1, 054, 405, 416	56. 9	11, 613, 519	626, 836, 808	43.7	+439, 182, 127	
	1, 017, 396, 404	55. 5	10, 298, 514	539, 690, 121	45.2	+488, 004, 797	
	903, 238, 122	55. 1	9, 584, 934	638, 612, 692	48.7	+274, 210, 364	
	871, 158, 425	50. 9	14, 469, 627	687, 509, 115	44.2	+198, 118, 937	
1911 1912 1913 1914	1,123,651,985 1,113,973,635	51. 2 48. 4 46. 3 47. 8	14,664,548 12,107,656 15,029,444 17,729,462	680, 204, 932 783, 457, 471 815, 300, 510 924, 247, 116	44.5 47.4 45.0 48.8	+365, 254, 018 +279, 277, 316 +323, 380, 919 +207, 456, 481	
1915 1916 1917 1918 Calendar year:	1,475,937,607 1,518,071,450 1,968,253,288 2,280,465,770	54.3 35.5 31.6 39.1	34, 420, 077 42, 087, 535 37, 640, 245 39, 552, 557	910, 786, 289 1, 189, 704, 830 1, 404, 972, 168 1, 618, 873, 978	54. 4 54. 1 52. 8 55. 0	+599, 571, 395 +370, 454, 155 +600, 921, 425 +701, 144, 349	
1918	2,756,664,721	45.6	73, 959, 480	1,669,238,551	55.1	+1,161,385,650	
1919 (preliminary)	4,107,158,758	53.0	122, 540, 608	2,392,880,382	61.3	+1,836,818,979	

<sup>1</sup> Not including forest products.

Table 285.—Value of principal groups of farm and forest products exported from and imported into the United States, 1918–1919.

[Compiled from reports on the Foreign Commerce of the United States.]

	Exports (d	Exports (domestic merchandise).			Imports.			
Article.	Year ending June 30—	Year endin	g Dec. 31—	Year ending June 30—	Year ending	g Dec. 31		
,	1918	1918	1919	1918	1918	1919		
FARM PRODUCTS.								
ANIMAL MATTER.								
Animals, live. Dairy products. Eggs Feathers and downs,	7, 167, 134	\$15, 045, 142 95, 957, 723 8, 428, 214		\$21, 958, 378 8, 380, 393 483, 636	\$28, 631, 161 6, 940, 202 363, 227	\$58, 037, 361 12, 863, 812 394, 629		
Fibers, animal:	302, 236	<b>2</b> 52, 903	863, 250	1, 959, 180 190, 624, 766	1, 520, 199 194, 198, 598	3, 550, 956 341, 886, 776		
Silk.' Wool. Packing-house products. Other animal matter	916, 506 604, 327, 984 5, 182, 390	462, 969 853, 782, 220 5, 050, 591	2, 230, 629 1, 038, 294, 077 8, 220, 178	198, 545, 911 176, 027, 857	251, 772, 616 175, 695, 614 4, 409, 191	216, 764, 501		
Total animal mat-	725, 540, 710	978, 979, 762	1, 226, 901, 293	604, 006, 274	663, 530, 808	995, 302, 757		
YEGETABLE MATTER.  Argols or wine lees. Cooka and chocolate. Coffee. Cotton. Fibers, vegetable, other. Fruits.	5, 898, 431 6, 286, 180 665, 024, 655		21, 380, 801 8, 816, 581 1, 137, 371, 252	5, 443, 628 41, 372, 378 103, 058, 536 36, 029, 483 109, 042, 470 24, 408, 810	4, 824, 504 37, 972, 369 99, 423, 362 41, 624, 242 114, 386, 667 25, 054, 154	4, 286, 972 58, 341, 884 261, 270, 106 71, 886, 290 81, 777, 998 38, 314, 146		
Glucose and grape sugar Grain and grain products.	32, 207, 364 1, 717, 548 5, 994, 671 623, 907, 546 907, 401 993, 773	30, 228, 780 1, 372, 586 3, 458, 927 790, 767, 657 904, 030	122, 678, 783 3, 338, 531 15, 139, 944 902, 220, 969 962, 975 8, 832, 255		*******			
Hay Hops. Lindigo Licorice root Liquors, alcoholic Nursery stock (plants,				1.853.927	2, 610, 375 1, 997, 269 5, 046, 531	237, 909 692, 488 3, 864, 619 524, 882		
Nursery stock (plants, trees, etc.) Nuts Oil cake and oil-cake	260, 763 2, 263, 314	239, 621 2, 144, 298		3, 328, 700 52, 850, 788	2, 007, 323 49, 930, 283	4, 420, 671 57, 510, 164		
meal Oil, vegetable Opium, crude Rice, rice flour, meal, and broken rice Sago, tapioca, etc	4, 994, 193 25, 190, 982	2, 785, 450 29, 418, 708	36, 040, 691 100, 350, 904	02, 357, 322 2, 443, 228				
broken rice		5, 496, 450	8, 542, 411	1 5 530 240	23, 488, 468 3, 903, 221 45, 192, 743 14, 098, 998 2, 108, 260	12, 241, 631 5, 207, 972 69, 104, 920 9, 803, 636 242, 909		
Tea	69, 699, 695	122, 918, 151	259, 985, 764	30, 889, 030 46, 985, 865 1, 475, 676 30, 175, 769	29, 539, 740 52, 122, 989 1, 195, 632 32, 688, 645	20, 145, 864 75, 145, 561 2, 407, 093 40, 645, 256		
Wax, vegetable Other vegetable matter Total vegetable						60, 252		
matter Total farm prod- ucts				1, 618, 873, 978				
FOREST PRODUCTS.		-, .00, 002, 121	2, 201, 200, 100	2, 010, 010, 810	2, 300, 200, 001			
Cork wood or cork bark. Dyewoods and extracts of Gums, rubber. Gums, other than rubber. Navalstores. Tanning materials, n. c. s.	11, 172, 864		31, 433, 997	206, 543, 236 21, 685, 638 636	1			

Table 285.— Value of principal groups of farm and forest products exported from and imported into the United States, 1918-1919—Continued.

	Exports (	lomesti <del>c</del> mer	chandise).	. Imports.			
Article.	Year ending June 30—	Year ending Dec. 31—		Year ending Year ending Dec.		g Dec. 31—	
	1918	1918	1919	1918	1918	1919	
FOREST PRODUCTS-Con.							
Wood: Cabinet, unsawed Lamber Pulp wood Timber and logs. Rattan and reeds. Wood pulp Other forest products. Total forest prod-	\$50,019,934 3,950,354 3,531,304 2,447,412	3, 029, 011 1, 733, 872 2, 303, 936	9, 107, 441 3, 048, 491 1, 206, 749	11, 088, 422 815, 247 1, 781, 230 31, 589, 000 4, 106, 35>	31, 477, 175 4, 130, 047	50, 406, 897 10, 458, 753 1, 987, 877 872, 374 37, 048, 381 1, 438, 362	
uets	87, 180, 768	83, 021, 904	150, 321, 280	335, 033, 459	279, 691, 509	374, 455, 432	
Total form and forest products	2, 367, 646, 538	2, 844, 686, 625	1, 257, 453, 033	1. 53, 907, 437	1, 949, 813, 060	2,767,335,314	

Table 286.—Exports of selected domestic agricultural products, 1852-1919.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no exports or they were not separately classified for publication. "Beef salted or pickled," and "Pork, salted or pickled," harrels, 551–586, were reduced to pounds at the rate of 200 pounds per barrel, and tirrees, 1835–1885, at the rate of 300 pounds per tierce; cottonseed oil, 1910, pounds reduced to gallons at the rate of 7.5 pounds per gallon. It is assumed that 1 barrel of corn meal is the product of 4 bushels of corn, and I harrel of whest four the product of 5-bushels of wheat prior to 1830 and 44 bushels of wheat in 1880 and subsequently.]

				Pack	ing-house pro	ducts.	
Year ending June 30— Cattle.	Cheese.	Beef, cured— salted or pickled.	Beef, fresh.	Deefolls— oleo oil.	Beef tallow.	Beef and its products— total, as far as ascertain- able.1	
Average: 1862-1856 1857-1861 1862-1866 1967-1871 1872-1876 1877-1881	Number. 1,431 20,294 6,531 45,672 127,045	Pounds. 6, 296, 385 13, 906, 430 42, 683, 073 52, 880, 976 87, 173, 752 129, 670, 479	Pounds. 25, 980, 520 26, 985, 880 27, 662, 720 26, 954, 656 35, 826, 646 40, 174, 643		Pounds.	Pounda: 7,468,910 13,214,614 43,202,724 27,577,269 78,994,360 96,822,695	Pounds, 33, 449, 480 49, 200, 494 76, 865, 444 54, 531, 925 114, 821, 906 218, 709, 987
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	131,605 244,394 349,032 415,488 508,103 253,867	108,790,010 86,354,842 66,905,798 46,108,704 19,244,482 9,152,083	47,401,470 65,613,851 64,898,780 52,242,288 59,208,292 43,187,175	97.327,819 136,447,554 207,372,575 305,626,184 272,148,180 141,790,735	30,276,133 50,482,249 102,038,510 139,373,402 156,925,317 170,530,432	48,745,416 91,608,126 56,976,849 86,082,497 59,892,601 66,356,232	225, 625, 631 411, 797, 859 507, 177, 430 637, 268, 235 622, 848, 236 448, 024, 017
1901 1902 1903 19 <del>04</del>	459,218 392,884 402,178 593,409 567,806	39,813,517 27,203,184 18,987,178 23,335,172 10,134,424	55,312,632 48,632,727 52,801,220 57,584,710 55,934,705	351,749,333 301,824,473 254,795,938 299,579,671 286,480,568	161,651,413: 138,546,088 126,010,339 165,183,839 145,228,245	77, 106, 889 84,005, 758 27,358, 924 76,924, 174 63,530, 992	705, 104, 772 596, 254, 526 546, 055, 244 663, 147, 098 575, 874, 718
1996 1907 1908 1909	584,239 423,054 349,210 207,542 189,430	16,562,451 17,285,230 8,439,031 6,822,842 2,846,709	\$1,088,098 62,645,281 46,958,367 44,494,210 36,554,266	268, 054, 227 281, 651, 502 201, 154, 105 122, 952, 671 75, 729, 666	200, 658, 075 105, 337, 176 212, 541, 157 179, 985, 246 126, 091, 675	97,577,156 127,857,739 91,397,507 53,332,767 29,379,992	732, \$94, 573 689, 752, 420 579, 303, 478 418, 844, 333 296, 205, 874
1911 1912	105, 506 24, 714 18, 376	10,366,605 6,337,559 2,599,058 2,427,577	40,283,749 38,087,907 25,856,919 23,265,974	42,510,731 15,264,320 7,362,388 6,394,404	138, 696, 906 126, 467, 124 92, 849, 757 97, 017, 065	29.813,154 39,451,419 30,586,359 15,812,831	285, 923, 983 233, 924, 620 170, 298, 320 151, 212, 000
1915 1916 1917 1948 Calendar year:	21, 287 13, 387 18, 213	55,362,917 44,394,301 66,050,013 44,303,076	31,874,743. 38,114,682 58,053,667 54,467,910	170,440,934 231,214,000 197,177,101 370,082,900	80,481,946 102,645,914 67,110,111 56,663,388	20, 239, 988 16, 288, 743 15, 209, 369 5, 014, 964	394,980,965 457,555,525 423,673,965 600,132,37
1918	17, 280 69, 859	48,404,672 14,159,721	41,206,020 42,804,724	514.341,529 174,426,999	69, 196,350 75, 585, 164	4,222,657 38,953,783	792, 708, 066 429, 432, 310

I Includes canned, cured, and fresh beef, oleo oil, oleomargarine, tallow and stearin from animal fats.

Table 286.—Exports of selected domestic agricultural products, 1852-1919—Con.

	<u>-</u>	-		_			
		Pack	ing-heuse pro	ducts.			
Year ending June 30—	Pork, cured— bacon.	Pork, cured— hams and shoulders.	Pork, cured— salted or pickled.	Pork-lard.	Pork and its products— total, as far as ascertain— able.1	Apples, fresh.	Corn and corn meal (in terms of grain).
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	Pounds. 30, 005, 479 30, 583, 297 10, 796, 961 45, 790, 113 313, 402, 401 643, 633, 709	Pounds.	Pounds. 40, 542, 600 34, 854, 400 52, 550, 768 28, 879, 085 60, 429, 361 85, 968, 138	Pounds. 33, 354, 976 37, 965, 993 89, 138, 251 53, 579, 373 194, 197, 714 331, 457, 591	1,010,100,41	000, 100	12,059,794 9,924,225 38,560,557 88,190,030
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	355, 905, 444 419, 935, 416 438, 847, 549 536, 287, 266 292, 721, 953 209, 005, 144	47, 634, 675 60, 697, 365 96, 107, 152 200, 853, 226 206, 902, 427 189, 603, 211	72, 354, 682 73, 984, 682 64, 827, 470 112, 788, 498 116, 823, 284 90, 809, 879	263, 425, 058 381, 388, 854 451, 547, 135 652, 418, 143 592, 130, 894 519, 746, 378	1,052,133,76 1,528,138,77 1,242,136,64 1,028,996,65	401, 886 522, 511 520, 810 779, 980 1, 368, 608 1, 225, 655	49, 992, 203 54, 606, 273 63, 979, 898 192, 531, 378 74, 615, 465 56, 568, 020
1901 1902 1903 1904 1905	456, 122, 741 383, 150, 624 207, 336, 000 249, 665, 941 262, 246, 635	214, 183, 303 194, 948, 864 203, 458, 724	138, 643, 611 115, 896, 275 95, 287, 374 112, 224, 861 118, 887, 189	611, 357, 514 556, 840, 222 490, 755, 821 531, 302, 643 610, 238, 899			181, 405, 473 28, 028, 688 76, 639, 261 58, 222, 061 90, 293, 483
1906 1907 1908 1909 1910	361, 210, 563 250, 418, 699 241, 180, 929 244, 578, 674 152, 163, 107	194, 210, 949 209, 481, 496 221, 769, 634 212, 170, 224 146, 885, 385	141, 820, 720 166, 427, 409 149, 505, 937 52, 354, 980 40, 031, 599	741, 516, 886 627, 559, 660 603, 413, 770 528, 722, 933 362, 927, 671	1, 464, 960, 35 1, 268, 065, 41 1, 237, 210, 76 1, 053, 142, 05 707, 110, 06	1,208,988 1,539,267 0,049,545 896,279 922,078	119, 893, 833 86, 368, 228 55, 063, 860 37, 665, 040 38, 128, 498
1911 1912 1913 1914	156, 675, 310 208, 574, 208 200, 993, 584 193, 964, 252	157, 709, 316 204, 044, 491 159, 544, 687 165, 881, 791	45, 729, 471 56, 321, 469 53, 749, 023 45, 543, 085	476, 107, 857 532, 255, 865 519, 025, 384 481, 457, 792	879, 455, 00 1, 071, 951, 72 984, 696, 71 921, 913, 02	1,721,106 4 1,458,381 0 2,150,132 9 1,508,569	65, 614, 522 41, 797, 201 50, 780, 143 10, 725, 819
1915	815, 294, 424	203, 701, 114 282, 208, 611 286, 656, 581 419, 571, 869	45, 655, 574 63, 460, 713 46, 992, 721 33, 221, 502	475, 531 908 427, 011, 338 444, 769, 540 392, 506, 355	1, 106, 180, 48 1, 462, 697, 06 1, 501, 948, 12 1, 692, 124, 32	2, 351, 501 1, 466, 321 5, 739, 997 635, 409	50,668,303 39,896,928 66,753,294 49,073,263
year: 1918 1919	1,104,788,081 1,190,297,494	537, 213, 041 596, 795, 663	<b>36, 6</b> 71, 680 <b>34,</b> 113, 875	548, 817, 901 760, 901, 611	2, 251, 032, 83 2, 638, 721, 37	579, 916 9 1, 712, 367	47,059,155 16,002,269
		Pack	ing-house pro	ducts.			
Year ending June 30—	Lard com- pounds.	Cotton.	Glucose and grape sugar.	Corn-oil cake and oil-cake meal.	Cottonseed- oil cake and oil-cake meal.	Prunes.	Tobacco.
A vernge: 1852-1857: 1857-1861. 1862-1866. 1867-1871. 1872-1876. 1877-1881.	Pounds.	Pounds. 1, 110, 498, 083 1, 125, 715, 497 137, 582, 133 902, 410, 333 1, 248, 805, 497 1, 738, 892, 268	Pounds.	I'ounds.	Pounds.	Pounds.	Pounds. 140, 183, 800 167, 710, 800 140, 207, 850 194, 753, 537 241, 848, 410 266, 315, 190
1882-1896 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	75, 785, 254	1,968, 178, 266 2,439,650,456 2,736,655,351 3,447,909,578 3,632,267,953 4,004,770,051	4, 473, 550 27, 686, 298 125, 574, 007 209, 279, 772 154, 866, 980 145, 064, 738	21, 888, 135 61, 732, 807	1,005,099,895 1,066,790,196 969,738,130	48, 550, 774 47, 039, 287	237, 941, 913 259, 248, 361 281, 746, 279 304, 401, 701 325, 538, 515 334, 395, 923
1901 1902 1903 1904 1905	23, 359, 960 36, 201, 744 46, 130, 004 53, 603, 545 61, 215, 187	3, 359, 062, 360 3, 528, 974, 636 3, 569, 141, 969 3, 089, 855, 906 4, 339, 322, 077	204, 209, 974 130, 419, 611 126, 239, 981 152, 768, 716 175, 250, 580	12,703,209 14,740,496 8,093,222 14,014,885 24,171,127	1,258,687,317 1,050,466,246 1,100,392,988 820,349,073 1,251,907,996	10, 021, 564 23, 358, 849 66, 385, 215 73, 146, 214 54, 993, 849	315, 787, 782 301, 007, 365 368, 184, 084 311, 971, 831 334, 302, 091

<sup>1</sup> Includes canned, fresh, salted or pickled pork, lard, neutral lard, lard oil, bacon, and hams.

Table 286.—Exports of selected domestic agricultural products, 1852-1919—Contd.

		Packi	ng-house pro	ducts.			
Year ending Jund 30—	Lard com- pounds.	Cotton.	Glucose and grape sugar.	Corn-oil cake and oil-cake meal.	Cotton-seed oil cake and oil-cake meal.	Frunes.	Tobacco.
1908 1907 1908 1909	Pounds. 67, 621, 310 80, 148, 861 75, 183, 210 75, 183, 196 74, 553, 603	Pounds. 3,634,045,170 4,518,217,220 3,816,998,693 4,447,985,202 3,206,708,226	Pounds. 189, 656, 011 151, 629, 441 129, 686, 834 112, 224, 504 149, 820, 088	Pounds. 48, 420, 942 56, 808, 972 66, 127, 704 53, 233, 890 49, 108, 598			
1911	73, 754, 400 62, 522, 888 67, 456, 832 58, 303, 564	4,033,940,915 5,535,125,429 4,562,295,675 4,760,940,538			804, 595, 955 1, 293, 690, 138 1, 128, 092, 367 799, 974, 252	51,030,711 74,328,074 117,950,875 69,813,711	355, 327, 072 379, 845, 320 418, 796, 906 449, 749, 982
1915. 1916. 1917. 1918. Calendar year:	69, 980, 614 52, 843, 311 56, 359, 493 31, 278, 382	4, 403, 578, 499 3, 084, 070, 125 3, 088, 080, 786 2, 320, 511, 665	159, 402, 508 186, 406, 182 214, 973, 315 97, 858, 301	45, 026, 125 18, 996, 490 15, 757, 612 457, 584	1,479,065,015 1,057,221,569 1,150,159,691 44,680,793	43, 478, 892 57, 422, 827 59, 645, 141 32, 926, 546	348, 346, 091 443, 293, 156 411, 598, 960 289, 170, 688
1918	43, 977, 410 124, 962, 950	2,118,175,182 3,367,677,985	57, 332, 150 255, 617, 709	69, 370 963, 980	11,667,296 628,133,166	22, 858, 112 108, 208, 257	406, 826, 718 776, 678, 135
Year ending June 30—	Hops.	Oils, veg- etable— cotton- seed oil.	Rice and rice bran, meal, and polish.	Sugar, raw and refined.	Wheat.	Wheat flour.	Wheat and wheat flour (in terms of grain).
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876	Bounds	Gallons.  122 135 136 136 137 1450 144,498,436	Pounds. 58, 514, 840 65, 732, 080 2, 257, 860 1, 856, 948 391, 344 602, 442	Pounds. 7,730,3 6,015,0 3,007,7 4,356,9 20,142,1 41,718,4	Bushels. 22 4, 715, 021 58 12, 378, 351 77 22, 529, 735 00 22, 106, 833 69, 48, 957, 518 43, 107, 780, 556	Barrels. 2,891,562 3,318,280 3,530,757 2,585,115 3,415,871 5,375,583	Bushels. 19, 172, \$30 28, 969, 749 40, 183, 518 35, 032, 409 66, 036, 873 133, 262, 753
1882-1886 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	9, 584, 44 7, 184, 14 15, 146, 66 15, 467, 31 11, 476, 27 14, 774, 18	3, 467, 905 7, 120, 796 7, 120, 796 15, 782, 647 42, 863, 203 72, 38, 605, 737 38, 783, 550	561, 406 3, 209, 653 10, 277, 947 18, 407, 139 45, 977, 670 27, 194, 549	107, 129, 7 75, 073, 8 13, 999, 3 11, 213, 6 14, 807, 0 61, 429, 8	70 82, 883, 913 38 64, 739, 011 49 99, 913, 895 64 120, 247, 430 14 70, 527, 077 02 62, 854, 580	8,620,199 11,286,568 15,713,279 17,151,070 15,444,100 11,840,699	121, 674, 809 115, 528, 568 170, 623, 652 197, 427, 246 140, 025, 529 116, 137, 728
1901		76 49, 356, 741 33, 042, 848 35, 642, 994 29, 013, 743 12 51, 535, 580			52 154, 856, 102 56 114, 181, 420 37 44, 230, 169 77 4, 394, 402		
1906 1907 1908 1909 1910		34 41,880,304 80 41,019,991 84 51,087,329 54 29,860,667	28, 444, 415 20, 511, 429 26, 779, 188				
1911 1912 1913 1914			22,414,320	79, 594, 0 43, 994, 7 50, 895, 7			
1915	16,210,4 22,409,8 4,824,8 3,494,5	42, 448, 870 18 35, 534, 941 76 21, 188, 236 79 13, 437, 331	77, 480, 065 121, 967, 465 181, 372, 310 196, 363, 268		4	1	t
1918 1919	3,670,3 20,797,5	52 15,875,650 04 25,751,093	167, 932, 775 376, 875, 571	407, 296, 8 1, 475, 407, 6	24 111,177,103 378 148,086,470	21,708,700 26,449,881	208, 857, 253 267, 110, 934

## Table 287.—Imports of selected agricultural products 1852-1919

Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no imports or they were not separately classified for publication. "Silk" includes, prior to 1881, only "Silk, raw or as recied from the cocoon;" in 1881 and 1882 are included this item and "Silk waster" after 1882, both these items and "Silk cocoons." From Cocoo and checolator are omitted in 1880, 1881, and 1872 to 1881, small quantities of chocolate, the official returns for which were given only in value. "Jute and jute butts" includes in 1888 and 1889 an unknown quantity of "Hemp." Cattle hides are included in "Hides and skins other than cattle and goat" in 1895-1897. Olive oil for table use includes in 1862-1894 and 1885-1896 all olive oil. Sisal grass includes in 1882-1890 "Other vegetable substances." Hemp includes in 1885-1888 all substitutes for hemp.]

-							
Year ending June 30-	Cheese	Silk.	Wool.	Almonds.	Argols or wine lees.	Cocoa and chocolate, total.	Coffee.
Average: 1852-1856 1857-1861 1852-1866 1867-1871 1872-1876 1877-1881		Pounds. 681,669 1,094,948 1,922,269		3,251,091	Pounds.  1,354,947 2,360,529 4,951,473 12,403,256	Pounds. 2, 486, 572 3, 063, 893 2, 453, 141 3, 502, 614 4, 857, 364 6, 315, 488	Pounds. 196, 582, 863 216, 235, 090 124, 551, 992 248, 726, 019 307, 006, 928 384, 282, 199
1832-1836 1887-1891 1892-1896 1897-1901 1902-1906 1007-1911	8, 335, 323 9, 649, 752 12, 588, 515 22, 165, 754 37, 662, 812	4,672,846 6,564,121 8,382,892 10,962,210 17,187,544 22,143,461	83, 293, 800 117, 763, 889 162, 640, 491 163, 979, 079 193, 656, 402 199, 562, 649	5, 860, 728 7, 487, 676 7, 361, 198 10, 920, 881 15, 297, 414	17, 551, 967 21, 433, 570 26, 469, 990 24, 379, 847 27, 647, 440 29, 350, 692	11, 568, 173 18, 322, 049 25, 475, 234 38, 209, 423 70, 901, 254 113, 673, 368	529, 578, 782 509, 367, 994 597, 484, 217 816, 570, 082 980, 119, 167 934, 533, 322
1901 1902 1903 1904 1905	15, 329, 099 17, 087, 714 20, 671, 384 22, 707, 103 23, 095, 705	10, 405, 555 14, 234, 826 15, 270, 859 16, 722, 709 22, 357, 307	103, 583, 505 166, 576, 966 177, 137, 796 173, 742, S34 249, 135, 746	5, 140, 232 9, 868, 982 8, 142, 164 9, 838, 852 11, 745, 081	28, 598, 781 29, 276, 148 29, 966, 557 24, 571, 730 26, 281, 931	47, 620, 204 52, 878, 587 65, 046, 884 75, 070, 746 77, 383, 024	854, 871, 310 1, 091, 004, 252 915, 086, 380 995, 043, 284 1, 047, 792, 984
	27, 286, 866 33, 848, 766 32, 530, 839 35, 548, 143 40, 817, 524	17, 352, 021 18, 743, 904 16, 662, 132 25, 137, 957 23, 457, 223	201,688,668 203,847,545 125,980,524 266,409,304 263,928,232	15,009,326 14,233,613 17,144,968 11,029,421 18,556,356	28, 140, 835 30, 540, 893 26, 738, 834 32, 115, 646 28, 182, 956	84, 127, 027 97, 059, 513 56, 604, 684 132, 660, 931 111, 070, 834	851, 668, 033 985, 321, 473 890, 640, 057 1, 049, 868, 768 871, 469, 516
1911	45, 568, 797 46, 542, 007 49, 387, 944 63, 784, 313	26, 666, 091 26, 584, 962 32, 101, 555 34, 545, 829	137,647,641 193,400,713 195,293,255 247,648,869	15, 522, 712 17, 231, 458 15, 670, 558 19, 038, 405	29, 175, 133 23, 661, 078 29, 479, 119 29, 793, 011	140, 970, 877 148, 785, 846 143, 509, 852 179, 364, 091	875, 366, 797 885, 201, 247 863, 130, 757 1, 001, 528, 317
1915. 1916. 1917. 1918. Calendar year:	50, 138, 520 30, 087, 999 14, 481, 514 9, 839, 305	31,052,674 41,925,297 40,331,423 43,680,988	308,083,429 534,828,022 372,372,218 379,129,934	17, 111, 264 16, 596, 921 23, 424, 058 23, 840, 145	23, 624, 554 34, 721, 043 23, 925, 808 30, 267, 382	194, 734, 195 245, 579, 101 340, 483, 397 399, 312, 278	1, 118, 690, 524 1, 201, 104, 485 1, 319, 870, 802 1, 143, 890, 889
1918	7, 562, 044 11, 332, 204	48,720,969 55,522,372	453,727,372 445,892,834	27,694,131 35,490,446	27,687,478 25,735,599	360, 615, 359 392, 364, 512	1,052,201,501 1,333,564,067
Year ending June 30—	Corn.	Oats, includir oatmea	ng Wheat	Wheat flour.	Wheat, including wheat flour		Unmanu- factured tobacco.
Average: 1852-1856 1857-1861 1862-1866 1867-1871 1872-1876	-1		2.617.4	96 411, 282 32	4, 178, 206 2, 617, 432	1,037,35 2,915,44	
1882-1886 1887-1891 1892-1893 1897-1901 1902-1906 1907-1911	20, 21 91, 8	23 33 57 105, 1 04 54, 2 93, 7 1, 649, 5			351,896	1, 833, 06 1, 180, 74 404, 47 233, 58 3, 248, 63	5 21,640,477 1 25,871,080 6 16,057,809 8 33,804,555 42,812,615
1901 1902 1903 1904 1905	5, 10 18, 2' 40, 9: 16, 6: 15, 4	59 32, 1 78 38, 9 19 150, 0 33 183, 9 43 55, 6	07 600, 2 78 118, 6 65 1, 077, 4 83 6, 8 99 3, 102, 5	12 642 12 420 24 601 52 46, 851 85 40, 801	603, 101 120, 502 1, 080, 128 217, 682 3, 286, 189	1, 631, 72 477, 15 129, 08 213, 27 290, 18	6 . 26, 851, 253 7 . 20, 428, 837 9 . 34, 016, 056 0 . 31, 162, 636 4 . 33, 288, 378

<sup>1</sup>Does not include oatmeat.

Table 287.—Imports of scienced agricultural products, 1852-1919—Continued.

Year ending June 30—	c	orn.	in	Oats, cluding utmeal.	Wheat.	Wheat flour,	Wheat, including wheat flour.	Flaxseod.	Unmanu- factured tobacco.
1906 1907 1908 1909	В	ushels. 10,127 10,818 20,312 258,065 117,950	6 11	3ushels. 40,025 91,289 383,418 691,700 ,034,511	Bushels. 57, 995 375, 433 341, 617 41, 082 164, 201	Barrels. 45,314 47,702 39,593 92,413 144,750	Bushcls. 261, 908 590, 092 519, 785 456, 040 815, 617	Bushels. 52, 240 90, 356 57, 419 593, 668 5, 002, 496	Pounds. 41, 125, 970 40, 898, 807 35, 005, 131 43, 123, 196 46, 853, 389
1911 1912 1913 1914	12,	52,322 58,425 908,062 367,569		107, 318 , 622, 357 1723, 899 , 273, 624	509, 439 2, 699, 130 798, 028 1, 978, 937	141, 582 158, 777 107, 558 89, 911	1,146,558 3,413,626 1,282,039 2,383,537	10, 499, 227 6, 841, 806 5, 294, 296 8, 653, 235	48, 203, 288 54, 740, 380 67, 977, 118 61, 174, 751
1915 1916 1917 1918 Calendar year: 1918 1919		897, 939 208, 497 267, 299 196, 420	12	1 630, 722 1 665, 314 1 761, 644 2, 591, 077	420, 469 5, 703, 078 24, 138, 817 28, 177, 281	64, 200 329, 905 174, 704 675, 096	715, 369 7, 187, 659 24, 924, 985 31, 215, 213	10,666,215 14,679,223 12,393,988 13,366,529	45, 869, 213 48, 077, 956 49, 105, 119 86, 990, 541
1918 1919	11,	990, 361 212, 717	11	, 443, 700 1 609, 128	17, 035, 986 7, 910, 701	167, 124 16, 623	17,788,044 -7,985,505	12, 974, 476 14, 036, 184	83, 514, 115 85, 985, 617
Year ending June 30—	;	Flax.		Hemp.	Hops.	Jute and jute butt	Licorice root.	Manila.	Molasses.
Average: 1852-1856 1857-1801 1802-1866 1807-1871 1872-1876 1877-1881		Long to: 1, 1	ns. 43 70 60	Long tons. 1, 574 2, 652 22, 711 22, 458	Pounds.	3, 21 14, 90 49, 18	s. Pounds. 4 1,372,577 3 1,887,89 9	Long tons. 12,084 3 15,566	Gallons. 28, 488, 888 30, 190, 875 34, 262, 933 53, 322, 088 44, 815, 321 32, 638, 963
1882-1886 1887-1891 1802-1896 1897-1901 1902-1906 1907-1911		5, 6 7, 0 6, 7 7, 0 8, 5 9, 7	78 21 85 08 74 21	30, 557 36, 919 5, 409 4, 107 5, 230	1, 618, 879 7, 771, 672 2, 386, 240 2, 381, 899 5, 205, 887 6, 769, 965	91, 05 104, 88 84, 11 93, 97 101, 51 100, 42	8 59,275,377 1 86,444,97 0 87,475,62 2 99,543,39 96,111,46		35, 019, 689 30, 543, 299 15, 471, 019 6, 321, 160 17, 191, 821 24, 147, 348
1901 1902 1903 1904 1905		10, 1 8, 0	23	4, 057 6, 054 4, 919 5, 871 3, 987	2,606,708 2,805,293 6,012,510 2,758,163 4,330,379		3   109,077,32 3   88,580,61 5   89,463,18 5   108,443,89		11, 453, 156 14, 391, 215 17, 240, 399 18, 828, 539 19, 477, 885
1906 1907 1908 1909 1910			28	5, 317 8, 718 6, 213 5, 208 6, 423	10, 113, 989 6, 211, 893 8, 493, 265 7, 386, 574 3, 200, 560	103, 94 104, 48 107, 53 156, 68 68, 15	5 102, 151, 96 9 66, 115, 86 3 109, 355, 72 5 97, 742, 77 5 82, 207, 49	9 58,738 3 54,513 0 52,467 6 61,902 93,253	16, 021, 076 24, 630, 935 18, 882, 756 22, 092, 696 31, 292, 165
1911 1912 1913 1914			21	5, 278 5, 007 7, 663 8, 822	8, 557, 531 2, 091, 125 8, 494, 144 5, 382, 025	125, 38	125, 135, 49 11 74, 582, 22 9 105, 116, 22 115, 636, 13	0 74,308 5 68,536 7 73,823 1 40,688	23, 838, 190 28, 828, 213 33, 926, 521 51, 410, 271
1915 1916 1917 1918 Colendar year: 1918 1919		4,6 6,9 7,9 5,6	HØ HS	5, 310 6, 506 9, 635 6, 813	11, 651, 332 675, 704 236, 849 121, 288	108.32	65, 958, 50 41, 003, 20 5 59, 400, 22 2 26, 982, 93	5 78,892 4 76,765	70, 839, 623 85, 716, 673 110, 237, 888 130, 730, 861
1918 1919		7,8 4,4	56 20	3, 875 1, 698	76, 775 467, 433	71, 41 62, 33	4 27, 190, 30 2 49, 891, 67	9 78, 783 3 68, 536	141, 339, 184 120, 125, 795

<sup>1</sup> Does not include oatmeal.

Table 287.—Imports of selected agricultural products, 1852-1919—Continued.

Year ending Jun 30—	Olive oil for table use.	Opium, crude.	Potatoes.	Rice and rice flour, rice meal, and broken rice.	Sisal grass.	Sugar, raw and refined.	Tea,
Average: 1852-1856 1857-1801 1862-1866 1867-1871 1872-1876 1877-1881		110, 143	Bushels. 406, 611 251, 637 216, 077 254, 615 1, 850, 106	Pounds.  70, 893, 331 52, 953, 577 72, 536, 435 62, 614, 706	Long tons.	Pounds. 479, 373, 648 691, 323, 833 672, 637, 141 1, 138, 464, 815 1, 614, 055, 119 1, 760, 508, 290	Pounds. 24, 959, 922 28, 149, 643 30, 869, 450 44, 052, 805 62, 436, 359 67, 583, 083
1882-1886	909, 24 1, 783, 42 3, 897, 22	001 040	2, 834, 736 3, 878, 580 1, 804, 649 495, 150 2, 662, 121 1, 907, 405	99, 870, 675 156, 858, 635 160, 807, 652 165, 231, 669 150, 913, 684 215, 892, 467	40, 274 50, 129 70, 297 96, 832 102, 440	2, 458, 490, 409 3, 003, 283, 854 3, 827, 799, 481 3, 916, 433, 945 3, 721, 782, 404 3, 997, 156, 461	74, 781, 418 84, 275, 049 92, 782, 175 86, 809, 270 98, 677, 584 96, 742, 977
1901 1902 1903 1904 1905		573, 055 4 584, 680	371, 911 7, 656, 162 358, 505 3, 166, 581 181, 199	117, 199, 710 157, 058, 894 169, 656, 284 154, 221, 772 106, 483, 515		3, 975, 005, 840 3, 031, 915, 875 4, 210, 108, 106 3, 700, 623, 613 3, 680, 932, 998	89, 806, 453 75, 579, 125 108, 574, 905 112, 905, 541 102, 706, 599
1906 1907 1908 1909 1910	2, 447, 13 3, 449, 51 3, 799, 11 4, 129, 45 3, 702, 21	1 469, 387 7 565, 252 2 285, 845 4 517, 388 449, 239	1, 948, 160 176, 917 403, 952 8, 383, 966 353, 208	166, 547, 957 209, 603, 180 212, 783, 392 222, 900, 422 225, 400, 545	98,037 99,061 103,994 91,451 99,966	3, 979, 331, 430 4, 391, 839, 975 3, 371, 997, 112 4, 189, 421, 018 4, 094, 545, 936	93, 621, 750 86, 368, 490 94, 149, 564 114, 916, 520 85, 626, 370
1911 1912 1913 1914	4, 405, 82 4, 836, 51 5, 221, 00 6, 217, 56	629,842 5 399,837 508,433 455,200	218, 984 13, 734, 695 327, 230 3, 645, 993	208, 774, 795 190, 063, 331 222, 103, 547 300, 194, 917	117,727 114,467 153,869 215,547	3, 937, 978, 265 4, 104, 618, 393 4, 740, 041, 488 5, 066, 821, 873	102, 563, 942 101, 406, 816 94, 812, 800 91, 130, 815
1915 1916 1917 1918 Calendar year: 1918	7, 224, 43 7, 533, 14 2, 537, 51	146,658 19 86,812 12 157,834	270, 942 209, 532 3, 079, 025 1, 180, 480 1, 201, 494 5, 543, 686	I.	185, 764 228, 610 143, 407 150, 164 151, 876 144, 542	5, 420, 981, 867 5, 633, 161, 749 5, 332, 745, 884 4, 903, 327, 249 5, 170, 976, 319 7, 023, 619, 956	96, 987, 942 109, 865, 935 103, 364, 410 151, 314, 932 134, 418, 201 80, 962, 920
Year ending June 39—	9,024,18 Beeswax.	730, 272	Plums and prunes.	174, 596, 124 Raisms.	Currents.	7,023,619,956  Dates.	80, 962, 920 Figs.
Average: 1887-1891 1892-1896 1897-1901 1902-1906 1907-1911	Pounds. 128, 790 279, 839 265, 143 456, 727 845, 720	Bushels. 628,358 924,418 1,103,034	Pounds, 60, 237, 642 12, 405, 549 560, 762 563, 900	Pounds. 38, 545, 635 17, 745, 925 7, 669, 593 7, 344, 676 5, 283, 145	Pounds. 34, 397, 75 27, 520, 44 35, 457, 21 35, 258, 62	Pounds.  14, 914, 349 15, 653, 642 25, 649, 432 26, 059, 353	Pounds. 9, 783, 650 10, 117, 049 8, 919, 921 14, 334, 760 19, 848, 037
1901	213, 773 408, 706 488, 576 425, 168 373, 569	774, 042 796, 316 925, 599 1, 171, 242 856, 366	745, 974 522, 478 633, 819 494, 105 671, 604	3, 869, 836 6, 683, 545 6, 715, 675 6, 867, 617 4, 041, 689	16, 049, 19 36, 238, 97 33, 878, 20 39, 347, 64 31, 742, 91	20,013,681 5 21,681,159 9 43,814,917 9 21,058,164 0 19,257,250	9, 933, 871 11, 087, 131 16, 482, 142 13, 178, 061 13, 364, 107
1906	587, 617 917, 088 671, 526 764, 937 972, 145	872, 566 1, 126, 114 1, 275, 333 574, 530 1, 024, 226	497, 494 323, 377 335, 089 296, 123	12, 414, 855 3, 967, 151 9, 132, 353 5, 794, 320 5, 042, 683	37, 078, 31 38, 392, 77 38, 652, 65 32, 482, 11 33, 326, 03	22, 435, 672 31, 270, 809 3 24, 058, 343 21, 869, 218 22, 693, 713	17, 562, 358 24, 346, 173 18, 836, 574 15, 235, 513 17, 362, 197
1911 1912 1913 1914	902,904 1,076,741 828,703 1,412,200	1,514,967 1,436,037 789,458 1,114,811		2,479,220 3,250,861 2,579,705 4,554,549	33, 439, 56 33, 151, 39 30, 843, 73 32, 033, 17	29, 504, 592 25, 208, 248 34, 304, 951 34, 073, 608	23, 459, 728 18, 765, 408 16, 837, 819 19, 284, 868
1915 1916 1917 1918. Calendar year:	1,564,506 2,146,380 2,685,982 1,826,618	829, 177 815, 872 1, 757, 948 1, 313, 402		843,533	30, 350, 52 25, 373, 02 10, 476, 53 5, 168, 07		20, 779, 730 7, 153, 250 16, 479, 733 10, 473, 239
1918 1919	1,558,048 2,383,901	261,029 740,686		100,273 1,566,786	5, 091, 32 14, 852, 46	8 10,720,852 6 36,920,921	11,775,499 25,358,946

Table 287.—Imports of selected agricultural products, 1852-1919—Continued.

	Hides and	skins, other	than furs.	Macaroni, vermicelli.			
Year ending June 30	Cattle.	Goat.	Other than cattle and goat.	and all similar prepara- tions.	Lemons,	Oranges.	Walnuts.
Average: 1897-1901	Pounds.	Pounds. 68, 052, 973	Pounds. 91, 173, 311	Pounds.	Pounds.	Pounds.	Pounds.
1902–1906 1907–1911	126, 995, 011 178, 681, 537	93, 674, 819 94, 329, 840	115, 952, 418 143, 351, 321	99, 724, 072	153, 160, 863 153, 343, 434	41, 104, 544 12, 343, 790	30, 980, 661
1901 1902 1903 1904 1905	131, 644, 325 85, 370, 168	73, 745, 596 88, 038, 516 85, 114, 070 86, 338, 547 97, 803, 571	77, 989, 617 89, 457, 680 102, 340, 303 103, 024, 752 126, 898, 934	28, 787, 821 40, 224, 202 53, 441, 080	148, 514, 614 164, 075, 309 152, 004, 213 171, 923, 221 139, 084, 321	50, 332, 914 52, 742, 476 56, 872, 070 35, 893, 260 28, 880, 575	12,362,567 23,670,761 21,684,104
1906	134, 671, 020 98, 353, 249 192, 252, 083	111, 097, 391 101, 201, 596 63, 640, 758 104, 048, 244 115, 844, 758	158, 045, 419 135, 111, 199 120, 770, 918 148, 253, 998 174, 770, 732	77, 926, 029 87, 720, 730 97, 233, 708 85, 114, 003 113, 772, 801	138, 717, 252 157, 859, 906 178, 490, 003 135, 183, 550 160, 214, 785	31, 134, 341 21, 267, 346 18, 397, 429 8, 435, 873 4, 676, 118	24,917,028 32,597,592 28,887,110 26,157,703 33,641,466
1911 1912 1913 1914	251, 012, 513	86, 913, 842 95, 340, 703 96, 250, 305 84, 759, 428	137, 849, 757 191, 414, 882 207, 903, 995 196, 347, 770	114,779,116 108,231,028 106,500,752 126,128,621	134, 968, 924 145, 639, 396 151, 416, 412	7, 672, 186 7, 628, 662 12, 252, 960	33, 619, 434 37, 213, 674 26, 662, 441 37, 195, 728
1915 1916 1917 1918 Calendar year:	434, 177, 771 336, 600, 028 267, 499, 770	66, 547, 163 100, 657, 021 105, 640, 307 66, 932, 937	137, 430, 153 208, 835, 068 207, 967, 162 98, 083, 986	56, 542, 480 21, 789, 602 3, 472, 503 669, 524			33, 445, 838 36, 858, 934 38, 725, 362 23, 289, 170
1918 1919	221,051,070	62,363,549 133,656,814	78, 476, 280 203, 896, 950				13,011,404 31,495,977

Table 288.—Foreign trade of the United States in forest products, 1852-1919.
[Compiled from reports of Foreign Commerce and Navigation of the United States. All values are gold.]

	Expo	rts.		Excess of
Year ending June 33—	Domestic.	Foreign.	Imports.	exports (+) or of imports (-).
Average: 1852-1866 1857-1861 1862-1866 1862-1876 1877-1871 1877-1881 1889-1886 1887-1891	7,366,103 11,775,297 17,906,771 17,579,313 24,704,992 26,060,729 29,276,428	\$694, 037 962, 142 798, 070 690, 748 959, 862 552, 514 1, 417, 226 1, 442, 760 1, 707, 307 3, 283, 274	\$3, 256, 302 6, 042, 211 8, 511, 370 14, 812, 576 10, 728, 458 22, 006, 227 34, 252, 753 33, 647, 287 45, 001, 081	+ \$4,256,814 + 4,014,739 - 347,191 - 2,346,531 - 861,825 - 3,874,400 - 8,130,535 - 12,143,798 - 14,107,346
1897-1901 1902-1906 1907-1911	45,060,863 63,584,670 88,764,471	3, 283, 274 3, 850, 221 6, 488, 455	45,091,081 52,326,870 79,885,457 137,051,471	- 3,082,742 - 12,450,566 - 41,798,545
1901 1902 1903 1904 1904	48,928,764 58,734,016	3,599,192 3,609,071 2,865,325 4,177,352 3,790,097	57, 143, 650 59, 187, 049 71, 478, 022 79, 619, 286 92, 680, 555	+ 1,824,703 - 6,649,214 - 9,878,681 - 5,356,155 - 25,691,110
1906 1907 1908 1909	92,948,705 90,362,073 72,442,454	4,809,261 5,500,331 4,570,397 4,982,810 9,801,881	96, 462, 364 122, 420, 776 97, 733, 092 123, 020, 126 178, 871, 797	- 14,677,672 - 23,971,740 - 2,800,622 - 46,494,862 - 84,039,686
1911 1812 1913 1914	108, 122, 254 124, 835, 784 106, 978, 554	7, 586, 854 6, 413, 343 7, 431, 851 4, 517, 766	162, 311, 565 172, 523, 465 180, 502, 444 155, 261, 300	- 51, 685, 819 - 57, 987, 868 - 48, 234, 809 - 43, 764, 980
1915. 1916. 1917. 1918. Calendar year:	68, 918, 836	5, 089, 299 4, 364, 335 11, 171, 520 6, 060, 140	105, 849, 493 252, 851, 305 322, 690, 430 335, 033, 450	-108, 206, 658 -180, 331, 491 -242, 609, 074 -241, 786, 551
1918 1919 (preliminary)	88,021,904 150,324,280	5, 890, 955 6, 899, 403	279, 604, 509 374, 455, 432	-185,601,650 -217,231,704

Table 239.—Exports of selected domestic forest products, 1852-1919.

[Compiled from reports of Foreign Commerce and Navigation of the United States. Where figures are lacking, either there were no exports or they were not separately classified for publication.]

						1	
•		Lumber,		•		Timb	er.
Year ending Juno	Boards, deals, and planks.	Shooks, other than box.	Staves.	Rosin.	Spirits of turpentine.	Hewn.	Sawed.
Average: 1851-1856 1857-1861 1862-1866 1867-1871 1872-1876 1877-1881	M /cct. 120, 499 205, 476 138, 020 138, 720 221, 658 303, 114		Number.	Barrels. 552, 210 664, 206 69, 314 491, 774 845, 803	Gallons. 1, 369, 250 2, 735, 104 162, 162 2, 693, 412 7, 138, 556	Cubic feet. 17, 459, 602 18, 316, 876	M feet.
1882–1886 1887–1801 1892–1896 1897–1901 1902–1900 1907–1911	433,963 531,755 616,000 957,218 212,476 1,649,203	593, 054 435, 581 668, 797 765, 215 925, 828	51, 234, 056 56, 181, 900	1, 289, 869 1, 533, 834 2, 006, 427 2, 477, 666 2, 453, 280 2, 355, 560	9, 301, 894 10, 794, 025 14, 258, 928 18, 349, 386 16, 927, 000 16, 658, 955	13, 701, 663 6, 401, 543 6, 062, 418 5, 146, 927 3, 968, 469 3, 406, 245	218, 766 263, 641 428, 755 508, 212 479, 776
1901 1902 1903 1904 1905	912,814	711, 651 788, 241 566, 205 533, 182 872, 193	47, 363, 262 46, 998, 512 55, 879, 610 47, 420, 005 48, 286, 285	2, 820, 815 2, 535, 962 2, 396, 498 2, 585, 108 2, 310, 275	20, 240, 851 19, 177, 788 16, 378, 787 17, 202, 808 15, 894, 813	4, 642, 608 5, 388, 439 3, 291, 498 3, 788, 740 3, 856, 623	533, 920 412, 750 530, 659 558, 660 486, 411
1908 1907 1908 1909 1910	1,623,964 1,548,130 1,357,822	1,066,253 803,346 900,812 977,376 928,197	57,586,378 51,120,171 61,696,949 52,583,016 49,783,771	2,438,556 2,560,966 2,712,732 2,170,177 2,144,318	15, 981, 253 15, 854, 676 10, 532, 583 17, 502, 028 15, 587, 737	3,517,046 3,278,110 4,883,506 2,950,528 3,245,196	552, 548 600, 865 463, 440 383, 309 451, 721
1911 1912 1913 1914	2, 306, 680	1,019,411 1,161,591 1,710,095 867,805	65, 725, 595 64, 162, 599 89, 005, 624 77, 150, 535	2,189,607 2,474,460 2,806,046 2,417,950	14,817,751 19,590,241 21,093,597 18,900,704	2, 673, 887 MF fret. 31, 067 34, 592 20, 859	490, 547 406, 554 477, 135 411, 307
1915. 1916. . 1927. 1918. Calendar year:	1,011,845 1,007,700	620, 043 611, 556 1, 079, 510 1, 758, 667	39, 297, 268 57, 537, 610 61, 469, 225 63, 207, 351	1,372,316 1,571,279 1,638,590 1,070,929	9, 464, 120 9, 310, 268 8, 811, 875 5, 095, 124	6,118 9,628 7,203 7,426	167,671 191,577 177,072 98,791
1918	1,023,769 1,311,210	1, 905, 576 3, 836, 356	53, 373, 526 81, 657, 792	779,027 1,209,627	3,717,093 10,672,102	6,086 8,460	69, 184 174, 214

<sup>1</sup> Including "Joists and scantling" prior to 1884.

# Imports and Exports of Agricultural Products.

Table 290.—Imports of selected forest products, 1852-1919.

			-	Lun	ber.		
Year ending June 30—	Camphor, crude.	India rubber.	Rubber gums, total.	Boards, deals, planks, and other sawed.	Shingles.	Shellac.	Wood pidp.
Average: 1852-1856	Pounds. 213, 720	Pounds.	Pounds.	M fect.	м.	Pounds.	Longtons.
1857-1961	360, 522 386, 731		17,389,980			634, 270	
1872–1876 1877–1881			12, 631, 388 15, 610, 634	564, 642 417, 907	88, 197 55, 394		
1882-1886 1887-1891 1892-1896 1907-1901 1902-1908 1907-1911	2, 273, 883 1, 491, 902 1, 858, 018 2, 139, 183	38, 359, 547 47, 469, 136 57, 903, 641 80, 129, 567	24, 180, 997 33, 226, 520 39, 671, 553 52, 974, 744 75, 908, 633 121, 504, 098	577, 728 646, 745 661, 495 566, 394 727, 205 899, 659	87, 700 184, 050 772, 340 866, 565	5, 086, 421 5, 848, 339 8, 839, 232 11, 612, 967 19, 046, 030	37, 251 42, 771 46, 827 120, 764 319, 007
1901 1902 1908 1904 1905	1, 831, 058 2, 472, 440 2, 819, 673	55, 275, 529 50, 413, 481 55, 010, 571 59, 015, 551 67, 234, 256	64, 927, 176 67, 799, 069 69, 311, 678 74, 327, 584 87, 004, 384	490, 820 665, 603 720, 937 589, 232 710, 538	555, 853 707, 614 724, 131 770, 373 758, 725	9, 608, 745 9, 064, 789 11, 596, 725 10, 933, 413 10, 700, 817	46, 757 67, 416 116, 881 144, 796 167, 501
1973	3, 138, 070 2, 814, 299 1, 990, 499	2 57, S44, 345 2 76, 963, 838 2 62, 233, 160 2 88, 359, 895 2 101,044,681	81, 109, 451 106, 747, 589 85, 809, 625 114, 598, 768 154, 620, 629	949, 717 931, 195 791, 288 846, 024 1, 054, 416	906, 856 831, 003 988, 081 1, 058, 363 762, 798	15, 780, 090 17, 785, 960 13, 361, 932 19, 185, 137 29, 402, 182	157, 224 213, 110 237, 514 271, 217 378, 322
1911 1912 1913 1914	2,154,646 3,709,264	72, 046, 260 110, 210, 173 113, 384, 359 131, 995, 742	145, 743, 880 175, 965, 538 170, 747, 339 161, 777, 250	872, 374 905, 275 1, 090, 628 928, 873	642, 582 514, 657 560, 297 595, 038	15, 494, 940 18, 745, 771 21, 912, 915 16, 719, 756	491, 873 477, 508 502, 913 508, 360
1915 1916 1917 1918 Calendar year:	4, 574, 430 6, 884, 950 3, 638, 384	172, 068, 428 267, 775, 557 333, 373, 711 389, 599, 015	196, 121, 979 304, 182, 814 304, 913, 711 414, 983, 610	939, 322 1, 218, 068 1, 175, 180 1, 282, 647	1, 487, 116 1, 769, 383 1, 924, 139 1, 878, 465	24, 153, 363 25, 817, 509 32, 539, 522 22, 913, 256	587, 922 507, 048 099, 475 504, 108
1918 1919	3, 474, 282 2, 693, 822	325, 959, 308 535, 940, 421	340, 023, 198 565, 931, 299	1, 208, 912 1, 147, 945	1,797,612 1,987,480	18, 663, 717 24, 426, 403	516, 258 567, 872

<sup>1</sup> Includes "Gutta-percha?' only for 1867.

<sup>2</sup> Includes "Cuayule gum," crude.

Table 291.—Principal farm products imported from specified countries into the United States, 1918 and 1919.

	Year ending June 30, 1918.		Year ending Dec. 31—					
Country of origin, and article.			191	18	1919			
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.		
Brazil; Cocoa (crude)pounds Coffeedo British West Indies:	91, 351, 529 743, 958, 456	\$8, 383, 383 60, 890, 926	66, 007, 884 599, 991, 374	\$3,304,535 51,001,506		\$10,446,164 160,038,196		
Bananas bunches. Cocoa pounds. Canada: Tea do China: Tea do Colombia: Coffee do Cuba:	2,064,274 51,438,970 1,914,169 21,082,866 112,150,390	727,747 6,295,562 647,712 4,351,557 13,108,462	3, 033, 262 51, 535, 501 2, 294, 155 14, 202, 680 118, <del>5</del> 60, 462	1,012,927 0,347,610 821,516 3,214,057 14,767,367	0,912,779 30,199,700 2,257,012 10,557,985 150,483,853	2,907,597 6,535,744 772,397 2,730,103 30,425,102		
Bananas bunches Sugar (raw) pounds Dominican Republic: Co-	1, 151, 165 4,560,749,643	1 .	972, 426 4,953,689,419		1,515,832 6,688,141,983	615,718 373,705,611		
coapounds Ecuador: Cocoado	37,851,184 70,786,657	3,660,091 7,975,838	38, 099, 255 68, 920, 773	3,805,981 7,109,114	44,665,321 46,404,527	7,408,772 6,735,350		
Cheesedo Olive oil (salad)gallons Italy:	1,026,117 227,617	528, 926 576, 602	542,010 88,088	280, 581 268, 075	680, 877 183, 124	561,543 690,291		
Cheesepounds Macaronido	16,044 484	7,883	l					
Olive oil (salad) gallons. Japan: Tea pounds. Mexico: Coffee do Netherlands:	200, 403 52, 996, 471 31, 118, 513	467,692 9,511,283 3,336,131	5,729 56,436,050 19,849,230	20,535 12,745,707 2,103,777	251,002 30,059,016 20,567,469	750, 397 10, 219, 053 5, 434, 884		
Cheese do do Philippine Islands: Sugar,					4,947 1,335	3,133 455		
pounds Portugal: Cocoapounds Spain:	173, 000, 941 134, 904	7,913,247 20,912	135, 602, 975	6,163,183	175, 872, 529 1, 087, 271	7,940,722 224,904		
Olive oil (salad) gallons. Goatskins pounds. Switzerland: Cheese do	2,091,400 806,152	2,783,691 845,714		127,756 706,967	8,557,416 1,501,018 12,354	10,456,159 2,537,101 8,186		
United Kingdom: Cocoadododo	1,038,142 487,063	113, 304 248, 678		50, 246 211, 898		1.300,630 190,595		

• Table 292.—Principal farm products exported to specified countries from the United States, 1918 and 1919.

	Year endin	og June 30.		Year endin	g Dec. 31—	
Country to which consigned, and article.	101		1918		191	19
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
Belgium: Corn	7, 895, 892 252, 540 83, 334 42, 837, 136 14, 286, 628 893, 977 13, 689, 396 275	\$7, 277, 381 13, 674, 231 17, 200, 008 28, 105, 585 28, 105, 585 577, 965 884, 42, 11, 744, 199 3, 787, 253 208, 131 3, 065, 724 208, 131 3, 065, 724 208, 131 3, 065, 724 209, 488, 203 208, 488, 203 208, 488, 203 208, 488, 203 208, 488, 203 208, 488, 203 208, 488, 203 208, 488, 203 208, 288, 288, 288, 288, 288, 288, 288,	3, 407, 151 12, 028, 186 67, 444, 015 5, 553, 422 116, 784, 152 28, 954 20, 493, 421 11, 112, 784 11, 112, 784 11, 112, 784 11, 112, 784 11, 112, 784 11, 112, 784 11, 112, 784 11, 112, 784 11, 708, 735 14, 708, 735 1, 074, 099 541, 564 16, 101, 208 8, 707, 001 46, 008, 414 7, 059, 439	\$6, 371, 356 30, 107, 271 18, 900, 533 1, 387, 335 31, 757, 658 19, 530, 071 61, 424, 168 19, 530, 071 61, 424, 168 37, 485, 376 3, 988, 318 689, 571 3, 355, 902 1, 841, 445 5, 894, 603 4, 440, 579 2, 512, 966 13, 944, 757 13, 983, 101 14, 675, 271 27, 131, 653 9, 349, 585	1, 009, 909 24, 476, 490 90, 823, 427, 490 90, 823, 427, 490 155, 802, 228 5, 279, 564 6, 542, 025 1, 421, 013 34, 253, 197 7, 457, 307 7, 457, 307 7, 457, 307 1, 904, 540 1, 408, 698 15, 956, 981 15, 956, 981 15, 956, 981 15, 956, 981 17, 964, 982 16, 967, 984 334, 7711 27, 590, 728 178, 431, 226, 935 10, 597	\$1,607,493 59,901,083 28,040,950 8,899,197 46,338,651 10,690,552 3,314,818 10,767,992 2,191,013 1,454,658 2,179,797 4,179,328 3,112,129 14,111,770 1,602,472 60,552,585 50,402,356 50,402,586 27,958,403 110,902
Wheat bushels Lard pounds.  Japan: Wheat flour barrels.	6,756,191 2,136,645 69	15,579,424 506,717 794	16,337,436 1,145,112	38, 263, 712 273, 258	38, 264, 883 2, 463, 197 2, 528	91, 054, 928 806, 057 27, 850
Mexico: Corn	3,272,754 2,126 6,957,998	6,871,144 3,849 1,625,892	2,736,239 1,564 15,452,005	5,739,810 3,755 4,451,219	133,887 134,003 7,134,448	246, 746 329, 187 2, 127, 709
Corn.   bushels.	246,004 155,550 69,253 774,004	456,009 380,224 690,141	46,004 2,236,354 105,090		100, 168 1, 902, 249 1, 082, 207 112, 028, 868 68, 506, 924 9, 313, 883 4, 811, 612 8, 656, 192	167, 192 4, 848, 540 12, 795, 766 33, 836, 052 22, 377, 490 3, 109, 227 1, 367, 702 2, 620, 902
flourbarrels	549	5,442	22	337	54,904	620, 288
Lard pounds.  Netherlands: Corn bushels.  Wheat dour barrels.  Bacon pounds.  Lard neutral do.  Oleo oil do.  Norway: Oleo oil do.  Norway: Oleo oil wheat flour barrels.  Thilippine Islands: Wheat flour barrels.  United Kingdom:  Corn bushels.  Wheat flour barrels.  Bacon pounds.  I ams and shoulders. do.  Lard do.  Pork, plokled do.	21, 197, 784 15, 129, 803 10, 055, 827 533, 135, 385 372, 722, 508 159, 959, 165 48, 244, 317 1, 903, 144	39, 118, 255 36, 470, 014 112, 604, 938 147, 983, 735 95, 792, 492 38, 855, 685 10, 184, 472 447, 141	15, 658, 493 43, 146, 559 10, 013, 533 789, 253, 478 470, 415, 228 309, 987, 044 57, 783, 111 2, 102, 744	29, 041, 245 100, 848, 344 113, 037, 706 229, 883, 046 127, 586, 544 78, 985, 740 12, 782, 449 616, 636	948, 403 44, 818, 552 10, 440, 148 507, 184, 219 338, 028, 382 219, 306, 542 20, 701, 549 3, 378, 871	1,585,886 107,503,619 115,600,430 167,505,052 100,685,518 68,323,623 6,113,654 963,487

Table 293.—Shipments of principal domestic farm and forest products from the United States to Hawaii and Porto Rico, 1918-1919.

[These shipments are not included in the domestic exports from or imports into the United States.

	Year ending June 30, 1918.		Year ending Dec. 31—				
Possession and article.			191	18	1919		
	Quantity,	Vetue.	Quantity.	Value.	Quantity.	Value.	
HAWAII.							
Dairy products pounds. Ment products. Grain and grain products. Rice pounds. Lumber.		\$878,447 740,107 3,039,729 594,698 1,494,241	3,575,998 7,565,857	\$862, 249 731, 503 2, 869, 165 571, 309 1, 719, 981	5, 054, 231 15, 575, 417	\$1,260,186 1,113,263 3,381,584 1,419,217 2,341,824	
PORTO RICO.  Dairy productspounds. Meat productspounds. Beans and dried peas bushels. Grain and grain products. Ricepounds. Sugardo. Tobaccodo. Lumberdo.	218,608 125,131,832	1,062,646 5,011,966 1,259,334 4,310,180 9,144,940 245,074 637,872 1,074,002	5,584,422 207,422 82,203,122 194,926 1,143,793	1, 143, 961 5, 142, 821 1, 250, 800 3, 399, 106 6, 427, 624 14, 961 441, 963 972, 768	5, 392, 805 363, 738 163, 949, 679 803, 282 803, 638	1, 217, 876 5, 641, 371 1, 222, 602 5, 848, 986 12, 765, 739 74, 313 253, 142 1, 200, 631	

Table 294.—Shipments of principal domestic farm products from Hawaii and Porto Rico to the United States, 1918–1919.

	Year ending June 30.		Year ending Dec. 31—					
Possession and article.	1918	š.	191	8	1919			
	Quantity.	Value.	Quantity.	Value.	Quantity.	Valu		
HAWAH.  Coffeepounds. Pineapples, canned. Sugarpounds.	1,968,080 1,080,908,797	8,394,307		\$620,682 11,553,243 56,894,325		\$652, 17,640, 76,305,		
PORTO RICO.  Grapefruit	540, 825 602, 987 14, 495, 752 672, 937, 334 13, 124, 315	1, 230, 984 617, 496 1, 213, 382 41, 310, 845	509, 020 11, 071, 657 801, 329, 419	1, 053, 334 610, 722 1, 475, 200	355, 226 15, 554, 432 728, 301, 050	52, 782,		

Table 295.—Destination of principal farm products exported from the United States, 1910-1919.

		1910-	1919.						
	Quantity.					Per cent of total.			
Article, and country to which consigned.	Year endin	g June 30—	Year endin	Year ending June 30—		Year ending Dec. 31—			
Mason, Company	A verage 1910–1914.	1918	1918	1919	Aver- age 1910- 1914.	1918	1918	1919	
ANIMAL MATTER.									
Cattle: Canada Mexico United Kingdom Other countries	Number. 9, 105 7, 341 66, 422 4, 757	Number. 7, 286 7, 777 19 3, 131	Number, 7, 314 7, 885 2, 081	Number. 11, 192 23, 923 31, 744	P. ct. 10. 4 8. 4 75. 8 5. 4	P. ct. 40. 0 42. 7 .1 17. 2	P. ct. 42. 3 45. 6	P. ct. 16.0 34.2	
Tctal	87, 625	18, 213	17, 280	69, 859	100. 0	100.0	100.0	100.0	
Horses: Canada Cuba. Mexico United Kingdom. Other countries	24, 486 1, 212 1, 197 522 656	18,064 4,468 4,775 56,215 1,243	13, 032 2, 930 749 33, 547 912	9, 848 737 5, 438 98 3, 570	87. 2 4. 3 4. 3 1. 9 2. 3	21.3 5.3 5.6 66 3 1.5	25.5 5.7 1 5 65.6 1.7	50, 0 3, 7 27, 6 .5 18, 2	
Total	28, 073	84, 765	51, 170	19, 691	100. 0	100.0	100.0	100.0	
Butter: Canada	Pounds. 499, 912	Pounds. 44,749	Pounds. 12, 518	Pounds. 271, 893	11.7	.3	.1	.8	
and British Honduras Mexico United Kingdom Venezuela. West Indies and Ber-	694, 315 369, 271 601, 095 599, 600	633, 753 223, 091 13, 982, 559 6, 402	521, 152 313, 615 22, 250, 115 2, 970	666, 713 429, 608 21, 817, 613 35, 563	16, 2 8, 6 14, 1 14, 0	3.6 1.3 78.8 (1)	2.0 1.2 81.9 (1)	1.9 1.2 63.1 .1	
mudatries	1, 361, 406 152, 296	1, 380, 404 1, 465, 008	1, 775, 416 1, 318, 629	2, 249, 201 9, 082, 894	31 8 3.6	7.8 8.2	6.8 5.0	C. 5 26. 4	
Total	4, 277, 955	17, 735, 936	26, 194, 415	31, 556, 485	100.0	100.0	100.0	100.0	
Meat products:  Beef products—  Beef, canned—		,							
United Kingdom Other countries	5, 129, 188 4, 262, 934	46, 375, 149 50, 968, 134	51, 250, 973 90, 206, 190	13, 947, 051 39, 919, 376	51.6	47.6 52. i	36. 2 63. 8	25.9 74.1	
Total	9, 392, 122	07, 343, 283	141, ins, 163	53, 867, 327	100.0	100.0	100, 0	100 0	
Beef, fresh— Panama. United Kingdom Other countries Total.	5, 020, 662 23, 410, 437 1, 015, 203 29, 453, 302	144, 442 285, 789, 315 84, 099, 143 370, 032, 900	357, 366 466, 080, 785 67, 903, 378 514, 341, 529	51, 950 73, 973, 603 101, 301, 447 174, 426, 989	17. 1 79. 5 3 4	(1) 77. 2 22. 8	80.7 13.2	(1) 41.9 58.1 100,0	
Beef, pickled and	10, 102, 002	510,000,000	011,011,020	114,120,000	10.0	100,0		100,0	
other cured— Canada Germany Newfoundland and	1, 386, 090 3, 617, 862	2, 623, 317	2, 044, 979	1, 373, 553 2, 567, 542	4.2 (1.0	4.8	4.6	3.2 6.0	
Labrador United Kingdom West Indies and	4, 911, 896 7, 902, 166	5, 505, 008 4, 205, 291	5, 418, 221 3, 228, 816	5, 670, 761 5, 569, <b>7</b> 43	15. 1 21. 1	10. J 7. 7	12.3 7.3	13.3	
Bermuda Other countries	4, 548, 476 10, 413, 273	2, 245, 472 39, 888, 819	1, 600, 183 31, 823, 821	1, 404, 620 28, 212, 505	13. 9 31. 7	4. 1 73. 3	3.8 72.0	3.3 61.2	
Total	32, 809, 763	54, 467, 910	44, 206, 020	42, 80 1, 724	100. 0	100.0	100.0	100.0	
Oleo oil 2— Denmark Germany Netherlands Norway Swedon Turkey in Europe United Kingdom	5,714,442 20,068,668 57,084,122 8,335,573 2,350,272 3,869,784 9,117,005 7,217,847	30,000 774,004 13,813 48,244,317 7,541,754	2, 240, 000 57, 783, 111 9, 053, 239	8,025,918 2,126,704 4,811,612 8,656,192 3,494,255 2,635,801 20,791,549 25,043,133	5. 0 17. 6 50. 2 7. 3 2. 1 3. 4 8. 0	1.4 (1) 85.2	(1) 3.2 83.6	10.6 2.8 6.4 11.5 4.6 3.5 27.5	
Other countries Total	113, 757, 713	56,603,388	69, 106, 350	75, 585, 164	6.4	13. 3	13. 2	33, 1	
					-		-		

<sup>1</sup> Less than 0.05 of 1 per cent.

<sup>\*</sup> For "Olso oil" the average is for 4 years, 1911-1914.

Table 295.—Destination of principal farm products exported from the United States, 1910-1919—Continued.

Quantity. Per cont of total.								
						Year onding		
Article, and country to which consigned.	Year ending June 30—		Year ending Dec. 31—		June 30-		Dec.	31
winer consigned.	Average 1910–1914.	1918	1918	1919	Aver- age 1910- 1014.	1918	1918	1919
ANIMAL MATTER—contd.		-1						
Meat products-Contd.								
Beef products—Contd.   Lard compounds—	Pounds.	Pounds.	Pounds.	Pounds.	P. ct. 20. 4	P.ct. 24.7	P.ct.	P. ct.
Cuba Mexico	19, 793, 565 5, 399, 201	7,735,338 4,441,734 4,416,476	8, 608, 423 6, 886, 888	8,611,137 4,620,050	8.0	11.2	19.6 15.7	6.9 3.7
United Kingdom Other countries	19, 793, 565 5, 399, 201 20, 830, 150 21, 295, 941	4,416,476 14,684,834	8, 608, 423 6, 886, 888 4, 345, 867 24, 136, 232	8,611,137 4,620,050 62,739,201 48,992,562	80. 9 31. 7	14.1 47.0	9.9 54.8	50, 2 39, 2
Total	67, 318, 857	31, 278, 382	43,977,410	124, 962, 950	100.0	100.0	100, 0	100.0
Pork products— Bacon—						۵.		
Belgium Canada	4,901,373 4,964,662	68, 670, 327 42, 837, 136	67, 444, 015 24, 454, 474 16, 101, 208 98, 495, 402 98, 079, 060	90, 823, 427 34, 253, 197 15, 956, 981	2.7 2.7 4.2	8.4 5.3	0.1 2.1 1.5	7.6 2.9 1.3
Cuba France	7,693,815 2,689,203	20, 293, 559 73, 531, 892 74, 459, 980	98, 496, 402	15, 956, 981	1.5	2.5 9.0	8.9	15.0
Italy Netherlands	4, 408, 989		98,079,000	112, 028, 898	4.1 2.4 2.0	9.1	8.9	4.0 0.4 2.2
Norway Sweden United Kingdom	1,909,280	25,243 48 599 195 295	1,680,601 789,253,478 9,278,843	178, 431, 224 48, 128, 149 112, 028, 898 26, 152, 222 51, 891, 124 507, 184, 219 125, 448, 053	1.0 73.3	(1)	71. 4	4.4 42.6
Other countries	1, 904, 062 7, 693, 815 2, 689, 203 7, 560, 557 4, 408, 989 3, 637, 518 1, 909, 280 133, 760, 286 10, 945, 409	533, 135, 385 2, 340, 854		125, 448, 053	6, 1	.3	.9	10.6
Total	182, 474, 092	815, 294, 424	110, 788, 081	1,190,297,494	100.0	100.0	100.0	100.0
Hams and shoulders, cured— Belgium	7 962 470		E 059 499	20 054 740	4.7		1.1	ε Λ
CanadaCuba	7,863,470 4,509,867 4,696,184	14,286,628	5, 853, 423 11, 112, 784 8, 707, 061 470, 415, 228	30, 054, 740 7, 457, 307 9, 863, 103	4.7 2.7 2.8	3.4 2.4	2.1 1.6	5.0 1.2 1.7
United Kingdom Other countries	4,696,184 143,087,022 6,656,591	9,990,141 372,722,508 22,572,592	470, 415, 228 41, 124, 545	9, 863, 103 338, 028, 382 211, 392, 131	-85. 8 4. 0	88. 8 5. 4	87.6 7.6	56.6 35.5
Total	166, 813, 134	419, 571, 869	537, 213, 041	596, 795, 663	100.0	100.0	100.0	100.0
Lard—	17, 076, 171	116 154 400	116 784 159	155 909 999	3, 6	20.6	21.3	20. 5
Belgium Canada Guba	10, 181, 941 41, 378, 503	116, 154, 490 893, 977 52, 574, 278 75, 000 1, 810, 527	116, 784, 152 2, 478, 926 46, 008, 414 75, 000 1, 333, 946 35, 841, 676	155, 802, 228 5, 090, 459 44, 766, 460 33, 505, 333	2.1 8.7	13.4	8.4	5.9
Denmark Ecuador	2,400,041	75,000	75,000	33, 505, 333 2, 407, 180	1.5	(1)	(1)	4.4
France Gormany	12,089,618 142,311,431	33, 427, 329	00,041,019	96, 296, 935	2.5 30.0	8,5	6.5	12.7 5.2
Italy Mexico	3, 369, 460 12, 089, 618 142, 311, 431 4, 655, 944 7, 000, 932 33, 591, 329 2, 784, 573 169, 176, 230 25, 348, 135	2,136,645 6,957,993	1,145,112 15,452,095	96, 296, 935 39, 495, 017 2, 463, 117 7, 134, 443 68, 596, 924 944, 742 219, 306, 542	1.0	1.8	2.8	.3
Peru	33,591,329 2,784,573			68, 596, 924 944, 742	7.7	4	2	9.0
United Kingdom Other countries	169,176,230 25,348,135	1,400,455 159,959,165 17,116,406	1,080,095 300,987,044 18,625,441	210,306,542 85,092,146	35.7 5.4	40.8	56.5 3.4	28.8 11.2
Total	474,354,914	392,506,355	548,817,901	760,901,611	100.0	100.0	100.0	100.0
Lard, neutral <sup>2</sup> — Denmark	2,250,893			5,445,681 950,837	5.2		<u> </u>	23.7
Germany Notherlands				950,837 9,313,883	21. 2 57. 6	7.6		4.1 43.6
Norway United Kingdom	25,078,158 2,679,054 1,871,448	322,932 3,495,665 439,982	5,433,851	9,313,883 1,653,325 2,000,074	6.1	82.1	86.2	7. 2 8. 7
Other countries Total	2,463,857 43,571,550	439,932	6,307,164	22,957,137	5.6	100.0	13.8	15.7
Pork, pickled-		<u> </u>					_	
British Guiana Canada	1,530,772 10,117,759	863,280 13,689,396 8,935,072	1,040,430 14,708,735	205,700 8,372,796	3.2 21.0	2.6 41.2	2.8 40.1	.6 24.5
Cuba Haiti	1,530,772 10,117,759 7,286,791 1,818,119	8,935,072 481,190	1,040,430 14,708,735 7,659,439 739,655	205,700 8,372,796 6,560,084 464,678	15.1 3.8	26.9 1.4	20.9 2.0	10.2 1.4
Newfoundland and Labrador	5 920 365	3,220,600			12.3	9.7	17.2	14.2
Panama United Kingdom Other countries	1,426,985 10,225,205 9,939,933	276,782 1,903,144 3,852,038	6,303,799. 135,720 2,102,744 3,981,138	4,833,214 124,683 3,378,871 10,172,949	3.0 21.2 20.4	5.7 11.7	5.7 10.9	9.9 29.8
Total	43,274,920	33,221,502	36,671,660	34,113,875	100.0	100.0	10.9	100.0
	The second secon				,			

<sup>\*</sup>Less than 0.05 of 1 per cent. \* For "Lard, neutral," the average is for four years, 1011-1914.

Table 205.—Destination of principal farm products exported from the United States, 1910-1919—Continued.

France			910-1919	Сопшинен	•					
Article, and country to which consigned   Average   1010-1914.   1918   1918   1919   Average   1010-1914.   1918   1918   1919   Average   1010-1914.   1918   1918   1919   Average   1010-1914.   1918   1918   1919   Average   1010-1914.   1918   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   Average   1010-1914.   1918   1919   1919   1918   1919   1919   1919   1919   1919   1919   1919   1919   1919   1919   1919		Quantity.				Per cent of total.				
Vegetable Matter   Pounds	Article, and country to which consigned.	Year ending June 30—		Year ending Dec. 31—						
Cotton: Austria-Hungary 48, 200, 615 Balgium 91, 93, 938 Balgium 91, 93, 938 Cormany 1, 257, 474, 569 Cormany 1, 257, 474, 569 Light Method 116, 160, 160, 160, 160, 160, 160, 160,			1918	1918	1919	age 1910-	1918	1918	1919	
Belgium	VEGETABLE MATTER.									
Total	Cotton: Austria-Hungary Belgium Canada. France. Germany Italy Japan. Mexico. Netherlands. Russia, European. Spain. Sweden United Kingdom.		124, 986, 426 329, 276, 533 184, 606, 646 291, 772, 827 5, 353, 162 5, 049, 224 7, 972, 533 129, 596, 749 517, 866 1,193,550, 402	148,561,448 289,714,337 194,528,036 299,728,224 1,992,554	48,600,352 81,894,021 83,405,725 398,168,968 77,914,351 280,849,977 440,520,341 345,852 105,261,030 155,015 126,076,028 43,099,176	2.1 1.7 12.3 28.5 5.7 3.4 1.0 3.1 4 39.7	5. 4 14. 2 8. 0 12. 6 2 2 3 5. 6 (1) 51. 4	7.0 13.7 9.2 14.2 .1	1. 4 2. 4 2. 5 11. 8 2. 3 8. 3 13. 1 (¹) 3. 1 (¹) 3. 7 1. 3 48. 1	
Fruits; Apples, dried— Germany. Netherlands. 9, 612, 942 Other countries 8, 505, 549 Other countries 17, 473, 832 Netherlands. 9, 612, 942 Other countries 8, 505, 568  Total.  35, 137, 213 2, 602, 590 2, 200, 483 24, 203, 007 22, 9, 100, 0, 100, 0, 100, 0 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0					02,200,102					
Apples, fresh-  Canada   221, 431   457, 948   331, 453   168, 889   11, 3   72, 1   57, 2   9, 3   1, 200, 200, 200, 200, 200, 200, 200, 2	Fruits; Apples, dried— Germany Netherlands. Other countries.	17, 473, 832 9, 612, 942 8, 050, 439	2,602,590	2, 200, 483	10,759 490,503 24,203,097	27. 4 22. 9			,(¹) 2, 0 98, 0	
Canada						100. 0	100. 0	100.0	100.0	
Apricots, dried— Belgium.  956, 075 Canada.  1,117,025 1,388,275 1,800,387 724,844 5,7 224,635 Garmany.  5,208,071 Notherlands.  2,204,930 Other countries.  1,839,506 1,839,506 1,931,140,220 1,131,228 0,531,140,220 1,131,228 0,531,232 0,531,248 0,531,248 0,69 2,24 0,69 0,194,380,000 0,194,380,00	Canada Germany United Kingdom	221, 431 157,020 1,020, 968 151, 834	457, 948	331, 453	158,859 8 1,209,855	10.1 65.8	3	21.7	70.7	
Selgium   935,675   1,888,275   1,809,357   724,944   5,7   26.5   34.4   2.0	Total	1,551,253	635, 409	579, 916	1,712,367	100. 0	100. 0	100.0	100.0	
Total. 19,438,009 5,229,618 5,262,266 37,143,824 100.0 100.0 100.0 100.0 Oranges— Canada. 1,185,101 50,088 1,190,629 827,529 1,633,421 05.7 96.0 05.5 91.9 Other countries. 1,185,101 49,818 29,630 1,44,047 4.3 4.0 3.5 8.1 Total. 1,186,182 1,240,477 857,159 1,777,408 100.0 100.0 100.0 100.0 100.0 Prunes— Pounds. 5,005,655 Canada. 11,327,559 18,025,903 12,772,178 14,519,219 14,1 51,7 55,8 81.3 49,818 29,630 11,327,530 18,025,903 12,772,178 14,519,219 14,1 51,7 55,8 13.4 96,00 100.0 10	Beigium Canada Franco Germany Notherlands United Kingdom	956, 675 1, 117, 625 2, 558, 956 5, 208, 071 2, 204, 930 5, 552, 246	1,388,275 465,525 787,913	1,809,357 365,100 1,169,333	1,921,532 724,844 8,328,363 30,473	26. 8 11. 3 28. 6	8. 9 15. 1	34. 4 6. 9	2,0 22,4 .1 3,1 20,6	
Canada.         1, 135, 101         1, 190, 629         827, 529         1, 653, 421         05, 7 96, 0 0, 0 5.5         91, 9           Other countries         50, 98         49, 818         29, 630         1, 44, 047         4.3         4.0         3.5         8.1           Total.         1, 186, 182         1, 240, 477         857, 159         1, 777, 468         100, 0	Total	19,438,009	5, 229, 618	5, 262, 206		100.0	100. 0	100. 0	100.0	
Prunes	Canada	Bores. 1, 135, 194 50, 988	1,190,629	Bores. 827, 529 29, 630	Boxes. 1,633,421 144,047	95. 7 4. 3	96. 0 4. 0		91. 9 8. 1	
Balgium 5,005,665 18,025,903 12,772,178 18,14,519,219 14.1 51.7 6.5 8 13.4 6.2 (1) 2.9 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2	Total	1, 186, 182	1, 240, 477	857, 159	1,777,468	100, 0	100.0	100.0	100.0	
Total.       80, 427, 650       32, 926, 546       22, 888, 112       108, 208, 257       100. 0 <td>Belgium Canada France Germany Netherlands United Kingdom</td> <td>5,005,565 11,327,559 10,226,468</td> <td>18, 025, 903 2, 490, 874</td> <td>12,772,178 746,450</td> <td>3, 172, 934 14, 519, 219 10, 498, 370 15, 758 567, 668</td> <td>14. 1 12. 7 36. 6 9. 0 11. 0</td> <td>14. 7</td> <td>3. 3</td> <td>13. 4 9. 7</td>	Belgium Canada France Germany Netherlands United Kingdom	5,005,565 11,327,559 10,226,468	18, 025, 903 2, 490, 874	12,772,178 746,450	3, 172, 934 14, 519, 219 10, 498, 370 15, 758 567, 668	14. 1 12. 7 36. 6 9. 0 11. 0	14. 7	3. 3	13. 4 9. 7	
United Kingdom 2,715,883 3,029,606 1,811,083 34,359,305 68.5 43.1 34.1 82,8 Other countries 1,247,786 3,994,860 3,501,736 7,116,317 31.5 56.9 65.9 17.2	· ·				·	100. 0	100. 0	·}	100.0	
Total 3,963,849 7,024,466 5,312,819 41,475,622 100.0 100.0 100.0 100.0	United Kingdom	Dollars. 2,715,863 1,247,786	3,029,606	Dollars. 1,811,083 3,501,736	Dollars. 34,359,305 7,116,317				82, 8 17, 2	
	Total	3,963,649	7,024,466	5, 312, 819	41, 475, 622	100.0	100.0	100.0	100.0	

<sup>1</sup> Less than 0.05 of 1 per cent.

Table 295.—Destination of principal farm products exported from the United States, 1910-1919—Continued.

	Quantity.				Per cent of total.			
Article, and country to	Year endin	ding June 30— Year		ear ending Dec. 31—		Year ending June 30—		nding 31—
which consigned.	Average 1910–1914.	1918	1918	1919	Aver- ago 1910- 1914.	1918	1918	1019
VEGETABLE MATTER— continued.								
Gkicose and grape sugar: Argentina. British Oceania United Kingdom Other countries	Pounda. 5, 571, 728 8, 631, 878 145, 950, 270 20, 370, 027	Pounds. 1, 950, 255 445, 019 55, 825, 847 39, 637, 180	Pounda. 1, 793, 900 108, 836 39, 345, 968 16, 083, 446	Pounds. 6, 341, 204 1, 246, 848 159, 083, 298 88, 996, 359	P. ct. 3. 1 4. 8 80. 8 11. 3	P. ct. 2,0 .5 57.0 40.5	P. ct. 3.1 .2 68.6 28.1	P. ct. 2. 5 . 5 62. 2 34. 8
Total	180, 523, 903	97, 858, 301	57, 332, 152	255, 617, 709	100.0	100.0	100.0	100.0
Grain and grain products: Corn— Belgium Canada. Cuba. Denmark Germany Mexico.	Bushels. 1, 387, 933 8, 379, 334 2, 300, 521 2, 493, 820 5, 251, 554 2, 500, 803 5, 111, 282 10, 906, 171 1, 498, 252	Bushels. 3,714,233 7,895,892 1,142,293	Buskels. 3,467,151 13,228,954 1,074,099	Bushels. 1, 909, 969 6, 542, 025 1, 964, 540 334, 711	3.5 21.0 5.8 6.3 13.1	9. 1 19. 3 2. 8	8.7 33.2 2.7	9. 0 58. 4 17. 6 3. 0
United Kingdom Other countries		3, 272, 754 246, 004 21, 197, 784 3, 528, 867	2, 736, 239 46, 004 15, 658, 493 3, 688, 151	133, 887 100, 168 918, 493 158, 740	6.3 12.8 27.4 3.8	8.0 .6 51.7 8.5	6.9 .1 39.2 9.2	1.2 .9 8.5 1.4
Total	39,800,600	40,997,827	39, 899, 091	11, 192, 533	100.0	100.0	100.0	100.0
Wheat— Belgium Canadu France Germany Italy Japan Mexico Netherlands United Kingdom Other countries	7, 195, 138 1, 776, 247 3, 001, 608 6, 154, 503 2, 387, 507 2, 338, 152 1, 178, 564 8, 350, 709 21, 386, 112 2, 744, 498	6, 007, 986 262, 540 3, 837, 927 6, 756, 191 2, 126 155, 530 15, 129, 903 1, 970, 780	12, <b>6</b> 28, 186 26, 493, 421 6, 3×6, 134 16, 337, 436 1, 504 2, 236, 334 43, 146, 559 3, 947, 449	24, 476, 490 1, 421, 613 27, 590, 718 38, 264, 883 131, 003 1, 962, 249 44, 813, 552 9, 417, 969	12.6 3.1 5.3 10.8 4.2 4.1 2.1 14.7 38.3 4.8	17.6 7 11.2 19.8 (1) 44.3 5.9	11.4 23.8 5.7 14.7 (1) 2.0 36.8 8.6	16.5 1.0 18.6 25.8 .1 1.3 80.8 6.4
Total		84, 118, 853	111, 177, 103	148,088,470	100,0	100, 0	ep d	164
Wheat flour— Brazil. British West Indies. Canada. China. Cuba. Finland.	82,821	Barrels. 101, 927 196, 507 83, 334 275 679, 689	Barrels. 596 110, 582 61, 015 2 041, 884	Barrals. 270, 584 281, 346 7, 816 8, 913 1, 150, 598 41, 729 48, 243 10, 507	844 648 640 8.03	. 5 . 4 (1) 3. 1	(i) 5 3 (i) 2.5	1.1 .8 (1) (1)
Cuba Finland Geometry Fald. Hongkong Japan Nasherlands Norway	233, 932 1, 121, 139 612, 879 818, 637 212, 713	10,924 1,250 69 69,253 214,810	878 105, (80 192, 086	2,528 1,082,207 45,715	1.8 2.2 10.5 7.7 2.0 2.6	(E) 1.0 (E) 1.	(¹)	1.0 (1) (1) (1) 4.1 2.2
Philippine Islands United Kingdom Other countries	2,712,639 2,013,327	10, 085, 827 10, 465, 537	10, 013, 533 10, 680, 802	54, 904 10, 440, 148 12, 540, 649	25. 4 18. 8	46, 0 47, 8	46. 1 49. 2	39. 5 47. 4
Total	10, 678, 685	21, 879, 951	. 21, 708, 700	<b>28, 44</b> 9, HH1	100.0	100.0	100. 0	100.0
Hops: Erisish Oceanis. Canada United Kingdom. Other countries.	Pounds. \$16, \$52 \$36, 660 18, 860, 660 181, \$25	Pounds. \$1,760 650,779 109,896 2,888,144	Pounds. 319, 069 749, 503 76, 424 2, \$35, 356	Pounds. 241, 487 2, 493, 098 12, 523, 653 5, 686, 266	3.8 6.2 89.3 1.2	18.9 2.9 77.3	8.7 20.4 2.1 66.8	1. 2 12. 0 60. 2 26. 6
Total	16,847,756	8,404,579	3, 670, 352	26, 797, 504	100,0	100.0	100.0	100.0

<sup>1</sup> Less than 0.05 of 1 per cent.

Table 295.—Destination of principal farm products experted from the United States, 1910-1919—Continued.

		Per cent of total.						
Article, and country to which consigned,	Year ending June 30—		Year endin	Year onding June 30—		Year ending Dec. 31-		
	Average 1910–1914.	1918	1918	1919	Aver- age 1910- 1914.	1918	1918	1919
Vegetable matter—con.								
Oil cake and oil-cake meal: Cottonseed— Belgium Denmark Germany Netherlands Norway United Kingdom Other countries	Pounds. 39,009,935 335,176,189 316,183,442 35,879,799 28,019,121 146,111,558 21,908,452	Pounds. 4, 704, 000 19, 751, 335 20, 225, 458	Pounds.  691, 800 10, 975, 496	Pounds. 7, 824, 573 200, 605, 481 1, 828, 445 35, 412, 218 249, 540, 669 132, 923, 780	P. ct. 3.2 35.9 33.9 6.0 3.0 15.7 2.8	P. ct. 10.5	P. ct.	P. ct. 1. 2 31. 9 3. 6 39. 7 21. 3
Total	933, 288, 496	44, 680, 793	11, 687, 298	628, 133, 166		100.0		100.0
Linsced or flaxseed— Belgium France Notherlands United Kingdom Other countries	288, 955, 020 34, 587, 191 280, 782, 728 42, 781, 016 14, 712, 925	448, 656 98, 785, 060 52, 166, 201	15, 422, 381 70, 532, 001	80, 622, 811 263, 503 104, 614, 268 81, 678, 808 83, 572, 093	43.7 5.2 42.4 6.5 2.2	.3 65.2 34.5	17. 9 82. 1	22, 8 .1 29, 6 23, 9 23, 6
Total	661, 818, 880	151, 399, 977	85, 954, 382	353, 751, 483	100.0	100.0	100.0	100. 6
Oils, vogetable: Cottonseed— Argentina. Austria-Hungary Beigium Canada. Chtie. Cubs. France. Germany Italy Mexico. Netherlands. Norway. Roumanis. Turkey, European United Klugdom Uruguay. Other countries.	26, 545, 315 4, 320, 237 3, 522, 682 14, 510, 409 18, 184, 524 27, 558, 963 21, 994, 280 56, 258, 887 7, 512, 668 3, 010, 554 9, 129, 051 39, 832, 247	1, 971, 552 49, 859, 087 1, 912, 903 11, 077, 844 7, 921, 545 229, 847 572, 765 27, 888, 531 755, 270 8, 490, 587		231, 314 1, 613, 034 39, 662, 192 491, 212 5, 102, 662 11, 563 9, 551, 748 495, 049 30, 377, 900 15, 629, 944 27, 14, 043 37, 814, 421 (34, 431 (34, 431 (34, 58), 609	3.485563 1.5563 10.3158 10.8158 14.745 14.745	2.0 40.6 1.9 11.0 7.0 .6 .7 .8.3	.8 40.4 1.3 8.2 .7 1.7 .5	.1 .8 20.5 2.6 3.7 (1) 4.3 15.7 8.1 (1) 7.6 (1) 22.7
Total	271, 428, 578	100, 779, 981	119,087,376	193, 133, 201	100.0	100, 0	100.0	100.0
Tobacco, leaf, stem, and trimmings: Belgium British Africa British Orassis. Caracts. Claims France France France Germany Italy Japan Netherlands Spain United Kingdom Other countries.	7, 061, 404 42, \$53, 456 4, 167, 210 87, 893, 545 41, 706, 176 2, 997, 113 20, 971, 436	71, 523 8, 611, 717 9, 788, 003 17, 577, 987 7, 969, 312 72, 372, 801 2, 511, 968 38, 540, 529 1, 359, 367 17, 900, 064 89, 463, 467 22, 685, 666	8, 567, 544 11, 393, 314 26, 406, 427 14, 561, 203 65, 497, 745 2, 960, 749 50, 867, 816 3, 723, 740 183, 555, 420 28, 340, 464	51, 031, 220 14, 287, 812 19, 851, 718 14, 558, 402 81, 739, 541 3, 914, 973 43, 628, 539 4, 230, 231 68, 584, 237 24, 291, 998 338, 872, 440 88, 796, 711	3.0 1.6 3.9 1.8 10.8 1.1 10.6 6.9 5.1 5.7 5.5	(1) 3.0 2.3 6.1 25.4 25.4 25.4 30.9 7.8	2.1 2.8 6.5 3.6 16.1 7 12.4 3 45.1 7.0	0.6 1.87 2.0 1.9 10.5 1,1 5.5 8.8 8.1 43.6 11.8
Total	392, 183, 071	289, 170, 686	406, 826, 718	776, 678, 135	100 0	100.0	100.0	100,0

Less than 0.05 of 1 per cent.

Table 295.—Destination of principal farm products exported from the United States, 1910-1919—Continued.

	1	910-1919-	Continued.	•				
·		Quan	tity.		Po	er cent	of tota	ıl.
Article, and country to which consigned.	Year endin	g June 30—	Year endin	g Dec. 31—	Year ending June 30—		Year e Dec.	nding 31—
·	Average 1910–1914.	1918	1918	1919	Aver- age 1910- 1914.	1918	1918	1919
FOREST PRODUCTS.							,	
Naval stores: Rosin— Argentina Austria-Hungary Belgium Brazil Canada. Germany Italy Netherlands. Russia. European	Barrels. 110, 085 76, 883 140, 413 155, 226 80, 882 727, 82, 964 208, 598 104, 657	Barrele. 149, 536 158, 824 129, 070 10, 056	Barrels. 68, 632 97, 750 140, 588	Barrels. 116, 708 2, 989 14, 623 154, 513 71, 316 98 18, 470 24, 554 45	P. ct. 4.62855.54235.5.54235.4.73	P. ct. 14.0 14.8 12.1	P. ct. 8.8 12.5 18.0	P. ct. 9.6 1.2 12.8 5.9
Russia, European United Kingdom Other countries	501, 572 201, 675	274, 976 348, 467	191, 038 280, 993	504, 489 301, 822	20. 8 8. 4	25.7 32.4	24. 5 36. 2	41. 7 25. 1
Total	2, 406, 476	1, 070, 929	779, 027	1, 209, 627	100.0	100.0	100.0	100.0
Turpentine, spirits of— Argentina.  Belgium British Oceania. Canada. Germany. Netherlands. United Kingdom Other countries.	Gallons. 524, 265 1, 748, 419 639, 300 1, 027, 501 2, 888, 253 3, 166, 749 6, 774, 171 1, 240, 348	Gallons. 321, 797 942, 751 978, 125 1, 413, 732 1, 438, 719	Gallons. 183, 702 800, 361 1, 134, 122 294, 076 1, 304, 832	Gallons. 528, 391 304, 811 137, 611 989, 776 10, 716 673, 653 6, 220, 048 1, 827, 096	2.9 9.7 3.6 5.7 15.9 17.6 37.7 6.9	6. 3 18. 5 19. 2 27. 7 28. 3	4.9 21.5 30.5 7.9 35.2	5.0 2.9 1.3 9.1 6.3 58.3 17.0
Total	17, 989, 006	5, 095, 124	3, 717, 093	10, 672, 102	100. 0	100.0	100. 0	100.0
Lumber: Fir— Australia. Ganada. Chile. China. Japan. Mexico. New Zealand. Panama. Peru Fortied Kingdom. Other countries.	M feet.	M feet. 63, 865 20, 562 45, 416 8, 121 29, 044 8, 091 3, 283 4, 769 51, 053 113, 646 26, 413	M feet. 54, 958 16, 557 28, 488 13, 479 30, 926 6, 880 4, 153 2, 980 50, 831 24, 341 38, 809	M feet. 37, 650 27, 846 6, 063 49, 544 27, 810 7, 879 3, 873 18, 231 33, 358 40, 522 48, 363	(3)	23. 3 7. 5 16. 6 3. 0 10. 6 3. 6 1. 2 1. 7 18. 6 5. 0 9. 5	20. 2 6. 1 10. 5 4. 9 1. 1 18. 7 8. 9 14. 2	12. 5 9. 2 2. 0 18. 5 6. 1 11. 1 13. 5 16. 0
Total	(3)	274, 263	272, 401	301,144	(8)	100.0	100.0	100.0
Oak— Argentina Canada Brance United Kingdom Other countries	(2)	3,444 47,183 474 9,753 6,362	2,779 44,021 793 8,791 8,279	13, 105 42, 799 2, 520 70, 915 28, 598	(2)	5. 1 70. 2 . 7 14. 5 9. 5	4, 3 68, 1 1, 2 13, 6 12, 8	8.3 27.1 1.6 44.9 18.1
Total	· (2)	67,216	64,683	157,937	(2)	100.0	100.0	100.0
Pine, yellow, longleaf—Argentina Brazil Canada Cuba France Italy Mexico Panama Spain United Kingdom Uruguay Other countries	(*)	33, 317 2,050 2,170 192,690 8,635 1,293 35,346 11,884 2,792 10,220 3,961 41,759	17, 902 920 1, 845 168, 753 2, 670 30, 298 12, 442 2, 339 18, 365 2, 019 44, 202	73, 978 1, 024 1, 106 154, 843 9, 408 2, 621 34, 896 7, 797 66, 108 16, 394 62, 228	(2)	9. 6 .6 .6 .55. 7 2. 5 .4 10. 2 3. 4 .8 3. 0 1. 1 12. 1	6. 0 .3 .6 53. 3 .1 .9 10. 1 4. 1 6. 1 15. 7	16. 9 .2 .3 35. 4 2. 1 .6 8.0 1. 7 1. 8 15. 1 3. 7 14. 2
Total	(2)	346, 117	299, 922	437,773	(2)	100.0	100.0	100.0
a *	1	1			-1	-1		

<sup>1</sup> Less than 0.05 of 1 per cent.

<sup>&</sup>lt;sup>2</sup> Not separately stated.

Table 295.—Destination of principal farm products exported from the United States, 1910-1919—Continued.

		Quantity.				Per cent of total.			
Article, and country to which consigned.	Year ending June 30—		Year ending Dec. 31-		Year ending June 30—		Year ending Dec. 31—		
-	Average 1910–1914.	1918	1918	1919	Aver- age 1910- 1914.	1918	1918	1919	
FOREST FRODUCTS—con. Railroad ties: Canada. Cuba. France. Honduras Mexico. United Kingdom. Other countries.	Number.	Number. 1,487,415 804,718 97,187 70,379 611,698 18,069 345,831	Number. 1,580,127 471,713 29,953 42,216 317,332 19,435 221,047	Number. 1,578,937 319,224 62,543 54,467 476,970 2,001,994 210,771	P. ct.	P. ct. (43. 3 23. 4 2. 8 2. 0 17. 8 . 5 10. 2	P. ct. 58. 9 17. 6 1. 1 1. 6 11. 8 . 7 8. 3	P. ct. 33.5 6.8 1.3 1.2 10.1 42.6 4.5	
Total	, ( <sub>1</sub> )	3,435,297	2,681,823	4,699,902	(1)	100.0	100.0	100.0	
Timber, sawed: Pitch pine, long leaf— Canada. France. Italy United Kingdom. Other countries.	M feet.	M feet.  { 1,830 2,020 983 32,750 27,650	532 192 19,928 15,240	M feet. 302 8, 433 17, 551 100, 133 27, 676	) (i)	2. 8 3. 1 1. 5 50. 2 24. 4	1. 5 . 5 55. 5 42. 5	.3 5,5 11.4 64.9 17.9	
Total	(1)	65, 233	35,892	154, 186	(1)	100.0	100. 0	100.0	

<sup>1</sup> Not separately stated.

Table 296.—Origin of principal farm products imported into the United States, 1910-1919.

		1010 1	010.					
•		Quar	tity.		P	er cent	of tota	al.
Article and country of origin.	Year ending	g June 30—	Year endin	Year ending June 80—		Year endin Dec. 31—		
	Average, 1910-1914.	1918	1918	1919	Aver- ago, 1910- 1914.	1918	1918	1919
ANIMAL MATTER,								
Cattle: Canada	Number. 56,097 339,616 1,737	Number. 185,089 105,470 3,160	Number. 249,316 100,632 2,653	Number. 550, 004 90, 541 1, 850	P. ct. 14.1 85.4 .5	P. ct. 63. 0 35. 9 1. 1	P. ct. 70. 7 28. 5	P. ct. 85. 6 14. 1 . 3
. Potal	397,450	293,719	852, 601	642,395	100.0	100.0	100.0	100.0
Genada France Mexico Other countries	3,199 1,983 6,846 2,191	8,786 268 795 317	3,386 911 141 131	4,495 11 412 78	22 6 12 6 15 7 15 7	73. 2 5. 1 15. 5 8. 4	87. 5 5. 5	90.0
Total	14, 169	• 5,111	3,869	4,994	100.0	100.0	190.0	206.0
Dairy products: Cheese, including substitutes— Argentina. France. Isaly Netherlands. By itzerland. Other countries.	Pounds. 4, 142, 716 20, 834, 962 3, 365, 038 16, 924, 388 3, 983, 013	Pounds. 8,252,440 1,026,117 16,044	Pounds. 6,589,121 542,010 5,044	Pounds. 5,043,010 689,867 378,867 4,947 12,354 5,217,219	\$ 4 42,3 6.8 34.4 8.1	83. 9 10. 4 . 2	87, 1 7, 1 1	44.5 6.0 8.8 (¹) 1 46.1
Total	49, 220, 117	9,898,305	7,562,044	11,382,204	100.0	100, 0	100,0	100.0

<sup>1</sup> Less than 0.05 of 1 per cent.

Table 296.—Origin of principal arm products imported into the United States, 1910-1919—Continued.

		Quan	tity.		Pe	rcent	of tota	1.
Article and country of origin.	Year onding	g June 80	Year ending	g Dec. 31—	Year e	nding 30—	Year o Dec.	nding 31—
	Average 1910-1914.	1918	1918	1919	Aver- age, 1910- 1914.	1918	1918	1919
ANIMAL MATTER—contd.								
Fibers, animal; Silk, raw— Chine. Italy. Japan Other countries.	Pounds. 5, 133, 658 2, 605, 466 15, 591, 700 468, 574	Pounds. 6, 180, 480 7, 309 28, 645, 529 12, 879	Pounds. 5,750,902 5,503 27,074,811 34,237	Pounds. 9, 099, 492 1, 865, 807 33, 726, 581 125, 038	P. ct. 21. 6 10. 9 65. 5 2. 0	P. ct. 17.7 (1) 82.2	P. ct. 17. 5 (1) 82. 4	P. ct. 20. 3 4. 2 75. 3
Total	23, 799, 398	34, 846, 197	32, 865, 453	44, 816, 918	100.0	100 ë	100.0	100.0
Wool, class 1— Argentina Australia Common	22, 406. E	ï61, 981, 865	203, 238, 338	118, 854, 446	27.0	53.3	54.4	35. 6
wealth. Belgium. British South Africa. Chile. China. New Zeeland. United Kingdom. Uruguay. Other countries.	17, 221, 074 1, 442, 467 140, 462 122, 918 21, 820 4, 452, 965 31, 159, 170 4, 204, 432 1, 873, 841	29, 956, 449 55, 757, 397 12, 069, 231 13, 226, 755 4, 117, 146 161, 498 17, 785, 170 8, 813, 429	65, 117, 777 51, 063, 594 10, 886, 730 10, 505, 636 6, 276, 375 38, 675 17, 655, 598 9, 128, 152	46, 034, 615 204, 210 51, 466, 180 11, 959, 417 8, 528, 802 14, 234, 386 14, 704, 025 49, 931, 366 18, 182, 091	20.7 1.7 .1 (1) 5.4 87.5 5.1 2.5	9.9 18.3 4.0 4.3 1.3 5.9 2.9	17.4 18.7 2.9 2.8 1.7 (1) 4.7 2.4	13.8 .1 15.4 3.6 2.6 4.3 4.4 14.9 5.3
Total	83,045,726	303, 868, 940	373,910,875	334, 099, 538	100.0	100.0	100.0	100.0
Wool, class 2— Argentina Oanada United Kingdom Other countries	933, 432 1, 619, 390 14, 328, 023 2, 190, 057	3, 888, 542 8, 419, 647 1, 695, 768	2,357,025 709,549 60,280 7,397,785	2, 087, 101 650, 924 3, 382, 806 8, 724, 141	5.0 8.5 75.1 11.4	27. 5 60. 3	22.4 6.7 .6 70.3	14. 0 4. 4 22. 8 58. 8
Total	19,070,902	13, 958, 957	10, 524, 639	14, 844, 972	100.0	100.0	100.0	100.0
Wool, class 3— Argentina. British East Indies. British South Africa Chile. China. Russia (Aslatic and	3,834,849 3,924,193 165,941 51,960 32,806,474	15, 258, 176 41, 309 4, 521, 876 5, 231, 980 24, 432, 434	15,068,215 9,575 4,442,103 8,196,911 31,198,498	14, 045, 112 66, 218 2, 886, 257 13, 274, 457 29, 818, 744	3.7 3.7 (1) 31.2	25.9 .1 7.6 8.9 41.4	21.7 (¹) 6.4 11.8 45.0	14. 5 . 1 2. 5 13. 7 30. 8
European) Turkey (Asiatic) United Kingdom Other countries	21, 015, 422 6, 939, 783 23, 114, 951 18, 270, 122	2,699,379 188,867 6,671,141	2,739,987 7,688,589	1,589,889 1,358,898 19,944,380 18,494,380	20. 0 6. 6 22. 0 12. 7	4.6 11.8	11.1	1.6 1.4 19.6 18.8
Total	198, 128, 695	58,994,662	69, 291, 858	96, 948, 824	100.0	100.0	160. D	200. e
Packing-house products: Hides and skins other than furs—						,		
Calskins— Argentina Belgium Canada. Denmark East Indies France. Germany	2, 929, 755 4, 238, 167 6, 267, 359 4, 182, 108 2, 132, 867 4, 874, 163 16, 567, 590	2,074,781 2,382,544 3,442,084 70,236	436, 134 1, 031, 069 1, 452, 942 30, 947	4, 467, 257 721, 686 5, 280, 116 4, 086, 657 24, 045, 701 4, 590, 533	3.5 5.1 7.5 5.0 2.6 5.8 19.8	15. 8 18. 1 26. 2	5.8 13.6 19.2 .4	6.9 1.1 8.2 6.3 37.2 7.1
Netherlands Norway Russia (European) United Kingden Other countries	7, 830, 510	492, 427 1,052, 485 668, 341 224, 854 2,748, 613	863, 679 12, 643 3, 755, 309	7,737,059 2,012,338 1,664,878 9,949,298	9.4 2.2 26.8	3.7 8.0 5.0 1.8 20.9	11.4	12.0 3.1 2.6 15.5
Total	83, 518, 408	18, 161, 815	7,582,728	64, 555, 521	100. 0	100.0	-	100.0
Cattle hides	71, 324, 202 9, 238, 890 1, 745, 603	103, 468, 863 19, 213, 317 Less than 0.0			28. 1 3. 6 . 7	38. 7	40. 3 5. 8	35. 9 (1) 7. 2

Table 296.—Origin of principal farm products imported into the United States, 1910-1919—Continued.

		910-1919	Oominidece	•				
		Quan	tity.		Pe	r cent	of tota	1.
Article and country of origin.	Year ending	z June 30—	Year ending	g Dec. 31—	Year e June	nding 30—	Year en Dec.	nding
oragan.	Average, 1910-1914.	1918	1918	1919	Aver- age, 1910- 1914.	1918	1918	1919
ANIMAL MATTER—contd. Packing-house products—Continued. Hides and skins, other than furs—Contd. Cattle hides—Contd. Canada. China. Colombia. Cubs. Hast indies France Germany Italy Mexico. Netherlands. Russia (European). United Kingdom Uruguay. Venezuela.	3, 452, 654 29, 277, 132 6, 142, 184	Pounds. 29, 363, 473 12, 461, 439 13, 837, 098 14, 826, 286 28, 851, 700 20, 851, 700 20, 851, 700 20, 830 20, 683, 227 4, 772, 413 4, 772, 413 4, 772, 413	Pounds. 19, 253, 175 5, 124, 840 7, 552, 824 10, 952, 893 1, 552, 876 37, 258 22, 976, 876 37, 258 35, 541, 069 2, 763, 234	Pounds. 43, 052, 218 7, 748, 834 14, 979, 377 12, 500, 062 14, 350, 871 7, 701, 942 93, 351 24, 283, 312 4, 031, 983 5, 370, 120 48, 294, 455 7, 922, 391 39, 143, 489	P. ct. 14.00 2.02 1.80 2.09 3.31.4 11.64 3.73 3.51 3.51	5. 2 4. 5 (1) 8. 9	2. 3 3. 4 5. 0 . 7	P. ct. 10.6 1.9 3.7 3.1 3.5 1.9
Other countries		19, 622, 275 267, 400, 770	13, 485, 670 221, 051, 070	39, 143, 489 407, 282, 271	5, 6	7.3	6.1	9.6
Goat skins— Aden. Africa, n. e. s. Argentina. British Affica. Offica. Chima. East Indies. France. Mexico. Russia (European). United Kingdom. Vanozuela. Other countries.	3, 656, 513 1, 530, 418 3, 944, 343 3, 621, 520 2, 241, 731 9, 394, 904 41, 905, 364 2, 543, 276	2, 031, 272 2, 031, 277, 700 2, 739, 243 3, 324, 87, 77 12, 106, 273 33, 498, 842 2, 629, 706 352, 567 1, 266, 543 4, 497, 776	880, 760 81, 172 2, 326, 191 2, 906, 400 3, 190, 091 18, 811, 654 32, 446, 710 12, 680 2, 888, 599 227, 539 752, 546 2, 902, 257	6, 728, 235 1, 012, 052 7, 474, 326 6, 608, 837 7, 981, 326 15, 217, 361 62, 772, 369 1, 348, 224 3, 315, 986 4, 432, 373 2, 813, 980 13, 505, 795		3.0 1.2 4.1 5.0 5.3 18.1 50.0 3.9 1.9 6.7	1.4 .1 3.7 4.7 5.1 22.1 52.0 (1) 4.6	5.0 5.6 4.9 5.9 11.4 47.0 1.4 2.5
Total	95, 821, 807	66, 932, 937	62, 363, 549	133, 656, 814	-			
Shoopskins: Aden Argentina Brazil. British India British Cecania. British Scuth Africa. Canada. China France. British (European). United Ringdom	1, 244, 866 2, 887, 204 7, 716, 554 1, 408, 522 2, 100, 858 712, 493	900, 940 14, 644, 079 1, 346, 160 2, 490, 592 10, 364, 512 9, 725, 641 1, 819, 375 1, 983, 559 413, 334	022, 691 9, 087, 101 985, 249 2, 789, 044 25, 000, 044 5, 9:77, 809 798, 873 1, 521, 008 248, 610	2, 494, 391 15, 674, 103 3, 175, 161 4, 694, 998 16, 933, 622 7, 415, 027 5, 341, 467 2, 072, 754 370, 004 76, 423 9, 971, 675	1.2 8.1 1.9 4.4 11.9 2.2 3.2 1.1 4.1 9.7	1.7 26.4 2.4 4.5 18.7 17.5 3.6 .7	11.5 2.9 5	2. 9 18. 4 3. 7 5. 5 19. 9 8. 7 6. 3 2. 4
Other countries.	943, 322 5, 297, 708 65, 077, 008	3,543,102 1,564,089 6,664,523 55,468,915	373, 505. 570, 778 4, 529, 639 52, 484, 351	76, 423 9, 971, 075 2, 401, 237 14, 821, 467 85, 981, 819	8.1	6. 4 2. 8 12. 0		2.9 17.1 100.0
Total	00,071,000	6r4 and 319	Day 1974, OOK	60 801, 519	100.0	100.0	****	10040
Cocos, crude: Brazil. British West Africa British West Indies Dominican Republic. Ecsador Postural United Kingdom Vanezuel. Other neuntries	9, 288 36, 119, 388 24, 818, 840 19, 120, 723 18, 751, 436 8, 534, 723 4, 719, 067 12, 598, 842					22.9 24.9 12.9 10.0 19.2 (1) 3.5.2 4.6	6, 5 6. 1	5.6
Total	141, 800, 435	399, 040, 401	359, 959, 761	891, 897, 309	100.0	100.0	100.0	100.0

<sup>1</sup> Less than 0.05 of 1 per cent.

Table 296.—Origin of principal farm products imported into the United States, 1910-1919—Continued.

		Quentity.						I.
Article and country of origin.	Year ending	ear ending June 30— Year ending Dec. 31— Year ending Tear Dec		Year e Dec.				
Magaire	Average, 1910–1914.	1918	1918	1919	A ver- age, 1910- 1914.	1918	1918	1010
VEGITABLE MATTER— continued.								
Coffee: Brazil Central American States and British	Pounds. 673, 058, 602	Pounds. 743, 958, 456	Pounds. 599, 991, 374	Pounds. 787, 312, 293	P. ct. 74. 8	P. ct. 65. 0	P. ct. 5. 0	P.ct. 59.0
HondurasColombiaEast IndiesMaxicoNetherlands	28, 789, 033 70, 516, 164 9, 893, 785 31, 220, 334 2, 565, 776 45, 806, 538	166, 292, 751 112, 159, 390 4, 773, 288 31, 118, 513	195, 259, 324 118, 909, 462 4, 756, 528 19, 849, 220	131, 638, 695 150, 483, 853 56, 919, 126 29, 567, 469 1, 335 109, 777, 831	4.3 7.8 1.1 3.5	14. 5 9. 8 2. 7	18.6 11.3 .5 1.9	9.9 11.3 4.3 2.2 (¹) 8.2
Venezuela. West Indies and Ber- muda. Other countries.	5, 614, 876 21, 874, 219	50, 122, 484 30, 240, 917 5, 225, 090	53, 654, 080 53, 459, 694 6, 321, 809	42, 013, 841 25, 849, 024	5.1 .6 2.5	2.0	5.1 5.1 .5	3.2 1.9
Totai	899, 339, 327	1,143,890,889	1,052,201,501		100.0	100.0	100.0	100.0
Fibers, vegetable:	سنيند							
Cotton— Egypt. Peru United Kingdom. British India Mexico. Other countries	77, 876, 828 5, 544, 333 7, 887, 013 2, 533, 063 7, 761, 757 9, 554, 004	47, 532, 526 9, 417, 672 14 3, 147, 235 17, 862, 209 25, 365, 991	63, 521, 653 4, 403, 363 1, 665, 279 22, 993, 541 20, 100, 316	85, 425, 627 20, 213, 172 18, 545, 720 4, 927, 097 30, 890, 061 14, 296, 991	70.2 5.0 6.9 2.3 7.0 8.6	46.0 9.1 (1) 3.0 17.3 24.6	56. 4 3. 9 1, 5 20. 4 17. 8	49.3 11.5 10.6 2.8 17.6 8.2
Total	110, 955, 998	103, 325, 647	112, 684, 092	175, 358, 368	100.0	100.0	100.0	100.0
Flax— Belgium Canada. Russia (European) United Kingdom Other countries.	Long tons. 2, 100 550 2, 862 4, 308 932	Long tons. 762 2, 955 1, 129 761	Long ton*.  4, 583 2, 502 304 467	Long tons. 18 1,370 21 1,510 1,501	19.5 5.1 26.6 40.1 8.7	13.6 52.7 20.1 13.6	58.3 31.8 3.9	31.0 31.0 84.2
Total	10, 752	5, 607	7,856	4, 420	100.0	100.0	200.0	10.0
Jute and jute butts— British East Indies Other countries	89, 320 8, 843	77, 573 739	71,309 105	61,966 866	95.9 4.1	99. 1 9	99.9	99.4 .6
Total	93, 163	78, 312	71,414	62, 832	100.0	100.0	100.0	100.0
Manila fiber— Philippine Islands Other countries	70, 518 1, 409	86, 065 155	78, 305 478	68, 044 492	98. 0 2. 0	99.8 .2	99. 4 . 6	99.8
Total	71, 922	-80, 220	78, 783	68, 536	100.0	100. 0	100.0	100.0
Sisal grass— Mexico Other countries	128, 314 12, 001	137, 343 12, 821	139, 351 12, 525	133, 591 10, 951	91. 4 8. 6	91. 5 8. 5	91. 8 8. 2	92. 4 7. 6
Total	140, 315	150, 164	151, 876	144, 542	100. 0	100. 0	100. 0	100.0
Fruit: Bananas— British West Indies.— Central American States and British	Bunches. 14,404,120	Runches. 2,064,274	Bunches. 3,033,262	Bunches. 6, 912, 779	33.0	6.0	9.4	18.7
States and British Honduras Cuba South America	23, 010, 323 2, 388, 024 2, 344, 511 1, 586, 446	25, 895, 734 1, 151, 165 5, 214, 500 224, 240	23, 470, 560 972, 426 4, 652, 004 120, 776	24, 293, 461 1, 515, 832 4, 094, 910 176, 083	52. 7 5. 5 5. 4 3. 4	75. 0 3. 3 15. 1	72.8 3.0 14.4	65.7 4.1 11.1
Other countries	2,000, 220	1	1 200, 110	,,				

<sup>1</sup> Less than 0.05 of 1 per cent.

Table 296.—Origin of principal farm products imported into the United States, 1910-1919—Continued.

	. 4	910-1919-	Оодиниес	•	-				
		Qua	atity.		P	Per cent of total.			
Article and country of origin.	Year endin	ıg June 30—	Year ending Dec. 31—		Year e		Year ending Dec. 31—		
	Average 1910–1914.	1918	- 1918	1919	A ver- age 1910- 1914.	1918	1918	1919	
VEGETABLE MATTER—con.									
Nuts: Walnuts— Austria-Hungary— China France Italy Turkey (Asiatic) Other countries	Pounds. 842, 698 2, 155, 291 21, 026, 019 5, 754, 825 1, 249, 497 2, 638, 219	Pounds. 2, 084, 108 9, 099, 952 3, 260, 317 5, 844, 793	Pounds.  1, 891, 243 6, 552, 094 909, 196 3, 658, 871	Pounds.  7, 080, 192 8, 519, 292 6, 360, 433 9, 536, 060	P.ct. 2.5 6.4 62.5 17.1 3.7 7.8	8.9 39.1 26.9 25.1	P.ct. 14.5 50.4 7.0 28.1	P. ct.  22. 5 27. 0 20. 2 30. 3	
Total	33, 666, 549	23, 289, 170	13,011,404	31, 495, 977	100, 0	100.0	100. 0	100.0	
Oils, vegetable: Olive, edible— France. Italy. Spain Other countries.	Gallons. 864, 796 3, 293, 220 292, 434 426, 173	Gallons. 227, 617 200, 403 2, 091, 400 18, 092	Gallons. 88, 088 5, 729 65, 895 11, 449	Gallons. 183, 124 251, 902 8, 557, 416 31, 694	17. 7 67. 5 6. 0 8. 8	9.0 7.9 82.4 .7	51. 5 3. 3 38. 5 6. 7	2.0 2.8 91.8 .4	
Total	4, 876, 623	2, 537, 512	171, 161	9, 024, 136	100.0	100.0	100. 0	100.0	
Soya bean oil— China	Pounds.  1, 327, 548 2, 195, 714 29, 253, 941 4, 617, 154 1, 512, 949	Pounds. 12,470,720 237,442,917 86,830,583 80,426	Pounds. 13, 538, 334 230, 839, 925 91, 605, 233	Pounds. 11, 230, 292 99, 042, 642 84, 218, 232 1, 317, 255	7.0 211.6 248.9 224.4 28.1	3.7 70.5 25.8	4, 0 68, 7 27, 3	5.7 50.6 43.0	
Total	* 18, 907, 306	336, 824, 646	335, 984, 148	195, 808, 421	100, 0	100.0	100.0	100.0	
Oplum: Turkey (Asiatic and European). United Kingdom. Other countries. Total.	380, 586 68, 587 39, 387 488, 510	128, 173 .31, 661 157, 834	121, 324 38, 297 159, 621	641, 187 40, 207 48, 878 730, 272	77. 9 14. 0 8. 1	79. 9 20. 1	76. 0 24. 0	87. 8 5. 5 6. 7	
Seeds:									
Flaxsed or linseed— Argentina.  Belgium  British India.  Canada.  United Kingdom  Other countries.	Bushels. 1, 974, 021 147, 273 836, 366 4, 110, 370 178, 859 11, 323	Bushels. 7, 432, 421 5, 501, 891 432, 717	Bushels. 9, 668, 119 11, 088 3, 240, 043 21 55, 205	Bushels. 12,853,932 1,279,132 403,120	27.2 2.0 11.5 56.6 2.5	55. 6 41. 2 8. 2	74. 5 .1 25. 0 (1) .4	86.0 9.1 2.9	
Total	7, 258, 212	13, 366, 529	12, 974, 476	14, 036, 184	100.0	100. 0	100.0	100.0	
Grass seed—Clover—Gaseds—France—Garneriy—Italy Other countries—	Pounds. 5, 128, 518 7, 979, 405 6, 556, 388 2, 297, 896 8, 699, 998	Pounds. 4,697,881 1,817,004 1,285,064 678,146	Pounds. 7, 209, 330 681, 911 1, 328, 715 350, 010	Pounds. 10, 870, 385 8, 530, 878 27, 517 4, 639, 318 973, 900	20. 0 31. 1 25. 5 9. 0 14. 4	58. 9 16. 5 16. 1 8. 5	75. 7 6. 6 14. 0 8. 7	43. 4 84. 1 18. 5 3. 9	
Total	25, 662, 200	7, 978, 095	9, 519, 966	25, 041, 998	100.0	100.0	100.0	100.0	
Sugar, raw cane: Cuba Dominican Republic. Dutch East Indies. Philippine Islands. South America. Other countries.	3,856,447,356 10,302,955 179,217,222 232,340,306 39,733,149 23,016,602	4,560,749,643 14,395,335 173,600,941 75,980,455 78,550,651	4,953,689,419 4,831,020 3,272 135,602,975 29,429,746 43,284,440	6,686,141,988 7,989,541 30,963,112 175,872,529 35,040,367 83,682,948	88. 8 .2 4.1 5. 4 .9	98.1 .3 3.5 1.6 1.5	95.9 1 (1) 2.6 .6	95.2 1.4 2.5 1.3	
Total	4,341,057,590	4,898,277,025	5,166,840,872	7,019,690,475	100.0	100.0	100.0	100.0	

<sup>1</sup> Less than 0.05 of 1 per cent.

<sup>2</sup> Average 3 years only, 1912-1914.

Table 296.—Origin of principal form products imported into the United States, 1910-1919—Continued.

	1.	910-1919-	Oonomica.	•				
		. Quan	tity.		P	er cent	of tota	ıl.
Article and country of	Year ending	g June 30—	Year endin	g Dec. 31	Year o	nding 30—	Year o	nding 31—
origin	Average 1910-1914.	1918	1918	1919	Aver- age 1910- 1914.	1918	1918	1919
VEGETABLE MATTER—con. Tea: Canudi. China. Bast Indies. Japan. United Kingdom. Other countries. Total.	Pounds. 2,787,373 22,932,930 10,500,188 46,245,473 11,620,183 1,040,002 95,126,149	Pounds. 1,914,169 21,032,866 74,164,320 52,996,471 487,063 670,037	Pounds. 2,294,155 14,202,680 60,304,828 56,436,650 381,790 738,089	Pounds. 2, 257, 012 10, 557, 985 26, 987, 615 39, 950, 916 534, 647 665, 745	P.ct. 2.9 24.1 11.0 48.6 12.2 1.2	P.ct. 1,3 13.9 49.0 35.0 .3 .5	P. ct. 1.7 10.6 44.9 42.0 .3 .5	P. ct. 2.8 13.0 33.3 49.4 .7 .8
Tobacco leaf: Wrapper— Dutch East Indies Netherlands Other countries	46 6,087,084 227,105	3,890,236 353,172 271,936	6,984,516 1,315 327,269	6, <b>504</b> ,615 109,723 539,804	(1) 96. 4 3. 6	86.2 7.8 6.0	95.5 (1) 4.5	90.9 1.5 7.6
Total Other leaf- Cuba Dominican Republic. Germany. Greece Turkey (Asiatle) Turkey (European). Other countries Total	25,147,491 26,235 1,410,469 1,079,079 11,564,030 8,110,601 1,042,021 48,379,985	20,366,787 15,242,017 18,626,083 20,617,332 74,852,219	7,313,100 20,490,954 19,138,463 17,496,045 23,880 19,051,673 76,201,015	7,154,142 21,969,643 6,433,478 20,702,622 11,878,239 3,094,792 14,131,362 78,210,136	52.0 .1 2.9 2.2 23.9 16.8 2.1	27. 2 20. 4 24. 9 27. 5 100. 0	26.9 25.1 23.0 (1) 25.0 100.0	28.1 8.2 20.5 15.2 4.0 18.0
FOREST PRODUCTS. India rubber, crude: Belgium. Brazil. Canada. Central American States	6,262,187 40,290,919 92,028	41,277,914 4,247,287	40,832,620 2,712,336	58,845,384 5,320,540	5.9 38.1 .1	10.6 1.1	12.4 .8	11.0 1.0
and Pritish Honduras East Indies France. Germany Mexico Other South America. Portugal United Kingdom Other Countries.	1,142,524 8,447,379 3,320,383 7,266,443 5,948,310 2,395,991 1,325,719 28,786,758 607,902	736,014 311,909,581 509,017 1,033,087 6,747,699 588,076 21,996,948 674,395	387, 144 265, 040, 618 169, 318 2, 185, 809 3, 590, 744 424, 424 6, 627, 165 4, 489, 130	448, 827 390, 884, 566 2, 410, 319 963, 242 6, 965, 752 87, 422 60, 251, 894 9, 762, 478	1.1 8.0 3.1 6.9 5.5 2.3 1.3 27.9	80.1 1 1.7	81.3 1	72.9 -4 -4 1.8
Total	105,736,243	389,399,015	<b>425,989,80</b> 8	\$35,900,421	100.0	1000		100.0
Wood: Cabinet wood— Makagany— British Addes Cantral American States and British	M. fost. 8, 197	M. foot. 7,667	M. fost. 6,353	#. fest. 18,849	11.5	14.8	14.4	32.4
Hondress. Mestre. United Kingdom. Other countries. Total.	14,387 11,384 15,050 6,996 53,684	\$7,608 11,300 78 5,608 51,681	32,471 16,711 77 3,985 44,098	18,556 5,616 656 4,007 42,678	26.5 20.9 28.0 13.1	52.4 21.7 21.9 10.9	59. 1 24. 3 9. 0	43.5 13.1 1.5 9.5
Boards, planks, deals, and other sawed lumber—					96.5			
Canada Other countries	937,069 33,955	1,253,507 29,194	1,183,015 23,012	1,119,244 24,943	3.5	97.7 2.3	98.1	97.8 2.2
Total	971,024  Long tons.	1,282,701	1,206,027  Long tons.	1,144,187	100.0	100.0	100.0	100.0
Canada Germany Norway Swedan	218, 423 68, 133 73, 899 98, 584 18, 756	440, 859 10, 573 41, 791 10, 929	508,081 5,134 700	461,392 11,168 76,410 18,902	46.3 14.4 15.5 -19.8	87.5 2.1 8.3	1.0	2.0 18.5
Other countries	18,756 471,795	10,929 504,152	2,348 516,258	18,902	100.0	2.1	100.0	100.0

<sup>1</sup> Less than 0.05 of 1 per cent.

## MISCELLANEOUS AGRICULTURAL STATISTICS.

# CROP SUMMARY.

The December estimates of the Crop Reporting Board of the Bureau of Crop Estimates of the acreage, production, and value (based on prices paid to farmers on Dec. 1) of important farm crops of the United States in 1820 and 1919, with the average for the five years 1914-1918, based on the reports of the correspondents and agents of the Bureau, are as follows (1919 figures revised):

TABLE 295.—Crop summary, 1920, 1919, and average 1914-1918.

			Production.		Farm v	alue Dec. 1.
Crop.	Acreage.	Per acre.	Total.	Unit.	Per unit.	Total.
Corn:					Cents.	Dollars.
1920	104,601,000	30.9	3, 232, 367, 000 2, 858, 509, 000	Bushel	67.7	2, 189, 721, 000 3, 851, 741, 000 2, 612, 389, 000
1919 Average, 1914-1918	100, 072, 000 107, 225, 000	28.6 25.7	2, 858, 509, 000 2, 760, 484, 000	do	134.7 94.6	2,612,389,000
Winter wheat:				1 1		
1920	37, 773, 000 49, 105, 000 35, 282, 000	15.3	577, 763, 000	do do	149.3 210.9	862, 341, 000 1, 538, 292, 000 619, 782, 000
1919 Average, 1914-1918 Spring wheat:	85, 282, 000	14.9 16.0	563, 498, 000	do	145.5	819, 782, 000
Spring wheat:				1 - 1		
1920	19, 419, 000 23, 203, 000 18, 837, 000	10.8	209, 365, 000	do do	130. 6 280. 1	278, 465, 900 471, 115, 000 380, 396, 000
1919 A verage, 1914-1918	18, 887, 000	8. 8 13. 7	258, 748, 000	do	147.0	380, 396, 000
All wheat:	2001,000					
All wheat: 1020. 1019. Average, 1914-1918	57, 192, 000 72, 308, 000 54, 119, 000	13.8 12.9	787, 128, 000	do do	144. 3 215. 1	1, 135, 506, 000 2, 009, 407, 000 1, 200, 178, 000
A verage, 1914-1918	54, 119, 000	15.2	822, 246, 000	do	148.0	1, 200, 178, 000
				1 5		
1920. 1919 A verage, 1914–1918	43, 323, 000 41, 835, 000 41, 773, 000	35.2	1, 526, 055, 000 1, 231, 754, 000 1, 414, 558, 000	do	47.2 71.5	719, 782, 000 880, 296, 000 773, 332, 000
A verage, 1914-1918	41, 773, 000	. 29.4 33.9	1, 414, 558, 000	do	54.7	773, 332, 000
Bariey: 1920. 1919. Average, 1914-1918.				1 1		
1920	8, 983, 000	25.0 22.4	202,024,000	do	70.7 121.0	142, 931, 000
Average, 1914-1918	8, 983, 000 7, 198, 000 8, 229, 000	26. 1	214, 819, 000	do do	80.1	142, 931, 000 195, 299, 000 172, 084, 000
		'		1	1 1	
1929	5, 043, 000 7, 103, 000 8, 918, 000	13.7 12.5	69, 318, 000 88, 909, 000 <b>39, 933, 00</b> 0	do	127.8 184.5	88, 669, 000 119, 596, 000 76, 852, 000
Average, 1914-1918	3, 918, 000	15.8	59, 933, 000	do	128.2	76, 852, 000
Average, 1914-1918 Buckwheat:			i			
1020	729,000	18. 9 20. 6	18,789,000	do	129.1 146.9	17,797,900
1929 1948 A verage, 1914-1918	729, 000 739, 606 868, 606	17.6	13, 789, 000 15, 244, 000 15, 305, 000	do	119.8	17, 797, 600 22, 397, 600 18, 331, 690
		1				
1929	1,785,000	6.2	10, 990, 000	do	178.6 488.3	28, 493, 000
1920 1919 Average, 1914–1918	1, 785, 600 1, 572, 609 1, 680, 000	4.9 7.7	7, 661, 000 12, 922, 000	do do	282,0	18, 413, 000 38, 681, 900 29, 884, 993
		1 .			1	
1990	1, 387, 000 1, 091, 800 892, 938	40.2	42, 790, 000	do	118.9 266.8	68, 837, 000 114, 182, 600 44, 868, 000
1919. Average, 1914-1918	892, 920	39. 2 37. 4	58, 710, 906 42, 790, 000 33, 360, 960	do	194.5	44, 899, 000
	1	100.0	l .		116.4	
1910	3, 929, 009 3, 952, 000 3, 988, 000	109.6	430, 458, 090 355, 773, 000 383, 113, 000	do	160. 6	500, 974, 000 571, <b>366, 6</b> 00 875, <b>617,</b> 000
1920 1919 Average, 1914–1918	3, 938, 000	90. 0 97. 0	389, 118, 000	do	98.1	875, 017, 000
SWeet Dormoes:		103.6	119 348 000	do	112,7	198 890 000
1920	1, 085, 000 1, 042, 000 793, 000	101.2	112, 368, 000 105, 405, 000 74, 963, 000	do	188, 5	126, 629, 000 140, 706, 960 72, 089, 000
1919 Average, 1914–1918	793, 000	94.6	74, 963, 000	do	98.1	72,089,000
Average, 1914–1918  Average, 1914–1918  Average, 1914–1918  Average, 1914–1918  Ali hay:	57 015 000	1.57	01.198.000	Ton	\$17.70	1,613,886,600
223	57, 915, 000 56, 552, 900 56, 386, 006	1 1.62	91, 198, 000 91, 888, 690 81, 480, 000	Tondo	\$17.70 \$20.09	1, 613, 896, 600 1, 946, 983, 000 1, 186, 680, 000
Average, 1914-1918	53, 386, 006	1,58	81, 480, 000	do	\$78.96	1,-186, 590, 000
1926	15,266,000	1.12	17,040,000	do	\$11.46	195, 984, 989
1919	15, 266, 000 15, 708, 000 16, 352, 600	1.10	17, 040, 090 17, 269, 000 17, 874, 000	do	\$16.08	195, 364, 969 196, 987, 900 171, 387, 900
Average, 1914-1918	16, 352, 606	1.09	17,874,000	de	\$9.96	173, 887, 000
1920	73,181,000	1.48	108, 233, 000	do	\$16.72	1.900.162.900
1919 Average, 1914-1918	73, 181, 000 72, 289, 009 89, 738, 060	1.51	108, 283, 000 109, 152, 000 99, 304, 000	do	\$19.55	1,900,162,900 2,184,170,000 1,300,167,000
Average, 1914-1918 Tobacco:	69, 738, 000	1.42	1 '	1	\$13.18	•
1920	1,894,400	796.1	1,508,064,000	Pound	9L1	318,359,000
1919 Average, 1914-1918	1,894,400 1,910,800 1,484,300	761.3 828.1	1,508,064,000 1,454,725,000 1,187,708,000	do	39.0 18.0	31.6, 850, 000 596, 798, 000 214, 985, 980
Average, 1914-1918				1		1
200	36, 888, 000	1 170.8	12,987.000	Bale	114.0	914, 596, 000
Avenage, 1914-1918	36, 883, 006 33, 366, 000 34, 616, 000	1 161. 6	11,421,000	Baledo	1 35.6 1 18.6	954, 590, 000 2,484, 658, 000 1,106, 524, 000
A.Verege, 1914-1918	1 34,616,000	1 4 171. 7	12,424,690	1	178'8	1,105,524,000

<sup>1</sup> Pounds per sore, and cents per pound.

# CROP SUMMARY-Continued.

# TABLE 295.—Crop summary, 1920, 1919, and average 1914-1918—Continued.

			Production.		Farm.	value Dec. 1.
Crop.	Acreage.	Per acre.	Total.	Unit.	Per unit.	Total.
Cotton seed: 1920			5, 778, 000 5, 074, 000 5, 538, 000	Toridodo	Cents. \$22. 23 \$67. 14 \$44. 74	Dollars, 128, 455, 000 340, 653, 000 247, 792, 000
1920	966,000 843,000	1.8 1.6	1,760,000 1,341,000	Bushel	\$11.66 \$26.50	20, 528, 000 35, 541, 000
Sugar beets: 1920. 1910 Average, 1914–1918. Beet sugar:	882,000 692,455 603,763	9. 69 9. 27 10. 02	8, 545, 000 6, 421, 478 6, 050, 741	Tondodo	\$11.63 \$11.74 \$6.92	99, 396, 000 75, 420, 000 41, 843, 000
1920. 1919 Average, 1914–1918. Cane sugar, Louisiana: 1920	882,000 692,455 603,763	2,516 2,098 2,612	2,219,200,000 1,452,902,000 1,577,235,000	Pounddodododo.		
1920. 1919. Average, 1914-1918. Maple sugar and sirup (as sugar):	196,000 179,900 218,400	1,898 1,345 2,214	372, 000, 000 242, 000, 000 483, 440, 000	do do do		
1020. 1919. Sorghum sirup: 1920.	2 19,031,325 2 18,974,700	<sup>3</sup> 1. 91 <sup>3</sup> 2. 16	36, 373, 080 41, 004, 533	do	437.0 426.9	13,458,000 11,038,000
1920	472,900 429,500 261,565	92. 8 82. 4 86. 3	43, 876, 000 35, 409, 000 22, 580, 000	Gallon do	105. 2 110. 3	46,138,000 39,054,000
1920	1,262,400 1,256,400	28.5 27.0	35, 960, 000 33, 925, 000	Busheldo	135, 8 240, 9	48,829,000 81,742,000
Beans (6 States): 1920	849,000 1,002,000 1,295,000	10.7 11.9 10.2	9, 075, 000 11, 035, 000 13, 213, 000	do do	\$2.00 \$4.28 \$4.60	27,114,000 51,051,000 60,777,000
Kafirs (7 States): 1920 1919 Broom corn (7 States):	5,404,000 5,031,000	26. 6 25. 4	143, 939, 000 127, 568, 000	do	91. 5 129. 4	131,665,000 165,030,000
1920	199, 200 262, 600	<sup>5</sup> 340. 4 <sup>6</sup> 386. 9	33, 900 50, 800	Tondo	\$125.78 \$153.64	4,263,000 7,805,000
1920 1919. Cabbage (12 States):	56,972 42,057	335. 6 271. 0	19, 119, 500 11, 397, 500	Bushel	131.7 213.3	25, 179, 000 24, 309, 000
1920 1919 Hops (4 States): 1920	89, 437 55, 110	9. 2 6. 5	820,750 857,025	Tondo	\$30.78 \$52.74	25, 266, 000 18, 828, 000
1910. Cranberries (3 States): 1920.	29, 200 25, 900 24, 900	1, 332. 8 1, 133. 1 17. 3	38, 918, 000 29, 346, 000	Pound do Barrel	36. 5 77. 2 \$12. 32	14, 194, 000 22, 656, 000
Average, 1914–1918 Apples, total:	25, 600 22, 980	22. 1 10. 2	431,000 566,000 442,000	do	\$8.37 \$7.00	5,313,000 4,735,000 3,093,000
1920 1919 A verage, 1914–1918 Apples, commercial: 1920			240, 442, 000 153, 238, 000 202, 698, 000	Bushel dodo	113.1 186.0 90.2	271, 984, 000 285, 069, 000 182, 762, 000
1920 1919 Peaches: 1920			36, 272, 000 26, 223, 000	Barrel	\$3.64 \$5.36	132,006,000 140,649,000
1920 1919 A verage, 1914–1918 Pears:			43,697,000 49,578,000 47,514,000	Bushel do	210.2 191.3 111.5	91,862,000 94,818,000 52,998,000
1920			17, 279, 000 15, 472, 000 12, 364, 000	dodododododododododo.	157. 5 182. 5 104. 2	27, 220, 000 28, 238, 000 12, 885, 000
1920			27, 200, 000 22, 075, 000	Box	\$2. 58 \$2. 67	70, 125, 000 58, 956, 000
Soy beans: 1920	190,000 175,000	15. 8 14. 1	3, 002, 000 2, 460, 000	Bushel	306. 4 346. 7	9, 199, 000 8, 530, 000
Cowpeas: 1920. 1919. Total:	1,683,000 1,453,000	9. 2 6. 5	15, 495, 000 9, 423, 000	do	230. 8 274. 5	35, 768, 000 25, 865, 000
1920. 1919.	350, 870, 409 356, 123, 122					9, 165, 348, 000 14, 081, 391, 000

Trees tapped.

<sup>&</sup>lt;sup>3</sup> Pounds per tree.

<sup>4</sup> May 15 price. 5 Pounds per acre

# STATES LEADING IN STAPLE CROPS.

# TABLE 296.—Production of staple crops in leading States, 1918-1920.

Crop	1920	1910	1918
Corn Wheat Oats Barley Rye Rice Buckwheat Kafirs (sorghum grains) Potatoes Sweet potatoes Flaxseed Beans (dry) Peanuts Apples (commercial) Peaches	Michigan     10       Louisiana     25       New York     4       Texas     61       New York     46       Alabama     17       North Dakota     4       Michigan     4       Alabama     9	Million   bushels   Lowa   416   Kansas   152   Lowa   196   California   30   North Dakota   16   Louislana   20   New York   5   Texas   59   New York   40   Alabama   14   North Dakota   3   California   5   Alabama   7   Washington   20   California   18   C	Million   bushels
Hay (all)		Thousand tons.   Nobraska	Thousand tons.   New York   5,430   Texas   10   Colorado   1,363   Thousand bales   Texas   2,667   Millon pounds   Kentucky   470   47

# VALUE OF FARM PRODUCTS.

Table 297 .- Estimated value of farm products, 1879-1920, based on prices at the farm.

	Total, gross	Crops.			Animals and animal products.		
Υαιτ.	(to be read as index numbers).	' Value.	Value, Porcentage of total.		Porcent- age of total.		
1879 (crnsus)   1889 (crnsus)   1889 (crnsus)   1897   1898   1898   1899 (census)   1898   1899 (census)   1900	83, 212, 530, 937 2, 469, 107, 554 3, 961, 900, 900 4, 330, 900, 900 4, 327, 969, 973 5, 913, 900, 900 5, 302, 900, 900 5, 587, 900, 900 6, 274, 900, 900 6, 274, 900, 900 7, 481, 901, 900 7, 481, 901, 900 8, 555, 457, 223 9, 937, 900, 900 9, 815, 901, 900 9, 815, 901, 900 9, 815, 901, 900 9, 815, 901, 900 9, 815, 901, 900 9, 815, 901, 900 9, 815, 901, 900	\$2,519,000,000 2,709,000,000 2,709,704,473 3,102,009,000 3,582,001,000 3,752,001,000 3,752,001,000 4,013,000,000 4,711,000,000 5,582,000,000 5,582,000,000 5,582,000,000 6,132,000,000 6,133,000,000 6,133,000,000	68.6 68.6 68.7 68.7 68.3 64.1 65.0 64.1 60.7 62.1 62.2 62.3	\$1, 432, 000, 000 1, 579, 000, 000 1, 518, 000, 000 1, 518, 000, 000 2, 016, 030, 000 2, 118, 000, 000 2, 130, 000, 000 2, 527, 088, 000 2, 727, 088, 000 2, 727, 088, 000 3, 501, 000, 000 3, 501, 000, 000 3, 738, 000, 000 3, 788, 000, 000	36.4 37.4 36.3 36.2 36.0 35.2 37.7 38.4 37.7 37.7 37.7		
1915 1916 1917 1917 1918 1919 1920 (proliminary)	10, 775, 600, 600 13, 406, 000, 000 19, 331, 000, 000 22, 480, 000, 000 24, 961, 000, 000 10, 856, 000, 000	6,907,090,000 9,051,000,000 13,479,000,000 14,331,000,000 16,013,000,000 11,145,000,000	64.1 67.5 69.7 63.8 64.2 56.1	3, 868, 000, 000 4, 352, 000, 000 5, 852, 000, 000 8, 149, 000, 000 8, 948, 000, 000 8, 711, 000, 000	35.5 32.5 30.5 36.5 43.5		

## CROP VALUE PER ACRE.

Table 298 .- Yearly value per acre of 10 crops combined.

[Corn, wheat, cats, barley, rye, buckwheat, potatoes, hay, tobacco, and cotton, which comprise nearly 90 per cout of the area in all field crops, the average value of which closely approximates the value per acre of the aggregate of all crops.]

	1920	\$23, 44	1906	\$13.48 [	1802	\$10.10	1878	\$10.37
	1919		1905	13, 28	1891	11.76	1877	12, 00
	1918	33. 73	1904	13, 26	1890	11,03	1876	10. 80
					1889			
					1888:			
					1887			
	1914	16. 44	1900	10.31	1886	9.41	1872	14, 83
	1913	10, 49	1890	9, 13	1885	9.72	1871	15, 74
•	1912	16, 09	1898	9,00	1884	9.95	1870	15.4)
	1911	15, 36	1897	9, 07	1883	10, 93	1839	14, 67
	1910	15, 53	1896	7.94	1882	12, 93	1868	14, 17
	1909	16, 00	1895	8. 12	1881	13, 10	1867	15, 09
	1908	15, 32	1804	9, 06	1880	13.01	1865	14.17
	1907	14.74	1893	9.50	1879	13, 26		

# AGGREGATE CROP-VALUE COMPARISONS.

TABLE 299 .- Value of 22 crops and hypothetical value of all crops, with rank, 1909-1920.

The following tabulation gives the estimated total value of 22 crops—corn, wheat, eats, barley, rye, buckwheat, flaxseed, rice, potatoes, sweet potatoes, all hay, tobacco, lint cotton, beans, broom corn, grain sorphums, hops, oranges, clover seed, peanuts, cranberries, and apples—in the United States, by States, in 1920, 1919, 1914, and 1909; the value of all crops in 1909 (census); and the pothetical value of all crops in other years, based upon ratio of the 22 crops to all crops in census year; also rank of States. The slight differences in the total value of crops in the United States between Tables 200 and 297 are due to different methods of estimating. In Table 299, where each State is shown separately, a more detailed method is used than is practicable in Table 297.

[Values in thousands of dollars; i. e., 000 omitted.]

		[ vanue	5 11t tilous	SELECTS OF CE	GHAIS, I.	e., 000 omi	recuri			
	Val	ue <b>of 2</b> 2 cro	ps.	Value	Ratio value	Hypoth	etical valu	10 of all	Ran	ık.
State.				all crops 1909	22 crops to all crops in			1914-1918,	192	30
	1920	1919	1900	(census).	census 1909.	1920	1919	5-year average.	22 erops.	All crops.
Maine New Hamp-	65, 210	75, 822	30, 151	39, 318	77	84, 688	98, 470	1	35	36
shireVermont Massachusetis Rhode Island.	18, 962 42, 039 39, 809 3, 548	20, 435 43, 056 43, 638 3, 936	10, 052 19, 454 18, 014 2, 190	15, 976 27, 447 31, 948 3, 937	63 71 56 56	30, 098 59, 210 71, 088 6, 336	32, 437 60, 642 77, 925 7, 929	55, 370	45 39 41 48	45 39 38 48
Connecticut New York New Jersey Pannsylvania Delaware	CO. 7541	46, 655 356, 538 63, 863 381, 714 19, 380	15, 847 152, 985 25, 141 135, 766 6, 694	22, 488 209, 168 40, 341 166, 740 9, 122	70 73 62 81 78	53, 590 436, 507 97, 990 397, 617 20, 630	66, 659 488, 408 103, 005 474, 956 26, 560	43, 503 343, 336 80, 931 326, 312 20, 173	42 5 36 6 46	41 5 33 7 48
Maryland Virginia West Virginia North Caro-	79, 807 187, 008 84, 634	98, 957 271, 411 104, 945	32, 393 78, 603 30, 247		74 78 <b>7</b> 5	107, 847 239, 792 112, 845	133, 726 347, 963 139, 927	90, 512 219, 804	38	32 23 30
Rua South Caro- lina	317, 528 220, 438	504, 199 395, 570	110 <b>, 72</b> 8 110 <b>, 2</b> 21	142, 890 141, 983		412, 374 282, 613	654, 804 507, 141	1	1	6 18
Georgia Florida Ohlo Indiana Illinois	258, 632 51, 902 321, 786 269, 776 431, 628	480, 333 52, 327 494, 359 420, 985 755, 597	180 181	226, 595 36, 142	90	823, 290 86, 503 369, 869 299, 751 459, 179	600, 416 103, 878 568, 229 467, 761 803, 827	397, <b>2</b> 81 75, 493 380, 937 352, 952 592, 885	16 37 7 13	12 35 9 15
Michigan Wisconsiu Minnesota Iowa Missouri	245, 762 309, 832 268, 091	328, 947 382, 097 465, 621 801, 202 486, 677	131, 665 127, 108 179, 410 297, 306 195, 075	162,005	81 86 93 95	303, 410 360, 270 288, 270 459, 191 343, 012	406, 107 444, 299 500, 023 843, 465 553, 942	267, 021 280, 766 369, 960	17 9 15	14 10 17 2
North Dakota South Dakota Nebraska Kansas Kentunky	192, 248 183, 745 297, 275 855, 730			180, 636 125, 507	98	196, 171 191, 401 306, 469 378, 436 268, 857	295, 107 356, 828 546, 220 631, 903 483, 712		21	8
TennesseeAlabamaMississippiLouisianaTexas	194, 438 184, 801 165, 113	275, 885 306, 911 311, 521 178, 510			80 77 73 - 62 84	243, 048 240, 001 226, 182 172, 706 727, 400	244 921	221, 870 241, 148 249, 474 197, 308	20 24 26 29	21 22 24 27 1
Oklahoma Arkansas Montana Wyoming Colorado	186, 206 71, 018	210 KA2	191 491	129 151	1 01	294, 715 248, 275 78, 042 51, 584 149, 687	570, 883 403, 933 71, 555	252, 740 245, 514 95, 151 37, 33: 117, 35:	14 23 34 38 38 38 28	16 20 37 43 29
New Mexico Arizona Utah Nevada	41, 292 34, 922 34, 072	53, 200 37, 682 38, 280	6, 908 4, 249 14, 532	8, 922 5, 497 18, 485	77 77 79	53, <b>626</b> 45, 353	69, 091 48, 936		40 43 44	1
Idaho	129, 498	114,440	30, 330 68, 229 39, 438 98, 628	49,04	80	150, 579 110, 115	128, 494 238, 116 143, 056 510, 167	77, 99 3 132, 52 6 89, 90 7 347, 46	7 32 3 27 3 30 3 12	31
United States.	8, 640, 575	13, 385, 784	4, 619, 157	5, 486, 618	84. 2	10, 465, 015	16, 035, 11	10, 156, 42	3	<u></u>

## AGGREGATE CROP ACREAGES.

Table 300.—Acreage of 19 crops and theoretical acreage of all crops, by States, 1909-1920.

[Crops included: Corn, wheat, oats, barley, rye, buckwheat, potatoes, sweet potatoes, tcbacco, flax, rice, hay (all), cotton, peanuts, kafirs, beans, broom corn, hops, cranberries.]

	•	Acreage of g	iven crops.		Acreage	of given crops crops, 1909.	Theoretica	l.acreage c	f all crops.
State.	1920	1910	1918	1909	of all crops, 1909.	Per cent of giver	1920	1919	1918
Me N. H Vt Mass R. I	1,088,000	1, 431, 000 497, 000 1, 082, 000 559, 500 60, 000	1, 481, 000 538, 000 1, 139, 000 552, 000 79, 000	1, 539, 000 568, 000 1, 138, 000 590, 000 76, 000	1, 588, 065 593, 093 1, 203, 795 654, 844 81, 207	97 96 94 90 90	1, 505, 000 531, 000 1, 155, 000 616, 000 66, 000	1, 475, 000 518, 000 1, 151, 000 622, 000 67, 000	
Conn N. Y N. J Pa Del	496, 400 7, 798, 600 1, 004, 800 7, 803, 000 437, 000	500,000 7,844,000 1,024,200 8,014,000 448,000	509,000 7,983,800 1,019,700 8,052,600 477,000	501, 000 7, 911, 000 999, 000 7, 637, 000 401, 000	534, 846 8, 387, 731 1, 114, 903 7, 826, 562 438, 522	98	528, 000 8, 296, 000 1, 116, 000 7, 962, 000 475, 000		
Md Va W. Va N. G. 8. C.	2,040,000 4,473,000 2,125,000 7,082,400 6,447,100	2, 131, 000 4, 676, 000 2, 156, 000 6, 996, 400 6, 559, 700	2, 088, 000 4, 639, 000 2, 205, 600 7, 387, 500 6, 381, 900	1, 788, 000 4, 073, 000 1, 799, 000 5, 419, 000 4, 810, 000	5, 152, 815	93 96 96 94 53	2, 194, 000 4, 659, 600 2, 214, 000 7, 534, 000 6, 932, 000		
Ga Fla Ohio Ind Ill	11, 941, 800 1, 268, 200 11, 147, 000 11, 108, 000 19, 314, 900	11, 824, 200 1, 315, 200 11, 578, 000 11, 758, 000 20, 599, 900	11, 972, 700 1, 370, 800 11, 134, 000 12, 300, 300 21, 235, 800	9, 276, 000 1, 122, 000 11, 153, 000 10, 977, 000 19, 938, 000	9, 662, 383 1, 223, 078 11, 431, 610 11, 331, 395 20, 273, 916	96 92 98 97 98	12, 439, 000 1, 378, 000 11, 374, 000 11, 452, 000 19, 709, 000	11, 814, 000 12, 122, 000 21, 020, 000	
Mich Wis Minn Iowa Mo	9,278,900 15,317,000 21,031,000	21, 421, 606	14, 787, 250	13, 925, 000		97	8, 652, 000 9, 666, 000 15, 472, 000 21, 243, 000 14, 666, 000	9, 068, 000 9, 622, 600 15, 911, 000 21, 637, 000 15, 511, 000	8, 888, 000 9, 413, 000 15, 897, 000 21, 571, 000 15, 245, 000
N. Dak S. Dak Nebr Kans Ky	14,822,000 18,098,000 21,477,000	18, 820, 000	18, 298, 000 21, 689, 000 6, 566, 000	5, 783, 000	19, 900, 750 6, 046, 819	30	16, 749, 000 15, 280, 000 18, 281, 000 22, 372, 000 6, 229, 000	19.010.000	18, 202, 000 15, 191, 000 18, 482, 000 22, 593, 000 6, 840, 000
Tenn Ala Miss La Tex	9, 678, 000 7, 842, 000 4, 538, 500 25, 493, 000	7, 719, 300 4, 400, 400 24, 622, 000	9, 573, 100 7, 894, 000 4, 530, 300 23, 509, 000	17, 414, 000	3, 536, 348 18, 389, 092	89 95	6, 924, 000 9, 977, 000 8, 085, 000 5, 099, 000 26, 835, C00	4, 944, 000	5, 090, 000
Okla Ark Mont Wyo Colo	4, 525, 000 1, 808, 000 4, 649, 000	4,682,000	5, 124, 000 1, 634, 000 4, 369, 000	1 777.000	11, 921, 670 5, 376, 484 1, 848, 113 786, 650 2, 614, 312	99	14, 153, 000 7, 119, 000 4, 571, 000 1, 826, 000 5, 224, 000	7, 050, 000 4, 906, 000 1, 624, 000 5, 261, 000	5, 176, 000
N. Mex. Ariz Utah Nev	. 520,000 1,019,000	976,000	451,000	422, 000 177, 000 714, 000 391, 000	190, 982 755, 370	93 95	1, 996, 000 559, 000 1, 073, 000 388, 000	490,000 1,027,000	1,086,000
Idaho Wash Oreg Calif.1	. 3, 782, 000	2, 277, 000 3, 901, 600 2, 749, 600 5, 624, 000	2, 223, 000 3, 664, 100 2, 706, 000 5, 805, 000	1, 606, 000 3, 382, 000 2, 236, 000 4, 659, 000	2, 281, 288	া ১১		2, 323, 000 3, 941, 000 2, 805, 000 5, 920, 000	2,761,000
v.s			352, 332, 350	300, 622, 000	311, 293, 382	96. 6			365, 197, 000

 $<sup>^1\,\</sup>mathrm{Includes}$  cotton acreago in lower California (149,000 acres in 1920, 100,000 acres in 1918), and 88,000 acres in 1918).

#### WHEN CROPS ARE HARVESTED.

The tabulation below shows when crops are harvested in the United States by showing what proportion of the crop is usually harvested each month. Two factors tend to modify these percentages in any given year. In some years harvested each month earlier or later than normal. Also, if the crop is larger than usual in its northern section on smaller than usual in its southern section, or versa, the effect is to modify the percentage of the total crop which is harvested in a particular month. However, it is not likely that such changes from normal are often so marked throughout the United States as to alter greatly the averages here given.

Table 301 .- Percentage of crops of United States harvested monthly.

Crop.	Jan- uary- April.	May.	June.	July.	Au- gust.	Sep- tem- ber.	Octo- ber.	No- vem- ber.	De- cem- ber.
BarleyBuckwheatCornOatsB.			P. ct. 8, 2	P. ct. 51. 6 . 8 . 1 52. 9 . 0	P. ct. 33. 9 6. 7 1. 5 34. 2 15. 3	P. ct. 4. 9 61. 9 15. 8 3. 8 33. 0	P. ct. 0. 2 26. 7 28. 3 . 2 33. 8	P. ct. 0. 9 48. 3	P. ct. 10.9
Rye Wheat Apples Blackberries Cantaloupes		1 . 5	11.3 22.0 2.5 15.4 8.7	71.5 42.3 7.2 47.6 20.9	16. 3 28. 4 12. 5 27. 1 36. 7	.7 6.5 27.7 6.2 28.6	.3 45.5 1.7 3.0	4.5 .1	
Cranberries Grapes Peachos Pears Raspberries		l	7.9 16.5	3. 5 23. 4 7. 5 58, 4	7. 3 15. 2 34. 3 25. 1 21. 7	67. 1 48. 0 26. 9 44. 4 2. 8	25.6 29.8 5.9 21.5		
Strawberries Watermelons Beans (dry) Beans (lima) Cabbage		23.6 .4 .7 2.3	49. 4 5. 2 3. 4 4. 7	18.3 27.3 .8 8.4 6.8	3. 1 39. 8 13. 8 22. 1 9. 1	.6 24.1 54.9 43.4 18.1	3. 2 26. 9 20. 4 40. 4		
Onions Potatoes Sweet potatoes Tomatoes Hay, all	.2 .1	4.4 1.3 1.8 2.2	8.7 3.3 .1 3.8 15.3	12.6 6.8 1.7 11.4 47.8	17. 2 12. 1 6. 2 29. 2 21. 8	32. 5 33. 7 21. 5 39. 7 10. 7	21.9 39.2 49.1 9.7 1.9	1.0 3.3 20.6 1.5	1 -
AlfalfaAlfalfa seedBluegrass seed		5.3	24.1 .6 43.0 .2	28. 0 10. 7 23. 6 3. 4	21.5 30.5 16.4 21.2	16.4 45.1 11.4 54.4	3.7 18.0 5 20.0	:1 :1 :8	
Millet Timothy hay Timothy seed Wild hay			1.7 7.1 .8 4.1	16. 4 73. 6 36. 1 28. 9	40.5 17.8 54.0 36.5	37. 2 1. 5 9. 1 26. 4	4.0 3.3		
Broom corn	.4			9.7 1.4 3.0 1.1	29. 0 11. 5 31. 5 27. 6	43. 1 31. 6 56. 5 63. 6	14.4 34.4 8.9 7.7	16.0	
Peanuts Sorghum (sirup) Sugar beets. Tobacco			.1	2.1 1.4 1.0 7.5	12. 5 13. 3 3. 8 27. 1	39.3 51.9 18.5 52.7	37.7 30.9 56.3 12.1	8.0 2.4 20.2	

## COMPOSITE CROP YIELDS.

## TABLE 302 .- Composite numbers of all crop yields.

The figures below are obtained in the following manner: For each State the average yield per acre of each crop (as corn, wheat, cotton, etc.) is reduced to its 10-year average, yield per acre; these percentages are combined into a composite or general average, viz., the figures shown. The relative importance of each crop is taken into consideration in making the composite averages.

State and division.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Maine. New Hampshire Vermont. Massachusetts. Rhade Island.	90 104 104 107 98	106 105 104 103 101	100 106 97 98 103	100 110 110 105 114	116 122 119 110 92	87 85 98 96 92	118 114 103 116 113	102 89 98 96 101	102 119 118 107 98	28 93 100 90 94 94
Connecticut New York New Jersey Penssylvania	104 110 121 199	100 107 97 105	98 102 100 102	107 108 102 101	110 108 107 106	102 100 107 101	112 111 195 166	96 91 101 98	103 105 106 110	94 90 <b>90</b> <b>91</b>
North Atlantic	107.9	104.8	101.2	104.6	108.9	98.9	109.3	95.5	106.8	91.6
Delaware Marviand Virginia West Virginia West Virginia North Carolina South Carolina Georgia Florida	111 112 109 109 107 99 88 96	91 98 102 102 02 94 85 92	91 100 105 99 106 98 97	104 106 108 103 97 102 97	101 106 113 110 95 83 02 95	99 109 114 113 103 92 92 100	109 113 00 95 108 104 111	97 93 107 93 104 106 104 111	112 108 101 123 102 102 08 106	96 90 91 78 100 103 108
South Atlantic	100.4	93.1	100.3	100.7	162.9	99.6	105.1	103.5	103.6	99.6
Ohio Indiana Illineis Michiran Wisconsin	107 106 101 100 112	105 96 97 108 107	102 110 111 90 114	111 109 120 98 303	89 92 96 98 104	112 113 118 100 103	100 93 85 111 106	97 95 80 94 110	105 102 110 101 108	95 95 95 98 97
North Central east of Mississippi River	106.2	100.6	106.0	110.0	94.7	110.6	96.9	92.8	106.1	95.5
Minnesota Iowa Missouri North Pakota South Pakota Nebraska Kansas	104	89 107 106 69 89 114 111	123 104 84 108 139 78 82	111 111 124 65 115 103 92	79 167 78 72 89 114 82	116 103 109 137 137 125 125	95 105 85 99 94 103 124	115 102 71 98 82 78 61	123 128 105 142 115 92 117	82 83 88 84 48 74 72
North Central west of Mississippi River	113.0	100.2	101.1	104.6	90.6	118.2	101.9	88.6	117.3	78.1
Kentucky Tenussee. Alabama Mississippi Louisiann Tenas	195 87 90 97	95 96 82 92 87	100 96 101 102 85	109 105 90 103 95	102 101 64 67 102	108 104 92 98 96	102 98 110 103 104	83 88 101 99	104 106 98	98 106 98
Okiahoma Arkansas	114 140 197	124 139 98	65 66 76	74 87 110	96 79 92	103 122 164	104 106 97	102 103 62 94	100 122 99 99	108 88 64 101
Oklahoma	140	124 139	65	74 87	96 79	103 122	104	102 62	122 99	88 64
Oklahoma Arkansas South Central  Mentana W yeming Cokorade New Mexico Arizona Utah Newada Idaho Washington Oregon California	146 197 107. 4 83 113 105 107 97	124 139 98	65 66 76	74 87 110	96 79 92	103 122 164	104 106 97	103 62 94	122 99 99	88 (4 101
Oklahoma Arkansas South Central  Mentana W yeming Colorade New Mexico Arizona Utah Newide	140 187 107.4 83 112 105 107 90 93 90 93 90 93 96	124 139 98 105.5 46 65 90 104 112 78 88 82 94 98	83.6 89 105 96 94 94 92 89 78	93. 8 93. 8 93. 8 55 88. 103 85 100 109 106 91 83 82	96 79 92 88.6 85 87 92 83 109 88 94 89 105 107	103 122 164 103.8 107 99 99 100 94 94 97 98 104 100	104 106 97 103.1 90 98 107 110 98 100 119 95 101 95	92.3 94 92.3 94 92 89 84 116 92 105 102 101	122 99 99 105.8 98 103 98 91 112 105 126 108 108 107	91.2 91.2 166 85 78 104 93 125 106 102 93

### COMPOSITE CROP CONDITIONS, MONTHLY, ..

. The character of seasons in past years for crops in the United States is indicated in the accompanying table of the composite condition of all important crops, monthly, during the growing period, 100 representing an average condition:

Table 303.—Composite condition of growing crops, monthly, 1910-1920.

Year.	June 1.	July 1.	Aug. 1.	Sept. 1.	Oct. 1.	Nov.1.
1920 4649 1918 1047 1946 1915 1944 1913 1912 1912 1911 1911	94. 8 104. 7 102. 9 94. 2 97. 7 102. 3 102. 2 98. 9 99. 1 97. 2	99. 7 102. 4 101. 6 97. 8 101. 6 102. 3 101. 5 98. 2 98. 8 89. 3	105. 3 97. 8 98. 9 99. 8 97. 4 103. 9 98. 0 95. 5 100. 3 85. 4 93. 5	107. 0 98. 8 94. 1 102. 5 94. 6 105. 5 97. 9 89. 9 104. 1 84. 8 97. 2	106. 9 98. 7 96. 6 102. 4 94. 5 106. 9 99. 4 90. 3 110. 0 86. 7	106. 9 99. 8 97. 6 102. 0 95. 1 108. 9 102. 3 93. 3 107. 7 90. 6 90. 3

## WEIGHTS PER BUSHEL.

A bushel is regarded as a definite weight rather than a cubic measure in the estimates of production and prices made by the Bureau of Crop Setimates. The weights which are regarded as a bushel for various products are as follows: Wheat, 60 pounds; corn, 56 pounds if shelled, 70 pounds if in ear; cats, 32 pounds; barley, 48 pounds; rye, 56 pounds; buckwheat, 48 pounds; white (Irish) potatoes, 60 pounds; sweet potatoes, 55 pounds; apples, 48 pounds; pears, 48 pounds; peaches, 48 pounds; walhuts and hickory auts, 50 pounds; beams (dry), 60 pounds; onions, 57 pounds; turnips, 55 pounds; clover seed, 60 pounds; alfalfa seed, 60 pounds; timothy seed, 45 pounds; lasfir corn, 56 pounds. Estimates of yields and prices in tons are always on the basis of 2,000 pounds.

TABLE 304.—Estimated average weight in pounds per measured bushel of wheat, oats, and burley, of the yearly crops of the United States.

Yes.	Winst.	. Osis:	Barley.	Year.	Wheat.	Oats.	Barley.	
1020 1919 1918 1917 1917 1916 1015 1919 1918	Founda. 57. 4 56. 3 58. 8 57. 1 57. 9 58. 7 58. 7 58. 3	Pounds. \$5. 1 \$1. 1 \$3. 2 \$3. 4 \$31. 2 \$3. 0 \$31. 5 \$32. 0 \$31. 5	Personds. 45. 0 45. 2 45. 9 46. 8 45. 2 46. 2 46. 5 46. 8	1910 1999 1907 1907 1905 1905 1904 1903 1902 1902	Founda. 58. 5 57. 9 58. 3 58. 2 58. 3 57. 5 55. 5 57. 4 57. 4 57. 6	Pounds. 32. 7 32. 7 29. 8 29. 4 32. 0 32. 7 31. 5 31. 0 30. 7	Pounds. 46.9	

## DISPOSITION OF FRED CROPS ON FARMS.

The fellowing percentages of farm communities in the United States of feed crops by the several kinds of feed crops by the several kinds of feed appears in the first special communities are a special crops of the action of states of the action in the contract of the section o

Table 305.—Farm communication of feed grove by such class of stock

_ To	Corn.	Gats.	Barley.	Rye.	Wheat.	Hay.	Silege.	Militeria.
Hacres Cattle Swine Stage Pastry	24.5 19.1 30.2 .9 5.1	67.8 12.2 19.8 2.3 5.9	17.7 11.9 59.9	26.5 5.5 53.4	6.4 28.1	44.8 51.4 .2 3.8	17	#1.
	199. 6	180.0	B902-10	300.4p	100.0	100.0	200.0	100.0

#### · WHEN FEED IS CONSUMED ON FARMS.

The following tabulation shows what proportion of each important feedstuff is consumed in each month, 100 per cent being the year's consumption for each product. The percentages are derived from reports of about 30,000 crop reporters of the actual quantities usually fed monthly on their farms. Pasture, which is not shown here, is the important source of feed in the summer months.

Table 306.—Monthly consumption of feedstuffs.

Month.	Corn.	Oats.	Barley.	Rye.	Wheat.	Нау.	Silage:	Mill feed.
Year	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
January. February. March. March. April May June July August. September October November December	11. 0 10. 7 10. 2 9. 0 6. 8 5. 5 4. 8 4. 6 6. 2 8. 8 10. 9 11. 5	7.1 7.3 8.4 9.8 9.8 9.0 9.1 9.1 6.9	8.9 9.0 9.1 8.5 6.9 6.0 6.8 9.8 10.9	7.6 7.2 7.5 9.1 8.1 7.8 7.1 8.4 10.2 10.3 9.4 7.3	10. 0 9. 2 9. 2 8. 5 7. 2 6. 5 5. 8 5. 9 7. 3 8. 9 11. 4	14.1 14.2 14.2 12.0 6.7 8.7 3.3 3.2 3.6 5.2 8.5	16.5 16.8 16.2 13.7 5.3 1.1 1.0 1.0 1.5 4.1 9.5	10.9 11.5 10.6 7.7 5.8 4.8 5.4 6.3 9.2

## MONTHLY SALES FROM FARMS.

, , ; ; ; ;

For every \$100 worth of product sold from the farm, about \$12.60 are sold in October, the month of heaviest total sales; \$11.70 in November, \$10.50 in December, and \$10.16 in September—in the four months, \$44.90. Smallest sales are in May and June, when the amount in each month is \$6.10 of the year's \$100. Sales of crops alone are more concentrated in the fall months; for every \$100 worth of crops sold in a year, \$15.50 worth are sold in October, \$15.70 in November, \$12.80 in December, and \$12.40 in September; in the four months, \$65.00. Smallest sales (\$3.10) are in June.

Sales of live-stock products sold in a year \$9.60 are sold in June, the highest proportion in any month, and \$7.50 in January, the lowest.

These estimates are based upon reports made by crop correspondents of the Bureau of Crop Estimates of their actual sales in 1914, modified when necessary to make the figures typical of sales in recent years. More than 5,000 reports were tabulated. As the correspondents are reportesintative farmers, the averages for their reports in the United States and in the larger States are prosports yield the same as the averages for all the farmers in the States. Details of monthly sales are given in tabulation below.

Table 307 .- Monthly percentages of year's receipts from sales by farmers.

[Monthly rate of sales from farms, averages for recent years, estimates based upon reports of actual monthly sales made by crop correspondents of Bureau of Crop Estimates.]

FROM SALES OF ALL KINDS.

Maine 9.1	February.	March.	April.	Мву.	June.	July.	August.	September.	October.	November.	December.	
Maine. 9.1	7 0					5	₹	S	Ö	Š	Dec	Year.
New York. 7.1 New Jersev. 3.5	9.4 6.2 5.4 7.6 6.3 6.8	8.1 7.6 5.9 6.1 4.7 7.1 4.7 9.5	8.3 10.5 12.5 7.5 7.9 7.9 7.9 8.3	6.1 10.0 5.9	8.9 6.9 9.7	4.8 8.4 7.9 9.6 12.2 5.9 7.5 11.5 6.0	6.0 8.2 6.8 10.8 11.0 5.4 7.1 20.9 8.3	10.3 12.7 7.2 9.2 21.8	11. 6 10. 2 11. 5 12. 2 10. 2 9. 1 12. 3 8. 9 9. 8	10.2 8.4 9.0 10.3 9.9 13.3 12.4 5.3 10.1	14.0 8.4 6.6 9.2 5.5 16.7 7.7 6.1 8.2	100.0 100.0 100.0
North Atlantic 7.0	6.3	7.6	7. 9	7.8	6.9	7.4	8.6	10.1	11. 1	10.8	8. 5	100,0
West Virginia         4.8           North Carolina         9.2           South Carolina         11.5           Georgia         6.5           Fiorida         11.4	7.0 5.7.6 5.7.6 5.7.6 5.8	6.9 7.7 7.0 6.9 4.3 7.1 3.5 7.3	5.8 8.3 6.2 4.6 6.6 5.1 3.0 13.3	6.6	10.6 8.4 6.8 7.0 3.4 3.1 2.4 4.9	9.3 10.1 8.8 7.4 4.2 3.4 8.9 4.4	8.4.4.9.1.9 5.6	5.7 10.1 8.1 13.1 6.7 11.1 9.9 5.7	8. 7 7. 8 16. 3 23. 2 12. 3 14. 4 19. 3 7. 8	8.6 8.9 9.1 6.8 18.4 16.3 20.6 10.2	6. 5 8. 7 8. 4 7. 2 22. 1 14. 5 19. 2 18. 0	100. 0 100. 0 100. 0 100. 0

# Miscellaneous Agricultural Statistics.

# MONTHLY SALES FROM FARMS-Continued.

Table 307.—Monthly percentages of year's receipts from sales by farmers—Continued.

FROM SALES OF ALL KINDS—Continued.

State and division.	January.	February.	March.	April.	Мау.	June.	July.	August.	September.	Ootober.	November.	December.	Year.
Ohio Indiana Illinois Michigan Wisconsin	10, 1 8, 4 7, 1 8, 3 9, 2	6.8 6.3 7.3 7.5 7.9	8.2 8.9 10.3 9.4 8.2	7. 0 6. 3 7. 8 10. 8 8. 4	6. 2 5. 8 9. 2 9. 3 7. 7	9. 0 8. 3 8. 6 6. 1 8. 4	8. 4 9. 7 7. 1 5. 5 6. 8	8. 9 10. 2 7. 8 6. 2 6. 4	9.3 8.9 9.7 7.0 8.4	8. 5 8. 3 6. 4 10. 0 10. 1	7.6 8.0 9.2 11.2 9.7	10. 0 10. 9 9. 5 8. 7 8. 8	100.0 100.0 100.0 100.0 100.0
North Central east of Mississippi River	8.4	7.0	9, 2	7.7	7. 6	8.3	7. 7	8, 3	9.0	8.1	8.9	9.8	100.0
Minnesota Lowe. Missouri North Dakota South Dakota Nebraska Kansas	9.6 14.8 7.8 7.2 6.9 10.6 8.8	7.6 8.7 8.5 5.2 4.7 9.7 12.3	9. 4 11. 3 6. 1 6. 2 5. 5 8. 4 7. 9	7.4 6.4 7.8 5.6 4.5 8.3	6. 7 6. 6 6. 6 5. 9 3. 2 7. 0 5. 3	5. 4 6. 3 6. 4 7. 2 3. 7 7. 4 3. 9	8.3 3.9 4.2 7.3	3. 7 7. 6 9. 8 6. 9 3. 7 6. 5	10. 1 7. 5 8. 9 12. 2 16. 5 10. 9 11. 1	12.9 6.5 8.3 18.0 20.0 8.0	16. 9	9.1 10.2	100.0
North Central west of Mis- sissippi River	10.0	8, 5	8. 1	7.0	6. 0	5. 7	6, 2	6.8	10.7	10.7	10.1	10, 2	100.0
Kentucky Tonnessee Alabama Mississippi Loutsiana Texas Okiahoma Arkansas	10.9 10.4 8.1 10.1 8.0 5.9 6.5 11.7	8.5 6.7 6.9 3.6 6.2	4.0	7.4 5.4 5.5 3.7 4.4 8.6 4.5	2. 8 3. 3 5. 5 3. 2	5. 1 7. 2 3. 3 2. 4 3. 0 1. 9 5. 1 4. 3	3. 1 2. 6 5. 4 3. 5	4.1 5.4	6.9 14.8	19.8 19.9 21.2	7. 7 11. 2 17. 1 23. 6 16. 1 16. 9 18. 1 14. 0	15.9 19.6 9.8 12.9 11.3	100.0 100.0 100.0 100.0
South Central	8.6	6.0	5. 9	5.0	4.8	4.0	5, 6	5.1	11.9	16.0	14.9		100,0
Montana Wyoming Colorade New Mexico Arizona Utah Newada Idaho Washington Oregom California	4. 9 2. 0 9. 8 3. 9 0. 3 9. 5 6. 5	2.4 1.1 8.0 2.8 0.4 4.7 7.2	4.6 0.3 7.3 4.2	9.6 15.0 0.6 6.2 17.4	4.4 4.1 0.6 5.4 15.7	4.3 2.2 68.6	2.5 3.6 1.5 0.4 6.9 8.4	4.0 3.1 1.7 0.9 7.0 16.9	6.2 9.7 1.1 5.7 3.6	9. 0 3. 7 12. 9	1. 4 10. 2 6. 8	8.5 7.8 7.1 1.6 15.8 7.2	100. 0 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0
Oregon California	5. 1 3. 2	4.7 2.5	4.8 3.7	4. 8 10. 8 4. 3	8.1 4.4	7. 7 8. 1	6. <u>4</u> 7. 4	7.0 10.6	7. 6 6, 5	17. 7 25. 4	12.0 14.3	8.0 8.1 9.6	100. 6 100, 0
Far Western	6.4	4.2			-	6.8	-	-	9.3		16.0	_	
United States	8, 5	6.8	7.4	6.9	6.1	6, 1	6.4	6, 9	10.1	12.6	11.7	10.5	100,0
	F	ROM	SAI	æs (	OF C	ROP	s.						
Maine New Hampshire Vermont Massadnusetts Rhede Island Connectignt New York New Jersey Pennsylvania	11.9 12.0 1.8 1.7 1.4 1.6 4.6 1.4	13. 2	7.2 1.1 3.6 6.1 4.8 4.7 8.2	6.8 6.7 19.6 5.8 11.3 3.8 5.6 1.3	11.3 2.1 3.2 1.2 4.3 1.9	2.0 6.4 5.9 3.9 2.6	11.4 2.7 7.1	2.5 13.2 6.0 11.4 9.2 2.7 6.1 27.7 10.6	7.4	18.6 12.1 24.2 20.2 13.6 9.4 20.5 10.8	14.3 6.5 10.9 13.7 13.0 81.6 20.1	7.5 2.1 10.2 2.6	100.0 100.0 100.0 100.0 100.0 100.0
North Atlantic	5.3	4, 5	5. 5	5.1	4.8	3.3	5.8	10.4	13. 9	15.4	15.7	10.3	100.0
Delaware Maryland Virginia. West Virginia. North Carolina. South Carolina. Georgia. Frenda.		8.9	4.0 3.5 6.2	4.4 3.9	7 2.7	5.8 3.8 2.6 2.8 1.9 1.9	12.8 13.9 5.1 2.7 2.0 2.9	12.9 12.3 9.5 2.1 4.7 1.9	8.7 4.5 11.7 10.6	16.9 22.4	10.6 12.3 9.7 22.3 20.1 23.6	9.7 8.5 10.6 27.2 17.3 22.1 23.0	100.0 100.0 100.0 100.0 100.0 100.0 100.0
South Atlantic	8. 7	5.0	4. 3	4.5		2.7	-	-	8. 2		19.0		
	_	-	-		-	-		1	1	-	-	1	

# MONTHLY SALES FROM FARMS-Continued.

Table 307.—Monthly percentages of year's receipts from sales by farmers—Continued, FROM SALES OF CROPS—Continued.

FROM SALES OF CROPS—Continued.													
State and division.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ohio	6.2 8.9 4.7 8.6 7.6	10.6 6.1 4.8 7.6 7.1	9. 4 5. 8 7. 9 6. 6 7. 4	3.5 4.5 8.9 9.6	3.4 4.2 9.8 5.2 8.5	6. 5 3. 4 8. 0 3. 5 4. 4	10.6 17.0 6.9 4.3 1.1	13.7 17.2 13.5 6.8 3.5	10.0 11.1 15.3 9.3 12.9	8.8	7.0 6.7 9.4 14.6 16.7	8.2 6.3 7.1 10.0 8.7	100.0 100.0 100.0 100.0 100.0
North Central east of Mis- sissippi River	6.6	6.9	7.6	8.7	<b>\$.</b> 5	5.9	9.3	12.9	12.3	8.3	9.3	7.7	100.0
Minnesota Lowa Missouri North Paketa South Daketa Nebraska Kansas	9.3 11.2 5.7 7.5 3.3 10.4 6.6	8.57 4.33 4.7 5.34 9.7	4.7 3.7	3.5 4.0 2.8 2.8 6.5	8.2 1.5 2.8 3.7 7.8	3.3 3.1 2.5 1.7 2.0 4.7	8.1 20.9 1.0 2.2 11.6	1.9 8.7 7.9	14.0 16.1 9.2 18.6 18.2 13.1 12.8	8.7 8.5 22.3 18.0 7.8	15.6 9.0 21.0 17.8 7.8 9.0	12.7 13.5 10.8 11.4 13.3 10.9 12.5	100.0 100.0 100.0 100.0 100.0 100.0
North Central west of Mis- sissippi River	8.1	6.3	5.8		4.4	2. 0	7.1	7.3	15.0				100.0
Kentucky Tennesso. Alabama Mississippi Londsina Tesas. Olielsens. Arimana	15.5 10.6 7.1 9.6 7.0 8.9 5.4	3.3 2.1 4.3	5.9 8.8 2.3 4.2 2.4 2.2	5.9 5.2 3.2 2.3 2.0 2.6 2.0	5.4 2.3 1.6 1.6 2.7		1 17	9.87 3.8 1.3 4.2 3.4 2.8	8.3 4.0 8.2 6.4 18.6 17.7 16.8	8.7 18.4 22.1	20.6 28.3 18.8 21.4 16.7	13.0 18.9 22.6	100.0 100.0 100.0 100.0 100.0
South Central	7.4	4.2	4.4	8, 1	2.1	2.3		4.8	12.3	19.3	19.1	15.2	100.0
Memorias. Wysomkug. Colarado. Olarado. New Mexico. Arizona. Utala Mewaria.	3.7 2.5 12.2 8.5	1.3 7.1 5.4	9.0 6.1 8.2	4.6 3.4 4.8	5.5 3.6 2.7	2. 5 1. 8	4.0 3.6	4.9	2. 5 9. 8 9. 6	16.9 14.1 11.0	20. 5 18. 7	11.8 21.1	100.0
Newada Idaho. Washington Oragon California	10. 2 5. 6 1. 6	2.3 5.0	1 3. S	2.2 7.3	1.7	3.6	1.7 5.6 7.8	7.0	14. 9 7. 7 7. 6	15.8 32.2 29.6	38.0 14.1 16.1	5.9 6.3 8.9	100.0 100.0 100.0
Far Western	7.1	-	-	_	-	<del></del>		_		-			
United States	7.4	5.2	5.8	4.6	3.9	3.1	6.5	7.8	12.4	15.5	15.7	12.6	100.0
	FRO	e me	ALE	3 OF	LIV	e st	ock.						
Result Allantic Spails Allantic North Central east of Miss, R. North Central west of Miss, R. Seeth Central Far Western United States.	1 5.	6.8 10.8 4.5	10.6 10.1 10.1 5.8.0	6. 7.9 7.9 7.1	S 5.8	5. 9.	5.6 5.9 6.1 4.9 5.0 4.5 5.3	5.4 5.0 6.5 5.4 2.4	7. 7. 7. 7. 7. 12. 5	21.4 7.9 9.3	8.4 9.4 8.3 11.1	6.0	100.0 100.0 100.0 100.0
FROI	VE S.A.	LES	OF I	IVE	STO	CK P	ROD	UCT	š.				
North Atlantic. South Atlantic. North United least of Miss. R. North Central west of Miss. R. Struth Central west of Miss. R. Struth Central West of Miss. R. United States. United States.		7.8	7.6 8.7.8 9.7.6	9.	9.2 8.1 19.0 9.8 8.4 9.8 8.5	9. 10. 10.	8.7 7.5 8.6 7.4 8.7 8.7	8.4 7.9 7.7 7.9 6.6 8.6	8.6 8.9 7.7 8.3 7.6 7.6	8.7 7.9 7.3 7.7 10.4 8.3	7.7 8.7 7.8 9.1 10.6	7.8 9.0 7.9 7.4 16.0 7.9 8.0	100.0 100.0 100.0 100.0 100.0 100.0

#### RECEIPTS FROM FARM SALES.

About 10,000 crop correspondents of the Bureau of Crop Estimates have reported their year's total value of all sales of farm products, divided into four classes, vis., (1) live animals, (2) animal products, (3) crops, (4) miscellaneous. Correspondents were requested to give their 1914 sales if that year was representative; if 1914 sales were not normal, they were to give figures which would be typical of sales in recent years. Of every \$100 worth of product sold by all who reported, approximately \$36 werefor live animals, \$20 were for the products of Eve stock, \$40 were for crops, and \$4 represented miscellaneous items. As the correspondents are representative farmers, the averages of their reports in the United States and in the larger States are probably nearly the same as the averages for all the farmers in the States and in the larger States are probably nearly the same as the averages for all the farmers in the States and in the larger States are probably nearly the same as the averages for all the farmers in the States and in the larger in the States are probably nearly the same as the averages for all the farmers in the States and 1 the larger in the States and 1 the larger states are probably nearly fire animals, \$4 minmals products, as would be expected, by far the greater part of the sales are as crops. Thus, in Georgia, for every \$100 worth of products sold, \$75 represents crops, \$11 live animals, \$3 animal products, and \$3 miscellany. Even in Texas, regarded as a cattle as well as a cotton State, cotton so far predominates that \$72 represents crops, \$16 live animals, and \$9 animal products out of every \$100 of sales. It may be that the cattle section of the State is not so fully represented in the returns as the cotton section; but complete returns from all farmers probably would not materially modify these figures.

Table 308.—Receipts from the sale of (1) live stock, (2) live-stock products, (3) crops, (4) miscellaneous, out of every \$100 received from all sales; average of recent years.

[From tabulation of reports from crop correspondents of the Bureau of Crop Estimates.]

State.	Live stock.	Live- stock prod- ucts.	Crops.	Mis- cella- neous.	State.	Live stock.	Live- stock prod- ucts.	Crops.	Mis- cella- neous.
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island Connecticut. New York. New Jersey Pennsylvania. Maryland and Dela- ware. Virginia. West Virginia. North Carolina. South Carolina. Georgia. Fiseda. Obio. Pistana. Wisconsin.	19 13 14 6 21 23 46 55 18 14 16 41 41 42	\$42 51 50 62 53 26 42 32 32 15 23 15 23 16 20 20 47	\$35 25 10 27 22 24 27 62 32 42 35 13 60 72 75 64 31 30 31	348512665 346783464355	Minnesota  Towa  Missouri  North Dakota  South Dakota  South Dakota  Nebraska  Kansas  Kentucky  Tennessee  Alabama  Mississippi  Louisiana  Texas  Oklahoma  Arkanss  Mountain States  Washington  Oregon  California	41 56 39 42 17 12 13. 16 32 34 49 16 33 15	\$20 12 13 6 18 9 16 19 12 14 8 9 9 11 11 11 13 32 12	\$43 22 21 66 36 32 42 31 40 66 72 72 72 53 34 36 30 72	\$4 3 5 3 3 5 6 8 4 6 8 4 7 4 2 5 14 4

<sup>1</sup> Including Montana, Wyoming, Colorado, New Mexico, Arisona, Utah, Nevada, and Idaho.

#### PRODUCTIVITY OF VARIOUS COUNTRIES.

Index figures are usually applied to price comparisons, but they can as readily be used to compare the relative productivity of different countries. Six crops—wheat, eats, rye, barley, corn, and potatoes—comprise the bulk of crop production in most countries of the world. Of the total area in cultivated crops (before the war), excluding hay and grass crops, they comprised in Germany approximately 82 per cent; in France, 75 per cent; United Kinedom, 72; Desmark, 79; Holland, 70; Belgium, 75; Austria, 94; Hungary, 87; Italy, 45; Spain, 65; Roumania, 92; European Russia, 87; Asist Russia, 91; Brigaria, 85; Algaria, 86; Japun, 31; Australia, 91; Canada, 91; Argentina, 83; United States, 82 per cent. Although these figures are only approximations, they are sufficiently accurate to indicate that index numbers of the relative yields per acre of these six products combined would fairly represent the relative per acre productivity of the various countries. For each country the average yield of all countries. The percentages for each country where reduced to their percentage of the average yield of all countries. The percentages for each country were combined, weighted in proportion to the relative acreage of the various crops in the country, to obtain the index number of production. Following is the result obtained, 100 representing the weighted average of all countries:

TABLE 309.—Index numbers of productivity of countries named:

Germany Denmark New Zealand Heypt	202 190 177 169 168 167 161	Norway France. I Austria. I Hungary United States. I Italy Rumanis.	28 23 20 13 198 96 94 98	Serbla
Japan Canada	137 136	Snain	98	Mexico. 52 Tunis 27

# WORLD PRODUCTION AND EXPORT TRADE.

Table 310.—Production and export trade of the world in important crops, average, 1909-1913, in millions, i. e., 000,000 omitted.

[Substantially the total production and experts for the world. However, China's probably large cotton production, also some minor items of production and experts for other countries, are omitted owing to lack of trustworthy information. One short ton=2,000 poinds.]

	Produc	tion.		Exports.					
Crop.	World.	United States produc- tion.	World.	Contrib- uted by United States.	World crop ex- ported.	United States crop ex- ported.			
Wheat         bushels           Corn         do           Osts         do           Barley         do           Ry9         do           Potatoes         do           Tobacco         pounds           Rice         do           Cottom         500-pound bales           Sugar         short tons	3,726 3,807 4,324 1,468 1,788 5,471 2,712 110,780 21,1 18,7	Per cent. 18 71 26 12 2 8 8 37 0.6 62 5	745 745 1 234 1 300 1 108 1 75 929 12,721 14.0 7.5	Per cent. 13 17 15 13 10.8 12 41 0.1 64 0.5	Per cent. 200 7 15 1 20 1 6 1 1 34 11 66 40	Per cent. 15 2 11 14 12 10,5 33 2 69 4			

<sup>1</sup> Three-year average, 1911-1913.

# FOREIGN TRADE IN FOODSTUFFS.

Table 311.—Values of exports and imports of foodstuffs, in millions of dollars, 1913-1920.

·	Year ending Dec. 31—										
Item.	1920	1919	1918	1917	1916	1915	1914	1913			
Exports of domestic foodstuffs: In grude condition, and food animals. Partly or wholly manufactured	917 1,117	678 1,963	547 1,406	509 807	421 648	462 551	275 309	17 32			
Total	2,084	2,641	1,953	1,316	1,069	1,013	584	49			
Imports of foodstuffs: In crude condition, and food animals. Partly or wholly manufactured	578 1,238	545 556	346 397	396 351	260 339	243 273	235 258	22 19			
Total	1,816	1,101	743	737	509	516	491	41			
Netexports	218	1,540	1,211	579	470	497	93	7			
	1			1		<b>.</b>	l <u></u>				

# INDEX NUMBERS OF CROP PRICES.

Table 312 .-- Index numbers of crop prices, monthly and average, 1911-1920.

The trend of prices to farmers for important crops is indicated in the following figures; the base 100 is the average price December 1 in the 43 years 1866-1908 of wheat, corn, oats, barley, rye, buckwheat, potatoes, hay, flax, and cotton.

Date.	1920	1919	1918,	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 1 Feb. 1 Mar. 1 Apr. 1 May 1 June 1 June 1 July 1 Aug. 1 Sept. 1 Oct. 1 Nov. 1 Dec. 1	296.7 311.0 314.3 334.1 362.1 380.4 374.0 329.8 294.7 248.7 201.1 166.4	272.4 259.9 257.1 271.2 293.7 307.2 310.2 329.0 317.7 290.0 279.4 283.8	264. 1 271. 6 288. 8 288. 6 281. 8 271. 9 272. 9 280. 6 293. 3 289. 3 269. 5 265. 2	183. 6 195. 6 206. 5 225. 2 280. 6 291. 3 282. 9 307. 8 279. 6 277. 0 261. 3 252. 3	129. 0 139. 9 138. 6 140. 2 143. 3 145. 8 144. 8 147. 7 161. 5 163. 6 178. 8 187. 9	126. 7 140. 5 144. 0 144. 5 150. 0 147. 8 139. 1 138. 9 132. 5 128. 2 124. 4 120. 4	132. 5 132. 1 133. 8 134. 2 135. 9 138. 8 137. 7 137. 6 141. 3 136. 4 127. 4 122. 8	110. 9 112. 6 113. 3 113. 6 116. 2 121. 2 122. 9 125. 4 136. 3 139. 1 133. 9 132. 7	133.9 140.2 144.7 153.4 166.3 160.1 148.0 137.6 128.6 118.3 110.3	118.6 119.8 117.9 118.0 122.2 127.7 136.3 148.2 141.6 138.0 135.6 133.1	176.8 182.3 185.9 192.3 205.2 210.0 208.8 209.3 203.6 193.9 183.0 177.5
Average 1	272.0	290.0	277.7	259, 5	162-1	132.1	132. 4	128-1	132.8	132.8	192.0

<sup>1</sup> Weighted average.

## PRICES OF ARTICLES BOUGHT BY FARMERS.

Table 313.—Prices of articles bought by farmers, 1909-1920, and purchasing power of 1 acre of crops.

Îtem.	1920	1919	1914	1909	Price	, per c	ent of	ofla	asing cre of 00-191	crops.
,			·	-	1920	1919	1909	1920	1919	1909
Axes each Barb wire 100 pounds Barrels each Bone meal ton	\$2, 22 6, 07 . 76 65, 00	\$2.06 5.73 .50 60.00	\$0. 96 3. 08 . 25 31. 90	\$0, 89 2, 98	231 197 304 204	215 186 200 188	93 97	62 72 47 70	103 119 110 118	99 95
Brooms each Buggles do Buggy whips do Calico yard Churns each	. 96 131. 00 . 79 . 227 3. 05	1. 00 123. 00 . 73 . 230 2. 90	. 38 70. 10 . 426 . 063 2. 30	.34 64.90 .404 .06 2.19	253 187 185 360 133	263 175 171 365 126	89 93 95 95 95	56 76 77 40 107	84 126 129 61 175	103 99 97 97 97
Coal ton Coal oil gallon Coffee pound Corn knives each Cream separators do	13. 30 . 255 . 41 . 65 100. 40	9. 50 . 22 . 46 . 58 95. 00	5. 80 . 139 . 245 . 29 59. 30	5. 50 . 157 . 211 . 27 63. 10	229 183 167 224 169	164 158 188 200 160	95 113 86 93 106	62 78 85 64 84	135 140 118 110 138	97 81 107 99 87
Dinner plates dozen. Dish pans, tin each. Dung forks do. Fertilizer, commercial ton. Flour harrel.	1, 55 .88 1, 53 48, 50 12, 90	1. 40 .83 1. 40 42. 00 18. 50	.57 .34 .76 28.20 6.40	.55 .32 .70 22.15 6.30	272 259 201 188 202	246 244 184 181 211	96 94 92 95 98	52 55 .71 .76 71	90 91 120 122 105	96 98 100 97
Fruit jars dozen. Gasoline gallon. Gloves, cotton pair. Gloves, leather do. Grindstones pound.	1, 22 . 335 . 27 1. 81 . 05	1. 15 .29 .26 1. 78 .048	.74 .179	.73 .202	165 187	155 162	99 113	86 76	143 136	983 81
Halters each Harness, single do Hatchets do Hats, felt do Hees do	4.80	1. 85 29. 00 1. 29 4. 30 . 83	95 15. 25 62 2. 03 . 45	85 13.50 59 1.94 .41	203 203 229 236 196	195 190 208 212 184	- 89 89 95 96 91	70 70 62 60 73	113 116 106 104 120	108 103 97 96 101

30702°-YBK 1920---52

# PRICES OF ARTICLES BOUGHT BY FARMERS—Continued.

Table 313.—Prices of articles bought by farmers, 1909-1920, and purchasing power of 1 acre of crops—Continued.

			<del></del> ,							
Item.	1920	1919	1914	1909	Price	, per ce 1914.	nt of	Purch of 1 a	asing pore of c 0=191	ower rops,
				٠	1920	1919	1909	1920	1919	1909
Horse blankets each. Jumpers do. Kitchen chairs do. Lamps do. Lanterns do.	\$5. 15 2. 50 2. 05 1. 03 1. 37	\$5.00 2.50 1.70 .98 1.32	\$2,40 .83 .80 .52 .80	\$2, 25 .77 .72 .50 .77	215 301 256 198 171	208 301 212 188 165	94 93 90 96 96	66 47 56 72 83	106 73 104 118 134	98 99 102 96 96
Lard. pound Lime. barrel Linseed oil gallon Lumber, 1-inch 100 feet Manure spreaders. each.	.28 3.05 2.21 5.10 193.00	.34 2.65 2.50 4.75 180.00	. 141 1. 36 . 82 2. 10 106. 70	.132 1.29 .79 1.95 111.60	199 224 270 243 181	241 195 305 226 169	94 95 96 93 105	72 64 53 59 79	92 113 72 98 131	98 97 96 99 87
Men's suits		38. 10 6. 00 . 90 84. 00 . 31	14.00 2.45 .45 46.50 .093	13. 15 2. 40 . 43 44. 30 . 09	279 247 222 187 312	272 245 200 181 333	94 98 96 95 97	51 58 64 76 46	81 90 110 122 66	98 94 96 97 95
Nails. 100 pounds Overalls pair. Padlocks each Paintbrushes do. Paint, mixed gallon.	7.30 2.63 .57 1.27 4.20	6. 50 2. 60 . 50 1. 15 4. 05	3. 40 .89 .275 .54 1. 74	3. 34 . 82 . 27 . 49 1. 62	215 296 207 235 241	191 292 182 213 238	98 . 92 . 98 . 91 . 93	66 48 69 61 59	116 76 121 104 95	94 100 94 101 99
Paris green pound Picks each Pincers do Pitchforks do Plows do	. 64 1. 45 1. 05 1. 40 22, 00	.62 1.40 .95 1.30 21.00	.30 .72 .51 .66 12.10	.29 .71 .49 .62 11.50	213 201 206 212 182	207 194 186 197 174	97 99 96 94 95	67 71 69 67 78	107 114 119 112 127	95 93 96 98 97
Portland cement 100 pounds. Raincoets each. Rope, hemp pounds. Rubber boots pair. Sacks, grain each.	1.40 10.20 .35 5.30 .42	1. 05 9. 20 . 36 5. 10 . 45	.69 4.40 .149 3.75 .163	.70 4.25 .135 3.55 .15	203 232 235 141 258	152 209 242 136 276	101 97 91 95 92	70 61 61 101 55	145 106 91 162 80	91 95 101 97 100
Saddles do Salt, for stock barrel Saws, buck each Scythes do Sheeting yard		42, 40 3, 00 1, 75 1, 82 , 58	20. 35 1. 65 . 92 1. 06 . 18	17. 45 1. 50 . 89 1. 02 . 17	216 205 207 192 300	208 182 190 172 322	86 91 97 96 94	66 70 69 74 48	106 121 116 128 69	107 101 95 96 98
Shingles 1,000 Shirts, fiannel each Shoes pair Shotguns each Shovels do		7. 90 3. 85 4. 75 28. 00 1. 62	3. 70 1. 41 2. 30 12. 85 . 78	3. 50 1. 34 2. 00 12. 45 . 74	216 273 213 257 231	214 273 207 218 208	95 95 87 97 95	66 52 67 55 62	103 81 107 101 106	97 97 106 95 97
Staples	7.60 .123 7.30 57.00 .17	6.80 .118 6.90 50.00 .15	3. 75 .07 3. 55 24. 00 .069	3.69 .07 3.43 22.50 .058	203 176 206 238 246	181 169 194 208 218	98 100 97 94 . 84	70 81 69 60 58	122 131 114 106 100	94 92 95 98 109
Sulphur do Tedders each Tin pails do Tobacco, plug pound Twine, binder do		.119 74.00 .59 .93 .258	.08 39.50 .27 .45 .112	.075 39.00 .25 .45 .103	146 191 233 209 179	149 187 219 207 230	94 99 93 100 92	98 75 61 68 80	148 118 101 107 96	98 93 99 92 100
Wagons, double each Wagons, single do Walking cultivators do Wheelbarrows do	152.00 93.00 40.00 6.00	138.00 83.00 85.20 5.50	73. 25 48. 00 2. 97	66.00 45.50 2.80	208 194 202	188 173 185	90. 95	69 74 71	118 128 119	102 97
Wire fencerod. Weoden bucketseach. Wooden washtubsdo		.59 .98 1.75	.317 .35 .83	.311 .31 .77	199 286 229	186 280 211	98 89 93	72 50 62	119 79 105	94 103 99
Average					219	208	95	67	111	97

# FARM LABOR.

TABLE 314.—Wages of male farm labor by classes and States, 1910 and 1920.

		Per n	nonth.		Pei	r day a	t harv	est.	Pe	r day o har	other tl vest.	an
State and division.		ith ard.		hout ard.		ith ard.	Wit	hout		ith ard.		hout
	1920	1910	1920	1910	1920	1910	1920	1910	1920	1910	1920	1910
Maine	\$56. 60 55. 00 52. 10 55. 00 55. 00 56. 00 54. 40 53. 00 47. 00	\$23. 50 23. 50 25. 00 22. 75 21. 00 21. 00 23. 50 19. 50 18. 75	\$81.50 81.00 73.30 85.00 81.00 82.00 76.20 82.00 69.70	\$34. 50 35. 50 35. 50 37. 20 34. 00 36. 00 35. 00 31. 50 29. 00	\$3.50 3.40 3.60 3.60 3.10 3.60 4.05 4.00 3.65	\$1.50 1.35 1.75 1.42 1.35 1.55 1.80 1.70 1.50	\$4. 20 4. 50 4. 40 4. 50 4. 40 4. 60 4. 88 5. 00 4. 60	\$1. 95 1. 84 2. 25 1. 92 2. 05 2. 00 2. 22 2. 15 1. 98	\$3. 20 3. 30 2. 90 3: 10 2. 70 3. 05 3. 36 3. 10 3. 15	\$1. 23 1. 18 1. 21 1. 22 1. 12 1. 07 1. 28 1. 11 1. 04	\$3. 95 4. 05 3. 70 4. 10 3. 80 3. 95 4. 17 4. 05 3. 90	\$1.60 1.65 1.60 1.66 1.56 1.56 1.46 1.46
North Atlantic	51.92	21.65	75. 54	33, 19	3.78	1.63	4.68	2.08	3. 20	1, 17	4.01	1. 58
Delaware Maryland Virginia West Virginia North Carolina South Carolina Georgia Florida	40. 00 38. 00 36. 10 48. 50 38. 40 30. 50 30. 50 34. 50	16.00 13.50 14.00 19.40 13.60 12.00 13.00 15.00	60. 00 56. 00 51. 60 68. 30 53. 10 41. 80 44. 00 50. 00	24. 75 21. 50 19. 50 29. 00 19. 50 16. 50 18. 00 25. 00	3. 60 3. 80 3. 07 3. 25 2. 85 2. 25 2. 10 2. 20	1. 35 1. 26 1. 15 1. 28 1. 03 . 96 . 98 1. 10	4.50 4.55 3.70 4.05 3.52 2.76 2.60 2.80	1. 55 1. 64 1. 44 1. 65 1. 28 1. 12 1. 23 1. 46	2, 80 2, 70 2, 20 2, 52 2, 25 1, 80 1, 88 2, 00	.98 .88 .78 .94 .73 .70 .73	3.50 3.45 2.84 3.40 2.85 2.30 2.40 2.62	1. 22 1. 18 1. 01 1. 27 . 97 . 90 . 95 1. 32
South Atlantic		13.77	50. 56	19. 75	2.69	1.07	3. 30	1.33	2. 13	.77	2. 74	1.01
Ohio. Indiana Illinois. Michigan Wisconsin.	48, 00 43, 60 52, 90 53, 00 62, 00	21. 00 20. 50 24. 50 23. 00 26. 00	68. 50 60. 20 68, 40 75. 00 84. 50	29. 00 28. 40 32. 90 33. 00 37. 25	4.11 3.98 4.40 4.10 4.15	1. 67 1. 70 1. 90 1. 64 1. 76	4. 95 4. 80 5. 20 4. 95 5. 05	2.07 2.07 2.30 2.10 2.20	3. 19 2. 90 3. 25 3. 30 3. 50	1. 20 1. 14 1. 31 1. 22 1. 35	3. 98 3. 65 4. 00 4. 15 4. 35	1. 57 1. 45 1. 68 1. 66 1. 78
N.C. east of Miss. R.	51.49	22,94	70.09	31.81	4.17	1.75	5, 00	2,16	3. 22	1. 24	4.01	1.61
Minnesota Lowa Missouri North Dakota South Dakota Nebraska Kansas	67, 00 66, 35 42, 00 70, 00	26. 00 28. 00 21. 50 29. 00 27. 00 26. 50 24. 00	88. 40 83. 50 56. 00 97. 00 101. 00 87. 50 77. 50	38, 00 39, 00 29, 50 42, 00 39, 00 38, 00 34, 00	5. 10 5. 00 3. 75 6. 10 5. 50 5. 60 6. 00	2. 23 2. 12 1. 55 2. 40 2. 35 2. 14 2. 18	6. 10 5. 85 4. 50 7. 40 6. 65 6. 70 6. 75	2,65 2,51 1,93 3,03 2,95 2,60 2,57	4.15 4.08 2.40 4.40 4.65 4.30 4.30	1.48 1.57 1.02 1.60 1.54 1.57 1.42	5, 15 4, 89 3, 05 5, 50 5, 90 5, 30 5, 20	1. 98 1. 32 2. 20 2. 00 1. 96 1. 84
N.C. weșt of Miss. R		25. 10	78.79	35. 45	5.03	2, 01	5.94	2, 43	3.78	1,38	4.67	1.77
Kentucky Tennessee Alabama Mississippi Louisiana Texas Oklahoma Arkansas	36. 40 33. 00 29. 30 28. 50 35. 00 42. 00 48. 00 37. 50	16.00 14.00 13.00 13.30 13.50 18.00 19.10 16.25	50. 10 46. 00 42. 20 41. 00 51. 00 60. 00 68. 00 53. 80	23. 10 20. 00 18. 50 19. 50 20. 25 24. 50 28. 10 24. 00	3. 00 2. 50 1. 90 1. 95 2. 35 3. 25 4. 65 2. 80	1.36 1.14 .98 .93 .90 1.22 1.60 1.20	3. 70 3. 05 2. 50 2. 48 2. 85 3. 85 5. 35 3. 30	1, 71 1, 44 1, 26 1, 22 1, 25 1, 57 1, 57 1, 55	2.10 1.85 1.85 2.08 2.30 2.65 3.30 2.10	.85 .77 .85 .83 .77 1.04 1.11	2.70 2.35 2.40 2.65 2.75 3.25 4.10 2.75	1. 12 1. 02 1. 05 1. 10 1. 02 1. 32 1. 47 1. 20
South Central	36, 53	15, 28	51.94	21.90	2, 80	1, 14	3. 41	1.47	2, 29	. 89	2:89	1. 15
Montana Wyoming Colorado New Mexico Arizona Utah Nevada Idaho Mashington Oregon California	75. 40 69. 00 65. 00 54. 00 67. 00 77. 00 78. 00 77. 00 68. 00 79. 00	\$8. 00 \$5. 00 29. 50 24. 50 30. 00 35. 00 37. 00 35. 00 33. 00 32. 00 33. 00	105. 09 98. 00 92. 00 72. 00 94. 00 104. 00 105. 00 104. 00 89. 00 107. 00	50.00 49.00 44:50 34.25 40.00 47.50 54.00 49.50 50.00 41.50	5. 20 4. 20 4. 50 3. 25 3. 20 3. 90 4. 20 4. 75 5. 15 4. 45 4. 50	2.05 1.90 1.95 1.46 1.72 1.78 1.82 2.20 2.42 2.12 1.98	6.20 5.30 5.50 8.75 4.10 4.90 5.50 5.50 6.18 5.49	2.50 2.47 2.48 2.40 2.38 2.40 2.38 2.40 2.40 2.40 2.40 2.40 2.40 2.40 2.40	45500000000000000000000000000000000000	17万多数数海沟海沟海海	TAKORPENSTER.	AND SHOOM BY
Par Western	78. 21	82.60	99, 43	46, 48	4.48	2.02	5.39	2, 52	3.66	4	774	2.66
United States	46.89	19, 21	64, 95	27. 50	3,60	1, 45	4.36	1.82	2.86	1.66	3.50	1 88

### FARM LABOR-Continued.

TABLE 315 .- Wages of classes of male farm labor, yearly, in United States, 1866-1920.

	By the	y the month. Day labor at harvest. Day labor not l					
Year.	With board.	Without board.	With Without board.		With board.	Without board.	
1920	\$46.89	<b>\$64.</b> 95	\$3.60	\$4.36	\$2.86	\$d. 59	
1919	39. 82	56. 29	3. 15	3. 83	2.45	3. 12	
1918	34. 92	48.80	2.65	3. 22	2.07	2. 63	
1917	28. 87 23. 25	40. 43 32. 83	2.08 1.69	2. 54 2. 07	1.56 1.26	2, 02 1, 62	
1915.	21, 26	30. 15	1.56	1.92	1.13	1. 47	
1914.	21, 05	29.88	1.55	1. 91	1.13	1 45	
1913.	21. 38	30.31	1.57	1.94	1.16	1. 50	
1912	20. 81	29. 58	1.54	1.87	1,14	1. 47	
1911	20, 18	28. 77	1.49	1. 85	1.09	1. 42	
1910	19. 21	27. 50	1.45	1. 82	1.06	1. 38	
1902	16. 40	22, 14	1.34	1, 53	. 89	1. 18	
1894	14. 07	20, 23	1.12	1.37	.77	1.0	
1898	13. 43	19. 38	1.05	1.30	.72	. 90	
1895	12.02	17. 69	.92	1. 14	.63	. 8]	
1891	12. 16	17. 74	. 93	1. 13	.63	- 8	
1893 <sup>1</sup> 1892	13, 29 12, 54	19. 10 18. 60	1.03	1. 24 1. 30	.69	. 99	
1892	12. 54 12. 45	18.33	1.02	1.30	.68	. 9.	
1888	12. 36	18. 24	1.02	1. 31	.67	. 92	
1885	12. 34	17. 97	1.10	1, 40	.67	. 97	
1882	12. 41	18.94	1.13	1.48	.67	. 93	
1879	10. 43	16. 42	1,00	1.80	. 59	- 67	
1875	12, 72	19. 87	1.35	1.70	.78	1. 08	
1869	16, 35	25. 92	1.74	2, 20	1.02	1.4	
1866	17. 45	26. 87	1.74	2, 20	1.08	1.4	

#### HOW FARM LABOR IS HIRED.

Of the total labor hired on farms of the United States, the percentage which is hired by the month, by the day, with board and without board, is estimated as follows, based upon reports of crop reporters of the Bureau of Crop Estimates:

Table 316 .- Percentage of total hired labor, by divisions.

Item.	United States.	North Atlan- tic.1	North Central, east.1	North Central, west.3	South Atlan- nc.4	Atlan- Cen-	
						i	
Hired by the-					i		
Month-	Per cent.	Percent.	Per cent.	Per cent.	Per cent.	Percent.	Per cent.
With board	36, 1	39.3		52. 7	33. 7	29.0	37. 4
Without board.	15. 5	16. 5		9. 4		17.0	9. 5
Day, excluding extra harvest—				-		1	
With board	15.3	14.2	15. 5	13. 8	17.4	14. 8	13, 7
Without board.	15. 7	13. 7	9. 2	4.8	16.6	21. 0	14. 9
Day, harvest labor—	2	2011					2 0
With board	10. 5	9, 0	10. S	13.9	8.3	9. 7	16, 9
Without board	6.9	7.3	4.6	0.4	6. 5	8. 5	7. 6
Without board	-,,,,						
	100.0	100. 0	100. 0	100. 0	100.0	100.0	100, 0
Hire I with board	61. 9	62. 5	71, 1	82. 4	59. 4	53, 5	68, 0
Hired without board.	38.1	37. 5	25. 9	17. 6	40.6	46. 5	32. 0
Hired without board	38.1	37. 5	28. 9	17. 6	40.6	46. 5	32.

<sup>1</sup> Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jervey, Pennsylvania.
2 Ohio, Indians, Illinois, Michigan. Wisconsin.
3 Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas.
4 Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas.
5 Dalaware, Marykand, Virginia, West Virginia, North Carollina, South Carolina, Georgia, Florida.
5 Kentucky, Tennes-ee, Alabama, Mississippi, Louisiana, Texas, Oklahoma, Arkansas.
5 Montana, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Idaho, Washington, Oregon, California.

#### FARM AND LABOR INCOME.

Table 317.—Average farm income and labor income on farms in the various areas studied by the Office of Farm Management.

Farmincome: The difference between receipts and expenses. It represents the amount of money available for the farmer's living above the value of family labor, provided he has no interest to pay on mortgages or other debts.

Labor income: The amount that the farmer has left for his labor after 5 per cent interest on the farm investment is deducted from the farm income. It represents what he earned as a result of his year's labor after the earning power of his investment has been deducted. In addition to the labor income the farmer received a house to live in, fuel (when cut from the farm), garden products, milk, butter, eggs, etc.

Areas.	Year.	Number of farms.	Average farm income.	Average labor income.
cass and Menard Counties, III.  thithrie and Green Counties, Iowa hester County, Pa.  enawee County, Mich.  fluck-land farms of northern Indiana and southern  Michigan.  htt-over lands of Michigan, Wisconsin, and Minnesota sarry and Lawrence Counties, Mo.  nderson County, S. C.  srocks County, Ga.  lew England:  Southern New England.  Northern New England.  Southern New England.  Southern New England.  Frederick County, Md.  fercer County, Fa.  mailtarms around Washington, D. C.  rrigated farms in southern Arisons.  Itah Lake Valley, Utah.  Do.  uniter County, Ga.  Do.  Washington County, Ohio (average of 7 years)  Linton County, Wis. (average of 3 years)  Long Start County, N. J. (average of 3 years)  Linton County, Tha, Eaverage of 2 years)  Linton County, Tha, (average of 2 years)	1910 1911 1911 1914 1914 1914 1914 1914	73 77 77 800 801 244 112 100 441 415 150 349 75 268 280 175 700 300 375 100 232 302 428	\$3,176 1,450 1,313 1,008 1,917 857 952 837 864 4,464 1,380 688 688 678 780 2,370 600 1,812 1,602 3,710 601 1,293 1,596 1,293 1,596 1,293 1,596 1,293 1,596 1,293 1,596 1,293 1,596 1,293 1,596 1,293 1,596 1	1,072 49 370 110 502 392 498 498 408 203 388 225 408 7133 417 728 471 1,181 272 533 408 1,013
Total		8, 172		

<sup>&</sup>lt;sup>1</sup> Same area repeated after a lapse of 5 years.

<sup>&</sup>lt;sup>2</sup> Surveys being continued over a period of years.

# FARM LABOR SUPPLY AND DEMAND.

TABLE 318.—Farm labor supply and demand, 1919-1921.

State and division.	Farm per ce	labor su nt of no	pply, mal.		labor der ont of nor		Per ce	nt of sup iemand.	ply to
pogot dia divisioni	1921	1920	1919	1921	1920	1919	1921	1920	1919
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut New York New York New Jersey Pannsylvania	92 96 88 92 85 96 90 93	70 63 75 55 59 53 62 58 64	90 80 80 85 88 86 81 82 88	91 91 98 94 100 97 93 95	92 97 100 95 100 115 115 110	98 97 103 105 103 105 101 98	101 105 90 98 85 99 97 98 104	76 65 75 58 59 46 54 53	92 82 78 81 85 82 80 84 87
North Atlantic	92.1	62. 3	82, 8	92.7	107. 8	101. 0	99.4	57. 8	81.9
Delaware. Maryland. Virginia. West Virginia. North Carolina. South Carolina. Georgia. Fiorida.	100 87 89 94 95 100 95 96	70 75 70 68 71 76 75	80 80 87 82 80 85 76	92 91 90 93 87 85 80 92	120 102 110 105 105 112 106 110	105 104 105 103 102 103 105 106	109 96 99 101 109 118 119 104	58 74 64 65 68 68 71 64	76 77 76 84 80 78 81 72
South Atlantic	94.3	72. 5	81. 9	86.6	107.4	103.9	108.9	67. 5	78, 8
Ohio. Indiana. Illinois. Michigan Wisconsin.	92 94 98 94 97	68 70 72 60 70	86 90 87 85 85	91 89 93 87 95	105 104 109 104 110	102 102 101 100 101	101 106 105 108 102	65 67 66 58 64	84 88 86 85 84
North Central, east of Mississippi River	95.1	68.4	86.6	91.2	106.6	101. 2	104.3	64,2	85. 6
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	97 99 92 99 103 100 94	77 84 75 80 84 78 71	86 90 86 81 86 85	92 92 90 85 89 88 83	108 109 102 94 102 105 97	103 101 101 99 104 102 97	105 108 102 116 116 114 113	71 77 74 85 82 74 73	83 89 85 82 83 83 84
North Central, west of Mississippi River	96.6	77.8	85. 6	89. 1	103.4	100.9	108.4	75. 2	84.8
Kantucky	92 91 95 92 92 92 98 97	72 73 70 75 73 71 70 80	85 84 85 77 85 81 85 86	87 88 81 85 78 83 78 82	101 105 110 110 103 100 99 105	102 102 105 104 103 97 96 101	106 103 117 108 118 118 124 118	71 70 64 68 71 71 71 76	83 82 81 74 83 84 89
South Central	94.3	72, 8	83. 2	83.0	104.2	101.3	113.6	69.9	82.1
Montana. Wyoming. Colorado. New Mexico. Arizona. Utah. Newada. Idaho. Washington. Oregon. California.	105 111 105 107 110 107 98 104 103 99	74 85 80 85 80 95 90 84 78 78 84	85 90 90 90 90 96 90 88 86 88	67 86 87 85 75 95 95 88 91 92	87 100 99 100 140 102 105 99 100 101	105 103 100 105 105 102 100 102 100	157 129 121 126 147 113 103 118 113 108	85 85 81 85 57 93 86 85 77 77 81	81 85 87 90 83 91 88 88 84 88
Far Western	102.3	82.1	90.0	89.0	101.5	102. 4	114.9	80. 9	87.9
United States	95.2	72.4	84.4	87.5	105,3	101.8	108.8	68, 8	82, 9

# Miscellaneous Agricultural Statistics.

# FARM WORK DONE EACH MONTH.

Table 319.—Percentage of total year's farm work done each month, based upon estimates of county crop reporters of the Bureau of Crop Estimates.

[Black figures indicate the month in which most work is done.]

[ Disca rightes inducate the month in which most work is done-!												
State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Maine New Hampshire Vermont Massachusetts Rhode Island	1 1. (	0.8 2.2 1.6 2.5 2.3	2.2 2.8 3.5 6.2 5.7	7.5 6.8 6.5 8.5 12.7	16. 5 15. 2 15. 7 12. 8 15. 0	16.7 14.0 12.3 15.2 10.0	15. 7 16. 6 17. 5 13. 5 9. 3	10.8 13.6 14.5 11.5 7.7	15. 8 9. 8 10. 0 10. 5 13. 3	8. 5 9. 4 10. 0 10. 0 11. 0	3. 5 5. 0 4. 2 4. 8 5. 7	1. 2 2. 6 2. 5 2. 3 5. 0
Connecticut New York New Jersey Pennsylvania Delaware	2.6	4.0 2.6 2.9 2.4 2.7	5.0 4.5 5.0 4.3 3.3	8.5 8.7 10.1 8.8 9.0	11. 5 11. 9 12. 5 11. 6 11. 3	12.3 11.5 12.9 12.1 14.0	14.8 18.9 18.5 14.5 16.8	10. 2 12. 5 12. 5 12. 4 10. 3	10.5 10.7 10.8 11.7 11.8	9. 2 10. 8 8. 0 10. 1 11. 0	6.5 6.8 6.1 6.7 5.0	4.0 3.5 3.0 3.1 3.0
Maryland Virginia West Virginia North Carolina South Carolina	2, 4 1, 7 2, 7	2.6 3.0 3.4 3.5 4.1	5. 4 5. 9 8. 0 6. 8 8. 0	8.3 10.1 11.7 10.1 11.3	12.6 12.2 13.2 12.2 13.3	14.0 14.9 18.8 15.6 14.2	13. 8 13. 2 13. 7 11. 5 8. 9	7.8 8.2 9.6 7.4 5.4	11.2 10.9 9.8 8.4 8.3	10.6 9.1 7.7 10.0 11.1	7.4 6.3 4.7 7.8 8.9	4.2 3.8 2.7 4.0 3.5
Georgia Florida Ohio Indiana Illinois	9.1 2.5 2.0	5. 2 10. 4 2. 8 2. 5 2. 5	8.4 11.8 5.2 4.8 5.2	11.4 11.4 9.1 8.8 9.0	9. 8 11. 5 12. 0 12. 5	13. 2 7. 7 12. 7 14. 9 13. 5	8.6 5.8 14.8 14.7 14.7	5. 2 4. 9 11. 3 10. 3 10. 8	9.3 6.4 10.8 10.2 9.4	10.3 8.1 8.9 8.6 8.7	7.6 7.8 6.6 7.6 8.6	3.8 6.8 3.8 3.6 3.6
Michigan Wisconsin Minnesota Lowa Missouri	2.5	2. 2 2. 6 2. 8 2. 5 3. 5	3.5 3.7 4.5 5.0 6.9	7.5 9.5 10.5 10.7 10.3	11. 9 12. 5 10. 9 12. 1 13. 0	12.2 11.7 9.9 11.4 14.2	14.8 15.1 12.1 12.8 12.8	12.3 13.7 14.9 11.8 8.0	12, 1 12, 0 13, 5 9, 6 9, 2	12. 2 8. 7 10. 3 8. 9 8. 3	6. 5 4. 9 5. 3 9. 1 7. 4	3.2 3.1 2.7 3.7 3.9
North Dakota	2.4 2.5 2.1 2.2	2.5 2.7 2.5 2.7 3.0	4.0 4.9 4.8 5.5 6.4	10. 2 10. 8 8. 1 8. 4 10. 5	13.8 12.1 10.7 10.8 13.8	8.0 10.6 12.1 12.9 15.8	10.0 11.5 14.8 15.8 12.4	14.8 14.1 13.2 12.5 9.0	14.8 10.5 10.4 11.1 8.7	10.7 9.2 9.2 8.7 8.1	5.6 7.2 8.0 5.8 6.6	3.2 4.0 4.2 3.7 8.5
Tannesses Alabama Mississippi Louisiana Texas	2.3 3.1 2.7 3.6 4.0	3.6 5.1 4.1 7.0 5.4	6.9 9.0 9.0 11.0 8.4	11.6 12.7 12.1 18.1 9.9	14.2 14.4 13.1 11.7 12.1	16.0 14.4 13.7 10.6 12.8	10.1 7.8 10.2 5.8 8.1	6, 8 4, 1 5, 9 5, 3 6, 5	8.2 6.7 7.3 8.0 10.6	9.8 11.1 10.3 11.4 11.3	7.2 7.4 8.2 8.5 7.4	8.3 4.2 3.4 4.0 4.0
Oklahoma Arkansas Montana Wyoming Colorado	2.6	4.2 3.6 2.1 2.8 2.0	7.8 8.5 4.8 4.7 4.5	9.9 12.5 10.9 9.4 9.7	11. 8 13. 7 12. 2 15. 5 13. 2	14.0 14.5 9.1 11.8 9.8	10.4 8.9 10.8 12.1 10.3	7. 4 5. 8 13. 9 18. 6 14. 5	9.3 7.7 14.4 11.0 12.7	10.0 10.4 11.0 9.9 12.3	7.9 7.8 6.2 4.1 6.3	4.8 4.0 2.9 2.7 8.0
New Mexico. Arizons Utah Nevada	3. 5 1. 7 3. 2	3.8 4.5 1.6 4.0	6.7 4.8 4.9 10.0	13. 1 10. 7 10. 9 9. 5	12.7 15.7 16.4 8.0	9. 3 14. 2 10. 0 13. 0	9.7 10.8 12.2 18.2	11. 2 5. 8 12. 4 11. 2	14.6 11.8 13.8 10.8	9. 9 8. 7 8. 7 8. 8	3.9 5.8 5.0 4.5	2.8 3.7 2.4 3.8
Idaho Washington Oregon California	. 2.3	1.5 3.3 4.1 5.6	5.1 8.3 7.5 7.6	11. 1 11. 7 9. 8 8. 2	12.4 12.0 9.0 8.9	11. 3 9. 5 10. 5 11. 9	13.0 10.7 13.4 11.7	14.7 12.5 18.7 11.0	13.0 12.0 12.9 10.4	9. 4 10. 7 8. 7 7. 8	5, 5 4, 6 5, 5 6, 8	1.8 2.6 2.6 4.8
United States	2.8	3.7	6.8	10.4	12.6	18. 1	11, 3	8.9	9.8	9,9	7.1	3.6

# VALUE OF PLOW LANDS.

Table 320.—Value of plow lands, by States, 1918-1921.

State.	Averag	e of poor	r plow	Avera	e of good lands.	l plow	Aver	age of al	l plow la	nđs.
crate.	1921	1920	1919	1921	1920	1919	1921	1920	1919	1918
Maine New Hampshire Vermont Massachusetts Rhode Island	\$25.00 24.00 29.00 40.00 50.00	\$30.00 24.00 30.00 40.00 50.00	\$24.00 23.00 30.00 41.00 47.00	\$50.00 63.00 67.00 98.00 105.00	\$56.00 64.00 69.00 103.00 105.00	\$50.00 54.00 64.00 92.00 92.00	\$36.00 31.00 47.00 69.00 85.00	\$42.00 42.00 48.00 72.00 85.00	\$37.00 39.00 44.00 68.00 73.00	\$35.00 39.00 44.00 68.00 70.00
Connecticut	34.00 40.00 55.00 39.00 38.00	35.00 39.00 50.00 40.00 44.00	37.00 38.00 50.00 38.00 36.00	90, 00 84, 00 125, 00 81, 00 72, 00	100.00 84.00 104.00 86.00 86.00	80.00 80.00 103.00 79.00 70.00	58.00 65.00 92.00 62.00 55.51	60.00 64.00 80.00 66.00 66.00	55.00 60.00 76.00 60.00 55.00	52.00 58.00 78.00 58.00 59.00
Maryland Virginia West Virginia North Carolina South Carolina	31.00 32.00 31.00 36.00 32.00	46, 00 34, 00 32, 00 42, 00 41, 00	39.00 31.00 29.00 31.00 27.00	70.00 70.00 70.00 76.00 68.00	82.00 73.00 75.00 87.00 82.00	66. 00 62. 00 64. 00 67. 00 56. 00	51.00 50.00 48.00 55.00 50.00	60 00 53.00 51.00 63.00 61.00	53.00 47.00 44.00 50.00 45.00	47.00 43.00 43.00 42.00 38.00
Georgia Florida Ohio Indiana Illinois	23.00 25.00 60.00 71.00 105.00	30.00 23.00 69.00 80.00 115.00	24.50 21.00 63.00 68.00 100.00	50.00 55.00 110.00 137.00 195.00	63. 00 53. 00 132. 00 150. 00 213. 00	49.30 48.00 113.00 126.00 170,00	36.00 40.00 88.00 109.00 157.00	46.00 36.00 105.00 119.00 170.00	37.50 38.00 91.00 100.00 144.00	28.00 32.00 86.00 96.00 132.00
Michigan	74.00 145.00	41.00 66.00 78.00 157.00 60.00	40.00 60.00 59.00 129.00 51.00	83. 00 122, 00 121. 00 238. 00 106. 00	80.00 125.00 120.00 257.00 110.00	76.00 110.00 88.00 196.00 91.00	65.00 98.00 101.00 200.00 83.00	64.00 100.00 100.00 219.00 87.00	61,00 89,00 78,00 169,00 72,00	60.00 82.00 75.00 154.00 66.00
North Dakota South Dakota Nebraska. Kansas Kentucky	66.00 80.00	31.00 67.00 85.00 50.00 42.00	27.50 50.00 67.00 44.00 37.00	49.00 102.00 140.00 90.00 75.00	49.00 108.00 150.00 90.00 95.00	43.00 77.00 115.00 77.00 80.00	42.00 85.00 115.00 70.00 53.00	43.00 90.00 125.00 70.00 70.00	87.00 67.00 95.00 61.00 61.00	35.00 56.00 80.00 58.00 50.00
Tennessee	17.00	40.00 20.00 23.00 34.00 36.00	31.00 17.00 16.00 25.00 27.00	81.00 38.00 36.00 50.00 70.00	90.00 43.00 49.00 65.00 72.00	75.00 33.00 33.50 44.00 58.00	55. 00 26. 00 26. 00 38. 00 52. 00	60.00 30.00 35.00 50.00 56,00	53.00 24.00 25,50 33.00 46.00	48.00 21.00 28.00 88.00 45.00
Oklahoma Arkansas Montana Wyoming Colorado	24.00	30.00 26.00 21.00 34.00 40.00	24.00 22.00 21.00 26.00 36.00	63.00 54.00 41.00 60.00 86.00	63.00 65.00 48.00 70.00 88.00	51.00 50.00 45.00 53.00 80.00	46.00 38.00 30.00 44.00 67.00	47.00 45.00 36.00 53.00 66.00	38.00 38.00 34.00 43.00 60.00	35.00 31.00 35.00 41.00 55.00
New Mexico. Arizona Utah. Nevada	30.00 75.00 50.00 45.00	30.00 90.00 60.00 46.00	30.00 60.00 55.00 50.00	60.00 140.00 140.00 90.00	A0.00 180.00 135.00 110.00	60.00 125.00 125.00 110.00	45. 00 120. 00 100. 00 75. 00	45.00 130.00 103.00 80.00	45.00 100.00 95.00 85.00	42.00 98.00 86.00 80.00
Idaho	63.00	60.00 68.00 60.00 70.00	50.00 60.00 58.00 69.00	128.00 140.00 135.00 200.00	135.00 150.00 130.00 175.00	98.00 121.00 108.00 165.00	99.00 105.00 103.00 135.00	105.00 115.00 100.00 180.00	76.00 95.00 81.00 121.00	70.00 94.00 84.00 120.00
United States.	56.66	60.76	51.26	106.33	113.34	91.83	83.78	90.01	74.31	68.38

# Miscellaneous Agricultural Statistics.

# TRENDS IN AGRICULTURAL STATISTICAL DATA.

Table 321.—Trends in agricultural statistical data.

	I	ndex nu	mbers, b	asis, 100:	≃5-year a	verage,	1909-1918	
Year.	Land values.	Farm wages.	Crop prices.	Live- stock prices.	Crops and live stock.	Crop values per acre.	Articles farm- ers buy.	Crop yield per acre.
1920 1919 1918 1917 1916 1915 1914 1913 1913 1911 1911 1910 1910 1919	184 202 167 153 136 123 111 109 90 96 93 45	240 207 176 142 114 105 104 105 102 99 95 98 68	195 221 212 198 124 101 101 98 101 101 99 101	183 212 211 181 122 104 112 110 98 90 108	189 217 211 189 102 107 104 100 96 103 98	148 232 212 209 142 108 103 104 101 97 98 101	223 212 188 153 125 112 103 103 100 99 97 86	107 102 100 104 97 110 105 95 110 93 101
			Perc	entage c	hange ye	arly.		
1920. 1919. 1918. 1917. 1916. 1915. 1914. 1918. 1912. 1911. 1910.	+13 +11 +11 + 2 + 5 + 5 + 3	+16 +18 +24 +24 +1 -2 +3 +3 +5	-12 +4 +7 +60 +23 -3 -3 -2 -2	-14 +1 +17 +49 +17 -8 +3 +12 +8 -16 +14	-18 +3 +12 +54 +20 +3 +4 +4 -7 +6	-36 +9 +1 +47 +31 +5 0 +2 +5 -1 -3	+5 +13 +23 +22 +12 + 0 +1 +2 +1 +2 +1	+ 5 + 2 - 4 + 7 - 12 + 6 + 10 - 13 + 19 - 9 + 1

More.—Land values are obtained on Mar. I following the year shown on stub of tabulation; figures may be regarded as representing approximately values at the close of the years indicated, rather than average for entire year. Wage statistics are collected on Mar. I of the following year (1919 data collected in December); they are presumed to represent the average for the calendar year shown on stub, but they are probably influenced somewhat more by conditions in the last half of the year than by the first half. Crop prices and live-stock prices are calendar-year averages, obtained from monthly prices properly weighted. Figures for crops and live-stock are the averages of the crop prices and live-stock figures as shown separately. The ratio of the value of all crops to the value of all live-stock products is usually about 6 to 4; but of total farm sales about 40 per cent are crops, 56 per cent live stock and live-stock products, and 4 per cent miscellaneous. Crop values per sore are obtained by dividing the total value of the year's crop production based upon Dec. 1 prices by the total acras producing the crops. Prices of articles which farmers buy are obtained at the close of the year indicated; although they are assumed to be averages for the year, they probably are influenced more by conditions in the latter part than in the early part of the year.

### INDEX NUMBERS OF PRICES OF MEAT ANIMALS.

Table 322.—Index numbers of prices of meat animals, monthly and average, 1911-1920.

Date.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	Aver- age.
Jan. 15. Feb. 15. Mar. 15. Apr. 15. May 15. June 15. July 15. Aug. 15. Sept. 15. Oct. 15. New 15. Pec. 15.	12. 14 12. 48 12. 52 12. 72 12. 41 12. 31 12. 40 12. 12 12. 22 11. 67 10. 34 8. 48	13. 46 13. 51 14. 06 15. 01 15. 34 14. 98 15. 61 15. 56 18. 44 12. 22 11. 88 11, 54	12, 59 12, 65 13, 06 13, 55 13, 83 18, 62 13, 68 14, 21 14, 50 13, 79 13, 37	8.53 9.42 10.70 11.71 11.84 11.72 11.47 11.87 12.47 12.47	6. 46 6. 94 7. 53 7. 85 7. 85 8. 04 8. 04 8. 05 8. 04 8. 08 8. 09 8. 15	6.57 6.46 6.46 6.59 6.80 6.85 6.77 6.96 6.45 6.25	7.05 7.27 7.37 7.40 7.29 7.22 7.41 7.63 7.58 7.14 6.60	40 6,70 7,735 7,735 7,725 7,725 7,714 6,85	5, 44 5, 54 5, 69 6, 30 6, 27 6, 23 6, 56 6, 74 6, 45 6, 42	6.40 6.19 6.09 5.54 5.54 5.52 5.87 5.587 5.587 5.587	8. 50 8. 71 9. 63 9. 45 9. 58 9. 58 9. 54 9. 58 9. 58 8. 58
Average	11.69	13.59	13, 49	11.56	7.77	6.68	7. 19	7.00	6, 25	5.77	9.08

# MEAT PRODUCTION; IMPORTS, EXPORTS, AND CONSUMPTION

Table 323.—Meat production, imports, exports, and consumption, 1900-1919.

Production of dressed-weight meat in calendar years estimated by the Bureau of Crop Estimates for 1900, ascertained by the Bureau of the Census for 1909, estimated by the Bureau of Animal Industry for 1914-1919; edible offal estimated by the Bureau of Crop Estimates for all years from these percentages of dressed weights: Beef, 19.047 per cent; veat, 7.455 per cent; mutton, including lamb, 4.65 per cent; or cent; or cent; mutton; including lamb, 4.65 per cent. Some of the foreign trade numbers are approximate averages, and the small numbers of meat animals in this trade are not included. Beef statistics include veal; mutton includes lamb and goat; pork includes lard.

Class of meat.	1900	1909	1914	1915	1916	1917	1918	1919
	,	Production	ı, dressed w	eight, and	edible offal,	in thousan	d pounds.	
Beef Mutton Pork	8,962,805 616,385 9,266,245	9, 545, 343 646, 277 9, 532, 453	7,177,981 773,804 10,271,184	7,384,045 672,880 11,438,459	7, 859, 854 663, 724 12, 268, 010	8,670,651 513,997 9,805,989	9,876,410 562,214 12,983,580	8,737,029 664,431 13,171,832
Total	18,865,435	19, 724, 073	18, 222, 969	19, 495, 384	20, 791, 588	18, 990, 637	23, 422, 204	22,573,292
		<u>'</u>	Trend of p	production s	ince 1900 (1	900=100).	·	<u> </u>
Beef Mutton Pork	100. 0 100. 0 100. 0	106. 5 104. 8 102. 7	80.1 125.5 110.6	82. 4 109. 2 123. 2	87.7 107.7 132.1	96. 7 83. 4 105. 6	110. 2 91. 2 139. 8	97. 5 107. 8 141. 8
Total	100.0	104.6	96.6	103. 3	110.2	100.7	124. 2	119.7
			Per c	apita produ	ction, in po	unds.		
Beef	117.9 8.1 122.2	105. 4 7. 1 105. 3	78. 4 7. 9 105. 0	74. 4 6. 8 115. 3	78.1 6.6 121.9	85. 0 5. 0 96. 1	95. 5 5. 4 125. 5	83. 3 6. 3 125. 6
Total	248, 2	217.8	186.3	196. 5	206. 6	186. 1	226, 4	215, 2
		Each class o	of meat as a	percentage	of total pro	duction, in	percentages	•
Beef Mutton Pork.	47. 5 3. 3 49. 2	48. 4 3. 3 48. 8	49. 4 4. 2 56. 4	37. 9 3. 4 58. 7	37.8 3.2 59.0	45.7 2.7 51.6	42.2 2.4 55.4	38.7 24.4 58.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
			Im	ports, in the	ousand pour	ıds.		<del></del>
Beef	2, 500	4, 500 500	258, 803 19, 876 26, 880	120, 402 11, 879 5, 500	40, 425 18, 235 1, 171	27, 639 5, 624 2, 822	30, 296 608 3, 586	90, 310 8, 209 9, 124
Tota	2,500	5,000	305, 559	137, 781	58, 831	36,085	34,490	107,643
	1	<u> </u>	<u> </u>	<del>'                                      </del>	<del></del>	<u> </u>	4	
			Domesti	c exports, i	n thousand	pounds.		
Beef Mutton Pork	857, 542 600 1, 602, 662	499, 828 1, 600 1, 003, 223	192, 088 3, 847 853, 321	546, 478 4, 231 1, 401, 217	395, 535 5, 258 1, 469, 363	408,611 2,862 1,319,128	797,061 1,631 2,263,181	436, 092 3, 009 2, 679, 627

# MEAT PRODUCTION, IMPORTS, EXPORTS, AND CONSUMPTION-Con.

Table 323.—Meat production, imports, exports, and consumption, 1900-1919—Contd.

		<b>,</b>						
Class of meat.	1900	1909	1014	1915	1916	1917	1918	1919
		Excess o	f domestic	exports over	r imports, i	thousand	pounds.	
Beef Mutton Pork	855,042 600 1,602,662	495, 328 1, 600 1, 002, 723	1 66, 715 1 16, 029 826, 441	428,076 17,648 1,395,717	355,110 1 11,977 1,468,192	380, 972 1 2, 762 1, 316, 306	766, 765 1, 023 2, 259, 595	345, 782 1 5, 200 2, 670, 508
Total	2, 458, 304	1, 499, 651	743, 697	1,814,145	1,811,325	1,694,516	3,027,383	3, 011, 08
	Excess	of domestic	exports ove	r imports as	a percenta	ge of produc	tion, in per	centages.
Beef Mutton Pork	9.5 1 17.3	5. 2 . 2 10. 5	1 0. 9 1 2. 1 8. 0	5.8 11.1 12.2	4. 5 1 1. 8 12. 0	4.4 1.5 13.4	7.8 .2 17,4	4. 0 1. 8 20. 8
Total	. 13.0	7.6	4.1	9.3	8.7	8.9	12.9	13. 8
		Domesti	c exports of	animal fats	and oils, ir	thousand	pounds.	
Beef Pork	245, 000 655, 000	200, 000 450, 000	100, 657 460, 580	159, 206 489, 312	118, 756 456, 603	52, 728 383, 997	92, 788 555, 460	158, 338 784, 946
Total	900,000	650,000	561, 237	648, 518	575, 359	436, 725	648, 248	943, 279
	Domestic	exports of a	nimal fats a	nd cils as a in perce	percentage on tages.	of domestic	exports of t	otal meat,
Beef Pork	28.6 40.9	40.0 44.9	52, 4 54, 0	29. 1 34. 9	30. 0 31. 1	12.9 29.1	11,6 24,5	· 36.3
, Total	36.6	48.2	52, 5	83. 2	30. 8	25. 2	21. 2	30. 2
		Consumpti	on, dressed	weight and	edible offal	, in thousa	nd pounds.	
Beef Mutton Pork	8,107,763 615,785 7,683,583	9, 050, 015 644, 677 8, 529, 730	7,244,696 789,883 9,444,743	6,957,969 680,528 10,042,742	7,504,744 675,701 10,799,818	8, 289, 679 516, 759 8, 489, 683	9, 109, 645 561, 191 10, 723, 985	8,391,247 669,631 10,501,329
Total	16, 407, 131	18, 224, 422	17, 479, 272	17,681,239	18, 980, 263	17, 296, 121	20, 294, 821	19, 562, 207
			Trend of co	nsumption	since 1900 (	1900=100).		:
Beef	100. 0 100. 0 100. 0	111.6 104.7 111.0	89. 4 128. 3 122. 9	85. 8 110. 5 130. 7	92.6 100.7 140.6	102. 2 83. 9 110. 5	112, 4 91, 1 130, 6	108. 5 108. 7 136. 7
Total	100.0	111.1	196. 5	107. 8	115.7	105.4	124 3	119, 5
		<del></del>	Per es	pita consum	pitor, in p	on de		
Beef	106.7 81. 101.1	99. 9 47. 1 94. 2	74. 1 8. 1 96. 5	70. 1 6. 9 101. 2	74.6 6.7 107.8	81.2 5.1 83.2	86 b	730 240
Total	215. 9	201. 2	178.7	178.2	188.6	169. 5	197.1	186, 1
<u> </u>	<u> </u>	<del></del>		<u> </u>	<u> </u>	1, 1, 1, 1, 1	1 1 1 1	1

<sup>1</sup> Excess of imports over domestic exports.

### SECTIONAL MEAT CONSUMPTION IN THE UNITED STATES.

By the processes of arriving at the mest consumption of this country, followed by the census method and by the estimates made in the Department of Agriculture, it has been impossible to determine what it is in any part of the Nation. Only a national average could be obtained. To provide information for each of the divisions into which the country is customarily divided, the Bureau of Crop Estimates has appealed to many ofits localoron correspondents to make careful estimates of percepits consumption, with subdivision of the people of their districts into urban and rural, and estimates for each class. The request was for "pounds of dressed weight as would be sold by the butcher." The resulting averages for the United States, urban and rural combined, are approximately the same as those secured by national satistics and estimates of slaughter, reduced by the exported national surplus—lower for beef and higher for the other classes of meat. The interest of the investigation is chiefly in the geographic differences, and in the comparison between farm and town consumption; these can be observed in the accompanying table. Estimates were made for poultry as well as for "meat."

Class.	Total.	Beef.	Veal.	Mutton.	Pork.	Poultry.
URBAN.	Pounds.	Pounds.	Pounds.	Pounds.	Pownds.	Pounds.
North Atlantic	166.8	64.0	13.5	10.9	61.5	16.9
North Atlantic North Central, east	176.8	75.6	11.6	7.3	69.3	16.9 18.0
North Central, west	181.4	77.5	11.7	6.8	67.2	18.2
South Atlantic	158.4	55.1		5.4	76.3	16.0
South Central	178. 4	66.1	4.4	8.7	79.7	19.5
Western	177.8	76.2	16.3	13.6	60.5	11.2
Total	171.6	68.3	11.8	9.3	66.3	15.8
RURAL.						
North Atlantic North Central, east North Central, west. South Atlantic	174.7	47.1	10.7	7.6	85.5	23.9
North Central, east.	196.2	48.3	7.2	7.6 5.8	109.9	25.1
North Central, west	212.7	57.4	6.3	3.8	113.1	32.0
South Atlantic	172.4	28.5	3.2	4.4 6.9	117.6	18.7
South Central	182.4	28.6	1.7	6.9	121.3	23.9
Western	188. 2	64.7	9.3	15.8	81.5	16.9
Total	187. 1	41.6	5.4	6.5	109.7	23.9
TOTAL POPULATION.						
North Atlantic	168.8	59.6	12.8	10.0	67.7	18.7
North Central, east	186.0	62.7	9.5	6.6	88.5	18.7
North Central, east	202.3	64.1	8.1	4.8	97.8	27.4
South Atlantic	168. 9	35.2	3.8	4.7	107.1	18.0
South Central	181.6	36.3		7.3	112.8	23.0
Western	183. 1	70.3	12.7	14.7	71.8	14.1
Total	179. 9	54.0	8.4	7.8	89.6	20.2

Table 324.—Estimated per capita meat consumption.

States included in the different divisions are: North Atlantic—Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, New York, New Jersey, Pennsylvania; North Central, east—One, Indiana, Illinois, Michigan, Wisconsin; North Central, west—Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas; South Atlantic—Delaware, Maryland, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida; South Central—Kentucky, Tennessee, Alabama, Mississippi, Louissina, Taras, Oklahoma, Arkansas; Western—Montana, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Idaho, Washington, Oregon, California.

#### . AUTOMOBILE AND ROAD STATISTICS.

Table 325.—Motor car registrations, registration revenues, and expenditures for roads and bridges in United States.

[The following statistics are condensed from more detailed data published in Public Roads for May.]

Year.	Number motor cars registered.	Total regis- tration reve- nues.	Total cash, road and bridge ex- penditures. <sup>1</sup>	Year.	Number motor cars registered.	Total regis- tration reve- nues.	Total cash, road and bridge ex- penditures.1
1919 1918 1917 1916 1916 1916	7, 565, 000 6, 147, 000 4, 983, 000 3, 513, 000 2, 446, 000 1, 711, 006 1, 280, 000	\$64, 697, 000 51, 477, 000 37, 501, 000 25, 865, 000 18, 246, 000 12, 382, 000 8, 200, 000	\$400, 000, 000 300, 000, 000 290, 000, 000 280, 000, 000 275, 000, 000 250, 000, 000	1912 1911 1910 1909 1908 1907 1906	1,020,000 710,000 500,000 250,000 120,000 90,000 48,000	\$5,600,000 4,000,000 2,200,000 950,000 500,000 350,000 200,000	\$156, 000, 000 140, 000, 000 120, 000, 000 100, 000, 000 90, 000, 000 80, 000, 000 74, 000, 000

A These expenditures do not include value of statute labor and pertain only to roads outside of city or town limits.

Usil very recently all of the States did not require annual registrations of motor cars. Consequently the earlier figures do not represent very closely the actual number of cars in the United States at that that it is delived, he werer, that these figures do represent very closely the actual registrations as

## AUTOMOBILE AND ROAD STATISTICS-Continued.

Table 326.—Automobile and road statistics, by States.

[The State and United States figures in first, fourth, and fifth columns are taken from Public Roads for May. The other figures were computed in the Bureau of Crop Estimates.]

State.	Auto- mobiles regis- tered, <sup>1</sup> 1919.	Per cent increase over 1918.	Miles of public rural roads.	Road miles per square mile.	Motor cars per mile of public rural road.	Population per motor car.
Maine. New Hampshire. Vermont. Massachusetts. Rhode Island Connecticut New York New Jersey Pennsylvania	247, 182 44, 833 102, 410 566, 511 190, 873 482, 117	19. 9 27. 4 18. 9 27. 7 27. 3 19. 0 23. 3 22. 7 22. 3	23,000 14,000 14,000 19,000 2,000 14,000 80,000 91,000	0.8 1.6 1.5 2.3 2.0 2.9 1.7 2.0	2.3 2.2 1.9 13.2 20.6 7.3 7.1 12.9 5.3	15 14 14 16 15 13 19 17
North Atlantic	1,745,783	23, 3	272,000	1.7	6.4	17
Delaware. Maryland Virginia West Virginia North Carolina. South Carolina a Georgia Florida	16, 152 95, 634 94, 100 50, 203 109, 017 70, 143 137, 000 55, 400	24. 7 28. 1 30. 3 29. 6 50. 8 26. 4 30. 9 2. 2	4,000 16,000 52,000 31,000 52,000 44,000 81,000 18,000	1.9 1.7 1.3 1.3 1.1 1.4 1.4	4.4 5.8 1.6 2.1 1.6 1.7 3.1	13 15 24 29 23 24 22 17
South Atlantic	663, 049	28. 5	298,000	1.1	2.2	21
Ohio	511, 031 227, 255 478, 438 325, 813 236, 290	23. 8 22. 8 24. 3 20. 4	87,000 73,000 96,000 74,000 76,000	2.1 2.0 1.7 1.3 1.4	5.9 3.1 5.0 4.4 3.1	10 13 13 10 11
North Central east of Mississippi River	1, 778, 827	19. 6	406,000	1.7	4.4	11
Minnesota. Lowa. Missouri North Dakota. South Dakota. Nebraska. Kansas.	259, 741 364, 043 244, 363 82, 885 104, 628 200, 000 228, 600	27. 0 30. 8 30. 0 15. 6 15. 4 20. 8	93,000 104,000 98,000 64,000 95,000 80,000 109,000	1.1 1.9 1.4 .9 1.2 1.0	2.8 3.5 2.5 1.3 1.1 2.5 2.1	9 6 14 10 7 7 8
North Central west of Mississippi River	1, 484, 260	24. 4	642,000	1.3	2.0	9
Kentucky Tennessee Alabama Mississippi * Louislana Texas Okiahoma Arkansss	90,008 80,422 58,898 59,000 51,000 331,310 144,500 49,450	36. 6 27. 7 27. 6 21. 9 27. 5 31. 9 18. 9 19. 3	56,000 47,000 54,000 45,000 24,000 127,000 111,000 49,000	1.4 1.1 1.0 1.0 .5 1.6	1.6 1.7 1.1 1.3 2.1 2.6 1.3	27 29 41 34 37 14 17 36
South Central	864, 588	27. 6	515, 000	.8	1.7	23
Montana Wyoming Colorado New Mexico Arizona Utah Nevada Idaho Washington Oregon California	18,082 28,919 35,236	16. 2 31. 9 26. 0 2. 5 21. 2 9. 2 14. 0 30. 8 26. 9 31. 6 17. 1	40, 009 14, 009 39, 009 45, 009 12, 000 9, 000 12, 000 25, 000 43, 000 38, 000 61, 000	31.4.4.1.1.1.3.64.4.4	1.557 2.087 2.087 3.52.38	9 9 9 26 19 18 18 11 12 17 7
Far Western		20, 6	337, 000	.3	3, 1	)0
Fried States	7, 56ŏ, 446	23, 1	2, 470, 000	. 8	3. 05	144

<sup>2.</sup> Does not include motor cycles nor dealers' and manufacturers' licenses.
3 State registrations only.
4 Estimated.
5 Includes 35,400 automobiles registered in the District of Columbia.

# RAILWAY FREIGHT TONNAGE.

Table 327.—Tonnage carried on railways in the United States, 1916-1919.1

	Year ending		Year endin	g Dec. 31—	
Product.	June 30— Class I and II roads, 1916.		Class I	roads.	
	1910-	1916	1917	1918	1919
FARM PRODUCTS.					
Animal matter: Animals, live	Short tons. 16, 963, 922	Short tons. 17, 294, 304	Short tons. 17, 905, 829	Short tons. 17, 257, 034	Short tons. 19, 394, 986
Packing-house products— Drassed meats. Hides and leather. Other packing-house products.	2, 656, 235 1, 400, 858 2, 774, 708	2, 807, 571 1, 396, 132 2, 633, 043	2, 965, 709 1, 357, 265 2, 566, 603	3, 713, 766 1, 302, 754 3, 510, 231	3, 898, 402 1, 370, 701 3, 735, 977
Total packing-house prod- ucts.	6, 831, 801	6, 836, 746	6, 889, 577	8, 526, 751	8,505,080
Poultry (including game and fish)	1, 016, 484 503, 248 4, 629, 143	1, 096, 624 504, 927 4, 740, 560	1, 022, 472 499, 054 5, 541, 214	1, 154, 040 493, 651 6, 338, 483	1, 322, 404 546, 852 5, 724, 360
Total animal matter	29, 944, 598	30, 473, 161	31, 858, 146	35, 769, 959	35, 493, 662
Vegetable matter: Cotton Fruit and vegetable	4, 052, 241 18, 192, 083	4, 212, 062 17, 621, 285	3, 552, 222 17, 678, 958	3, 550, 117 18, 735, 809	3, 803, 356 19, 726, 069
Grain and grain products— Grain. Grain products— Flour. Other grain products.	57, 686, 165 10, 472, 225 7, 992, 496	55, 684, 841 10, 318, 950 8, 234, 081	46, 372, 019 10, 065, 219 8, 413, 089	55, 866, 640 10, 587, 769 8, 630, 062	52, 374, 922 11, 669, 659 9, 078, 660
Total grain and grain prod- ucts.	76, 150, 886	74, 237, 872		75, 084, 471	73, 123, 241
HaySugarTobacco Other vegetable matter	7, 312, 879 8, 917, 381 1, 085, 843 8, 988, 002	7, 243, 164 3, 762, 495 1, 016, 198 9, 304, 818	8, 314, 485 4, 235, 353 1, 028, 771 9, 204, 495	8, 239, 412 4, 204, 165 1, 159, 572 9, 256, 889	7, 483, 108 4, 933, 861 1, 293, 494 9, 604, 051
Total vegetable matter	119, 699, 295	117, 397, 894	108, 864, 611	120, 230, 435	119, 967, 180
Total farm products	149, 643, 893	147, 871, 055	140, 722, 757	156, 000, 394	155, 460, 842
OTHER PREIGHT.					
Products of mines Products of forests Manufactures All other (including all freight in	706, 029, 210 106, 856, 873 182, 916, 449	680, 122, 775 93, 819, 387 185, 024, 643	732, 655, 519 100, 838, 196 188, 795, 813	734, 790, 653 97, 042, 938 176, 197, 263	589, 950, 956 94, 075, 636 163, 825, 295
less than carload lots)	92, 776, 482	95, 162, 207	101, 006, 438	99, 031, 942	92, 798, 540
Total tonnage	1, 238, 222, 907	1, 202, 000, 067	1, 264, 018, 723	1, 263, 063, 190	1, 096, 111, 271

¹ Compiled from reports of the Interstate Commerce Commission. Original shipments only, excluding freight received by each railway from connecting railways and other carriers. Figures exclude the relatively small tonnage originating on railroads of Class III (roads having operating revenues of less than \$1,000,000 a year), except that for the calendar years 1916 and 1917 only Class I roads are included (roads having annual operating revenues in excess of \$1,000,000).

#### CARLOAD WEIGHTS.

Table 328.—Average weight per carload of freight originating on Class I railroads in the United States, during the three months ending June 30, 1920.

#### [Interstate Commerce Commission.]

Commodity.	Tons.	Commodity.	Tons.
Wheat Corn Oats Flour and meal Hay, straw, and alfalia Cotton Cotton Citrus fruits Potatoes Horses and mules Cattle and calves Sheep and goats	36. 2 30. 0 30. 9 12. 2 13. 9 12. 4 17. 5 18. 7	Hogs Poultry Eggs Butter and cheese Wool, sirup, glucose, and molasses. Canned goods. Anthractic coal Bituminous coal Textiles. Lumber, timber, box shooks, stayes, and headings.	11.5 11.6 13.2 12.6 28.0 24.8

#### WAGON AND MOTOR-TRUCK HAULS.

TABLE 329.—Wagon and motor-truck hauls from farms to shipping points, 1906 and 1918.

Item.	Dis-	Round trips per		Load.		Cost of I	nauling pe mile.	er ton per
	tance.	day.	Corn.1	Wheat.	Cotton.	Corn.	Wheat	Cotton.
United States:	Miles.	Number.	Bushels.	Bushels.	Bales.	Cents.	Cents.	Cents.
Motor trucks, 1918	11.3	3.4	58 39	84	6. 6 3. 6	15 33	15 30	18
Wagons, 1918 Wagons, 1906	9. 0 9. 7	1.2 1.2	39	56 55	3.4	19	19	48 27
Geographic division.2			Ì					
New England:		1		1	1		1	
Motor trucks, 1918	10.0	4.5	62	60		11	14	
Wagons, 1918	7. 2	4.5 1.8	38	45		39	38	
Wagens, 1906	.7.2	1.7						
Middle Atlantic:							1	1
Motor trucks, 1918	12.2	3.4	69	78 47		14 39	14 38	
Wagons, 1918	7. 6 6. 5	1.6 1.7	39 41	48		24	26	
Wagons, 1906 South Atlantic:	0.0	1.7.	1 21	20			20	
Motor trucks, 1918	9.8	4.0	45	57	6.0	19	18	20
Wagons, 1918	8.4	1.4	29	36	3.5	41	39	48 27
Wagons, 1906	9.9	1.2	35	42	3.5 3.1	28	24	27
North Central, east:	_	1	l	1	i	Ì	1	1
Motor trucks, 1918	9.3	4.8	64	90		11	9	
Wagons, 1918	6.3	2.0	41	54		. 29	26	
Wagons, 1906 North Central, west:	7.0	1.8	40	48		. 16	18	
Motor trucks, 1918	.10.1	3.8	54	84	1	18	14	i
Wagons, 1918.	7.9	1.5	42	57		33	29	
Wagons, 1906	8.7	1.4	39	52		17	16	
South Central, east:	٠		1	-				
Motor trucks, 1918	12.9	3.2	58	86	7.6	12	10	13
Wagonsi, 1918	10.4	1.0	26	38	3, 2	45	36	52
Wagona, 1906	11.1	1.0	29	37	3.0	24	23	31
South Central, west:			1	l		!	1	
Moter trucks, 1918	13.0	2.9	57	72	6.7	17	15	20
Wagona, 1918. Wagona, 1996.	10.9	1.0	26 29	46 38	3.8	49	32 21	47
Rocky Mountain:	12,6	.9	29	95		22	21	20
Motor trucks, 1918	21.0	1.2	48	70		\$6 52 16	, ae	1
Wagons, 1918	20.2	. 4	46	66			29 42 20	
Wagons, 1906	16.8	.7	49	60		16	20	
Pacific:	,	I	-	1		1	1	1
Motor trucks, 1918	12.3	2.9	74	105		20 23	17	
Wagons, 1918	11.2	1.4	71	67		23	22 21	
Wagons, 1906	11.5	1.1	. 45	76		28	[ 21	

<sup>&</sup>lt;sup>1</sup> Not shelled. <sup>2</sup> The geographic divisions are—New England: Maine, New Hampshure, Vermont, Massachusetts,

of the Mississippi River: Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, Kansas; South Central east of the Mississippi River: Kentruky, Tennessee, Alabama, Mississippi; South Central west of the Mississippi River: Louisiana, Texas, Okiahoma, Arkansas; Rocky Mountain: Montana, Wyoming, Colorado, New Maxico, Arizona, Utah, Nevada, Idaho; Pacific: Washington, Oregon, California.

## RURAL AND AGRICULTURAL POPULATION.

### TABLE 330.—Rural and agricultural population in various countries.

	1	Rural populati		Population dependent upon agriculture.			
Country.	Year.	Number.	Per cent of total popula- tion.	Year.	Number.	Per cent of total popula- tion.	
United States	1910	49, 348, 883	. 53. 7				
Austria-Hungary: Austria Hungary				1900 1900	13,447,362 13,061,118	51.4 67.8	
Total Austria-Hungary				1900	26, 508, 480	58,4	
Belgium British India Bulgaria Denmark		1,654,277 1,647,350	22.3 59.7	1901 1905 1911	. 191, 691, 731 3, 089, 301 1, 023, 962	65.1 76.6 37.1	
Finland France Germany Norway		22,715,011		1900 1891 1907 1900	1,023,962 1,555,357 17,435,888 17,089,496 854,787	57.3 45.7 27.7 38.5	
Portugal Roumania	1890 1900	3, 458, 996 4, 836, 904	68. 5 81. 2	1900	3,367,199	62.1	
Russia: Caucasus Central Asia. Poland. Russia proper. Siberia				1897	7, 266, 428 6, 361, 466 5, 302, 850 69, 470, 360 4, 448, 456	78. 2 82. 1 56. 4 74. 8 77. 2	
Total Russia				1897	92, 849, 560	78.9	
Serbia Sweden Switzerland United Kingdom:		1,047,795	31.6	1900 1900 1900	2,097,988 2,344,612 1,067,905	84.2 45.6 32.2	
England and Wales	1911	7, 907, 558	21.9				

## RURAL AND AGRICULTURAL POPULATION—Continued.

TABLE 331.—Number of persons engaged in agriculture in various countries.

			Males.		s.	Fems	Jes.	Total persons er gaged in agricu ture.		
Country.	Year.	Number.	Per cent of males in all occupa- tions.	Number.	Per cent of females in all occupa- tions.	Number.	Per cent of persons in all occupa- tions.			
United States Algeria. Algeria. Argentine Australia Australia Australia Belgium Bollvia. British India British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. British North Borneo. Formosa. Federated Malay States. Finland Formosa. Federated Malay States. France. Gesmany Greece. Greenada. Italy G	1900 1901 1901 1905 1901 1907 1907 1907 1907 1907 1907 1906 1906 1906 1906 1906 1901 1901 1901	10, 582, 039 636, 078 313, 149 377, 628 8, 185, 200 77, 597 745, 074 448, 546 336, 611 2, 258, 005 5, 146, 323 5, 146, 323 5, 146, 323 5, 146, 323 6, 370, 277 10, 235 72, 438 450, 644 1, 163, 777 196, 684	35. 2 74. 8 22. 55. 5 22. 5 22. 5 32. 4 45. 6 50. 3 22. 2 23. 4 45. 7 22. 2 24. 7 27. 7 27. 3 47. 7 27. 3 47. 7 27. 3 28. 5 28.  1, 806, 584 91, 602 67, 174 89, 029 5, 835, 805 163, 707 27, 887, 210 837, 406 8, 940 218, 551 21, 877 3, 110, 2, 757 110, 208 102, 304 102, 664 3, 824, 661 4, 585, 749 6, 972 3, 196, 663 3, 196, 663 7, 472 90, 286 1, 868	22. 4 55. 7 13. 1. 1 707. 3 66. 5 94. 9 3. 7 65. 2 20. 8 22. 20. 8 23. 3 24. 3 24. 3 25. 3 26. 3 26. 3 27. 4 28. 3 28. >3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	12, 388, 623 727, 630 345, 655 44, 121, 055 64, 109 9, 584, 575 32, 892 1, 762, 612 1, 763, 625 470, 423 32, 892 1, 203, 625 466, 185 2, 315, 149 1, 203, 546 1, 203, 149 1, 2	32.53.71.33.23.663.21.32.56.63.51.50.64.28.39.91.37.7.654.28.39.91.37.7.654.38.39.91.37.7.654.38.48.39.91.37.32.48.48.38.48.48.38.48.48.38.48.48.48.48.48.48.48.48.48.48.48.48.48				
Postugal Russia: In Europe In Asia	1900	1,127,268	65. 8 59. 6	1.974.164	52.0· 38.0	1,507,561.	61. 4 55. 6			
In Asia	l .	2, 092, 965 15, 901, 470	69. 2	105,137	30.5	2,198,102	55.3 56.7			
		10,801,410	00.7	2,079,301	37.5	17, 980, 771				
st. Lucia servia Jerra Leone. pain. weden. witzerland runidad and Tobago. Julian of South Africa Luciae Ringtom.	1900 1901 1900 1900	311,700 8,705 3,741,730 761,016 392,971 51,744 863,223 2,109,812	65. 5 28. 7 58. 1 52. 4 37. 1 54. 7 56. 3 16. 3	13,524 4,544 775,270 333,264 80,326 25,765 847,057 152,642	50.5 21.7 51.8 53.8 16.1 89.3 77.5 2.9	15, 796 \$26, 224 13, 249 4, 517, 000 1, 094, 280 478, 297 77, 509 1, 710, 280 2, 262, 454	54. 1 64. 7 25. 9 56. 9 52. 8 80. 4 48. 4 12. 4			

#### AGRICULTURAL LAND.

TABLE 332.—Total area and agricultural land in various countries. As classified and reported by the International Institute of Agriculture.]

			Productive	land.1	Cultivated	land.2
Country.	Year.	Total area.	Amount.	Per cent of total area.	Amount.	Per cent of total area.
NORTH AMERICA. United States	1910	A cres. 1, 903, 269, 000	A cres. 878, 789, 000	Per cent. 46.2	A cres. 293, 794, 000	Per cent. 15. 4
Canada Costa Rica Cuba	1901 1909–10 1899	2,397,082,000 13,343,000 28,299,000	63, 420, 000 3, 090, 000 8, 717, 000	2. 6 23. 2 30. 8	19, 880, 000 442, 000 778, 000	.8 3.3 2.7
SOUTH AMERICA.						
Argentina. Chile <sup>3</sup> . Uruguay.	1909-10 1910-11 1908	729, 575, 000 187, 145, 000 46, 189, 000	537, 805, 000 15, 144, 000 40, 875, 000	73. 7 8. 1 88. 5	44, 446, 000 2, 557, 000 1, 962, 000	6.1 1.4 4.2
EUROPE.						
Austria-Hungary: Austria Hungary	1911 1910	74, 132, 000 80, 272, 000	69, 939, 000 77, 225, 000	94.3 96.2	26, 272, 000 35, 178, 000	35. 4 43. 8
Total Austria-Hungary.	1 '	154, 404, 000	147, 164, 000	95. 3	61, 450, 000	39.8
Belgium Bulgaria Denmark Finland France Germany Ltaly Luxemburg Notway Portugal	1900 1911 1911	7, 278, 000 23, 807, 000 9, 629, 000 82, 113, 000 130, 854, 000 70, 839, 000 8, 057, 000 79, 810, 000 22, 018, 000	6, 443, 000 18, 959, 000 9, 078, 000 123, 642, 000 126, 401, 000 616, 000 7, 258, 000 22, 942, 000 17, 281, 000	88.5 79.6 94.3 94.5 94.6 92.0 96.4 96.1 28.7 78.5	3,582,000 8,574,000 6,376,000 59,124,000 63,689,000 33,315,000 2,210,000 1,830,000 5,777,000 14,329,000 245,755,000 2,534,000	49. 2 36. 0 66. 2 45. 2 47. 7 47. 7 46. 9 27. 4 2. 3 26. 2
Netnerianus Norway Portugal Roumania Russia, European Serbia Spain Sweden Switzerland 4	1905 1911 1897 1908–1911 1911 1905	32, 167, 000 1, 278, 203, 000 11, 986, 000 124, 666, 000 110, 667, 000 10, 211, 000	22, 942, 000 17, 281, 000 24, 645, 000 698, 902, 000 6, 246, 000 112, 665, 000 65, 196, 000 7, 635, 000	76. 6 54. 7 52. 3 90. 4 58. 9 74. 8	14, 829, 000 245, 755, 000 2, 534, 000 41, 264, 000 9, 144, 000 605, 000	46. 1 19. 2 21. 2 33. 1 5. 9 8. 3
United Kingdom: Great Britain Ireland	1911 1911	56, 802, 000 20, 350, 000	47,737,000 18,789,000	84. 0 92. 3	14,587,000 3,275,000	25.7 16.1
Total United Kingdom		77, 152, 000	66, 526, 000	86. 2	17,862,000	23. 2
ASIA, British India	1910-11 1911 1911 1911	615, 695, 000 8, 858, 000 94, 495, 000 4, 028, 001, 000	465, 706, 000 1, 972, 000 74, 180, 000 715, 838, 000	75. 6 22. 3 78. 5 17. 8	264, 858, 000 1, 884, 000 17, 639, 000 33, 860, 000	43. 0 21. 3 18. 7 . 8
AFRICA.						
Algeria. Egypt. Tunis Union of South Africa.	1910 1912 1912 1909–10	124, 976, 000 222, 390, 000 30, 888, 000 302, 827, 000	50, 846, 000 5, 486, 000 22, 239, 000 3, 569, 000	40.7 2.5 72.0 1.2	11, 434, 000 5, 457, 000 6, 919, 000 3, 385, 000	9.1 2.5 22.4 1.1
OCEANIA. Australia New Zegland	1910-11 1910	1,903,664,000 66,469,000	119, 942, 000 57, 310, 000	6.3 86.2	14, 987, 000 6, 955, 000	. 8 10. 5
Total, 36 countries		15,071,209,000	4,591,691,000	30.5	1, 313, 832, 000	8.7

Includes, besides cuttivated land, also natural meadows and pastures, forests, wood lots, and lands devoted to cultivated trees and shrubs.
 Includes fallow lands; also artificial grasslands.
 The figure for "productive land" in Chile excludes marshes, heaths, and productive but uncared-for lands.
 The figure for "cultivated land" in Switzerland excludes artificial meadows and pastures.

#### NATIONAL FORESTS.

TABLE 333.—National Forests: Timber disposed of, quantity, price, and number of users, revenue under specified heads, and details of grazing privileges, years ended June 30, 1916 to 1920.

[Reported by the Forest Service.]

	Year ended June 30—							
Item.	1916	1917	1918	1919	1920			
Free timber given: Number of users. Timber cut. Mit. Value. dollars. Timber sales:	184,715	41, 427 113, 073 149, 802	1	34,617 90,798 113,117	37,336 88,060 113,000			
Number Mit Quantity Mit Price per thousand board feet (average) dollars	10,840 906,906	11,608 2,008,087 1.85		12,592 799,476 2.30	13,272 1,326,922 2.30			
Grazing: Number of permits		36,638						
Kinds of stock— Cattle number Goats do Hogs do Horses do Sheep do	43, 268 2, 968 98, 903	1, 953, 198 49, 939 2, 306 98, 880 7, 586, 034 9, 690, 357	57,968 3,371 102,156 8,454,240	2, 135, 527 60, 789 5, 154 93, 251 7, 935, 174 10, 229, 895	2,033,800 53,685 4,066 83,015 7,271,136 9,445,702			
Special use and water-power permits, Number	5, 251	6,056	5, 819	5, 191	6,026			
Revenue from—   Timber sales   dollars     Timber settlements   do     Timber settlements   do     Timber trespass   do     Turpentine sales   do     Turpentine trespass   do     Fire trespass   do     Occupancy trespass   d	37,712 14,402 5,471 85,235 1 202,405	1,595,873 17,102 18,870 8,156 52,514 108,329 1,544,714 1,545,081 1,06,389	99, 502 2, 330 8, 334 3, 618 1, 207 119, 979	1,503,367 8,939 8,623 13,220 692 5,259 689 136,134 2,556,962 552,208 72,322	1,999,668 11,835 13,787 19,310 22,796 943 149,265 2,427,028 25,012 89,838			
Total revenuedo	2,823,541	3, 457, 028	3, 574, 930	4, 358, 415	4, 793, 482			

<sup>1</sup> Includes timber taken in the exercise of permits for rights of way, development of power, etc. 2 Includes \$206 from sale of live stock.

# Table 334.—Area of National Forest lands, June 80, 1920. [Reported by the Forest Service.]

Class - 2 famos	Not area	State and Saret	N-4
State and forest.	Net area.	State and forest.	Net area.
Alabama:	Acres.	Georgia:	A cres. 60, 234
Alabama	49,561	Cherokee <sup>1</sup>	47, 511
Alaska: Chugach	5, 130, 201	Total	107, 745
Chugach Tongass	. 5, 130, 201 15, 449, 539	Idaho:	
Total	20, 579, 740	Boise	1,060,006 493,272
Arizona:		Cache 1	670, 170
Apache	1, 243, 142 1, 771, 971 1, 304, 888 892, 487 17, 680 752, 339 1, 447, 850 650, 350	Challis	670, 170 1, 257, 587 785, 376
· Coronado 1	1, 304, 888	Clearwater Coeur d'Alene	663, 713
Crook	892, 487	Idaho Kaniksu ¹	663, 713 1, 879, 560 197, 476 1, 095, 921 509, 081
	752, 339		1,095,921
Prescott. Sitgreaves. Tonto. Tusayan.	1,447,850	Minidoka <sup>1</sup> Nez Perce Payette Pend Oreille	509, 0S1
Tonto.	650, 350 1, 988, 806 1, 298, 119	Payette	1, 197, 799
Tusayan	1, 298, 119	Pend Oreille	675, 031 556 354
Total	11, 367, 632	St. Joe	1, 626, 627 1, 197, 799 675, 031 556, 354 1, 620, 749
Arkansas:	:	Sawtooth	1,159,660
Arkansas	633, 277 282, 372	Targhee 1	1, 159, 660 1, 688, 287 983, 781 561, 672
Ozark	282, 372	Weiser	561, 672
Total	915, 649	Total	18, 682, 031
California: Angeles.	817, 441	Maine: White Mountain 1	27, 860
Angeles. California Cleveland	517, 151 588, 189, 189, 170, 197, 197, 197, 197, 197, 197, 197, 197	Michigan:	
	47, 097	Michigan	89, 466
Crater L Eldarado L Inyo L Klamath L Lassen	553, 318	Minnesota:	
Klamath 1	1, 524, 514	Minnesota	190, 602 856, 142
Lassen Modoc	936, 957	Superior	856, 142
Mono 1. Plumas. Santa Barbara. Seguoia.	785, 701	Total	1, 046, 744
Santa Barbara	1, 144, 418 2, 011, 942	Montana:	
Sequola	1,879,660	A hac volvo	841,079
ShastaSierra	1, 493, 400	Beartooth Beaverhead Bitterroot	662, 136 1, 346, 025
Sierra Siskiyou <sup>1</sup> Stanislaus	348, 919	Bitterroot	1,047,459
Tahoe 1	531, 210	Cohinet	829, 281
Trinity	1, 430, 474	Custer 1	692, 136 1, 346, 025 1, 047, 459 902, 498 829, 281 518, 033 \$30, 935 1, 716, 759 567, 614 680, 237 1, 042, 884 1, 333, 411 810, 801
Total	18, 891, 161	Flathead	1,716,789
Colorado:		Helena	567, 614 680, 257
Arapahoe	634, 485	Jefferson	1, 042, 884
Battlement Cochetopa	653, 588	Lewis and Clark	1, 333, 461 810, 891
Colorado	634, 485 653, 583 904, 810 851, 960	Fiathead. Gallatin Helena. Jefferson Kootenai. Lewis and Clark Lolo. Madison Missoula.	850,677
Durango Gunnison Hayden <sup>1</sup>	620, 485 905, 729	Madison	931,645 1,031,154
Hayden 1	620, 485 905, 729 66, 053 575, 463	Total	
Holy Cross. La Sal <sup>1</sup> .	27, 444	!	15,942,821
Leadville	928, 014	Nebraska: Nebraska	205,944
Pike	1, 077, 363	i <b>)</b>	200, 541
Rio Grande	1, 135, 589	Nevada:	56 204
Boutt	575, 463 27, 444 928, 014 699, 684 1, 077, 363 1, 135, 561 598, 912 619, 683 596, 583 788, 496	Dixle 1 Eldorado 1	56,324 400
San Juan Sopris	619, 683	i Humboldt	1,311,584
Uncompaligre	788, 496 845, 595	Mono 1	464,316
White River	845, 595	Inyo¹ Mono¹ Neyada Tahoe¹	1,174,748
Total	13, 274, 187	Tolyabe	464,316 1,174,748 13,853 1,907,476
Florida: Florida	308, 408	Total	4,985,066
	<del></del>	11 .	l

For total area, see Table 335, "National Forests extending into two or more States."

TABLE 334.—Area of National Forest lands, June 30, 1920—Continued.

State and forest.	Net area.	State and forest.	Net area.
New Hampshire:	Acres.	Utah—Continued.	A cres.
White Mountain 1	355,472	Dixie 1	435,270 700,744 657,048
New Mexico:		Fillmore Fishlake	857 049
Carson	862,565	La Sal <sup>1</sup>	509,605
Coronado 1	126,318	Manti	781,616
Datil	2,670,805	Manti Minidoka <sup>1</sup>	60 224
Gila	1,461,231	Powell	686,343
Lincoln	1,124,036	Sevier	720,350
Manzano Sante Fe	126,318 2,670,805 1,461,231 1,124,036 697,488 1,365,991	Uinta Wasatch	686,343 720,350 1,005,983 605,783
Total	8,308,434	Total	7,414,696
North Carolina:		Virginia:	
Boone	95,394	Monongalicla <sup>1</sup> Natural Bridge	
Cherokee 1		Natural Bridge	87,166
Nantahala 1	72,255	Shenandoah i	222,845
Pisgah	91,463	m. +- 1	010 017
Total	050 110	Total	310,011
TOTAL	259,112	Washington:	
Oklahoma:		Chelan	677, 592
Wichita.	61,480	Columbia	784, 627
		Colville	754,737
Oregon:		Kaniksu 1	257,607
Cascade	1,020,526 802,128 1,282,012	Okanogan Olympic	1,488,457
Crater 1	802,128	Olympic	1,534,172
Deschutes	1,252,012	Ranier	774,627 784,627 754,737 257,607 1,488,457 1,534,172 1,316,364 696,071
Fremont Klamath <sup>1</sup>	849,526	Snoqualmie Washington Wenaha¹ Wenatchie	1,459,789
Malheur	8,723 1,043,895 715,740	Wenaha 1	313,439
Ochoco	715,740	Wenatchie	657,034
Oregon	1,046,693		
Santiam	607,097	Total	9,939,889
Siskiyou 1	997,865		
Siuslaw	1,046,693 607,097 997,865 543,200 485,786 1,010,633	West Virginia:	20.002
Umatilla Umpqua	1 010 622	Monongahela <sup>1</sup>	53,335 45,192
Wallows	957 370	1	70,104
Wallowa Wenaha <sup>1</sup>	957,379 425,280	Total	98,527
Whitman	1,315,445		
Total	13,111,928	Wyoming: Ashlev 1	5 097
- VVIII	10,111,020	Bighorn	1.124.617
Porto Rico:		Bighorn. Black Hills 1	144,346
Luquillo	12,443	Bridger	713,609
		Caribou 1	5,987 1,124,617 144,346 713,609 6,284 327,356 478,078
South Carolina: Nantahala <sup>1</sup>		Hayden <sup>1</sup> Medicine Bow	327,356
Nantanaia 1	18,454	Medicine Bow	478,078
South Dakota:		Shoshone	
Black Hills 1	476.890	Teton	1.924.241
Custer 1	73,171	Washakie	852,315
Harney	476,890 73,171 535,610	Wyoming	337,666 1,924,241 852,315 974,614
Total	1,085,671	Total	8,468,197
Tennessee:		Total, National Forests	156,032,053
Cherokee 1	113,724	Appalachian area2	109, 154
Utah: Ashley 1			
Aghley 1	974,229 268,501	Grand total	156,141,207
Cache 1	040,000	,	,,

For total area, see Table 335: "National Forests extending into two or more States."
 Acquired under the Weeks law.

#### Table 335.—National Forests extending into two or more States.

Forest.	. States.	Net area.
Coronado	Arizona-New Mexico	A cres. 1, 431, 206
Dixie	Arizona-Nevada-Utah	509, 274
Crater		
Eldorado		553, 718
Invo	do	1, 260, 586
Klamath	California-Oregon	1, 533, 237
Mono	California-Nevada	1, 250, 017
Siskiyou		
Tahoe		545, 063
Havden	Colorado-Wyoming	393, 409
La Sal	Colorado-Utah	537, 049
Cache.		761, 773
Caribou	Idaho-Wyoming	676, 454
Kaniksu	Idaho-Washington	455, 083
Minidoka	Idaho-Utah.	578, 308
Targhec	Idaho-Wyoming	1, 321, 397
Custer	Montana-South Dakota	591, 204
Wenaha	Oregon-Washington	
Black Hills	South Dakota-Wyoming	621, 236
Ashley	IItah-Wyoming	080 216
White Mountain	Maine-New Hampshire	383, 332
Shenandoah	Maine-New Hampshire Virginia-West Virginia Georgia-North Carolina-Tennessee	268, 037
Cherokee	Georgia-North Carolina-Tennessee.	173, 958
Monongahela	Virginia-West Virginia	53, 335
Nantahala	Georgia-North Carolina-South Carolina.	138, 220

#### Table 336.—Grazing allowances for National Forests, 1920.

[Reported by the Forest Service. The symbols (+) or (-) indicate, respectively, that there was an increase or decrease in 1919 compared with 1918. The figures themselves refer to actual numbers of stock authorized in 1919.]

Stock suthoused in 1919-1								
	Number	of stock au	thorized.	Yearlong rates (cents).				
Forest.	Cattle and hofses.	Swine.	Sheep and goats.	Cattle.	Horses.	Swine.	Sheep and goats.	
District 1: Absaroka Beartooth 1 Beaverhead 1 Bitterroot Blackfeet Cabinet Clearwater Coeur d'Alene Custer-Sioux 3-4 Deerlodge 1 Flathead Gallatin 1:elena Jefferson 1 Kaniksu Kootenal Lewis and Clark Lolo Madison 1 Missoula Nez Perce Pend Orefile Solway St. Joe.	- 26, 775 4, 500 1, 500 2, 400 - 1, 500 - 28, 650 1, 200 - 18, 250 + 6, 240 - 18, 250 + 3, 550 - 9, 650 - 9, 550 - 9, 550 - 9, 550 - 9, 550 - 12, 825 - 12, 825 - 3, 390 - 3, 390		70,000  70,000  143,350  120,700  15,000  15,000  50,000  50,000  51,550  51,550  51,550  15,100  15,1	100 100 100 100 50 80 80 80 120 100 100 100 100 100 100 80 80 80 80 80 80 80 80 80 80 80 80 8	126 125 126 126 100 100 100 150 150 150 150 125 125 100 100 100 100 100 100 100 100 100 10	75 75 76 80 80 80 80 80 90 75 75 90 90 90 90 90 90 90 90 90 90 90 90 90	25 25 25 20 20 20 20 20 20 20 20 20 20 20 20 20	
	215,030		1,188,200					
District 2: Arapaho Battlement 4 Bighorn 1 Black Hill 4 Cochetopa 1 Colorado.	+ 31,035		28,500 10,000 - 126,100 7,450 + 76,100 + 11,500	100 100 120 100 100 100	125 125 150 125 125 125	75 75 90 75 75 75	25 25 30 25 26 25	

<sup>1.5-</sup>year permits authorized for cattle and horses and sheep and goats.
2.5 Fees on Sloux division are on basis of \$1 per year for cattle.
4.5-year permits authorized for cattle.

Table 336.—Grazing allowances for National Forests, 1920—Continued.

	NY	of stock au		l ,	······································		
	Number	or stock at	ithorized.		Yearlong ra	res (cents	). 
Forest.	Cattle and horses.	Swine.	Sheep and goats.	Cattle.	Horses.	Swine.	Sheep and goats.
District 2—Continued. Durango 1 Gunnison 1 Harney 3 Hayden 2	+ 13,775 + 38,025 + 14,950 7,400		- 95,500 + 51,750 - 141,200	100 100 100 100	125 125 125 125 125	75 75 75 75 75	25 25 25 25 25
Harney * Hayden * Holy Cross-Sopris * Leadwille * Medicine Bow * Michigan Minnesota Montesuma * Nobraska	7,400 - 28,205 - 12,600 - 11,650 1,250 2,000 - 36,720 + 15,500 - 19,300	+ 100	93,370 + 110,000 - 55,900 3,300 - 51,150	100 100 100 100 100 100	125 125 125 125 125 125 125	75 75 75 75 75 75 75	25 25 25 25 25 25 25 25 25 27 25 27 25 27 27
Rio Grande <sup>1</sup> Routt <sup>2</sup> San Isabel <sup>1</sup> San Juan <sup>1</sup>	+ 30,650 + 16,100	1,000	24,500 284,000 - 88,520 + 21,800 102,900	150 100 100 100 100 100	187 125 125 125 125 125 125	112.5 75 75 75 75 75 75	37. 5 25 25 25 25 25 25 25 25 25 25 25
Shoshone <sup>1</sup> Uncompahgre <sup>1</sup> Washakie <sup>1</sup> White River <sup>1</sup>	+ 14,650 + 34,750 + 13,150 + 42,800	1, 100	+ 78,000 - 57,250 + 52,200 + 42,000 1,612,990	100 100 100 100	125 125 125 125 125	75 75 75 75	25 25 25 25
District 3:	. 012,100	1,100					
Apache 1 Carson 2 Coconino 1 Coronado 3 Crook 3 Datil 1 Cila 1 Lincoln 1 Manzano 1 Prescott 1 Santa Fe 1 Sitgreaves 2 Tonto 2 Tusayan 1	- 47,000 + 11,950 - 47,000 + 55,000 + 32,600 - 57,600 + 34,000 + 12,000 + 89,400 - 9,000 - 63,300 - 28,900	180 200 100 + 300 + 115 225 - 200 100 400 + 400 + 400 160	- 55, 500 + 155, 350 94, 000 - 8, 800 + 4, 900 147, 000 - 23, 600 - 76, 000 121, 000 - 58, 500 75, 200	100 100 100 100 100 100 100 100 100 100	125 125 125 125 125 125 125 125 125 125	75 75 75 75 75 75 75 75 75 75	25 25 25 25 25 25 25 25 25 25 25 25 25 2
	541,750	3, 355	901, 550				<u> </u>
District 4: Ashley 1 Boise 1 Bridger 1 Cache 1 Carlbou 1 Challis 1 Dixte-Sevier 1 Fillmore Fishlake 4 Humboldt Idaho 1 Kafbab La Sal 1 Lemhi 1 Manti Minidoka 1 Nevada 1 Powell-Sevier 1 Salmon 1 Sawtooth 1 Tarphee 1 Teton Toiyabe 1 Uinta 1 Wasatch 1 Weiser 1 Wesser 1 Wesser 1 Wyoming 1	11,000 + 6,050 + 33,100 - 29,200 - 23,200 - 16,100 - 19,700 - 18,200 - 54,300 - 54,300 - 17,700 - 23,400 - 17,700 - 23,400 - 12,600 - 14,500 - 14,500 - 23,000 - 12,600 - 00 + 200	100,000 - 137,000 - 65,000 - 277,000 - 88,000 - 89,900 - 89,900 - 89,900 - 84,400 - 85,000 - 35,000 - 128,000 - 128,000 - 128,000 - 128,000 - 128,000 - 128,000 - 128,000 - 24,200 - 124,200 - 219,000 - 219,000 - 31,186,200	100 120 120 120 120 120 120 120 120 120	125 150 150 150 150 150 150 150 150 150 15	76 90 90 90 90 75 75 90 90 75 90 90 75 75 90 90 75 90 90 90 75 90 90 90 90 90 90 90 90 90 90 90 90 90	25 30 30 30 30 30 25 25 25 30 30 25 25 30 30 30 30 30 30 30 30 30 30 30 30 30	

 <sup>5-</sup>year permits authorized for cattle and horses and sheep and goats.
 5-year permits authorized for sheep.
 5-year permits authorized for cattle.

Table 336.—Grazing allowances for National Forests, 1920—Continued.

1	Number (	of stock au	thorized.	Yearlong rates (cents).			
Forest.	Cattle and horses.	Swine.	Sheep and goats.	Cattle.	Horses.	Swine.	Sheep and goats.
District 5:  Angeles 3 California 1 Cleveland 1 Eldorado 1 Inyo 1 Klamath 1 Lassen 1 Modoc 1 Momo 1 Plumas 1 Santa Barbara 1 Sequola 3 Shasta 1 Sierra 1 Stanislaus 1 Tahoe 1 Trainty 1	+ 20,700 + 10,900 13,050	300 + 500 300 600 200 1,300 + 500 - 400	50,000 4,800 21,200 32,000 52,000 57,000 87,500 87,800 11,500 11,	120 120 120 140 140 100 120 140 140 120 140 140 140 140 140	150 150 150 175 175 125 150 150 175 175 175 175 175 175 175 175	90 90 90 105 105 75 90 105 105 105 105 105 105 105	30 30 30 35 35 35 30 35 35 35 35 35 35 35 35 35 35 35 35 35
Date to the	234,565	5,500	632, 550				
District 6: Cascade 1 Chelan 2 Columbia 1 Colville 1 Corster 1 Deschutes 1 Fremont 1 Malheur 1 Minam 1 Ockanogan 1 Olympic Oregon 1 Rainier 1 Santiam 1 Siski you Siuslaw Snoqualmie Umpatilla 1 Umpqua 1 Washington Wensha 1 Wenshe 2 Whitman 1 District 7: Arkansas	7,700 - 300 + 4,500	950	- 16,700 - 33,000 - 50,000 - 50,000 - 19,250 - 22,100 - 44,000 - 89,000 - 41,600 - 41,600 - 18,000 - 18,000 - 18,000 - 18,000 - 7,000 - 7,000 - 7,000 - 66,000 - 7,000 - 66,000 - 97,000 - 66,000 - 104,300 - 104,300 - 1,068,640 - 2,000	120 120 120 120 120 120 120 120 120 120	150 150 150 150 150 150 150 150 150 150	90 90 90 90 90 90 90 90 90 90 90 90 90 9	30 30 30 30 30 30 30 30 30 30 30 30 30 3
Florida	1 6.000	22,000 3,000	2,000 7,000	80 80	100	60	20 20 20
Ozark	7,890 4,710	9,865	1,972	150	100 187	112.5	37.5
	48,600	34, 865	10,972				
Purchase areas: Alabama. Cherokee-Georgia. Monongahela Natural Bridge Pisgah-Boone. Shenandoah. White Mountain White Top Nantahala.	+ 1,000 + 2,838 + 150 - 1,000	1,200 40 100 100 450 560	1,000 100 550 750 350 430	150 150 150 150 150 150 150 150	200 200 200 200 200 200 200 200 200	90 90 90 90 90 90 90 90	45 45 45 45 45 45 45 45
	10,558	2,450	3,180				
Totals, 1913. Totals, 1914. Totals, 1915. Totals, 1915. Totals, 1916. Totals, 1917. Totals, 1918. Totals, 1919. Totals, 1919. Totals, 1920. Increase or decrease in 1920	2,388,975 2,373,638	48, 885 49, 820	8, 521, 308 8, 867, 906 8, 747, 025 8, 597, 689 8, 400, 155 8, 937, 837 8, 845, 607 8, 554, 282				
over 1919	15,337	+ 435	- 291,325				<u> </u>

<sup>1 5-</sup>year permits authorized for cattle and horses and sheep and goats.

<sup>&</sup>lt;sup>2</sup> 5-year permits authorized for sheep. <sup>3</sup> 5-year permits authorized for cattle.

## INDEX.

Acetone, requirements for military purposes	
	456
Acid phosphate, dilution before shipment	222
Adhesive, manufacture from corncobs	50
Agent—	
county, work for farmer	108
demonstration, introduction of fireless cookers	116
Agents—	
agricultural, number and work	_52
demonstration, success and its factors	114
	114
Agricultural—	E07
colleges, directory, 1920	907
experiment stations—	
<b>4420002</b> , , ==================================	507
needs	55
products	
exports, 1917–1919	777
foreign trade, 1852–1919.	777
imports, 1917–1919	769
See also Farm products	ĭ
Agriculture—	-
	102
	104
Department—	00
aid to cause of agriculture	83
appropriation, estimates for 1922.	82
cooperation in irrigation work	214
cotton standards, illustration	354
organization, March, 1921	4
personnel problem, discussion by Secretary	-80
	110
Weather Bureau, importance of work. 181-	202
Weather Bureau, importance of work. 181- enemies, control, diseases, insects, and animals. 38	44
extension system work 51	_53
International Institute delegate salary etc	94
londs in accord countries	QQA
mad of several countries.	00.1
need of services of trained workers	QA.
	-84
population dependent in several countries	-84 833
extension system, work	
allowance for administration of Federal roads funds	346
allowance for administration of Federal roads funds	346 -84
allowance for administration of Federal roads funds report, 1920	346 -84 21
allowance for administration of Federal roads funds	346 -84
allowance for administration of Federal roads funds. report, 1920. 9 situation, study by committee. State Commissioners, move against corn borer. State officers in charge. 508-	346 -84 21 102 509
allowance for administration of Federal roads funds. report, 1920. 9 situation, study by committee. State Commissioners, move against corn borer. State officers in charge. 508-	346 -84 21 102 509
allowance for administration of Federal roads funds	346 -84 21 102 509
allowance for administration of Federal roads funds. report, 1920	346 -84 21 102 509 825
allowance for administration of Federal roads funds. report, 1920	346 -84 21 102 509 825
allowance for administration of Federal roads funds. report, 1920	346 -84 21 102 509 825
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee. State Commissioners, move against corn borer. State officers in charge. 508- statistical data trends statistics— miscellaneous. 803- of interest in. 534- success and failure, causes, need of scientific research.	346 -84 21 102 509 825 840 840 5-6
allowance for administration of Federal roads funds. report, 1920	346 -84 21 102 509 825 840 840 5-6
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee State Commissioners, move against corn borer. State officers in charge 508- statistical data trends statistics— miscellaneous. 808- of interest in 534- success and failure, causes, need of scientific research use of wood in the industry. 156- Air. upper—	346 -84 21 102 509 825 840 840 5-6 157
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee. State Commissioners, move against corn borer. State officers in charge 508- statistical data trends statistics— miscellaneous. 803- of interest in 534- success and failure, causes, need of scientific research use of wood in the industry. 156- Air, upper— conditions, observations, use by aviators.	346 -84 21 102 509 825 840 5-6 157
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee. State Commissioners, move against corn borer. State officers in charge. 508- statistical data trends statistics— miscellaneous. 803- of interest in. 534- success and failure, causes, need of scientific research. use of wood in the industry. 156- Air, upper— conditions, observations, use by axiators. observations by use of kites and balloons. 186, 196-	346 -84 21 102 509 825 840 5-6 157 186 197
allowance for administration of Federal roads funds report, 1920	346 -84 21 102 509 825 840 5-6 157 186 197 449
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee State Commissioners, move against corn borer. State officers in charge 508- statistical data trends. statistics— miscellaneous 803- of interest in 534- success and failure, causes, need of scientific research use of wood in the industry 156- Air, upper— conditions, observations, use by aviators. observations by use of kites and balloons 186, 196- Airplane, struts, strength tests, illustration 448- Airplanes, lumber requirements 443-444,	346 -84 21 102 509 825 840 5-6 157 186 197 449
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee. State Commissioners, move against corn borer. State officers in charge. 508- statistical data trends statistics— miscellaneous. 803- of interest in. 534- success and failure, causes, need of scientific research. use of wood in the industry. 156- Air, upper— conditions, observations, use by aviators. observations by use of kites and balloons. 186, 196- Airplanes, lumber requirements. 448- Airplanes, lumber requirements. 448- Alabama.	346 -84 -21 102 509 825 840 5-6 157 186 197 443
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee. State Commissioners, move against corn borer. State officers in charge. 508- statistical data trends statistic— miscellaneous. 803- of interest in. 534- success and failure, causes, need of scientific research use of wood in the industry. 156- Air, upper— conditions, observations, use by aviators. observations by use of kites and balloons. 186, 196- Airplane, struts, strength tests, illustration 448- Airplanes, lumber requirements. 443-444, Alabama— boll weevil poisoning work, progress.	346 -84 21 102 509 825 840 5-6 157 186 197 443 248
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee. State Commissioners, move against corn borer. State officers in charge. 508- statistical data trends statistics— miscellaneous. 803- of interest in. 534- success and failure, causes, need of scientific research use of wood in the industry. 156- Air, upper— conditions, observations, use by aviators. observations by use of kites and balloons. 186, 196- Airplane, struts, strength tests, illustration 448- Airplanes, lumber requirements. 443-444, Alabama— boll weevil poisoning work, progress.	346 -84 -21 102 509 825 840 5-6 157 186 197 447 248 515
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee State Commissioners, move against corn borer. State officers in charge 508- statistical data trends statistics— miscellaneous. 803- of interest in 534- success and failure, causes, need of scientific research use of wood in the industry. 156- Air, upper— conditions, observations, use by aviators observations by use of kites and balloons. 186, 196- Airplane, struts, strength tests, illustration 448- Airplanes, lumber requirements. 443- boll weevil poisoning work, progress- live-stock associations, directory. Muscle Shoals nitrogen plant.	346 -84 21 102 509 825 840 5-6 157 186 197 443 248 515 56
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee.  State Commissioners, move against corn borer. State officers in charge 508- statistics— miscellaneous. 803- of interest in 534- success and failure, causes, need of scientific research use of wood in the industry. 156- Air, upper— conditions, observations, use by aviators. observations by use of kites and balloons. 186, 196- Airplane, struts, strength tests, illustration 448- Airplanes, lumber requirements. 443-444, Alabama— boll weevil poisoning work, progress- live-stock associations, directory Muscle Shoals nitrogen plant. National Forest, area.	346 -84 21 102 509 825 840 5-67 186 197 248 515 836
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee.  State Commissioners, move against corn borer. State officers in charge 508- statistics— miscellaneous. 803- of interest in 534- success and failure, causes, need of scientific research use of wood in the industry. 156- Air, upper— conditions, observations, use by aviators. observations by use of kites and balloons. 186, 196- Airplane, struts, strength tests, illustration 448- Airplanes, lumber requirements. 443-444, Alabama— boll weevil poisoning work, progress- live-stock associations, directory Muscle Shoals nitrogen plant. National Forest, area.	346 -84 21 102 509 825 840 5-67 186 197 248 515 836
allowance for administration of Federal roads funds report, 1920. 9 situation, study by committee.  State Commissioners, move against corn borer. State officers in charge 508- statistics— miscellaneous. 803- of interest in 534- success and failure, causes, need of scientific research use of wood in the industry. 156- Air, upper— conditions, observations, use by aviators observations by use of kites and balloons. 186, 196- Airplane, struts, strength tests, illustration 448- Airplanes, lumber requirements. 443-444, Alabama— boll weevil poisoning work, progress. live-stock associations, directory Muscle Shoals nitrogen plant. National Forest, area.	346 -84 21 102 509 825 840 5-67 186 197 248 515 836

	age. 836 67
grain, making from sawdust and waste. 460- wood, distillation from wood. 41falfa-	461 456
destruction by pocket gophers and rabbits	, 46 193
weevil, control by birds	767 -370
Ammonium sulphate, production from coke ovens, etc. 55 Angora hair, imports, 1917–1921, quantity and value	, 56 761
body, necessity of phosphorus	
condemnations at slaughter, 1907–1920	
number in world countries 701- statistics, 1920 701- growth—	
differences, study of causes	-226 -239 759
predatory— control methods	-299 42
nunting, article by W. B. Bell. 289- rabies suppression. 292, 293- vitality overtaxing, a cause of runts. wild, conservation, and of birds, article by Edward A. Goldman. 159-	-294
young, sanitation and care, to prevent runts	229 -470 420
Ant hill, Áfrican, illustration.  Ants, control by birds.  Aphis, wheat, control by birds.  Apios, tubers, relation to shortening daylight.	259 266 390
Appendix	837
Apples— exports 1917–1919, quantity and value grading—	773
lack of uniformity. origin and development. leading States.	361 360 805
losses— 1912–1919, extent and causes	652
from disease	-361 360
soil adaptations. statistics, production and prices. varieties, production, percentage of whole crop.	419 -654 654
Appropriation— predatory animal Weather Bureau, 1919	292 202
Appropriations— dairy at Naval Academy. rabies suppression. Federal and State. 292	

	 	FT .	**	· 1	age.
Apricots, exports 1917–1919, quantity and value				· •	773
Argols, imports 1917–1919, quantity and value	'		·		763
incomes from farms live-stock associations, directory			,		821
live-stock associations, directory				• •	515
National Forests, areas. rodent extermination work, and acreage covered			::::		836
rodent extermination work, and acreage covered		- •	427,	432	, 435
Sitgreaves Forest, elk herd				170	-171
Arkansas—					
live-stock associations, directory	· ·			· <b>-</b>	516
National, Forests area				- '	836
phosphate deposits			::::	• • • • •	218
Army, lumber requirements		٠٠ '	443-	447	, <del>4</del> 51
Arsenate, calcium. See Calcium arsenate.  Ascaris lumbricoides, life history					1=0
Ascaris lumbricoides, life history	·		• • •	175	-178
Asia, resources undeveloped. Asphalt, use in road building, development. Asses, statistics, numbers in world countries. Athabaska delta, Canada, game breeding.	· ·			ā 40	499
Asphalt, use in road building, development		• • •		340	-341 -341
Asses, statistics, numbers in world countries				101	105
Athabaska delta, Canada, game breeding				104	-14E
Atlanta, cotton bulletins. ATWATER, HELEN W., article on "Food for farm families"				477	140
ATWATER, HELEN W., article on "Food for farm families"	· ·			4/1	$\frac{-404}{268}$
Audubon societies, work for bird protection		• • •		-	400
Australia, meat surplus production.  Automobile, relation to roads, discussion.	• • • •			540	941
Automobile, relation to roads, discussion	· ·			340	-041
Automobiles—					829
statistics by States				-	828
Statistics of registrations and roads				-	377
Autumn, flowers typical				•	420
Avecades and Customals illustration				•	420
Avocados, seed, Guatemala, illustration				•	440
Bacon-					
exports 1917–1919, quantity and value					770
					762
imports 1917–1919, quantity and value		• • •		186	102
Balloons, pilot, observations in upper air				100	765
Bankers, aid to extension club members				-	491
Banks—			• • • •	•	101
farm-loan, character of loans		,	279	280	281
Federal joint stock, note		•••	,	200	279
Barberry, eradication work				•	39
Bark extracts, exports 1917-1919, quantity and value					771
Barley—				•	
consumption in world countries, 1909–1913, 1914–1918	<b>.</b> .			608	. 609
crop losses, 1909–1919, causes.				•	583
exports—					
1911–1919					585
1911–1919. 1917–1919, quantity and value					773
imports 1911–1919 leading States.					585
leading States					805
prices at principal markets, 1913–1920					584
statistics, acreage, production, value, etc. trade international, 1911–1919.  Barn, Naval Academy for dairying, illustration.				576	-585
trade international, 1911–1919.	. <b></b> .				585
Barn, Naval Academy for dairying, illustration					465
Baskets, grape, standard sizes			<i>-</i>		362
Beans—					
imports 1917–1919, quantity and value					769
prices at principal markets, 1913-1920.					665
statistics, acreage, production, and value				663	-665
Bears—					
harmfulness, by live stock destruction		3	289,	291	, 295
killing, by Department hunters. preservation in Alaska					299
preservation in Alaska				`	173
Beavers—					
dams and work, illustration		- • •			173
usefulness by building dams					166

<b>_</b>	
Beef—	Page.
baby, club entries weight and value	488
exports 1917-1919, quantity and value	770
imports—	110
exports, production, and consumption 82	6_297
1917-1919 quantity and value	762
1917–1919 quantity and value production, increase by improvement of cattle	49
Beehives, Africa, illustration	420
Page Jacon by hinde	260
Bees, losses by birds.  Beetle, potato, control by birds.	
Beets—	267
good imports 1017 1010 association and analysis	=00
seed, imports 1917-1919, quantity and value.	768
source of potash fertilizer in sugar making	2-374
sugar—	
crop, 1920 statistics, acreage, yields, value, etc. 677-678, 685-68 Beggar-ticks, forcing experiments. 38	9, 13
statistics, acreage, yields, value, etc	688, 688
Beggar-ticks, forcing experiments	5-396
BELL, W. B., article on—	
"Hunting down stock killers". 28	21-438
"Hunting down stock killers"	39-300
Bending, test of wood, illustration 44	
Berries, exports 1917–1919, quantity and value	773
Better sires—	770
Gammaign nuomogn 40 99	999
campaign, progress. 48, 35 importance to dairy herds.	)I, 333
Disconnection dairy nerds.	409
Billbugs, control by birds.	396
Billougs, control by birds.	267
Biological Survey-	
aid to farmers in rodent eradication 424, 42 investigations for protection of birds 14	26-438
investigations for protection of birds	34-165
management of wild animal reservations	36-171
studies of predatory animals 29	1, 298
studies of predatory animals 25 study by banding of extent of water fowl shooting 10	32–163
work—	
on wild life and its conservation.	160
with Alaska wild animals	
Bird reservations, occupants, illustration	71-174
Bird reservations, occupants, illustration	
Bird reservations, occupants, illustration	71–174 161
Bird reservations, occupants, illustration	71–174 161
Bird reservations, occupants, illustration	71–174 161 270 59–174
Bird reservations, occupants, illustration.  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman	71–174 161 270 59–174 253
Bird reservations, occupants, illustration.  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman	71–174 161 270 59–174 253
Bird reservations, occupants, illustration.  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman	71–174 161 270 59–174 253
Bird reservations, occupants, illustration.  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman. 1! cnemies to farm pests. feeding habits investigations. 2: help to farmers, article by W. L. McAtee 2: increase, attraction methods. 2:	71–174 161 270 59–174 253 54–255 53–270 39, 270
Bird reservations, occupants, illustration  Birds— attraction means, illustration conservation, with wild animals, article by Edward A. Goldman	71–174 161 270 59–174 253 54–255 53–270 59, 270 268
Bird reservations, occupants, illustration  Birds— attraction means, illustration conservation, with wild animals, article by Edward A. Goldman	71–174 161 270 59–174 253 54–255 53–270 59, 270 268
Bird reservations, occupants, illustration  Birds— attraction means, illustration conservation, with wild animals, article by Edward A. Goldman	71–174 161 270 59–174 253 54–255 53–270 59, 270 268
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman	71–174 161 270 59–174 253 54–255 53–270 69, 270 268 255 66, 268
Bird reservations, occupants, illustration  Birds— attraction means, illustration conservation, with wild animals, article by Edward A. Goldman	71-174 161 270 59-174 253 54-255 53-270 39, 270 268 255 66, 268 256 68-270
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman	71-174 161 270 59-174 253 54-255 53-270 69, 270 268 255 66, 268 256 68-270 66-167
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman	71-174 161 270 59-174 253 54-255 53-270 69, 270 268 255 66, 268 256 68-270 66-167
Bird reservations, occupants, illustration  Birds— attraction means, illustration conservation, with wild animals, article by Edward A. Goldman	71-174 161 270 59-174 253 54-255 53-270 39, 270 268 255 66, 268 256 68-167 54-255 55-256
Bird reservations, occupants, illustration  Birds— attraction means, illustration conservation, with wild animals, article by Edward A. Goldman	71-174 161 270 59-174 253 54-255 53-270 39, 270 268 255 66, 268 256 68-167 54-255 55-256
Bird reservations, occupants, illustration  Birds— attraction means, illustration conservation, with wild animals, article by Edward A. Goldman	71-174 161 270 59-174 253 54-255 53-270 39, 270 268 255 66, 268 256 68-167 54-255 55-256
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman. If enemies to farm pests. feeding habits investigations. 22 help to farmers, article by W. L. McAtee 22 increase, attraction methods. 24 insectivorous, number, estimate kinds and classification migratory, protection. 162–10 of prey, feeding habits. 26 protection, public sentiment. 27 reservations under Biological Survey 17 stomachs, study details. 22 upland game, feeding habits 26 value, esthetic phase. 26 See also Blackbirds, Bluebirds, etc.	71-174 161 270 59-174 255 53-270 89, 270 268 255 66, 268 256 68-270 66-167 54-255 55-256 269
Bird reservations, occupants, illustration  Birds— attraction means, illustration.  conservation, with wild animals, article by Edward A. Goldman. If enemies to farm pests. feeding habits investigations. 22 help to farmers, article by W. L. McAtee 22 increase, attraction methods. 22 insectivorous, number, estimate kinds and classification migratory, protection. 162-10 of prey, feeding habits. 162-10 protection, public sentiment. 162-10 reservations under Biological Survey. 10 stomachs, study details. 22 upland game, feeding habits. 22 value, esthetic phase. 22 See also Blackbirds, Bluebirds, etc. Bites, venomous, cause of prejudice against snakes.	71-174 161 270 59-174 255 53-270 89, 270 268 255 66, 268 256 68-270 66-167 54-255 55-256 269
Bird reservations, occupants, illustration  Birds— attraction means, illustration conservation, with wild animals, article by Edward A. Goldman	71-174 161 270 59-174 255 53-270 69, 270 268 255 66, 266 88-270 66-167 54-255 55-256 269
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman. Il cnemies to farm pests. feeding habits investigations. 22 help to farmers, article by W. L. McAtee 22 increase, attraction methods. 24 insectivorous, number, estimate kinds and classification. migratory, protection. 162-10 of prey, feeding habits. protection, public sentiment. 22 reservations under Biological Survey. 17 stomachs, study details. 22 upland game, feeding habits. 22 value, esthetic phase. See also Blackbirds, Bluebirds, etc. (Bites, venomous, cause of prejudice against snakes. Blackbird, Brewer, stomach contents, illustration. 22 Blackbirds, feeding habits injurious. 2	71-174 161 270 59-174 255 53-270 69, 270 268 255 66, 266 88-270 66-167 54-255 55-256 269
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman. If enemies to farm pests. feeding habits investigations. 22 help to farmers, article by W. L. McAtee. 22 increase, attraction methods. 22 insectivorous, number, estimate kinds and classification. migratory, protection. 162-10 of prey, feeding habits. protection, public sentiment. 22 reservations under Biological Survey. 11 stomachs, study details. 22 upland game, feeding habits. 22 upland game, feeding habits. 22 value, esthetic phase. 22 **See also Blackbirds, Bluebirds, etc.** Bites, venomous, cause of prejudice against snakes. Blackbird, Brewer, stomach contents, illustration Blackbirds, feeding habits injurious. 22 Blast furnace. 22 Blast furnace. 22 Blast furnace. 22 Blast furnace. 22 Blast furnace. 23	71–174 161 270 59–174 253 364–255 33–270 39, 270 268 255 66, 268 256 66–167 754–255 269 265 265 265 265 265 265 265 265 265 265
Bird reservations, occupants, illustration  Birds— attraction means, illustration.  conservation, with wild animals, article by Edward A. Goldman. It enemies to farm pests. feeding habits investigations	771–174 161 270 59–174 253 34–255 33–270 99, 270 268 255 66, 268 255 66, 268 266 68–27 268 265 162 265 61, 264 68–368
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman. If enemies to farm pests. feeding habits investigations. 22 help to farmers, article by W. L. McAtee. 22 increase, attraction methods. 24 insectivorous, number, estimate kinds and classification. migratory, protection. of prey, feeding habits. protection, public sentiment. 22 reservations under Biological Survey. 11 stomachs, study details. 22 upland game, feeding habits. 22 value, esthetic phase. 32 See also Blackbirds, Bluebirds, etc. Bites, venomous, cause of prejudice against snakes. Blackbird, Brewer, stomach contents, illustration Blackbirds, feeding habits injurious. 2 Blast furnace— source of potash for fertilizer. 3 study for potash production, remarks.	71–174 161 270 59–174 253 543–250 59, 270 268 265 38–270 64–255 55–266 269 162 265 265 265 265 265 265 265 265 265 2
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman. If enemies to farm pests. feeding habits investigations. 22 help to farmers, article by W. L. McAtee. 22 increase, attraction methods. 24 insectivorous, number, estimate kinds and classification. migratory, protection. of prey, feeding habits. protection, public sentiment. 22 reservations under Biological Survey. 11 stomachs, study details. 22 upland game, feeding habits. 22 value, esthetic phase. 32 See also Blackbirds, Bluebirds, etc. Bites, venomous, cause of prejudice against snakes. Blackbird, Brewer, stomach contents, illustration Blackbirds, feeding habits injurious. 2 Blast furnace— source of potash for fertilizer. 3 study for potash production, remarks.	71–174 161 270 59–174 253 543–257 369, 270 268 256 66, 268 256 66–167 744–255 55–256 61, 264 265 61, 264 265 265 266 368–368 368–368
Bird reservations, occupants, illustration  Birds— attraction means, illustration.  conservation, with wild animals, article by Edward A. Goldman. It enemies to farm pests. feeding habits investigations	71–174 161 270 59–174 253 543–250 59, 270 268 265 38–270 64–255 55–266 269 162 265 265 265 265 265 265 265 265 265 2
Bird reservations, occupants, illustration  Birds— attraction means, illustration. conservation, with wild animals, article by Edward A. Goldman. If enemies to farm pests. feeding habits investigations. 22 help to farmers, article by W. L. McAtee. 22 increase, attraction methods. 24 insectivorous, number, estimate kinds and classification. migratory, protection. migratory, protection. of prey, feeding habits. protection, public sentiment. 22 reservations under Biological Survey. 11 stomachs, study details. 22 upland game, feeding habits. 22 value, esthetic phase. See also Blackbirds, Bluebirds, etc. Bites, venomous, cause of prejudice against snakes. Blackbirds, feeding habits injurious. 2 Black birds, feeding habits injurious. 2 Blast furnace— source of potash for fertilizer. 3 study for potash production, remarks. Blizzards, warnings to live stock growers. Bluebirds, feeding habits. Blobcats—	771–174 161 270 59–174 24-255 33–270 268 255 366, 288–270 2668 275 368–270 162 266 162 265 162 266 163 266 164 266 188–255 266 164 266 188–255 266 167 266 168–268 266 266 266 266 266 266 266 266 266
Bird reservations, occupants, illustration  Birds— attraction means, illustration.  conservation, with wild animals, article by Edward A. Goldman. It enemies to farm pests. feeding habits investigations	71-174 161 270 59-174 255 53-270 268 255 66, 268 255 66, 268 255 266 266 266 266 167 68-368 368 190 264 264 291 294

Boll weevil—	
control—	Page.
aid of birds	266
remarks	1, 104 1–259
poisoning—	L . 202
	1-252
failure, causes	0–251
schedules, several localities	248
Bollworm, pink, control work.	39-40
Bonds, irrigation projects, difficulties.  Borax, presence and control in potash fertilizer	200
Borer, corn, control	1–372 41
See also Corn borer.	71
Borers	
clover-root, control by birds	267
wood, control by woodpeckers	259
Boston—	100
corn borer infestation	100 140
Damas	
manufacture and testing, results	0-451
testing machine, illustration	446
testing machine, illustration	147
Boys' clubs, advantages, article by C. B. Smith and George B. Farrell 48	5-494
Bread—	
contests in making, usefulness	J-121
making, demonstration work.	// <del>4</del> 191∟0
reast-raised advantages	477
yeast-raised, advantages. Bread-club demonstration team, illustration.	490
Breads, "quick," sectional preferences	477
Breadstuffs. See Grain.	
Breeders, plant, importance of light control	3–400
Breeding—	336
animal, points ininferior, a cause of runts	228
live stock—	- LQ
attractiveness of pure bred	331
statistics on results	334
plant, importance of light control	<del>3_4</del> 00
pure, for improvement of live stock	18-50
superior, means of preventing runts	1,237
motorfowl reduction by drainage of marshes	165
Breeds—	100
cattle, percentage of each, by States	781
hogs, percentage of each, by States	755
sheep, percentage of each, by States	747
Brier root, imports 1917-1919, quantity and value	764
Bristles, imports 1917–1919, quantity and value	762
importation, means of introduction of corn borer	85
statistics, acreage, production, and value.	668
Buckwheat-	
leading States	805
statistics, acreage, production, value, etc	j <del>_</del> 597
Buffalo—	1700
hides, imports 1917–1919, quantity and value	762 167
range in Montana, illustration  Buffaloes, statistics, numbers in world countries. 701  Builders, use of cold wave warnings.	717
Builders, use of cold wave warnings	189
dairy, Naval Academy at Gambrills	-467
Department—	
need of new	78
temporary, unsafe conditions	150 150

	Page.
Pulls imports 1017-1010 quentity and value	700
Bulbs, imports 1917–1919, quantity and value	700
But fine, theory of cost of wheat production	-308
Bull—	
associations, advantages to dairymen	-412
pure bred—	
Hereford, illustration	234
value in breedingrunty, illustration	336
runty, illustration	230
superior—	
sacrificing for want of records	410
saving by dairy records	411
well-formed, registered, illustration.	409
Bulletins—	100
	141
market, location of boards and use.	141
preparation, nature, and scope	, 110
Buils, Judging by progeny 410	-412
Bulls, judging by progeny. 410 Burch, D. S., article on "From scrubs to quality stock". 331	-338
Butcher birds, feeding habits	263
Butter—	
exports 1917–1919, quantity and value	770
making, improvement by demonstration work	121
market reports, preparation and use	-145
prices at principal markets 1913–1920	735
prices at principal markets 1913–1920. receipts at principal markets, 1913–1920. statistics, prices, receipts, and international trade, 1909–1919	737
stetistics wices receipts and interpretional trade 1900–1910	796
statistics, prices, receipts, and international trade, 1909–1919	470
	. 476
Butterfat—	
increase in cow testing association, illustration	407
production—	
average for tested cows and all cows	404
world's record	404
Buzzards, feeding habits	256
· · · · · · · · · · · · · · · · · · ·	
"C. N. D.," markets service of telegraph lines	140
Cabbage, statistics, acreage, production, and value	671
Calcium—	
arsenate—	
	SAR
properties, requirements, and testing	940
seizure of inferior grades  seizure of inferior grades  use in, control of boll weevils	240
use in, control of boll weevils	-202
cyanamid, production at Muscle Shoals nitrogen plant	96
requirements in food and sources	480
Calfskins—	
exports 1917-1919, quantity and value	770
imports 1917–1919, quantity and value	762
California—	
citrus crop, value, 1920.	188
irrigation—	
districts, consolidation work	209
undergrand mater agrees	214
underground water, acreage	
live-stock associations directory	516
losses from rodents	422
National Forests, areas	836
rabies outbreak, 1916	293
rabies outbreak, 1916	3, 432
Searles Lake, potash deposit, remarks	-372
Calves—	
condemnations at slaughter, 1907–1920.	759
dairy, club work, North and West, results	489
number slaughtered under inspection, 1907–1920.	759
Camp forcet near train illustration	314
Camp, forest, pack train, illustration. Camphor, imports 1917–1919, quantity and value	764
Canada—	104
Valiation—	4 10-
Athabaska delta, game investigations	*T00
corn borer infestation	41

## Index. we will see the second

		Page.
Canal, irrigation, break caused by pocket gopher, illustration		434
Canals, irrigation, length and requirements	214	<u>215</u>
Cane, sugar—		193
saving by frost warnings. statistics, acreage, production, etc	79 680	187
Canning—	. 0, 000	,, 00.
aluhe hanafite to farm homes	485	5. 490
tomato, extent and value of nome work		113
Capillarity, soil moisture, value. Caribou, preservation, problems in Alaska		213
Caribou, preservation, problems in Alaska	171	L-174
Cart, duster, in cotton field, illustration Castor beans, imports 1917–1919, quantity and value		244
Castor beans, imports 1917–1919, quantity and value		768
Castration, effect on growth.		238
Catbirds, feeding habits. Caterpillar, corn borer, with eggs, illustration.		263
Caterpiliar, corn borer, with eggs, mustration.	250	91
Caterpillars, control by birds. Cats, wild, rabies outbreak, 1916.	200	203
Cattle—		200
heef improvement by breeding		49
breeding, text and illustration breeds, percentage of each, by States condemnations at slaughter, 1907–1920	334	4. 335
breeds, percentage of each, by States.		731
condemnations at slaughter, 1907-1920		759
dairy at Naval Academy, illustration		466
dairy at Naval Academy, illustration. feeding on sawdust.	457	7-460
grazing—		
allowances in National Forests, 1920	838	8, 840
on National Forests	313	2-318
hides—		770
exports, 1917-1919, quantity and value		762
imports, 1917–1919, quantity and valueimports, 1917–1919, numbers and value		761
losses by predatory animals	93, 29	4. 295
marketings, receipts and shipments, 1900–1920		758
losses by predatory animals 2 marketings, receipts and shipments, 1900–1920 2 markets, estimates at Chicago 2 number slaughtered under inspection, 1907–1920 2  The state of t	14	1-143
number slaughtered under inspection, 1907-1920.		759
numbers in National Forests, 1916–1920		835
statistics—		
imports, exports, and prices, 1896-1920		728
number and value, etc. numbers in world countries.	72	9-733
numbers in world countries	70	1-717
prices— at principal markets, 1913–1920	, .	733
hy age 1915–1921		758
by age, 1915–1921 protection on ranges, illustration	• • • •	290
range best for, illustration		318
range best for, illustration		510
runts, percentage		227
runts, percentage tuberculosis, control work		42-43
Celery—		95-96
growing in district of corn borer infestation.		95-96
injury by corn borer, with illustration		86, 91
Cement— dust entehing for use as fartilizer illustrations		200
dust, catching for use as fertilizer, illustrationskiln, source of potash for fertilizer.	36	S-369
production with fertilizer.	36	7-369
production with fertilizer. Cellulose, manufacture from corncobs.		50
Census, bird, usefulness Cereal foods, use on farms, per capita.		268
Cereal foods, use on farms, per capita		477
Cereals, consumption in world countries, 1909-1913	60	8-610
Unarcoal, derivation and uses	45	6, 457
Charlotte, N. C., cotton bulletins. Chayote, introduction in home garden.		145
Charge -		112
Cheese—		770
exports, 1917–1919, quantity and valuemarket reports, preparation and use		
trade international, 1909–1919		741

F	age.
Chemicals, derivation from wood	454
Chemistry Bureau, Development Office, function	51
	-143
Chickadees, feeding habits.  Chickens, statistics, farm price, 1909–1920.  Chickweed, everblooming tendency.  Children, susceptibility to round-worm infection.  175	263
Chickens, statistics, farm price, 1909–1920.	742
Chickweed, everblooming tendency.	394
Children, susceptibility to round-worm infection	-178
Cholera, hog, control work need of funds.  Chrysanthemums, forcing by shortening daylight	43
Chrysanthemums, forcing by shortening daylight	, 385
Chuck-will's-widow, feeding habits.	259
Cinchona bark, imports 1917-1919, quantity and value	763
On cutais, Department, nature and scope	110
Citrus fruits—	
by-products	50
marketing, requirements of boxes	147
protection from frost, cost and saving	
City diet, comparison with farm diet	474
Climate—	340
	100
relation to crops	-100
western States, rainfall and available water supply	-130
Clover—	-201
red, flowers under influence of long days, illustration 386	389
seed—	,.000
exports, 1917-1919, quantity and value	775
imports, 1917–1919, quantity and value	768
statistics	
weevil control by birds	267
weevil, control by birds	768
Club work—	
benefit to members, typical examples	. 489
boy and pig, illustration	492
boy and pig, illustration	-118
Clubs—	
advantages, article by C. B. Smith and George B. Farrell	-494
aid by bankersdevelopment benefits in home demonstration	491
development benefits in home demonstration	116
holding and investments of members	491
members returning home, illustration	494
number, membership, and funds, 1920 493	489
purchases of pure bred stock	
work on farm problems.  COAD, B. R., article on "Killing boll weevils with poison dust"	_959
Coar, b. R., article of Kining boli weevis with poison dust	414
Coast and Geodetic Survey, maps, scope.  Cobs, danger as hiding place of corn borers, note.	96
Cocos—	
exports, 1917–1919, quantity and value	771
imports 1917–1919 quantity and value	763
imports, 1917–1919, quantity and value	767
Codling moth, control by birds	267
Coffee—	
exports, 1917-1919, quantity and value	771
imports, 1917–1919, quantity and value	763
prices on principal markets, 1913–1920	694
statistics exports imports and prices 1909-1919	-694
Cold waves, warnings, results. 189 College courses, securing by club work.	-190
College courses, securing by club work	485
Coneges, agricultural—	
aid in agricultural problems, need	83
directory, 1920 500 Colonization, new land, need of national policy	-007
County county Stand, need of national policy	200
County agent. See Agent.	
Colorado— corn clubs' work	487
corn clubs' work	3-517
and a supplier and the first of	

Outstand Commensus.	Page.
losses from rodents	422
National Forests, areas rodent extermination, and acreage covered 427	836
rodent extermination, and acreage covered	, 432
Commerce Department, aid to Division of Foreign Markets	501 27
Commission men, live-stock markets, control orders	ZI
Community— action, importance in irrigation and drainage	<i>7</i> 210
development, result of club work	493
Concrete, use for irrigation pipes, investigations	215
Conduits, water, requirements study	215
Congress, appropriations against corn borer	L-102
Connecticut, live-stock associations, directory	517
Conservation, wood, methods	)-454
Conservation, wood, methods 440 Containers, improvement, results of testing 450	)-451
Cooking—	
club work in stimulating interest	117
ham, demonstration work, note	119
improvement by demonstration work	)-121
Cooperation— farmers, assistance of Markets Bureau	00 04
farmers, assistance of Markets Bureau	2-24
importance in irrigation projects. 206 rodent poisoning campaigns, cost and results. 426	)-408 1_497
States—	<del>, 1</del> 01
in forget potivities	69
in forest activities. 293, 298	3. 299
in soil survey work	418
in soil survey work.  Cooperative agricultural extension work, State officers in charge	508
Copal. imports, 1917-1919, quantity and value	764
Cork bark, imports, 1917-1919, quantity and value	768
Corn—	
American, injuries by European corn borer, article by W. R. Walton 8	5-104
belt, quarantine against borers	. 95
borer—	^-
caterpillar, illustration	91 41
control by burning stalks, weeds, etc.	98
control by making engilege suggestion	06_0E
control by making ensilage, suggestion	1-102
control measures illustration	99
control measures of Government 98	8-101
crushing with machine illustration	100
description, life history, etc	9093
destruction, methods and suggestions.	96-98
European, pest in American corn, article by W. R. Walton 89	5-104
extermination problem 100 food plants, number and economic value.	)-101
food plants, number and economic value	86
injuries, estimate	2-104
injury to several plants, illustration	94 102
inspections for, extent of work	20 00
parasites, study for control of borer.	oo, oc 98
spread by shipments and by flight	Q.
spread in America, discussion	89-90
spread in America, discussion.  club work, success in seed-corn business  clubs, benefit to farms.  consumption in world countries, 1909–1913, 1914–1918.	487
clubs, benefit to farms 486	6-487
consumption in world countries, 1909–1913, 1914–1918	8-609
crop, 1920	11, 12
crop losses, 1909–1919, causes	543
1917–1919, quantity and value	773
1914-1919, World countries	548
farms—	0=1
average value tenants' net worth	278 278
	418
30702°—YBK 1920——54	

Corn—Continued. grades, note	Page. 355
growing demonstration, illustration	487
1917–1919, quantity and value 1914–1919, world countries	765 545
infestation by borer, illustration	87
leading State, Iowalosses—	805
by European borer, estimate	2-104
from diseaseprices—	39
at principal markets, 1913–1920	544
decrease production and yield, increase by olub work 48	18 6 <del>-4</del> 87
statistics, acreage, production, value, etc	4-545
sweet, injuries by European borer at first appearance. trade, international, 1909–1919	100 545
yield, effect of rainfall in July 19 Corncobs, utilization, list of products.	9-200
Corncobs, utilization, list of products	50
flowering season	379
flowering season forcing experiments 384, 88	5, 395
Cost, wheat— per bushel, article by F. W. Peck	1-308
production, "bulk line" theory	308
Costs— average, uselessness in reckoning prices	1_302
production, remarks on studies	308
ranges for wheat, discussion	2–303
acreage and production, 1910-1920	12, 13
boll weevil. See Boll weevils. crop losses, 1909–1919, extent and causes	
dusting. See Dusting cotton.	629
Egyptian, introduction and crop value	45
exports— 1910–1920.	15
1917–1919, quantity and value	771
1909–1919, world countries	642 275
free fruiting, advantage in poisoning enemies	242
imports— 1917–1919, quantity and value	763
1909-1919, world countries	642
insects, control work	39-41 805
insects, control work leading State, Texas loading for export shipment, illustration	500
market— news, distribution by Markets Bureau	145
reports, note	136
prices— at principal markets, 1914–1919.	641
decrease	18
regions, special weather reports	94–195 354
statistics acresse production value etc. 65	36-642
trade, international, 1909-1919. yields, poisoned and unpoisoned, illustration. Cottons, improved, value.	642
Cottons, improved, value	249 45
Cottonseed—	
cake and meal, exports 1917–1919, quantity and value	775 775
oil-cake, use in feeding elk	69, 170
statistics, production, and value, exports and imports	43–644 222
Coutrell electrical precipitator, illustration	37-38

Cow—	
records—	Page.
importance to dairymen	. 404-400, 400, 410-412
keeping, principles	404-412
testing	
aggregation first ton years, program	407 400
association, inst ten years progress.  associations, advantages to dairymen, notes.  experiences of dairymen.  type use at Naval Academy dairy, illustration.  Cowpea, Victor, superiority.  Cowpeas, statistics, acreage, production, and value	407-406
associations, advantages to dairymen, notes	401, 404–408
experiences of dairymen	404~406 408 410
terms at News Academy deiny illustration	102 100, 100, 100
type use at Navai Academy dairy, mustration	400
Cowpea, Victor, superiority	
Cowness statistics acreage production and value	666-667
Composition, statement, act on go, production, and a randomining	
age records, importance	
dairy. See Dairy cows.	
facilities date construction of	108
freshening dates, records importance keeping on farm, increase by demonstration work	406
keeping on farm, increase by demonstration work	
nesturing illustration	403
pasturing, illustrationtested, value to farmers, article by J. C. McDowell	401 419
Coyotes—	
harmfulness by live stock destruction	289 291 295
billing by Dangetmant hunters	200 200 000
killing by Department hunters	292, 290, 299
rabies outbreak, results. Cranberries, statistics, production and value, 1914–1920	
Cranharries statistics production and value 1914-1920	659
On 19 15 15 15 15 15 15 15 15 15 15 15 15 15	000
Credit, limitations in buying farms	281-282
Creosote, use in preserving timbers	447
Crop—	
Crop—	
acreage, expansion during war	33-34
and weather reports weekly Estimates Bureau, consolidation with Markets Bureau	
Estimatos Burgay, consolidation with Markets Burgay	94_95
Estimates Diread, Consolidation with Markets Diread	400
production, improvement by club work	486
reporting service, methods and needs	
Crops—	
Crops—	0 77 70
acreage and production, 1914-1920	9, 11–13
acreages, aggregate by States	808
acreage and production, 1914–1920. acreages, aggregate by States. adaptation to certain soils.	415 416 410
anaptamon w certain Bona	410, 410, 410
composite yields by Statescultural methods and practices, improvement	811
cultural methods and practices, improvement	47–48
grain, statistics, 1920. improvement by use of scientific knowledge improvement work.	594_610
gram, statistics, 1520	
improvement by use of scientific knowledge	109
improvement work	
losses caused by diseases. losses due to rodents. new, trial in home demonstration work.	80
Tosses Caused by diseases	401 400 400 40#
losses due to rodents	421, 422, 423, 437
new, trial in home demonstration work	
prices—	
prices—	75 70
decrease index numbers	
index numbers	817. 825
relation to—	,
-1	200 200
climateweather conditions	
weather conditions	181–182, 199–202
sales monthly from farms	
sentia a base and and a sential and a sentia	407 400
saving by rodent campaigns	431-432
saving by rodent campaignsseparation into divisions for market reports	
stanle leading States	805
staple, leading Statesstatistics summary 1920, 1919, and average 1914–1918	000
	803-804
value—	
of 22 crops, comparison	
are colo combined.	
per acre combined	
shrinkage	17–18
shrinkageworld production and export trade	918
Crows, feeding habits. Cuckoos, feeding habits. Currants, imports 1917-1919, quantity and value.	
Orows, recurring habits	261
Cuckoos, feeding habits	
Currents, imports 1917-1919, quantity and value	765
Creater welf demandations and death	007
Custer work depredations and death	
Cutover lands, availability for farms	<i></i>
Cutworms, control by birds	
	201
75 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
Dahlia injury by corn borer	86

Dairy-	•	Pag	74
	Norral Academy, et Combrille	24 4	0 PP '
punumgs,	, Naval Academy, at Gambrills 46	) <del>4-4</del>	07
	table, illustration	4	06
cows-			
ımpro	ovement, need	. 4	04
mark	ets for feeds and pasturage 4	02-4	03
milk	ets for feeds and pasturage	4	04
· num	oer in United States ds, importance to dairymen. 404–406, 408, 4	. 4	:01
record	ds, importance to darrymen	10-4	12
erection a	it Navai Academy	4	64
farms, av	erage valuesprovement by breeding	2	75 ·
nerds, im	provement by breeding	49-	-50
See also He			
market re	eports, preparation and use	43-1	45
	ademy, at Gambrills, Md	64-4	67
products-	<b>-</b>		
expor	rts, 1920		14
mark	cet reports, note	1	36
use o	on farms, and source	76, 4	82
Dairymen, co	ow-testing experience 404-406 4	.NR 4	เาก
Dakotas, road	ls character, note	´ 9	350
Dallas cottor	n hilleting issue		45
Dams, care, b	before birth of young, to prevent runts	29. 2	232
DANA, SAMUI	EL T., article on "Putting wood waste to work" 4	39-4	162
"Dark house.	Defore birth of young, to prevent runts	81-9	384
Darters, blue	injurious habits	9	256
Dasheen into	, injurious habitsroduction in home gardens	1	119
Date culture	growth in Southwest	•	45
Dates, impor	ts 1917-1919, quantity and value		765
Day length.	growth in Southwest. ts 1917–1919, quantity and value. relation to flowering and fruiting of plants, article by W. W. i H. A. Allard.		
Garner and	H A Allard	277	100
. Daylight—	,		.00
darkenin	10		
at no	oon effect on plants	•	226
offec	oon, effect on plants	221_	227
offoot on	plant growth study 49 9	107_	400
Door propers	votion in Alaska	,,,,	172
Delaware lix	vation in Alaskave-stock associations, directory	. ;	517
Demonstratio			011
	ш—		
agent—	fulnogg	191_	199
1200	fulness		199
amenta n	woult in carring and using mosts		77Q
· agents, v	vork in saving and using means.	•	111
iarm, be	ginning of nome work.	111	110
iarning,	ginning of home work purposes of work uition in South, article by O. B. Martin and Ola Powell	111	196
nome, ir	under the bound, as there by O. D. Martin and Ola I ower	111-	120
work—	ct on standards of excellence.		114
enec	n and home	901	110
18.711	and nome	100,	106 109
SDOV	wing losses from rodents.	*	420
See also 110	ome demonstration.	400	401
Demonstrati	ons, work of boys' and girls' clubs	490,	40T
Developmen	t work, omce, establishment in Chemistry Dureau	•	91
Diet, farm a	nd city, comparisonty and farm, comparison	-	474
Dietaries, ci	ty and farm, comparison	-	474
Diets-			
farm—		401	100
COST	t, comparisons with other groups	481-	
pop	ular ideas.	100	471
raulty, 1	results on health	<del>4</del> 80,	483
Diseases—	all and the lambda	40	. 44
nve-sto	ck, control work	. 42	<del>-44</del>
piant, c	ontrol work ign, introduction, examples	-	39
Distinct Times	igh, introduction, examples	•	473
	See Publications.		777
DIYIG WEITER	h, club work in introduction		117

Index. : 853

Drainage—
district organization, work of engineers 210
relation to breeding of waterfowl
water-logged lands 209-210
Drawings Publications Division work 107, 108
Drugs, law, amendments proposed
Dry farming, conditions in Western States
Drving wood, improved methods
Ducks, destruction by shooting
Dump heaps, phosphate waste recovery. 221
Durum wheat—
introduction and value of crop
production and exports, 1915–1918
Dust, poison, for boll-weevil control, article by B. R. Coad
Dusting—
cotton—
directions, schedule, etc. 243-246 failures to control boll weevil, causes. 251-252
failures to control boll weevil, causes
for boll weevil, results in 1920
night work 245 with calcium arsenate 241—252
with calcium arsenate 241-252
machines, cotton       246-248, 250         Dyewoods, imports 1917-1919, quantity and value       768
Dyewoods, imports 1917–1919, quantity and value
Economics, home, research work
Education—
advantages acquired by club members
agricultural, need in solving farm problems
progress in home demonstration work
vocational in home economics
Eggs—
exports 1917–1919, numbers and value
grading, club work in promotion 118
imports, number and value.
imports, number and value 761 market reports, preparation and use 144
prices at leading markets, 1913–1920.
statistics, prices and market receipts
use on farms, source
Electric light, use to prolong daylight period, experiments
Electricity, use in home, result of home demonstration
Elk—
feeding with cottonseed oil, illustration
nreservation at Sitoreaves Forest Ariz
preservation at Sitgreaves Forest, Ariz. 170–171 refuge at Jackson Hole, Wyo. 168–170
Emergency fund insect control
Emergency fund, insect control 42 Energy, food, requirements and sources in diet. 479, 483
Engineers—
control of road construction under Federal-aid law
Roads Bureau, work for irrigation farmers 206–210, 215, 216
Ensilage, freedom from corn borers
Entomologists, efforts against European corn borer
Entomology Bureau, work—
against corn borers, note
in holl was yil dusting
in boll weevil dusting 241, 243, 247, 248 Equator, daylight conditions, effect on plant flowering and fruiting 392 Estimates, Agriculture Department appropriation for 1922 82
Estimates Agriculture Department appropriation for 1999
KIVEDARD I. C.
article on "Science seeks the farmer"
nyefece. "More complete knowledge"
Everhearing control by length of day 201_204
article on "Science seeks the farmer" 105–110 preface: "More complete knowledge" 5-6 Everbearing, control by length of day 391–394 Everflowering, control by length of day 391–394
Excavator, drainage trench, illustration
Exhibits—
Department, work of Publications Division
Office transfer to Publications Division.

Experiment—	Page.
Station Record, nature and scope	110
Stations-	
aid to agricultural problems, need	83
agricultural, directory, 1920	507
needs	55
needsExplorers, work in foreign countries, illustration	420
Exports—	
agricultural products, 1917–1919. 77 barley, 1911–1919, world countries. 77	0-777
barley, 1911–1919, world countries	585
butter, 1909–1919, world countries	736
cattle, 1896-1920. Cheese, 1909-1919, world countries.	728
Cheese, 1909–1919, world countries	741
coffee, 1909–1919, world countries	693
corn, 1914–1919, world countries	545
cotton—	
1909–1919, world countries.	642
1910-1920 cottonseed, 1909-1919 world countries. destination of farm products from United States, 1910-1919	15
cottonseed, 1909–1919 world countries	644
destination of farm products from United States, 1910–1919	)1–797
rarm products—	
by groups, 1918–1919. principal, 1918 and 1919. selected, 1852–1919.	778
principal, 1918 and 1919	789
selected, 1852–1919 77	<b>/9–781</b>
forest products—	
by groups, 1918–1919 77	/8–779
1852-1919	35-787
foodstuffs—	
1910–1920	14-15
1913–1920	816
hay, 1866–1919hides and skins, 1909–1919, world countries	627
hides and skins, 1909–1919, world countries	718
hops, 1909–1919, world countries	662
hops, 1909–1919, world countries	728
india rubber, 1909–1919, world countries	698
live stock, 1910–1920	13
meat	
1900–1919	26-827
and meat products, 1911–1919, world countries	19-720
mules, 1896–1920 oats, 1914–1919, world countries.	728
oats, 1914–1919, world countries	575
oil cake and meal, 1909-1919, world countries	695
potatoes, 1914–1919, world countries	623
rice, 1909-1919, world countries	607
rosin, 1909–1919, world countries.	696
rye, 1911–1919, world countries	594
sheep, 1893–1920	745
sugar, 1909-1919, world countries	682
tea, 1909–1919, world countries	691
tea, 1909–1919, world countries. tobacco, 1909–1919, world countries.	650
turpentine, 1909-1919, world countries. wheat, 1909-1919, world countries. wood pulp, 1909-1919, world countries.	697
wheat, 1909–1919, world countries	563
wood pulp, 1909–1919, world countries	700
woot, 1909-1919, world countries	104
world and United States, percentages for crops	816
Exposure, young animals, effect on growth.	239
Extension—	E1 E0
agricultural, work and progress	91-99
forestry, State officials and specialists	509
North and West, club work importance 4 work, cooperative agricultural, State officers in charge	80 <del>-4</del> 94
work, cooperative agricultural, State officers in charge	อบช
Enstories hast many statistics 070 0	0E 60F
Factories, beet sugar, statistics	ວປ~0ठ7 11£
Fair, prize, effect in beneficial emulation	115 20 252
FAIRBANK, H. S., article on "Roads"	ა <del>∵-</del> 302
animals. See Animals.	
credit, problem	31
~~~~~ prv	O.

855

Farm—Continued.	Pa	ge.
Credits Division, study of credit limitations.	•	289
demonstration work, aid to farmer	108.	109
demonstration work, aid to farmer. 106, I diet comparison with city diet		174
diets, cost, comparisons with other groups	81~	183
Economics Office. See Farm Management Office.		
families—		
food, article by Helen W. Atwater	£71—	484
food habits, general facts	174-4	475
food, cost relation to nutritive value		482
income—		001
in several areas	070	821
interest on purchase moneylabor problem, study	270 20	210 90
lands—	. 20	-30
nrice changes studies	32	_33
price, changes studies	415_	416
life—		
benefits from boys' and girls' clubs	485-	494
nroblems shift of nonulation etc	35	-38
loan, Federal act, provisions	-	279
loan, Federal act, provisions. loans, placing, use of soil surveys.	416–	417
Management Unice—		
study of cost of wheat production	302-	303
work and problems owners, classified, by age illustration	_ 28	-35
owners, classified, by age illustration	272-	273
ownership—	074	075
capital investment, various sections	214-	210 979
study importance	21	_99
study and classification study, importance practice, application of scientific principles prices, determination and fluctuation	105_	110
prices determination and fluctuation 495–496.	498-	503
problems, need of more complete knowledge.	-	5-6
problems, need of more complete knowledge produce, marketing, relation to diversity of packages		362
products—		
cost of production studies		29
destination of exports from U.S., 1910–1919	791–	797
exports by groups, 1918–1919. exports selected, 1852–1919.	<b>-</b>	778
exports selected, 1852-1919	779–	781
grading, progress and future imports by groups, 1918–1919	-	359
larger from redonts 421 429	499	778
losses from rodents 421, 422, origin of imports, 1910–1919	708_	20 <i>1</i>
principal imports 1918 and 1919.	, o d-	788
selected imports 1852–1919	- 782	785
selected, imports 1852–1919. shipments from Hawaii and Porto Rico, 1918–1919.		790
shipments to Hawaii and Porto Rico, 1918-1919		790
speculation cause and control		496
surplus, utilization values estimated, 1879–1920 values of exports by group, 1918–1919	. 50	-51
values estimated, 1879–1920	• ,	806
values of exports by group, 1918–1919.	•	778
use of wood annually women, demonstration work		148
Farmer—	. 52	-00
aid by acconticts article by T. C. Everand	705.	חדד
aid by scientists, article by L. C. Everard. benefit in study of market reports, discussion.	130-	131
independence in wood requirements. interest in foreign markets, article by E. G. Montgomery and C. I	157-	158
interest in foreign markets, article by E. G. Montgomery and C. I		
Luedtke	495-	503
Farmers—		
aid in buying farms, article by L. C. Gray	271-	288
Bulletin on corn-borer control, note.		98
Bulletins—		٠.
distribution.	inc	54
nature, use and scope	108,	TTU
fre insurance companies right and cost	T90-	30 198

Farmers—Continued.		
interest—	P	age.
in the weather		181
in timberlands. irrigation article by Samuel Fortier.	•:	148
irrigation article by Samuel Fortier	203-	216
See also Irrigators. obligations and interest in woodlands	156	150
obstacles encountered, 1920	10.17	-19
prices paid by and purchasing power of crops receipts, percentages monthly for leading crop	817-	-818
receipts, percentages monthly for leading crop		812
Farming		
commercial, financial requirements.  methods, improvement, need of more knowledge. pioneer, financial requirements.	••	274
methods, improvement, need of more knowledge	••	5-6 274
Farms—	••	214
buving, first payment		278
buying, first payment. cows keeping, increase by demonstration work.		121
feed crops, use by each class of live stock		811
feed crops, use by each class of live stock.	••	812
financial problems, study	30	-31
labor—	253-	-270
hiring methods		820
supply and demand, statistics by States.		822
location on new land, difficulty.		285
location on new land, difficulty meat preparation and marketing.		119
need of lumber. owners, percentage, age groups, 1890, 1900, 1910. owning, aid to landless farmers, article by L. C. Gray.	• • • • •	150
owners, percentage, age groups, 1890, 1900, 1910.	272-	273
owning, and to landless farmers, article by L. C. Gray	271-	288
sales receipts, live stock and crops, averages. sizes and values, various sections.		815 275
values of plow lands by States	••	824
wages of labor by classes and States	819-	-820
woods, use and management	156-	-158
values of plow lands by States wages of labor by classes and States woods, use and management work distribution by month, by States		823
ramstead—		
improvement by home demonstration	••	123
on cutover land, illustration  FARRELL, GEORGE B., and C. B. SMITH, article on "Boys' and girls' cluenrich country life"  Farrowing pens, sanitation.  Fats, use on farms, per family.	ha	201
enrich country life"	485-	494
Farrowing pens, sanitation	. 178-	-180
Fats, use on farms, per family		477
extension, recommendation. provisions	01-07	2,77
Feed—	• • •	010
hinds, attidu hir atomach content analyses	. 254-	-255
crops, consumption by each class of stock.		811
dairy cows, annual requirements	:	401
crops, consumption by each class of stock. dairy cows, annual requirements. inadequate or unsuitable, a cause of runts.	. 228,	233
proper and adequate, means of preventing runts stock, sawdust preparation and use. weighing for dairy cows, illustration. Feeding dairy cows according to production. 401,400	. 425- 457.	-230 -460
weighing for deing cown illustration		406
Feeding dairy cows according to production 401, 400	3,405	406
reeds—		
adulteration and misbranding control law, recommendation		77
marketing through dairy cows	. 402-	-403
Feedstuffs, consumption monthly on farms	· · · · · · · · ·	014 5_67
marketing through dairy cows.  Feedstuffs, consumption monthly on farms.  Fees, grazing, in National Forests.	0	<i>5</i> –01
materials sources study	5	5–57
materials, sources study. phosphorus content, article by William H. Waggaman.	. 217-	-224
Fertilizers—		
adulteration and misbranding control law, recommendation		77
potash, use of rocks directly, remarks.	. 304	–365 46
Feterita, introduction and crop value		-40

Index. 857

Figs. imports 1917–1919, quantity and value 765 Filler in acid phosphate, freight on	Fibers. See Cotton; Wool, etc.	Page.
Filler in acid phosphate, freight on. 221–222 Finance, arm, study. 30–31 Finches, feeding habits. 261, 266 Fir. Douglas, testing. 436 Fire. insurance for forests. 156 weather, forecasts for Forest Service. 158 Fireless cookers, introduction by demonstration agents. 167 Fireless cookers, introduction by demonstration agents. 168 Fireless cookers, introduction by demonstration agents. 168 Fireless cookers, introduction by demonstration agents. 168 Fireless cookers, introduction by demonstration agents. 178 Fireless cookers, introduction by demonstration agents. 178 Fires, forest—	Field injury by pocket gopher mounds, illustration.	433
Finches, teeding habits	Figs, imports 1917–1919, quantity and value.	765
Finches, teeding habits	Filler in acid phosphate, freight on	-222
insurance for forests.  insurance for forests.  insurance for forests.  insurance for forests.  insurance for forests.  insurance for forest Service.  Streless cookers, introduction by demonstration agents.  Ile  Fires, forest—  control, cooperation with States.  grotection of National Forests.  323-322  review of development of control.  323-322  Flavoring extracts, exports 1917-1919, quantity and value.  771  Flax—  imports 1917-1919, quantity and value.  cake and meal, exports, 1917-1919, quantity and value.  775  Flaxeed—  cake and meal, exports, 1917-1919, quantity and value.  776  crop losses, 1909-1919, causes.  601  imports 1917-1919, quantity and value.  776  oil, exports 1917-1919, quantity and value.  776  Flickers, feeding habits.  Flood warnings, value in river valleys.  Florida—  incomes from farms.  live-stock associations, directory.  National Forest, area.  need of wood for boxes in marketing.  147-142  phosphate deposits.  tobacco seed production for Maryland farmers.  399, 400  Floirist—  importance of daylight control in forcing plants.  use of cold wave warnings.  187  Flour—  exports 1917-1919, quantity and value.  774  prices at principal markets, 1913-1920.  502  Flowing—  of plants, control by the length of day, article by W. W. Garner and H. A.  Allard.  Seasonal, relation to temperature.  778  878-303  Flume for testing soil moisture, illustration.  212  Flycatchers, feeding habits.  Flood—  and Drugs Act, amendments proposed  conservation campaign, effect on food habits.  472  473  474  475  474  475  474  475  474  475  474  475  474  475  474  475  474  475  474  475  476  476	Finance, farm, study	000 0-31
insurance for forests.  insurance for forests.  insurance for forests.  insurance for forests.  insurance for forests.  insurance for forest Service.  Streless cookers, introduction by demonstration agents.  Ile  Fires, forest—  control, cooperation with States.  grotection of National Forests.  323-322  review of development of control.  323-322  Flavoring extracts, exports 1917-1919, quantity and value.  771  Flax—  imports 1917-1919, quantity and value.  cake and meal, exports, 1917-1919, quantity and value.  775  Flaxeed—  cake and meal, exports, 1917-1919, quantity and value.  776  crop losses, 1909-1919, causes.  601  imports 1917-1919, quantity and value.  776  oil, exports 1917-1919, quantity and value.  776  Flickers, feeding habits.  Flood warnings, value in river valleys.  Florida—  incomes from farms.  live-stock associations, directory.  National Forest, area.  need of wood for boxes in marketing.  147-142  phosphate deposits.  tobacco seed production for Maryland farmers.  399, 400  Floirist—  importance of daylight control in forcing plants.  use of cold wave warnings.  187  Flour—  exports 1917-1919, quantity and value.  774  prices at principal markets, 1913-1920.  502  Flowing—  of plants, control by the length of day, article by W. W. Garner and H. A.  Allard.  Seasonal, relation to temperature.  778  878-303  Flume for testing soil moisture, illustration.  212  Flycatchers, feeding habits.  Flood—  and Drugs Act, amendments proposed  conservation campaign, effect on food habits.  472  473  474  475  474  475  474  475  474  475  474  475  474  475  474  475  474  475  474  475  476  476	Finches, leeding matter.	, Z00
insurance for forests.  weather, forecasts for Forest Service.  186 Fireless cookers, introduction by demonstration agents.  116 Fires, forest.  control, cooperation with States.  protection of National Forests.  sources of development of control.  2323-232 review of development of control.  2323-232 Flavoring extracts, exports 1917-1919, quantity and value.  771 Flax.  imports 1917-1919, quantity and value.  773 imports 1917-1919, quantity and value.  774 cake and meal, exports, 1917-1919, quantity and value.  775 cake and meal, exports, 1917-1919, quantity and value.  776 cake and meal, exports, 1917-1919, quantity and value.  776 cop losses, 1809-1919, causes.  601 imports 1917-1919, quantity and value.  776 oil, exports 1917-1919, quantity and value.  777 prices at principal markets, 1913-1920.  602 Flickers, feeding habits.  258 Flood warmings, value in river valleys.  191-192 Florida-  incomes from farms.  10ve-stock associations, directory.  National Forest, area.  need of woof tor boxes in marketing.  147-144 phosphate deposits.  218 tobacco sed production for Maryland farmers.  399, 400 Florists-  importance of daylight control in forcing plants  use of cold ware warmings.  186 Flowering- of plants, control by the length of day, article by W. W. Garner and H. A.  Allard.  Allard.  Allard.  Allard.  377-400 seasonal, relation to temperature.  378-381 Flume for testing soil moisture, illustration.  212 Flycatchers, feeding habits.  213 Cooking and serving, importance in diet.  421, 422, 423, 433 farm families, article by Helen W. Atwater.  471-484 farmers' families, general facts.  472, 475 tables.	Fir, Douglas, testing	440
Fires, forest— control, cooperation with States	ingumnae for forests	156
Fires, forest— control, cooperation with States	weather forecasts for Forest Service	
Fires, forest— control, cooperation with States	Fireless cookers introduction by demonstration agents	
control, cooperation with States	Fires forest—	
review of development of control. 323-325 sources of starting, note. 323 Flavoring extracts, exports 1917-1919, quantity and value. 771 Flax—	control cooperation with States.	63
review of development of control. 323-325 sources of starting, note. 323 Flavoring extracts, exports 1917-1919, quantity and value. 771 Flax—	protection of National Forests 323	-328
Sources of starting, note	review of development of control	-328
imports 1917–1919, quantity and value 763 statistics, acreage, production, value, etc. 598–602 Flaxesed— cake and meal, exports, 1917–1919, quantity and value 775 crop losses, 1909–1919, causes. 601 imports 1917–1919, quantity and value 776 oil, exports 1917–1919, quantity and value 775 prices at principal markets, 1913–1920 662 Flickers, feeding habits 259 Flood warnings, value in river valleys 191–192 Florida— incomes from farms 821 live-stock associations, directory 517 National Forest, area 836 need of wood for boxes in marketing 147–148 phosphate deposits 218 tobacco seed production for Maryland farmers 399, 400 Florists— importance of daylight control in forcing plants 400 use of cold wave warnings. 185 Flour— exports 1917–1919, quantity and value 774 prices at principal markets, 1913–1920 562 Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard. 377–400 seasonal, relation to temperature 378–381 Flowers— identified with certain seasons 377 injury by corn borer 888 seasonal development causes, discussion 377–378 Flying weather forecasts 185–186 Flying weather forecasts 185–186 Flying weather forecasts 185–186 Flying weather forecasts 185–186 Flond— and Drugs Act, amendments proposed 71 conservation campaign, effect on food habits 478 cooking and serving, importance in diet 480–481 farm families, general facts 474–475, 478 habits— differences, causes, and changes 472, 473 typical American families, studies 474–475, 478 habits— differences, causes, and changes 474–475, 478 habits— differences, causes, and changes 474, 475, 478 habits— differences, causes, and changes 474, 475, 478 habits— differences, causes, and changes 474, 475, 478 habits— differences, causes, and changes 474, 475, 478 habits— differences, causes, and changes 474, 475, 478 habits—	sources of starting, note	323
imports 1917–1919, quantity and value 763 statistics, acreage, production, value, etc. 598–602 Flaxesed— cake and meal, exports, 1917–1919, quantity and value 775 crop losses, 1909–1919, causes. 601 imports 1917–1919, quantity and value 776 oil, exports 1917–1919, quantity and value 775 prices at principal markets, 1913–1920 662 Flickers, feeding habits 259 Flood warnings, value in river valleys 191–192 Florida— incomes from farms 821 live-stock associations, directory 517 National Forest, area 836 need of wood for boxes in marketing 147–148 phosphate deposits 218 tobacco seed production for Maryland farmers 399, 400 Florists— importance of daylight control in forcing plants 400 use of cold wave warnings. 185 Flour— exports 1917–1919, quantity and value 774 prices at principal markets, 1913–1920 562 Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard. 377–400 seasonal, relation to temperature 378–381 Flowers— identified with certain seasons 377 injury by corn borer 888 seasonal development causes, discussion 377–378 Flying weather forecasts 185–186 Flying weather forecasts 185–186 Flying weather forecasts 185–186 Flying weather forecasts 185–186 Flond— and Drugs Act, amendments proposed 71 conservation campaign, effect on food habits 478 cooking and serving, importance in diet 480–481 farm families, general facts 474–475, 478 habits— differences, causes, and changes 472, 473 typical American families, studies 474–475, 478 habits— differences, causes, and changes 474–475, 478 habits— differences, causes, and changes 474, 475, 478 habits— differences, causes, and changes 474, 475, 478 habits— differences, causes, and changes 474, 475, 478 habits— differences, causes, and changes 474, 475, 478 habits— differences, causes, and changes 474, 475, 478 habits—	Flavoring extracts, exports 1917–1919, quantity and value	771
statistics, acreage, production, value, etc.         598-602           Flaxseed—	riax—	
statistics, acreage, production, value, etc.         598-602           Flaxseed—	imports 1917–1919, quantity and value	
cake and meal, exports, 1917-1919, quantity and value         775           crop losses, 1909-1919, causes         601           imports 1917-1919, quantity and value         768           oil, exports 1917-1919, quantity and value         775           prices at principal markets, 1913-1920         602           Flickers, feeding habits         259           Florida—         191-192           incomes from farms         821           live-stock associations, directory         517           National Forest, area         836           need of wood for boxes in marketing         147-148           phosphate deposits         218           tobacco seed production for Maryland farmers         399, 400           Florists—         importance of daylight control in forcing plants         400           use of cold wave warnings         188           Floir—         exports 1917-1919, quantity and value         774           prices at principal markets, 1913-1920         562           Flowers—         of plants, control by the length of day, article by W. W. Garner and H. A.         Allard           Allard         377-400           seasonal, relation to temperature         378-381           Flowers—         identified with certain seasons         37 <t< td=""><td>statistics, acreage, production, value, etc</td><td>602</td></t<>	statistics, acreage, production, value, etc	602
crop losses, 1909—1919, causes	Flaxseed—	
imports 1917-1919, quantity and value.         768           oil, exports 1917-1919, quantity and value.         775           prices at principal markets, 1913-1920.         662           Flood warnings, value in river valleys.         191-192           Florida—		
Prices at principal markets, 1913–1920   602   Flood warnings, value in river valleys   191-192   Florida—   incomes from farms   821   live-stock associations, directory   517   National Forest, area   836   need of wood for boxes in marketing   147-148   phosphate deposits   218   tobacco seed production for Maryland farmers   399, 400   Florists—   importance of daylight control in forcing plants   400   use of cold wave warnings   189   Floiru—   exports 1917–1919, quantity and value   774   prices at principal markets, 1913–1920   562   Flowering—   of plants, control by the length of day, article by W. W. Garner and H. A. Allard   377-400   seasonal, relation to temperature   378-381   Flowers—  identified with certain seasons   377   injury by corn borer   378-381   Flume for testing soil moisture, illustration   377-378   Flume for testing soil moisture, illustration   212   Flycatchers, feeding habits   266   Flying weather forecasts   185-186   Fond du Lac, cheese reports issue   144   Food—  and Drugs Act, amendments proposed   71   conservation campaign, effect on food habits   478   cooking and serving, importance in diet   480-481   destruction by rodents   471-484   destruction by rodents   471-484   farm families, article by Helen W. Atwater   471-484   farm families, general facts   474-475   habits—  differences, causes, and changes   472, 475   typical American families, studies   474-475, 478-486	crop losses, 1909–1919, causes	
Prices at principal markets, 1913–1920   602   Flood warnings, value in river valleys   191-192   Florida—   incomes from farms   821   live-stock associations, directory   517   National Forest, area   836   need of wood for boxes in marketing   147-148   phosphate deposits   218   tobacco seed production for Maryland farmers   399, 400   Florists—   importance of daylight control in forcing plants   400   use of cold wave warnings   189   Floiru—   exports 1917–1919, quantity and value   774   prices at principal markets, 1913–1920   562   Flowering—   of plants, control by the length of day, article by W. W. Garner and H. A. Allard   377-400   seasonal, relation to temperature   378-381   Flowers—  identified with certain seasons   377   injury by corn borer   378-381   Flume for testing soil moisture, illustration   377-378   Flume for testing soil moisture, illustration   212   Flycatchers, feeding habits   266   Flying weather forecasts   185-186   Fond du Lac, cheese reports issue   144   Food—  and Drugs Act, amendments proposed   71   conservation campaign, effect on food habits   478   cooking and serving, importance in diet   480-481   destruction by rodents   471-484   destruction by rodents   471-484   farm families, article by Helen W. Atwater   471-484   farm families, general facts   474-475   habits—  differences, causes, and changes   472, 475   typical American families, studies   474-475, 478-486	imports 1917–1919, quantity and value	
Prices at principal markets, 1913–1920   602   Flood warnings, value in river valleys   191-192   Florida—   incomes from farms   821   live-stock associations, directory   517   National Forest, area   836   need of wood for boxes in marketing   147-148   phosphate deposits   218   tobacco seed production for Maryland farmers   399, 400   Florists—   importance of daylight control in forcing plants   400   use of cold wave warnings   189   Floiru—   exports 1917–1919, quantity and value   774   prices at principal markets, 1913–1920   562   Flowering—   of plants, control by the length of day, article by W. W. Garner and H. A. Allard   377-400   seasonal, relation to temperature   378-381   Flowers—  identified with certain seasons   377   injury by corn borer   378-381   Flume for testing soil moisture, illustration   377-378   Flume for testing soil moisture, illustration   212   Flycatchers, feeding habits   266   Flying weather forecasts   185-186   Fond du Lac, cheese reports issue   144   Food—  and Drugs Act, amendments proposed   71   conservation campaign, effect on food habits   478   cooking and serving, importance in diet   480-481   destruction by rodents   471-484   destruction by rodents   471-484   farm families, article by Helen W. Atwater   471-484   farm families, general facts   474-475   habits—  differences, causes, and changes   472, 475   typical American families, studies   474-475, 478-486	oil, exports 1917–1919, quantity and value	
Flood warnings, value in river valleys.  Florida—  incomes from farms.  ilive-stock associations, directory.  National Forest, area.  need of wood for boxes in marketing.  phosphate deposits.  tobacco seed production for Maryland farmers.  Florists—  importance of daylight control in forcing plants.  was of cold wave warnings.  Flour—  exports 1917–1919, quantity and value.  prices at principal markets, 1913–1920.  Flowering—  of plants, control by the length of day, article by W. W. Garner and H. A.  Allard.  Allard.  Allard.  377–400  seasonal, relation to temperature.  378–381  Flowers—  identified with certain seasons.  injury by corn borer.  seasonal development causes, discussion.  Flume for testing soil moisture, illustration.  212  Flycatchers, feeding habits.  Flood—  and Drugs Act, amendments proposed.  and Drugs Act, amendments proposed.  conservation campaign, effect on food habits.  472  cooking and serving, importance in diet.  destruction by rodents.  destruction by rodents.  destruction by rodents.  destruction by rodents.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  differences, causes, and changes.  difference	prices at principal markets, 1913–1920	
Florida— incomes from farms	Flickers, feeding habits.	259
incomes from farms 821 live-stock associations, directory 517 National Forest, area. 836 need of wood for boxes in marketing 147-148 phosphate deposits. 218 tobacco seed production for Maryland farmers 399, 400 Florists— importance of daylight control in forcing plants 400 use of cold wave warnings 189 Flour— exports 1917-1919, quantity and value 774 prices at principal markets, 1913-1920 562 Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard. 377-400 seasonal, relation to temperature 378-381 Flowers— identified with certain seasons 377 injury by corn borer 800 seasonal development causes, discussion 377-376 Flume for testing soil moisture, illustration 212 Flycatchers, feeding habits 260 Floid— and Drugs Act, amendments proposed 71 conservation campaign, effect on food habits 475 cooking and serving, importance in diet 480-481 destruction by rodents 480-481 destruction by rodents 481, 422, 423, 437 farm families, article by Helen W. Atwater 421, 422, 423, 437 farm families, article by Helen W. Atwater 471-448 farmers' families, general facts 474-475, 478-480 differences, causes, and changes 472, 473 typical American families, studies 474-475, 478-480	Flood warnings, value in river valleys.	-192
National Forest, area need of wood for boxes in marketing 147-148 phosphate deposits 218 tobacco seed production for Maryland farmers 399, 400 Florists— importance of daylight control in forcing plants 400 use of cold wave warnings 188 Flour— exports 1917-1919, quantity and value 774 prices at principal markets, 1913-1920 562 Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard 377-400 seasonal, relation to temperature 378-381 Flowers— identified with certain seasons 377 injury by corn borer 88 seasonal development causes, discussion 377-378 Flume for testing soil moisture, illustration 212 Flycatchers, feeding habits 266 Flying weather forecasts 185-186 Fond du Lac, cheese reports issue 144 Food— and Drugs Act, amendments proposed 77 conservation campaign, effect on food habits 475 cooking and serving, importance in diet 480-481 destruction by rodents 471-484 farm families, article by Helen W. Atwater 471-484 farm families, article by Helen W. Atwater 471-484 farm families, general facts 474-475 habits— differences, causes, and changes 472, 473 typical American families, studies 474-475, 478-480	riorida—	001
National Forest, area need of wood for boxes in marketing 147-148 phosphate deposits 218 tobacco seed production for Maryland farmers 399, 400 Florists— importance of daylight control in forcing plants 400 use of cold wave warnings 188 Flour— exports 1917-1919, quantity and value 774 prices at principal markets, 1913-1920 562 Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard 377-400 seasonal, relation to temperature 378-381 Flowers— identified with certain seasons 377 injury by corn borer 88 seasonal development causes, discussion 377-378 Flume for testing soil moisture, illustration 212 Flycatchers, feeding habits 266 Flying weather forecasts 185-186 Fond du Lac, cheese reports issue 144 Food— and Drugs Act, amendments proposed 77 conservation campaign, effect on food habits 475 cooking and serving, importance in diet 480-481 destruction by rodents 471-484 farm families, article by Helen W. Atwater 471-484 farm families, article by Helen W. Atwater 471-484 farm families, general facts 474-475 habits— differences, causes, and changes 472, 473 typical American families, studies 474-475, 478-480	incomes from larms	
phosphate deposits. 218 tobacco seed production for Maryland farmers 399, 400 Florists— importance of daylight control in forcing plants 400 use of cold wave warnings 189 Flour— exports 1917–1919, quantity and value 774 prices at principal markets, 1913–1920 562 Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard. 377–400 seasonal, relation to temperature 378–381 Flowers— identified with certain seasons 377 injury by corn borer 86 seasonal development causes, discussion 377–375 Flume for testing soil moisture, illustration 212 Flycatchers, feeding habits 266 Flying weather forecasts 185–186 Fond du Lac, cheese reports issue 144 Food— and Drugs Act, amendments proposed 71 conservation campaign, effect on food habits 473 cooking and serving, importance in diet 480–481 destruction by rodents 480–481 farm families, article by Helen W. Atwater 421, 422, 423, 437 farm families, entricle by Helen W. Atwater 471–484 farmers' families, general facts 474–475 habits— differences, causes, and changes 472, 473 typical American families, studies 474–475, 478–480	Net-incl. Theretory	
phosphate deposits. 218 tobacco seed production for Maryland farmers 399, 400 Florists— importance of daylight control in forcing plants 400 use of cold wave warnings 189 Flour— exports 1917–1919, quantity and value 774 prices at principal markets, 1913–1920 562 Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard. 377–400 seasonal, relation to temperature 378–381 Flowers— identified with certain seasons 377 injury by corn borer 86 seasonal development causes, discussion 377–375 Flume for testing soil moisture, illustration 212 Flycatchers, feeding habits 266 Flying weather forecasts 185–186 Fond du Lac, cheese reports issue 144 Food— and Drugs Act, amendments proposed 71 conservation campaign, effect on food habits 473 cooking and serving, importance in diet 480–481 destruction by rodents 480–481 farm families, article by Helen W. Atwater 421, 422, 423, 437 farm families, entricle by Helen W. Atwater 471–484 farmers' families, general facts 474–475 habits— differences, causes, and changes 472, 473 typical American families, studies 474–475, 478–480	National Forest, area	140
Florists	need of wood for boxes in marketing.	010
Florists	toke one or of mandaration for Manyland formore	400
importance of daylight control in forcing plants use of cold wave warnings 189  Flour— exports 1917–1919, quantity and value 774 prices at principal markets, 1913–1920 562  Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard 377–400 seasonal, relation to temperature 378–381  Flowers— identified with certain seasons 377 injury by corn borer 86 seasonal development causes, discussion 377–375  Flume for testing soil moisture, illustration 212  Flycatchers, feeding habits 266  Flying weather forecasts 185–186  Fond du Lac, cheese reports issue 144  Food— and Drugs Act, amendments proposed 71 conservation campaign, effect on food habits 473 cooking and serving, importance in diet 480–481 destruction by rodents 471–476 fammers' families, eneral facts 474–475 habits— differences, causes, and changes 472, 473 typical American families, studies 474–475, 478–480		, 100
Use of cold wave warnings		400
Flour— exports 1917–1919, quantity and value		
exports 1917–1919, quantity and value 774 prices at principal markets, 1913–1920 562 Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard. 377–400 seasonal, relation to temperature. 378–381 Flowers— identified with certain seasons. 377 injury by corn borer. 86 seasonal development causes, discussion. 377–375 Flume for testing soil moisture, illustration. 212 Flycatchers, feeding habits. 266 Flying weather forecasts. 185–186 Fond du Lac, cheese reports issue. 144 Food— and Drugs Act, amendments proposed 71 conservation campaign, effect on food habits. 473 cooking and serving, importance in diet. 480–481 destruction by rodents 480–481 farm families, article by Helen W. Atwater 471–484 farmers' families, general facts 474–475 habits— differences, causes, and changes. 472, 473 typical American families, studies. 474–475, 478–480		100
prices at principal markets, 1913–1920. 562  Flowering— of plants, control by the length of day, article by W. W. Garner and H. A. Allard. 377–400 seasonal, relation to temperature. 378–381  Flowers— identified with certain seasons. 377 injury by corn borer. 86 seasonal development causes, discussion. 377–376  Flume for testing soil moisture, illustration. 212  Flycatchers, feeding habits. 266  Flying weather forecasts. 185–186  Fond du Lac, cheese reports issue. 144  Food— and Drugs Act, amendments proposed. 71 conservation campaign, effect on food habits. 473 cooking and serving, importance in diet. 480–481 destruction by rodents. 421, 422, 423, 437 farm families, article by Helen W. Atwater 421, 422, 423, 437 farm families, article by Helen W. Atwater 471–484 farmers' families, general facts 474–475 habits— differences, causes, and changes. 472, 473 typical American families, studies. 474–475, 478–480	exports 1917–1919 quantity and value	774
Flowering	prices at principal markets, 1913-1920	
of plants, control by the length of day, article by W. W. Garner and H. A.		-
Allard.       377-400         seasonal, relation to temperature.       378-381         Flowers— <ul> <li>identified with certain seasons.</li> <li>seasonal development causes, discussion.</li> <li>377-375</li> </ul> \$71-375         Flume for testing soil moisture, illustration.       212         Flycatchers, feeding habits.       260         Flying weather forecasts.       185-136         Fond du Lac, cheese reports issue.       144         Food—	of plants, control by the length of day, article by W. W. Garner and H. A.	
Flowers	Ållard	-400
Flowers	seasonal, relation to temperature	-381
injury by corn borer       86         seasonal development causes, discussion       377–378         Flume for testing soil moisture, illustration       215         Flycatchers, feeding habits       260         Flying weather forecasts       185–186         Fond du Lac, cheese reports issue       144         Food—       and Drugs Act, amendments proposed       71         conservation campaign, effect on food habits       478         cooking and serving, importance in diet       480–481         destruction by rodents       421, 422, 423, 437         farm families, article by Helen W. Atwater       471–448         farmers' families, general facts       474–475         habits—       differences, causes, and changes       472, 473         typical American families, studies       474–475, 478–480	Flowers—	
Flying weather forecasts.   185-185	identified with certain seasons	377
Flying weather forecasts.   185-185	injury by corn borer	86
Flying weather forecasts.   185-185	seasonal development causes, discussion	-378
Flying weather forecasts.   185-185	Flume for testing soil moisture, illustration	212
Food—         and Drugs Act, amendments proposed         71           conservation campaign, effect on food habits         473           cooking and serving, importance in diet         480-481           destruction by rodents         421, 422, 423, 437           farm families, article by Helen W. Atwater         471-484           farmers' families, general facts         474-475           habits—         differences, causes, and changes         472, 473           typical American families, studies         474-475, 478-480	Flycatchers, feeding habits	260
Food—         and Drugs Act, amendments proposed         71           conservation campaign, effect on food habits         473           cooking and serving, importance in diet         480-481           destruction by rodents         421, 422, 423, 437           farm families, article by Helen W. Atwater         471-484           farmers' families, general facts         474-475           habits—         differences, causes, and changes         472, 473           typical American families, studies         474-475, 478-480	Flying weather forecasts	-186
and Drugs Act, amendments proposed 771 conservation campaign, effect on food habits 478 cooking and serving, importance in diet 480-481 destruction by rodents 421, 422, 423, 487 farm families, article by Helen W. Atwater 471-484 farmers' families, general facts 474-475 habits— differences, causes, and changes 472, 473 typical American families, studies 474-475, 478-480	Fond du Lac, cheese reports issue	144
conservation campaign, effect on food habits.       478         cooking and serving, importance in diet.       480-481         destruction by rodents.       421, 422, 423, 437         farm families, article by Helen W. Atwater.       471-484         farmers' families, general facts.       474-475         habits—       differences, causes, and changes.       472, 473         typical American families, studies.       474-475, 478-480		
cooking and serving, importance in diet       480-481         destruction by rodents       421, 422, 423, 437         farm families, article by Helen W. Atwater       471-484         farmers' families, general facts       474-475         habits—       differences, causes, and changes       472, 473         typical American families, studies       474-475, 478-480	and Drugs Act, amendments proposed	
nabits— differences, causes, and changes	conservation campaign, enect on tood habits	4/3
nabits— differences, causes, and changes	docting and serving, importance in diet	497
nabits— differences, causes, and changes	destruction by rottents	, <del>4</del> 07
nabits— differences, causes, and changes	farm and families, article by freien w. Atwater	475
differences, causes, and changes 472, 473 typical American families, studies 474–475, 478–480	habita 4/4	10
typical American families, studies	differences causes and changes 470	479
or production administration business and the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of the first transfer of th	typical American families studies 474_475	_490
	uniformity increase, causes 472	<u>-479</u>
preparation and saving, demonstration work	preparation and saving demonstration work	
products imposetion law amondment proposed	products inspection law, amendment proposed.	73
	products inspection law, amendment proposedserving, importance in diet.	481
products inspection law, amendment proposed	serving, importance in diet	

Foods—	Page.
cost, relation to nutritive value	482
new, increase, causes	473
Foodstuffs—	
exports 1910–1920	14 816
exports 1913–1920 imports 1913–1920. Foot-and-mouth disease, control, need of emergency fund	816
Foot-and-mouth disease, control, need of emergency fund	44
Forage, destruction by rodents. 426, 428, 431, 433, 43	4. 435
Forage, destruction by rodents. 426, 428, 431, 433, 43 Forecasting world market. 49	8-499
rorecasts—	
daily, charting and distribution	2-184
for aviators	5-186
six-day, distribution 18 weather, application to various uses 18	4-180
Foreign—	2-190
countries, market conditions study	502
market information work	
markets, reports, note	136
· See also Markets.	
statistics. See articles on which information is desired.	
Forest—	784
commercial, last of virgin timber, illustration	154
fires, regions of greatest losses	326
management, science and public service	28-329
opening way to back country, illustration	311
products	
exports 1852-1919. 78 exports by groups, 1918-19. 77 exports 1917-1919, quantity and value. 77 imports 1852-1919. 78 imports, 1917-1919, quantity and value. 76 laboratory, Madison, Wis., investigations, results. 48	35-787
exports by groups, 1918–19	/8–779
exports 1917–1919, quantity and value	1-772
imports 1852–1919 78	35-787
imports, 1917–1919, quantity and value	3-765
laboratory, Madison, Wis., investigations, results 43	19-402
ranger— illustration	313
manner of man and experiences	315
station, illustration	312
station, illustration ranges, scientific management, illustration	330
resources, depletion	39 <del>-44</del> 0
Service—	
cooperation with Public Roads Bureau	51-352
extent and variety of its work	79-310
nock train making comp illustration	314
interchange of duties between employees pack train making camp, illustration work in Alaska	67-68
supervisor, duties and character	10. 315
Forestry—	
	62-67
problems	509
Forests-	
American—	150
depletiontimber cutting progress in half a century	50_151
fire control sentiment change and public help	326
fire control, sentiment change and public help location in West.	151
management—	
cooperation with States directions of James Wilson 3	63
directions of James Wilson 3	28–329
National—	
distinction from National Parks.	64-65
extent and diversity in character	317
fire fighting force, character grazing, allowances of live stock, 1920 8	325 89 <u>-84</u> 0
grazing fees	65_67
location and areas.	36-837
grazing fees. location and areas. 8 operation for benefit of stock owners. 3	19-320
policy in granting grazing permits.	19-320

Thursday Continued	
Forests—Continued.	Page
National—Continued. popularity and uses	
in it a stion from from	<b>999_99</b>
road systemrodent control worksales of timber	58 R
road system	472-49
rodent control work	391-39
timber sales and grazing, 1916–1920.	831
timber sales and graving, 1910-1920	998_990
uses and plans for use, James Wilson letter. work, areas, income, etc. private, ownership and development.	825_840
work, areas, income, etc.	155_156
private, ownership and development	100-100
problems—	151_150
maintenance and control. reproduction and maintenance.	161 160
reproduction and maintenance	101-100
public—	200 220
how handled, article by Herbert A. Smith management and reforestation roads for, cooperation of Public Roads Bureau and Forest Service.	308-330
management and reforestation.	199-190
roads for, cooperation of Public Roads Bureau and Forest Service	301-302
trees useful for home building, illustration  FORTIER, SAMUEL, article on "With the irrigation farmer"	
FORTIER, SAMUEL, article on "With the irrigation farmer"	203-210
Foxes, preservation as fur bearers, note.  Frost warnings, value to fruit growers.	. 178
Frost warnings, value to fruit growers	186-188
Fruit	
grading, progress, remarks. growers, dependence on frost warnings. market reports, extent, methods, etc.	359
growers, dependence on frost warnings	186-189
market reports, extent, methods, etc	136-139
spraying relation to rain, value of forecasts	190–191
Fruiting.	
plant, control by length of day, article by W. W. Garner and H. A. Al	-
lard	377 <b>–4</b> UU
seasonal, relation to temperature	378-38]
Fruits—	
American, markets for, studyexports 1917–1919, quantity and value	. 507
exports 1917–1919, quantity and value	. 778
imports 1917–1919, quantity and value	765
injury by birds. 262, market reviews, issue and use. use on farms, per capita and source.	263, 264
market reviews, issue and use.	138, 139
use on farms, per capita and source.	478, 482
Fuel, industrial, alcohol from wood waste.	160-461
Fumes, phosphoric acid, collecting, illustration	. 222
Funds—	
	. 438
cooperative, for rodent control	205
Fungicide Act, amendments proposed	72
Fur—	- /-
bearers, Alaska, discussion	171_174
farming note	174
farming, note. Furfural, recovery from corncobs, uses and value.	5051
Furnace, phosphoric acid, illustration, and use	220 223
Furnaces—	-mo, mae
blast. See Blast furnace.	
Dotash recovery	5657
potash recovery. Furniture industry, lumber saving, suggestions	459
Gambrills, Md., Naval Academy Dairy, description	464-467
Game—	101 101
Li.	
management in Alaska	171_174
management in Alaska. reservations, discussion.	67_171
· Diras—	
breeding in Canada, Athabaska region	164_1e=
increase under migratory bird law	160
increase under migratory bird law protection.	. 100 169_166
upland, groups and feeding habits	255_95 <i>0</i>
license system for hunting adventages	100
license system for hunting, advantages State laws and State cooperation for protection.	102
wild importance of feel	163

	Page.
Garden, perennial, development. Garlic, imports 1917-1919, quantity and value. Garments making, club, illustration. Garner, W. W., and H. A. ALLARD, article on "Flowering and fruiting of plants as controlled by the length of day"	112
Garlic, imports 1917–1919, quantity and value	769
Garments making, club, illustration.	490
GARNER, W. W., and H. A. ALLARD, article on "Flowering and fruiting of	
plants as controlled by the length of day"	<b>~400</b>
Gasoline, substitution by alcohol	461
Geological Survey, maps, scope	414
George, Frank, and W. A. Wheeler, article on "Know your markets" 127	<b>'-146</b>
Georgia—	
boll weevil poisoning work, progress	248
incomes from farmslive-stock associations, directory	821
live-stock associations, directory	518
National Forests, areas	836
Germany, potash deposit, extent, formation, and use	-370
Ginseng, exports 1917–1919, quantity and value	773
Gipsy moth—	
control by birds	267
spread to New Jersey	. 41
Girls—	
clubs, advantages, article by C. B. Smith and George B. Farrell 485	<del>-494</del>
development by demonstration work. 111	-114
Glucose, exports 1917–1919, quantity and value	773
Glue—	762
and glue size, imports 1917–1919, quantity and value	770
exports 1917–1919, quantity and value.	110
waterproof, need in making plywood. 453	<del>444</del> 444
Gluing up plywood, illustration	263
Goat skins, imports 1917–1919, quantity and value	762
Goats—	102
condemnations at slaughter, 1907–1920	760
grazing allowances in National Forests, 1920	-840
number slaughtered under inspection, 1907–1920.	759
numbers in National Forests, 1916–1920.	835
protection from predatory animals, illustration	290
registry associations, National, directory	512
statistics, numbers in world countries	-717
Goldenrod, forcing experiments	391
"Goldie," cow record under testing. GOLDMAN, EDWARD A., article on "Conserving our wild animals and birds". 159	408
GOLDMAN, EDWARD A., article on "Conserving our wild animals and birds". 159	<b>⊢174</b>
Gophers-	
destruction by owls	258
pocket, destruction	, 434
See also Rodents; Squirrels, ground.	
Grading—	359
farm products, progress and futureproduce, development	353
Grain—	000
crops—	
acreage decrease	3-34
destruction by rodents	435
statistics. 1920	-610
exports, 1917-1919, quantity and value	-774
fields, ground squirrel work, illustration	429
from western fields to foreign markets, illustration	
grading, congressional act establishing uniformity	355
imports, 1917–1919, quantity and value	-766
injury by blackbirds	., 264
poisoned for rodents, distribution, illustration	427
price level, determining factors	-498
regions, special weather reports	
Standards Act, amendments proposed	72
Grains—	1 10
acreage and production, 1910-1920	1-12
	24

*Index.* 861

Grapes—	Page	3.
and raisins, imports, 1917–1919, quantity and value marketing, basket sizes.  Grass specimens from rodent-infested and free plots, illustration.	76	5
marketing, basket sizes	36	2
Grass specimens from rodent-infested and free plots, illustration	42	6
Gradoos, indoduced, value and intener needs	4	7
Gravity, action upon soil moisture	2, 21	3
Gray, L. C., article on "Helping landless farmers to own farms"	<b>.–2</b> 8	8
Grazing—		
allowances of live stock in National Forests, 1920	-84	O
effect on reforestation fees, National Forests (	31	7
fees. National Forests	15 <u>-</u> 6	7
National Forests—		
pay rates for live stock 838	_94	ın
permits and fees, 1916–1920.	00	:U
regulation and use		
Grease—	-9 T	.0
where 1017-1010 quentity and value	77	-^
exports, 1917-1919, quantity and value.	77	v
imports, 1917–1919, quantity and value.	76	52
imports, 1917-1919, quantity and value.  GREELEY, W. B., article on "Wood for the Nation"	/-I5	18
Green bugs, control by birds	26	56
Greenhouse, lighting with electricity to lengthen daylight	1–39	)7
Groundnut tubers, effect of shortening daylight.  Growth, animals, principles.  Gulls, usefulness by eating—  23:	38	Ю.
Growth, animals, principles	3-23	39
Gulls, usefulness by eating—		
alfalfa weevils, illustration	25	53
field mice	26	
Gums, imports, 1917-1919, quantity and value	76	
Guns hand for dusting cotton limitations 247 25	1 <u>-2</u>	52
Guns, hand, for dusting cotton, limitations. 247, 25 Gunstocks, lumber requirements. 443, 44	5 44	17
Cumsiocas, rumper requirements	o, 1-	* *
Hair—		
nau—	171	70
exports, 1917–1919, quantity and value.		
horse, imports, 1917–1919, quantity and value		62
Hams, exports, 1917-1919, quantity and value	. 7	70
Hand guns for cotton dusting, limitations. 247, 25	0-28	ρZ
Handles, wood, utilization, waste, saving	1-4	5Z
Hardwood lumber exports, 1917–1919, quantity and value	7	7Z
Harvest, dates for several crops, with percentages		09
Hatching early, runt prevention	6, 2	37
Hawaii		
sugar production, 1876–1921 and 1913–1920	3, 6	87
trade with United States, principal farm products, 1918–1919	7	90
Hawks		
injurious species, feeding habits	2	56
useful feeding habits 25	7. 2	64
	.,-	
crop, 1920	9,	13
crop losses, 1909–1919, extent and causes		30
feeding to elk		
imports 1017-1010 quentity and value		66
leading States		05
market sensets note		36
market reported, notes		30 32
prices at principal markets, 1913-1920		
statistics, acreage, production, value, etc	1-0	JJ
Health—		
midshipmen, improvement since 1910	9-4	70
relation to diet	0, 4	23
Heaters, oil, for frost protection, illustrations	8, 1	89
Hemp, infestation by corn borer		38
Hemp, infestation by corn borer.  Herd, Naval Academy dairy, tuberculin tested	4	67
Herds dairy—		
improvement by breeding40	9-4.	12
selection and culling	0.4	11
improvement by breeding 40 selection and culling 404,409-41 Heredity, element in growth of animals	2	38
Heron, rookeries, note	10	67
Hessian fly injuries to wheat, estimate	10	04

	ъ.	
Hickory, heartwood tests, results	443,	age. 451
exports—		
and imports, 1909–1919, of world countries		718
1917–1919, quantity and value		770
1917-1919, quantity and value		
imports 1917–1919, quantity and value trade international, 1909–1919 High schools, use of "radio marketgrams"		762
trade international, 1909–1919		718
High schools, use of "radio marketgrams"		136
Highway—		
Departments, State, increase under Federal-aid law		344
Officials Advisory Board, personnel and problems	60	
Highways—		-
classification, importance		60
crassification, importance		
construction progress		
weather service		195
See also Roads.		
Hog cholera. See Cholera, hog.		
=-6		
condemnations at slaughter, 1907-1920		759
feeding faulty processes illustration		
feeding, faulty practice, illustration. grazing allowances in National Forests, 1920.		231
grazing allowances in National Forests, 1920	. 839-	
growing, club boy and his pig, illustration. imports, 1917–1919, numbers and value		492
imports, 1917–1919, numbers and value		761
market estimates at Chicago	. 141-	143
marketings receipts and shipments		758
marketings, receipts and shipments number slaughtered under inspection, 1907–1920		759
number stadgment under inspection, 1907-1920		
numbers in National Forests, 1916–1920		835
· prices at leading markets, 1913–1920		756
raising, illustrations and text registry associations, National, directory.	. 332,	333
registry associations, National, directory	. 511-	-512
runts, percentage		227
statistics-		
number, value, breeds, etc	759_	758
numbers in world countries	. 700° 701	717
Holstein dairy herd, illustration	• • •	502
Home-		
builder, preference in grazing permits on National Forests		320
demonstration—		
agents, number and work	51	-53
influence of adult women		117
results in house and surroundings	194	105
results in house and surroundings. results in South, article by O. B. Martin and Ola Powell.	. 147	100
results in South, article by O. B. Martin and Ola Foweii	. 111-	120
work, aid to farmer 100	5, 108,	109
See also Demonstration.		
labor saving, illustration		115
Homes—		
demonstration work	. 119-	120
improvement hy—		
conveniences demonstration work	199_	192
conveniences, demonstration work 111-112	100	194
T	·, 123-	124
Honey—		
exports 1917–1919, quantity and value		770
market reports, note		136
Hops—		
exports—	*	
and imports, 1909–1919, world countries		662
1917–1919, quantity and value		774
prince at principal movieta 1012 1000		661
prices at principal markets, 1913–1920.		
statistics, acreage, production, value, etc	. იიყ-	-002
trade international, 1909–1919		662
Horse skins, imports 1917–1919, quantity and value		762
Horseflies, control by birds		267
Horses—		•
breeding, text and illustration	224	335
destruction by predatory animals	. oox,	295
destruction by predatory animals	•••	
exports 1917–1919, numbers and value		770
UNEL STRONG IN INTERIOR IN INTERIOR STRONG IN SECURIOR STRONG IN	X3X	

Horses—Continued.	Page.
imports, 1917–1919, number and value numbers in National Forests, 1916–1920	761
numbers in National Forests, 1916–1920	835
prices— et leading markets 1000 1000	
at leading markets, 1900–1920	758 758
hy age, 1915–1921 registry associations, National, directory	511
statistics—	011
number, value, imports, and exports	3-728
numbers in world countries 70.  Horticultural Board, work against corn borers. 70.	L-717
Horticultural Board, work against corn borers	95
Houses—	
hog, illustration shortage in United States	332
shortage in United States	) <del></del> 150
Hull fiber, as paper source	455
numan beings, number bitten by rabid animals in West. 29:	5, 294
Humming birds, feeding habits	260
of Biological Survey, work, results	<sub>የ</sub> ያለሰ
numbers etc	3-300 160
numbers, etc	3-300
Hurricane warnings, work of Weather Bureau	194
22 (12 (12 (12 (12 (12 (12 (12 (12 (12 (	-0-
Ice, supply from marshes, note	166
Idaho—	-00
irrigation canal, injury by pocket gophers	3-434
live-stock associations, directory	518
live-stock associations, directory	836
nhornhate denosits	218
rabies outbreak, 1916	2, 293
roads, character, note	350
rabies outbreak, 1916. 29 roads, character, note	5, 436
Illinois—	
incomes from farms.	821
live-stock associations, directory	2-918
implements, wood dunzation, waste saving	1-202
Imports— agricultural products, 1917–1919	1_769
barley, 1911–1919, world countries	585
butter 1909–1919 world countries	736
cattle, 1896–1920. cheese, 1909–1919, world countries.	728
cheese, 1909–1919, world countries	741
coffee, 1909-1919, world countries	693
corn, 1914–1919, world countries	545
cotton, 1909–1919, world countries	642
cottonseed, 1909–1919, world countries	644
farm products—	mmo
by groups, 1918–1919.	778
principal, 1918 and 1919	788
Selected, 1892-1919	4-100 916
foodstuffs, 1913–1920. forest products, 1852–1919.	5_797
forest products by groups	8-779
hav 1877–1919	627
hay, 1877–1919 hides and skins, 1909–1919, world countries	718
hops, 1909–1919, world countries	662
horses, 1896–1920.	728
horses, 1896–1920 india rubber, 1909–1919 world countries	698
meat, 1900–1919	6-827
meat, 1900–1919 82 meat and meat products, 1911–1919, world countries 72 arts 1014 1010 world countries 72	1-722
oats, 1914–1919, world countries	010
oil cake and meal, 1909–1919, world countries.	695
origin of farm products for U. S. 1910–1919	o-dU2
potatoes, 1914–1919, world countriesrice, 1909–1919, world countries	623 607
rosin, 1909–1919, world countries	696
rye, 1911–1919, world countries.	594
1) U, TOTA TOTO, WOLLD COURTERONS	552

Imports—Continued.	Page.
sheep, 1893–1920. sugar, 1909–1919, world countries.	745
tea, 1909–1919, world countries.	682 691
tobacco, 1909–1919, world countries.	650
turnentine 1909–1919 world countries:	697
wheat, 1909–1919, world countries. wood pulp, world countries, 1909–1919.	563
wood pulp, world countries, 1909–1919	700
wool, 1909–1919, world countries.  Inbreeding, a cause of runts.	752 2024
Income—	), 4 <b>0</b> T
farm—	
in several areas	821
interest on purchase money. 276 farmer, increase by tested cows, article by J. C. McDowell. 401	3-278
Index numbers—	1-412
crop prices, 1911–1920.	817
crop prices, 1911–1920. land values, wages, prices and values. prices of meat animals.	825
prices of meat animals	825
India rupper—	800
exports and imports, 1909–1919, world countries.	698
trade international, 1909–1919	698
incomes from farms.	821
live-stock associations, directory	519
Industries, wood-using, lumber saving	5, 461
Influenza, control by help of demonstration agents	122
Information— authority to obtain, legislation needed	76
Director, duties	53
Director, duties. Office, transfer to Publications Division.	53
Insecticide—	
act, amendment proposed and fungicide act, amendments proposed Board, supervision of calcium arsenate	72
and fungicide act, amendments proposed	72
Insects, control—	246
by birds	5-267
work	39-42
Inspection—	
food products, law, amendment proposed	73
meat, Federal, statistics, 1907–1920	9-10V 9-10V
Insurance, forest, against fire, note	2, 256 156
Investigators, detail for study of foreign markets	501
Iowa—	
incomes from farms	821
live-stock associations, directory. State Fair, baby-beef entries by club members.	520 488
Tris forcing experiments	6 400
Iris, forcing experiments. 39 Iron in food, requirements and sources. 39	480
Irrigation—	
canal, break caused by pocket gophers, illustration.	434
community interests, companies and districts. 20 districts formation and consolidation. 20	7-209 7-900
farmers—	1-200
article by Samuel Fortier 20	3-216
See also Irrigators.	
importance in western States.	204
Investigations Division, aid to farmers	7-209 205
investigations, funds, reduction land preparation, methods and cost 21	
specialists of Roads Bureau, work for farmers	7-209
systems, damages by pocket gophers	3-434
water. See Water.	
work. California, funds required	209

under Government projects, advantages	Page. 205 205
under private enterprises, expenses	205 763
Italy, source of corn borers imported into America.  Ivory, vegetable, imports 1917–1919, quantity and value.	88 764
Jays, feeding habits.  Journal of Agricultural Research, nature and scope  Jute, imports 1917–1919, quantity and value	261 110 763
Kangaroo skins, imports 1917-1919, quantity and value	762
City, Markets Bureau, office and worklive-stock associations' directory	140 520
losses from rodents rodent extermination, and acreage covered Kapoc. imports 1917–1919, quantity and value	422 432 763
Kapoc, imports 1917–1919, quantity and value.  Kelly, Ernest, article on "Milk for midshipmen"	*
giant on Pacific Coast, potash source, illustration	373 56 2–375
Kentucky— live-stock associations, directory	5-21
phosphate deposits.  Killdeer, feeding habits.  Kilned for Encert Service system.	218 265 3_447
Kilns, dry, Forest Service system	263
Kitchens—	481 117
club work in improvement	3. 124
Kite stations, weather observations. 18 KNAPP, DR. SEAMAN A., hope for demonstration work.	6, 196 113
Labor— conditions—	
effect on road building on farms.	59 10
hiring method	820 29-30
supply and demand, statistics by States.  wages by classes and States, 1910 and 1920	822 9-820
relation to cost of production of wheat	3-305 9-462
Laborers— agricultural, percentage of population Naval Academy dairy, number, and housing	37 467
Lambs, farm price, 1911–1920.	74-75 745
Lamium, everblooming tendency	394 204
huving precautions for the inexperienced	287
companies, warning to inexperienced settlers. 28 Economics Division, study of farm ownership problems. 273, 276, 279, 282, 28 homestead, scarcity. 271, 28 irrigated, area in 17 western States. 20	2-204
irrigation by springs and wells, area.	213

Land—Continued.	
new	Page.
picking for farms, difficulty	285
settlement problems	284 414
Office maps, scopepreparation for irrigation methods and cost	0-211
prices, increase since 1910	1-272
resources, acreage and conditions	2-283
settlement— and colonization	34-35
need of National policy sharks, warning to land buyers.	288
sharks, warning to land buyers	285
values—	272
changes since 1850	
index numbers.	825
Lands—	
agricultural, in several countries.	834
cut-over, availability for farmsdeforestation annually	383 152
farm—	102
	32-33
selection, use of soil surveys. 41	5-416
idle, illustrations. private ownership and control by government, remarks.	157
milhir rodent control demonstrations 497_49	U 421
undeveloped, acquiring by landless farmers. 28 value estimating, use of soil surveys. 41 waste, availability for farms. 28	2-284
value estimating, use of soil surveys	6-417
waste, availability for farms	3~284
water-logged, drainage	9-210
Lard—	201
compounds, exports 1917-1919, quantity and value	770
exports, 1917-1919, quantity and value	771
Lasts, shoe, laminated, illustration	8 <del>-44</del> 9
Laws— hird protection—	
increase existing, amendments, recommendations	268
existing, amendments, recommendations	68-76
irrigation water control, importance to farmers	215 269
Leaf-chafers control by hirds	259 259
States adopting, map.  Leaf-chafers, control by birds.  Leafhoppers, control by birds.	267
Legislation—	
amendments to existing laws, recommendations.	68–76 76 77
new, recommendations by Secretary.  Legumes, need in rotations with corn.	48
Lemons—	
exports 1917–1919, quantity and value	773
frost protection, cost and saving.	188
imports 1917–1919, quantity and value  Lice, plant, control by birds. 26	601 889 B
Licenses, game, advantage in use	163
Licenses, game, advantage in use Licenses, imports 1917–1919, quantity and value	766
Light, control, importance to plant breeders. 39 Lima beans, forcing experiment. Lime acetate, product of wood distillation.	8-400
Lima beans, forcing experiment.	383 456
Linseed. Nee Plaxseed.	700
Linters, cotton, as paper source.	455
Lions mountain—	0.000
killing by Department hunters. 29	2, 299
live-stock destruction	774
Live stock—	
associations—	
interstate, directory	4-015 0-522

*Index.* 867

	Page.
births, early season, advantagesbreeding—	237
sires and dams ratios	
Chicago market, reports and their use	1-143
clubs, membership, North and West	488
destruction by—	
rabid animals. 29 wild animals, value. 289, 29	3, 294
diseases, control work excellence on National Forest ranges	42 <del>-4</del> 4
excellence on National Forest ranges.	320
exports 1917–1919, numbers and value grazing in National Forests, fees. growers, opinions on pure-bred stock. 33	65–67
growers, opinions on pure-bred stock	6-338
growth, principles	8-239 761
improvement losses caused by predatory animals	48-49
losses caused by predatory animals	42
market reports— circulation and value	0-143
note	136
marketing, control, law recommendation	77 758
marketings, 1900–1920.  markets, supervision.  on farms, numbers, 1910–1920, and exports.  10,	26-28
on farms, numbers, 1910–1920, and exports	13, 16
owners, reports on runty animals	0-226
by ages and classes, 1915–1921	758
index numbers	825
protection—	U, <del>1</del> 31
by weather warnings	190
cooperation of States, etc. 293, 29 on ranges, illustration	8, 299 290
pure bred—	-00
attractiveness	331
selling to South Americaregistry associations, National, directory	502 515_0
relation to forest ranges	9-320
reporting service methods and needs	25-26
registry associations, National, directory	1-338
statistics, 1920	1-760
stockyard receipts and slaughter, 1916–1920	758 403
Values by States comparisons	757
weaning time, need of special care	228
world conditions, intormation need 49 young, lack of care a cause of runts.	228
Loading cotton at Guirport, Miss., Illustration	500
Loans—by farm-loan banks, character	0 281
on landa was of sail survivis in actimating value	6. オスケ
Locusts, Rocky Mountain, control by birds.  Logwood extract, exports 1917–1919, quantity and value	266 772
Louisiana—	112
cotton yields, illustration	249
live-stock associations, directorysugar production, 1856–1921 and 1911–1920	521 9 889
Tallulah Station, testing calcium arsenate	246
Tallulah Station, testing calcium arsenate.  Luedtke, C. L., and E. G. Montgomery, article on "The farmer's interest in foreign markets"	E E00
Lumper—	
drying in kilns, saving in time and waste 44	3-447
exports 1017-1010 quantity and value	772

•	
Lumber—Continued. P for Army and Navy, aid of Forest Laboratory	age. -447
imports 1917–1919, quantity and value	765
industry, relation to National Forests	-323 -151
saving in—	
small-dimension stock	452
various industries	451 452
various industries	150
Lung	178
diseases, children, caused by roundworms infestation, with worms, illustration	177
Lungs, infection with roundworms, results	
Machine, testing, for boxes, illustration	446
Machines, dusting, for cotton	
Machines, dusting, for cotton	<b>764</b>
Maine— incomes from farms	821
live-stock associations, directory	521
National Forest, area	836
exports 1917–1919, quantity and value	774
liquors, exports 1917–1919, quantity and value	774
Manila, imports 1917–1919, quantity and value	763 420
Maple, sugar and sirup, production, 1909, 1919, 1920	
Mans—	
soil survey, scope 414- weather, typical, illustrations 184,	410 185
work of different branches of Government	414
Market—  Popular proportion good distribution and profulness 199	100
Reporter, preparation, scope, distribution and usefulness	-133 -501
reporting service, and official publication. 500- world, effect on prices. 495-	496
"Marketgram," scope, distribution and usefulness	-134
apples, relation to grading	-360
apples, relation to grading	1-25
cooperative, assistance of Markets Bureau	24 22
farm condition in 1920	362
live stock, control law, recommendation	77
potatoes of 1917 crop, loans by bankssweet potato, relation of grading, illustration	356 358
work, expansion need	
Marketings, live stock, numbers, 1900–1920	758
Bureau—	
Chicago estimates of live-stock shipments, preparation and use 141-	
consolidation with Crop Estimates Bureau	1–25 145
cotton bulletins, preparation and issue	-129
inspection of food products	356
inspection service, function in fair dealinginspection service, handling potatoes.	357 356
inspection service, handling potatoes	146
offices and reports	-143 -145
offices, reporters and communications system	-140 -132
telegraph lines leased, note	140
usefulness in making contracts. bureaus, State, use of "radio marketgrams".	145 136
farmers' fair dealing development	-362

869

Markets—Continued.	<b>~</b>
foreign— development and maintenance	Page.
division investigational work	496
division, investigational work 50 farmer's interest in, article by E. G. Montgomery and C. L. Luedtke 49 information collection, need 23–24, 50	1-502 5-503
information collection, need 23–24, 50	0. 503
fruit—	٠, ٠٠٠
reviews and their distribution	139
study in Far East	501
information, function in regulating shipments.	9-130
knowledge of, importance, article by W.A. wheeler and Frank George 12	7-140 26-28
live-stock, supervision	20-20 8-129
reports—	0 120
daily of car lot movements	139
review of publicity	7-128
review of publicity. 12 review for fruits and vegetables, weekly issue.  Marshes, usefulness, comparison of drained and undrained. 16	138
Marshes, usefulness, comparison of drained and undrained	0–166
Martens, preservation as fur bearers.  MARTIN, O. B. and OLA POWELL, article on "Home demonstration bears fruit	173
in the South"	1-126
live-stock associations, directory	522
tobacco seed production, problem, solution	9, 400
Massachusetts—	
corn borer breeding and increase	92,93
live-stock associations, directory	522
roads character, note	350
roads character, note	3-270
McDowell, J. C., article on "Cows that make the income climb" 40	1-412
Meadowiarks, leeding habits	261
Meal-	A
exports 1917–1919, quantity and value	774 695
Meat-	090
animals, index numbers of prices.	825
condemnation quantity, 1914-1920.	760
consumption statistics by sections. exports 1917–1919, quantity and value.	828
exports 1917-1919, quantity and value.	770
food use, foreign countries general customs	475
imports 1917–1919, quantity and value	2-763
Inspection— Act, amendments proposed	69-70
Federal statistics 1907–1920 75	9-760
Federal, statistics, 1907–1920	295
mwodination _	
production— 1909, 1914—1920 and exports. imports, exports, and consumption	15, 16
imports, exports, and consumption	6-827
products—	1.5
exports, 1910–1920	760
trade international, 1911–1919.	9-722
surplus production, countries exporting	498
surplus production, countries exporting. trade international, 1911–1919	9-722
use on farms, per capita and source	6, 482
Meats—	776
labeling under Mest_Inspection Act	175
canning, demonstration work. labeling under Meat-Inspection Act. market reports, circulation and value	100, 70 149
Memphis, cotton bulletins issue.	145
Memphis, cotton bulletins issue	9-84
Meteorology—	
agricultural, importance to farmers	1-202
studies, importance.	5-7

Mice-		age.
destruction by owls and other birds.	258,	264
pine, orchard trees destruction.	<del>1</del> 23,	436
Michigan—		
incomes from farms Lenawee County Cow-testing Association, notes	-	821
Lenawee County Cow-testing Association, notes		406
live-stock associations, directory	522-	523
National Forest, area.  Newaygo County Cow-testing Association, progress	400	836
Newaygo County Cow-testing Association, progress	±0/~	408
Microscope, use in wood examination, illustration.  Midshipmen, milk supply, article by Ernest Kelly.	100	441
Migratory birds—	103-	4/0
law, enforcement and effect		163
protection	168	288
treaties proposed	٠٠٠,	165
treaties proposed. treaty with Canada for protection	•	163
Treaty Act, purpose.	:	268
Milk—	•	
cows, number and value on farms, 1867-1921		729
exhibits at fairs, usefulness, note.	-	121
exports 1917–1919, quantity and value		770
handling		
and using, demonstration work at Naval Academy dairy	121-	-122
at Naval Academy dairy	468-	469
house—		
Naval Academy dairy, equipment, description		467
Naval Academy dairy, illustration	-	466
importance in diet at Naval Academy	-	469
impurity as cause of typhoid fever	• '	463
market news and prices midshipmen's, article by Ernest Kelly		144
midshipmen s, article by Ernest Kelly	403-	470
production—		404
average for tested cows and all cows		404 404
world's record	-	
supply from Naval Academy dairy	-	467 476
use on farms, per capitautensils, care at Naval Academy dairy	•	469
Millinery—	•	409
club work in arousing interest among women		116
home work, influence of home demonstration		123
Mining, phosphate rock, wasteful methods.	219-	-221
Minnesota—		
hunting licenses and value of game	_	164
live-stock associations, directory		523
National Forests, areas		836
Mississippi—		
Delta—		
boll weevil poisoning work progress		248
cotton yields, illustration	-	249
live-stock associations, directory	•	524
Missouri—		400
farmer's experience in cow testing		408
incomes from farms	÷0.4	821
live-stock associations, directory	D2 <del>4</del> -	-020 -009
Mockinghirds, feeding habits	100	263
Models, preparation and use  Monler, John R., article on "Runts, and the remedy"	995	709
Moisture, soil, movement, studies.	911.	-240 -919
Molasses—	211-	-510
exports 1917–1919, quantity and value		776
imports 1917–1919, quantity and value	•	768
production, Louisiana, 1911–1920	-	679
Montana—	•	
live-stock associations, directory		525
losses from rodents		422
National Forest, area		836
phosphate deposits		218

Montana—Continued.	Page.
ranies suppression, 1910	499
rabies suppression, 1916	, 432
MONTGOMERY, E. G., and C. L. LUEDTKE, article on "The farmer's interest in	-00
foreign markets"	-503
Monthly Crop Reporter, scope	110
Moore, R. A., citation on corn-yield increase	486
Mortgages—	
first, under farm-loans system	. 282
second, in buying farms	280
Moth, corn borer, imago illustration	104
Motion Pictures—	
	53
Office, transfer to Publications Division.	100
preparation by Publications Division, and use	, LUO
See alse Movies.	
Motor—	401
fuel, alcohol from wood waste	-461
trucks. See Trucks.	
vehicles, registration, increase	57
Mountain sheen preservation need note	170
Movies, preparation by Publications Division, and uses	. 109
Mules—	,
exports 1917–1919, numbers and value	770
prices by age, 1915-1921	758
	100
statistics—	=00
number, value, imports, and exports	-728
numbers in world countries	-717
Munitions war lumber requirements 443	-447
Mushrooms, imports 1917–1919, quantity and value.  Mustard seed, imports 1917–1919, quantity and value.  Mutton, imports, exports, production, and consumption.	769
Mustard seed, imports 1917-1919, quantity and value	768
Mutter imports exports production and consumption 826	-827
mullon, imports, experts, production, and comments and	-0
National Forests. See Forests.	
National Stock Yards, Markets Bureau office and work	140
Naval—	
Academy, Annapolis, milk supply	470
stores, exports 1917-1919, quantity and value	772
See also Rosin; Turpentine.	• • -
Navv—	
officers, importance of healthful diet	463
officers, importance of negatiful diet.	
requirements of lumber	-11:
Nebraska—	
live-stock associations, directory	525
potash production, extent and process	371
rodent extermination, and acreage covered	432
Nevada—	
field-mouse plague, control by birds	264
live-stock associations, directory	526
losses from rodents	422
National Forests areas	
National Forests, areas	900
rables suppression, cooperation, 1910	350
roads, character, note	300
rodent extermination, and acreage covered	1, 436
New England, incomes from farms	823
New Hampshire—	
live-stock associations, directory	520
National Forest, area	836
New Jersey—	
gipsy moth outbreak	4:
incomes from farms	82
live-stock associations, directory	520
New Mexico	021
live-stock associations, directory	۳0.
	52
losses from rodents.	42
National Forests, areas. rodent extermination and acreage covered	83
rodent extermination and acreage covered	7, 43:
New Orleans cotton bulleting issue	11.4

Name Vanie	
	age.
corn borer infestation in 1919, extent of area, etc	102
forest ownership by State and management	-156
live-stock associations, directory	527
Markets Bureau office and work.	140
roads, character, note	350
western, infestation of corn borer	98
New Zealand flax. See Flax.	
Newell, Prof. Wilmon, boll weevil control work.	241
Newspapers, use of—	
market reviews of fruit and vegetable markets.	139
''radio marketgrams''	-136
Nighthawks, feeding habits 259-	-260
Nitrate fields, foreign, dependence upon	5.56
Nitrogen—	
atmospheric, fixation work and researches	5-56
sources, development	-56
North Carolina—	
cooperative soil survey work.	418
live-stock associations, directory	527
National Forests, areas	837
North Dakota—	001
Dead Dog Lake, breeding ground of waterfowl, illustration	166
live-stock associations, directory	
locas from rodonts	199
losses from rodentsrodent extermination and acreage covered	400
Nurserymen, cooperation in home demonstration work.	122
Nutherly head, foodperation in noise demonstration work.	263
Nuthatches, feeding habits	239
Nuts—	209
	775
exports 1917-1919, quantity and value	775 767
imports 1417-1416, quantity and value	101
imports 1917–1919, quantity and value  See also Almonds, Coconuts, etc.	*
	`
Oak	147
Oak— drying in kilns, saving in time and waste	, <b>44</b> 7
Oak— drying in kilns, saving in time and waste	, 447 772
Oak— drying in kilns, saving in time and waste	772
Oak— drying in kilns, saving in time and waste	772 610,
Oak—       drying in kilns, saving in time and waste.       444         lumber, exports 1917–1919, quantity and value.	772 610 1, 12
Oak—       drying in kilns, saving in time and waste.       444         lumber, exports 1917–1919, quantity and value.	772 610 1, 12 573
Oak—         drying in kilns, saving in time and waste.         444           lumber, exports 1917–1919, quantity and value.         445           Oats—         consumption in world countries 1909–1913, 1914–1918.         608           crop, 1920.         9, 1           crop losses, 1909–1919, causes.         9, 1           destruction by prairie dogs, illustration         9	772 610 1, 12
Oak—         drying in kilns, saving in time and waste.         444           lumber, exports 1917–1919, quantity and value.         9           Oats—         consumption in world countries 1909–1913, 1914–1918.         608           crop, 1920.         9, 1           crop losses, 1909–1919, causes.         9, 1           destruction by prairie dogs, illustration         2000–1919	772 , 610 1, 12 573 425
Oak—       drying in kilns, saving in time and waste.       444         lumber, exports 1917–1919, quantity and value.       444         Oats—       consumption in world countries 1909–1913, 1914–1918.       608         crop 1920.       9, 1         crop losses, 1909–1919, causes.       9, 1         destruction by prairie dogs, illustration       exports—         1917–1919, quantity and value	772 , 610 1, 12 573 425 773
Oak—       drying in kilns, saving in time and waste.       444         lumber, exports 1917–1919, quantity and value.       444         Oats—       consumption in world countries 1909–1913, 1914–1918.       608         crop, 1920.       9, 1         crop losses, 1909–1919, causes.       9, 1         destruction by prairie dogs, illustration.       exports—         1917–1919, quantity and value.       1914–1919, world countries.	772 , 610 1, 12 573 425 773 575
Oak—       drying in kilns, saving in time and waste.       444         lumber, exports 1917–1919, quantity and value.       444         Oats—       consumption in world countries 1909–1913, 1914–1918.       608         crop, 1920.       9, 1         crop losses, 1909–1919, causes.       9, 1         destruction by prairie dogs, illustration       exports—         1917–1919, quantity and value       1914–1919, world countries.         imports 1914–1919, world countries.       imports 1914–1919, world countries.	772 ,610 1,12 573 425 773 575 575
Oak—       drying in kilns, saving in time and waste.       444         lumber, exports 1917–1919, quantity and value.       444         Oats—       consumption in world countries 1909–1913, 1914–1918.       608         crop, 1920.       9, 1         crop losses, 1909–1919, causes.       9, 1         destruction by prairie dogs, illustration       exports—         1917–1919, quantity and value       1914–1919, world countries.         imports 1914–1919, world countries.       imports 1914–1919, world countries.	772 ,610 1,12 573 425 773 575 575 355
Oak— drying in kilns, saving in time and waste. lumber, exports 1917–1919, quantity and value.  Oats— consumption in world countries 1909–1913, 1914–1918. crop, 1920. crop losses, 1909–1919, causes. destruction by prairie dogs, illustration exports— 1917–1919, quantity and value 1914–1919, world countries. imports 1914–1919, world countries. imports 1914–1919, world countries. jeading State, Iowa.	772 ,610 1,12 573 425 773 575 575 355 805
Oak— drying in kilns, saving in time and waste	772 ,610 1,12 573 425 773 575 575 355 805 39
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. crop, 1920. crop losses, 1909-1919, causes. destruction by prairie dogs, illustration exports— 1917-1919, quantity and value 1914-1919, world countries. imports 1914-1919, world countries. jerades, note. leading State, Iowa. losses from disease prices at principal markets. 1913-1920.	772 ,610 1,12 573 425 773 575 575 355 805 89 574
Oak— drying in kilns, saving in time and waste. lumber, exports 1917–1919, quantity and value.  Oats— consumption in world countries 1909–1913, 1914–1918. 608 crop, 1920	772 ,610 1,12 573 425 773 575 575 355 805 39 574 -575
Oak— drying in kilns, saving in time and waste. lumber, exports 1917–1919, quantity and value.  Oats— consumption in world countries 1909–1913, 1914–1918. 608 crop, 1920	772 ,610 1,12 573 425 773 575 575 355 805 39 574 -575
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. 608 crop, 1920. crop losses, 1909-1919, causes. destruction by prairie dogs, illustration exports— 1917-1919, quantity and value 1914-1919, world countries. imports 1914-1919, world countries. grades, note leading State, Iowa. losses from disease. prices at principal markets, 1913-1920. statistics, acreage, production, yield, etc. trade, international, 1911-1919. Observers, weather, cooperation with Weather Bureau. 1944444 4444 1444 1444 1444 1444 1444	772 ,610 1,12 573 425 773 575 575 355 805 39 574 -575
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. 608 crop, 1920	772 ,610 1,12 573 425 773 575 575 805 805 89 574 -575 -198
Oak— drying in kilns, saving in time and waste. lumber, exports 1917–1919, quantity and value.  Oats— consumption in world countries 1909–1913, 1914–1918. 608 crop, 1920. 9, 1: crop losses, 1909–1919, causes. destruction by prairie dogs, illustration exports— 1917–1919, quantity and value 1914–1919, world countries. imports 1914–1919, world countries grades, note. leading State, Iowa. losses from disease. prices at principal markets, 1913–1920. statistics, acreage, production, vield, etc. trade, international, 1911–1919.  Observers, weather, cooperation with Weather Bureau. 197 Offices. See Farm Management.	772 , 610 1, 12 573 425 773 575 575 355 805 39 574 -575 -198
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. 608 crop, 1920. crop losses, 1909-1919, causes. destruction by prairie dogs, illustration exports— 1917-1919, quantity and value 1914-1919, world countries. imports 1914-1919, world countries. grades, note. leading State, Iowa. losses from disease prices at principal markets, 1913-1920. statistics, acreage, production, vield, etc. trade, international, 1911-1919 Observers, weather, cooperation with Weather Bureau. 1970 Offices, protection from violence, legislation needed. 70 Ogden, Utah, irrigation district.	772 ,610 1,12 573 425 773 575 575 805 805 89 574 -575 -198
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. 608 crop, 1920. crop losses, 1909-1919, causes. destruction by prairie dogs, illustration exports— 1917-1919, quantity and value 1914-1919, world countries. imports 1914-1919, world countries. jeading State, Iowa. losses from disease. prices at principal markets, 1913-1920. statistics, acreage, production, yield, etc. trade, international, 1911-1919. Observers, weather, cooperation with Weather Bureau.  Office. See Farm Management. Officers, protection from violence, legislation needed. 70 Ogden, Utah, irrigation district.	772 , 610 1, 12 573 425 773 575 575 575 574 -575 -198 5-76 208
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. 608 crop, 1920. 9, 1: crop losses, 1909-1919, causes. destruction by prairie dogs, illustration exports— 1917-1919, quantity and value 1914-1919, world countries. imports 1914-1919, world countries. grades, note— leading State, Iowa. losses from disease prices at principal markets, 1913-1920. statistics, acreage, production, yield, etc. trade, international, 1911-1919 Observers, weather, cooperation with Weather Bureau. 197 Office. See Farm Management. Officers, protection from violence, legislation needed. 70 Ogden, Utah, irrigation district.	772 610 1, 12 573 425 773 575 575 575 575 575 575 57
Oak— drying in kilns, saving in time and waste. lumber, exports 1917–1919, quantity and value.  Oats— consumption in world countries 1909–1913, 1914–1918. 608 crop, 1920. 9, 1: crop losses, 1909–1919, causes. destruction by prairie dogs, illustration exports— 1917–1919, quantity and value 1914–1919, world countries. imports 1914–1919, world countries grades, note. leading State, Iowa. losses from disease prices at principal markets, 1913–1920 statistics, acreage, production, vield, etc. trade, international, 1911–1919 Observers, weather, cooperation with Weather Bureau 197 Offices. See Farm Management. Officers, protection from violence, legislation needed 70 Ogden, Utah, irrigation district. Ohio— flood, 1913, results. incomes from farms	772 610 1, 12 573 425 773 575 575 575 575 575 575 57
Oak— drying in kilns, saving in time and waste. lumber, exports 1917–1919, quantity and value.  Oats— consumption in world countries 1909–1913, 1914–1918. 608 crop, 1920. crop losses, 1909–1919, causes. destruction by prairie dogs, illustration exports— 1917–1919, quantity and value. 1914–1919, world countries. imports 1914–1919, world countries. grades, note. leading State, Iowa. losses from disease. prices at principal markets, 1913–1920. statistics, acreage, production, vield, etc. trade, international, 1911–1919.  Observers, weather, cooperation with Weather Bureau. 197. Officers, protection from violence, legislation needed. Officers, protection from violence, legislation needed. Ohio— flood, 1913, results. incomes from farms. live-stock associations, directory.	772 610 1, 12 573 425 773 575 575 575 575 575 575 57
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. 608 crop, 1920. crop losses, 1909-1919, causes. destruction by prairie dogs, illustration exports— 1917-1919, quantity and value. 1914-1919, world countries. imports 1914-1919, world countries. grades, note. leading State, Iowa. losses from disease prices at principal markets, 1913-1920. statistics, acreage, production, vield, etc. trade, international, 1911-1919 Observers, weather, cooperation with Weather Bureau. 197 Office. See Farm Management. Officers, protection from violence, legislation needed. 70 Ogden, Utah, irrigation district. Ohio— flood, 1913, results. incomes from farms. live-stock associations, directory.	772 610 1, 12 573 425 773 575 575 575 575 575 575 57
Oak— drying in kilns, saving in time and waste. lumber, exports 1917–1919, quantity and value.  Oats— consumption in world countries 1909–1913, 1914–1918. 608 crop, 1920	772 , 610 1, 12 573 425 773 575 575 355 805 39 574 -575 575 575 576 208 192 821 528
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. 608 crop, 1920. crop losses, 1909-1919, causes. destruction by prairie dogs, illustration exports—  1917-1919, quantity and value. 1914-1919, world countries. imports 1914-1919, world countries. grades, note. leading State, Iowa. losses from disease. prices at principal markets, 1913-1920. statistics, acreage, production, vield, etc. trade, international, 1911-1919. Observers, weather, cooperation with Weather Bureau. 197. Office. See Farm Management. Officers, protection from violence, legislation needed. Officer, protection from violence, legislation needed. Ohio— flood, 1913, results. incomes from farms. live-stock associations, directory. Oil— cake— exports 1917-1919, quantity and value.	772 ,610 1,12 573 425 773 575 575 575 574 -575 575 -198 5-76 208 192 821 528
Oak— drying in kilns, saving in time and waste. lumber, exports 1917-1919, quantity and value.  Oats— consumption in world countries 1909-1913, 1914-1918. 608 crop, 1920. crop losses, 1909-1919, causes. destruction by prairie dogs, illustration exports—  1917-1919, quantity and value. 1914-1919, world countries. imports 1914-1919, world countries. grades, note. leading State, Iowa. losses from disease. prices at principal markets, 1913-1920. statistics, acreage, production, vield, etc. trade, international, 1911-1919. Observers, weather, cooperation with Weather Bureau. 197. Office. See Farm Management. Officers, protection from violence, legislation needed. Officer, protection from violence, legislation needed. Ohio— flood, 1913, results. incomes from farms. live-stock associations, directory. Oil— cake— exports 1917-1919, quantity and value.	772 , 610 1, 12 573 425 773 5575 575 575 575 -198 192 821 528 775 767
Oak— drying in kilns, saving in time and waste. lumber, exports 1917–1919, quantity and value.  Oats— consumption in world countries 1909–1913, 1914–1918. 608 crop, 1920	772 , 610 1, 12 573 425 773 555 575 575 575 575 575 575 575 57

873

Oils	Page.
exports 1917-1919, quantity and value	0, 775
imports 1917-1919, quantity and value.	
vegetable, exports 1917-1919, quantity and value	775
Oklahoma—	700
alialfa harvest, forecasts, use	192
live-stock associations, directory	529 837
National Forest, area rodent extermination and a reage covered 42	100
Oleo all exports 1017-1010 quantity and value	770
Oleo oil, exports 1917–1919, quantity and value	770
Olive oil, imports 1917–1919, quantity and value	767
Olives, imports 1917–1919, quantity and value.	765
Omaha, Markets Bureau office and work.	140
Onion—	110
grading, origin, study, and development	358
imports 1917–1919, quantity and value.	769
statistics, acreage, production, and value. 67	0.672
imports 1917–1919, quantity and value	45
Oranges—	
exports 1917–1919, quantity and value	773
statistics, production and value, 1915–1920.  Orchardists, help from birds.	658
Orchardists, help from birds	253
Orchards—	
apple, western New York, average values	275
citrus, protection from frost, cost and saving	7–189
injuries by pine mice and other rodents	3, 436
Oregon—	
live-stock associations, directory	529
National Forests, areas	837
rabies outbreak, 1916. 29 rodent extermination and acreage covered. 427, 42	2, 293
rodent extermination and acreage covered 427, 42	8,432
Rogue River Valley, fruitsaving by frost protection	8-189
Rogue River Valley, fruit saving by frost protection. 18 Orioles, feeding habits. 26 Ornithologists, societies, work for bird protection.	1, 200
Ornithologists, societies, work for pird protection.	208 239
Overcrowding, a cause of runts	200
Owl— have and its food illustration	957
barn, and its food, illustration	256
Owle useful feeding hebits 257-25	8. 264
Ownership, farm,	0, 201
classification by age 1890, 1900, 1910	273
classification, by age, 1890, 1900, 1910study by Land Economics Division	273
blacky by make modern and make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make the make	
Pacific Coast States, land utilization	204
Packages, farm produce, diversity	362
Packing, vegetables, improvement in home demonstration	115
Paper— '	
industry, wood consumption and paper output 45	4-455
pulp, source in Alaska forests	67
Parasites—	
damage as cause of runts in live stock	2, 238
pig, and "thumps," article by B. H. Ransom	5-180
usefulness in control of corn borets Parks, National, distinction from National Forests.	98
Parks, National, distinction from National Forests.	04-00
Pasturage, National Forest, utilization. 31 Pasture grass, need of new species for West and South	.6-318
rasture grass, need of new species for west and South.	100
Pastures, clean, for young pigs	. 180
Peaches— exports 1917–1919, quantity and value.	773
naching availance and its affect	115
atatistics production and prices 1917_1919	5-65A
packing excellence and its effect statistics, production and prices, 1917–1919. 6 Peanut oil, imports 1917–1919, quantity and value.	767
Peanuts—	, , ,
exports 1917–1919, quantity and value.	775
imports 1917–1919, quantity and value	767
market reports, note	136
market reports, notestatistics, acreage, production and value	669

Pears—	. P	age.
exports 1917–1919, quantity and value statistics, production and prices.		773
Peas—		
imports 1917–1919, quantity and value statistics, acreage, and production, 1909–1919.  Peck, F. W., article on "The cost of a bushel of wheat".		769
Statistics, acreage, and production, 1909-1919.  Progr. F. W. seriole on "The cost of a hysbol of wheat"	••••	909
Pellagra, result of faulty diet.	301-	-300 483
Pennsylvania—		
forest ownership by State, and management	155-	-156
incomes from farmslive-stock associations, directory		821 530
roads, character, note.		350
roads, character, note		768
Peppers, pimiento, introduction by home demonstration		115
Peppers, pimiento, introduction by home demonstration. Periodicals, Department list. Personnel, problem, discussion by Secretary.	70	710
Pests, insect, outbreaks control by birds. Philadelphia, Markets Bureau office and work. Philippine Islands, sugar production, 1856–1921.	264	-267
Philadelphia, Markets Bureau office and work		140
Philippine Islands, sugar production, 1856–1921	676,	684
Phosphate— deposits of United States	218-	-224
exports prior to 1917.		218
waste in mining	19-220,	224
Phosphoric acid— fumes collection, illustration		222
importance in fertilizers.		217
manufacture improvement	223	
production, latest method		220
Phosphorus— fertilizer, article by William H. Waggaman	917_	-994
necessity in plant and animal structure		217
Photographs, work of Publications Division, illustration		107
Pickles, exports 1917-1919, quantity and value. Pig parasites and "thumps," article by B. H. Ransom		776
Pigs—	1/0-	-TOO
Ascaris infection prevention 10 losses caused by roundworms, prevention 10	05, 178-	-180
losses caused by roundworms, prevention.	178-	-180
lungs, infection with roundworms, results stunting by roundworm infestation, illustration	177-	-178 179
Pimiento peppers, introduction in home demonstration		115
Pine—		
lumber, exports 1917–1919, quantity and value		772
wood use for paper pulp		443 455
southern yellow, testing		765
Pines, distillation products	456-	457
Pipes, concrete, use in irrigationPlant—	• • • •	216
diseases, control work		39
growth, effect of daylight		48
introductions, notable in agricultural development	45	5–46 74
Quarantine Act, amendment proposed structure, necessity of phosphorus.		217
Plants—		
flowering and fruiting, control by length of day, article by W. W. Ga	rner	
and H. A. Allard forced in dark house, illustration	377-	-400 482
forcing by shortening devilight, experiments	381-	-397
signs of lack of potash	••••	363
source of potash fertilizer, discussion.	372-	-375
signs of lack of potash source of potash fertilizer, discussion vegetative development, effect of length of day Plow land, values by States	აი, გყ0-	-აგ⊺ 824
construction, lumber saving	452-	454
gluing, illustration		444

Poison-		age.
dust for boll weevil control, article by B. R. Coad		252
use in rodent destruction, acreage treated by States		432
Poisoning—		
rodents, cooperative work, cost and results	129-	437
wild animals, illustration and results	298, 2	299
Population—		
rural and agricultural, statistics	332-	833
shift from country to cities	. 36	-37
Pork-		
exports 1917-1919, quantity and value		770
imports—		
exports, production and consumption	326-	827
1917–1919, quantity and value.		762
Porto Rico-	•	
National Forest cree		837
National Forest, areasugar production, 1856–1921	376	683
trade with United States a mineral form and rate 1019, 1010	,, o,	ממל
Post words with United States, principal farm products, 1910-1919.	•	KQ.
Post roads, rural, appropriation for	100	100
resters, preparation by rubications Division, and uses.	100,	115 100
Posts, treatment for preservation, illustration	•	445
Potash—		000
deposits, United States, note	-	369
extraction from rocks, study and processes		367
farm, supply maintenance article by William H. Ross		363
fertilizer, precipitator at cement plant, illustrations	•	365
German and French, solubility note	-	3
lack, signs in plants		363
necessity in crop production, note	-	363
German and French, solubility note- lack, signs in plants- necessity in crop production, note- plant, Soils Bureau, at Summerland, Calif., illustration		374
production—		
and recovery at cement mills, remarks		368
at cement mills, study and progress	368-	369
at Searles Lake, Calif, illustrations		370
from plant materials, discussion	372-	375
in United States, remarks	375-	
salts of, properties, note silicates, digesting with lime for fertilizer	_	369
silicates, digesting with lime for fertilizer	_	367
solubility difficulties	-	364
soluble deposits, formation and use	369-	
sources—	000	٠. ـ
	364_	376
and difficulties of supply development	56	_57
Potassium. See Potash.	. 00	-01
Potato crop, 1920.	11 0	19
Potatoes—	0, 11	, 14
crop losses, 1909–1919, extent and causes		621
crop of 1017, we of enoughed in heading	955	957
crop of 1917, use of standards in handlingexports and imports, world countries, 1914–1919	JU:)	623
exports and imports, world countries, 1914-1919	•	020
graded, illustrationgrading, study and fixing of standards		007
grading, study and fixing of standards.	300-	-307 054
handling of great crop of 1917 imports 1917–1919, quantity and value	•	35€
imports 1917-1919, quantity and value	•	769
improved varieties	•	45
leading States.	•	805
lossos from disease marketing, influence of Markets Bureau, specific instance	•	39
marketing, influence of Markets Bureau, specific instance	•	139
prices at principal markets, 1913-1920	-	622
statistics, acreage, production, value, etc	<b>611-</b>	-623
trade. international. 1911–1919	_	623
warehouse receipts, use as collateral for loans	-	356
yield, effect of July weather		200
Poultry—		
breeding, text and illustrations	336,	337
breeds, improvement by club work		489
club at work, illustration clubs, North and West, membership and resultsdestruction by birds of prey		118
clubs, North and West, membership and results		489
destruction by hirds of prev	_	256

_		
Poultry—Continued.	•	Page.
exports 1917–1919, numbers and value		771
farms, small capital market reports, preparation and use		275
market reports, preparation and use	14	3-145
organizations, national, directory		513
owners, reports on runtinessraising under home demonstration influence	23	5~237 110
runts—		118
causes and prevention	92	5_997
norganitaca		つのケ
specialty clubs, directory.		513
specialty clubs, directory.  Powder, smokeless, from wood pulp, illustration.  POWELL, OLA, and O. B. MARTIN, article on "Home demonstration the South".		8-449
POWELL, OLA, and O. B. MARTIN, article on "Home demonstr	ration bears fruit	
in the South"	11	1-126
activities, results, illustrations	422, 423, 42	5, 426
destruction—		
by poison, illustration.	407 400 40	428
by poison, illustration methods. See also Rodents.	427, 428, 43	1-432
Precipitator electrical Cottroll illustration		999
Precipitator, electrical, Cottrell, illustration.  Predatory animal districts and hunters, organization	20	2 298
Preface, by L. C. Everard		5-6
Preface, by L. C. Everard	49	6-499
Prices—		
cheese, reports and their distribution		144
crop, index numbers		825
crops, decrease.		17-18
farm, determination and fluctuation.	495-496, 49	8, 503
milk, report monthly. reports by telegraph to farmers. Primrose, evening forcing experiment results. Prints, department, various kinds for distribution	10	2 100
Primrose evening forcing experiment results	10	550 0-190
Prints, department, various kinds for distribution		110
Propellers—		
airplane, lumber drying for		447
manufacture, illustration Protein, requirements and sources in diet.		444
Protein, requirements and sources in diet	47	9, 483
Prunes, exports 1917–1919, quantity and value "Public Roads," periodical, nature and scope		773
"Public Roads," periodical, nature and scope		110
Publications— Department, preparation and distribution	, 10	e 110
Division—	10	0-110
consolidation of publication and information work		59-54
work for farmers		6-108
work for farmerson foreign market investigations	50	1-502
Pulp, paper manufacture, waste reduction		455
Pulpwood-		
imports 1917-1919, quantity and value.		765
supplies, Alaska forests.		9 914
supplies, Alaska forests  Pumping plants, use in irrigation, possibilities  Purebred stock on farms, increase by club work		.5-214 7_490
rurebred stock on farms, increase by club work		1-400
Quarantine-		
anttle tiels releases since 1906		43
corn borer, note		95
plant, law, amendment proposed		74
corn borer, note plant, law, amendment proposed. Quebracho, imports 1917–1919, quantity and value.		764
	•	
Rabbits, jack—	400 40	A. 49"
destruction, demonstrations and drivesresults of drives, illustration	428, 46	72 <del>7~1</del> 37 72⊼
use as food		437
See also Rodents		
Rabies, wild animals, suppression	292. 29	3-294
Rabies, wild animals, suppression Radio marketgrams, scope and methods of use		4-136
Radishes, forcing experiments		37-389
Railroad ties, exports 1917-1919, quantity and value		772

·	Page.
Railroads, cooperation at Chicago on markets estimates	142
Railways, freight tonnage	830
Poin	
crow, feeding habits. relation to orchard spraying operations. 19 Rainfall effect on wheat and corn yields. 19	259
relation to orchard spraying operations	J <del>-</del> 191
Rainfall effect on wheat and corn yields. 19	<del>3-200</del>
Raisins—	
drying, loss from rain, saving by forecasts	193
exports 1917–1919, quantity and value.	773
Runge-	
forest	
problems	318
protection against overgrazing	9-320
national forest, utilization	317
national forest, utilization production, losses from prairie dogs, illustration	423
science and practice	319
Ranges—	0_0
diversity in plants etc	317
diversity in plants, etc	300
live-stock protection by—	000
blizzard warnings	190
Worthon warnings	100
weather warnings. restoration, by rodent destruction	1 499
Division D H estimates and thumps"	5.190
Payered imports 1017 1010 eventity and value	767
Rapeseed, imports 1917–1919, quantity and value.	
Rates, commission at live-stock markets, supervision	460
Rations, cattle, containing sawdust, results	.400
Rats—	7 490
control measures and campaigns	7-400
destruction by owls	258
losses caused by market, illustration	437
market, illustration	437
See also Rodents.	007
Ravens, feeding habits.	261
Razorback hog, illustration	332
Reclamation act, terms to irrigators  Recommendations by Secretary 21, 24, 28, 56, 61-62, 63,	205
Recommendations by Secretary	68-77
Reconnoissance soil surveys, scope and extent	415
Records, cow. See Cow.	
Recreation, uses of National Forests, demand for	65
Reforestation—	
cooperation with States	63
natural, remarks	4-155
necessity, importance of problem	153
natural, remarks. 18 necessity, importance of problem need of systematic work. 18 Regulatory work, Director, appointment, recommendation.	5~156
Regulatory work, Director, appointment, recommendation	81-82
Kenndeer-	
Alaska herd, illustration introduction and management in Alaska	172
introduction and management in Alaska.	172
Rent, relation to cost of production of wheat	)3-305
Research—	
Council, National, cooperation in road work	61
scientific, importance to agriculture	5-6
work, importance, discussion by Secretary 55, Reservations, bird and game, administration, legislation needed	80-81
Reservations, bird and game, administration, legislation needed	75
Rhode Island Red hen, illustration	236
Rhode Island Red hen, illustration	96
Rice—	
consumption in world countries, 1909–1913, 1914–1918 60	)8, 610
crop	
19209	, 11, 12
losses, 1909–1919, causes.	605
exports, 1909–1919, world countries	607
imports—	
1917–1919, quantity and values	768
1909–1919. world countries	607

•	
Rice—Continued.	Page.
leading State, Louisiana	805
prices at principal markets, 1913–1920.	606
leading State, Louisiana. prices at principal markets, 1913–1920. statistics, acreage, production, value, etc	3-607
trade, international, 1909–1919.	607
nices, Japanese, introduction and value	40
Rio Grande, stream flow	203
River warnings, results	1–192
Road—	
construction, difficulties	59
Roads—	59
annropriations of Faderal aid	4946
appropriations of Federal aid 34 bituminous, development 34	0_341
building	
and advantages, article by H. S. Fairbank	9-352
limitations under Federal-aid law	344
progress of Federal-aid work	349
provisions of Federal-aid law	343
use of local materials, note	350
Bureau—	
approval of projects for work, average time, note	348
mechanical branch, work on cotton dusting. 24 study of motor-truck road wear. 34 work in forests. 35	7, 248
study of motor-truck road wear	2-343
work in forests	1-352
construction—	E7 00
progressprovisions of Federal-aid law	343
damage by trucks, new problem	040
Federal-aid—	T-040
administrative expenses	346
apportionment of funds	
excellence illustration	345
extension of act, recommendation 61- program, projects approved, etc.	62, 77
program, projects approved, etc	<b>58</b>
projects, mileage and cost	348
projects, mileage and cost	0-351
forest, work of Public Roads Bureau and Forest Service	1-352
maintenance provision under Federal-aid law.	344
maintenance provision under Federal-aid law money available for construction 33 protection from motor trucks.	9-34U
protection from motor trucks	342
statistics of— expenditures	828
milegge by States	829
mileage by States. types used in Federal-aid work. 35	0-351
Robin feeding its young, illustration	262
Robins, feeding habits	264
Robins, feeding habits	191
Rocks—	
potash	
producing, remarks	4-367
reduction for fertilizer, processes	367
reducting femalisms reduction for fertilizer, processes.  use, direct, as potash fertilizer	4-366
Rocky Mountain States, land utilization	204
Rodents—	
control— demonstrations42	7_490
work	42
destruction by owls and other birds	8-264
and disastion	
article by W. B. Bell. 42	1 - 438
article by W. B. Bell 42 requirements.	421
້ ກດໂຄດກະກິດ	
acreage, treated by States	432
acreage, treated by States campaigns, cooperative work, cost and results 42	9-437
seed-earing, control	0. 420
Roots, corn, factor in hiding corn borers, note	96 260
HOSE CRETER COURTS SIG OF KINGBURG	zou

ROSIII—	
exports—	Page.
of world countries, 1909–1919.	696
1917–1919, quantity and value	772
imports 1909–1919, world countries	696
trade, international, 1909-1919	696
Ross, William H., article on "Getting our potash" 36	3-376
trade, international, 1909–1919 Ross, William H., article on "Getting our potash". 36 Rotations, crop, development	47-48
Roughage in food requirements and sources	480
Roundworm—	400
	6 178
eggs, vitality and infectious nature	5 170
Rubber, india—	D-110
	704
imports 1917–1919, quantity and value	764
See also India rubber.	
Runts-	
live stock, causes	8, 240
percentage of live stock in the United States	227
poultry, causes and prevention	5-237
prevention, article by John R. Mohler 22	5-240
raising, practicability 23 reducing, possibility and profits. 233–23	1-233
reducing, possibility and profits	5,240
Rural population, statistics for world.	832
Rural population, statistics for world. Rust. wheat, control work.	39
Rye-	
consumption in world countries, 1909–1913, 1914–1918	9, 610
exports—	,
1911–1919, world countries	594
1917-1919, quantity and value	773
imports 1911–1919, world countries.	594
leading States.	805
prices at principal markets, 1913–1920	593
otatistica acressos production value eta	
statistics, acreage, production, value, etc	594
trade, international, 1911–1919	001
Sacramento River, Calif., stream flow	204
Sacramento River, Calif., stream flow	204 768
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department	204 768
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department	204 768 83, 84
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department. 79–80, Salt— lakes, sources of potash, discussion. 3	204 768 83, 84
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department. 79–80, Salt— lakes, sources of potash, discussion. 3	204 768 83, 84
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department	204 768 .83, 84 39–372 203 53–362
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department	204 768 .83, 84 39–372 203 53–362
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department. 79–80, Salt— lakes, sources of potash, discussion. 3 River, Ariz., stream flow SAMSON, HAROLD W., article on "The march of standardization" 3 San Jose scale, relation to fruit growing. note. Sand—	204 768 .83, 84 39–372 203 53–362 103
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department	204 768 .83, 84 39–372 203 53–362
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department	204 768 .83, 84 39–372 203 53–362 103
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department	204 768 83, 84 89–372 203 53–362 103
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department	204 768 83, 84 39–372 203 53–362 103 152 340
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department	204 768 83, 84 39–372 203 53–362 103 152 340
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department	204 768 83, 84 39–372 203 53–362 103 152 340
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department. 79–80, Salt— lakes, sources of potash, discussion. 31 River, Ariz., stream flow.  Sam Jose scale, relation to fruit growing. note. Sand— spread over deforested lands, illustration use with clay in road building.  Sanitation— club work as promoter. farrowing pens and yards. 1 improvement by home demonstration. 1	204 768 83, 84 39–372 203 53–362 103 152 340 116 78–180
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department. 79–80, Salt— lakes, sources of potash, discussion. 3. River, Ariz., stream flow Samson, Harold W., article on "The march of standardization" 3. San Jose scale, relation to fruit growing. note. Sand— spread over deforested lands, illustration. use with clay in road building. Sanitation— club work as promoter. farrowing pens and yards. 1 improvement by home demonstration. 1 young animals, for preventing runts.	204 768 83, 84 39–372 203 53–362 103 152 340 116 78–180
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department	204 768 83, 84 39–372 203 53–362 103 152 340 116 78–180
Sacramento River, Calif., stream flow. Sago, imports 1917–1919, quantity and value. Salaries, insufficiency, cause of loss to Department.  Salaries, insufficiency, cause of loss to Department.  Top-80, Salt—  lakes, sources of potash, discussion.  River, Ariz., stream flow.  SAMSON, HAROLD W., article on "The march of standardization" 3. San Jose scale, relation to fruit growing note.  Sand—  spread over deforested lands, illustration.  use with clay in road building.  Sanitation—  club work as promoter.  farrowing pens and yards.  improvement by home demonstration.  1 young animals, for preventing runts.  Sausage—  casings—	204 768 83, 84 39–372 203 53–362 103 152 340 116 78–180 16–117
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department	204 768 83, 84 69-372 203 53-362 103 152 340 116 78-180 16-117 229
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department	204 768 83, 84 89-372 203 53-362 103 152 340 116-117 229 771
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value.  Salaries, insufficiency, cause of loss to Department. 79–80, Salt— lakes, sources of potash, discussion. River, Ariz., stream flow  Samson, Harold W., article on "The march of standardization" 3 San Jose scale, relation to fruit growing, note.  Sand— spread over deforested lands, illustration use with clay in road building.  Sanitation— club work as promoter farrowing pens and yards. improvement by home demonstration. 1 young animals, for preventing runts.  Sausage— casings— exports 1917–1919, quantity and value. imports 1917–1919, quantity and value. exports 1917–1919, quantity and value.	204 768 83, 84 69-372 203 53-362 103 152 340 116 78-180 16-117 229
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value.  Salaries, insufficiency, cause of loss to Department. 79–80, Salt—  lakes, sources of potash, discussion. 3. River, Ariz., stream flow  Sam Jose scale, relation to fruit growing, note.  Sand—  spread over deforested lands, illustration use with clay in road building.  Sanitation—  club work as promoter. farrowing pens and yards. 1 improvement by home demonstration. 1 young animals, for preventing runts.  Sausage— casings— exports 1917–1919, quantity and value. imports 1917–1919, quantity and value. exports 1917–1919, quantity and value. Sawdust—	204 768 83, 84 89-372 203 53-362 103 152 340 116 78-180 16-117 229
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department. 79–80, Salt— lakes, sources of potash, discussion. 3. River, Ariz., stream flow Samson, Harold W., article on "The march of standardization" 3. San Jose scale, relation to fruit growing. note Sand— spread over deforested lands, illustration. use with clay in road building. Sanitation— club work as promoter. farrowing pens and yards. 1 improvement by home demonstration. 1 young animals, for preventing runts. Sausage— casings— exports 1917–1919, quantity and value. imports 1917–1919, quantity and value. exports 1917–1919, quantity and value. Sawdust— cooking for stock feed, directions. 4	204 768 83, 84 39-372 203 53-362 103 152 340 78-180 16-112 229 773 763 777
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value.  Salaries, insufficiency, cause of loss to Department.  1 lakes, sources of potash, discussion. River, Ariz., stream flow Samson, Harold W., article on "The march of standardization"  San Jose scale, relation to fruit growing, note.  Sand— spread over deforested lands, illustration use with clay in road building.  Sanitation— club work as promoter. farrowing pens and yards. improvement by home demonstration. 1 young animals, for preventing runts.  Sausage— casings— exports 1917–1919, quantity and value. imports 1917–1919, quantity and value. exports 1917–1919, quantity and value. Sawdust— cooking for stock feed, directions. 4 for stock feed, illustration.  4	204 768 83, 84 39–372 320 323 340 110 78–186 16–117 228 777 766 777
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department.  Salt—  lakes, sources of potash, discussion.  River, Ariz., stream flow  Sam Jose scale, relation to fruit growing, note.  Sand—  spread over deforested lands, illustration.  use with clay in road building.  Sanitation—  club work as promoter.  farrowing pens and yards.  improvement by home demonstration.  1 young animals, for preventing runts  Sausage—  exports 1917–1919, quantity and value.  imports 1917–1919, quantity and value.  exports 1917–1919, quantity and value.  exports 1917–1919, quantity and value.  cooking for stock feed, directions.  for stock feed, directions.  4 for stock feed, directions.  hydrolyzed: use as cattle feed.	204 768 83, 84 89–372 203 53–362 103 155 340 110 78–18(16–111 76, 77 77 77 77 77 77 77 77 77 77 77
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department.  Salt—  lakes, sources of potash, discussion.  River, Ariz., stream flow  Sam Jose scale, relation to fruit growing, note.  Sand—  spread over deforested lands, illustration.  use with clay in road building.  Sanitation—  club work as promoter.  farrowing pens and yards.  improvement by home demonstration.  1 young animals, for preventing runts  Sausage—  exports 1917–1919, quantity and value.  imports 1917–1919, quantity and value.  exports 1917–1919, quantity and value.  exports 1917–1919, quantity and value.  cooking for stock feed, directions.  for stock feed, directions.  4 for stock feed, directions.  hydrolyzed: use as cattle feed.	204 768 83, 84 89–372 203 53–362 103 155 340 110 78–18(16–111 76, 77 77 77 77 77 77 77 77 77 77 77
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value Salaries, insufficiency, cause of loss to Department. 79–80, Salt— lakes, sources of potash, discussion. 3. River, Ariz., stream flow Samson, Harold W., article on "The march of standardization" 3. San Jose scale, relation to fruit growing. note. Sand— spread over deforested lands, illustration. use with clay in road building. Sanitation— club work as promoter. farrowing pens and yards. 1 improvement by home demonstration. 1 young animals, for preventing runts. Sausage— casings— exports 1917–1919, quantity and value. imports 1917–1919, quantity and value. exports 1917–1919, quantity and value. Sawdust— cooking for stock feed, directions. 4 for stock feed, illustration. hydrolyzed, use as cattle feed 4 source of grain alcohol. 4 Scab, wheat, control work.	204 768 83, 84 39–372 203 33–362 103 152 34( 78–18( 16–11) 225 777 766 777 57–46( 60–46( 60–46( 8)
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value.  Salaries, insufficiency, cause of loss to Department.  Salt—  lakes, sources of potash, discussion River, Ariz., stream flow  Sam Jose scale, relation to fruit growing, note.  Sand—  spread over deforested lands, illustration use with clay in road building.  Sanitation—  club work as promoter farrowing pens and yards. improvement by home demonstration 1 young animals, for preventing runts.  Sausage— casings— exports 1917–1919, quantity and value imports 1917–1919, quantity and value. Sawdust— cooking for stock feed, directions for stock feed, illustration. hydrolyzed, use as cattle feed source of grain alcohol.  Scale insects, control by birds.	204 768 83, 84 39–372 203 33–362 103 152 34( 78–18( 16–11) 225 777 766 777 57–46( 60–46( 60–46( 8)
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value.  Salaries, insufficiency, cause of loss to Department. 79–80, Salt—  lakes, sources of potash, discussion. 3. River, Ariz., stream flow  Samson, Harold W., article on "The march of standardization" 3. San Jose scale, relation to fruit growing. note.  Sand—  spread over deforested lands, illustration. use with clay in road building.  Sanitation—  club work as promoter.  farrowing pens and yards. 1 improvement by home demonstration. 1 young animals, for preventing runts.  Sausage—  casings—  exports 1917–1919, quantity and value.  imports 1917–1919, quantity and value.  exports 1917–1919, quantity and value.  cooking for stock feed, directions. 4 for stock feed, illustration. 4 hydrolyzed, use as cattle feed 5 source of grain alcohol. 4 Scab, wheat, control work.  Science—	204 768 83, 84 39–372 203 33–362 103 152 34(16–117 77: 76: 77: 76: 77: 57–46(45) 45: 557–46(60–46) 3. 26:
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value.  Salaries, insufficiency, cause of loss to Department. 79–80, Salt—  lakes, sources of potash, discussion. 3. River, Ariz., stream flow  Samson, Harold W., article on "The march of standardization" 3. San Jose scale, relation to fruit growing. note.  Sand—  spread over deforested lands, illustration. use with clay in road building.  Sanitation—  club work as promoter.  farrowing pens and yards. 1 improvement by home demonstration. 1 young animals, for preventing runts.  Sausage—  casings—  exports 1917–1919, quantity and value.  imports 1917–1919, quantity and value.  exports 1917–1919, quantity and value.  cooking for stock feed, directions. 4 for stock feed, illustration. 4 hydrolyzed, use as cattle feed 5 source of grain alcohol. 4 Scab, wheat, control work.  Science—	204 768 83, 84 39–372 203 33–362 103 152 34(16–117 77: 76: 77: 76: 77: 57–46(45) 45: 557–46(60–46) 3. 26:
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value.  Salaries, insufficiency, cause of loss to Department.  Salt—  lakes, sources of potash, discussion River, Ariz., stream flow  Sam Jose scale, relation to fruit growing, note.  Sand—  spread over deforested lands, illustration use with clay in road building.  Sanitation—  club work as promoter farrowing pens and yards. improvement by home demonstration 1 young animals, for preventing runts.  Sausage—  casings— exports 1917–1919, quantity and value imports 1917–1919, quantity and value. sexports 1917–1919, quantity and value. Sawdust— cooking for stock feed, directions for stock feed, illustration hydrolyzed, use as cattle feed source of grain alcohol.  Scale insects, control by birds. Science— agricultural, application to farm practice, and results aid to farmers. article by L. C. Everard.	204 768 83, 84 99-372 203 33-362 103 156 340 116 77. 76 77. 76 77. 76 60-46 36 36 05-11
Sacramento River, Calif., stream flow Sago, imports 1917–1919, quantity and value.  Salaries, insufficiency, cause of loss to Department.  Salt—  lakes, sources of potash, discussion River, Ariz., stream flow  Sam Jose scale, relation to fruit growing, note.  Sand—  spread over deforested lands, illustration use with clay in road building.  Sanitation—  club work as promoter farrowing pens and yards. improvement by home demonstration 1 young animals, for preventing runts.  Sausage— casings— exports 1917–1919, quantity and value imports 1917–1919, quantity and value. Sawdust— cooking for stock feed, directions for stock feed, illustration. hydrolyzed, use as cattle feed source of grain alcohol.  Scale insects, control by birds.	204 768 83, 84 99-372 203 33-362 103 156 340 116 77. 76 77. 76 77. 76 60-46 36 36 05-11

Scrub—	Page.
cows, illustration	402
dairy cattle, worthlessness 402	,410
stock elimination, work of live-stock clubs	489
Scrubs—	
breeding, one cause of runts	, 230
Sparrow Charles H erticle on "Trees of the soil survey" 419	.~∂∂∂ ∟//10
Secretary, Agriculture. See Agriculture.	-TIO
Seed—	
clover and timothy—	
prices at principal markets, 1914–1920	635
statistics	_62K
corn, improvement by club work	-487
corn, improvement by club work. 486 market reports, note. maturing, relation to season. tobacco, growing in Florida for Maryland farmers. 399	136
maturing, relation to season	380
wheat, relation to cost of production	307 3
Seeds—	901
adulteration and misbranding control law, recommendation	76
destruction by rodents	. 429
imports, 1917-1919, quantity and value	768
destruction by rodents. 428 imports, 1917–1919, quantity and value. Serums, laws, amendments proposed. 7	0-71
Service and Regulatory Announcements, nature and scope	110
Sewing—	407
clubs, North and West, membership and work	
demonstration work, note	116 116
Sheen	
breeding, text and illustrations. 336 condemnations at slaughter, 1907–1920. 298 destruction by predatory animals. 298	. 337
condemnations at slaughter, 1907-1920.	760
destruction by predatory animals	, 295
978.21ng	
allowances in National Forests, 1920	-840
in National Forests	
imports, 1917-1921, numbers and value	761
marketings, receipts and shipments. markets estimates at Chicago	-143
mountain—	. 110
feeding on range, illustration	171
preservation, note. number, slaughtered under inspection, 1907-1920.	170
number, slaughtered under inspection, 1907–1920	759
numbers in National Porests, 1910–1920	835
prices—	746
at leading markets, 1913–1920by age, 1915–1921	758
protection on ranges, illustration	290
protection on ranges, illustrationregistry associations, National, directory	512
runts, percentage. shearing and lambing, forecasts and warnings.	227
shearing and lambing, forecasts and warnings	190
statistics—	
number, value, imports, exports, etc	-747
numbers in world countries	762
Shellac, imports, 1917–1919, quantity and value	$6\overline{4}$
Shells, mortar, packing in boxes, illustration	446
Shells, mortar, packing in boxes, illustration. Shingles, imports, 1917–1919, quantity and value	765
Shipments, car-lot, daily reports	139
Shippers live stock use of markets estimates at Chicago	142
Shipping, potato, relation of grading potatoes	<b>~357</b>
Shooks expects 1017 1010 quantity and value	<del>-44</del> 9
Shooting licenses numbers	160
Shrikes, feeding habits	263
Shooting, licenses, numbers. Shrikes, feeding habits. Sickness, Naval Academy, decrease since 1910	470
DIIK—	
imports, 1917–1919, quantities and values.	761
*** statistics, production, 1909-1919	699

	Page.
Sires, registered, importance to dairy herds	409
Sirup—	
exports, 1917–1919, quantity and value maple, production, 1909, 1918, 1919, 1920	776
maple, production, 1909, 1918, 1919, 1920	<del>9-</del> 690
Sisal grass, imports, 1917–1919, quantity and value	763
exports—	
1917–1919, quantity and value	770
1909–1919, world countries	718
imports, 1909–1919, world countries	718
jack rabbit, utilization	437
jack rabbit, utilization number and value taken by hunters of Department	300
trade international, 1909–1919	718
wild animals, receipts to U. S. Treasury	2, 300
SMITH—	
C. B., and GEORGE B. FARRELL, article on "Boys' and girls' clubs enrich	E 404
Country life 40	941
Country life". 48 G. D., boll weevil control work.  Herbert A., article on "How the public forests are handled". 30 J. Warren, article on "Speaking of the weather". 18	9-330
I WARREN article on "Speaking of the weather",	1-202
Smoke, forest fire warning, illustration	323
Snake bite, danger as cause of prejudice against all snakes	162
Snakes, killing through prejudice	162
Snow—	
source of stream flow	203
warnings, importance to traffic and live stock	9–190
Snowfall—	001
effect on wheat yield	201
Sadium Avarida usa in prosporting timber	194 447
Soil—	771
conditions in relation to crop production	363
factor in crop production	
factor in crop production	403
moisture, movement, studies	1 - 213
survey—	
maps, scope41	4-415
uses, article by Charles H. Seaton	
surveys, cooperation of States	418
Soils—	415
areas surveyed, extent	410
phosphoric acid recovery, method	223
potash fertilizer studies	
potash fertilizer studies	374
atudy of soils, inauguration	3-414
characters, relation to crop production	8-419
classification, importance in agricultural advancement. 41 crop adaptations, importance. 415, 41 study by Agriculture Department, Bureau of Soils. 42	17-418
crop adaptations, importance	6, 418
study by Agriculture Department, Bureau of Soils	13-414
Solar radiation, studies by Weather Bureau	197
Sorghum— crop, 1920	77 75
for sirup, statistics, 1917–1920, acreage production and value	690
Sorghums, grain. statistics, acreage production and value	
Soups, exports 1917-1919, quantity and value	776
South Africa, meat surplus production	499
South America—	
demand for American live stock, study	502
meat surplus production	498
South Carolina—	041
boll weevil poisoning work, progress	248
incomes from farms	823 530
live-stock associations, directory	83'
phosphate deposits	218
	2.10
30702°—¬твк 192056	

South Dakota— Po	age.
live-stock associations, directory	530
National Forests, areas. rodent extermination, and acreage covered	837
South, demonstration work, article by O. B. Martin and Ola Powell 111.	43Z 196
South Platte River, stream flow.	203
South Platte River, stream flow	180
Soy bean—	
Biloxi, forcing experiments	396
growth, illustrations	384 384
introduction tests and value	10
Peking, forcing experiments, 383, 387, 388, statistics, acreage, production, and value.	396
statistics, acreage, production, and value.	666
varieties, growing, effects of shorter days	384
	775
imports 1917–1919, quantity and value	767
Sparrows—	
	265
feeding habits	266
Specialists, demand and supply.  Specialty farming, capital required 274— Speculation, farm products, cause and control	275
Speculation, farm products, cause and control	496
spices, imports 1917-1919, quantity and value	768
Spinach—	
forcing experiments 389–390, New Zealand, introduction in home gardens	397 119
Spraying fruit, cost and profits, weather relations 190-	191
Spring flowers, typical	377
Springs, use in irrigation	213
Spruce—	440
drying in kilns, saving in time and waste.  Production Division, Army, war work	443 447
Squirrels, ground—	
destruction 427, 428, 431–	432
work in grain fields, illustration	429
See also Rodents.	7 40
St. Paul, Markets Bureau, office and work. Stalks, corn, relation to corn-borer spread. 96	140
Standardization—	
progress—	
	359
in, article by Harold W. Samson	362
Starch— exports 1917–1919, quantity and value	776
	768
Statistics—	
agricultural—	
miscellaneous803- tabular statements	940
grain crops 1920	610
imports and exports of agricultural products	802
live stock, 1920 701-	760
work of Crop Estimates Bureau, expansion need	-26 772
	770
Stewart, Lieut. Col., investigations of roundworms	177
Stock-	
judging, illustration killers, hunting down, article by W. B. Bell 289-	488
killers, hunting down, article by W. B. Bell	300 488
See also Live stock.	<del>-</del> 200
Stockyards, live stock receipts and slaughter, 1916–1920	758
Stomache hird study datails 254	255
Storage, water for irrigation, need and cost	206
Storm warnings value to navigation	194 -204

Struts, airplane, strength tests, illustrations	448 431 -	449 432 46
beet, statistics, production, factories, etc. 676, 677-678, 683, cane, statistics, production, value, etc. 766, 679, 680, 683-consumption, per capita, 1901–1920.	685– 684,	686 687
consumption, per capita, 1901–1920.		680
exports—		
1910–1920		14
1909–1919, world countries		682
imports—	-	
1917-1919, quantity and value		768
1909–1919, world countries.	•	682
maple, production, 1909, 1918, 1919, 1920.	680_	
maple, production, 1909, 1910, 1919, 1920	000-	601
prices în New York market, 1913–1920 residues, source and use for potash fertilizer.	970	00T
residues, source and use for potasn fertilizer.	070-	#16
statistics, production, etc	0/0-	080
trade, international, 1909–1919		682
use on farms, per capita		478
Sugar-cane harvest, frost warnings	-	193
Summer flowers, typical		377
Sunlight, studies by Weather Bureau Supervisor, forest, knowledge and experience		197
Supervisor, forest, knowledge and experience	_	315
Survey, soil, uses, article by Charles H. Seaton	413-	
Surveys—		
farm-management, facts on farm incomes		277
soil, areas	•	415
SUI, aleas.	-	TIO
Swallow—	000	000
feeding habits	262,	200
tree, illustration	· <b>-</b>	262
Swamp lands, acreage		283
Sweet potatoes—		
crop, 1920	9, 11	l, 12
grading, relation to marketing, illustration		358
losses from disease		39
prices at principal markets, 1913–1920		626
statistics, acreage production and value	624	-626
Swifts, feeding habits		259
Swine. See Hogs.	• •	200
<del>-</del>		
Tallow, exports 1917–1919, quantity and value		770
Tampico fiber, imports, 1917–1919, quantity and value		763
Tampico fiber, imports, 1917–1919, quantity and value.  Tanagers, feeding habits.  Tanning materials, imports 1917–1919, quantity and value		262
Tanning materials, imports 1917–1919, quantity and value		764
Tar—		
derivation and value		457
use in road building, development	340	
Tea—	040	-OTT
		692
prices on New York market, 1913-1920.	- 200	
statistics, imports, exports and prices	-692,	709
trade, international, 1909–1919	-:00	691
Telegraph market reporting service	133-	-136
Telephone, use in market reporting.  Temperature changes, relation to seasonal flowering and fruiting		144
Temperature changes, relation to seasonal flowering and fruiting	378	-381
Tenants, net worth in various sections		278
Tennessee—		
live-stock associations, directory		531
National Forest, area		837
phosphate deposits		218
Testing—		
containers results	450	_4K1
containers, resultssoil moisture movement, illustration	±00	916
monds for manial year results	•• .	440
woods for special uses, results		443
Texas—		
		-
east-central, tenants' net worth		278
law on onion grading, note	 	358
east-central, tenants' net worth. law on onion grading, note. live-stock associations, directory.	 	

Thrashers, feeding habits	263
Trumps, prg dieease, cause	178
"Thumps," pig disease, cause Tick, cattle, eradication work Ties, railroad, treatment for preservation, results	43
Timber—	447
Alaska, value	7–68
cutting, westward movement	151
exports 1917–1919, quantity and value	773
growing, need of work and importance	153
imports, 1917–1919, quantity and value	764
National Forest—	101
sales, rules and statistics	005
sales, tures and accurate illustration	, 000
using and growing, illustration.	321
supply from National Forests	
preservation, chemicals used	447
Timothy, seed—	
exports 1917–1919, quantity and value	775
statistics	-635
statistics	342
Titmice, feeding habits	263
Tobacco—	200
acreage and production, 1910–1920.	0 10
acteage and production, 1010—1020	4, 13
crop losses, 1909–1919, extent and causes	648
exports and imports, 1909–1919, world countries.	650
forcing, effect on seed production, illustration imports, 1917–1919, quantity and value leading State, Kentucky	399
imports, 1917-1919, quantity and value	769
leading State, Kentucky Maryland Mammoth, seed production problem, solution	805
Maryland Mammoth, seed production problem, solution 399	400
prices at principal markets, 1914-1920.	649
soil adoptations	410
soil adaptations. 416 statistics, acreage, production, value, etc. 645	, 419
statistics, acreage, production, value, etc	-000
	650
Tomato growing, at beginning of home demonstration	, 112
Tomatoes—	
exports, 1917–1919, quantity and value	776
statistics, acreage, production, yield, and value	-675
Toxins, laws, amendments proposed	0-71
Tractor use in land preparation, illustration	210
Trade—	210
	23
agricultural, commissioner, work.	
supply and demand, information importance.	496
Transportation—	
companies, use of cold-wave warnings	189
difficulties, effect on road building	59
improvement, effect on food variety	473
improvement, effect on food varietylines, cooperation in market-news distribution	139
statistics of railway freight tonnage	830
Trapping wild animals, illustration	296
Truck—	
crops, statistics, acreage, production, and value	676
crops, statistics, acreage, production, and varie	275
farms, small capital	210
Trucks, motor—	0.40
destructiveness on roads	-343
impact of wheels—	
on road surface, study	-343
study illustration	342
study illustration Tuberculosis, cattle, control work	2-43
Turkeys statistics farm price, 1912–1920	743
Turnips, farm prices, 1912–1920.	676
Turnganting	5.0
Turpentine—	
exports—	697
and imports of world countries, 1909–1919	
1917–1919, quantity and value	772
sales from national forests.	835
trade, international, 1909–1919	697
wood product, importance.	457

Turpentining methods, improvement	457 -464
United Kingdom, agricultural markets, study	502
Agricultural College, cooperation in irrigation work	208
alfalfa seed growers, frost warnings	193
incomes from farmsirrigation—	821
by underground water	214
districts, consolidation	-208
live-stock associations, directory	531
National Forests, areasphosphate deposits	837 218
rabies outbreak, 1916.	
rabies outbreak, 1916	, 435
Salduro Marsh, source of potash. Utensils, milk, care at Naval Academy dairy	370 469
Otensiis, milk, care at Navai Academy dairy	400
Vancouver Barracks, Wash., lumber drying for munitions	, 446 769
Vegetables—	
acreage and production, 1910-1920. 1	.1, 12
reports, extent, methods, etc	<b>⊢139</b>
new, introduction by home demonstration	115
use on farms, per capita and source	, 482
See also Beans, Beets, Cabbage, etc. Vehicles, war, lumber requirements	447
Velvet beans, early improved, value.	45
Vermont—	
live-stock associations, directory	532
White River Junction Cow-testing Association, notes	405
VINAL, STEWART, discovery of European corn borer. Violet, wild, flowering habits, and effect of forcing	i. 400
Vireos, feeding habits.	263
Virginia—	440
dairyman's experience in cow testing	440 821
incomes from farms. live-stock associations, directory.	532
National Forests, areas	837
orchard trees, destruction by rodents.	422
woman demonstration agent, definition of field report. Virus-Serum-Toxin Act, amendments proposed.	113 70 <b>–</b> 71
Vitamines in food, sources	480
Vocational education in home economics	53
Wagner forms	
Wages, farm— by classes of labor and by States	-820
index numbers	825
index numbers  WAGGAMAN, WILLIAM H., article on "Phosphorus in fertilizer". 21' Walnut, drying in kilns, saving in time and waste. 44' Walnuts, imports, 1917-1919, quantity and value.  WALITON, W. R., article on "European corn borer in American corn". 86	7-224
Walnut, drying in kilns, saving in time and waste	3, <b>44</b> 7
WALTON, W. R., article on "European corn horer in American corn"	5-104
war—	
Department, lumber kilns, Vancouver Barracks, illustration	444
munitions, lumber requirements	3 <del>-44</del> 7
Warblers, feeding habits	269
Warblers, feeding habits Warehouse Act, amendment proposed Warnings, river and flood, results.	73-74
Warnings, river and flood, results	1–192
Washington— live-stock associations, directory	532
National Forests, areas	837
rabies outbreak, 1916	293
rodent extermination and acreage covered 43	2. 43

250 I carbook by the Department by Hyr teacher, 1020.	
**************************************	77
Waste— in mining phosphate rock	Page.
in mining prospection	, ZZ4
products, utilization	10-0T
	450
illustrations. utilization, article by Samuel T. Dana	409
Water-	<del>-4</del> 02
	004
availability for crops in Western States. 203 conduits, extent and requirements 214	-204 - 015
conduits, extent and requirements.	-219
irrigation—	015
control laws, importance to farmers.	215
distribution, laws, etc. 214	F-219
economical use.	7-216
losses in transmission 215 sources 203, 206, 215 stored, need and cost problems	), 216
sources	5, 214
stored, need and cost problems.	206
supply, Naval Academy dairy	<del>-4</del> 69
underground, utilizing for irrigation 219	<del>-214</del>
Waterfowl—	
breeding ground—	
North Dakota, illustration	166
reduction by drainage depletion of numbers by shooting study in southern migration Waterpower, National Forest permits, 1916–1920	165
depletion of numbers by shooting	163
study in southern migration	165
Waterpower, National Forest permits, 1916–1920.	835
Waterproof—	
coating for airplane wing beams	447
glue, need in making plywood	<del>3-4</del> 54
Waterworks, home, installation, demonstration influence	122
Wax, vegetable, imports, 1917–1919, quantity and value.	769
Waxwing, cedar, feeding habits	262
glue, need in making plywood. 456 Waterworks, home, installation, demonstration influence. Wax, vegetable, imports, 1917–1919, quantity and value. Waxwing, cedar, feeding habits. Weaning time, critical period in growth of live stock.	228
weather-	
and crops reports, weekly	5 <b>–1</b> 96
Darmana	
cost and returns	202
representative in Pomona fruit district	188
work	
for agriculture, commerce, and navigation	2, 202
importance	57
effect on crops 181–182, 190	}–202
forecasts. See Forecasts.	
importance to the farmer, article by J. Warren Smith	1-202
maps, typical, illustrations	4, 185
observer's outfit, illustration	198
reports, nature and scope	110
Webworms, control, aid of birds	259
Weekly News Letter, scope	110
Weevil—	
alfalfa, control, aid of birds	265
boll. See Boll weevil.	
clover, control, aid of birds	267
Weights, bushel average, 1911–1920, for wheat, oats, and barley	811
Wells, use in irrigation. West Virginia—	213
West Virginia—	40.
Eastern Pan Handle Cow-testing Association, typical herd	401
live-stock associations, directory	533
National Forests, areas	837
Wheat—	000
aphis, control, aid of birds	266
aphis, control, aid of birdsconsumption in world countries, 1909–1913, 1914–1918	a, eto
anat .	
average per bushel, discussion	1-302
of a bushel, article by F. W. Peck	1-308
average per bushel, discussion	3U5
of production, study by Farm Management Office	z-303
of production, study by Farm Management Office	4, 305

	Page.
crop losses, 1909–1919, causes	557
diseases, control work	39
exports—	563
and imports, 1909-1919, world countries. 1917-1919, quantity and value.	773
farms, average value	275
farms, average value	477
imports 1917–1919, quantity and value	765
losses from disease . prices at principal markets, 1913–1920 .	39
prices at principal markets, 1913–1920.	561
production, leading States.	8U0 1 E 60
production, leading States spring varieties, production, 1914–1920 558 statistics, acreage, production value, etc., 1920 546	563 1563
trade, international, 1909–1919.	563
yield—	
effect of rainfall in May and June	200
effect of snowfall in March.	201
yields, relation to cost of production	306
Wheats, new, value and importance	6 <del>6</del> 146-7
Wheels—	-140
lumber requirements	5. 447
rims, illustration	453
rims, illustration. Whip-poor-wills, feeding habits.	259
Whisky, exports, 1917–1919, quantity and value	774
Wild—	1 1 7 4
animals, conservation, with birds, article by Edward A. Goldman 158 cats, rabies outbreak, 1916	9–174 293
Wilson, James—	200
letter of directions for National Forests management	3-329
Secretary of Agriculture, portrait.	2
Wines experts 1017-1010 quantity and value	774
Wing heams, airplane, waterproof coating	447
Wing beams, airplane, waterproof coating Winter flowers, typical Wireless market service, experiments in progress  13-	377
Wireless market service, experiments in progress	1–136 267
Wireworms, control, aid of birds	20,7
cheese marketing and price reports	144
corn yield increase due to club work	486
Federal-aid road and bridge, illustration	351
incomes from farms	821
live-stock associations, directory	533
Wolves—	<del>)-4</del> 02
damage by destruction of live stock 289 29	1 295
damage by destruction of live stock 289, 29; killing by Department hunters. 292, 296, 29	7, 299
Women—	
development and culture by home demonstration	1-114
farm, demonstration work.	52-53
handiness in making home conveniences	122
alcohol, distillation from wood	456
bending test, illustration 44	3 <u>-449</u>
conservation, methods. 44	0-454
conservation, methods	7,450
distillation products 450	<del>5-4</del> 57
drying, improved methods	3-447
growing trees for, necessity	153
Inminated, lumber saving	2 <b>-4</b> 54 153
manufacturing, location and needs	147
products, importance.	454
—מנוס —	200
exports and imports, 1909–1919	700
exports 1917–1919, quantity and value	773
exports and imports, 1909–1919 exports 1917–1919, quantity and valueimports 1917–1919, quantity and value	765
loss by decay in storage	455

Wood—Continued.		
pulp—Continued.	P	age.
smokeless powder made from, illustration trade, international, 1909–1919.	448-	449 700
source of notash fertilizer, paper and 372	454 .	455
source of potash fertilizer, paper and 372, supply for Nation, article by W. B. Greeley	147_	150
use, increase in manufactures, etc.	147	140
user and most diagram	14/-	140
uses and waste, diagram	400	440
Waste to initiation, article by Samuel T. Dana, with illustrations	439-	402
Woodlots, farm, management and use	T90-	
Woodpecker, hairy, illustration	-	258
Woodpeckers, feeding habits	-	259
Woods—		·
box making, substitutes, saving	•	451
cheaper, use after testing	-	443
for special uses, value of information	442-	443
microscopic examination, illustration	-	441
test for paper pulp availability		454
training place for forest rangers and supervisors	310-	315
Wool—		
exports 1917–1919, quantity and value	_	770
imports 1917–1919, quantity and value	_	761
losses through predatory animals	_	295
market reports, note		136
prices, remarks, and statistics	749	
production 1909, 1914–1920.		
statistics, production, prices, etc	7.49	759
trade, international, 1909–1919	140-	752
Workers, loss to Department on account of insufficient salaries	. ee	
World—	0, 00	, 01
market—		
effect on prices	405	106
foreconting	406	400
forecasting trade demand and supply, information importance	490-	200
Wisma interimed of no illustrations	176	177
Worms, intestinal, of pig, illustrations.  Wrens, feeding habits.	110,	711
	205,	200
Wyoming—		300
Jackson Hole elk reservation, illustration	-	168
live-stock associations, directory	-	533
National Forests, areas	-	837
phosphate deposits	-	218
rabies suppression, 1916	-	294
rodent extermination and losses	427,	432
Yearbook, nature and scope		110
Yeast, exports 1917–1919, quantity and value		776
Yellow-hammers, feeding habits		259
Yellow-hammers, feeding habits	168-	-170
Yields—		
composite, of all crops, by States		810
productivity of several countries		815
relation to cost of production of wheat		306
Yoshida, Prof., investigations of roundworms		177
, , , ,		
Zinc chloride, use in preserving timber.		447